


### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TnomVnom




EUT\_X\_1TX  
 SET 80  
 80/100/90/85/83/82/80  
 0.74/-26.62/-15.57/-7.71/-4.76/-4.48/0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.79	74.00	-9.21	58.66	3	Vertical	20	1.88	-	32.70	6.37	32.94
AV	5.1492G	53.38	54.00	-0.62	47.25	3	Vertical	20	1.88	-	32.70	6.37	32.94
PK	5.22856G	105.24	Inf	-Inf	99.01	3	Vertical	20	1.88	-	32.76	6.40	32.93
AV	5.22216G	93.35	Inf	-Inf	87.14	3	Vertical	20	1.88	-	32.74	6.40	32.93
PK	5.35336G	59.97	74.00	-14.03	53.48	3	Vertical	20	1.88	-	33.01	6.40	32.92
AV	5.35784G	48.53	54.00	-5.47	42.02	3	Vertical	20	1.88	-	33.03	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 80/60/70/75/77/76  
 -5.01/5.64/4.33/2.16/-0.43/1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14984G	63.89	74.00	-10.11	57.76	3	Horizontal	76	1.94	-	32.70	6.37	32.94
AV	5.14984G	52.33	54.00	-1.67	46.20	3	Horizontal	76	1.94	-	32.70	6.37	32.94
PK	5.19656G	108.70	Inf	-Inf	102.54	3	Horizontal	76	1.94	-	32.70	6.40	32.94
AV	5.19784G	97.14	Inf	-Inf	90.98	3	Horizontal	76	1.94	-	32.70	6.40	32.94
PK	5.3604G	61.18	74.00	-12.82	54.66	3	Horizontal	76	1.94	-	33.04	6.40	32.92
AV	5.36616G	49.49	54.00	-4.51	42.95	3	Horizontal	76	1.94	-	33.06	6.40	32.92

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TnomVnom




EUTX\_1TX  
SET 76  
76  
6.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6316G	61.26	74.00	-12.74	45.90	3	Vertical	146	2.14	-	37.77	10.39	32.80
AV	15.61364G	47.84	54.00	-6.16	32.47	3	Vertical	146	2.14	-	37.79	10.38	32.80

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TnomVnom




EUTX\_1TX  
SET 76  
76  
6.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6106G	60.16	74.00	-13.84	44.79	3	Horizontal	290	1.00	-	37.79	10.38	32.80
AV	15.63172G	47.65	54.00	-6.35	32.29	3	Horizontal	290	1.00	-	37.77	10.39	32.80

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5775MHz\_TnomVnom




EUT\_X\_1TX  
 SET 92  
 80/100/90/95/93/92  
 6.54/-14.87/2.29/-4.86/-1.59/0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64956G	67.74	68.20	-0.46	59.95	3	Vertical	41	1.84	-	34.10	6.60	32.91
PK	5.759G	108.38	Inf	-Inf	100.31	3	Vertical	41	1.84	-	34.40	6.60	32.93
AV	5.76028G	95.92	Inf	-Inf	87.85	3	Vertical	41	1.84	-	34.40	6.60	32.93
PK	5.92668G	61.32	68.20	-6.88	52.65	3	Vertical	41	1.84	-	35.01	6.60	32.94

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TnomVnom




EUT\_X\_1TX  
 SET 85  
 92/72/82/87/85/86/85  
 -6.07/6.50/2.39/-0.17/0.29/-2.23/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65148G	69.18	69.30	-0.12	61.40	3	Horizontal	313	1.80	-	34.10	6.60	32.92
PK	5.77244G	114.07	Inf	-Inf	106.00	3	Horizontal	313	1.80	-	34.40	6.60	32.93
AV	5.7686G	101.22	Inf	-Inf	93.15	3	Horizontal	313	1.80	-	34.40	6.60	32.93
PK	5.92924G	61.19	68.20	-7.01	52.51	3	Horizontal	313	1.80	-	35.02	6.60	32.94

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TnomVnom




EUTX\_1TX  
SET 85  
85  
2.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.30852G	65.91	68.20	-2.29	44.88	3	Vertical	323	1.80	-	42.11	10.89	31.97

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TnomVnom



EUTX\_1TX  
SET 85  
85  
2.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.31492G	66.10	68.20	-2.10	45.07	3	Horizontal	194	1.80	-	42.11	10.89	31.97






For 2T1S and 2T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.64908G	68.19	68.20	-0.01	3	Horizontal	304	1.80	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 87  
 80/100/90/85/87/88/87  
 6.67/-20.14/-4.38/2.48/0.28/-1.25/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.68	74.00	-6.32	61.55	3	Vertical	8	1.77	-	32.70	6.37	32.94
AV	5.15G	53.75	54.00	-0.25	47.62	3	Vertical	8	1.77	-	32.70	6.37	32.94
PK	5.1814G	113.06	Inf	-Inf	106.91	3	Vertical	8	1.77	-	32.70	6.39	32.94
AV	5.1862G	102.80	Inf	-Inf	96.65	3	Vertical	8	1.77	-	32.70	6.39	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 81  
 87/67/77/82/84/83/82/81  
 -5.84/6.00/4.50/0.82/-2.15/-0.35/-0.05/2.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	66.20	74.00	-7.80	60.06	3	Horizontal	67	2.00	-	32.71	6.37	32.94
AV	5.15G	51.72	54.00	-2.28	45.59	3	Horizontal	67	2.00	-	32.70	6.37	32.94
PK	5.1752G	116.24	Inf	-Inf	110.09	3	Horizontal	67	2.00	-	32.70	6.39	32.94
AV	5.1752G	106.47	Inf	-Inf	100.32	3	Horizontal	67	2.00	-	32.70	6.39	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
SET 81  
81  
5.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54122G	62.16	74.00	-11.84	46.57	3	Vertical	352	1.80	-	38.04	10.36	32.81
AV	15.54315G	48.17	54.00	-5.83	32.59	3	Vertical	352	1.80	-	38.03	10.36	32.81

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
SET 81  
81  
6.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54403G	61.23	74.00	-12.77	45.66	3	Horizontal	9	1.19	-	38.02	10.36	32.81
AV	15.53701G	47.99	54.00	-6.01	32.39	3	Horizontal	9	1.19	-	38.05	10.36	32.81

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 90  
 80/100/90/95/93/92/90  
 7.11/-9.98/2.34/-5.86/-5.07/-1.47/2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	66.10	74.00	-7.90	59.97	3	Vertical	11	2.09	-	32.70	6.37	32.94
AV	5.14904G	51.66	54.00	-2.34	45.53	3	Vertical	11	2.09	-	32.70	6.37	32.94
PK	5.20504G	114.48	Inf	-Inf	108.31	3	Vertical	11	2.09	-	32.71	6.40	32.94
AV	5.20448G	104.58	Inf	-Inf	98.41	3	Vertical	11	2.09	-	32.71	6.40	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 86  
 90/70/80/85/87/86  
 -3.65/6.55/4.61/1.40/-0.27/0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14932G	71.46	74.00	-2.54	65.33	3	Horizontal	64	2.00	-	32.70	6.37	32.94
AV	5.14988G	53.10	54.00	-0.90	46.97	3	Horizontal	64	2.00	-	32.70	6.37	32.94
PK	5.20504G	119.06	Inf	-Inf	112.89	3	Horizontal	64	2.00	-	32.71	6.40	32.94
AV	5.20532G	109.35	Inf	-Inf	103.18	3	Horizontal	64	2.00	-	32.71	6.40	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
SET 86  
86  
2.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60322G	66.98	74.00	-7.02	51.60	3	Vertical	346	1.23	-	37.80	10.38	32.80
AV	15.59777G	51.33	54.00	-2.67	35.94	3	Vertical	346	1.23	-	37.81	10.38	32.80



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
SET 86  
86  
2.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6044G	65.92	74.00	-8.08	50.54	3	Horizontal	0	1.70	-	37.80	10.38	32.80
AV	15.60246G	51.11	54.00	-2.89	35.73	3	Horizontal	0	1.70	-	37.80	10.38	32.80

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.68/3.12/3.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.91	74.00	-6.09	61.78	3	Vertical	10	2.06	-	32.70	6.37	32.94
AV	5.14588G	50.57	54.00	-3.43	44.43	3	Vertical	10	2.06	-	32.71	6.37	32.94
PK	5.24468G	118.25	Inf	-Inf	111.99	3	Vertical	10	2.06	-	32.79	6.40	32.93
AV	5.24468G	107.42	Inf	-Inf	101.16	3	Vertical	10	2.06	-	32.79	6.40	32.93
PK	5.35336G	63.21	74.00	-10.79	56.72	3	Vertical	10	2.06	-	33.01	6.40	32.92
AV	5.35544G	49.40	54.00	-4.60	42.90	3	Vertical	10	2.06	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TnomVnom




EUT X\_2TX  
 SET 97  
 102/82/92/97/99/98/97  
 -1.27/5.38/4.68/0.57/-1.81/-0.99/0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.86	74.00	-6.14	61.73	3	Horizontal	65	1.93	-	32.70	6.37	32.94
AV	5.14952G	53.78	54.00	-0.22	47.65	3	Horizontal	65	1.93	-	32.70	6.37	32.94
PK	5.2452G	123.85	Inf	-Inf	117.59	3	Horizontal	65	1.93	-	32.79	6.40	32.93
AV	5.24468G	112.73	Inf	-Inf	106.47	3	Horizontal	65	1.93	-	32.79	6.40	32.93
PK	5.35388G	66.76	74.00	-7.24	60.26	3	Horizontal	65	1.93	-	33.02	6.40	32.92
AV	5.35076G	51.58	54.00	-2.42	45.10	3	Horizontal	65	1.93	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TnomVnom



EUT\_X\_2TX  
 SET 85  
 97/77/87/82/84/85  
 -4.46/4.43/-1.13/2.09/0.85/0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72321G	68.52	74.00	-5.48	53.04	3	Vertical	360	1.74	-	37.84	10.42	32.78
AV	15.71831G	53.68	54.00	-0.32	38.24	3	Vertical	360	1.74	-	37.81	10.42	32.79

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 83  
 85/65/75/80/82/83  
 -0.04/7.43/5.16/2.98/1.68/0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72421G	68.44	74.00	-5.56	52.95	3	Horizontal	357	1.79	-	37.85	10.42	32.78
AV	15.71923G	53.09	54.00	-0.91	37.63	3	Horizontal	357	1.79	-	37.82	10.42	32.78

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 98  
 80/100/90/95/97/98  
 7.40/-6.10/6.50/6.52/6.42/4.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64696G	63.55	68.20	-4.65	55.78	3	Vertical	36	1.04	-	34.08	6.60	32.91
PK	5.74652G	118.07	Inf	-Inf	110.02	3	Vertical	36	1.04	-	34.37	6.60	32.92
AV	5.74652G	107.61	Inf	-Inf	99.56	3	Vertical	36	1.04	-	34.37	6.60	32.92
PK	5.92968G	60.95	68.20	-7.25	52.27	3	Vertical	36	1.04	-	35.02	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
SET 98  
98  
1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65152G	68.04	69.32	-1.28	60.26	3	Horizontal	300	1.80	-	34.10	6.60	32.92
PK	5.75032G	122.62	Inf	-Inf	114.55	3	Horizontal	300	1.80	-	34.40	6.60	32.93
AV	5.7412G	111.89	Inf	-Inf	103.88	3	Horizontal	300	1.80	-	34.33	6.60	32.92
PK	5.93196G	60.38	68.20	-7.82	51.69	3	Horizontal	300	1.80	-	35.03	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 86  
 98/78/88/83/85/86  
 -5.53/2.34/-0.94/0.72/0.47/0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23749G	68.15	68.20	-0.05	47.50	3	Vertical	31	2.31	-	41.79	10.87	32.01



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT X\_2TX  
 SET 84  
 86/66/76/81/83/84  
 -0.47/2.31/1.97/0.89/0.98/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23904G	67.78	68.20	-0.42	47.12	3	Horizontal	8	1.80	-	41.80	10.87	32.01

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
7.01/7.49/6.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6398G	61.47	68.20	-6.73	53.74	3	Vertical	36	1.00	-	34.04	6.60	32.91
PK	5.791G	117.36	Inf	-Inf	109.29	3	Vertical	36	1.00	-	34.40	6.60	32.93
AV	5.7808G	107.20	Inf	-Inf	99.13	3	Vertical	36	1.00	-	34.40	6.60	32.93
PK	5.926G	59.97	68.20	-8.23	51.31	3	Vertical	36	1.00	-	35.00	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
3.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6482G	64.23	68.20	-3.97	56.45	3	Horizontal	302	1.77	-	34.09	6.60	32.91
PK	5.7796G	122.23	Inf	-Inf	114.16	3	Horizontal	302	1.77	-	34.40	6.60	32.93
AV	5.7898G	111.69	Inf	-Inf	103.62	3	Horizontal	302	1.77	-	34.40	6.60	32.93
PK	5.9296G	60.64	68.20	-7.56	51.96	3	Horizontal	302	1.77	-	35.02	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
 SET 100  
 102/82/92/97/99/100  
 -0.44/2.34/2.37/1.53/1.54/1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35802G	66.88	68.20	-1.32	45.75	3	Vertical	324	2.85	-	42.16	10.91	31.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
 SET 97  
 100/80/90/95/97/98/97  
 -0.12/2.58/1.74/1.65/0.88/-0.36/0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35156G	67.59	68.20	-0.61	46.48	3	Horizontal	331	1.80	-	42.15	10.91	31.95

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5825MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
7.20/6.87/6.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64488G	60.06	68.20	-8.14	52.30	3	Vertical	34	1.01	-	34.07	6.60	32.91
PK	5.82576G	117.08	Inf	-Inf	108.80	3	Vertical	34	1.01	-	34.61	6.60	32.93
AV	5.8212G	106.18	Inf	-Inf	97.94	3	Vertical	34	1.01	-	34.57	6.60	32.93
PK	5.99372G	61.50	68.20	-6.70	52.58	3	Vertical	34	1.01	-	35.27	6.60	32.95

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5825MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
6.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64488G	61.26	68.20	-6.94	53.50	3	Horizontal	302	1.96	-	34.07	6.60	32.91
PK	5.81816G	120.68	Inf	-Inf	112.46	3	Horizontal	302	1.96	-	34.55	6.60	32.93
AV	5.81892G	110.30	Inf	-Inf	102.08	3	Horizontal	302	1.96	-	34.55	6.60	32.93
PK	5.98916G	61.42	68.20	-6.78	52.51	3	Horizontal	302	1.96	-	35.26	6.60	32.95

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5825MHz\_TnomVnom




EUT X\_2TX  
 SET 94  
 102/82/92/97/95/96/95/94  
 -0.59/2.57/0.71/-0.00/0.61/-0.26/-0.04/0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47637G	67.88	68.20	-0.32	46.54	3	Vertical	330	1.80	-	42.28	10.94	31.88



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5825MHz\_TnomVnom




EUT\_X\_2TX  
 SET 88  
 94/74/84/89/87/88  
 -1.44/3.00/1.71/-0.30/0.85/0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47851G	67.58	68.20	-0.62	46.24	3	Horizontal	39	1.84	-	42.28	10.94	31.88

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 86  
 80/100/90/85/87/86  
 5.46/-23.74/-7.26/1.57/-0.98/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.40	74.00	-7.60	60.27	3	Vertical	7	1.78	-	32.70	6.37	32.94
AV	5.15G	53.76	54.00	-0.24	47.63	3	Vertical	7	1.78	-	32.70	6.37	32.94
PK	5.1844G	114.18	Inf	-Inf	108.03	3	Vertical	7	1.78	-	32.70	6.39	32.94
AV	5.1784G	99.98	Inf	-Inf	93.83	3	Vertical	7	1.78	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 81  
 86/66/76/81/83/82/81  
 -5.97/5.40/4.07/1.57/-2.25/-0.58/0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	65.16	74.00	-8.84	59.02	3	Horizontal	64	2.08	-	32.71	6.37	32.94
AV	5.1498G	53.34	54.00	-0.66	47.21	3	Horizontal	64	2.08	-	32.70	6.37	32.94
PK	5.1806G	116.47	Inf	-Inf	110.32	3	Horizontal	64	2.08	-	32.70	6.39	32.94
AV	5.1852G	104.79	Inf	-Inf	98.64	3	Horizontal	64	2.08	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT X\_2TX  
 SET 81  
 81  
 5.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5396G	61.47	74.00	-12.53	45.88	3	Vertical	352	1.80	-	38.04	10.36	32.81
AV	15.54087G	48.70	54.00	-5.30	33.11	3	Vertical	352	1.80	-	38.04	10.36	32.81

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT X\_2TX  
SET 81  
81  
5.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53694G	61.19	74.00	-12.81	45.59	3	Horizontal	273	1.80	-	38.05	10.36	32.81
AV	15.53726G	48.13	54.00	-5.87	32.53	3	Horizontal	273	1.80	-	38.05	10.36	32.81

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 88  
 80/100/90/85/87/88  
 5.96/-12.85/-0.43/3.61/2.50/2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	64.82	74.00	-9.18	58.69	3	Vertical	10	1.87	-	32.70	6.37	32.94
AV	5.1496G	51.94	54.00	-2.06	45.81	3	Vertical	10	1.87	-	32.70	6.37	32.94
PK	5.20476G	114.26	Inf	-Inf	108.09	3	Vertical	10	1.87	-	32.71	6.40	32.94
AV	5.20252G	101.89	Inf	-Inf	95.72	3	Vertical	10	1.87	-	32.71	6.40	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 88/68/78/83/85/84  
 -3.67/5.93/4.07/0.93/-0.90/0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	68.71	74.00	-5.29	62.58	3	Horizontal	64	1.99	-	32.70	6.37	32.94
AV	5.1496G	53.71	54.00	-0.29	47.58	3	Horizontal	64	1.99	-	32.70	6.37	32.94
PK	5.20448G	119.03	Inf	-Inf	112.86	3	Horizontal	64	1.99	-	32.71	6.40	32.94
AV	5.20504G	106.90	Inf	-Inf	100.73	3	Horizontal	64	1.99	-	32.71	6.40	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT X\_2TX  
SET 84  
84  
1.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59907G	65.82	74.00	-8.18	50.44	3	Vertical	353	1.80	-	37.80	10.38	32.80
AV	15.60067G	52.10	54.00	-1.90	36.72	3	Vertical	353	1.80	-	37.80	10.38	32.80



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT X\_2TX  
SET 84  
84  
3.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60249G	65.05	74.00	-8.95	49.67	3	Horizontal	16	1.80	-	37.80	10.38	32.80
AV	15.60223G	50.72	54.00	-3.28	35.34	3	Horizontal	16	1.80	-	37.80	10.38	32.80

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 6.16/0.62/0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.14	74.00	-5.86	62.01	3	Vertical	12	2.06	-	32.70	6.37	32.94
AV	5.15G	53.22	54.00	-0.78	47.09	3	Vertical	12	2.06	-	32.70	6.37	32.94
PK	5.23532G	116.62	Inf	-Inf	110.38	3	Vertical	12	2.06	-	32.77	6.40	32.93
AV	5.24728G	104.99	Inf	-Inf	98.73	3	Vertical	12	2.06	-	32.79	6.40	32.93
PK	5.35492G	67.84	74.00	-6.16	61.34	3	Vertical	12	2.06	-	33.02	6.40	32.92
AV	5.35232G	51.09	54.00	-2.91	44.60	3	Vertical	12	2.06	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 92  
 102/82/92/97/95/94/92  
 -5.52/4.53/3.34/-2.64/-2.04/-1.58/2.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.87	74.00	-9.13	58.74	3	Horizontal	66	1.99	-	32.70	6.37	32.94
AV	5.14952G	51.60	54.00	-2.40	45.47	3	Horizontal	66	1.99	-	32.70	6.37	32.94
PK	5.23844G	120.88	Inf	-Inf	114.63	3	Horizontal	66	1.99	-	32.78	6.40	32.93
AV	5.24208G	109.58	Inf	-Inf	103.33	3	Horizontal	66	1.99	-	32.78	6.40	32.93
PK	5.357G	63.06	74.00	-10.94	56.55	3	Horizontal	66	1.99	-	33.03	6.40	32.92
AV	5.35284G	51.01	54.00	-2.99	44.52	3	Horizontal	66	1.99	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 82  
 92/72/82/87/85/84/82  
 -3.82/4.97/1.15/-1.98/-1.05/-0.22/1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71503G	67.13	74.00	-6.87	51.72	3	Vertical	0	1.75	-	37.79	10.41	32.79
AV	15.71734G	52.77	54.00	-1.23	37.34	3	Vertical	0	1.75	-	37.80	10.42	32.79

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT X\_2TX  
 SET 82  
 82  
 0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72046G	67.62	74.00	-6.38	52.16	3	Horizontal	357	1.80	-	37.82	10.42	32.78
AV	15.7165G	53.48	54.00	-0.52	38.06	3	Horizontal	357	1.80	-	37.80	10.41	32.79

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TnomVnom




EUTX\_2TX  
 SET 98  
 80/100/90/95/97/98  
 7.02/-4.93/6.87/6.75/6.20/4.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64696G	63.25	68.20	-4.95	55.48	3	Vertical	33	1.04	-	34.08	6.60	32.91
PK	5.74652G	117.27	Inf	-Inf	109.22	3	Vertical	33	1.04	-	34.37	6.60	32.92
AV	5.74196G	105.34	Inf	-Inf	97.32	3	Vertical	33	1.04	-	34.34	6.60	32.92
PK	5.935G	60.85	68.20	-7.35	52.15	3	Vertical	33	1.04	-	35.04	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT X\_2TX  
 SET 96  
 98/78/88/93/95/96  
 -0.41/5.73/5.34/5.45/6.02/5.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6272G	62.90	68.20	-5.30	55.25	3	Horizontal	300	1.81	-	33.96	6.60	32.91
PK	5.74272G	121.32	Inf	-Inf	113.30	3	Horizontal	300	1.81	-	34.34	6.60	32.92
AV	5.74348G	109.48	Inf	-Inf	101.45	3	Horizontal	300	1.81	-	34.35	6.60	32.92
PK	5.92892G	60.62	68.20	-7.58	51.94	3	Horizontal	300	1.81	-	35.02	6.60	32.94

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 96/76/86/81/83/84  
 -3.58/1.05/-0.71/1.37/1.38/0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23252G	67.52	68.20	-0.68	46.90	3	Vertical	31	1.80	-	41.76	10.87	32.01



802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 84  
 0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23305G	67.64	68.20	-0.56	47.01	3	Horizontal	8	1.80	-	41.77	10.87	32.01

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

#### 5785MHz\_TnomVnom




EUT X\_2TX  
 SET 102  
 80/100/102  
 7.29/6.63/6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.77	68.20	-6.43	53.98	3	Vertical	37	1.00	-	34.10	6.60	32.91
PK	5.7832G	116.01	Inf	-Inf	107.94	3	Vertical	37	1.00	-	34.40	6.60	32.93
AV	5.7778G	104.58	Inf	-Inf	96.51	3	Vertical	37	1.00	-	34.40	6.60	32.93
PK	5.9332G	60.59	68.20	-7.61	51.90	3	Vertical	37	1.00	-	35.03	6.60	32.94

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TnomVnom




EUT X\_2TX  
SET 102  
102  
3.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	64.36	68.20	-3.84	56.61	3	Horizontal	304	1.80	-	34.06	6.60	32.91
PK	5.7922G	122.33	Inf	-Inf	114.26	3	Horizontal	304	1.80	-	34.40	6.60	32.93
AV	5.7856G	109.66	Inf	-Inf	101.59	3	Horizontal	304	1.80	-	34.40	6.60	32.93
PK	5.925G	60.28	68.20	-7.92	51.62	3	Horizontal	304	1.80	-	35.00	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT X\_2TX  
SET 102  
102  
1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35725G	66.97	68.20	-1.23	45.84	3	Vertical	142	1.80	-	42.16	10.91	31.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT X\_2TX  
 SET 99  
 102/82/92/97/99/100/99  
 -0.74/2.17/1.94/1.35/0.58/-1.04/0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35893G	67.57	68.20	-0.63	46.44	3	Horizontal	331	1.80	-	42.16	10.91	31.94

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TnomVnom




EUT X\_2TX  
 SET 102  
 80/100/102  
 7.17/6.75/6.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.94	68.20	-8.26	52.24	3	Vertical	16	2.32	-	34.01	6.60	32.91
PK	5.82044G	113.59	Inf	-Inf	105.36	3	Vertical	16	2.32	-	34.56	6.60	32.93
AV	5.8174G	102.71	Inf	-Inf	94.50	3	Vertical	16	2.32	-	34.54	6.60	32.93
PK	6.0112G	61.43	68.20	-6.77	52.48	3	Vertical	16	2.32	-	35.28	6.62	32.95

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5825MHz\_TnomVnom




EUT X\_2TX  
SET 102  
102  
5.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63956G	61.94	68.20	-6.26	54.21	3	Horizontal	301	1.77	-	34.04	6.60	32.91
PK	5.82576G	120.05	Inf	-Inf	111.77	3	Horizontal	301	1.77	-	34.61	6.60	32.93
AV	5.8174G	108.36	Inf	-Inf	100.15	3	Horizontal	301	1.77	-	34.54	6.60	32.93
PK	6.0112G	62.82	68.20	-5.38	53.87	3	Horizontal	301	1.77	-	35.28	6.62	32.95

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TnomVnom




EUT X\_2TX  
 SET 94  
 102/82/92/97/99/98/97/96/95/94  
 -0.42/2.11/0.80/0.41/-0.83/-0.93/-0.83/-0.40/-0.96/0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.47265G	67.85	68.20	-0.35	46.52	3	Vertical	34	1.49	-	42.27	10.94	31.88



802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TnomVnom




EUT X\_2TX  
 SET 92  
 94/74/84/89/91/92  
 -0.67/2.96/2.34/1.15/0.41/0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47544G	67.67	68.20	-0.53	46.33	3	Horizontal	331	1.80	-	42.28	10.94	31.88

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TnomVnom




EUT X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -0.08/7.06/6.26/4.95/3.74/3.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14968G	63.40	74.00	-10.60	57.27	3	Vertical	10	1.97	-	32.70	6.37	32.94
AV	5.14992G	50.87	54.00	-3.13	44.74	3	Vertical	10	1.97	-	32.70	6.37	32.94
PK	5.1936G	108.54	Inf	-Inf	102.38	3	Vertical	10	1.97	-	32.70	6.40	32.94
AV	5.19144G	96.34	Inf	-Inf	90.18	3	Vertical	10	1.97	-	32.70	6.40	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

#### 5190MHz\_TnomVnom




EUT\_X\_2TX  
 SET 75  
 78/58/68/73/75/76/75  
 -2.60/5.62/4.24/3.04/1.60/-1.28/1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14944G	65.59	74.00	-8.41	59.46	3	Horizontal	69	1.99	-	32.70	6.37	32.94
AV	5.14944G	52.58	54.00	-1.42	46.45	3	Horizontal	69	1.99	-	32.70	6.37	32.94
PK	5.19384G	113.99	Inf	-Inf	107.83	3	Horizontal	69	1.99	-	32.70	6.40	32.94
AV	5.19864G	100.73	Inf	-Inf	94.57	3	Horizontal	69	1.99	-	32.70	6.40	32.94

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TnomVnom




EUT X\_2TX  
SET 75  
75  
6.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56536G	60.87	74.00	-13.13	45.37	3	Vertical	43	1.80	-	37.94	10.37	32.81
AV	15.5609G	47.65	54.00	-6.35	32.13	3	Vertical	43	1.80	-	37.96	10.37	32.81

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT X\_2TX  
SET 75  
75  
6.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5769G	61.08	74.00	-12.92	45.63	3	Horizontal	2	1.89	-	37.89	10.37	32.81
AV	15.57562G	47.81	54.00	-6.19	32.35	3	Horizontal	2	1.89	-	37.90	10.37	32.81

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT\_X\_2TX  
 SET 88  
 80/100/90/85/87/88  
 4.81/-11.29/-0.62/2.71/1.46/0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	67.45	74.00	-6.55	61.32	3	Vertical	10	1.88	-	32.70	6.37	32.94
AV	5.14992G	53.15	54.00	-0.85	47.02	3	Vertical	10	1.88	-	32.70	6.37	32.94
PK	5.2248G	111.13	Inf	-Inf	104.91	3	Vertical	10	1.88	-	32.75	6.40	32.93
AV	5.22272G	99.38	Inf	-Inf	93.16	3	Vertical	10	1.88	-	32.75	6.40	32.93
PK	5.35G	61.05	74.00	-12.95	54.57	3	Vertical	10	1.88	-	33.00	6.40	32.92
AV	5.35064G	49.89	54.00	-4.11	43.41	3	Vertical	10	1.88	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 88/68/78/83/81/80  
 -5.45/5.18/1.95/-1.77/-0.35/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	66.30	74.00	-7.70	60.16	3	Horizontal	64	2.09	-	32.71	6.37	32.94
AV	5.14992G	53.74	54.00	-0.26	47.61	3	Horizontal	64	2.09	-	32.70	6.37	32.94
PK	5.22116G	115.06	Inf	-Inf	108.85	3	Horizontal	64	2.09	-	32.74	6.40	32.93
AV	5.2326G	103.50	Inf	-Inf	97.26	3	Horizontal	64	2.09	-	32.77	6.40	32.93
PK	5.35324G	61.61	74.00	-12.39	55.12	3	Horizontal	64	2.09	-	33.01	6.40	32.92
AV	5.3548G	50.13	54.00	-3.87	43.63	3	Horizontal	64	2.09	-	33.02	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT X\_2TX  
SET 80  
80  
3.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68872G	64.25	74.00	-9.75	48.92	3	Vertical	360	1.80	-	37.71	10.41	32.79
AV	15.68114G	50.56	54.00	-3.44	35.23	3	Vertical	360	1.80	-	37.72	10.40	32.79



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT X\_2TX  
SET 80  
80  
3.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6889G	63.52	74.00	-10.48	48.19	3	Horizontal	357	1.80	-	37.71	10.41	32.79
AV	15.69228G	50.36	54.00	-3.64	35.03	3	Horizontal	357	1.80	-	37.71	10.41	32.79

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT\_X\_2TX  
 SET 98  
 80/100/90/95/97/98  
 5.70/-1.45/5.75/2.72/0.81/0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64628G	67.24	68.20	-0.96	59.47	3	Vertical	33	1.04	-	34.08	6.60	32.91
PK	5.76796G	113.07	Inf	-Inf	105.00	3	Vertical	33	1.04	-	34.40	6.60	32.93
AV	5.76292G	101.72	Inf	-Inf	93.65	3	Vertical	33	1.04	-	34.40	6.60	32.93
PK	5.92708G	60.48	68.20	-7.72	51.81	3	Vertical	33	1.04	-	35.01	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT\_X\_2TX  
 SET 94  
 98/78/88/93/95/94  
 -4.61/5.25/5.01/1.02/-1.35/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64124G	68.01	68.20	-0.19	60.27	3	Horizontal	302	1.80	-	34.05	6.60	32.91
PK	5.7478G	117.67	Inf	-Inf	109.61	3	Horizontal	302	1.80	-	34.38	6.60	32.92
AV	5.75788G	106.07	Inf	-Inf	98.00	3	Horizontal	302	1.80	-	34.40	6.60	32.93
PK	5.93284G	60.73	68.20	-7.47	52.04	3	Horizontal	302	1.80	-	35.03	6.60	32.94

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT X\_2TX  
SET 94  
94  
0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.25528G	67.41	68.20	-0.79	46.65	3	Vertical	32	1.75	-	41.88	10.88	32.00

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT X\_2TX  
 SET 94  
 94  
 0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.27346G	68.18	68.20	-0.02	47.32	3	Horizontal	335	2.69	-	41.97	10.88	31.99

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5795MHz\_TnomVnom




EUTX\_2TX  
SET 102  
80/100/102  
7.39/5.13/4.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64972G	63.92	68.20	-4.28	56.13	3	Vertical	37	1.00	-	34.10	6.60	32.91
PK	5.77964G	113.98	Inf	-Inf	105.91	3	Vertical	37	1.00	-	34.40	6.60	32.93
AV	5.7854G	101.01	Inf	-Inf	92.94	3	Vertical	37	1.00	-	34.40	6.60	32.93
PK	5.925G	61.04	68.20	-7.16	52.38	3	Vertical	37	1.00	-	35.00	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

#### 5795MHz\_TnomVnom




EUT X\_2TX  
SET 102  
102  
0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64908G	68.19	68.20	-0.01	60.41	3	Horizontal	304	1.80	-	34.09	6.60	32.91
PK	5.80076G	117.97	Inf	-Inf	109.89	3	Horizontal	304	1.80	-	34.41	6.60	32.93
AV	5.79244G	106.35	Inf	-Inf	98.28	3	Horizontal	304	1.80	-	34.40	6.60	32.93
PK	5.955G	61.16	68.20	-7.04	52.39	3	Horizontal	304	1.80	-	35.12	6.60	32.95

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5795MHz\_TnomVnom




EUT X\_2TX  
SET 102  
102  
1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.39412G	66.40	68.20	-1.80	45.22	3	Vertical	142	1.78	-	42.19	10.92	31.93



802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT X\_2TX  
 SET 99  
 102/82/92/97/99/100/99  
 -0.42/2.63/1.70/0.41/0.35/-0.13/0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.39176G	67.87	68.20	-0.33	46.69	3	Horizontal	330	1.80	-	42.19	10.92	31.93

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT\_X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -2.70/5.03/4.84/3.85/1.42/0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14984G	63.67	74.00	-10.33	57.54	3	Vertical	14	1.83	-	32.70	6.37	32.94
AV	5.14984G	53.20	54.00	-0.80	47.07	3	Vertical	14	1.83	-	32.70	6.37	32.94
PK	5.2292G	105.15	Inf	-Inf	98.92	3	Vertical	14	1.83	-	32.76	6.40	32.93
AV	5.22536G	93.82	Inf	-Inf	87.60	3	Vertical	14	1.83	-	32.75	6.40	32.93
PK	5.3572G	59.39	74.00	-14.61	52.88	3	Vertical	14	1.83	-	33.03	6.40	32.92
AV	5.3572G	49.48	54.00	-4.52	42.97	3	Vertical	14	1.83	-	33.03	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 78/58/68/73/71/72  
 -5.44/3.21/1.82/-0.47/0.61/0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14856G	63.29	74.00	-10.71	57.16	3	Horizontal	66	2.09	-	32.70	6.37	32.94
AV	5.14984G	53.97	54.00	-0.03	47.84	3	Horizontal	66	2.09	-	32.70	6.37	32.94
PK	5.22856G	109.89	Inf	-Inf	103.66	3	Horizontal	66	2.09	-	32.76	6.40	32.93
AV	5.2228G	98.91	Inf	-Inf	92.69	3	Horizontal	66	2.09	-	32.75	6.40	32.93
PK	5.35528G	61.02	74.00	-12.98	54.52	3	Horizontal	66	2.09	-	33.02	6.40	32.92
AV	5.354G	50.71	54.00	-3.29	44.21	3	Horizontal	66	2.09	-	33.02	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT X\_2TX  
SET 72  
72  
5.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63256G	60.95	74.00	-13.05	45.59	3	Vertical	195	1.80	-	37.77	10.39	32.80
AV	15.61032G	48.99	54.00	-5.01	33.62	3	Vertical	195	1.80	-	37.79	10.38	32.80

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT X\_2TX  
 SET 72  
 72  
 5.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61724G	60.32	74.00	-13.68	44.95	3	Horizontal	195	1.80	-	37.78	10.39	32.80
AV	15.64148G	48.97	54.00	-5.03	33.62	3	Horizontal	195	1.80	-	37.76	10.39	32.80

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TnomVnom




EUT\_X\_2TX  
 SET 89  
 80/100/90/95/93/92/90/89  
 6.29/-15.84/0.49/-5.52/-4.14/-3.02/-0.13/0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.29	68.20	-0.91	59.52	3	Vertical	35	1.04	-	34.08	6.60	32.91
PK	5.7462G	109.76	Inf	-Inf	101.71	3	Vertical	35	1.04	-	34.37	6.60	32.92
AV	5.76028G	98.51	Inf	-Inf	90.44	3	Vertical	35	1.04	-	34.40	6.60	32.93
PK	5.93308G	60.91	68.20	-7.29	52.22	3	Vertical	35	1.04	-	35.03	6.60	32.94

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5775MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 89/69/79/84  
 -2.88/5.74/3.14/0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63036G	68.18	68.20	-0.02	60.51	3	Horizontal	302	1.80	-	33.98	6.60	32.91
PK	5.7814G	113.49	Inf	-Inf	105.42	3	Horizontal	302	1.80	-	34.40	6.60	32.93
AV	5.76476G	102.70	Inf	-Inf	94.63	3	Horizontal	302	1.80	-	34.40	6.60	32.93
PK	5.92604G	61.26	68.20	-6.94	52.60	3	Horizontal	302	1.80	-	35.00	6.60	32.94

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TnomVnom




EUT X\_2TX  
SET 84  
84  
3.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.34036G	65.19	68.20	-3.01	44.10	3	Vertical	66	1.80	-	42.14	10.90	31.95



802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TnomVnom



EUT X\_2TX  
SET 84  
84  
2.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.308G	65.60	68.20	-2.60	44.57	3	Horizontal	29	1.80	-	42.11	10.89	31.97




For 4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.7264G	53.99	54.00	-0.01	3	Horizontal	0	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

29/12/2021

### 5180MHz\_TnomVnom




Worst 82 [Horizontal]  
All 82 [Vertical]/82 [Vertical]/82 [Horizontal]/82 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36548G	54.76	68.20	-13.44	40.89	3	Vertical	121	1.80	-	38.40	8.59	33.12
PK	15.54464G	63.24	74.00	-10.76	47.67	3	Vertical	351	1.80	-	38.02	10.36	32.81
AV	15.54464G	49.36	54.00	-4.64	33.79	3	Vertical	351	1.80	-	38.02	10.36	32.81
PK	10.37024G	54.54	68.20	-13.66	40.66	3	Horizontal	65	1.80	-	38.40	8.59	33.11
PK	15.54848G	65.60	74.00	-8.40	50.04	3	Horizontal	10	1.80	-	38.01	10.36	32.81
AV	15.54636G	51.70	54.00	-2.30	36.14	3	Horizontal	10	1.80	-	38.01	10.36	32.81

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5180MHz\_TnomVnom




EUTZ\_4TX  
 SET 82  
 80/100/90/85/83/82  
 2.21/-29.85/-6.98/-1.91/-0.20/0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.76	74.00	-5.24	62.63	3	Vertical	62	2.18	-	32.70	6.37	32.94
AV	5.15G	53.53	54.00	-0.47	47.40	3	Vertical	62	2.18	-	32.70	6.37	32.94
PK	5.1774G	119.79	Inf	-Inf	113.64	3	Vertical	62	2.18	-	32.70	6.39	32.94
AV	5.1772G	109.83	Inf	-Inf	103.68	3	Vertical	62	2.18	-	32.70	6.39	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5180MHz\_TnomVnom




EUTZ\_4TX  
SET 82  
82  
6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	61.13	74.00	-12.87	55.00	3	Horizontal	81	2.65	-	32.70	6.37	32.94
AV	5.1482G	47.76	54.00	-6.24	41.63	3	Horizontal	81	2.65	-	32.70	6.37	32.94
PK	5.1822G	111.95	Inf	-Inf	105.80	3	Horizontal	81	2.65	-	32.70	6.39	32.94
AV	5.1816G	102.56	Inf	-Inf	96.41	3	Horizontal	81	2.65	-	32.70	6.39	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5200MHz\_TnomVnom




Worst 77 [Horizontal]  
All 86 [Vertical]/84 [Vertical]/84 [Horizontal]/77 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39456G	55.89	68.20	-12.31	41.98	3	Vertical	133	1.48	-	38.40	8.60	33.09
PK	15.60696G	68.10	74.00	-5.90	52.73	3	Vertical	344	1.88	-	37.79	10.38	32.80
AV	15.60556G	53.76	54.00	-0.24	38.39	3	Vertical	344	1.88	-	37.79	10.38	32.80
PK	10.40256G	55.57	68.20	-12.63	41.66	3	Horizontal	33	1.33	-	38.40	8.60	33.09
PK	15.60652G	69.73	74.00	-4.27	54.36	3	Horizontal	336	1.80	-	37.79	10.38	32.80
AV	15.6066G	53.75	54.00	-0.25	38.38	3	Horizontal	336	1.80	-	37.79	10.38	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5200MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 86  
 80/100/90/85/87/86  
 4.19/-12.84/-4.59/1.20/-1.15/0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.99	74.00	-4.01	63.86	3	Vertical	240	2.33	-	32.70	6.37	32.94
AV	5.14988G	53.71	54.00	-0.29	47.58	3	Vertical	240	2.33	-	32.70	6.37	32.94
PK	5.19412G	122.33	Inf	-Inf	116.17	3	Vertical	240	2.33	-	32.70	6.40	32.94
AV	5.19468G	112.73	Inf	-Inf	106.57	3	Vertical	240	2.33	-	32.70	6.40	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5200MHz\_TnomVnom



EUT\_Z\_4TX  
SET 86  
86  
6.30


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14876G	61.75	74.00	-12.25	55.62	3	Horizontal	249	1.09	-	32.70	6.37	32.94
AV	5.1468G	47.70	54.00	-6.30	41.56	3	Horizontal	249	1.09	-	32.71	6.37	32.94
PK	5.19496G	113.91	Inf	-Inf	107.75	3	Horizontal	249	1.09	-	32.70	6.40	32.94
AV	5.19496G	104.43	Inf	-Inf	98.27	3	Horizontal	249	1.09	-	32.70	6.40	32.94



### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5240MHz\_TnomVnom




Worst 75 [Horizontal]  
All 96 [Vertical]/79 [Vertical]/79 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4904G	55.66	68.20	-12.54	41.57	3	Vertical	131	1.80	-	38.49	8.62	33.02
PK	15.71208G	71.99	74.00	-2.01	56.60	3	Vertical	4	1.80	-	37.77	10.41	32.79
AV	15.712G	53.98	54.00	-0.02	38.59	3	Vertical	4	1.80	-	37.77	10.41	32.79
PK	10.46008G	56.39	68.20	-11.81	42.35	3	Horizontal	56	1.00	-	38.46	8.62	33.04
PK	15.70768G	70.69	74.00	-3.31	55.32	3	Horizontal	0	1.80	-	37.75	10.41	32.79
AV	15.7264G	53.99	54.00	-0.01	38.49	3	Horizontal	0	1.80	-	37.86	10.42	32.78

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 96  
 80/100/90/95/97/98/97/96  
 4.72/-1.00/4.30/1.41/1.48/-1.47/-0.53/1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	66.66	74.00	-7.34	60.53	3	Vertical	143	2.37	-	32.70	6.37	32.94
AV	5.1386G	51.75	54.00	-2.25	45.60	3	Vertical	143	2.37	-	32.72	6.37	32.94
PK	5.23584G	126.15	Inf	-Inf	119.91	3	Vertical	143	2.37	-	32.77	6.40	32.93
AV	5.23688G	115.86	Inf	-Inf	109.62	3	Vertical	143	2.37	-	32.77	6.40	32.93
PK	5.35804G	69.54	74.00	-4.46	63.03	3	Vertical	143	2.37	-	33.03	6.40	32.92
AV	5.35388G	52.23	54.00	-1.77	45.73	3	Vertical	143	2.37	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
SET 96  
96  
5.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.15	74.00	-12.85	55.02	3	Horizontal	326	1.04	-	32.70	6.37	32.94
AV	5.15G	47.84	54.00	-6.16	41.71	3	Horizontal	326	1.04	-	32.70	6.37	32.94
PK	5.24208G	119.46	Inf	-Inf	113.21	3	Horizontal	326	1.04	-	32.78	6.40	32.93
AV	5.24104G	108.85	Inf	-Inf	102.60	3	Horizontal	326	1.04	-	32.78	6.40	32.93
PK	5.35128G	60.58	74.00	-13.42	54.09	3	Horizontal	326	1.04	-	33.01	6.40	32.92
AV	5.357G	48.04	54.00	-5.96	41.53	3	Horizontal	326	1.04	-	33.03	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

23/12/2021

### 5745MHz\_TnomVnom




Worst 82 [Vertical]  
All 98 [Vertical]/82 [Vertical]/82 [Horizontal]/82 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48792G	55.53	74.00	-18.47	41.07	3	Vertical	136	2.33	-	38.40	8.87	32.81
AV	11.50968G	42.14	54.00	-11.86	27.65	3	Vertical	136	2.33	-	38.42	8.88	32.81
PK	17.23084G	67.06	68.20	-1.14	46.45	3	Vertical	346	1.80	-	41.75	10.87	32.01
PK	11.50276G	54.93	74.00	-19.07	40.45	3	Horizontal	0	1.80	-	38.41	8.88	32.81
AV	11.5098G	42.03	54.00	-11.97	27.54	3	Horizontal	0	1.80	-	38.42	8.88	32.81
PK	17.24052G	67.22	68.20	-0.98	46.55	3	Horizontal	344	1.80	-	41.80	10.87	32.00

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5745MHz\_TnomVnom




EUTZ\_4TX  
 SET 98  
 80/100/90/95/97/98  
 5.14/-8.88/3.96/3.97/3.43/1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6462G	67.10	68.20	-1.10	59.33	3	Vertical	95	2.27	-	34.08	6.60	32.91
PK	5.74576G	126.08	Inf	-Inf	118.03	3	Vertical	95	2.27	-	34.37	6.60	32.92
AV	5.74576G	115.06	Inf	-Inf	107.01	3	Vertical	95	2.27	-	34.37	6.60	32.92
PK	5.9274G	61.19	68.20	-7.01	52.52	3	Vertical	95	2.27	-	35.01	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5745MHz\_TnomVnom




EUT\_Z\_4TX  
SET 98  
98  
6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5664G	61.20	68.20	-7.00	53.67	3	Horizontal	316	2.42	-	33.87	6.57	32.91
PK	5.74728G	118.83	Inf	-Inf	110.77	3	Horizontal	316	2.42	-	34.38	6.60	32.92
AV	5.74652G	108.80	Inf	-Inf	100.75	3	Horizontal	316	2.42	-	34.37	6.60	32.92
PK	5.93196G	61.34	68.20	-6.86	52.65	3	Horizontal	316	2.42	-	35.03	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

23/12/2021

### 5785MHz\_TnomVnom




Worst 84 [Horizontal]  
All 102 [Vertical]/89 [Vertical]/89 [Horizontal]/84 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58576G	56.23	74.00	-17.77	41.58	3	Vertical	278	1.25	-	38.57	8.90	32.82
AV	11.57812G	42.87	54.00	-11.13	28.24	3	Vertical	278	1.25	-	38.56	8.89	32.82
PK	17.3594G	67.48	68.20	-0.72	46.35	3	Vertical	11	2.95	-	42.16	10.91	31.94
PK	11.57392G	56.97	74.00	-17.03	42.35	3	Horizontal	128	1.80	-	38.55	8.89	32.82
AV	11.58816G	42.91	54.00	-11.09	28.25	3	Horizontal	128	1.80	-	38.58	8.90	32.82
PK	17.35044G	67.93	68.20	-0.27	46.82	3	Horizontal	24	1.75	-	42.15	10.91	31.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TnomVnom




EUTZ\_4TX  
SET 102  
80/100/102  
5.51/2.78/2.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6386G	65.28	68.20	-2.92	57.56	3	Vertical	93	2.34	-	34.03	6.60	32.91
PK	5.7862G	125.66	Inf	-Inf	117.59	3	Vertical	93	2.34	-	34.40	6.60	32.93
AV	5.7856G	115.43	Inf	-Inf	107.36	3	Vertical	93	2.34	-	34.40	6.60	32.93
PK	5.9332G	61.60	68.20	-6.60	52.91	3	Vertical	93	2.34	-	35.03	6.60	32.94



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TnomVnom




EUTZ\_4TX  
SET 102  
102  
6.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6458G	61.48	68.20	-6.72	53.72	3	Horizontal	315	2.74	-	34.07	6.60	32.91
PK	5.7862G	119.46	Inf	-Inf	111.39	3	Horizontal	315	2.74	-	34.40	6.60	32.93
AV	5.7862G	109.36	Inf	-Inf	101.29	3	Horizontal	315	2.74	-	34.40	6.60	32.93
PK	5.9332G	60.71	68.20	-7.49	52.02	3	Horizontal	315	2.74	-	35.03	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5825MHz\_TnomVnom




Worst 79 [Horizontal]  
All 102 [Vertical]/84 [Vertical]/84 [Horizontal]/79 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65832G	56.58	74.00	-17.42	41.90	3	Vertical	81	3.00	-	38.60	8.91	32.83
AV	11.66532G	43.22	54.00	-10.78	28.53	3	Vertical	81	3.00	-	38.60	8.92	32.83
PK	17.47484G	68.13	68.20	-0.07	46.80	3	Vertical	329	1.83	-	42.27	10.94	31.88
PK	11.63796G	56.66	74.00	-17.34	41.98	3	Horizontal	27	1.23	-	38.60	8.91	32.83
AV	11.66816G	43.19	54.00	-10.81	28.50	3	Horizontal	27	1.23	-	38.60	8.92	32.83
PK	17.46692G	68.15	68.20	-0.05	46.83	3	Horizontal	41	1.84	-	42.27	10.94	31.89

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TnomVnom




EUTZ\_4TX  
 SET 102  
 80/100/102  
 5.23/6.33/5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63956G	62.54	68.20	-5.66	54.81	3	Vertical	97	2.33	-	34.04	6.60	32.91
PK	5.82424G	123.30	Inf	-Inf	115.04	3	Vertical	97	2.33	-	34.59	6.60	32.93
AV	5.82348G	112.90	Inf	-Inf	104.64	3	Vertical	97	2.33	-	34.59	6.60	32.93
PK	5.99448G	61.11	68.20	-7.09	52.18	3	Vertical	97	2.33	-	35.28	6.60	32.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TnomVnom




EUTZ\_4TX  
SET 102  
102  
6.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.48	68.20	-8.72	51.78	3	Horizontal	293	2.32	-	34.01	6.60	32.91
PK	5.8212G	117.00	Inf	-Inf	108.76	3	Horizontal	293	2.32	-	34.57	6.60	32.93
AV	5.82044G	106.47	Inf	-Inf	98.24	3	Horizontal	293	2.32	-	34.56	6.60	32.93
PK	6.01348G	61.39	68.20	-6.81	52.45	3	Horizontal	293	2.32	-	35.27	6.62	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5180MHz\_TnomVnom




Worst 80 [Horizontal]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34412G	55.30	68.20	-12.90	41.44	3	Vertical	48	1.80	-	38.40	8.59	33.13
PK	15.54048G	61.28	74.00	-12.72	45.69	3	Vertical	351	1.84	-	38.04	10.36	32.81
AV	15.54316G	47.49	54.00	-6.51	31.91	3	Vertical	351	1.84	-	38.03	10.36	32.81
PK	10.34512G	55.73	68.20	-12.47	41.87	3	Horizontal	53	2.55	-	38.40	8.59	33.13
PK	15.53852G	62.92	74.00	-11.08	47.32	3	Horizontal	1	1.87	-	38.05	10.36	32.81
AV	15.54336G	49.56	54.00	-4.44	33.98	3	Horizontal	1	1.87	-	38.03	10.36	32.81

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUTZ\_4TX  
 SET 80  
 80/100/90/85/83/82/80  
 1.58/-32.25/-13.50/-5.05/-2.42/-1.35/1.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	65.97	74.00	-8.03	59.83	3	Vertical	237	2.43	-	32.71	6.37	32.94
AV	5.1468G	52.44	54.00	-1.56	46.30	3	Vertical	237	2.43	-	32.71	6.37	32.94
PK	5.1768G	121.06	Inf	-Inf	114.91	3	Vertical	237	2.43	-	32.70	6.39	32.94
AV	5.1768G	107.95	Inf	-Inf	101.80	3	Vertical	237	2.43	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUTZ\_4TX  
SET 80  
80  
6.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	60.04	74.00	-13.96	53.91	3	Horizontal	195	2.33	-	32.70	6.37	32.94
AV	5.1484G	47.48	54.00	-6.52	41.35	3	Horizontal	195	2.33	-	32.70	6.37	32.94
PK	5.1784G	113.84	Inf	-Inf	107.69	3	Horizontal	195	2.33	-	32.70	6.39	32.94
AV	5.1836G	99.91	Inf	-Inf	93.76	3	Horizontal	195	2.33	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5200MHz\_TnomVnom




Worst 77 [Horizontal]  
All 84 [Vertical]/84 [Vertical]/84 [Horizontal]/77 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38744G	55.10	68.20	-13.10	41.20	3	Vertical	1	2.90	-	38.40	8.60	33.10
PK	15.61332G	68.94	74.00	-5.06	53.57	3	Vertical	344	1.88	-	37.79	10.38	32.80
AV	15.59828G	53.09	54.00	-0.91	37.70	3	Vertical	344	1.88	-	37.81	10.38	32.80
PK	10.40992G	55.85	68.20	-12.35	41.92	3	Horizontal	47	1.80	-	38.41	8.60	33.08
PK	15.60284G	71.18	74.00	-2.82	55.80	3	Horizontal	336	2.75	-	37.80	10.38	32.80
AV	15.60324G	53.59	54.00	-0.41	38.21	3	Horizontal	336	2.75	-	37.80	10.38	32.80



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUTZ\_4TX  
 SET 84  
 80/100/90/85/83/84  
 3.01/-20.64/-5.48/-0.46/1.13/0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14736G	70.77	74.00	-3.23	64.63	3	Vertical	105	2.29	-	32.71	6.37	32.94
AV	5.14764G	53.64	54.00	-0.36	47.51	3	Vertical	105	2.29	-	32.70	6.37	32.94
PK	5.20224G	123.48	Inf	-Inf	117.32	3	Vertical	105	2.29	-	32.70	6.40	32.94
AV	5.19748G	109.36	Inf	-Inf	103.20	3	Vertical	105	2.29	-	32.70	6.40	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUTZ\_4TX  
SET 84  
84  
4.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14036G	63.55	74.00	-10.45	57.40	3	Horizontal	202	1.00	-	32.72	6.37	32.94
AV	5.14988G	49.08	54.00	-4.92	42.95	3	Horizontal	202	1.00	-	32.70	6.37	32.94
PK	5.20532G	114.72	Inf	-Inf	108.55	3	Horizontal	202	1.00	-	32.71	6.40	32.94
AV	5.20504G	102.35	Inf	-Inf	96.18	3	Horizontal	202	1.00	-	32.71	6.40	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5240MHz\_TnomVnom




Worst 75 [Horizontal]  
All 95 [Vertical]/81 [Vertical]/81 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48688G	56.04	68.20	-12.16	41.95	3	Vertical	262	2.94	-	38.49	8.62	33.02
PK	15.71092G	68.97	74.00	-5.03	53.58	3	Vertical	352	1.84	-	37.77	10.41	32.79
AV	15.71592G	53.57	54.00	-0.43	38.15	3	Vertical	352	1.84	-	37.80	10.41	32.79
PK	10.47444G	55.97	68.20	-12.23	41.91	3	Horizontal	0	1.80	-	38.47	8.62	33.03
PK	15.71336G	71.55	74.00	-2.45	56.15	3	Horizontal	0	1.80	-	37.78	10.41	32.79
AV	15.71848G	53.91	54.00	-0.09	38.47	3	Horizontal	0	1.80	-	37.81	10.42	32.79

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 95  
 80/100/90/95  
 5.06/-5.09/4.25/0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14796G	72.28	74.00	-1.72	66.15	3	Vertical	105	2.29	-	32.70	6.37	32.94
AV	5.14952G	53.79	54.00	-0.21	47.66	3	Vertical	105	2.29	-	32.70	6.37	32.94
PK	5.2426G	125.95	Inf	-Inf	119.69	3	Vertical	105	2.29	-	32.79	6.40	32.93
AV	5.2426G	113.26	Inf	-Inf	107.00	3	Vertical	105	2.29	-	32.79	6.40	32.93
PK	5.3518G	67.49	74.00	-6.51	61.00	3	Vertical	105	2.29	-	33.01	6.40	32.92
AV	5.35128G	52.52	54.00	-1.48	46.03	3	Vertical	105	2.29	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
SET 95  
95  
6.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.63	74.00	-11.37	56.50	3	Horizontal	312	3.00	-	32.70	6.37	32.94
AV	5.149G	47.65	54.00	-6.35	41.52	3	Horizontal	312	3.00	-	32.70	6.37	32.94
PK	5.24156G	118.20	Inf	-Inf	111.95	3	Horizontal	312	3.00	-	32.78	6.40	32.93
AV	5.24156G	105.60	Inf	-Inf	99.35	3	Horizontal	312	3.00	-	32.78	6.40	32.93
PK	5.35076G	61.96	74.00	-12.04	55.48	3	Horizontal	312	3.00	-	33.00	6.40	32.92
AV	5.35388G	47.94	54.00	-6.06	41.44	3	Horizontal	312	3.00	-	33.02	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/12/2021

### 5745MHz\_TnomVnom




Worst 84 [Vertical]  
All 97 [Vertical]/84 [Vertical]/84 [Horizontal]/84 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4722G	55.40	74.00	-18.60	40.94	3	Vertical	0	3.00	-	38.40	8.87	32.81
AV	11.50676G	41.36	54.00	-12.64	26.88	3	Vertical	0	3.00	-	38.41	8.88	32.81
PK	17.22124G	68.14	68.20	-0.06	47.57	3	Vertical	346	1.80	-	41.71	10.87	32.01
PK	11.47724G	55.52	74.00	-18.48	41.06	3	Horizontal	306	1.00	-	38.40	8.87	32.81
AV	11.4724G	41.35	54.00	-12.65	26.89	3	Horizontal	306	1.00	-	38.40	8.87	32.81
PK	17.236G	67.05	68.20	-1.15	46.41	3	Horizontal	343	1.82	-	41.78	10.87	32.01

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 97  
 80/100/90/95/97/98/97  
 4.81/-12.61/4.59/3.81/0.63/-0.61/0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.31	68.20	-0.89	59.52	3	Vertical	95	2.32	-	34.10	6.60	32.91
PK	5.73968G	125.31	Inf	-Inf	117.31	3	Vertical	95	2.32	-	34.32	6.60	32.92
AV	5.73968G	112.67	Inf	-Inf	104.67	3	Vertical	95	2.32	-	34.32	6.60	32.92
PK	5.93272G	60.87	68.20	-7.33	52.18	3	Vertical	95	2.32	-	35.03	6.60	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom



EUTZ\_4TX  
SET 97  
97  
6.52


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55576G	61.68	68.20	-6.52	54.14	3	Horizontal	303	1.03	-	33.89	6.56	32.91
PK	5.74424G	118.97	Inf	-Inf	110.94	3	Horizontal	303	1.03	-	34.35	6.60	32.92
AV	5.74348G	106.08	Inf	-Inf	98.05	3	Horizontal	303	1.03	-	34.35	6.60	32.92
PK	5.92664G	61.08	68.20	-7.12	52.41	3	Horizontal	303	1.03	-	35.01	6.60	32.94



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/12/2021

### 5785MHz\_TnomVnom




Worst 82 [Horizontal]  
All 102 [Vertical]/86 [Vertical]/86 [Horizontal]/82 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5692G	57.08	74.00	-16.92	42.47	3	Vertical	32	1.02	-	38.54	8.89	32.82
AV	11.58776G	42.28	54.00	-11.72	27.62	3	Vertical	32	1.02	-	38.58	8.90	32.82
PK	17.36476G	67.86	68.20	-0.34	46.73	3	Vertical	346	1.78	-	42.16	10.91	31.94
PK	11.58536G	56.35	74.00	-17.65	41.70	3	Horizontal	50	1.80	-	38.57	8.90	32.82
AV	11.57088G	42.51	54.00	-11.49	27.90	3	Horizontal	50	1.80	-	38.54	8.89	32.82
PK	17.34964G	67.43	68.20	-0.77	46.33	3	Horizontal	23	1.76	-	42.15	10.90	31.95

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

#### 5785MHz\_TnomVnom




EUTZ\_4TX  
 SET 102  
 80/100/102  
 4.91/1.25/2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	65.95	68.20	-2.25	58.21	3	Vertical	97	2.35	-	34.05	6.60	32.91
PK	5.785G	124.99	Inf	-Inf	116.92	3	Vertical	97	2.35	-	34.40	6.60	32.93
AV	5.7898G	112.66	Inf	-Inf	104.59	3	Vertical	97	2.35	-	34.40	6.60	32.93
PK	5.9332G	61.55	68.20	-6.65	52.86	3	Vertical	97	2.35	-	35.03	6.60	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

#### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
SET 102  
102  
7.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6446G	60.94	68.20	-7.26	53.18	3	Horizontal	292	2.74	-	34.07	6.60	32.91
PK	5.7826G	118.65	Inf	-Inf	110.58	3	Horizontal	292	2.74	-	34.40	6.60	32.93
AV	5.7874G	106.25	Inf	-Inf	98.18	3	Horizontal	292	2.74	-	34.40	6.60	32.93
PK	5.9332G	61.15	68.20	-7.05	52.46	3	Horizontal	292	2.74	-	35.03	6.60	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/12/2021

### 5825MHz\_TnomVnom




Worst 82 [Horizontal]  
All 102 [Vertical]/84 [Vertical]/84 [Horizontal]/82 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63576G	56.26	74.00	-17.74	41.58	3	Vertical	342	1.04	-	38.60	8.91	32.83
AV	11.65536G	42.68	54.00	-11.32	28.00	3	Vertical	342	1.04	-	38.60	8.91	32.83
PK	17.4802G	67.57	68.20	-0.63	46.23	3	Vertical	328	1.81	-	42.28	10.94	31.88
PK	11.649G	57.12	74.00	-16.88	42.44	3	Horizontal	43	2.75	-	38.60	8.91	32.83
AV	11.66144G	42.69	54.00	-11.31	28.00	3	Horizontal	43	2.75	-	38.60	8.92	32.83
PK	17.48584G	68.12	68.20	-0.08	46.76	3	Horizontal	42	1.83	-	42.29	10.95	31.88

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 4.84/5.05/5.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6388G	62.92	68.20	-5.28	55.20	3	Vertical	95	2.33	-	34.03	6.60	32.91
PK	5.81968G	123.06	Inf	-Inf	114.83	3	Vertical	95	2.33	-	34.56	6.60	32.93
AV	5.81968G	111.30	Inf	-Inf	103.07	3	Vertical	95	2.33	-	34.56	6.60	32.93
PK	6.00132G	61.11	68.20	-7.09	52.16	3	Vertical	95	2.33	-	35.30	6.60	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUTZ\_4TX  
SET 102  
102  
6.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63804G	60.31	68.20	-7.89	52.59	3	Horizontal	300	2.68	-	34.03	6.60	32.91
PK	5.8326G	117.24	Inf	-Inf	108.91	3	Horizontal	300	2.68	-	34.66	6.60	32.93
AV	5.81816G	104.52	Inf	-Inf	96.30	3	Horizontal	300	2.68	-	34.55	6.60	32.93
PK	5.9352G	61.90	68.20	-6.30	53.20	3	Horizontal	300	2.68	-	35.04	6.60	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5190MHz\_TnomVnom




Worst 70 [Horizontal]  
All 70 [Vertical]/70 [Vertical]/70 [Horizontal]/70 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3968G	55.95	68.20	-12.25	42.04	3	Vertical	188	1.80	-	38.40	8.60	33.09
PK	15.60664G	60.58	74.00	-13.42	45.21	3	Vertical	222	1.02	-	37.79	10.38	32.80
AV	15.59504G	47.71	54.00	-6.29	32.31	3	Vertical	222	1.02	-	37.82	10.38	32.80
PK	10.36064G	55.59	68.20	-12.61	41.72	3	Horizontal	136	1.13	-	38.40	8.59	33.12
PK	15.57336G	60.59	74.00	-13.41	45.12	3	Horizontal	338	1.80	-	37.91	10.37	32.81
AV	15.578G	48.28	54.00	-5.72	32.83	3	Horizontal	338	1.80	-	37.89	10.37	32.81

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUTZ\_4TX  
 SET 70  
 80/60/70/75/73/72/70  
 -11.41/3.82/0.77/-3.35/-1.15/-0.42/1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	66.02	74.00	-7.98	59.88	3	Vertical	107	2.48	-	32.71	6.37	32.94
AV	5.14752G	52.76	54.00	-1.24	46.63	3	Vertical	107	2.48	-	32.70	6.37	32.94
PK	5.1924G	116.30	Inf	-Inf	110.14	3	Vertical	107	2.48	-	32.70	6.40	32.94
AV	5.1972G	104.70	Inf	-Inf	98.54	3	Vertical	107	2.48	-	32.70	6.40	32.94



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUTZ\_4TX  
SET 70  
70  
6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	60.04	74.00	-13.96	53.90	3	Horizontal	83	1.06	-	32.71	6.37	32.94
AV	5.14992G	47.92	54.00	-6.08	41.79	3	Horizontal	83	1.06	-	32.70	6.37	32.94
PK	5.19528G	108.56	Inf	-Inf	102.40	3	Horizontal	83	1.06	-	32.70	6.40	32.94
AV	5.20032G	96.84	Inf	-Inf	90.68	3	Horizontal	83	1.06	-	32.70	6.40	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5230MHz\_TnomVnom




Worst 75 [Horizontal]  
All 78 [Vertical]/78 [Vertical]/78 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4664G	56.03	68.20	-12.17	41.98	3	Vertical	169	1.80	-	38.47	8.62	33.04
PK	15.70608G	65.67	74.00	-8.33	50.31	3	Vertical	351	1.80	-	37.74	10.41	32.79
AV	15.68096G	52.58	54.00	-1.42	37.25	3	Vertical	351	1.80	-	37.72	10.40	32.79
PK	10.43472G	55.83	68.20	-12.37	41.85	3	Horizontal	359	2.45	-	38.43	8.61	33.06
PK	15.68864G	67.60	74.00	-6.40	52.27	3	Horizontal	1	1.80	-	37.71	10.41	32.79
AV	15.69336G	53.94	54.00	-0.06	38.61	3	Horizontal	1	1.80	-	37.71	10.41	32.79

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -0.98/4.50/3.62/2.15/1.26/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14264G	67.47	74.00	-6.53	61.33	3	Vertical	105	2.30	-	32.71	6.37	32.94
AV	5.14784G	53.74	54.00	-0.26	47.61	3	Vertical	105	2.30	-	32.70	6.37	32.94
PK	5.21232G	119.03	Inf	-Inf	112.84	3	Vertical	105	2.30	-	32.72	6.40	32.93
AV	5.23728G	108.04	Inf	-Inf	101.80	3	Vertical	105	2.30	-	32.77	6.40	32.93
PK	5.35G	65.49	74.00	-8.51	59.01	3	Vertical	105	2.30	-	33.00	6.40	32.92
AV	5.35116G	51.89	54.00	-2.11	45.41	3	Vertical	105	2.30	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
SET 78  
78  
5.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	59.54	74.00	-14.46	53.40	3	Horizontal	71	1.00	-	32.71	6.37	32.94
AV	5.14784G	48.27	54.00	-5.73	42.14	3	Horizontal	71	1.00	-	32.70	6.37	32.94
PK	5.22636G	110.86	Inf	-Inf	104.64	3	Horizontal	71	1.00	-	32.75	6.40	32.93
AV	5.24612G	100.06	Inf	-Inf	93.80	3	Horizontal	71	1.00	-	32.79	6.40	32.93
PK	5.35064G	59.87	74.00	-14.13	53.39	3	Horizontal	71	1.00	-	33.00	6.40	32.92
AV	5.35324G	48.21	54.00	-5.79	41.72	3	Horizontal	71	1.00	-	33.01	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5755MHz\_TnomVnom




Worst 89 [Horizontal]  
All 89 [Vertical]/89 [Vertical]/89 [Horizontal]/89 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51664G	56.16	74.00	-17.84	41.66	3	Vertical	338	2.79	-	38.43	8.88	32.81
AV	11.51976G	43.34	54.00	-10.66	28.83	3	Vertical	338	2.79	-	38.44	8.88	32.81
PK	17.29684G	66.62	68.20	-1.58	45.63	3	Vertical	345	1.76	-	42.08	10.89	31.98
PK	11.5028G	55.75	74.00	-18.25	41.27	3	Horizontal	46	1.07	-	38.41	8.88	32.81
AV	11.5436G	43.02	54.00	-10.98	28.46	3	Horizontal	46	1.07	-	38.49	8.89	32.82
PK	17.24164G	66.87	68.20	-1.33	46.19	3	Horizontal	352	1.80	-	41.81	10.87	32.00

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUTZ\_4TX  
 SET 89  
 80/100/90/95/93/92/90/89  
 2.89/-6.60/0.83/-4.13/-2.56/-0.39/-0.17/1.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64772G	66.24	68.20	-1.96	58.46	3	Vertical	96	2.60	-	34.09	6.60	32.91
PK	5.7442G	121.41	Inf	-Inf	113.38	3	Vertical	96	2.60	-	34.35	6.60	32.92
AV	5.76004G	109.89	Inf	-Inf	101.82	3	Vertical	96	2.60	-	34.40	6.60	32.93
PK	5.935G	60.74	68.20	-7.46	52.04	3	Vertical	96	2.60	-	35.04	6.60	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUTZ\_4TX  
SET 89  
89  
6.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62612G	61.52	68.20	-6.68	53.87	3	Horizontal	292	1.01	-	33.96	6.60	32.91
PK	5.75716G	113.91	Inf	-Inf	105.84	3	Horizontal	292	1.01	-	34.40	6.60	32.93
AV	5.74708G	102.30	Inf	-Inf	94.24	3	Horizontal	292	1.01	-	34.38	6.60	32.92
PK	5.92852G	60.71	68.20	-7.49	52.04	3	Horizontal	292	1.01	-	35.01	6.60	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5795MHz\_TnomVnom




Worst 88 [Horizontal]  
All 94 [Vertical]/90 [Vertical]/90 [Horizontal]/88 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60448G	56.16	74.00	-17.84	41.48	3	Vertical	291	2.43	-	38.60	8.90	32.82
AV	11.60208G	43.97	54.00	-10.03	29.29	3	Vertical	291	2.43	-	38.60	8.90	32.82
PK	17.38452G	67.52	68.20	-0.68	46.35	3	Vertical	346	1.80	-	42.18	10.92	31.93
PK	11.614G	56.58	74.00	-17.42	41.91	3	Horizontal	43	2.10	-	38.60	8.90	32.83
AV	11.58528G	44.00	54.00	-10.00	29.35	3	Horizontal	43	2.10	-	38.57	8.90	32.82
PK	17.39244G	67.70	68.20	-0.50	46.52	3	Horizontal	24	1.78	-	42.19	10.92	31.93



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5795MHz\_TnomVnom




EUTZ\_4TX  
 SET 94  
 80/100/90/95/93/94  
 4.58/-2.91/3.33/-1.09/0.61/0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64972G	67.75	68.20	-0.45	59.96	3	Vertical	95	2.36	-	34.10	6.60	32.91
PK	5.77964G	121.93	Inf	-Inf	113.86	3	Vertical	95	2.36	-	34.40	6.60	32.93
AV	5.80012G	110.25	Inf	-Inf	102.18	3	Vertical	95	2.36	-	34.40	6.60	32.93
PK	5.92684G	61.07	68.20	-7.13	52.40	3	Vertical	95	2.36	-	35.01	6.60	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUTZ\_4TX  
SET 94  
94  
5.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6478G	62.81	68.20	-5.39	55.03	3	Horizontal	299	2.77	-	34.09	6.60	32.91
PK	5.78796G	115.52	Inf	-Inf	107.45	3	Horizontal	299	2.77	-	34.40	6.60	32.93
AV	5.78796G	103.72	Inf	-Inf	95.65	3	Horizontal	299	2.77	-	34.40	6.60	32.93
PK	5.94924G	62.09	68.20	-6.11	53.33	3	Horizontal	299	2.77	-	35.10	6.60	32.94

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

22/12/2021

### 5210MHz\_TnomVnom




Worst 67 [Vertical]  
All 67 [Vertical]/67 [Vertical]/67 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44704G	55.75	68.20	-12.45	41.74	3	Vertical	330	1.75	-	38.45	8.61	33.05
PK	15.57G	60.73	74.00	-13.27	45.25	3	Vertical	220	1.80	-	37.92	10.37	32.81
AV	15.62936G	47.79	54.00	-6.21	32.43	3	Vertical	220	1.80	-	37.77	10.39	32.80
PK	10.4464G	55.48	68.20	-12.72	41.47	3	Horizontal	78	1.78	-	38.45	8.61	33.05
PK	15.66856G	60.64	74.00	-13.36	45.30	3	Horizontal	0	2.85	-	37.73	10.40	32.79
AV	15.68472G	47.64	54.00	-6.36	32.30	3	Horizontal	0	2.85	-	37.72	10.41	32.79

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 67  
 80/60/70/65/67/68/67  
 -12.85/2.03/-1.15/0.81/0.27/-0.03/0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14984G	64.33	74.00	-9.67	58.20	3	Vertical	91	2.31	-	32.70	6.37	32.94
AV	5.14984G	53.68	54.00	-0.32	47.55	3	Vertical	91	2.31	-	32.70	6.37	32.94
PK	5.24072G	112.17	Inf	-Inf	105.92	3	Vertical	91	2.31	-	32.78	6.40	32.93
AV	5.22536G	101.03	Inf	-Inf	94.81	3	Vertical	91	2.31	-	32.75	6.40	32.93
PK	5.36616G	61.44	74.00	-12.56	54.90	3	Vertical	91	2.31	-	33.06	6.40	32.92
AV	5.3572G	49.86	54.00	-4.14	43.35	3	Vertical	91	2.31	-	33.03	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUTZ\_4TX  
SET 67  
67  
6.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.10568G	59.55	74.00	-14.45	53.36	3	Horizontal	83	1.13	-	32.79	6.35	32.95
AV	5.14984G	47.62	54.00	-6.38	41.49	3	Horizontal	83	1.13	-	32.70	6.37	32.94
PK	5.24072G	105.47	Inf	-Inf	99.22	3	Horizontal	83	1.13	-	32.78	6.40	32.93
AV	5.22088G	93.23	Inf	-Inf	87.02	3	Horizontal	83	1.13	-	32.74	6.40	32.93
PK	5.3636G	60.36	74.00	-13.64	53.83	3	Horizontal	83	1.13	-	33.05	6.40	32.92
AV	5.35912G	47.81	54.00	-6.19	41.29	3	Horizontal	83	1.13	-	33.04	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021

### 5775MHz\_TnomVnom




Worst 76 [Vertical]  
All 76 [Vertical]/76 [Vertical]/76 [Horizontal]/76 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.586G	55.71	74.00	-18.29	41.06	3	Vertical	282	1.80	-	38.57	8.90	32.82
AV	11.62744G	43.72	54.00	-10.28	29.04	3	Vertical	282	1.80	-	38.60	8.91	32.83
PK	17.27012G	65.56	68.20	-2.64	44.72	3	Vertical	113	1.80	-	41.95	10.88	31.99
PK	11.61544G	55.96	74.00	-18.04	41.29	3	Horizontal	147	2.25	-	38.60	8.90	32.83
AV	11.5972G	43.66	54.00	-10.34	28.99	3	Horizontal	147	2.25	-	38.59	8.90	32.82
PK	17.37252G	65.50	68.20	-2.70	44.36	3	Horizontal	43	1.80	-	42.17	10.91	31.94

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 76  
 80/60/70/75/77/76  
 -1.39/4.68/2.13/1.72/-1.23/0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	67.76	68.35	-0.59	59.98	3	Vertical	94	2.42	-	34.10	6.60	32.92
PK	5.74556G	114.84	Inf	-Inf	106.80	3	Vertical	94	2.42	-	34.36	6.60	32.92
AV	5.76476G	104.02	Inf	-Inf	95.95	3	Vertical	94	2.42	-	34.40	6.60	32.93
PK	5.9254G	61.16	68.20	-7.04	52.50	3	Vertical	94	2.42	-	35.00	6.60	32.94

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom



16/12/2021

EUT\_Z\_4TX  
SET 76  
76  
7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64828G	61.18	68.20	-7.02	53.40	3	Horizontal	302	1.05	-	34.09	6.60	32.91
PK	5.76348G	107.79	Inf	-Inf	99.72	3	Horizontal	302	1.05	-	34.40	6.60	32.93
AV	5.74364G	96.81	Inf	-Inf	88.78	3	Horizontal	302	1.05	-	34.35	6.60	32.92
PK	5.92348G	61.74	69.32	-7.58	53.09	3	Horizontal	302	1.05	-	34.99	6.60	32.94






For 4T4S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	PK	17.38932G	68.19	68.20	-0.01	3	Vertical	357	1.80	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5180MHz\_TnomVnom




Worst 80 [Horizontal]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35348G	55.55	68.20	-12.65	41.69	3	Vertical	320	1.00	-	38.40	8.59	33.13
PK	15.54108G	61.63	74.00	-12.37	46.04	3	Vertical	360	1.02	-	38.04	10.36	32.81
AV	15.53824G	49.30	54.00	-4.70	33.70	3	Vertical	360	1.02	-	38.05	10.36	32.81
PK	10.36888G	55.29	68.20	-12.91	41.41	3	Horizontal	360	2.61	-	38.40	8.59	33.11
PK	15.53976G	62.18	74.00	-11.82	46.59	3	Horizontal	355	1.80	-	38.04	10.36	32.81
AV	15.53932G	49.55	54.00	-4.45	33.96	3	Horizontal	355	1.80	-	38.04	10.36	32.81

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

#### 5180MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 80  
 80/100/90/85/83/82/80  
 1.37/-33.34/-12.80/-4.36/-1.90/-0.72/1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.02	74.00	-9.98	57.88	3	Vertical	59	2.40	-	32.71	6.37	32.94
AV	5.1498G	52.60	54.00	-1.40	46.47	3	Vertical	59	2.40	-	32.70	6.37	32.94
PK	5.1876G	120.56	Inf	-Inf	114.41	3	Vertical	59	2.40	-	32.70	6.39	32.94
AV	5.1792G	107.05	Inf	-Inf	100.90	3	Vertical	59	2.40	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUTZ\_4TX  
SET 80  
80  
5.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.30	74.00	-13.70	54.17	3	Horizontal	77	1.02	-	32.70	6.37	32.94
AV	5.1488G	48.06	54.00	-5.94	41.93	3	Horizontal	77	1.02	-	32.70	6.37	32.94
PK	5.1824G	111.00	Inf	-Inf	104.85	3	Horizontal	77	1.02	-	32.70	6.39	32.94
AV	5.185G	98.59	Inf	-Inf	92.44	3	Horizontal	77	1.02	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5200MHz\_TnomVnom




Worst 83 [Horizontal]  
All 83 [Vertical]/83 [Vertical]/83 [Horizontal]/83 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39508G	55.40	68.20	-12.80	41.49	3	Vertical	76	1.13	-	38.40	8.60	33.09
PK	15.60588G	63.45	74.00	-10.55	48.08	3	Vertical	354	1.79	-	37.79	10.38	32.80
AV	15.59756G	50.35	54.00	-3.65	34.96	3	Vertical	354	1.79	-	37.81	10.38	32.80
PK	10.40456G	55.67	68.20	-12.53	41.76	3	Horizontal	233	1.80	-	38.40	8.60	33.09
PK	15.59616G	63.92	74.00	-10.08	48.52	3	Horizontal	348	1.80	-	37.82	10.38	32.80
AV	15.60388G	51.14	54.00	-2.86	35.76	3	Horizontal	348	1.80	-	37.80	10.38	32.80

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUTZ\_4TX  
 SET 83  
 80/100/90/85/83/84/83  
 1.91/-23.53/-5.91/-1.13/0.28/-0.32/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14876G	67.47	74.00	-6.53	61.34	3	Vertical	58	2.31	-	32.70	6.37	32.94
AV	5.14876G	53.60	54.00	-0.40	47.47	3	Vertical	58	2.31	-	32.70	6.37	32.94
PK	5.19468G	121.15	Inf	-Inf	114.99	3	Vertical	58	2.31	-	32.70	6.40	32.94
AV	5.20252G	108.90	Inf	-Inf	102.73	3	Vertical	58	2.31	-	32.71	6.40	32.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUTZ\_4TX  
SET 83  
83  
4.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14932G	62.27	74.00	-11.73	56.14	3	Horizontal	95	1.13	-	32.70	6.37	32.94
AV	5.1496G	49.23	54.00	-4.77	43.10	3	Horizontal	95	1.13	-	32.70	6.37	32.94
PK	5.20196G	112.65	Inf	-Inf	106.49	3	Horizontal	95	1.13	-	32.70	6.40	32.94
AV	5.20224G	100.78	Inf	-Inf	94.62	3	Horizontal	95	1.13	-	32.70	6.40	32.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5240MHz\_TnomVnom




Worst 85 [Horizontal]  
All 93 [Vertical]/87 [Vertical]/87 [Horizontal]/85 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49688G	55.63	68.20	-12.57	41.52	3	Vertical	83	2.86	-	38.50	8.62	33.01
PK	15.71584G	66.18	74.00	-7.82	50.76	3	Vertical	335	1.80	-	37.80	10.41	32.79
AV	15.7168G	53.65	54.00	-0.35	38.22	3	Vertical	335	1.80	-	37.80	10.42	32.79
PK	10.47328G	55.28	68.20	-12.92	41.22	3	Horizontal	147	1.76	-	38.47	8.62	33.03
PK	15.71772G	66.05	74.00	-7.95	50.61	3	Horizontal	19	1.86	-	37.81	10.42	32.79
AV	15.7208G	53.70	54.00	-0.30	38.24	3	Horizontal	19	1.86	-	37.82	10.42	32.78



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 93  
 80/100/90/95/93/94/93  
 3.95/-5.87/3.13/-1.53/0.70/-0.31/0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14796G	65.79	74.00	-8.21	59.66	3	Vertical	103	2.68	-	32.70	6.37	32.94
AV	5.15G	53.25	54.00	-0.75	47.12	3	Vertical	103	2.68	-	32.70	6.37	32.94
PK	5.23532G	124.31	Inf	-Inf	118.07	3	Vertical	103	2.68	-	32.77	6.40	32.93
AV	5.24104G	111.87	Inf	-Inf	105.62	3	Vertical	103	2.68	-	32.78	6.40	32.93
PK	5.36272G	64.65	74.00	-9.35	58.12	3	Vertical	103	2.68	-	33.05	6.40	32.92
AV	5.35G	52.29	54.00	-1.71	45.81	3	Vertical	103	2.68	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
SET 93  
93  
5.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14744G	59.99	74.00	-14.01	53.85	3	Horizontal	78	1.06	-	32.71	6.37	32.94
AV	5.14952G	48.17	54.00	-5.83	42.04	3	Horizontal	78	1.06	-	32.70	6.37	32.94
PK	5.24156G	117.47	Inf	-Inf	111.22	3	Horizontal	78	1.06	-	32.78	6.40	32.93
AV	5.24312G	104.12	Inf	-Inf	97.86	3	Horizontal	78	1.06	-	32.79	6.40	32.93
PK	5.35076G	60.57	74.00	-13.43	54.09	3	Horizontal	78	1.06	-	33.00	6.40	32.92
AV	5.35752G	48.40	54.00	-5.60	41.89	3	Horizontal	78	1.06	-	33.03	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5745MHz\_TnomVnom




Worst 88 [Horizontal]  
All 98 [Vertical]/95 [Vertical]/95 [Horizontal]/88 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49712G	55.52	74.00	-18.48	41.06	3	Vertical	166	1.80	-	38.40	8.87	32.81
AV	11.50756G	43.33	54.00	-10.67	28.84	3	Vertical	166	1.80	-	38.42	8.88	32.81
PK	17.22556G	67.71	68.20	-0.49	47.12	3	Vertical	360	1.80	-	41.73	10.87	32.01
PK	11.4792G	56.59	74.00	-17.41	42.13	3	Horizontal	288	1.80	-	38.40	8.87	32.81
AV	11.47856G	43.31	54.00	-10.69	28.85	3	Horizontal	288	1.80	-	38.40	8.87	32.81
PK	17.2324G	68.08	68.20	-0.12	47.46	3	Horizontal	315	1.80	-	41.76	10.87	32.01

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUTZ\_4TX  
 SET 98  
 80/100/90/95/97/98  
 4.99/-9.35/4.15/4.55/3.38/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64924G	67.50	68.20	-0.70	59.71	3	Vertical	92	2.58	-	34.10	6.60	32.91
PK	5.74424G	124.61	Inf	-Inf	116.58	3	Vertical	92	2.58	-	34.35	6.60	32.92
AV	5.7412G	112.00	Inf	-Inf	103.99	3	Vertical	92	2.58	-	34.33	6.60	32.92
PK	5.93424G	60.47	68.20	-7.73	51.77	3	Vertical	92	2.58	-	35.04	6.60	32.94

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TnomVnom




EUTZ\_4TX  
SET 98  
98  
7.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5816G	60.98	68.20	-7.22	53.47	3	Horizontal	221	2.93	-	33.84	6.58	32.91
PK	5.74044G	116.83	Inf	-Inf	108.83	3	Horizontal	221	2.93	-	34.32	6.60	32.92
AV	5.74272G	104.56	Inf	-Inf	96.54	3	Horizontal	221	2.93	-	34.34	6.60	32.92
PK	5.9312G	60.50	68.20	-7.70	51.82	3	Horizontal	221	2.93	-	35.02	6.60	32.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5785MHz\_TnomVnom




Worst 92 [Horizontal]  
All 102 [Vertical]/95 [Vertical]/95 [Horizontal]/92 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57224G	55.46	74.00	-18.54	40.85	3	Vertical	353	1.80	-	38.54	8.89	32.82
AV	11.5832G	43.68	54.00	-10.32	29.03	3	Vertical	353	1.80	-	38.57	8.90	32.82
PK	17.35728G	67.98	68.20	-0.22	46.85	3	Vertical	356	1.80	-	42.16	10.91	31.94
PK	11.5746G	56.04	74.00	-17.96	41.42	3	Horizontal	360	1.80	-	38.55	8.89	32.82
AV	11.57764G	43.59	54.00	-10.41	28.96	3	Horizontal	360	1.80	-	38.56	8.89	32.82
PK	17.35452G	68.06	68.20	-0.14	46.95	3	Horizontal	44	1.80	-	42.15	10.91	31.95

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 5.98/3.32/2.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6506G	65.84	68.64	-2.80	58.06	3	Vertical	93	2.48	-	34.10	6.60	32.92
PK	5.7838G	124.07	Inf	-Inf	116.00	3	Vertical	93	2.48	-	34.40	6.60	32.93
AV	5.7838G	111.91	Inf	-Inf	103.84	3	Vertical	93	2.48	-	34.40	6.60	32.93
PK	5.935G	60.79	68.20	-7.41	52.09	3	Vertical	93	2.48	-	35.04	6.60	32.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5785MHz\_TnomVnom



EUT\_Z\_4TX  
SET 102  
102  
6.68


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6494G	61.52	68.20	-6.68	53.73	3	Horizontal	220	2.91	-	34.10	6.60	32.91
PK	5.7802G	116.95	Inf	-Inf	108.88	3	Horizontal	220	2.91	-	34.40	6.60	32.93
AV	5.7916G	104.40	Inf	-Inf	96.33	3	Horizontal	220	2.91	-	34.40	6.60	32.93
PK	5.9254G	60.42	68.20	-7.78	51.76	3	Horizontal	220	2.91	-	35.00	6.60	32.94



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5825MHz\_TnomVnom




Worst 75 [Horizontal]  
All 102 [Vertical]/89 [Vertical]/89 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66776G	55.48	74.00	-18.52	40.79	3	Vertical	5	1.80	-	38.60	8.92	32.83
AV	11.65056G	43.25	54.00	-10.75	28.57	3	Vertical	5	1.80	-	38.60	8.91	32.83
PK	17.4686G	67.99	68.20	-0.21	46.67	3	Vertical	332	2.80	-	42.27	10.94	31.89
PK	11.6512G	56.10	74.00	-17.90	41.42	3	Horizontal	360	2.44	-	38.60	8.91	32.83
AV	11.6566G	43.36	54.00	-10.64	28.68	3	Horizontal	360	2.44	-	38.60	8.91	32.83
PK	17.48072G	67.37	68.20	-0.83	46.03	3	Horizontal	335	2.42	-	42.28	10.94	31.88

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 5.97/5.95/6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	62.16	68.20	-6.04	54.46	3	Vertical	93	2.62	-	34.01	6.60	32.91
PK	5.81664G	121.18	Inf	-Inf	112.98	3	Vertical	93	2.62	-	34.53	6.60	32.93
AV	5.81892G	109.97	Inf	-Inf	101.75	3	Vertical	93	2.62	-	34.55	6.60	32.93
PK	6.00208G	60.99	68.20	-7.21	52.04	3	Vertical	93	2.62	-	35.30	6.60	32.95

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
SET 102  
102  
7.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63728G	59.81	68.20	-8.39	52.10	3	Horizontal	286	2.76	-	34.02	6.60	32.91
PK	5.81816G	115.35	Inf	-Inf	107.13	3	Horizontal	286	2.76	-	34.55	6.60	32.93
AV	5.8174G	103.29	Inf	-Inf	95.08	3	Horizontal	286	2.76	-	34.54	6.60	32.93
PK	6.00892G	61.09	68.20	-7.11	52.15	3	Horizontal	286	2.76	-	35.28	6.61	32.95

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5190MHz\_TnomVnom




Worst 72 [Horizontal]  
All 72 [Vertical]/72 [Vertical]/72 [Horizontal]/72 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36848G	55.64	68.20	-12.56	41.77	3	Vertical	303	1.80	-	38.40	8.59	33.12
PK	15.57072G	61.09	74.00	-12.91	45.61	3	Vertical	113	1.80	-	37.92	10.37	32.81
AV	15.53536G	49.69	54.00	-4.31	34.08	3	Vertical	113	1.80	-	38.06	10.36	32.81
PK	10.34152G	55.16	68.20	-13.04	41.31	3	Horizontal	215	2.06	-	38.40	8.59	33.14
PK	15.53096G	61.71	74.00	-12.29	46.09	3	Horizontal	0	1.38	-	38.08	10.36	32.82
AV	15.54216G	50.13	54.00	-3.87	34.55	3	Horizontal	0	1.38	-	38.03	10.36	32.81

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 72  
 80/60/70/75/73/72  
 -8.34/2.81/0.74/-0.79/-0.15/0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14824G	64.72	74.00	-9.28	58.59	3	Vertical	55	2.37	-	32.70	6.37	32.94
AV	5.14992G	53.63	54.00	-0.37	47.50	3	Vertical	55	2.37	-	32.70	6.37	32.94
PK	5.19864G	114.50	Inf	-Inf	108.34	3	Vertical	55	2.37	-	32.70	6.40	32.94
AV	5.1972G	103.45	Inf	-Inf	97.29	3	Vertical	55	2.37	-	32.70	6.40	32.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

#### 5190MHz\_TnomVnom




EUTZ\_4TX  
SET 72  
72  
4.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	59.66	74.00	-14.34	53.53	3	Horizontal	78	1.12	-	32.70	6.37	32.94
AV	5.14992G	49.41	54.00	-4.59	43.28	3	Horizontal	78	1.12	-	32.70	6.37	32.94
PK	5.19888G	106.45	Inf	-Inf	100.29	3	Horizontal	78	1.12	-	32.70	6.40	32.94
AV	5.19216G	95.65	Inf	-Inf	89.49	3	Horizontal	78	1.12	-	32.70	6.40	32.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5230MHz\_TnomVnom




Worst 76 [Horizontal]  
All 76 [Vertical]/76 [Vertical]/76 [Horizontal]/76 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45088G	55.48	68.20	-12.72	41.47	3	Vertical	31	2.62	-	38.45	8.61	33.05
PK	15.67904G	61.33	74.00	-12.67	46.00	3	Vertical	335	1.80	-	37.72	10.40	32.79
AV	15.66872G	50.23	54.00	-3.77	34.89	3	Vertical	335	1.80	-	37.73	10.40	32.79
PK	10.44912G	55.37	68.20	-12.83	41.36	3	Horizontal	70	3.00	-	38.45	8.61	33.05
PK	15.69504G	61.38	74.00	-12.62	46.06	3	Horizontal	12	1.77	-	37.70	10.41	32.79
AV	15.67864G	50.06	54.00	-3.94	34.73	3	Horizontal	12	1.77	-	37.72	10.40	32.79

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 76  
 80/60/70/75/77/76  
 -3.13/3.41/2.70/0.98/-0.10/0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	65.49	74.00	-8.51	59.35	3	Vertical	101	2.62	-	32.71	6.37	32.94
AV	5.14836G	53.31	54.00	-0.69	47.18	3	Vertical	101	2.62	-	32.70	6.37	32.94
PK	5.23884G	117.01	Inf	-Inf	110.76	3	Vertical	101	2.62	-	32.78	6.40	32.93
AV	5.2274G	106.15	Inf	-Inf	99.93	3	Vertical	101	2.62	-	32.75	6.40	32.93
PK	5.35688G	63.31	74.00	-10.69	56.80	3	Vertical	101	2.62	-	33.03	6.40	32.92
AV	5.35896G	52.86	54.00	-1.14	46.34	3	Vertical	101	2.62	-	33.04	6.40	32.92



### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
SET 76  
76  
4.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	61.09	74.00	-12.91	54.96	3	Horizontal	78	2.50	-	32.70	6.37	32.94
AV	5.1494G	49.27	54.00	-4.73	43.14	3	Horizontal	78	2.50	-	32.70	6.37	32.94
PK	5.23468G	108.46	Inf	-Inf	102.22	3	Horizontal	78	2.50	-	32.77	6.40	32.93
AV	5.2274G	97.38	Inf	-Inf	91.16	3	Horizontal	78	2.50	-	32.75	6.40	32.93
PK	5.3522G	59.30	74.00	-14.70	52.81	3	Horizontal	78	2.50	-	33.01	6.40	32.92
AV	5.35792G	49.70	54.00	-4.30	43.19	3	Horizontal	78	2.50	-	33.03	6.40	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5755MHz\_TnomVnom




Worst 92 [Horizontal]  
All 92 [Vertical]/92 [Vertical]/92 [Horizontal]/92 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53952G	55.90	74.00	-18.10	41.36	3	Vertical	102	1.80	-	38.48	8.88	32.82
AV	11.50552G	45.13	54.00	-8.87	30.65	3	Vertical	102	1.80	-	38.41	8.88	32.81
PK	17.24988G	66.13	68.20	-2.07	45.41	3	Vertical	358	1.80	-	41.85	10.87	32.00
PK	11.51696G	55.89	74.00	-18.11	41.39	3	Horizontal	351	1.80	-	38.43	8.88	32.81
AV	11.49888G	45.01	54.00	-8.99	30.55	3	Horizontal	351	1.80	-	38.40	8.87	32.81
PK	17.2574G	67.79	68.20	-0.41	47.02	3	Horizontal	315	1.80	-	41.89	10.88	32.00

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

#### 5755MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 92  
 80/100/90/95/93/92  
 4.22/-8.22/1.36/-4.41/-1.44/0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64052G	67.92	68.20	-0.28	60.19	3	Vertical	92	2.62	-	34.04	6.60	32.91
PK	5.75068G	119.52	Inf	-Inf	111.45	3	Vertical	92	2.62	-	34.40	6.60	32.93
AV	5.76292G	108.66	Inf	-Inf	100.59	3	Vertical	92	2.62	-	34.40	6.60	32.93
PK	5.92852G	60.85	68.20	-7.35	52.18	3	Vertical	92	2.62	-	35.01	6.60	32.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUTZ\_4TX  
SET 92  
92  
5.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63764G	62.84	68.20	-5.36	55.12	3	Horizontal	288	2.84	-	34.03	6.60	32.91
PK	5.7622G	112.45	Inf	-Inf	104.38	3	Horizontal	288	2.84	-	34.40	6.60	32.93
AV	5.75932G	102.06	Inf	-Inf	93.99	3	Horizontal	288	2.84	-	34.40	6.60	32.93
PK	5.93068G	61.93	68.20	-6.27	53.25	3	Horizontal	288	2.84	-	35.02	6.60	32.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5795MHz\_TnomVnom




Worst 91 [Horizontal]  
All 97 [Vertical]/97 [Vertical]/97 [Horizontal]/91 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5724G	56.13	74.00	-17.87	41.52	3	Vertical	159	1.80	-	38.54	8.89	32.82
AV	11.59696G	44.78	54.00	-9.22	30.11	3	Vertical	159	1.80	-	38.59	8.90	32.82
PK	17.38932G	68.19	68.20	-0.01	47.01	3	Vertical	357	1.80	-	42.19	10.92	31.93
PK	11.62976G	55.94	74.00	-18.06	41.26	3	Horizontal	128	1.80	-	38.60	8.91	32.83
AV	11.58856G	45.07	54.00	-8.93	30.41	3	Horizontal	128	1.80	-	38.58	8.90	32.82
PK	17.39444G	67.57	68.20	-0.63	46.38	3	Horizontal	326	2.15	-	42.19	10.92	31.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 97  
 80/100/90/95/97  
 5.14/-3.37/4.12/2.02/0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6446G	68.15	68.20	-0.05	60.39	3	Vertical	91	2.64	-	34.07	6.60	32.91
PK	5.79884G	120.06	Inf	-Inf	111.99	3	Vertical	91	2.64	-	34.40	6.60	32.93
AV	5.7918G	108.95	Inf	-Inf	100.88	3	Vertical	91	2.64	-	34.40	6.60	32.93
PK	5.93964G	61.30	68.20	-6.90	52.58	3	Vertical	91	2.64	-	35.06	6.60	32.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUTZ\_4TX  
SET 97  
97  
4.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65036G	64.23	68.47	-4.24	56.45	3	Horizontal	221	2.90	-	34.10	6.60	32.92
PK	5.78988G	111.99	Inf	-Inf	103.92	3	Horizontal	221	2.90	-	34.40	6.60	32.93
AV	5.79948G	101.86	Inf	-Inf	93.79	3	Horizontal	221	2.90	-	34.40	6.60	32.93
PK	5.93132G	61.65	68.20	-6.55	52.96	3	Horizontal	221	2.90	-	35.03	6.60	32.94

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/01/2022

### 5210MHz\_TnomVnom




Worst 68 [Vertical]  
All 68 [Vertical]/68 [Vertical]/68 [Horizontal]/68 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45616G	55.12	68.20	-13.08	41.10	3	Vertical	159	1.80	-	38.46	8.61	33.05
PK	15.55896G	60.74	74.00	-13.26	45.22	3	Vertical	19	1.80	-	37.96	10.37	32.81
AV	15.57496G	49.07	54.00	-4.93	33.61	3	Vertical	19	1.80	-	37.90	10.37	32.81
PK	10.41984G	54.82	68.20	-13.38	40.87	3	Horizontal	265	1.58	-	38.42	8.60	33.07
PK	15.55704G	60.62	74.00	-13.38	45.09	3	Horizontal	255	1.80	-	37.97	10.37	32.81
AV	15.55528G	49.69	54.00	-4.31	34.15	3	Horizontal	255	1.80	-	37.98	10.37	32.81



### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -12.79/2.58/-0.22/0.89/0.49/0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14472G	63.08	74.00	-10.92	56.94	3	Vertical	102	2.60	-	32.71	6.37	32.94
AV	5.14984G	53.79	54.00	-0.21	47.66	3	Vertical	102	2.60	-	32.70	6.37	32.94
PK	5.22664G	110.50	Inf	-Inf	104.28	3	Vertical	102	2.60	-	32.75	6.40	32.93
AV	5.2228G	100.34	Inf	-Inf	94.12	3	Vertical	102	2.60	-	32.75	6.40	32.93
PK	5.36552G	61.89	74.00	-12.11	55.35	3	Vertical	102	2.60	-	33.06	6.40	32.92
AV	5.35592G	51.65	54.00	-2.35	45.15	3	Vertical	102	2.60	-	33.02	6.40	32.92

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX  
SET 68  
68  
4.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.10056G	59.10	74.00	-14.90	52.90	3	Horizontal	309	1.00	-	32.80	6.35	32.95
AV	5.082G	48.61	54.00	-5.39	42.42	3	Horizontal	309	1.00	-	32.80	6.34	32.95
PK	5.19848G	103.09	Inf	-Inf	96.93	3	Horizontal	309	1.00	-	32.70	6.40	32.94
AV	5.22472G	93.15	Inf	-Inf	86.93	3	Horizontal	309	1.00	-	32.75	6.40	32.93
PK	5.36104G	59.65	74.00	-14.35	53.13	3	Horizontal	309	1.00	-	33.04	6.40	32.92
AV	5.35336G	49.11	54.00	-4.89	42.62	3	Horizontal	309	1.00	-	33.01	6.40	32.92

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/01/2022

### 5775MHz\_TnomVnom




Worst 80 [Vertical]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5556G	56.19	74.00	-17.81	41.61	3	Vertical	329	1.80	-	38.51	8.89	32.82
AV	11.60408G	45.48	54.00	-8.52	30.80	3	Vertical	329	1.80	-	38.60	8.90	32.82
PK	17.31972G	65.72	68.20	-2.48	44.66	3	Vertical	282	1.80	-	42.12	10.90	31.96
PK	11.594G	56.58	74.00	-17.42	41.91	3	Horizontal	20	1.80	-	38.59	8.90	32.82
AV	11.4876G	45.28	54.00	-8.72	30.82	3	Horizontal	20	1.80	-	38.40	8.87	32.81
PK	17.26724G	65.45	68.20	-2.75	44.62	3	Horizontal	185	1.80	-	41.94	10.88	31.99

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUTZ\_4TX  
 SET 80  
 80/100/90/85/83/82/80  
 0.59/-23.32/-7.27/-2.58/-0.90/-0.35/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64764G	68.02	68.20	-0.18	60.24	3	Vertical	93	2.46	-	34.09	6.60	32.91
PK	5.8038G	113.97	Inf	-Inf	105.87	3	Vertical	93	2.46	-	34.43	6.60	32.93
AV	5.76412G	103.56	Inf	-Inf	95.49	3	Vertical	93	2.46	-	34.40	6.60	32.93
PK	5.92988G	60.20	68.20	-8.00	51.52	3	Vertical	93	2.46	-	35.02	6.60	32.94

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5775MHz\_TnomVnom



EUTZ\_4TX  
SET 80  
80  
5.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63164G	62.61	68.20	-5.59	54.93	3	Horizontal	287	2.75	-	33.99	6.60	32.91
PK	5.77244G	106.72	Inf	-Inf	98.65	3	Horizontal	287	2.75	-	34.40	6.60	32.93
AV	5.7686G	96.59	Inf	-Inf	88.52	3	Horizontal	287	2.75	-	34.40	6.60	32.93
PK	5.92668G	60.53	68.20	-7.67	51.86	3	Horizontal	287	2.75	-	35.01	6.60	32.94



For Scanning Radio 1 / 2T1S and 2T2S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.92812G	68.18	68.20	-0.02	3	Vertical	6	2.78	-

### 802.11a\_Nss1,(6Mbps)\_2TX

28/12/2021

### 5180MHz\_TnomVnom




Worst 81 [Vertical]  
All 81 [Vertical]/81 [Vertical]/81[Horizontal]/81[Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3626G	59.10	68.20	-9.10	45.23	3	Vertical	5	1.89	-	38.40	8.59	33.12
PK	15.54116G	67.03	74.00	-6.97	51.44	3	Vertical	354	1.11	-	38.04	10.36	32.81
AV	15.54208G	52.39	54.00	-1.61	36.81	3	Vertical	354	1.11	-	38.03	10.36	32.81
PK	10.36068G	62.31	68.20	-5.89	48.44	3	Horizontal	58	1.48	-	38.40	8.59	33.12
PK	15.54152G	62.07	74.00	-11.93	46.49	3	Horizontal	338	1.89	-	38.03	10.36	32.81
AV	15.5422G	48.93	54.00	-5.07	33.35	3	Horizontal	338	1.89	-	38.03	10.36	32.81

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TnomVnom




EUTX\_2TX  
 SET 84  
 80/100/90/85/83/84  
 4.31/-26.05/-5.17/-0.04/1.89/1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.48	74.00	-5.52	62.35	3	Vertical	27	2.06	-	32.70	6.37	32.94
AV	5.1488G	52.75	54.00	-1.25	46.62	3	Vertical	27	2.06	-	32.70	6.37	32.94
PK	5.1788G	114.99	Inf	-Inf	108.84	3	Vertical	27	2.06	-	32.70	6.39	32.94
AV	5.1788G	105.10	Inf	-Inf	98.95	3	Vertical	27	2.06	-	32.70	6.39	32.94



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 81  
 84/64/74/79/81/82/81  
 -2.21/5.24/3.31/1.70/0.55/-0.40/0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.40	74.00	-5.60	62.26	3	Horizontal	68	1.79	-	32.71	6.37	32.94
AV	5.147G	53.53	54.00	-0.47	47.39	3	Horizontal	68	1.79	-	32.71	6.37	32.94
PK	5.1818G	119.62	Inf	-Inf	113.47	3	Horizontal	68	1.79	-	32.70	6.39	32.94
AV	5.177G	109.88	Inf	-Inf	103.73	3	Horizontal	68	1.79	-	32.70	6.39	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5200MHz\_TnomVnom




Worst 82 [Vertical]  
All 88 [Vertical]/82 [Vertical]/82 [Horizontal]/82 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.398G	60.12	68.20	-8.08	46.21	3	Vertical	4	2.10	-	38.40	8.60	33.09
PK	15.59664G	69.19	74.00	-4.81	53.80	3	Vertical	355	1.71	-	37.81	10.38	32.80
AV	15.60032G	53.96	54.00	-0.04	38.58	3	Vertical	355	1.71	-	37.80	10.38	32.80
PK	10.39504G	61.46	68.20	-6.74	47.55	3	Horizontal	57	1.80	-	38.40	8.60	33.09
PK	15.59228G	67.78	74.00	-6.22	52.38	3	Horizontal	316	2.79	-	37.83	10.38	32.81
AV	15.59812G	52.72	54.00	-1.28	37.33	3	Horizontal	316	2.79	-	37.81	10.38	32.80

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 92  
 80/100/90/95/93/92  
 6.58/-12.64/2.57/-2.74/-0.52/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14568G	68.38	74.00	-5.62	62.24	3	Vertical	27	3.00	-	32.71	6.37	32.94
AV	5.14988G	53.91	54.00	-0.09	47.78	3	Vertical	27	3.00	-	32.70	6.37	32.94
PK	5.1958G	117.64	Inf	-Inf	111.48	3	Vertical	27	3.00	-	32.70	6.40	32.94
AV	5.1958G	107.23	Inf	-Inf	101.07	3	Vertical	27	3.00	-	32.70	6.40	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 88  
 92/72/82/87/89/88  
 -3.77/5.59/3.51/0.68/-0.55/0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14652G	70.53	74.00	-3.47	64.39	3	Horizontal	70	1.78	-	32.71	6.37	32.94
AV	5.1468G	53.87	54.00	-0.13	47.73	3	Horizontal	70	1.78	-	32.71	6.37	32.94
PK	5.20196G	122.04	Inf	-Inf	115.88	3	Horizontal	70	1.78	-	32.70	6.40	32.94
AV	5.20196G	112.25	Inf	-Inf	106.09	3	Horizontal	70	1.78	-	32.70	6.40	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5240MHz\_TnomVnom




Worst 74 [Vertical]  
All 97 [Vertical]/74 [Vertical]/74 [Horizontal]/74 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4822G	60.18	68.20	-8.02	46.10	3	Vertical	3	2.12	-	38.48	8.62	33.02
PK	15.73176G	70.55	74.00	-3.45	55.02	3	Vertical	23	1.78	-	37.89	10.42	32.78
AV	15.7206G	53.55	54.00	-0.45	38.09	3	Vertical	23	1.78	-	37.82	10.42	32.78
PK	10.47972G	59.93	68.20	-8.27	45.86	3	Horizontal	278	1.31	-	38.48	8.62	33.03
PK	15.71548G	67.45	74.00	-6.55	52.04	3	Horizontal	0	1.64	-	37.79	10.41	32.79
AV	15.71872G	51.22	54.00	-2.78	35.78	3	Horizontal	0	1.64	-	37.81	10.42	32.79

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.58/3.38/2.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14276G	66.96	74.00	-7.04	60.82	3	Vertical	344	1.75	-	32.71	6.37	32.94
AV	5.149G	51.85	54.00	-2.15	45.72	3	Vertical	344	1.75	-	32.70	6.37	32.94
PK	5.23844G	118.97	Inf	-Inf	112.72	3	Vertical	344	1.75	-	32.78	6.40	32.93
AV	5.23792G	108.15	Inf	-Inf	101.90	3	Vertical	344	1.75	-	32.78	6.40	32.93
PK	5.35492G	62.60	74.00	-11.40	56.10	3	Vertical	344	1.75	-	33.02	6.40	32.92
AV	5.3544G	49.65	54.00	-4.35	43.15	3	Vertical	344	1.75	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 97  
 102/82/92/97/99/98/97  
 -3.45/4.69/4.00/2.37/-0.84/-0.92/1.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	68.76	74.00	-5.24	62.62	3	Horizontal	66	1.65	-	32.71	6.37	32.94
AV	5.1464G	52.35	54.00	-1.65	46.21	3	Horizontal	66	1.65	-	32.71	6.37	32.94
PK	5.24156G	124.46	Inf	-Inf	118.21	3	Horizontal	66	1.65	-	32.78	6.40	32.93
AV	5.24208G	113.90	Inf	-Inf	107.65	3	Horizontal	66	1.65	-	32.78	6.40	32.93
PK	5.35232G	66.57	74.00	-7.43	60.08	3	Horizontal	66	1.65	-	33.01	6.40	32.92
AV	5.3518G	51.32	54.00	-2.68	44.83	3	Horizontal	66	1.65	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

28/12/2021

### 5745MHz\_TnomVnom




Worst 88 [Vertical]  
All 100 [Vertical]/88 [Vertical]/88 [Horizontal]/88 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49624G	56.24	74.00	-17.76	41.78	3	Vertical	360	2.94	-	38.40	8.87	32.81
AV	11.4908G	43.65	54.00	-10.35	29.19	3	Vertical	360	2.94	-	38.40	8.87	32.81
PK	17.24208G	67.96	68.20	-0.24	47.28	3	Vertical	40	1.43	-	41.81	10.87	32.00
PK	11.4896G	56.43	74.00	-17.57	41.97	3	Horizontal	55	1.80	-	38.40	8.87	32.81
AV	11.4898G	43.12	54.00	-10.88	28.66	3	Horizontal	55	1.80	-	38.40	8.87	32.81
PK	17.22812G	67.50	68.20	-0.70	46.90	3	Horizontal	328	2.63	-	41.74	10.87	32.01



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 7.55/6.78/1.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65608G	70.88	72.70	-1.82	63.11	3	Vertical	334	1.88	-	34.09	6.60	32.92
PK	5.74424G	119.10	Inf	-Inf	111.07	3	Vertical	334	1.88	-	34.35	6.60	32.92
AV	5.74424G	108.58	Inf	-Inf	100.55	3	Vertical	334	1.88	-	34.35	6.60	32.92
PK	5.935G	60.60	68.20	-7.60	51.90	3	Vertical	334	1.88	-	35.04	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 100  
 102/82/92/97/99/100  
 -8.94/4.18/4.48/4.27/4.00/3.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64924G	64.97	68.20	-3.23	57.18	3	Horizontal	300	1.91	-	34.10	6.60	32.91
PK	5.74956G	124.77	Inf	-Inf	116.69	3	Horizontal	300	1.91	-	34.40	6.60	32.92
AV	5.73892G	114.41	Inf	-Inf	106.42	3	Horizontal	300	1.91	-	34.31	6.60	32.92
PK	5.92436G	61.94	68.67	-6.73	53.28	3	Horizontal	300	1.91	-	35.00	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

28/12/2021

### 5785MHz\_TnomVnom




Worst 72 [Vertical]  
All 102 [Vertical]/72 [Vertical]/72 [Horizontal]/72 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57048G	57.74	74.00	-16.26	43.13	3	Vertical	0	2.92	-	38.54	8.89	32.82
AV	11.57156G	44.92	54.00	-9.08	30.31	3	Vertical	0	2.92	-	38.54	8.89	32.82
PK	17.3516G	68.09	68.20	-0.11	46.98	3	Vertical	41	1.44	-	42.15	10.91	31.95
PK	11.569G	57.28	74.00	-16.72	42.67	3	Horizontal	63	1.29	-	38.54	8.89	32.82
AV	11.56916G	43.61	54.00	-10.39	29.00	3	Horizontal	63	1.29	-	38.54	8.89	32.82
PK	17.34716G	65.46	68.20	-2.74	44.36	3	Horizontal	326	1.80	-	42.15	10.90	31.95

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 7.49/6.91/6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6482G	61.25	68.20	-6.95	53.47	3	Vertical	332	1.80	-	34.09	6.60	32.91
PK	5.7844G	117.58	Inf	-Inf	109.51	3	Vertical	332	1.80	-	34.40	6.60	32.93
AV	5.779G	107.04	Inf	-Inf	98.97	3	Vertical	332	1.80	-	34.40	6.60	32.93
PK	5.9254G	61.77	68.20	-6.43	53.11	3	Vertical	332	1.80	-	35.00	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6488G	65.12	68.20	-3.08	57.34	3	Horizontal	299	1.91	-	34.09	6.60	32.91
PK	5.779G	124.74	Inf	-Inf	116.67	3	Horizontal	299	1.91	-	34.40	6.60	32.93
AV	5.7796G	114.14	Inf	-Inf	106.07	3	Horizontal	299	1.91	-	34.40	6.60	32.93
PK	5.9308G	67.54	68.20	-0.66	58.86	3	Horizontal	299	1.91	-	35.02	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

28/12/2021

### 5825MHz\_TnomVnom




Worst 74 [Horizontal]  
All 96 [Vertical]/76 [Vertical]/76 [Horizontal]/74 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65064G	58.94	74.00	-15.06	44.26	3	Vertical	7	1.18	-	38.60	8.91	32.83
AV	11.65096G	44.95	54.00	-9.05	30.27	3	Vertical	7	1.18	-	38.60	8.91	32.83
PK	17.48204G	67.62	68.20	-0.58	46.28	3	Vertical	35	1.84	-	42.28	10.94	31.88
PK	11.64972G	56.87	74.00	-17.13	42.19	3	Horizontal	65	1.30	-	38.60	8.91	32.83
AV	11.65384G	43.77	54.00	-10.23	29.09	3	Horizontal	65	1.30	-	38.60	8.91	32.83
PK	17.47648G	66.98	68.20	-1.22	45.64	3	Horizontal	60	1.76	-	42.28	10.94	31.88

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5825MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.85/1.41/0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63804G	60.55	68.20	-7.65	52.83	3	Vertical	332	1.95	-	34.03	6.60	32.91
PK	5.81968G	118.33	Inf	-Inf	110.10	3	Vertical	332	1.95	-	34.56	6.60	32.93
AV	5.83032G	107.90	Inf	-Inf	99.59	3	Vertical	332	1.95	-	34.64	6.60	32.93
PK	5.92608G	67.72	68.20	-0.48	59.06	3	Vertical	332	1.95	-	35.00	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5825MHz\_TnomVnom



EUT\_X\_2TX  
 SET 96  
 102/82/92/97/99/98/97/96  
 -1.96/5.23/4.66/1.39/-1.48/-2.10/-0.16/2.89


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63576G	62.46	68.20	-5.74	54.76	3	Horizontal	300	1.88	-	34.01	6.60	32.91
PK	5.81892G	123.53	Inf	-Inf	115.31	3	Horizontal	300	1.88	-	34.55	6.60	32.93
AV	5.81968G	113.71	Inf	-Inf	105.48	3	Horizontal	300	1.88	-	34.56	6.60	32.93
PK	5.9238G	66.20	69.09	-2.89	57.54	3	Horizontal	300	1.88	-	35.00	6.60	32.94



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

27/12/2021

### 5180MHz\_TnomVnom




Worst 79 [Vertical]  
All 79 [Vertical]/79 [Vertical]/79 [Horizontal]/79 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37144G	57.12	68.20	-11.08	43.24	3	Vertical	5	2.15	-	38.40	8.59	33.11
PK	15.53752G	64.11	74.00	-9.89	48.51	3	Vertical	352	1.18	-	38.05	10.36	32.81
AV	15.54164G	50.43	54.00	-3.57	34.85	3	Vertical	352	1.18	-	38.03	10.36	32.81
PK	10.36392G	59.20	68.20	-9.00	45.33	3	Horizontal	60	1.80	-	38.40	8.59	33.12
PK	15.52468G	61.62	74.00	-12.38	45.98	3	Horizontal	339	1.80	-	38.10	10.36	32.82
AV	15.5402G	48.59	54.00	-5.41	33.00	3	Horizontal	339	1.80	-	38.04	10.36	32.81

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 80/100/90/85/83/84  
 3.63/-27.12/-6.65/-1.29/1.70/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1414G	66.92	74.00	-7.08	60.77	3	Vertical	27	2.04	-	32.72	6.37	32.94
AV	5.15G	53.81	54.00	-0.19	47.68	3	Vertical	27	2.04	-	32.70	6.37	32.94
PK	5.1812G	115.68	Inf	-Inf	109.53	3	Vertical	27	2.04	-	32.70	6.39	32.94
AV	5.1818G	103.42	Inf	-Inf	97.27	3	Vertical	27	2.04	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
 SET 79  
 84/64/74/79/81/80/79  
 -4.25/4.47/2.38/0.99/-0.70/-0.15/1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.41	74.00	-9.59	58.28	3	Horizontal	68	1.79	-	32.70	6.37	32.94
AV	5.149G	52.95	54.00	-1.05	46.82	3	Horizontal	68	1.79	-	32.70	6.37	32.94
PK	5.1712G	119.54	Inf	-Inf	113.39	3	Horizontal	68	1.79	-	32.70	6.39	32.94
AV	5.1784G	107.27	Inf	-Inf	101.12	3	Horizontal	68	1.79	-	32.70	6.39	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

27/12/2021

### 5200MHz\_TnomVnom




Worst 77 [Vertical]  
All 83 [Vertical]/77 [Vertical]/77 [Horizontal]/77 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40268G	57.99	68.20	-10.21	44.08	3	Vertical	0	2.19	-	38.40	8.60	33.09
PK	15.61056G	70.02	74.00	-3.98	54.65	3	Vertical	21	1.28	-	37.79	10.38	32.80
AV	15.60112G	53.28	54.00	-0.72	37.90	3	Vertical	21	1.28	-	37.80	10.38	32.80
PK	10.40412G	59.18	68.20	-9.02	45.27	3	Horizontal	59	1.89	-	38.40	8.60	33.09
PK	15.61116G	68.09	74.00	-5.91	52.72	3	Horizontal	317	2.78	-	37.79	10.38	32.80
AV	15.59656G	51.84	54.00	-2.16	36.45	3	Horizontal	317	2.78	-	37.81	10.38	32.80

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 90  
 80/100/90  
 5.25/-15.50/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	67.96	74.00	-6.04	61.83	3	Vertical	30	2.06	-	32.70	6.37	32.94
AV	5.14988G	53.82	54.00	-0.18	47.69	3	Vertical	30	2.06	-	32.70	6.37	32.94
PK	5.19188G	116.03	Inf	-Inf	109.87	3	Vertical	30	2.06	-	32.70	6.40	32.94
AV	5.19636G	103.69	Inf	-Inf	97.53	3	Vertical	30	2.06	-	32.70	6.40	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT\_X\_2TX  
 SET 83  
 90/70/80/85/83/84/83  
 -4.56/4.90/2.37/-0.55/0.67/-0.02/0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14876G	68.44	74.00	-5.56	62.31	3	Horizontal	70	1.76	-	32.70	6.37	32.94
AV	5.1496G	53.50	54.00	-0.50	47.37	3	Horizontal	70	1.76	-	32.70	6.37	32.94
PK	5.19776G	120.09	Inf	-Inf	113.93	3	Horizontal	70	1.76	-	32.70	6.40	32.94
AV	5.19804G	108.56	Inf	-Inf	102.40	3	Horizontal	70	1.76	-	32.70	6.40	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

27/12/2021

### 5240MHz\_TnomVnom




Worst 71 [Vertical]  
All 96 [Vertical]/71 [Vertical]/71 [Horizontal]/71 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47804G	59.05	68.20	-9.15	44.98	3	Vertical	3	2.16	-	38.48	8.62	33.03
PK	15.73192G	71.56	74.00	-2.44	56.03	3	Vertical	23	1.25	-	37.89	10.42	32.78
AV	15.71868G	53.18	54.00	-0.82	37.74	3	Vertical	23	1.25	-	37.81	10.42	32.79
PK	10.48184G	58.68	68.20	-9.52	44.60	3	Horizontal	54	1.50	-	38.48	8.62	33.02
PK	15.73056G	67.59	74.00	-6.41	52.07	3	Horizontal	0	1.68	-	37.88	10.42	32.78
AV	15.71816G	50.85	54.00	-3.15	35.41	3	Horizontal	0	1.68	-	37.81	10.42	32.79

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.86/2.20/1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14796G	69.21	74.00	-4.79	63.08	3	Vertical	352	1.97	-	32.70	6.37	32.94
AV	5.15G	52.67	54.00	-1.33	46.54	3	Vertical	352	1.97	-	32.70	6.37	32.94
PK	5.2426G	118.13	Inf	-Inf	111.87	3	Vertical	352	1.97	-	32.79	6.40	32.93
AV	5.23896G	106.88	Inf	-Inf	100.63	3	Vertical	352	1.97	-	32.78	6.40	32.93
PK	5.3544G	65.33	74.00	-8.67	58.83	3	Vertical	352	1.97	-	33.02	6.40	32.92
AV	5.35G	52.37	54.00	-1.63	45.89	3	Vertical	352	1.97	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
 SET 96  
 102/82/92/97/95/96  
 -6.83/3.98/3.17/-0.50/1.49/0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.47	74.00	-7.53	60.34	3	Horizontal	70	1.59	-	32.70	6.37	32.94
AV	5.15G	53.08	54.00	-0.92	46.95	3	Horizontal	70	1.59	-	32.70	6.37	32.94
PK	5.24624G	122.81	Inf	-Inf	116.55	3	Horizontal	70	1.59	-	32.79	6.40	32.93
AV	5.23844G	111.33	Inf	-Inf	105.08	3	Horizontal	70	1.59	-	32.78	6.40	32.93
PK	5.36168G	63.56	74.00	-10.44	57.03	3	Horizontal	70	1.59	-	33.05	6.40	32.92
AV	5.35G	51.90	54.00	-2.10	45.42	3	Horizontal	70	1.59	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

28/12/2021

### 5745MHz\_TnomVnom




Worst 88 [Vertical]  
All 98 [Vertical]/88 [Vertical]/88 [Horizontal]/88 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47484G	55.62	74.00	-18.38	41.16	3	Vertical	360	2.27	-	38.40	8.87	32.81
AV	11.4982G	43.38	54.00	-10.62	28.92	3	Vertical	360	2.27	-	38.40	8.87	32.81
PK	17.2482G	66.84	68.20	-1.36	46.13	3	Vertical	42	1.80	-	41.84	10.87	32.00
PK	11.50536G	56.55	74.00	-17.45	42.07	3	Horizontal	63	1.80	-	38.41	8.88	32.81
AV	11.48768G	43.94	54.00	-10.06	29.48	3	Horizontal	63	1.80	-	38.40	8.87	32.81
PK	17.24504G	67.44	68.20	-0.76	46.74	3	Horizontal	325	1.90	-	41.83	10.87	32.00

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 7.03/5.88/0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6424G	67.74	68.20	-0.46	60.00	3	Vertical	333	1.88	-	34.05	6.60	32.91
PK	5.7412G	117.69	Inf	-Inf	109.68	3	Vertical	333	1.88	-	34.33	6.60	32.92
AV	5.74196G	106.46	Inf	-Inf	98.44	3	Vertical	333	1.88	-	34.34	6.60	32.92
PK	5.92664G	60.95	68.20	-7.25	52.28	3	Vertical	333	1.88	-	35.01	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT X\_2TX  
 SET 98  
 102/82/92/97/99/98  
 -10.17/5.02/4.17/4.04/-3.81/1.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64848G	66.64	68.20	-1.56	58.86	3	Horizontal	295	1.92	-	34.09	6.60	32.91
PK	5.7412G	122.93	Inf	-Inf	114.92	3	Horizontal	295	1.92	-	34.33	6.60	32.92
AV	5.73968G	111.78	Inf	-Inf	103.78	3	Horizontal	295	1.92	-	34.32	6.60	32.92
PK	5.93348G	61.54	68.20	-6.66	52.85	3	Horizontal	295	1.92	-	35.03	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

28/12/2021

### 5785MHz\_TnomVnom




Worst 75 [Vertical]  
All 102 [Vertical]/75 [Vertical]/75 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58108G	58.01	74.00	-15.99	43.37	3	Vertical	5	1.12	-	38.56	8.90	32.82
AV	11.57292G	44.72	54.00	-9.28	30.10	3	Vertical	5	1.12	-	38.55	8.89	32.82
PK	17.35076G	67.96	68.20	-0.24	46.85	3	Vertical	41	1.43	-	42.15	10.91	31.95
PK	11.57088G	56.31	74.00	-17.69	41.70	3	Horizontal	67	1.26	-	38.54	8.89	32.82
AV	11.57136G	43.90	54.00	-10.10	29.29	3	Horizontal	67	1.26	-	38.54	8.89	32.82
PK	17.3536G	66.65	68.20	-1.55	45.54	3	Horizontal	4	1.80	-	42.15	10.91	31.95

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 7.10/6.08/4.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6458G	62.28	68.20	-5.92	54.52	3	Vertical	334	1.88	-	34.07	6.60	32.91
PK	5.7928G	118.69	Inf	-Inf	110.62	3	Vertical	334	1.88	-	34.40	6.60	32.93
AV	5.788G	106.21	Inf	-Inf	98.14	3	Vertical	334	1.88	-	34.40	6.60	32.93
PK	5.9326G	63.27	68.20	-4.93	54.58	3	Vertical	334	1.88	-	35.03	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6488G	65.29	68.20	-2.91	57.51	3	Horizontal	298	1.90	-	34.09	6.60	32.91
PK	5.7874G	123.15	Inf	-Inf	115.08	3	Horizontal	298	1.90	-	34.40	6.60	32.93
AV	5.7802G	111.69	Inf	-Inf	103.62	3	Horizontal	298	1.90	-	34.40	6.60	32.93
PK	5.9254G	67.35	68.20	-0.85	58.69	3	Horizontal	298	1.90	-	35.00	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

26/01/2022

### 5825MHz\_TnomVnom




Worst 75 [Vertical]  
All 96 [Vertical]/75 [Vertical]/75 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65036G	57.43	74.00	-16.57	42.75	3	Vertical	7	1.12	-	38.60	8.91	32.83
AV	11.64968G	44.95	54.00	-9.05	30.27	3	Vertical	7	1.12	-	38.60	8.91	32.83
PK	17.48166G	67.93	68.20	-0.27	46.59	3	Vertical	353	2.78	-	42.28	10.94	31.88
PK	11.63228G	55.78	74.00	-18.22	41.10	3	Horizontal	289	1.80	-	38.60	8.91	32.83
AV	11.659G	43.38	54.00	-10.62	28.70	3	Horizontal	289	1.80	-	38.60	8.91	32.83
PK	17.48712G	67.08	68.20	-1.12	45.72	3	Horizontal	228	1.80	-	42.29	10.95	31.88



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5825MHz\_TnomVnom




EUTX\_2TX  
 SET 101  
 80/100/102/101  
 5.98/1.82/-1.99/1.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6388G	60.82	68.20	-7.38	53.10	3	Vertical	333	1.88	-	34.03	6.60	32.91
PK	5.8288G	117.50	Inf	-Inf	109.20	3	Vertical	333	1.88	-	34.63	6.60	32.93
AV	5.82348G	106.35	Inf	-Inf	98.09	3	Vertical	333	1.88	-	34.59	6.60	32.93
PK	5.92456G	67.38	68.53	-1.15	58.72	3	Vertical	333	1.88	-	35.00	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5825MHz\_TnomVnom




EUT\_X\_2TX  
 SET 96  
 101/81/91/96/98/97/96  
 -2.61/5.84/5.14/2.00/-1.63/-0.79/0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6464G	63.28	68.20	-4.92	55.51	3	Horizontal	304	1.94	-	34.08	6.60	32.91
PK	5.81892G	122.36	Inf	-Inf	114.14	3	Horizontal	304	1.94	-	34.55	6.60	32.93
AV	5.8212G	111.34	Inf	-Inf	103.10	3	Horizontal	304	1.94	-	34.57	6.60	32.93
PK	5.92684G	67.90	68.20	-0.30	59.23	3	Horizontal	304	1.94	-	35.01	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

27/12/2021

### 5190MHz\_TnomVnom




Worst 72 [Vertical]  
All 72 [Vertical]/72 [Vertical]/72 [Horizontal]/72 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34688G	55.64	68.20	-12.56	41.78	3	Vertical	4	1.29	-	38.40	8.59	33.13
PK	15.53656G	60.99	74.00	-13.01	45.39	3	Vertical	0	3.00	-	38.05	10.36	32.81
AV	15.538G	48.43	54.00	-5.57	32.83	3	Vertical	0	3.00	-	38.05	10.36	32.81
PK	10.37624G	57.28	68.20	-10.92	43.40	3	Horizontal	58	2.88	-	38.40	8.59	33.11
PK	15.53088G	60.57	74.00	-13.43	44.95	3	Horizontal	0	1.80	-	38.08	10.36	32.82
AV	15.5372G	48.54	54.00	-5.46	32.94	3	Horizontal	0	1.80	-	38.05	10.36	32.81

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT\_X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -2.75/6.21/4.91/3.20/2.03/0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	66.75	74.00	-7.25	60.62	3	Vertical	27	3.00	-	32.70	6.37	32.94
AV	5.14872G	53.69	54.00	-0.31	47.56	3	Vertical	27	3.00	-	32.70	6.37	32.94
PK	5.19624G	110.77	Inf	-Inf	104.61	3	Vertical	27	3.00	-	32.70	6.40	32.94
AV	5.19144G	98.63	Inf	-Inf	92.47	3	Vertical	27	3.00	-	32.70	6.40	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 78/58/68/73/71/72  
 -5.19/4.21/1.63/-0.10/0.94/0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	65.26	74.00	-8.74	59.13	3	Horizontal	70	1.77	-	32.70	6.37	32.94
AV	5.14968G	53.54	54.00	-0.46	47.41	3	Horizontal	70	1.77	-	32.70	6.37	32.94
PK	5.1996G	115.12	Inf	-Inf	108.96	3	Horizontal	70	1.77	-	32.70	6.40	32.94
AV	5.19624G	102.54	Inf	-Inf	96.38	3	Horizontal	70	1.77	-	32.70	6.40	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

27/12/2021

### 5230MHz\_TnomVnom




Worst 78 [Vertical]  
All 80 [Vertical]/78 [Vertical]/78 [Horizontal]/78 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.454G	57.30	68.20	-10.90	43.29	3	Vertical	1	2.14	-	38.45	8.61	33.05
PK	15.69464G	69.04	74.00	-4.96	53.71	3	Vertical	24	1.24	-	37.71	10.41	32.79
AV	15.69344G	53.63	54.00	-0.37	38.30	3	Vertical	24	1.24	-	37.71	10.41	32.79
PK	10.46288G	58.12	68.20	-10.08	44.08	3	Horizontal	58	1.42	-	38.46	8.62	33.04
PK	15.70304G	65.42	74.00	-8.58	50.08	3	Horizontal	0	1.66	-	37.72	10.41	32.79
AV	15.68896G	51.38	54.00	-2.62	36.05	3	Horizontal	0	1.66	-	37.71	10.41	32.79

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT\_X\_2TX  
 SET 87  
 80/100/90/85/87/88/87  
 4.13/-12.60/-1.81/1.86/0.64/-0.29/0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	66.05	74.00	-7.95	59.92	3	Vertical	28	1.97	-	32.70	6.37	32.94
AV	5.14888G	53.70	54.00	-0.30	47.57	3	Vertical	28	1.97	-	32.70	6.37	32.94
PK	5.23312G	112.35	Inf	-Inf	106.11	3	Vertical	28	1.97	-	32.77	6.40	32.93
AV	5.22636G	100.56	Inf	-Inf	94.34	3	Vertical	28	1.97	-	32.75	6.40	32.93
PK	5.35948G	62.20	74.00	-11.80	55.68	3	Vertical	28	1.97	-	33.04	6.40	32.92
AV	5.35G	49.85	54.00	-4.15	43.37	3	Vertical	28	1.97	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TnomVnom



EUT\_X\_2TX  
 SET 80  
 87/67/77/82/80  
 -4.24/4.75/1.77/-1.13/0.20


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14628G	68.56	74.00	-5.44	62.42	3	Horizontal	68	1.59	-	32.71	6.37	32.94
AV	5.14992G	53.80	54.00	-0.20	47.67	3	Horizontal	68	1.59	-	32.70	6.37	32.94
PK	5.23676G	116.93	Inf	-Inf	110.69	3	Horizontal	68	1.59	-	32.77	6.40	32.93
AV	5.22844G	104.84	Inf	-Inf	98.61	3	Horizontal	68	1.59	-	32.76	6.40	32.93
PK	5.35324G	62.46	74.00	-11.54	55.97	3	Horizontal	68	1.59	-	33.01	6.40	32.92
AV	5.35324G	50.90	54.00	-3.10	44.41	3	Horizontal	68	1.59	-	33.01	6.40	32.92



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

28/12/2021

### 5755MHz\_TnomVnom




Worst 88 [Vertical]  
All 90 [Vertical]/88 [Vertical]/88 [Horizontal]/88 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53528G	55.89	74.00	-18.11	41.35	3	Vertical	360	1.80	-	38.47	8.88	32.81
AV	11.52064G	43.32	54.00	-10.68	28.81	3	Vertical	360	1.80	-	38.44	8.88	32.81
PK	17.2502G	67.47	68.20	-0.73	46.74	3	Vertical	42	1.79	-	41.85	10.88	32.00
PK	11.54912G	55.60	74.00	-18.40	41.03	3	Horizontal	38	1.80	-	38.50	8.89	32.82
AV	11.54936G	43.50	54.00	-10.50	28.93	3	Horizontal	38	1.80	-	38.50	8.89	32.82
PK	17.27756G	67.85	68.20	-0.35	46.97	3	Horizontal	329	1.74	-	41.99	10.88	31.99

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT\_X\_2TX  
 SET 98  
 80/100/90/95/97/98  
 6.37/-0.98/5.09/2.05/1.31/1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64844G	67.01	68.20	-1.19	59.23	3	Vertical	329	1.80	-	34.09	6.60	32.91
PK	5.7694G	114.05	Inf	-Inf	105.98	3	Vertical	329	1.80	-	34.40	6.60	32.93
AV	5.76004G	101.67	Inf	-Inf	93.60	3	Vertical	329	1.80	-	34.40	6.60	32.93
PK	5.93356G	64.20	68.20	-4.00	55.51	3	Vertical	329	1.80	-	35.03	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT\_X\_2TX  
 SET 90  
 98/78/88/93/91/90  
 -5.82/3.82/1.79/-2.72/-0.63/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64988G	67.93	68.20	-0.27	60.14	3	Horizontal	298	1.96	-	34.10	6.60	32.91
PK	5.74348G	118.96	Inf	-Inf	110.93	3	Horizontal	298	1.96	-	34.35	6.60	32.92
AV	5.74708G	107.53	Inf	-Inf	99.47	3	Horizontal	298	1.96	-	34.38	6.60	32.92
PK	5.92996G	62.58	68.20	-5.62	53.90	3	Horizontal	298	1.96	-	35.02	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

28/12/2021

### 5795MHz\_TnomVnom




Worst 81 [Vertical]  
All 85 [Vertical]/81 [Vertical]/81 [Horizontal]/81 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57984G	56.71	74.00	-17.29	42.08	3	Vertical	349	1.70	-	38.56	8.89	32.82
AV	11.58824G	43.70	54.00	-10.30	29.04	3	Vertical	349	1.70	-	38.58	8.90	32.82
PK	17.39628G	68.03	68.20	-0.17	46.83	3	Vertical	41	1.44	-	42.20	10.92	31.92
PK	11.59432G	56.40	74.00	-17.60	41.73	3	Horizontal	65	1.33	-	38.59	8.90	32.82
AV	11.58856G	44.36	54.00	-9.64	29.70	3	Horizontal	65	1.33	-	38.58	8.90	32.82
PK	17.39236G	66.41	68.20	-1.79	45.23	3	Horizontal	62	1.80	-	42.19	10.92	31.93

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

#### 5795MHz\_TnomVnom




EUT\_X\_2TX  
 SET 95  
 80/100/90/95  
 6.75/-5.15/2.30/0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64844G	64.63	68.20	-3.57	56.85	3	Vertical	6	2.78	-	34.09	6.60	32.91
PK	5.78028G	115.03	Inf	-Inf	106.96	3	Vertical	6	2.78	-	34.40	6.60	32.93
AV	5.779G	103.18	Inf	-Inf	95.11	3	Vertical	6	2.78	-	34.40	6.60	32.93
PK	5.92812G	68.18	68.20	-0.02	59.51	3	Vertical	6	2.78	-	35.01	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

#### 5795MHz\_TnomVnom




EUT\_X\_2TX  
 SET 85  
 95/75/85/90/88/87/85  
 -4.30/4.26/1.86/-0.95/-0.79/-0.39/1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6478G	63.81	68.20	-4.39	56.03	3	Horizontal	298	1.90	-	34.09	6.60	32.91
PK	5.78156G	117.94	Inf	-Inf	109.87	3	Horizontal	298	1.90	-	34.40	6.60	32.93
AV	5.78732G	106.48	Inf	-Inf	98.41	3	Horizontal	298	1.90	-	34.40	6.60	32.93
PK	5.92428G	66.95	68.73	-1.78	58.29	3	Horizontal	298	1.90	-	35.00	6.60	32.94

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

27/12/2021

### 5210MHz\_TnomVnom




Worst 67 [Horizontal]  
All 67 [Vertical]/67 [Vertical]/67 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45536G	55.01	68.20	-13.19	40.99	3	Vertical	358	1.80	-	38.46	8.61	33.05
PK	15.5732G	60.53	74.00	-13.47	45.06	3	Vertical	85	1.80	-	37.91	10.37	32.81
AV	15.61592G	49.33	54.00	-4.67	33.97	3	Vertical	85	1.80	-	37.78	10.38	32.80
PK	10.43312G	55.61	68.20	-12.59	41.63	3	Horizontal	274	1.25	-	38.43	8.61	33.06
PK	15.55816G	60.91	74.00	-13.09	45.38	3	Horizontal	360	1.80	-	37.97	10.37	32.81
AV	15.56184G	49.67	54.00	-4.33	34.16	3	Horizontal	360	1.80	-	37.95	10.37	32.81

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT\_X\_2TX  
 SET 77  
 80/60/70/75/77/78/77  
 -4.54/4.50/3.73/2.16/0.56/-0.48/0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12872G	63.37	74.00	-10.63	57.21	3	Vertical	27	2.96	-	32.74	6.36	32.94
AV	5.14984G	53.63	54.00	-0.37	47.50	3	Vertical	27	2.96	-	32.70	6.37	32.94
PK	5.22792G	106.94	Inf	-Inf	100.71	3	Vertical	27	2.96	-	32.76	6.40	32.93
AV	5.23688G	96.41	Inf	-Inf	90.17	3	Vertical	27	2.96	-	32.77	6.40	32.93
PK	5.35976G	61.62	74.00	-12.38	55.10	3	Vertical	27	2.96	-	33.04	6.40	32.92
AV	5.3668G	50.87	54.00	-3.13	44.32	3	Vertical	27	2.96	-	33.07	6.40	32.92



### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT X\_2TX  
 SET 67  
 77/57/67/72/70/69/67  
 -5.20/3.22/0.34/-1.45/-0.40/-0.46/0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14984G	64.48	74.00	-9.52	58.35	3	Horizontal	69	1.77	-	32.70	6.37	32.94
AV	5.14984G	53.38	54.00	-0.62	47.25	3	Horizontal	69	1.77	-	32.70	6.37	32.94
PK	5.20808G	109.82	Inf	-Inf	103.64	3	Horizontal	69	1.77	-	32.72	6.40	32.94
AV	5.20872G	99.33	Inf	-Inf	93.14	3	Horizontal	69	1.77	-	32.72	6.40	32.93
PK	5.36424G	62.29	74.00	-11.71	55.75	3	Horizontal	69	1.77	-	33.06	6.40	32.92
AV	5.35144G	51.37	54.00	-2.63	44.88	3	Horizontal	69	1.77	-	33.01	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

28/12/2021

### 5775MHz\_TnomVnom




Worst 79 [Vertical]  
All 79 [Vertical]/79 [Vertical]/79 [Horizontal]/79 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60408G	56.59	74.00	-17.41	41.91	3	Vertical	179	1.80	-	38.60	8.90	32.82
AV	11.57288G	45.64	54.00	-8.36	31.02	3	Vertical	179	1.80	-	38.55	8.89	32.82
PK	17.28516G	66.21	68.20	-1.99	45.27	3	Vertical	228	1.80	-	42.03	10.89	31.98
PK	11.51848G	56.72	74.00	-17.28	42.21	3	Horizontal	281	1.80	-	38.44	8.88	32.81
AV	11.6148G	45.80	54.00	-8.20	31.13	3	Horizontal	281	1.80	-	38.60	8.90	32.83
PK	17.32868G	66.05	68.20	-2.15	44.98	3	Horizontal	312	1.80	-	42.13	10.90	31.96

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5775MHz\_TnomVnom




EUT\_X\_2TX  
 SET 86  
 80/100/90/85/87/86  
 4.76/-17.70/-3.51/1.17/-0.52/0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64316G	67.35	68.20	-0.85	59.60	3	Vertical	8	2.92	-	34.06	6.60	32.91
PK	5.76668G	111.64	Inf	-Inf	103.57	3	Vertical	8	2.92	-	34.40	6.60	32.93
AV	5.76604G	100.50	Inf	-Inf	92.43	3	Vertical	8	2.92	-	34.40	6.60	32.93
PK	5.9318G	67.84	68.20	-0.36	59.15	3	Vertical	8	2.92	-	35.03	6.60	32.94

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5775MHz\_TnomVnom



EUT\_X\_2TX  
 SET 79  
 86/66/76/81/79/80/79  
 -4.95/4.55/2.21/-0.48/1.56/-0.84/0.12


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64892G	68.08	68.20	-0.12	60.30	3	Horizontal	299	1.80	-	34.09	6.60	32.91
PK	5.76348G	113.84	Inf	-Inf	105.77	3	Horizontal	299	1.80	-	34.40	6.60	32.93
AV	5.76092G	103.38	Inf	-Inf	95.31	3	Horizontal	299	1.80	-	34.40	6.60	32.93
PK	5.92988G	65.63	68.20	-2.57	56.95	3	Horizontal	299	1.80	-	35.02	6.60	32.94



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.03447G	28.71	54.00	-25.29	Vertical

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.0344G	40.09	74.00	-33.91	-10.30	3	Vertical	303	1.02	-	50.39	24.00	2.95	37.25
AV	1.03447G	28.71	54.00	-25.29	-10.30	3	Vertical	303	1.02	"Worst"	39.01	24.00	2.95	37.25

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.03456G	38.09	74.00	-35.91	-10.30	3	Horizontal	295	1.00	-	48.39	24.00	2.95	37.25
AV	1.02616G	27.95	54.00	-26.05	-10.31	3	Horizontal	295	1.00	"Worst"	38.26	24.00	2.94	37.25