

**For Radio 2 / 1T1S  
Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-5.66
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.47
802.11ax HEW20_Nss1,(MCS0)_1TX	10.20
802.11ax HEW40_Nss1,(MCS0)_1TX	6.25
802.11ax HEW80_Nss1,(MCS0)_1TX	1.36
802.11ax HEW160_Nss1,(MCS0)_1TX	-5.45
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.11
802.11ax HEW20_Nss1,(MCS0)_1TX	8.25
802.11ax HEW40_Nss1,(MCS0)_1TX	5.58
802.11ax HEW80_Nss1,(MCS0)_1TX	2.27
802.11ax HEW160_Nss1,(MCS0)_1TX	-6.31
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.83
802.11ax HEW20_Nss1,(MCS0)_1TX	5.87
802.11ax HEW40_Nss1,(MCS0)_1TX	6.90
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.54

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5260MHz	Pass	2.27	10.16	10.16	11.00
5300MHz	Pass	2.27	10.47	10.47	11.00
5320MHz	Pass	2.27	8.77	8.77	11.00
5500MHz	Pass	1.08	8.43	8.43	11.00
5580MHz	Pass	1.08	8.48	8.48	11.00
5700MHz	Pass	1.08	3.64	3.64	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	1.08	9.11	9.11	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	1.18	6.83	6.83	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5260MHz	Pass	2.27	9.61	9.61	11.00
5300MHz	Pass	2.27	10.20	10.20	11.00
5320MHz	Pass	2.27	8.70	8.70	11.00
5500MHz	Pass	1.08	8.25	8.25	11.00
5580MHz	Pass	1.08	7.85	7.85	11.00
5700MHz	Pass	1.08	1.67	1.67	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	1.08	8.15	8.15	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	1.18	5.87	5.87	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5270MHz	Pass	2.27	6.25	6.25	11.00
5310MHz	Pass	2.27	4.32	4.32	11.00
5510MHz	Pass	1.08	3.30	3.30	11.00
5550MHz	Pass	1.08	5.40	5.40	11.00
5670MHz	Pass	1.08	1.81	1.81	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	1.08	5.58	5.58	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	1.18	6.90	6.90	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5290MHz	Pass	2.27	1.36	1.36	11.00
5530MHz	Pass	1.08	0.68	0.68	11.00
5610MHz	Pass	1.08	0.66	0.66	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	1.08	2.27	2.27	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	1.18	-0.54	-0.54	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1.96	-5.66	-5.66	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	2.27	-5.45	-5.45	11.00
5570MHz	Pass	1.08	-6.31	-6.31	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5260MHz

29/12/2021

CF  
5.26GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.16	10.16	10.16

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5300MHz

29/12/2021

CF  
5.3GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.47	10.47	10.47

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

5320MHz

29/12/2021

CF  
5.32GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.77	8.77	8.77

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

5500MHz

29/12/2021

CF  
5.5GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.43	8.43	8.43



### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5580MHz

29/12/2021

CF  
5.58GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.48	8.48	8.48

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5700MHz

29/12/2021

CF  
5.7GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.64	3.64	3.64

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5720MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.11	9.11	9.11

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

05/01/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.83	6.83	6.83

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5260MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.61	9.61	9.61

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5300MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.20	10.20	10.20

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5320MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.70	8.70	8.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5500MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.25	8.25	8.25

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

#### 5580MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.85	7.85	7.85

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

#### 5700MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.67	1.67	1.67

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.15	8.15	8.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

05/01/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.87	5.87	5.87

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5270MHz

29/12/2021

CF  
5.27GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.25	6.25	6.25

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5310MHz

29/12/2021

CF  
5.31GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.32	4.32	4.32

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

#### 5510MHz

29/12/2021

CF  
5.51GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.30	3.30	3.30

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

#### 5550MHz

29/12/2021

CF  
5.55GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.40	5.40	5.40




### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

#### 5670MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.81	1.81	1.81

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

#### 5710MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.58	5.58	5.58

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

#### 5710MHz Straddle 5.725-5.85GHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.90	6.90	6.90

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

#### 5290MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.36	1.36	1.36

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5530MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.68	0.68	0.68

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5610MHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.66	0.66	0.66

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.27	2.27	2.27

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

05/01/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.54	-0.54	-0.54

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

PSD

#### 5250MHz Straddle 5.15-5.25GHz

27/01/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.66	-5.66	-5.66

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX


PSD

#### 5250MHz Straddle 5.25-5.35GHz

27/01/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.45	-5.45	-5.45





For 2T1S  
Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.75
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	9.88
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	6.40

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	5.15	7.53	7.41	10.38	11.00
5300MHz	Pass	5.15	7.71	7.73	10.63	11.00
5320MHz	Pass	5.15	7.69	7.96	10.75	11.00
5500MHz	Pass	3.68	7.08	6.84	9.88	11.00
5580MHz	Pass	3.68	6.54	6.40	9.38	11.00
5700MHz	Pass	3.68	3.96	4.11	6.91	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.68	5.02	5.09	8.04	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.04	3.40	3.48	6.40	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



### 802.11a\_Nss1,(6Mbps)\_2TX

PSD

#### 5260MHz

30/12/2021

CF  
5.26GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.38	10.38	7.53	7.41

### 802.11a\_Nss1,(6Mbps)\_2TX

PSD

#### 5300MHz

30/12/2021

CF  
5.3GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.63	10.63	7.71	7.73

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5320MHz

30/12/2021

CF  
5.32GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.75	10.75	7.69	7.96

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5500MHz

30/12/2021

CF  
5.5GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.88	9.88	7.08	6.84

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5580MHz

30/12/2021

CF  
5.58GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.38	9.38	6.54	6.40

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5700MHz

30/12/2021

CF  
5.7GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.91	6.91	3.96	4.11


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5720MHz Straddle 5.47-5.725GHz

PSD

30/12/2021

CF  
5.71GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.04	8.04	5.02	5.09


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5720MHz Straddle 5.725-5.85GHz

PSD

30/12/2021

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.40	6.40	3.40	3.48

For 2T2S  
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss2,(MCS0)_2TX	-5.11
5.25-5.35GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	10.30
802.11ax HEW40_Nss2,(MCS0)_2TX	7.35
802.11ax HEW80_Nss2,(MCS0)_2TX	1.12
802.11ax HEW160_Nss2,(MCS0)_2TX	-4.71
5.47-5.725GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	10.23
802.11ax HEW40_Nss2,(MCS0)_2TX	6.37
802.11ax HEW80_Nss2,(MCS0)_2TX	4.74
802.11ax HEW160_Nss2,(MCS0)_2TX	-5.05
5.725-5.85GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	8.68
802.11ax HEW40_Nss2,(MCS0)_2TX	4.17
802.11ax HEW80_Nss2,(MCS0)_2TX	2.40

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	2.51	7.12	7.14	10.12	11.00
5300MHz	Pass	2.51	7.26	7.42	10.28	11.00
5320MHz	Pass	2.51	7.29	7.36	10.30	11.00
5500MHz	Pass	0.97	6.85	6.58	9.68	11.00
5580MHz	Pass	0.97	5.04	4.82	7.89	11.00
5700MHz	Pass	0.97	2.07	2.42	5.14	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	0.97	7.46	7.02	10.23	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	1.31	5.96	5.36	8.68	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	2.51	4.58	4.27	7.35	11.00
5310MHz	Pass	2.51	2.80	2.72	5.70	11.00
5510MHz	Pass	0.97	2.10	2.19	4.99	11.00
5550MHz	Pass	0.97	3.50	3.55	6.37	11.00
5670MHz	Pass	0.97	2.08	2.25	5.03	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	0.97	2.84	2.87	5.81	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	1.31	1.23	1.09	4.17	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	2.51	-1.84	-1.56	1.12	11.00
5530MHz	Pass	0.97	-1.81	-1.64	1.07	11.00
5610MHz	Pass	0.97	0.42	0.25	3.19	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	0.97	1.93	1.87	4.74	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	1.31	-0.13	-1.15	2.40	30.00
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	2.44	-8.18	-8.06	-5.11	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	2.51	-7.93	-7.44	-4.71	11.00
5570MHz	Pass	0.97	-7.81	-7.75	-5.05	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


### 802.11ax HEW20\_Nss2,(MCS0)\_2TX




### PSD

#### 5260MHz

30/12/2021

CF  
5.26GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.12	10.12	7.12	7.14


### 802.11ax HEW20\_Nss2,(MCS0)\_2TX




### PSD

#### 5300MHz

30/12/2021

CF  
5.3GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.28	10.28	7.26	7.42

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5320MHz

30/12/2021




### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5500MHz

30/12/2021






### 802.11ax HEW20\_Nss2,(MCS0)\_2TX




### PSD

#### 5580MHz

30/12/2021

CF  
5.58GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.89	7.89	5.04	4.82


### 802.11ax HEW20\_Nss2,(MCS0)\_2TX




### PSD

#### 5700MHz

30/12/2021

CF  
5.7GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.14	5.14	2.07	2.42

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

PSD

#### 5720MHz Straddle 5.47-5.725GHz

27/01/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.23	10.23	7.46	7.02

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

27/01/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.68	8.68	5.96	5.36

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### PSD

#### 5270MHz

30/12/2021

CF  
5.27GHz


Span  
60MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.35	7.35	4.58	4.27

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### PSD

#### 5310MHz

30/12/2021

CF  
5.31GHz


Span  
60MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.70	5.70	2.80	2.72

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### PSD

#### 5510MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	4.99	2.10	2.19

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### PSD

#### 5550MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	3.50	3.55

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5670MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.03	5.03	2.08	2.25

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5710MHz Straddle 5.47-5.725GHz

30/12/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.81	5.81	2.84	2.87

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.725-5.85GHz**

**PSD**

30/12/2021

CF  
5.735GHz


Span  
40MHz

RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.17	4.17	1.23	1.09

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5290MHz**

**PSD**

30/12/2021

CF  
5.29GHz


Span  
120MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.12	1.12	-1.84	-1.56

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### PSD

#### 5530MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.07	1.07	-1.81	-1.64

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### PSD

#### 5610MHz

30/12/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.19	3.19	0.42	0.25

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz**

**PSD**

30/12/2021

CF  
5.65GHz


Span  
300MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.74	4.74	1.93	1.87

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.725-5.85GHz**

**PSD**

05/01/2022

CF  
5.735GHz


Span  
40MHz

RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.40	2.40	-0.13	-1.15




### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

PSD

#### 5250MHz Straddle 5.15-5.25GHz

27/01/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-8.18	-8.06

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

PSD

#### 5250MHz Straddle 5.25-5.35GHz

27/01/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.71	-4.71	-7.93	-7.44

802.11ax HEW160\_Nss2,(MCS0)\_2TX

PSD

5570MHz

27/01/2022

CF  
5.57GHz


Span  
240MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.05	-5.05	-7.81	-7.75

For 4T1S  
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_4TX	-5.05
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.69
802.11ax HEW20_Nss1,(MCS0)_4TX	10.44
802.11ax HEW40_Nss1,(MCS0)_4TX	7.56
802.11ax HEW80_Nss1,(MCS0)_4TX	3.63
802.11ax HEW160_Nss1,(MCS0)_4TX	-4.75
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.86
802.11ax HEW20_Nss1,(MCS0)_4TX	10.56
802.11ax HEW40_Nss1,(MCS0)_4TX	7.69
802.11ax HEW80_Nss1,(MCS0)_4TX	4.97
802.11ax HEW160_Nss1,(MCS0)_4TX	-3.18
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	8.53
802.11ax HEW20_Nss1,(MCS0)_4TX	7.65
802.11ax HEW40_Nss1,(MCS0)_4TX	5.15
802.11ax HEW80_Nss1,(MCS0)_4TX	1.48

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.24	4.78	4.58	4.86	4.70	10.61	10.76
5300MHz	Pass	6.24	5.01	4.48	5.16	4.55	10.69	10.76
5320MHz	Pass	6.24	5.11	4.66	4.58	4.51	10.63	10.76
5500MHz	Pass	5.74	5.03	4.65	5.07	4.54	10.72	11.00
5580MHz	Pass	5.74	5.18	4.58	5.13	4.86	10.86	11.00
5700MHz	Pass	5.74	2.56	2.57	2.88	2.31	8.50	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.74	4.81	5.06	5.01	4.82	10.86	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.92	2.72	2.59	2.47	2.71	8.53	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.24	4.59	4.50	4.64	4.22	10.42	10.76
5300MHz	Pass	6.24	4.65	4.38	4.88	4.36	10.44	10.76
5320MHz	Pass	6.24	4.47	4.41	4.77	4.12	10.34	10.76
5500MHz	Pass	5.74	4.85	4.38	4.87	4.53	10.56	11.00
5580MHz	Pass	5.74	4.50	4.14	4.50	4.17	10.25	11.00
5700MHz	Pass	5.74	0.77	0.61	1.06	0.72	6.74	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.74	3.97	3.94	4.11	3.90	9.91	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.92	1.70	1.77	1.81	1.58	7.65	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.24	1.86	1.53	1.85	1.44	7.56	10.76
5310MHz	Pass	6.24	1.06	0.90	1.53	0.78	6.97	10.76
5510MHz	Pass	5.74	-1.56	-1.74	-1.08	-1.85	4.36	11.00
5550MHz	Pass	5.74	1.85	1.65	2.05	1.59	7.69	11.00
5670MHz	Pass	5.74	0.12	-0.07	0.30	-0.25	5.95	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.74	1.66	2.03	1.97	1.48	7.66	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.92	-0.86	-0.92	-0.49	-0.82	5.15	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.24	-2.01	-2.03	-1.89	-2.75	3.63	10.76
5530MHz	Pass	5.74	-2.50	-2.57	-2.24	-2.44	3.43	11.00
5610MHz	Pass	5.74	-0.73	-0.88	-0.71	-1.08	4.97	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.74	-1.20	-1.58	-1.08	-1.54	4.50	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.92	-4.22	-4.89	-4.50	-4.26	1.48	30.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.83	-10.56	-10.55	-11.79	-10.84	-5.05	16.17
5250MHz Straddle 5.25-5.35GHz	Pass	6.24	-10.50	-9.86	-11.66	-10.72	-4.75	10.76
5570MHz	Pass	5.74	-8.81	-8.61	-9.45	-8.87	-3.18	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 5260MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.61	10.61	4.78	4.58	4.86	4.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

#### 5300MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.69	10.69	5.01	4.48	5.16	4.55

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

5320MHz

25/05/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.63	10.63	5.11	4.66	4.58	4.51

### 802.11a\_Nss1,(6Mbps)\_4TX

### PSD

5500MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.72	10.72	5.03	4.65	5.07	4.54

### 802.11a\_Nss1,(6Mbps)\_4TX

PSD

#### 5580MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.86	10.86	5.18	4.58	5.13	4.86

### 802.11a\_Nss1,(6Mbps)\_4TX

PSD

#### 5700MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.50	8.50	2.56	2.57	2.88	2.31

### 802.11a\_Nss1,(6Mbps)\_4TX

PSD

#### 5720MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.86	10.86	4.81	5.06	5.01	4.82

### 802.11a\_Nss1,(6Mbps)\_4TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

05/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.53	8.53	2.72	2.59	2.47	2.71




### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 5260MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.42	10.42	4.59	4.50	4.64	4.22

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 5300MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.44	10.44	4.65	4.38	4.88	4.36

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 5320MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.34	10.34	4.47	4.41	4.77	4.12

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 5500MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.56	10.56	4.85	4.38	4.87	4.53

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 5580MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	4.50	4.14	4.50	4.17

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### PSD

#### 5700MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.74	6.74	0.77	0.61	1.06	0.72

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

PSD

#### 5720MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.91	9.91	3.97	3.94	4.11	3.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

05/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.65	7.65	1.70	1.77	1.81	1.58

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 5270MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.56	7.56	1.86	1.53	1.85	1.44

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 5310MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.97	6.97	1.06	0.90	1.53	0.78

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 5510MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.36	4.36	-1.56	-1.74	-1.08	-1.85

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

#### 5550MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.69	7.69	1.85	1.65	2.05	1.59

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 5670MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.95	5.95	0.12	-0.07	0.30	-0.25

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 5710MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.66	7.66	1.66	2.03	1.97	1.48

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

#### 5710MHz Straddle 5.725-5.85GHz

05/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.15	5.15	-0.86	-0.92	-0.49	-0.82

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

#### 5290MHz

29/12/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.63	3.63	-2.01	-2.03	-1.89	-2.75




### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

#### 5530MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.43	3.43	-2.50	-2.57	-2.24	-2.44

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

#### 5610MHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.97	4.97	-0.73	-0.88	-0.71	-1.08

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

#### 5690MHz Straddle 5.47-5.725GHz

29/12/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.50	4.50	-1.20	-1.58	-1.08	-1.54

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

#### 5690MHz Straddle 5.725-5.85GHz

05/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.48	1.48	-4.22	-4.89	-4.50	-4.26

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

#### 5250MHz Straddle 5.15-5.25GHz

27/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.05	-5.05	-10.56	-10.55	-11.79	-10.84

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

#### 5250MHz Straddle 5.25-5.35GHz

27/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.75	-4.75	-10.50	-9.86	-11.66	-10.72

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### PSD

5570MHz

27/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.18	-3.18	-8.81	-8.61	-9.45	-8.87

For 4T4S  
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss4,(MCS0)_4TX	-4.32
5.25-5.35GHz	-
802.11ax HEW20_Nss4,(MCS0)_4TX	10.68
802.11ax HEW40_Nss4,(MCS0)_4TX	7.87
802.11ax HEW80_Nss4,(MCS0)_4TX	4.39
802.11ax HEW160_Nss4,(MCS0)_4TX	-4.04
5.47-5.725GHz	-
802.11ax HEW20_Nss4,(MCS0)_4TX	10.48
802.11ax HEW40_Nss4,(MCS0)_4TX	7.94
802.11ax HEW80_Nss4,(MCS0)_4TX	5.39
802.11ax HEW160_Nss4,(MCS0)_4TX	-2.83
5.725-5.85GHz	-
802.11ax HEW20_Nss4,(MCS0)_4TX	8.91
802.11ax HEW40_Nss4,(MCS0)_4TX	6.28
802.11ax HEW80_Nss4,(MCS0)_4TX	2.82

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	0.72	4.68	4.83	4.50	4.40	10.54	11.00
5300MHz	Pass	0.72	4.47	4.84	4.35	4.44	10.43	11.00
5320MHz	Pass	0.72	4.83	5.09	4.63	4.63	10.68	11.00
5500MHz	Pass	-0.03	4.66	4.63	4.30	4.84	10.47	11.00
5580MHz	Pass	-0.03	4.62	4.60	4.38	4.48	10.48	11.00
5700MHz	Pass	-0.03	0.96	1.10	0.98	1.22	6.97	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	-0.03	4.19	4.35	4.31	4.60	10.29	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	0.20	2.81	2.87	2.93	3.15	8.91	30.00
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	0.72	2.07	2.19	1.77	1.94	7.87	11.00
5310MHz	Pass	0.72	0.61	1.16	0.51	0.54	6.59	11.00
5510MHz	Pass	-0.03	-0.41	-0.03	-0.35	-0.22	5.71	11.00
5550MHz	Pass	-0.03	2.07	2.21	1.94	1.94	7.94	11.00
5670MHz	Pass	-0.03	0.19	0.12	0.18	0.08	6.05	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	-0.03	1.88	1.93	2.08	1.96	7.81	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	0.20	0.27	-0.05	0.56	0.51	6.28	30.00
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	0.72	-1.53	-1.35	-1.22	-1.85	4.39	11.00
5530MHz	Pass	-0.03	-2.76	-2.35	-2.59	-2.15	3.36	11.00
5610MHz	Pass	-0.03	-0.45	-0.65	-0.59	-0.16	5.39	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	-0.03	-1.18	-1.14	-1.30	-0.98	4.81	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	0.20	-3.02	-4.03	-2.89	-2.72	2.82	30.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1.22	-10.46	-10.15	-10.53	-10.03	-4.32	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	0.72	-10.16	-9.37	-10.49	-9.96	-4.04	11.00
5570MHz	Pass	-0.03	-8.44	-8.19	-8.74	-8.72	-2.83	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### PSD

#### 5260MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.54	10.54	4.68	4.83	4.50	4.40

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### PSD

#### 5300MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.43	10.43	4.47	4.84	4.35	4.44

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### PSD

#### 5320MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.68	10.68	4.83	5.09	4.63	4.63

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### PSD

#### 5500MHz

04/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.47	10.47	4.66	4.63	4.30	4.84



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### PSD

#### 5580MHz

04/01/2022

CF  
5.58GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.48	10.48	4.62	4.60	4.38	4.48

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### PSD

#### 5700MHz

04/01/2022

CF  
5.7GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.97	6.97	0.96	1.10	0.98	1.22

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

PSD

#### 5720MHz Straddle 5.47-5.725GHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.29	10.29	4.19	4.35	4.31	4.60

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	2.81	2.87	2.93	3.15

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### PSD

#### 5270MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.87	7.87	2.07	2.19	1.77	1.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### PSD

#### 5310MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.59	6.59	0.61	1.16	0.51	0.54

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### PSD

#### 5510MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.71	5.71	-0.41	-0.03	-0.35	-0.22

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### PSD

#### 5550MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.94	7.94	2.07	2.21	1.94	1.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

PSD

#### 5670MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.05	6.05	0.19	0.12	0.18	0.08

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

PSD

#### 5710MHz Straddle 5.47-5.725GHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.81	7.81	1.88	1.93	2.08	1.96

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

PSD

#### 5710MHz Straddle 5.725-5.85GHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.28	6.28	0.27	-0.05	0.56	0.51

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

PSD

#### 5290MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.39	4.39	-1.53	-1.35	-1.22	-1.85

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### PSD

#### 5530MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.36	3.36	-2.76	-2.35	-2.59	-2.15

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### PSD

#### 5610MHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.39	5.39	-0.45	-0.65	-0.59	-0.16

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

PSD

#### 5690MHz Straddle 5.47-5.725GHz

04/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.81	4.81	-1.18	-1.14	-1.30	-0.98

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

PSD

#### 5690MHz Straddle 5.725-5.85GHz

04/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	-3.02	-4.03	-2.89	-2.72




### 802.11ax HEW160\_Nss4,(MCS0)\_4TX

PSD

#### 5250MHz Straddle 5.15-5.25GHz

27/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.32	-4.32	-10.46	-10.15	-10.53	-10.03

### 802.11ax HEW160\_Nss4,(MCS0)\_4TX

PSD

#### 5250MHz Straddle 5.25-5.35GHz

27/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.04	-4.04	-10.16	-9.37	-10.49	-9.96

### 802.11ax HEW160\_Nss4,(MCS0)\_4TX

### PSD

5570MHz

27/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.83	-2.83	-8.44	-8.19	-8.74	-8.72

For Scanning radio 1 / 2T1S and 2T2S  
Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.90
802.11ax HEW20_Nss2,(MCS0)_2TX	9.28
802.11ax HEW40_Nss2,(MCS0)_2TX	6.04
802.11ax HEW80_Nss2,(MCS0)_2TX	-0.79
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.05
802.11ax HEW20_Nss2,(MCS0)_2TX	9.66
802.11ax HEW40_Nss2,(MCS0)_2TX	7.16
802.11ax HEW80_Nss2,(MCS0)_2TX	4.46
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	6.05
802.11ax HEW20_Nss2,(MCS0)_2TX	7.63
802.11ax HEW40_Nss2,(MCS0)_2TX	4.86
802.11ax HEW80_Nss2,(MCS0)_2TX	2.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	8.91	5.04	5.15	7.90	8.09
5300MHz	Pass	8.91	4.66	4.92	7.60	8.09
5320MHz	Pass	8.91	4.90	5.13	7.88	8.09
5500MHz	Pass	8.91	5.14	5.09	8.05	8.09
5580MHz	Pass	8.91	4.96	5.16	8.01	8.09
5700MHz	Pass	8.91	1.47	1.49	4.39	8.09
5720MHz Straddle 5.47-5.725GHz	Pass	8.91	5.38	4.83	8.01	8.09
5720MHz Straddle 5.725-5.85GHz	Pass	8.91	3.03	3.16	6.05	27.09
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	5.90	5.30	5.08	8.16	11.00
5300MHz	Pass	5.90	2.39	2.76	5.52	11.00
5320MHz	Pass	5.90	6.32	6.35	9.28	11.00
5500MHz	Pass	5.90	6.64	6.36	9.44	11.00
5580MHz	Pass	5.90	6.67	6.43	9.50	11.00
5700MHz	Pass	5.90	1.39	1.30	4.31	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.90	7.08	6.22	9.66	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.90	4.74	4.64	7.63	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	5.90	3.22	2.97	6.04	11.00
5310MHz	Pass	5.90	0.35	0.63	3.43	11.00
5510MHz	Pass	5.90	2.07	1.70	4.81	11.00
5550MHz	Pass	5.90	3.93	3.70	6.80	11.00
5670MHz	Pass	5.90	0.55	0.56	3.54	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.90	4.47	3.86	7.16	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.90	1.47	2.20	4.86	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	5.90	-3.79	-3.42	-0.79	11.00
5530MHz	Pass	5.90	-1.98	-1.73	1.09	11.00
5610MHz	Pass	5.90	-0.59	-0.29	2.47	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.90	1.72	1.32	4.46	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.90	-0.68	-0.57	2.31	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5260MHz

30/12/2021

CF  
5.26GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.90	7.90	5.04	5.15

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5300MHz

30/12/2021

CF  
5.3GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.60	7.60	4.66	4.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5320MHz

30/12/2021

CF  
5.32GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.88	7.88	4.90	5.13

### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5500MHz

30/12/2021

CF  
5.5GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.05	8.05	5.14	5.09


### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5580MHz

30/12/2021

CF  
5.58GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.01	8.01	4.96	5.16


### 802.11a\_Nss1,(6Mbps)\_2TX

### PSD

#### 5700MHz

30/12/2021

CF  
5.7GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.39	4.39	1.47	1.49

### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5720MHz Straddle 5.47-5.725GHz

PSD

30/12/2021

CF  
5.71GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.01	8.01	5.38	4.83

### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5720MHz Straddle 5.725-5.85GHz

PSD

05/01/2022

CF  
5.735GHz


Span  
40MHz

RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.05	6.05	3.03	3.16




### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5260MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.16	8.16	5.30	5.08

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5300MHz

30/12/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.52	5.52	2.39	2.76

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5320MHz

27/01/2022

CF  
5.32GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.28	9.28	6.32	6.35

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5500MHz

30/12/2021

CF  
5.5GHz


Span  
30MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms

Detector Type  
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.44	9.44	6.64	6.36

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5580MHz

30/12/2021

CF  
5.58GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.50	9.50	6.67	6.43

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### PSD

#### 5700MHz

30/12/2021

CF  
5.7GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.31	4.31	1.39	1.30

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

PSD

#### 5720MHz Straddle 5.47-5.725GHz

30/12/2021




### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

05/01/2022




### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### PSD

#### 5270MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.04	6.04	3.22	2.97

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### PSD

#### 5310MHz

30/12/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.43	3.43	0.35	0.63


### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5510MHz

30/12/2021

CF  
5.51GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.81	4.81	2.07	1.70


### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5550MHz

30/12/2021

CF  
5.55GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.80	6.80	3.93	3.70

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5670MHz

30/12/2021

CF  
5.67GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.54	3.54	0.55	0.56

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5710MHz Straddle 5.47-5.725GHz

30/12/2021

CF  
5.69GHz


Span  
140MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.16	7.16	4.47	3.86

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

#### 5710MHz Straddle 5.725-5.85GHz

05/01/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.86	4.86	1.47	2.20

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

PSD

#### 5290MHz

30/12/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.79	-0.79	-3.79	-3.42




### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### PSD

#### 5530MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.09	1.09	-1.98	-1.73

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### PSD

#### 5610MHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	-0.59	-0.29

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

PSD

#### 5690MHz Straddle 5.47-5.725GHz

30/12/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.46	4.46	1.72	1.32

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

PSD

#### 5690MHz Straddle 5.725-5.85GHz

30/12/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.31	2.31	-0.68	-0.57




For Radio 2 / 1T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	53.98	54.00	-0.02	3	Vertical	19	1.80	-

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 6.60/5.38/4.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	59.51	74.00	-14.49	53.37	3	Vertical	20	1.85	-	32.71	6.37	32.94
AV	5.14872G	47.12	54.00	-6.88	40.99	3	Vertical	20	1.85	-	32.70	6.37	32.94
PK	5.2626G	115.62	Inf	-Inf	109.32	3	Vertical	20	1.85	-	32.83	6.40	32.93
AV	5.25584G	104.42	Inf	-Inf	98.14	3	Vertical	20	1.85	-	32.81	6.40	32.93
PK	5.35516G	64.38	74.00	-9.62	57.88	3	Vertical	20	1.85	-	33.02	6.40	32.92
AV	5.351G	49.53	54.00	-4.47	43.05	3	Vertical	20	1.85	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
 SET 100  
 102/82/92/97/99/100  
 -0.34/5.80/5.09/4.48/3.31/1.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14196G	61.51	74.00	-12.49	55.36	3	Horizontal	284	1.76	-	32.72	6.37	32.94
AV	5.14924G	47.68	54.00	-6.32	41.55	3	Horizontal	284	1.76	-	32.70	6.37	32.94
PK	5.26416G	120.28	Inf	-Inf	113.98	3	Horizontal	284	1.76	-	32.83	6.40	32.93
AV	5.26416G	109.03	Inf	-Inf	102.73	3	Horizontal	284	1.76	-	32.83	6.40	32.93
PK	5.35308G	67.53	74.00	-6.47	61.04	3	Horizontal	284	1.76	-	33.01	6.40	32.92
AV	5.351G	52.18	54.00	-1.82	45.70	3	Horizontal	284	1.76	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUTX\_1TX  
 SET 100  
 100  
 8.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78049G	59.95	74.00	-14.05	44.12	3	Vertical	29	1.80	-	38.18	10.43	32.78
AV	15.78127G	45.84	54.00	-8.16	29.99	3	Vertical	29	1.80	-	38.19	10.43	32.77

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUTX\_1TX  
SET 100  
100  
8.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77774G	59.45	74.00	-14.55	43.63	3	Horizontal	56	1.80	-	38.17	10.43	32.78
AV	15.78492G	45.93	54.00	-8.07	30.05	3	Horizontal	56	1.80	-	38.21	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
 SET 98  
 80/100/90/95/97/98  
 6.52/-1.14/5.94/4.26/1.59/0.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30644G	113.22	Inf	-Inf	106.83	3	Vertical	19	1.78	-	32.91	6.40	32.92
AV	5.30252G	102.87	Inf	-Inf	96.48	3	Vertical	19	1.78	-	32.91	6.40	32.92
PK	5.35124G	67.21	74.00	-6.79	60.73	3	Vertical	19	1.78	-	33.00	6.40	32.92
AV	5.35G	53.07	54.00	-0.93	46.59	3	Vertical	19	1.78	-	33.00	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
 SET 94  
 98/78/88/93/95/94  
 -4.92/5.43/3.46/1.67/-0.26/0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	118.43	Inf	-Inf	112.05	3	Horizontal	282	1.75	-	32.90	6.40	32.92
AV	5.3014G	107.35	Inf	-Inf	100.97	3	Horizontal	282	1.75	-	32.90	6.40	32.92
PK	5.35096G	71.49	74.00	-2.51	65.01	3	Horizontal	282	1.75	-	33.00	6.40	32.92
AV	5.35G	53.45	54.00	-0.55	46.97	3	Horizontal	282	1.75	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUTX\_1TX  
SET 94  
94  
6.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89864G	60.88	74.00	-13.12	44.77	3	Vertical	35	1.00	-	38.40	10.47	32.76
AV	15.90262G	47.37	54.00	-6.63	31.26	3	Vertical	35	1.00	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
SET 94  
94  
6.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9006G	60.88	74.00	-13.12	44.77	3	Horizontal	313	1.80	-	38.40	10.47	32.76
AV	15.9025G	47.26	54.00	-6.74	31.15	3	Horizontal	313	1.80	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUTX\_1TX  
 SET 93  
 80/100/90/95/93  
 6.33/-14.22/2.62/-2.30/0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	111.51	Inf	-Inf	105.09	3	Vertical	19	1.93	-	32.94	6.40	32.92
AV	5.3212G	100.71	Inf	-Inf	94.29	3	Vertical	19	1.93	-	32.94	6.40	32.92
PK	5.3524G	67.60	74.00	-6.40	61.11	3	Vertical	19	1.93	-	33.01	6.40	32.92
AV	5.3502G	53.89	54.00	-0.11	47.41	3	Vertical	19	1.93	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
 SET 86  
 93/73/83/88/86/87/86  
 -5.62/4.96/2.94/-0.13/1.49/-0.03/1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	114.91	Inf	-Inf	108.49	3	Horizontal	281	1.73	-	32.94	6.40	32.92
AV	5.3214G	104.64	Inf	-Inf	98.22	3	Horizontal	281	1.73	-	32.94	6.40	32.92
PK	5.3502G	67.00	74.00	-7.00	60.52	3	Horizontal	281	1.73	-	33.00	6.40	32.92
AV	5.35G	52.50	54.00	-1.50	46.02	3	Horizontal	281	1.73	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUTX\_1TX  
SET 86  
86  
6.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95745G	61.23	74.00	-12.77	45.09	3	Vertical	152	2.97	-	38.40	10.49	32.75
AV	15.95738G	47.82	54.00	-6.18	31.68	3	Vertical	152	2.97	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
SET 86  
86  
6.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96253G	61.35	74.00	-12.65	45.21	3	Horizontal	213	1.80	-	38.40	10.49	32.75
AV	15.95748G	47.90	54.00	-6.10	31.76	3	Horizontal	213	1.80	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
 SET 85  
 80/100/90/85/87/86/85  
 5.39/-20.43/-7.79/1.70/-3.44/-1.00/0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.43	74.00	-10.57	56.17	3	Vertical	20	1.85	-	33.70	6.46	32.90
AV	5.4576G	49.79	54.00	-4.21	42.54	3	Vertical	20	1.85	-	33.70	6.46	32.91
PK	5.469G	67.31	68.20	-0.89	60.04	3	Vertical	20	1.85	-	33.70	6.47	32.90
PK	5.4984G	110.81	Inf	-Inf	103.51	3	Vertical	20	1.85	-	33.70	6.50	32.90
AV	5.5014G	100.63	Inf	-Inf	93.32	3	Vertical	20	1.85	-	33.71	6.50	32.90



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
 SET 81  
 85/65/75/80/82/81  
 -4.06/5.16/4.50/1.78/-1.00/0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.25	74.00	-9.75	56.99	3	Horizontal	301	1.77	-	33.70	6.46	32.90
AV	5.4594G	50.74	54.00	-3.26	43.48	3	Horizontal	301	1.77	-	33.70	6.46	32.90
PK	5.4672G	67.43	68.20	-0.77	60.16	3	Horizontal	301	1.77	-	33.70	6.47	32.90
PK	5.4974G	116.16	Inf	-Inf	108.86	3	Horizontal	301	1.77	-	33.70	6.50	32.90
AV	5.5018G	105.35	Inf	-Inf	98.04	3	Horizontal	301	1.77	-	33.71	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
SET 81  
81  
3.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50109G	64.87	68.20	-3.33	46.35	3	Vertical	323	1.07	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUTX\_1TX  
SET 81  
81  
4.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.50174G	64.01	68.20	-4.19	45.49	3	Horizontal	58	2.93	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 6.02/5.73/3.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45264G	60.83	74.00	-13.17	53.59	3	Vertical	38	2.00	-	33.70	6.45	32.91
AV	5.452G	48.65	54.00	-5.35	41.41	3	Vertical	38	2.00	-	33.70	6.45	32.91
PK	5.46608G	64.95	68.20	-3.25	57.68	3	Vertical	38	2.00	-	33.70	6.47	32.90
PK	5.5864G	114.20	Inf	-Inf	106.69	3	Vertical	38	2.00	-	33.83	6.59	32.91
AV	5.57744G	102.74	Inf	-Inf	95.22	3	Vertical	38	2.00	-	33.85	6.58	32.91
PK	5.73424G	60.91	68.20	-7.29	52.96	3	Vertical	38	2.00	-	34.27	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
 SET 100  
 102/82/92/97/99/100  
 -0.48/5.14/5.12/4.97/4.58/4.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.10	74.00	-11.90	54.84	3	Horizontal	305	1.76	-	33.70	6.46	32.90
AV	5.4584G	49.47	54.00	-4.53	42.21	3	Horizontal	305	1.76	-	33.70	6.46	32.90
PK	5.46928G	63.19	68.20	-5.01	55.92	3	Horizontal	305	1.76	-	33.70	6.47	32.90
PK	5.5736G	119.87	Inf	-Inf	112.36	3	Horizontal	305	1.76	-	33.85	6.57	32.91
AV	5.57552G	109.14	Inf	-Inf	101.62	3	Horizontal	305	1.76	-	33.85	6.58	32.91
PK	5.73872G	63.25	68.20	-4.95	55.26	3	Horizontal	305	1.76	-	34.31	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUTX\_1TX  
SET 100  
100  
2.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.74191G	65.90	68.20	-2.30	47.02	3	Vertical	16	1.77	-	40.44	10.72	32.28

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUTX\_1TX  
SET 100  
100  
2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73597G	66.08	68.20	-2.12	47.21	3	Horizontal	316	1.77	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
 SET 77  
 80/60/70/75/77  
 -1.55/6.51/1.75/1.17/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7G	108.62	Inf	-Inf	100.94	3	Vertical	23	2.01	-	34.00	6.60	32.92
AV	5.7044G	97.44	Inf	-Inf	89.72	3	Vertical	23	2.01	-	34.04	6.60	32.92
PK	5.725G	68.11	68.20	-0.09	60.23	3	Vertical	23	2.01	-	34.20	6.60	32.92



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
 SET 65  
 77/57/67/62/64/65  
 -6.46/3.47/-2.01/2.02/0.96/0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	110.53	Inf	-Inf	102.85	3	Horizontal	309	1.76	-	34.00	6.60	32.92
AV	5.702G	100.03	Inf	-Inf	92.33	3	Horizontal	309	1.76	-	34.02	6.60	32.92
PK	5.7256G	67.57	68.20	-0.63	59.69	3	Horizontal	309	1.76	-	34.20	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
SET 65  
65  
2.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10385G	65.87	68.20	-2.33	45.71	3	Vertical	5	1.76	-	41.41	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
SET 65  
65  
2.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10477G	65.70	68.20	-2.50	45.54	3	Horizontal	190	1.07	-	41.41	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 6.20/6.13/5.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.62	74.00	-14.38	52.38	3	Vertical	24	1.97	-	33.70	6.45	32.91
AV	5.45324G	47.76	54.00	-6.24	40.52	3	Vertical	24	1.97	-	33.70	6.45	32.91
PK	5.46728G	60.15	68.20	-8.05	52.88	3	Vertical	24	1.97	-	33.70	6.47	32.90
PK	5.72756G	114.32	Inf	-Inf	106.42	3	Vertical	24	1.97	-	34.22	6.60	32.92
AV	5.71784G	103.83	Inf	-Inf	96.01	3	Vertical	24	1.97	-	34.14	6.60	32.92
PK	5.97596G	62.25	68.20	-5.95	53.40	3	Vertical	24	1.97	-	35.20	6.60	32.95

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
SET 102  
102  
5.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	60.57	74.00	-13.43	53.33	3	Horizontal	307	1.86	-	33.70	6.45	32.91
AV	5.45648G	48.26	54.00	-5.74	41.01	3	Horizontal	307	1.86	-	33.70	6.46	32.91
PK	5.46728G	60.10	68.20	-8.10	52.83	3	Horizontal	307	1.86	-	33.70	6.47	32.90
PK	5.7254G	120.45	Inf	-Inf	112.57	3	Horizontal	307	1.86	-	34.20	6.60	32.92
AV	5.72108G	109.77	Inf	-Inf	101.92	3	Horizontal	307	1.86	-	34.17	6.60	32.92
PK	5.85G	62.94	68.20	-5.26	54.48	3	Horizontal	307	1.86	-	34.80	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
SET 102  
102  
0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15714G	67.84	68.20	-0.36	47.53	3	Vertical	40	1.37	-	41.51	10.85	32.05

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
SET 102  
102  
1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.15856G	67.17	68.20	-1.03	46.85	3	Horizontal	75	1.86	-	41.52	10.85	32.05

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 7.32/4.64/3.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	60.41	74.00	-13.59	54.28	3	Vertical	20	1.78	-	32.70	6.37	32.94
AV	5.14924G	47.31	54.00	-6.69	41.18	3	Vertical	20	1.78	-	32.70	6.37	32.94
PK	5.26416G	115.70	Inf	-Inf	109.40	3	Vertical	20	1.78	-	32.83	6.40	32.93
AV	5.26208G	102.40	Inf	-Inf	96.11	3	Vertical	20	1.78	-	32.82	6.40	32.93
PK	5.35G	69.20	74.00	-4.80	62.72	3	Vertical	20	1.78	-	33.00	6.40	32.92
AV	5.35G	50.65	54.00	-3.35	44.17	3	Vertical	20	1.78	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
 SET 100  
 102/82/92/97/99/100  
 -1.80/6.50/5.72/4.32/2.23/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.03	74.00	-10.97	56.90	3	Horizontal	282	1.77	-	32.70	6.37	32.94
AV	5.14976G	48.07	54.00	-5.93	41.94	3	Horizontal	282	1.77	-	32.70	6.37	32.94
PK	5.26728G	120.51	Inf	-Inf	114.21	3	Horizontal	282	1.77	-	32.83	6.40	32.93
AV	5.26208G	107.41	Inf	-Inf	101.12	3	Horizontal	282	1.77	-	32.82	6.40	32.93
PK	5.35048G	73.13	74.00	-0.87	66.65	3	Horizontal	282	1.77	-	33.00	6.40	32.92
AV	5.35G	53.76	54.00	-0.24	47.28	3	Horizontal	282	1.77	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT X\_1TX  
SET 100  
100  
8.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77656G	59.18	74.00	-14.82	43.37	3	Vertical	192	1.80	-	38.16	10.43	32.78
AV	15.78463G	45.11	54.00	-8.89	29.23	3	Vertical	192	1.80	-	38.21	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT X\_1TX  
SET 100  
100  
8.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78398G	59.29	74.00	-14.71	43.42	3	Horizontal	41	1.80	-	38.20	10.44	32.77
AV	15.78496G	45.08	54.00	-8.92	29.20	3	Horizontal	41	1.80	-	38.21	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUTX\_1TX  
 SET 97  
 80/100/90/95/97  
 7.05/-3.62/5.29/2.43/0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	114.25	Inf	-Inf	107.86	3	Vertical	19	1.80	-	32.91	6.40	32.92
AV	5.30224G	100.75	Inf	-Inf	94.37	3	Vertical	19	1.80	-	32.90	6.40	32.92
PK	5.35208G	70.55	74.00	-3.45	64.06	3	Vertical	19	1.80	-	33.01	6.40	32.92
AV	5.3504G	53.98	54.00	-0.02	47.50	3	Vertical	19	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
 SET 92  
 97/77/87/92/94/93/92  
 -5.29/5.97/3.69/0.66/-0.56/-0.24/0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29776G	119.49	Inf	-Inf	113.11	3	Horizontal	74	1.92	-	32.90	6.40	32.92
AV	5.2986G	104.88	Inf	-Inf	98.50	3	Horizontal	74	1.92	-	32.90	6.40	32.92
PK	5.35432G	70.25	74.00	-3.75	63.75	3	Horizontal	74	1.92	-	33.02	6.40	32.92
AV	5.35G	53.29	54.00	-0.71	46.81	3	Horizontal	74	1.92	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5300MHz\_TnomVnom




EUTX\_1TX  
SET 92  
92  
7.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89921G	60.97	74.00	-13.03	44.86	3	Vertical	217	2.64	-	38.40	10.47	32.76
AV	15.90263G	46.46	54.00	-7.54	30.35	3	Vertical	217	2.64	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUTX\_1TX  
 SET 92  
 92  
 7.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8971G	60.83	74.00	-13.17	44.72	3	Horizontal	305	1.93	-	38.40	10.47	32.76
AV	15.90209G	46.46	54.00	-7.54	30.35	3	Horizontal	305	1.93	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUTX\_1TX  
 SET 90  
 80/100/90/95/93/92/90  
 6.76/-17.23/1.93/-4.37/-1.33/-0.39/1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3246G	112.79	Inf	-Inf	106.36	3	Vertical	18	1.91	-	32.95	6.40	32.92
AV	5.3242G	98.78	Inf	-Inf	92.35	3	Vertical	18	1.91	-	32.95	6.40	32.92
PK	5.3532G	66.43	74.00	-7.57	59.94	3	Vertical	18	1.91	-	33.01	6.40	32.92
AV	5.35G	52.24	54.00	-1.76	45.76	3	Vertical	18	1.91	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
 SET 87  
 90/70/80/85/87/88/87  
 -2.99/5.89/4.56/2.09/0.75/-0.98/0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	117.33	Inf	-Inf	110.92	3	Horizontal	280	1.80	-	32.93	6.40	32.92
AV	5.3186G	103.10	Inf	-Inf	96.68	3	Horizontal	280	1.80	-	32.94	6.40	32.92
PK	5.36G	67.48	74.00	-6.52	60.96	3	Horizontal	280	1.80	-	33.04	6.40	32.92
AV	5.35G	53.42	54.00	-0.58	46.94	3	Horizontal	280	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUTX\_1TX  
SET 87  
87  
6.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95739G	61.18	74.00	-12.82	45.04	3	Vertical	318	1.80	-	38.40	10.49	32.75
AV	15.95743G	47.04	54.00	-6.96	30.90	3	Vertical	318	1.80	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUTX\_1TX  
SET 87  
87  
6.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95941G	60.98	74.00	-13.02	44.84	3	Horizontal	200	1.23	-	38.40	10.49	32.75
AV	15.96321G	47.05	54.00	-6.95	30.91	3	Horizontal	200	1.23	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
 SET 85  
 80/100/90/85/87/86/85  
 5.76/-22.10/-9.94/1.47/-4.07/-0.18/0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	64.56	74.00	-9.44	57.31	3	Vertical	20	1.86	-	33.70	6.46	32.91
AV	5.4598G	49.94	54.00	-4.06	42.68	3	Vertical	20	1.86	-	33.70	6.46	32.90
PK	5.47G	67.52	68.20	-0.68	60.25	3	Vertical	20	1.86	-	33.70	6.47	32.90
PK	5.501G	112.67	Inf	-Inf	105.37	3	Vertical	20	1.86	-	33.70	6.50	32.90
AV	5.4984G	98.73	Inf	-Inf	91.43	3	Vertical	20	1.86	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
 SET 82  
 85/65/75/80/82/83/82  
 -4.47/5.79/4.73/3.74/0.37/-1.86/0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.19	74.00	-7.81	58.93	3	Horizontal	302	1.76	-	33.70	6.46	32.90
AV	5.46G	51.21	54.00	-2.79	43.95	3	Horizontal	302	1.76	-	33.70	6.46	32.90
PK	5.4646G	68.00	68.20	-0.20	60.74	3	Horizontal	302	1.76	-	33.70	6.46	32.90
PK	5.4988G	118.20	Inf	-Inf	110.90	3	Horizontal	302	1.76	-	33.70	6.50	32.90
AV	5.4984G	104.00	Inf	-Inf	96.70	3	Horizontal	302	1.76	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
SET 82  
82  
3.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.49954G	64.46	68.20	-3.74	45.94	3	Vertical	95	1.80	-	40.30	10.65	32.43

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
SET 82  
82  
3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.49522G	64.40	68.20	-3.80	45.90	3	Horizontal	254	1.80	-	40.28	10.65	32.43

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 6.72/6.05/2.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	63.46	74.00	-10.54	56.21	3	Vertical	38	2.02	-	33.70	6.46	32.91
PK	5.4616G	65.51	68.20	-2.69	58.25	3	Vertical	38	2.02	-	33.70	6.46	32.90
AV	5.45968G	48.64	54.00	-5.36	41.38	3	Vertical	38	2.02	-	33.70	6.46	32.90
PK	5.58256G	114.13	Inf	-Inf	106.63	3	Vertical	38	2.02	-	33.83	6.58	32.91
AV	5.58448G	100.40	Inf	-Inf	92.90	3	Vertical	38	2.02	-	33.83	6.58	32.91
PK	5.7304G	62.26	68.20	-5.94	54.34	3	Vertical	38	2.02	-	34.24	6.60	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
 SET 99  
 102/82/92/97/99/100/99  
 -1.24/6.08/5.76/5.08/3.60/-1.78/3.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	63.49	74.00	-10.51	56.24	3	Horizontal	303	1.92	-	33.70	6.46	32.91
AV	5.4584G	49.60	54.00	-4.40	42.34	3	Horizontal	303	1.92	-	33.70	6.46	32.90
PK	5.46608G	64.83	68.20	-3.37	57.56	3	Horizontal	303	1.92	-	33.70	6.47	32.90
PK	5.57616G	120.48	Inf	-Inf	112.96	3	Horizontal	303	1.92	-	33.85	6.58	32.91
AV	5.57616G	107.31	Inf	-Inf	99.79	3	Horizontal	303	1.92	-	33.85	6.58	32.91
PK	5.72592G	64.23	68.20	-3.97	56.34	3	Horizontal	303	1.92	-	34.21	6.60	32.92

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TnomVnom




EUTX\_1TX  
SET 99  
99  
2.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74244G	65.36	68.20	-2.84	46.48	3	Vertical	15	1.80	-	40.44	10.72	32.28

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5580MHz\_TnomVnom




EUTX\_1TX  
SET 99  
99  
3.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74207G	65.06	68.20	-3.14	46.18	3	Horizontal	46	1.80	-	40.44	10.72	32.28

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
 SET 66  
 80/60/70/65/67/66  
 -10.46/6.14/-0.66/3.23/-2.08/1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.691G	106.17	Inf	-Inf	98.47	3	Vertical	22	2.03	-	34.02	6.60	32.92
AV	5.7044G	92.63	Inf	-Inf	84.91	3	Vertical	22	2.03	-	34.04	6.60	32.92
PK	5.7252G	66.23	68.20	-1.97	58.35	3	Vertical	22	2.03	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
 SET 58  
 66/46/56/61/59/58  
 -3.14/6.73/3.69/-0.56/-1.22/3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	111.17	Inf	-Inf	103.48	3	Horizontal	308	1.76	-	34.01	6.60	32.92
AV	5.703G	96.87	Inf	-Inf	89.17	3	Horizontal	308	1.76	-	34.02	6.60	32.92
PK	5.7254G	64.59	68.20	-3.61	56.71	3	Horizontal	308	1.76	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUTX\_1TX  
SET 58  
58  
1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09829G	66.54	68.20	-1.66	46.40	3	Vertical	186	2.84	-	41.39	10.83	32.08

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX


#### 5700MHz\_TnomVnom



EUT X\_1TX  
SET 58  
58  
1.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09638G	66.23	68.20	-1.97	46.09	3	Horizontal	360	2.65	-	41.39	10.83	32.08

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 6.76/6.66/6.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	59.47	74.00	-14.53	52.23	3	Vertical	22	1.98	-	33.70	6.45	32.91
AV	5.45756G	47.23	54.00	-6.77	39.98	3	Vertical	22	1.98	-	33.70	6.46	32.91
PK	5.4662G	59.49	68.20	-8.71	52.22	3	Vertical	22	1.98	-	33.70	6.47	32.90
PK	5.71784G	114.92	Inf	-Inf	107.10	3	Vertical	22	1.98	-	34.14	6.60	32.92
AV	5.71784G	102.09	Inf	-Inf	94.27	3	Vertical	22	1.98	-	34.14	6.60	32.92
PK	5.85068G	61.72	68.20	-6.48	53.26	3	Vertical	22	1.98	-	34.80	6.60	32.94




**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 102  
 4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	60.02	74.00	-13.98	52.78	3	Horizontal	307	1.80	-	33.70	6.45	32.91
AV	5.45108G	47.71	54.00	-6.29	40.47	3	Horizontal	307	1.80	-	33.70	6.45	32.91
PK	5.4608G	60.83	68.20	-7.37	53.57	3	Horizontal	307	1.80	-	33.70	6.46	32.90
PK	5.72324G	121.05	Inf	-Inf	113.18	3	Horizontal	307	1.80	-	34.19	6.60	32.92
AV	5.72216G	107.45	Inf	-Inf	99.59	3	Horizontal	307	1.80	-	34.18	6.60	32.92
PK	5.85068G	63.36	68.20	-4.84	54.90	3	Horizontal	307	1.80	-	34.80	6.60	32.94


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 102  
 1.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15587G	67.02	68.20	-1.18	46.71	3	Vertical	0	2.51	-	41.51	10.85	32.05

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 100  
 102/82/92/97/99/100  
 -0.41/1.65/1.74/1.19/1.34/1.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16256G	66.60	68.20	-1.60	46.27	3	Horizontal	32	1.76	-	41.53	10.85	32.05

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_X\_1TX  
 SET 92  
 80/100/90/95/93/92  
 5.37/-6.64/1.61/-2.20/-1.01/0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.20	74.00	-13.80	54.07	3	Vertical	19	1.79	-	32.70	6.37	32.94
AV	5.13728G	47.78	54.00	-6.22	41.62	3	Vertical	19	1.79	-	32.73	6.37	32.94
PK	5.2644G	110.96	Inf	-Inf	104.66	3	Vertical	19	1.79	-	32.83	6.40	32.93
AV	5.26216G	98.82	Inf	-Inf	92.53	3	Vertical	19	1.79	-	32.82	6.40	32.93
PK	5.35G	65.45	74.00	-8.55	58.97	3	Vertical	19	1.79	-	33.00	6.40	32.92
AV	5.35G	53.80	54.00	-0.20	47.32	3	Vertical	19	1.79	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_X\_1TX  
 SET 85  
 92/72/82/87/85/86/85  
 -4.92/4.69/1.39/-0.58/0.51/-0.29/0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	60.41	74.00	-13.59	54.27	3	Horizontal	281	1.78	-	32.71	6.37	32.94
AV	5.14904G	48.07	54.00	-5.93	41.94	3	Horizontal	281	1.78	-	32.70	6.37	32.94
PK	5.2784G	114.46	Inf	-Inf	108.13	3	Horizontal	281	1.78	-	32.86	6.40	32.93
AV	5.26832G	102.37	Inf	-Inf	96.06	3	Horizontal	281	1.78	-	32.84	6.40	32.93
PK	5.35064G	66.37	74.00	-7.63	59.89	3	Horizontal	281	1.78	-	33.00	6.40	32.92
AV	5.35064G	53.21	54.00	-0.79	46.73	3	Horizontal	281	1.78	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUTX\_1TX  
 SET 85  
 85  
 7.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80288G	59.26	74.00	-14.74	43.29	3	Vertical	116	1.80	-	38.30	10.44	32.77
AV	15.8179G	46.80	54.00	-7.20	30.80	3	Vertical	116	1.80	-	38.32	10.45	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUTX\_1TX  
 SET 85  
 85  
 7.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80398G	59.48	74.00	-14.52	43.51	3	Horizontal	0	1.34	-	38.30	10.44	32.77
AV	15.8093G	46.88	54.00	-7.12	30.90	3	Horizontal	0	1.34	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUTX\_1TX  
 SET 84  
 80/100/90/85/83/84  
 3.49/-26.08/-11.80/-1.03/1.13/0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30352G	107.99	Inf	-Inf	101.60	3	Vertical	19	1.80	-	32.91	6.40	32.92
AV	5.3052G	95.67	Inf	-Inf	89.28	3	Vertical	19	1.80	-	32.91	6.40	32.92
PK	5.3508G	67.98	74.00	-6.02	61.50	3	Vertical	19	1.80	-	33.00	6.40	32.92
AV	5.35032G	53.51	54.00	-0.49	47.03	3	Vertical	19	1.80	-	33.00	6.40	32.92



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT\_X\_1TX  
 SET 79  
 84/64/74/79/81/80/79  
 -4.67/4.39/2.62/1.42/-0.50/-0.39/0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30184G	112.53	Inf	-Inf	106.15	3	Horizontal	282	1.77	-	32.90	6.40	32.92
AV	5.3148G	100.33	Inf	-Inf	93.92	3	Horizontal	282	1.77	-	32.93	6.40	32.92
PK	5.35128G	65.34	74.00	-8.66	58.85	3	Horizontal	282	1.77	-	33.01	6.40	32.92
AV	5.35032G	53.09	54.00	-0.91	46.61	3	Horizontal	282	1.77	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUTX\_1TX  
SET 79  
79  
5.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93622G	61.64	74.00	-12.36	45.51	3	Vertical	158	1.80	-	38.40	10.48	32.75
AV	15.93422G	48.52	54.00	-5.48	32.39	3	Vertical	158	1.80	-	38.40	10.48	32.75

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TnomVnom




EUT\_X\_1TX  
 SET 79  
 79  
 5.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93978G	61.61	74.00	-12.39	45.48	3	Horizontal	360	1.45	-	38.40	10.48	32.75
AV	15.93718G	48.78	54.00	-5.22	32.65	3	Horizontal	360	1.45	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT\_X\_1TX  
 SET 78  
 80/60/70/75/77/78  
 -2.27/5.06/4.99/4.93/3.05/1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	63.45	74.00	-10.55	56.19	3	Vertical	22	2.00	-	33.70	6.46	32.90
AV	5.45984G	50.45	54.00	-3.55	43.19	3	Vertical	22	2.00	-	33.70	6.46	32.90
PK	5.46848G	67.19	68.20	-1.01	59.92	3	Vertical	22	2.00	-	33.70	6.47	32.90
PK	5.5256G	108.12	Inf	-Inf	100.69	3	Vertical	22	2.00	-	33.80	6.53	32.90
AV	5.51576G	95.67	Inf	-Inf	88.29	3	Vertical	22	2.00	-	33.76	6.52	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT\_X\_1TX  
 SET 74  
 78/58/68/73/75/76/75/74  
 -4.10/4.63/3.88/2.97/1.73/-1.58/-0.01/2.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45888G	63.29	74.00	-10.71	56.03	3	Horizontal	302	1.74	-	33.70	6.46	32.90
AV	5.45936G	51.38	54.00	-2.62	44.12	3	Horizontal	302	1.74	-	33.70	6.46	32.90
PK	5.46584G	66.13	68.20	-2.07	58.86	3	Horizontal	302	1.74	-	33.70	6.47	32.90
PK	5.52032G	113.25	Inf	-Inf	105.85	3	Horizontal	302	1.74	-	33.78	6.52	32.90
AV	5.5172G	100.62	Inf	-Inf	93.23	3	Horizontal	302	1.74	-	33.77	6.52	32.90

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TnomVnom




EUTX\_1TX  
 SET 74  
 74  
 3.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.53092G	64.66	68.20	-3.54	46.11	3	Vertical	95	1.80	-	40.30	10.66	32.41

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TnomVnom




EUTX\_1TX  
SET 74  
74  
3.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53736G	65.01	68.20	-3.19	46.46	3	Horizontal	266	1.80	-	40.30	10.66	32.41

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT\_X\_1TX  
 SET 89  
 80/100/90/95/93/92/90/89  
 4.49/-9.04/1.45/-3.30/-0.76/-1.14/-0.36/2.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.70	74.00	-16.30	51.22	3	Vertical	22	1.97	-	33.00	6.40	32.92
AV	5.35G	47.56	54.00	-6.44	41.08	3	Vertical	22	1.97	-	33.00	6.40	32.92
PK	5.4596G	64.78	74.00	-9.22	57.52	3	Vertical	22	1.97	-	33.70	6.46	32.90
AV	5.4596G	51.91	54.00	-2.09	44.65	3	Vertical	22	1.97	-	33.70	6.46	32.90
PK	5.4668G	65.25	68.20	-2.95	57.98	3	Vertical	22	1.97	-	33.70	6.47	32.90
PK	5.5404G	110.47	Inf	-Inf	102.97	3	Vertical	22	1.97	-	33.86	6.54	32.90
AV	5.5348G	98.30	Inf	-Inf	90.83	3	Vertical	22	1.97	-	33.84	6.53	32.90
PK	5.7348G	62.19	68.20	-6.01	54.23	3	Vertical	22	1.97	-	34.28	6.60	32.92



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT X\_1TX  
 SET 83  
 89/69/79/84/82/83  
 -2.60/4.35/2.62/-0.23/0.33/0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.58	74.00	-15.42	52.10	3	Horizontal	299	1.84	-	33.00	6.40	32.92
AV	5.35G	48.34	54.00	-5.66	41.86	3	Horizontal	299	1.84	-	33.00	6.40	32.92
PK	5.4556G	66.14	74.00	-7.86	58.89	3	Horizontal	299	1.84	-	33.70	6.46	32.91
AV	5.4596G	53.31	54.00	-0.69	46.05	3	Horizontal	299	1.84	-	33.70	6.46	32.90
PK	5.4668G	67.28	68.20	-0.92	60.01	3	Horizontal	299	1.84	-	33.70	6.47	32.90
PK	5.542G	114.86	Inf	-Inf	107.35	3	Horizontal	299	1.84	-	33.87	6.54	32.90
AV	5.5444G	103.23	Inf	-Inf	95.71	3	Horizontal	299	1.84	-	33.88	6.54	32.90
PK	5.726G	61.77	68.20	-6.43	53.88	3	Horizontal	299	1.84	-	34.21	6.60	32.92

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TnomVnom




EUTX\_1TX  
SET 83  
83  
4.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.64326G	64.13	68.20	-4.07	45.44	3	Vertical	264	1.80	-	40.34	10.69	32.34

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TnomVnom




EUTX\_1TX  
SET 83  
83  
4.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.64076G	64.04	68.20	-4.16	45.36	3	Horizontal	293	2.35	-	40.34	10.69	32.35

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT\_X\_1TX  
SET 80  
80  
0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65752G	107.26	Inf	-Inf	99.50	3	Vertical	22	2.07	-	34.08	6.60	32.92
AV	5.66264G	95.04	Inf	-Inf	87.29	3	Vertical	22	2.07	-	34.07	6.60	32.92
PK	5.72568G	68.17	68.20	-0.03	60.28	3	Vertical	22	2.07	-	34.21	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT\_X\_1TX  
 SET 70  
 80/60/70/75/73/72/70  
 -5.57/5.89/0.97/-2.16/-1.06/-0.38/1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66776G	110.52	Inf	-Inf	102.78	3	Horizontal	307	1.69	-	34.06	6.60	32.92
AV	5.6636G	98.03	Inf	-Inf	90.28	3	Horizontal	307	1.69	-	34.07	6.60	32.92
PK	5.72856G	66.88	68.20	-1.32	58.97	3	Horizontal	307	1.69	-	34.23	6.60	32.92

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TnomVnom




EUTX\_1TX  
SET 70  
70  
3.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.0143G	64.75	68.20	-3.45	44.93	3	Vertical	360	2.35	-	41.14	10.80	32.12

802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TnomVnom



EUTX\_1TX  
SET 70  
70  
3.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.01792G	65.14	68.20	-3.06	45.30	3	Horizontal	133	1.80	-	41.15	10.81	32.12

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 102  
 80/100/102  
 5.29/5.26/5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	59.48	74.00	-14.52	52.23	3	Vertical	23	1.98	-	33.70	6.46	32.91
AV	5.45624G	48.71	54.00	-5.29	41.46	3	Vertical	23	1.98	-	33.70	6.46	32.91
PK	5.46872G	61.65	68.20	-6.55	54.38	3	Vertical	23	1.98	-	33.70	6.47	32.90
PK	5.7152G	111.58	Inf	-Inf	103.78	3	Vertical	23	1.98	-	34.12	6.60	32.92
AV	5.7152G	99.87	Inf	-Inf	92.07	3	Vertical	23	1.98	-	34.12	6.60	32.92
PK	5.85G	62.68	68.20	-5.52	54.22	3	Vertical	23	1.98	-	34.80	6.60	32.94




**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 102  
 2.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45208G	60.73	74.00	-13.27	53.49	3	Horizontal	306	1.85	-	33.70	6.45	32.91
AV	5.45416G	49.57	54.00	-4.43	42.33	3	Horizontal	306	1.85	-	33.70	6.45	32.91
PK	5.46664G	60.62	68.20	-7.58	53.35	3	Horizontal	306	1.85	-	33.70	6.47	32.90
PK	5.71104G	118.11	Inf	-Inf	110.34	3	Horizontal	306	1.85	-	34.09	6.60	32.92
AV	5.7152G	105.75	Inf	-Inf	97.95	3	Horizontal	306	1.85	-	34.12	6.60	32.92
PK	5.85872G	65.80	68.20	-2.40	57.32	3	Horizontal	306	1.85	-	34.82	6.60	32.94


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 102  
 2.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.13484G	66.14	68.20	-2.06	45.89	3	Vertical	335	1.80	-	41.47	10.84	32.06

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT X\_1TX  
 SET 102  
 102  
 1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.1362G	66.22	68.20	-1.98	45.97	3	Horizontal	76	1.80	-	41.47	10.84	32.06

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_X\_1TX  
 SET 84  
 80/100/90/85/83/84  
 3.52/-24.77/-10.52/-1.89/1.90/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13512G	59.54	74.00	-14.46	53.38	3	Vertical	18	1.92	-	32.73	6.37	32.94
AV	5.14664G	47.56	54.00	-6.44	41.42	3	Vertical	18	1.92	-	32.71	6.37	32.94
PK	5.2612G	104.78	Inf	-Inf	98.49	3	Vertical	18	1.92	-	32.82	6.40	32.93
AV	5.28104G	93.21	Inf	-Inf	86.88	3	Vertical	18	1.92	-	32.86	6.40	32.93
PK	5.35G	65.39	74.00	-8.61	58.91	3	Vertical	18	1.92	-	33.00	6.40	32.92
AV	5.35G	53.48	54.00	-0.52	47.00	3	Vertical	18	1.92	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_X\_1TX  
 SET 79  
 84/64/74/79/81/80/79  
 -5.44/4.26/2.07/0.50/-0.34/-0.29/0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	59.97	74.00	-14.03	53.83	3	Horizontal	282	1.78	-	32.71	6.37	32.94
AV	5.14216G	47.78	54.00	-6.22	41.63	3	Horizontal	282	1.78	-	32.72	6.37	32.94
PK	5.2772G	109.69	Inf	-Inf	103.37	3	Horizontal	282	1.78	-	32.85	6.40	32.93
AV	5.2772G	97.48	Inf	-Inf	91.16	3	Horizontal	282	1.78	-	32.85	6.40	32.93
PK	5.35784G	64.47	74.00	-9.53	57.96	3	Horizontal	282	1.78	-	33.03	6.40	32.92
AV	5.35G	53.38	54.00	-0.62	46.90	3	Horizontal	282	1.78	-	33.00	6.40	32.92

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TnomVnom




EUT\_X\_1TX  
 SET 79  
 79  
 6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88116G	60.24	74.00	-13.76	44.16	3	Vertical	196	1.80	-	38.38	10.46	32.76
AV	15.8852G	47.92	54.00	-6.08	31.82	3	Vertical	196	1.80	-	38.39	10.47	32.76

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT\_X\_1TX  
SET 79  
79  
6.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88444G	60.75	74.00	-13.25	44.66	3	Horizontal	264	1.80	-	38.38	10.47	32.76
AV	15.88276G	47.97	54.00	-6.03	31.89	3	Horizontal	264	1.80	-	38.38	10.46	32.76

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TnomVnom




EUT\_X\_1TX  
 SET 78  
 80/60/70/75/77/78  
 -1.23/5.27/4.92/4.40/3.46/3.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45224G	62.74	74.00	-11.26	55.50	3	Vertical	19	2.10	-	33.70	6.45	32.91
AV	5.4564G	50.49	54.00	-3.51	43.24	3	Vertical	19	2.10	-	33.70	6.46	32.91
PK	5.46536G	63.43	68.20	-4.77	56.16	3	Vertical	19	2.10	-	33.70	6.47	32.90
PK	5.51752G	104.26	Inf	-Inf	96.87	3	Vertical	19	2.10	-	33.77	6.52	32.90
AV	5.54216G	92.16	Inf	-Inf	84.65	3	Vertical	19	2.10	-	33.87	6.54	32.90



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 78/58/68/73/75/76  
 -1.72/4.15/2.61/1.46/1.43/0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	65.66	74.00	-8.34	58.41	3	Horizontal	300	1.86	-	33.70	6.46	32.91
AV	5.4596G	53.46	54.00	-0.54	46.20	3	Horizontal	300	1.86	-	33.70	6.46	32.90
PK	5.46984G	67.27	68.20	-0.93	60.00	3	Horizontal	300	1.86	-	33.70	6.47	32.90
PK	5.51816G	110.41	Inf	-Inf	103.02	3	Horizontal	300	1.86	-	33.77	6.52	32.90
AV	5.53288G	97.72	Inf	-Inf	90.26	3	Horizontal	300	1.86	-	33.83	6.53	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5530MHz\_TnomVnom




EUTX\_1TX  
SET 76  
76  
3.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.60412G	64.61	68.20	-3.59	46.00	3	Vertical	1	1.80	-	40.30	10.68	32.37

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 76  
 3.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.60232G	65.04	68.20	-3.16	46.43	3	Horizontal	161	2.87	-	40.30	10.68	32.37

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT X\_1TX  
 SET 84  
 80/100/90/85/87/86/85/84  
 2.98/-11.68/-2.44/1.25/-0.22/-0.45/-0.36/1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.14	74.00	-11.86	54.88	3	Vertical	24	1.78	-	33.70	6.46	32.90
AV	5.45896G	50.63	54.00	-3.37	43.37	3	Vertical	24	1.78	-	33.70	6.46	32.90
PK	5.4692G	63.26	68.20	-4.94	55.99	3	Vertical	24	1.78	-	33.70	6.47	32.90
PK	5.6228G	105.13	Inf	-Inf	97.50	3	Vertical	24	1.78	-	33.94	6.60	32.91
AV	5.6228G	93.28	Inf	-Inf	85.65	3	Vertical	24	1.78	-	33.94	6.60	32.91
PK	5.73928G	66.22	68.20	-1.98	58.23	3	Vertical	24	1.78	-	34.31	6.60	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 84/64/74/79/77/76  
 -4.68/4.91/0.84/-1.82/-1.15/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	62.34	74.00	-11.66	55.10	3	Horizontal	304	1.80	-	33.70	6.45	32.91
AV	5.45512G	50.14	54.00	-3.86	42.89	3	Horizontal	304	1.80	-	33.70	6.46	32.91
PK	5.46984G	62.76	68.20	-5.44	55.49	3	Horizontal	304	1.80	-	33.70	6.47	32.90
PK	5.60104G	108.91	Inf	-Inf	101.41	3	Horizontal	304	1.80	-	33.81	6.60	32.91
AV	5.594G	96.87	Inf	-Inf	89.38	3	Horizontal	304	1.80	-	33.81	6.59	32.91
PK	5.73032G	68.14	68.20	-0.06	60.22	3	Horizontal	304	1.80	-	34.24	6.60	32.92

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TnomVnom




EUTX\_1TX  
SET 76  
76  
4.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.84028G	63.83	68.20	-4.37	44.61	3	Vertical	338	1.80	-	40.70	10.75	32.23

802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TnomVnom



EUTX\_1TX  
SET 76  
76  
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.83228G	63.54	68.20	-4.66	44.36	3	Horizontal	196	1.80	-	40.66	10.75	32.23

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 98  
 80/100/90/95/97/98  
 5.25/-0.95/4.12/1.59/2.40/1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	62.26	74.00	-11.74	55.02	3	Vertical	22	2.02	-	33.70	6.45	32.91
PK	5.46536G	62.12	68.20	-6.08	54.85	3	Vertical	22	2.02	-	33.70	6.47	32.90
AV	5.4596G	51.04	54.00	-2.96	43.78	3	Vertical	22	2.02	-	33.70	6.46	32.90
PK	5.66408G	108.25	Inf	-Inf	100.50	3	Vertical	22	2.02	-	34.07	6.60	32.92
AV	5.70632G	96.07	Inf	-Inf	88.34	3	Vertical	22	2.02	-	34.05	6.60	32.92
PK	5.85G	66.89	68.20	-1.31	58.43	3	Vertical	22	2.02	-	34.80	6.60	32.94




**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 90  
 98/78/88/93/91/90  
 -4.46/4.83/1.45/-1.48/-0.09/0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45096G	62.90	74.00	-11.10	55.66	3	Horizontal	308	1.76	-	33.70	6.45	32.91
AV	5.4548G	50.19	54.00	-3.81	42.95	3	Horizontal	308	1.76	-	33.70	6.45	32.91
PK	5.46824G	62.04	68.20	-6.16	54.77	3	Horizontal	308	1.76	-	33.70	6.47	32.90
PK	5.72552G	111.85	Inf	-Inf	103.97	3	Horizontal	308	1.76	-	34.20	6.60	32.92
AV	5.70152G	100.18	Inf	-Inf	92.49	3	Horizontal	308	1.76	-	34.01	6.60	32.92
PK	5.85128G	67.97	68.20	-0.23	59.51	3	Horizontal	308	1.76	-	34.80	6.60	32.94


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 90  
 90  
 2.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.07524G	65.76	68.20	-2.44	45.70	3	Vertical	109	1.80	-	41.33	10.82	32.09


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 90  
 90  
 1.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.05028G	66.42	68.20	-1.78	46.45	3	Horizontal	249	1.80	-	41.25	10.82	32.10

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT X\_1TX\_ANT 0  
 Setting 60  
 01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	60.39	74.00	-13.61	54.25	3	Vertical	14	1.91	-	32.71	6.37	32.94
AV	5.1476G	49.60	54.00	-4.40	43.47	3	Vertical	14	1.91	-	32.70	6.37	32.94
PK	5.266G	97.10	Inf	-Inf	90.80	3	Vertical	14	1.91	-	32.83	6.40	32.93
AV	5.226G	86.29	Inf	-Inf	80.07	3	Vertical	14	1.91	-	32.75	6.40	32.93
PK	5.3556G	61.68	74.00	-12.32	55.18	3	Vertical	14	1.91	-	33.02	6.40	32.92
AV	5.3748G	50.90	54.00	-3.10	44.32	3	Vertical	14	1.91	-	33.10	6.40	32.92
PK	5.5972G	60.36	68.20	-7.84	52.86	3	Vertical	14	1.91	-	33.81	6.60	32.91

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX


### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom



EUT\_X1TX\_ANT 0  
Setting 60  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	62.16	74.00	-11.84	56.02	3	Horizontal	284	1.79	-	32.71	6.37	32.94
AV	5.1444G	51.37	54.00	-2.63	45.23	3	Horizontal	284	1.79	-	32.71	6.37	32.94
PK	5.2868G	101.72	Inf	-Inf	95.38	3	Horizontal	284	1.79	-	32.87	6.40	32.93
AV	5.2788G	90.85	Inf	-Inf	84.52	3	Horizontal	284	1.79	-	32.86	6.40	32.93
PK	5.362G	64.52	74.00	-9.48	57.99	3	Horizontal	284	1.79	-	33.05	6.40	32.92
AV	5.3636G	53.95	54.00	-0.05	47.42	3	Horizontal	284	1.79	-	33.05	6.40	32.92
PK	5.4644G	61.35	68.20	-6.85	54.09	3	Horizontal	284	1.79	-	33.70	6.46	32.90


**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**



EUT X\_1TX\_ANT 0  
 Setting 60  
 01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75382G	59.82	74.00	-14.18	44.15	3	Vertical	1	1.99	-	38.02	10.43	32.78
AV	15.74908G	48.28	54.00	-5.72	32.65	3	Vertical	1	1.99	-	37.99	10.42	32.78

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT X\_1TX\_ANT 0  
 Setting 60  
 01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74866G	59.41	74.00	-14.59	43.78	3	Horizontal	130	1.83	-	37.99	10.42	32.78
AV	15.745G	48.13	54.00	-5.87	32.52	3	Horizontal	130	1.83	-	37.97	10.42	32.78

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 5570MHz\_TnomVnom




EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2532G	59.66	68.20	-8.54	53.38	3	Vertical	16	1.95	-	32.81	6.40	32.93
PK	5.4532G	60.63	74.00	-13.37	53.39	3	Vertical	16	1.95	-	33.70	6.45	32.91
AV	5.4548G	50.73	54.00	-3.27	43.49	3	Vertical	16	1.95	-	33.70	6.45	32.91
PK	5.4612G	61.21	68.20	-6.99	53.95	3	Vertical	16	1.95	-	33.70	6.46	32.90
PK	5.5812G	96.58	Inf	-Inf	89.07	3	Vertical	16	1.95	-	33.84	6.58	32.91
AV	5.5892G	85.83	Inf	-Inf	78.33	3	Vertical	16	1.95	-	33.82	6.59	32.91
PK	5.7572G	61.70	68.20	-6.50	53.63	3	Vertical	16	1.95	-	34.40	6.60	32.93



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 5570MHz\_TnomVnom




EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	59.82	68.20	-8.38	53.44	3	Horizontal	286	1.85	-	32.90	6.40	32.92
PK	5.4548G	64.26	74.00	-9.74	57.02	3	Horizontal	286	1.85	-	33.70	6.45	32.91
AV	5.4564G	53.95	54.00	-0.05	46.70	3	Horizontal	286	1.85	-	33.70	6.46	32.91
PK	5.4628G	64.78	68.20	-3.42	57.52	3	Horizontal	286	1.85	-	33.70	6.46	32.90
PK	5.5892G	102.09	Inf	-Inf	94.59	3	Horizontal	286	1.85	-	33.82	6.59	32.91
AV	5.5956G	90.12	Inf	-Inf	82.62	3	Horizontal	286	1.85	-	33.81	6.60	32.91
PK	5.77G	62.13	68.20	-6.07	54.06	3	Horizontal	286	1.85	-	34.40	6.60	32.93

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 5570MHz\_TnomVnom




EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13552G	55.09	74.00	-18.91	40.72	3	Vertical	62	1.46	-	38.36	8.78	32.77
AV	11.13654G	43.97	54.00	-10.03	29.60	3	Vertical	62	1.46	-	38.36	8.78	32.77

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 5570MHz\_TnomVnom



EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13896G	56.09	74.00	-17.91	41.72	3	Horizontal	16	2.47	-	38.36	8.78	32.77
AV	11.1444G	44.08	54.00	-9.92	29.70	3	Horizontal	16	2.47	-	38.36	8.79	32.77




For 2T1S and 2T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Horizontal	278	1.68	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.64/3.20/2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14612G	61.42	74.00	-12.58	55.28	3	Vertical	10	1.97	-	32.71	6.37	32.94
AV	5.14612G	47.88	54.00	-6.12	41.74	3	Vertical	10	1.97	-	32.71	6.37	32.94
PK	5.2548G	119.04	Inf	-Inf	112.76	3	Vertical	10	1.97	-	32.81	6.40	32.93
AV	5.2548G	107.50	Inf	-Inf	101.22	3	Vertical	10	1.97	-	32.81	6.40	32.93
PK	5.35308G	71.94	74.00	-2.06	65.45	3	Vertical	10	1.97	-	33.01	6.40	32.92
AV	5.35G	51.91	54.00	-2.09	45.43	3	Vertical	10	1.97	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 99  
 102/82/92/97/99/100/99  
 -1.83/5.31/4.53/3.30/0.70/-0.40/0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	65.63	74.00	-8.37	59.50	3	Horizontal	66	2.06	-	32.70	6.37	32.94
AV	5.14924G	49.29	54.00	-4.71	43.16	3	Horizontal	66	2.06	-	32.70	6.37	32.94
PK	5.2548G	124.01	Inf	-Inf	117.73	3	Horizontal	66	2.06	-	32.81	6.40	32.93
AV	5.26468G	113.44	Inf	-Inf	107.14	3	Horizontal	66	2.06	-	32.83	6.40	32.93
PK	5.35412G	69.79	74.00	-4.21	63.29	3	Horizontal	66	2.06	-	33.02	6.40	32.92
AV	5.35G	53.64	54.00	-0.36	47.16	3	Horizontal	66	2.06	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
SET 99  
99  
0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78141G	68.90	74.00	-5.10	53.05	3	Vertical	356	1.80	-	38.19	10.43	32.77
AV	15.78142G	53.76	54.00	-0.24	37.91	3	Vertical	356	1.80	-	38.19	10.43	32.77

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 93  
 99/79/89/94/92/93  
 -2.26/6.69/2.12/-0.41/0.63/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78334G	68.47	74.00	-5.53	52.60	3	Horizontal	358	1.74	-	38.20	10.44	32.77
AV	15.77874G	53.86	54.00	-0.14	38.04	3	Horizontal	358	1.74	-	38.17	10.43	32.78



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 97  
 80/100/90/95/97/98/97  
 6.66/-1.44/5.64/3.36/1.18/-0.06/0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30364G	116.77	Inf	-Inf	110.38	3	Vertical	11	2.15	-	32.91	6.40	32.92
AV	5.30392G	106.21	Inf	-Inf	99.82	3	Vertical	11	2.15	-	32.91	6.40	32.92
PK	5.35376G	69.08	74.00	-4.92	62.58	3	Vertical	11	2.15	-	33.02	6.40	32.92
AV	5.35292G	53.39	54.00	-0.61	46.90	3	Vertical	11	2.15	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUTX\_2TX  
 SET 91  
 97/77/87/92/90/91  
 -5.91/4.74/2.53/-0.28/1.63/0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	120.71	Inf	-Inf	114.34	3	Horizontal	65	2.06	-	32.89	6.40	32.92
AV	5.29916G	111.21	Inf	-Inf	104.83	3	Horizontal	65	2.06	-	32.90	6.40	32.92
PK	5.35376G	70.15	74.00	-3.85	63.65	3	Horizontal	65	2.06	-	33.02	6.40	32.92
AV	5.35G	53.25	54.00	-0.75	46.77	3	Horizontal	65	2.06	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
SET 91  
91  
4.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90331G	63.62	74.00	-10.38	47.51	3	Vertical	332	1.80	-	38.40	10.47	32.76
AV	15.90195G	49.50	54.00	-4.50	33.39	3	Vertical	332	1.80	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
SET 91  
91  
3.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90082G	64.46	74.00	-9.54	48.35	3	Horizontal	358	1.80	-	38.40	10.47	32.76
AV	15.89917G	50.13	54.00	-3.87	34.02	3	Horizontal	358	1.80	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUTX\_2TX  
 SET 92  
 80/100/90/95/93/92  
 5.83/-12.01/1.68/-2.45/-0.60/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	114.62	Inf	-Inf	108.20	3	Vertical	1	1.73	-	32.94	6.40	32.92
AV	5.3216G	103.93	Inf	-Inf	97.51	3	Vertical	1	1.73	-	32.94	6.40	32.92
PK	5.3564G	70.02	74.00	-3.98	63.51	3	Vertical	1	1.73	-	33.03	6.40	32.92
AV	5.3512G	53.91	54.00	-0.09	47.43	3	Vertical	1	1.73	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 92/72/82/87/85/84  
 -6.93/3.90/1.55/-1.68/-0.32/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	118.46	Inf	-Inf	112.04	3	Horizontal	284	1.69	-	32.94	6.40	32.92
AV	5.3226G	108.78	Inf	-Inf	102.35	3	Horizontal	284	1.69	-	32.95	6.40	32.92
PK	5.3528G	68.40	74.00	-5.60	61.91	3	Horizontal	284	1.69	-	33.01	6.40	32.92
AV	5.3524G	53.60	54.00	-0.40	47.11	3	Horizontal	284	1.69	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 84  
 5.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96148G	62.26	74.00	-11.74	46.12	3	Vertical	346	1.21	-	38.40	10.49	32.75
AV	15.96232G	48.05	54.00	-5.95	31.91	3	Vertical	346	1.21	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
SET 84  
84  
6.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95671G	61.54	74.00	-12.46	45.40	3	Horizontal	4	1.80	-	38.40	10.49	32.75
AV	15.95863G	47.94	54.00	-6.06	31.80	3	Horizontal	4	1.80	-	38.40	10.49	32.75



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 85  
 80/100/90/85  
 4.85/-19.29/-7.67/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	62.55	74.00	-11.45	55.31	3	Vertical	1	1.74	-	33.70	6.45	32.91
AV	5.456G	49.31	54.00	-4.69	42.06	3	Vertical	1	1.74	-	33.70	6.46	32.91
PK	5.47G	68.16	68.20	-0.04	60.89	3	Vertical	1	1.74	-	33.70	6.47	32.90
PK	5.5012G	113.84	Inf	-Inf	106.54	3	Vertical	1	1.74	-	33.70	6.50	32.90
AV	5.5014G	104.16	Inf	-Inf	96.85	3	Vertical	1	1.74	-	33.71	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 85/65/75/80  
 -5.51/5.08/3.67/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	65.02	74.00	-8.98	57.78	3	Horizontal	283	1.64	-	33.70	6.45	32.91
AV	5.4582G	51.25	54.00	-2.75	44.00	3	Horizontal	283	1.64	-	33.70	6.46	32.91
PK	5.4672G	68.16	68.20	-0.04	60.89	3	Horizontal	283	1.64	-	33.70	6.47	32.90
PK	5.5026G	117.61	Inf	-Inf	110.30	3	Horizontal	283	1.64	-	33.71	6.50	32.90
AV	5.4974G	107.93	Inf	-Inf	100.63	3	Horizontal	283	1.64	-	33.70	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 77  
 80/60/70/75/77/78/77  
 -2.52/3.84/2.37/1.76/0.28/-0.10/0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50042G	67.77	68.20	-0.43	49.25	3	Vertical	14	1.68	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 77  
 77  
 1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.50304G	67.14	68.20	-1.06	48.62	3	Horizontal	17	1.72	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.15/5.53/5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45072G	61.53	74.00	-12.47	54.29	3	Vertical	3	1.79	-	33.70	6.45	32.91
AV	5.4552G	48.71	54.00	-5.29	41.46	3	Vertical	3	1.79	-	33.70	6.46	32.91
PK	5.46096G	61.95	68.20	-6.25	54.69	3	Vertical	3	1.79	-	33.70	6.46	32.90
PK	5.58128G	117.59	Inf	-Inf	110.08	3	Vertical	3	1.79	-	33.84	6.58	32.91
AV	5.57552G	106.93	Inf	-Inf	99.41	3	Vertical	3	1.79	-	33.85	6.58	32.91
PK	5.72656G	61.30	68.20	-6.90	53.41	3	Vertical	3	1.79	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 100  
 102/82/92/97/99/100  
 -1.37/5.33/4.77/4.57/3.97/3.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.96	74.00	-9.04	57.70	3	Horizontal	294	1.79	-	33.70	6.46	32.90
AV	5.45776G	50.34	54.00	-3.66	43.09	3	Horizontal	294	1.79	-	33.70	6.46	32.91
PK	5.46224G	64.56	68.20	-3.64	57.30	3	Horizontal	294	1.79	-	33.70	6.46	32.90
PK	5.58576G	123.47	Inf	-Inf	115.96	3	Horizontal	294	1.79	-	33.83	6.59	32.91
AV	5.57616G	112.59	Inf	-Inf	105.07	3	Horizontal	294	1.79	-	33.85	6.58	32.91
PK	5.73872G	62.88	68.20	-5.32	54.89	3	Horizontal	294	1.79	-	34.31	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 75  
 100/80/70/75  
 -11.21/-2.79/1.81/0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.73634G	68.03	68.20	-0.17	49.16	3	Vertical	45	1.60	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 73  
 75/55/65/70/72/73  
 -0.62/5.00/2.30/1.14/0.58/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74143G	68.06	68.20	-0.14	49.19	3	Horizontal	332	1.84	-	40.44	10.72	32.29



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
 SET 70  
 80/60/70/75/73/72/70  
 -5.21/5.52/0.52/-3.74/-1.77/-0.24/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	108.99	Inf	-Inf	101.30	3	Vertical	14	2.28	-	34.01	6.60	32.92
AV	5.7012G	99.60	Inf	-Inf	91.91	3	Vertical	14	2.28	-	34.01	6.60	32.92
PK	5.726G	67.68	68.20	-0.52	59.79	3	Vertical	14	2.28	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom



EUT\_X\_2TX  
 SET 67  
 70/50/60/65/67  
 -2.90/6.53/3.63/0.34/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	112.83	Inf	-Inf	105.14	3	Horizontal	292	1.13	-	34.01	6.60	32.92
AV	5.704G	103.34	Inf	-Inf	95.63	3	Horizontal	292	1.13	-	34.03	6.60	32.92
PK	5.7254G	68.02	68.20	-0.18	60.14	3	Horizontal	292	1.13	-	34.20	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
SET 67  
67  
1.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09505G	66.29	68.20	-1.91	46.15	3	Vertical	337	2.53	-	41.39	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
SET 67  
67  
1.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10363G	66.36	68.20	-1.84	46.20	3	Horizontal	294	1.80	-	41.41	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.23/6.22/6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	59.46	74.00	-14.54	52.21	3	Vertical	14	2.26	-	33.70	6.46	32.91
AV	5.45432G	47.76	54.00	-6.24	40.52	3	Vertical	14	2.26	-	33.70	6.45	32.91
PK	5.47G	60.39	68.20	-7.81	53.12	3	Vertical	14	2.26	-	33.70	6.47	32.90
PK	5.71568G	117.15	Inf	-Inf	109.34	3	Vertical	14	2.26	-	34.13	6.60	32.92
AV	5.71568G	106.67	Inf	-Inf	98.86	3	Vertical	14	2.26	-	34.13	6.60	32.92
PK	5.88524G	61.03	68.20	-7.17	52.50	3	Vertical	14	2.26	-	34.87	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
5.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45756G	60.51	74.00	-13.49	53.26	3	Horizontal	297	1.80	-	33.70	6.46	32.91
AV	5.45864G	48.25	54.00	-5.75	40.99	3	Horizontal	297	1.80	-	33.70	6.46	32.90
PK	5.46512G	59.84	68.20	-8.36	52.57	3	Horizontal	297	1.80	-	33.70	6.47	32.90
PK	5.71568G	121.31	Inf	-Inf	113.50	3	Horizontal	297	1.80	-	34.13	6.60	32.92
AV	5.7254G	110.95	Inf	-Inf	103.07	3	Horizontal	297	1.80	-	34.20	6.60	32.92
PK	5.855G	62.96	68.20	-5.24	54.49	3	Horizontal	297	1.80	-	34.81	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 102/82/72/77/75/74  
 -8.80/-3.26/0.93/-0.77/-0.63/0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15943G	67.86	68.20	-0.34	47.54	3	Vertical	31	1.40	-	41.52	10.85	32.05

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 74/54/64/69/71/72  
 -0.18/2.51/1.88/0.95/0.49/0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16002G	67.62	68.20	-0.58	47.30	3	Horizontal	30	1.80	-	41.52	10.85	32.05



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5260MHz\_TnomVnom



EUT\_X\_2TX  
 SET 100  
 80/100/102/101/100  
 5.73/2.35/-1.55/-1.97/1.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13676G	61.11	74.00	-12.89	54.95	3	Vertical	12	2.95	-	32.73	6.37	32.94
AV	5.14924G	48.24	54.00	-5.76	42.11	3	Vertical	12	2.95	-	32.70	6.37	32.94
PK	5.26416G	116.42	Inf	-Inf	110.12	3	Vertical	12	2.95	-	32.83	6.40	32.93
AV	5.26312G	104.57	Inf	-Inf	98.27	3	Vertical	12	2.95	-	32.83	6.40	32.93
PK	5.351G	64.38	74.00	-9.62	57.90	3	Vertical	12	2.95	-	33.00	6.40	32.92
AV	5.35152G	52.13	54.00	-1.87	45.64	3	Vertical	12	2.95	-	33.01	6.40	32.92