


### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT X\_1TX  
 SET 100  
 100  
 8.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78398G	59.29	74.00	-14.71	43.42	3	Horizontal	41	1.80	-	38.20	10.44	32.77
AV	15.78496G	45.08	54.00	-8.92	29.20	3	Horizontal	41	1.80	-	38.21	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUTX\_1TX  
 SET 97  
 80/100/90/95/97  
 7.05/-3.62/5.29/2.43/0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	114.25	Inf	-Inf	107.86	3	Vertical	19	1.80	-	32.91	6.40	32.92
AV	5.30224G	100.75	Inf	-Inf	94.37	3	Vertical	19	1.80	-	32.90	6.40	32.92
PK	5.35208G	70.55	74.00	-3.45	64.06	3	Vertical	19	1.80	-	33.01	6.40	32.92
AV	5.3504G	53.98	54.00	-0.02	47.50	3	Vertical	19	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
 SET 92  
 97/77/87/92/94/93/92  
 -5.29/5.97/3.69/0.66/-0.56/-0.24/0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29776G	119.49	Inf	-Inf	113.11	3	Horizontal	74	1.92	-	32.90	6.40	32.92
AV	5.2986G	104.88	Inf	-Inf	98.50	3	Horizontal	74	1.92	-	32.90	6.40	32.92
PK	5.35432G	70.25	74.00	-3.75	63.75	3	Horizontal	74	1.92	-	33.02	6.40	32.92
AV	5.35G	53.29	54.00	-0.71	46.81	3	Horizontal	74	1.92	-	33.00	6.40	32.92

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TnomVnom




EUTX\_1TX  
 SET 92  
 92  
 7.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89921G	60.97	74.00	-13.03	44.86	3	Vertical	217	2.64	-	38.40	10.47	32.76
AV	15.90263G	46.46	54.00	-7.54	30.35	3	Vertical	217	2.64	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUTX\_1TX  
 SET 92  
 92  
 7.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8971G	60.83	74.00	-13.17	44.72	3	Horizontal	305	1.93	-	38.40	10.47	32.76
AV	15.90209G	46.46	54.00	-7.54	30.35	3	Horizontal	305	1.93	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUTX\_1TX  
 SET 90  
 80/100/90/95/93/92/90  
 6.76/-17.23/1.93/-4.37/-1.33/-0.39/1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3246G	112.79	Inf	-Inf	106.36	3	Vertical	18	1.91	-	32.95	6.40	32.92
AV	5.3242G	98.78	Inf	-Inf	92.35	3	Vertical	18	1.91	-	32.95	6.40	32.92
PK	5.3532G	66.43	74.00	-7.57	59.94	3	Vertical	18	1.91	-	33.01	6.40	32.92
AV	5.35G	52.24	54.00	-1.76	45.76	3	Vertical	18	1.91	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
 SET 87  
 90/70/80/85/87/88/87  
 -2.99/5.89/4.56/2.09/0.75/-0.98/0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	117.33	Inf	-Inf	110.92	3	Horizontal	280	1.80	-	32.93	6.40	32.92
AV	5.3186G	103.10	Inf	-Inf	96.68	3	Horizontal	280	1.80	-	32.94	6.40	32.92
PK	5.36G	67.48	74.00	-6.52	60.96	3	Horizontal	280	1.80	-	33.04	6.40	32.92
AV	5.35G	53.42	54.00	-0.58	46.94	3	Horizontal	280	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUTX\_1TX  
SET 87  
87  
6.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95739G	61.18	74.00	-12.82	45.04	3	Vertical	318	1.80	-	38.40	10.49	32.75
AV	15.95743G	47.04	54.00	-6.96	30.90	3	Vertical	318	1.80	-	38.40	10.49	32.75



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUTX\_1TX  
SET 87  
87  
6.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95941G	60.98	74.00	-13.02	44.84	3	Horizontal	200	1.23	-	38.40	10.49	32.75
AV	15.96321G	47.05	54.00	-6.95	30.91	3	Horizontal	200	1.23	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
 SET 85  
 80/100/90/85/87/86/85  
 5.76/-22.10/-9.94/1.47/-4.07/-0.18/0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	64.56	74.00	-9.44	57.31	3	Vertical	20	1.86	-	33.70	6.46	32.91
AV	5.4598G	49.94	54.00	-4.06	42.68	3	Vertical	20	1.86	-	33.70	6.46	32.90
PK	5.47G	67.52	68.20	-0.68	60.25	3	Vertical	20	1.86	-	33.70	6.47	32.90
PK	5.501G	112.67	Inf	-Inf	105.37	3	Vertical	20	1.86	-	33.70	6.50	32.90
AV	5.4984G	98.73	Inf	-Inf	91.43	3	Vertical	20	1.86	-	33.70	6.50	32.90

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TnomVnom




EUT\_X\_1TX  
 SET 82  
 85/65/75/80/82/83/82  
 -4.47/5.79/4.73/3.74/0.37/-1.86/0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.19	74.00	-7.81	58.93	3	Horizontal	302	1.76	-	33.70	6.46	32.90
AV	5.46G	51.21	54.00	-2.79	43.95	3	Horizontal	302	1.76	-	33.70	6.46	32.90
PK	5.4646G	68.00	68.20	-0.20	60.74	3	Horizontal	302	1.76	-	33.70	6.46	32.90
PK	5.4988G	118.20	Inf	-Inf	110.90	3	Horizontal	302	1.76	-	33.70	6.50	32.90
AV	5.4984G	104.00	Inf	-Inf	96.70	3	Horizontal	302	1.76	-	33.70	6.50	32.90

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TnomVnom




EUT\_X\_1TX  
SET 82  
82  
3.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.49954G	64.46	68.20	-3.74	45.94	3	Vertical	95	1.80	-	40.30	10.65	32.43

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TnomVnom




EUT\_X\_1TX  
SET 82  
82  
3.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.49522G	64.40	68.20	-3.80	45.90	3	Horizontal	254	1.80	-	40.28	10.65	32.43

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
SET 102  
80/100/102  
6.72/6.05/2.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	63.46	74.00	-10.54	56.21	3	Vertical	38	2.02	-	33.70	6.46	32.91
PK	5.4616G	65.51	68.20	-2.69	58.25	3	Vertical	38	2.02	-	33.70	6.46	32.90
AV	5.45968G	48.64	54.00	-5.36	41.38	3	Vertical	38	2.02	-	33.70	6.46	32.90
PK	5.58256G	114.13	Inf	-Inf	106.63	3	Vertical	38	2.02	-	33.83	6.58	32.91
AV	5.58448G	100.40	Inf	-Inf	92.90	3	Vertical	38	2.02	-	33.83	6.58	32.91
PK	5.7304G	62.26	68.20	-5.94	54.34	3	Vertical	38	2.02	-	34.24	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
 SET 99  
 102/82/92/97/99/100/99  
 -1.24/6.08/5.76/5.08/3.60/-1.78/3.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	63.49	74.00	-10.51	56.24	3	Horizontal	303	1.92	-	33.70	6.46	32.91
AV	5.4584G	49.60	54.00	-4.40	42.34	3	Horizontal	303	1.92	-	33.70	6.46	32.90
PK	5.46608G	64.83	68.20	-3.37	57.56	3	Horizontal	303	1.92	-	33.70	6.47	32.90
PK	5.57616G	120.48	Inf	-Inf	112.96	3	Horizontal	303	1.92	-	33.85	6.58	32.91
AV	5.57616G	107.31	Inf	-Inf	99.79	3	Horizontal	303	1.92	-	33.85	6.58	32.91
PK	5.72592G	64.23	68.20	-3.97	56.34	3	Horizontal	303	1.92	-	34.21	6.60	32.92

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TnomVnom




EUTX\_1TX  
 SET 99  
 99  
 2.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74244G	65.36	68.20	-2.84	46.48	3	Vertical	15	1.80	-	40.44	10.72	32.28



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5580MHz\_TnomVnom




EUTX\_1TX  
SET 99  
99  
3.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.74207G	65.06	68.20	-3.14	46.18	3	Horizontal	46	1.80	-	40.44	10.72	32.28

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
 SET 66  
 80/60/70/65/67/66  
 -10.46/6.14/-0.66/3.23/-2.08/1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.691G	106.17	Inf	-Inf	98.47	3	Vertical	22	2.03	-	34.02	6.60	32.92
AV	5.7044G	92.63	Inf	-Inf	84.91	3	Vertical	22	2.03	-	34.04	6.60	32.92
PK	5.7252G	66.23	68.20	-1.97	58.35	3	Vertical	22	2.03	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
 SET 58  
 66/46/56/61/59/58  
 -3.14/6.73/3.69/-0.56/-1.22/3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	111.17	Inf	-Inf	103.48	3	Horizontal	308	1.76	-	34.01	6.60	32.92
AV	5.703G	96.87	Inf	-Inf	89.17	3	Horizontal	308	1.76	-	34.02	6.60	32.92
PK	5.7254G	64.59	68.20	-3.61	56.71	3	Horizontal	308	1.76	-	34.20	6.60	32.92

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TnomVnom




EUTX\_1TX  
SET 58  
58  
1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09829G	66.54	68.20	-1.66	46.40	3	Vertical	186	2.84	-	41.39	10.83	32.08

802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TnomVnom



EUT X\_1TX  
SET 58  
58  
1.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09638G	66.23	68.20	-1.97	46.09	3	Horizontal	360	2.65	-	41.39	10.83	32.08


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 80/100/102  
 6.76/6.66/6.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	59.47	74.00	-14.53	52.23	3	Vertical	22	1.98	-	33.70	6.45	32.91
AV	5.45756G	47.23	54.00	-6.77	39.98	3	Vertical	22	1.98	-	33.70	6.46	32.91
PK	5.4662G	59.49	68.20	-8.71	52.22	3	Vertical	22	1.98	-	33.70	6.47	32.90
PK	5.71784G	114.92	Inf	-Inf	107.10	3	Vertical	22	1.98	-	34.14	6.60	32.92
AV	5.71784G	102.09	Inf	-Inf	94.27	3	Vertical	22	1.98	-	34.14	6.60	32.92
PK	5.85068G	61.72	68.20	-6.48	53.26	3	Vertical	22	1.98	-	34.80	6.60	32.94


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 102  
 4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	60.02	74.00	-13.98	52.78	3	Horizontal	307	1.80	-	33.70	6.45	32.91
AV	5.45108G	47.71	54.00	-6.29	40.47	3	Horizontal	307	1.80	-	33.70	6.45	32.91
PK	5.4608G	60.83	68.20	-7.37	53.57	3	Horizontal	307	1.80	-	33.70	6.46	32.90
PK	5.72324G	121.05	Inf	-Inf	113.18	3	Horizontal	307	1.80	-	34.19	6.60	32.92
AV	5.72216G	107.45	Inf	-Inf	99.59	3	Horizontal	307	1.80	-	34.18	6.60	32.92
PK	5.85068G	63.36	68.20	-4.84	54.90	3	Horizontal	307	1.80	-	34.80	6.60	32.94

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 102  
 102  
 1.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15587G	67.02	68.20	-1.18	46.71	3	Vertical	0	2.51	-	41.51	10.85	32.05



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 100  
 102/82/92/97/99/100  
 -0.41/1.65/1.74/1.19/1.34/1.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16256G	66.60	68.20	-1.60	46.27	3	Horizontal	32	1.76	-	41.53	10.85	32.05

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_X\_1TX  
 SET 92  
 80/100/90/95/93/92  
 5.37/-6.64/1.61/-2.20/-1.01/0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.20	74.00	-13.80	54.07	3	Vertical	19	1.79	-	32.70	6.37	32.94
AV	5.13728G	47.78	54.00	-6.22	41.62	3	Vertical	19	1.79	-	32.73	6.37	32.94
PK	5.2644G	110.96	Inf	-Inf	104.66	3	Vertical	19	1.79	-	32.83	6.40	32.93
AV	5.26216G	98.82	Inf	-Inf	92.53	3	Vertical	19	1.79	-	32.82	6.40	32.93
PK	5.35G	65.45	74.00	-8.55	58.97	3	Vertical	19	1.79	-	33.00	6.40	32.92
AV	5.35G	53.80	54.00	-0.20	47.32	3	Vertical	19	1.79	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_X\_1TX  
 SET 85  
 92/72/82/87/85/86/85  
 -4.92/4.69/1.39/-0.58/0.51/-0.29/0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	60.41	74.00	-13.59	54.27	3	Horizontal	281	1.78	-	32.71	6.37	32.94
AV	5.14904G	48.07	54.00	-5.93	41.94	3	Horizontal	281	1.78	-	32.70	6.37	32.94
PK	5.2784G	114.46	Inf	-Inf	108.13	3	Horizontal	281	1.78	-	32.86	6.40	32.93
AV	5.26832G	102.37	Inf	-Inf	96.06	3	Horizontal	281	1.78	-	32.84	6.40	32.93
PK	5.35064G	66.37	74.00	-7.63	59.89	3	Horizontal	281	1.78	-	33.00	6.40	32.92
AV	5.35064G	53.21	54.00	-0.79	46.73	3	Horizontal	281	1.78	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUTX\_1TX  
 SET 85  
 85  
 7.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80288G	59.26	74.00	-14.74	43.29	3	Vertical	116	1.80	-	38.30	10.44	32.77
AV	15.8179G	46.80	54.00	-7.20	30.80	3	Vertical	116	1.80	-	38.32	10.45	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUTX\_1TX  
 SET 85  
 85  
 7.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80398G	59.48	74.00	-14.52	43.51	3	Horizontal	0	1.34	-	38.30	10.44	32.77
AV	15.8093G	46.88	54.00	-7.12	30.90	3	Horizontal	0	1.34	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUTX\_1TX  
 SET 84  
 80/100/90/85/83/84  
 3.49/-26.08/-11.80/-1.03/1.13/0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30352G	107.99	Inf	-Inf	101.60	3	Vertical	19	1.80	-	32.91	6.40	32.92
AV	5.3052G	95.67	Inf	-Inf	89.28	3	Vertical	19	1.80	-	32.91	6.40	32.92
PK	5.3508G	67.98	74.00	-6.02	61.50	3	Vertical	19	1.80	-	33.00	6.40	32.92
AV	5.35032G	53.51	54.00	-0.49	47.03	3	Vertical	19	1.80	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT\_X\_1TX  
 SET 79  
 84/64/74/79/81/80/79  
 -4.67/4.39/2.62/1.42/-0.50/-0.39/0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30184G	112.53	Inf	-Inf	106.15	3	Horizontal	282	1.77	-	32.90	6.40	32.92
AV	5.3148G	100.33	Inf	-Inf	93.92	3	Horizontal	282	1.77	-	32.93	6.40	32.92
PK	5.35128G	65.34	74.00	-8.66	58.85	3	Horizontal	282	1.77	-	33.01	6.40	32.92
AV	5.35032G	53.09	54.00	-0.91	46.61	3	Horizontal	282	1.77	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT\_X\_1TX  
SET 79  
79  
5.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93622G	61.64	74.00	-12.36	45.51	3	Vertical	158	1.80	-	38.40	10.48	32.75
AV	15.93422G	48.52	54.00	-5.48	32.39	3	Vertical	158	1.80	-	38.40	10.48	32.75



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT\_X\_1TX  
SET 79  
79  
5.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93978G	61.61	74.00	-12.39	45.48	3	Horizontal	360	1.45	-	38.40	10.48	32.75
AV	15.93718G	48.78	54.00	-5.22	32.65	3	Horizontal	360	1.45	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT\_X\_1TX  
 SET 78  
 80/60/70/75/77/78  
 -2.27/5.06/4.99/4.93/3.05/1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	63.45	74.00	-10.55	56.19	3	Vertical	22	2.00	-	33.70	6.46	32.90
AV	5.45984G	50.45	54.00	-3.55	43.19	3	Vertical	22	2.00	-	33.70	6.46	32.90
PK	5.46848G	67.19	68.20	-1.01	59.92	3	Vertical	22	2.00	-	33.70	6.47	32.90
PK	5.5256G	108.12	Inf	-Inf	100.69	3	Vertical	22	2.00	-	33.80	6.53	32.90
AV	5.51576G	95.67	Inf	-Inf	88.29	3	Vertical	22	2.00	-	33.76	6.52	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT\_X\_1TX  
 SET 74  
 78/58/68/73/75/76/75/74  
 -4.10/4.63/3.88/2.97/1.73/-1.58/-0.01/2.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45888G	63.29	74.00	-10.71	56.03	3	Horizontal	302	1.74	-	33.70	6.46	32.90
AV	5.45936G	51.38	54.00	-2.62	44.12	3	Horizontal	302	1.74	-	33.70	6.46	32.90
PK	5.46584G	66.13	68.20	-2.07	58.86	3	Horizontal	302	1.74	-	33.70	6.47	32.90
PK	5.52032G	113.25	Inf	-Inf	105.85	3	Horizontal	302	1.74	-	33.78	6.52	32.90
AV	5.5172G	100.62	Inf	-Inf	93.23	3	Horizontal	302	1.74	-	33.77	6.52	32.90

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TnomVnom




EUTX\_1TX  
 SET 74  
 74  
 3.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53092G	64.66	68.20	-3.54	46.11	3	Vertical	95	1.80	-	40.30	10.66	32.41

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TnomVnom




EUTX\_1TX  
SET 74  
74  
3.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53736G	65.01	68.20	-3.19	46.46	3	Horizontal	266	1.80	-	40.30	10.66	32.41

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT\_X\_1TX  
 SET 89  
 80/100/90/95/93/92/90/89  
 4.49/-9.04/1.45/-3.30/-0.76/-1.14/-0.36/2.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.70	74.00	-16.30	51.22	3	Vertical	22	1.97	-	33.00	6.40	32.92
AV	5.35G	47.56	54.00	-6.44	41.08	3	Vertical	22	1.97	-	33.00	6.40	32.92
PK	5.4596G	64.78	74.00	-9.22	57.52	3	Vertical	22	1.97	-	33.70	6.46	32.90
AV	5.4596G	51.91	54.00	-2.09	44.65	3	Vertical	22	1.97	-	33.70	6.46	32.90
PK	5.4668G	65.25	68.20	-2.95	57.98	3	Vertical	22	1.97	-	33.70	6.47	32.90
PK	5.5404G	110.47	Inf	-Inf	102.97	3	Vertical	22	1.97	-	33.86	6.54	32.90
AV	5.5348G	98.30	Inf	-Inf	90.83	3	Vertical	22	1.97	-	33.84	6.53	32.90
PK	5.7348G	62.19	68.20	-6.01	54.23	3	Vertical	22	1.97	-	34.28	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT X\_1TX  
 SET 83  
 89/69/79/84/82/83  
 -2.60/4.35/2.62/-0.23/0.33/0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.58	74.00	-15.42	52.10	3	Horizontal	299	1.84	-	33.00	6.40	32.92
AV	5.35G	48.34	54.00	-5.66	41.86	3	Horizontal	299	1.84	-	33.00	6.40	32.92
PK	5.4556G	66.14	74.00	-7.86	58.89	3	Horizontal	299	1.84	-	33.70	6.46	32.91
AV	5.4596G	53.31	54.00	-0.69	46.05	3	Horizontal	299	1.84	-	33.70	6.46	32.90
PK	5.4668G	67.28	68.20	-0.92	60.01	3	Horizontal	299	1.84	-	33.70	6.47	32.90
PK	5.542G	114.86	Inf	-Inf	107.35	3	Horizontal	299	1.84	-	33.87	6.54	32.90
AV	5.5444G	103.23	Inf	-Inf	95.71	3	Horizontal	299	1.84	-	33.88	6.54	32.90
PK	5.726G	61.77	68.20	-6.43	53.88	3	Horizontal	299	1.84	-	34.21	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUTX\_1TX  
SET 83  
83  
4.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.64326G	64.13	68.20	-4.07	45.44	3	Vertical	264	1.80	-	40.34	10.69	32.34



802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TnomVnom




EUTX\_1TX  
 SET 83  
 83  
 4.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.64076G	64.04	68.20	-4.16	45.36	3	Horizontal	293	2.35	-	40.34	10.69	32.35

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT\_X\_1TX  
SET 80  
80  
0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65752G	107.26	Inf	-Inf	99.50	3	Vertical	22	2.07	-	34.08	6.60	32.92
AV	5.66264G	95.04	Inf	-Inf	87.29	3	Vertical	22	2.07	-	34.07	6.60	32.92
PK	5.72568G	68.17	68.20	-0.03	60.28	3	Vertical	22	2.07	-	34.21	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT\_X\_1TX  
 SET 70  
 80/60/70/75/73/72/70  
 -5.57/5.89/0.97/-2.16/-1.06/-0.38/1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66776G	110.52	Inf	-Inf	102.78	3	Horizontal	307	1.69	-	34.06	6.60	32.92
AV	5.6636G	98.03	Inf	-Inf	90.28	3	Horizontal	307	1.69	-	34.07	6.60	32.92
PK	5.72856G	66.88	68.20	-1.32	58.97	3	Horizontal	307	1.69	-	34.23	6.60	32.92

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TnomVnom




EUTX\_1TX  
SET 70  
70  
3.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.0143G	64.75	68.20	-3.45	44.93	3	Vertical	360	2.35	-	41.14	10.80	32.12

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX


#### 5670MHz\_TnomVnom



EUTX\_1TX  
 SET 70  
 70  
 3.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.01792G	65.14	68.20	-3.06	45.30	3	Horizontal	133	1.80	-	41.15	10.81	32.12


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 80/100/102  
 5.29/5.26/5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	59.48	74.00	-14.52	52.23	3	Vertical	23	1.98	-	33.70	6.46	32.91
AV	5.45624G	48.71	54.00	-5.29	41.46	3	Vertical	23	1.98	-	33.70	6.46	32.91
PK	5.46872G	61.65	68.20	-6.55	54.38	3	Vertical	23	1.98	-	33.70	6.47	32.90
PK	5.7152G	111.58	Inf	-Inf	103.78	3	Vertical	23	1.98	-	34.12	6.60	32.92
AV	5.7152G	99.87	Inf	-Inf	92.07	3	Vertical	23	1.98	-	34.12	6.60	32.92
PK	5.85G	62.68	68.20	-5.52	54.22	3	Vertical	23	1.98	-	34.80	6.60	32.94


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 102  
 102  
 2.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45208G	60.73	74.00	-13.27	53.49	3	Horizontal	306	1.85	-	33.70	6.45	32.91
AV	5.45416G	49.57	54.00	-4.43	42.33	3	Horizontal	306	1.85	-	33.70	6.45	32.91
PK	5.46664G	60.62	68.20	-7.58	53.35	3	Horizontal	306	1.85	-	33.70	6.47	32.90
PK	5.71104G	118.11	Inf	-Inf	110.34	3	Horizontal	306	1.85	-	34.09	6.60	32.92
AV	5.7152G	105.75	Inf	-Inf	97.95	3	Horizontal	306	1.85	-	34.12	6.60	32.92
PK	5.85872G	65.80	68.20	-2.40	57.32	3	Horizontal	306	1.85	-	34.82	6.60	32.94

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 102  
 102  
 2.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.13484G	66.14	68.20	-2.06	45.89	3	Vertical	335	1.80	-	41.47	10.84	32.06



**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 102  
 102  
 1.98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1362G	66.22	68.20	-1.98	45.97	3	Horizontal	76	1.80	-	41.47	10.84	32.06

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_X\_1TX  
 SET 84  
 80/100/90/85/83/84  
 3.52/-24.77/-10.52/-1.89/1.90/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13512G	59.54	74.00	-14.46	53.38	3	Vertical	18	1.92	-	32.73	6.37	32.94
AV	5.14664G	47.56	54.00	-6.44	41.42	3	Vertical	18	1.92	-	32.71	6.37	32.94
PK	5.2612G	104.78	Inf	-Inf	98.49	3	Vertical	18	1.92	-	32.82	6.40	32.93
AV	5.28104G	93.21	Inf	-Inf	86.88	3	Vertical	18	1.92	-	32.86	6.40	32.93
PK	5.35G	65.39	74.00	-8.61	58.91	3	Vertical	18	1.92	-	33.00	6.40	32.92
AV	5.35G	53.48	54.00	-0.52	47.00	3	Vertical	18	1.92	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_X\_1TX  
 SET 79  
 84/64/74/79/81/80/79  
 -5.44/4.26/2.07/0.50/-0.34/-0.29/0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	59.97	74.00	-14.03	53.83	3	Horizontal	282	1.78	-	32.71	6.37	32.94
AV	5.14216G	47.78	54.00	-6.22	41.63	3	Horizontal	282	1.78	-	32.72	6.37	32.94
PK	5.2772G	109.69	Inf	-Inf	103.37	3	Horizontal	282	1.78	-	32.85	6.40	32.93
AV	5.2772G	97.48	Inf	-Inf	91.16	3	Horizontal	282	1.78	-	32.85	6.40	32.93
PK	5.35784G	64.47	74.00	-9.53	57.96	3	Horizontal	282	1.78	-	33.03	6.40	32.92
AV	5.35G	53.38	54.00	-0.62	46.90	3	Horizontal	282	1.78	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT\_X\_1TX  
SET 79  
79  
6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88116G	60.24	74.00	-13.76	44.16	3	Vertical	196	1.80	-	38.38	10.46	32.76
AV	15.8852G	47.92	54.00	-6.08	31.82	3	Vertical	196	1.80	-	38.39	10.47	32.76

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT\_X\_1TX  
SET 79  
79  
6.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88444G	60.75	74.00	-13.25	44.66	3	Horizontal	264	1.80	-	38.38	10.47	32.76
AV	15.88276G	47.97	54.00	-6.03	31.89	3	Horizontal	264	1.80	-	38.38	10.46	32.76

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT\_X\_1TX  
 SET 78  
 80/60/70/75/77/78  
 -1.23/5.27/4.92/4.40/3.46/3.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45224G	62.74	74.00	-11.26	55.50	3	Vertical	19	2.10	-	33.70	6.45	32.91
AV	5.4564G	50.49	54.00	-3.51	43.24	3	Vertical	19	2.10	-	33.70	6.46	32.91
PK	5.46536G	63.43	68.20	-4.77	56.16	3	Vertical	19	2.10	-	33.70	6.47	32.90
PK	5.51752G	104.26	Inf	-Inf	96.87	3	Vertical	19	2.10	-	33.77	6.52	32.90
AV	5.54216G	92.16	Inf	-Inf	84.65	3	Vertical	19	2.10	-	33.87	6.54	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 78/58/68/73/75/76  
 -1.72/4.15/2.61/1.46/1.43/0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	65.66	74.00	-8.34	58.41	3	Horizontal	300	1.86	-	33.70	6.46	32.91
AV	5.4596G	53.46	54.00	-0.54	46.20	3	Horizontal	300	1.86	-	33.70	6.46	32.90
PK	5.46984G	67.27	68.20	-0.93	60.00	3	Horizontal	300	1.86	-	33.70	6.47	32.90
PK	5.51816G	110.41	Inf	-Inf	103.02	3	Horizontal	300	1.86	-	33.77	6.52	32.90
AV	5.53288G	97.72	Inf	-Inf	90.26	3	Horizontal	300	1.86	-	33.83	6.53	32.90

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TnomVnom




EUTX\_1TX  
 SET 76  
 76  
 3.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.60412G	64.61	68.20	-3.59	46.00	3	Vertical	1	1.80	-	40.30	10.68	32.37



802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 76  
 3.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.60232G	65.04	68.20	-3.16	46.43	3	Horizontal	161	2.87	-	40.30	10.68	32.37

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT X\_1TX  
 SET 84  
 80/100/90/85/87/86/85/84  
 2.98/-11.68/-2.44/1.25/-0.22/-0.45/-0.36/1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.14	74.00	-11.86	54.88	3	Vertical	24	1.78	-	33.70	6.46	32.90
AV	5.45896G	50.63	54.00	-3.37	43.37	3	Vertical	24	1.78	-	33.70	6.46	32.90
PK	5.4692G	63.26	68.20	-4.94	55.99	3	Vertical	24	1.78	-	33.70	6.47	32.90
PK	5.6228G	105.13	Inf	-Inf	97.50	3	Vertical	24	1.78	-	33.94	6.60	32.91
AV	5.6228G	93.28	Inf	-Inf	85.65	3	Vertical	24	1.78	-	33.94	6.60	32.91
PK	5.73928G	66.22	68.20	-1.98	58.23	3	Vertical	24	1.78	-	34.31	6.60	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_X\_1TX  
 SET 76  
 84/64/74/79/77/76  
 -4.68/4.91/0.84/-1.82/-1.15/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	62.34	74.00	-11.66	55.10	3	Horizontal	304	1.80	-	33.70	6.45	32.91
AV	5.45512G	50.14	54.00	-3.86	42.89	3	Horizontal	304	1.80	-	33.70	6.46	32.91
PK	5.46984G	62.76	68.20	-5.44	55.49	3	Horizontal	304	1.80	-	33.70	6.47	32.90
PK	5.60104G	108.91	Inf	-Inf	101.41	3	Horizontal	304	1.80	-	33.81	6.60	32.91
AV	5.594G	96.87	Inf	-Inf	89.38	3	Horizontal	304	1.80	-	33.81	6.59	32.91
PK	5.73032G	68.14	68.20	-0.06	60.22	3	Horizontal	304	1.80	-	34.24	6.60	32.92

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TnomVnom




EUTX\_1TX  
SET 76  
76  
4.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.84028G	63.83	68.20	-4.37	44.61	3	Vertical	338	1.80	-	40.70	10.75	32.23

802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TnomVnom



EUTX\_1TX  
SET 76  
76  
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.83228G	63.54	68.20	-4.66	44.36	3	Horizontal	196	1.80	-	40.66	10.75	32.23


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 98  
 80/100/90/95/97/98  
 5.25/-0.95/4.12/1.59/2.40/1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	62.26	74.00	-11.74	55.02	3	Vertical	22	2.02	-	33.70	6.45	32.91
PK	5.46536G	62.12	68.20	-6.08	54.85	3	Vertical	22	2.02	-	33.70	6.47	32.90
AV	5.4596G	51.04	54.00	-2.96	43.78	3	Vertical	22	2.02	-	33.70	6.46	32.90
PK	5.66408G	108.25	Inf	-Inf	100.50	3	Vertical	22	2.02	-	34.07	6.60	32.92
AV	5.70632G	96.07	Inf	-Inf	88.34	3	Vertical	22	2.02	-	34.05	6.60	32.92
PK	5.85G	66.89	68.20	-1.31	58.43	3	Vertical	22	2.02	-	34.80	6.60	32.94


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_1TX  
 SET 90  
 98/78/88/93/91/90  
 -4.46/4.83/1.45/-1.48/-0.09/0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45096G	62.90	74.00	-11.10	55.66	3	Horizontal	308	1.76	-	33.70	6.45	32.91
AV	5.4548G	50.19	54.00	-3.81	42.95	3	Horizontal	308	1.76	-	33.70	6.45	32.91
PK	5.46824G	62.04	68.20	-6.16	54.77	3	Horizontal	308	1.76	-	33.70	6.47	32.90
PK	5.72552G	111.85	Inf	-Inf	103.97	3	Horizontal	308	1.76	-	34.20	6.60	32.92
AV	5.70152G	100.18	Inf	-Inf	92.49	3	Horizontal	308	1.76	-	34.01	6.60	32.92
PK	5.85128G	67.97	68.20	-0.23	59.51	3	Horizontal	308	1.76	-	34.80	6.60	32.94

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_1TX  
 SET 90  
 90  
 2.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.07524G	65.76	68.20	-2.44	45.70	3	Vertical	109	1.80	-	41.33	10.82	32.09



802.11ax HEW80\_Nss1,(MCS0)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT\_X\_1TX  
SET 90  
90  
1.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.05028G	66.42	68.20	-1.78	46.45	3	Horizontal	249	1.80	-	41.25	10.82	32.10

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT X\_1TX\_ANT 0  
 Setting 60  
 01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	60.39	74.00	-13.61	54.25	3	Vertical	14	1.91	-	32.71	6.37	32.94
AV	5.1476G	49.60	54.00	-4.40	43.47	3	Vertical	14	1.91	-	32.70	6.37	32.94
PK	5.266G	97.10	Inf	-Inf	90.80	3	Vertical	14	1.91	-	32.83	6.40	32.93
AV	5.226G	86.29	Inf	-Inf	80.07	3	Vertical	14	1.91	-	32.75	6.40	32.93
PK	5.3556G	61.68	74.00	-12.32	55.18	3	Vertical	14	1.91	-	33.02	6.40	32.92
AV	5.3748G	50.90	54.00	-3.10	44.32	3	Vertical	14	1.91	-	33.10	6.40	32.92
PK	5.5972G	60.36	68.20	-7.84	52.86	3	Vertical	14	1.91	-	33.81	6.60	32.91

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX


### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom



EUT\_X\_1TX\_ANT 0  
Setting 60  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	62.16	74.00	-11.84	56.02	3	Horizontal	284	1.79	-	32.71	6.37	32.94
AV	5.1444G	51.37	54.00	-2.63	45.23	3	Horizontal	284	1.79	-	32.71	6.37	32.94
PK	5.2868G	101.72	Inf	-Inf	95.38	3	Horizontal	284	1.79	-	32.87	6.40	32.93
AV	5.2788G	90.85	Inf	-Inf	84.52	3	Horizontal	284	1.79	-	32.86	6.40	32.93
PK	5.362G	64.52	74.00	-9.48	57.99	3	Horizontal	284	1.79	-	33.05	6.40	32.92
AV	5.3636G	53.95	54.00	-0.05	47.42	3	Horizontal	284	1.79	-	33.05	6.40	32.92
PK	5.4644G	61.35	68.20	-6.85	54.09	3	Horizontal	284	1.79	-	33.70	6.46	32.90


**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**



EUT X\_1TX\_ANT 0  
 Setting 60  
 01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75382G	59.82	74.00	-14.18	44.15	3	Vertical	1	1.99	-	38.02	10.43	32.78
AV	15.74908G	48.28	54.00	-5.72	32.65	3	Vertical	1	1.99	-	37.99	10.42	32.78

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT X\_1TX\_ANT 0  
 Setting 60  
 01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74866G	59.41	74.00	-14.59	43.78	3	Horizontal	130	1.83	-	37.99	10.42	32.78
AV	15.745G	48.13	54.00	-5.87	32.52	3	Horizontal	130	1.83	-	37.97	10.42	32.78

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 5570MHz\_TnomVnom




EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2532G	59.66	68.20	-8.54	53.38	3	Vertical	16	1.95	-	32.81	6.40	32.93
PK	5.4532G	60.63	74.00	-13.37	53.39	3	Vertical	16	1.95	-	33.70	6.45	32.91
AV	5.4548G	50.73	54.00	-3.27	43.49	3	Vertical	16	1.95	-	33.70	6.45	32.91
PK	5.4612G	61.21	68.20	-6.99	53.95	3	Vertical	16	1.95	-	33.70	6.46	32.90
PK	5.5812G	96.58	Inf	-Inf	89.07	3	Vertical	16	1.95	-	33.84	6.58	32.91
AV	5.5892G	85.83	Inf	-Inf	78.33	3	Vertical	16	1.95	-	33.82	6.59	32.91
PK	5.7572G	61.70	68.20	-6.50	53.63	3	Vertical	16	1.95	-	34.40	6.60	32.93

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 5570MHz\_TnomVnom




EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	59.82	68.20	-8.38	53.44	3	Horizontal	286	1.85	-	32.90	6.40	32.92
PK	5.4548G	64.26	74.00	-9.74	57.02	3	Horizontal	286	1.85	-	33.70	6.45	32.91
AV	5.4564G	53.95	54.00	-0.05	46.70	3	Horizontal	286	1.85	-	33.70	6.46	32.91
PK	5.4628G	64.78	68.20	-3.42	57.52	3	Horizontal	286	1.85	-	33.70	6.46	32.90
PK	5.5892G	102.09	Inf	-Inf	94.59	3	Horizontal	286	1.85	-	33.82	6.59	32.91
AV	5.5956G	90.12	Inf	-Inf	82.62	3	Horizontal	286	1.85	-	33.81	6.60	32.91
PK	5.77G	62.13	68.20	-6.07	54.06	3	Horizontal	286	1.85	-	34.40	6.60	32.93

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 5570MHz\_TnomVnom




EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13552G	55.09	74.00	-18.91	40.72	3	Vertical	62	1.46	-	38.36	8.78	32.77
AV	11.13654G	43.97	54.00	-10.03	29.60	3	Vertical	62	1.46	-	38.36	8.78	32.77



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 5570MHz\_TnomVnom



EUT X\_1TX\_ANT 0  
Setting 58  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13896G	56.09	74.00	-17.91	41.72	3	Horizontal	16	2.47	-	38.36	8.78	32.77
AV	11.1444G	44.08	54.00	-9.92	29.70	3	Horizontal	16	2.47	-	38.36	8.79	32.77




For 2T1S and 2T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Horizontal	278	1.68	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.64/3.20/2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14612G	61.42	74.00	-12.58	55.28	3	Vertical	10	1.97	-	32.71	6.37	32.94
AV	5.14612G	47.88	54.00	-6.12	41.74	3	Vertical	10	1.97	-	32.71	6.37	32.94
PK	5.2548G	119.04	Inf	-Inf	112.76	3	Vertical	10	1.97	-	32.81	6.40	32.93
AV	5.2548G	107.50	Inf	-Inf	101.22	3	Vertical	10	1.97	-	32.81	6.40	32.93
PK	5.35308G	71.94	74.00	-2.06	65.45	3	Vertical	10	1.97	-	33.01	6.40	32.92
AV	5.35G	51.91	54.00	-2.09	45.43	3	Vertical	10	1.97	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 99  
 102/82/92/97/99/100/99  
 -1.83/5.31/4.53/3.30/0.70/-0.40/0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	65.63	74.00	-8.37	59.50	3	Horizontal	66	2.06	-	32.70	6.37	32.94
AV	5.14924G	49.29	54.00	-4.71	43.16	3	Horizontal	66	2.06	-	32.70	6.37	32.94
PK	5.2548G	124.01	Inf	-Inf	117.73	3	Horizontal	66	2.06	-	32.81	6.40	32.93
AV	5.26468G	113.44	Inf	-Inf	107.14	3	Horizontal	66	2.06	-	32.83	6.40	32.93
PK	5.35412G	69.79	74.00	-4.21	63.29	3	Horizontal	66	2.06	-	33.02	6.40	32.92
AV	5.35G	53.64	54.00	-0.36	47.16	3	Horizontal	66	2.06	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
SET 99  
99  
0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78141G	68.90	74.00	-5.10	53.05	3	Vertical	356	1.80	-	38.19	10.43	32.77
AV	15.78142G	53.76	54.00	-0.24	37.91	3	Vertical	356	1.80	-	38.19	10.43	32.77

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 93  
 99/79/89/94/92/93  
 -2.26/6.69/2.12/-0.41/0.63/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78334G	68.47	74.00	-5.53	52.60	3	Horizontal	358	1.74	-	38.20	10.44	32.77
AV	15.77874G	53.86	54.00	-0.14	38.04	3	Horizontal	358	1.74	-	38.17	10.43	32.78

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 97  
 80/100/90/95/97/98/97  
 6.66/-1.44/5.64/3.36/1.18/-0.06/0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30364G	116.77	Inf	-Inf	110.38	3	Vertical	11	2.15	-	32.91	6.40	32.92
AV	5.30392G	106.21	Inf	-Inf	99.82	3	Vertical	11	2.15	-	32.91	6.40	32.92
PK	5.35376G	69.08	74.00	-4.92	62.58	3	Vertical	11	2.15	-	33.02	6.40	32.92
AV	5.35292G	53.39	54.00	-0.61	46.90	3	Vertical	11	2.15	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUTX\_2TX  
 SET 91  
 97/77/87/92/90/91  
 -5.91/4.74/2.53/-0.28/1.63/0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	120.71	Inf	-Inf	114.34	3	Horizontal	65	2.06	-	32.89	6.40	32.92
AV	5.29916G	111.21	Inf	-Inf	104.83	3	Horizontal	65	2.06	-	32.90	6.40	32.92
PK	5.35376G	70.15	74.00	-3.85	63.65	3	Horizontal	65	2.06	-	33.02	6.40	32.92
AV	5.35G	53.25	54.00	-0.75	46.77	3	Horizontal	65	2.06	-	33.00	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
SET 91  
91  
4.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90331G	63.62	74.00	-10.38	47.51	3	Vertical	332	1.80	-	38.40	10.47	32.76
AV	15.90195G	49.50	54.00	-4.50	33.39	3	Vertical	332	1.80	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
SET 91  
91  
3.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90082G	64.46	74.00	-9.54	48.35	3	Horizontal	358	1.80	-	38.40	10.47	32.76
AV	15.89917G	50.13	54.00	-3.87	34.02	3	Horizontal	358	1.80	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUTX\_2TX  
 SET 92  
 80/100/90/95/93/92  
 5.83/-12.01/1.68/-2.45/-0.60/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	114.62	Inf	-Inf	108.20	3	Vertical	1	1.73	-	32.94	6.40	32.92
AV	5.3216G	103.93	Inf	-Inf	97.51	3	Vertical	1	1.73	-	32.94	6.40	32.92
PK	5.3564G	70.02	74.00	-3.98	63.51	3	Vertical	1	1.73	-	33.03	6.40	32.92
AV	5.3512G	53.91	54.00	-0.09	47.43	3	Vertical	1	1.73	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 92/72/82/87/85/84  
 -6.93/3.90/1.55/-1.68/-0.32/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	118.46	Inf	-Inf	112.04	3	Horizontal	284	1.69	-	32.94	6.40	32.92
AV	5.3226G	108.78	Inf	-Inf	102.35	3	Horizontal	284	1.69	-	32.95	6.40	32.92
PK	5.3528G	68.40	74.00	-5.60	61.91	3	Horizontal	284	1.69	-	33.01	6.40	32.92
AV	5.3524G	53.60	54.00	-0.40	47.11	3	Horizontal	284	1.69	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
SET 84  
84  
5.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96148G	62.26	74.00	-11.74	46.12	3	Vertical	346	1.21	-	38.40	10.49	32.75
AV	15.96232G	48.05	54.00	-5.95	31.91	3	Vertical	346	1.21	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
SET 84  
84  
6.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95671G	61.54	74.00	-12.46	45.40	3	Horizontal	4	1.80	-	38.40	10.49	32.75
AV	15.95863G	47.94	54.00	-6.06	31.80	3	Horizontal	4	1.80	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 85  
 80/100/90/85  
 4.85/-19.29/-7.67/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	62.55	74.00	-11.45	55.31	3	Vertical	1	1.74	-	33.70	6.45	32.91
AV	5.456G	49.31	54.00	-4.69	42.06	3	Vertical	1	1.74	-	33.70	6.46	32.91
PK	5.47G	68.16	68.20	-0.04	60.89	3	Vertical	1	1.74	-	33.70	6.47	32.90
PK	5.5012G	113.84	Inf	-Inf	106.54	3	Vertical	1	1.74	-	33.70	6.50	32.90
AV	5.5014G	104.16	Inf	-Inf	96.85	3	Vertical	1	1.74	-	33.71	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 85/65/75/80  
 -5.51/5.08/3.67/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	65.02	74.00	-8.98	57.78	3	Horizontal	283	1.64	-	33.70	6.45	32.91
AV	5.4582G	51.25	54.00	-2.75	44.00	3	Horizontal	283	1.64	-	33.70	6.46	32.91
PK	5.4672G	68.16	68.20	-0.04	60.89	3	Horizontal	283	1.64	-	33.70	6.47	32.90
PK	5.5026G	117.61	Inf	-Inf	110.30	3	Horizontal	283	1.64	-	33.71	6.50	32.90
AV	5.4974G	107.93	Inf	-Inf	100.63	3	Horizontal	283	1.64	-	33.70	6.50	32.90



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 77  
 80/60/70/75/77/78/77  
 -2.52/3.84/2.37/1.76/0.28/-0.10/0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50042G	67.77	68.20	-0.43	49.25	3	Vertical	14	1.68	-	40.30	10.65	32.43

802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 77  
 77  
 1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.50304G	67.14	68.20	-1.06	48.62	3	Horizontal	17	1.72	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 6.15/5.53/5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45072G	61.53	74.00	-12.47	54.29	3	Vertical	3	1.79	-	33.70	6.45	32.91
AV	5.4552G	48.71	54.00	-5.29	41.46	3	Vertical	3	1.79	-	33.70	6.46	32.91
PK	5.46096G	61.95	68.20	-6.25	54.69	3	Vertical	3	1.79	-	33.70	6.46	32.90
PK	5.58128G	117.59	Inf	-Inf	110.08	3	Vertical	3	1.79	-	33.84	6.58	32.91
AV	5.57552G	106.93	Inf	-Inf	99.41	3	Vertical	3	1.79	-	33.85	6.58	32.91
PK	5.72656G	61.30	68.20	-6.90	53.41	3	Vertical	3	1.79	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 100  
 102/82/92/97/99/100  
 -1.37/5.33/4.77/4.57/3.97/3.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.96	74.00	-9.04	57.70	3	Horizontal	294	1.79	-	33.70	6.46	32.90
AV	5.45776G	50.34	54.00	-3.66	43.09	3	Horizontal	294	1.79	-	33.70	6.46	32.91
PK	5.46224G	64.56	68.20	-3.64	57.30	3	Horizontal	294	1.79	-	33.70	6.46	32.90
PK	5.58576G	123.47	Inf	-Inf	115.96	3	Horizontal	294	1.79	-	33.83	6.59	32.91
AV	5.57616G	112.59	Inf	-Inf	105.07	3	Horizontal	294	1.79	-	33.85	6.58	32.91
PK	5.73872G	62.88	68.20	-5.32	54.89	3	Horizontal	294	1.79	-	34.31	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 75  
 100/80/70/75  
 -11.21/-2.79/1.81/0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.73634G	68.03	68.20	-0.17	49.16	3	Vertical	45	1.60	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 73  
 75/55/65/70/72/73  
 -0.62/5.00/2.30/1.14/0.58/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74143G	68.06	68.20	-0.14	49.19	3	Horizontal	332	1.84	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
 SET 70  
 80/60/70/75/73/72/70  
 -5.21/5.52/0.52/-3.74/-1.77/-0.24/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	108.99	Inf	-Inf	101.30	3	Vertical	14	2.28	-	34.01	6.60	32.92
AV	5.7012G	99.60	Inf	-Inf	91.91	3	Vertical	14	2.28	-	34.01	6.60	32.92
PK	5.726G	67.68	68.20	-0.52	59.79	3	Vertical	14	2.28	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
 SET 67  
 70/50/60/65/67  
 -2.90/6.53/3.63/0.34/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	112.83	Inf	-Inf	105.14	3	Horizontal	292	1.13	-	34.01	6.60	32.92
AV	5.704G	103.34	Inf	-Inf	95.63	3	Horizontal	292	1.13	-	34.03	6.60	32.92
PK	5.7254G	68.02	68.20	-0.18	60.14	3	Horizontal	292	1.13	-	34.20	6.60	32.92



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
SET 67  
67  
1.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09505G	66.29	68.20	-1.91	46.15	3	Vertical	337	2.53	-	41.39	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
SET 67  
67  
1.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10363G	66.36	68.20	-1.84	46.20	3	Horizontal	294	1.80	-	41.41	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.23/6.22/6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	59.46	74.00	-14.54	52.21	3	Vertical	14	2.26	-	33.70	6.46	32.91
AV	5.45432G	47.76	54.00	-6.24	40.52	3	Vertical	14	2.26	-	33.70	6.45	32.91
PK	5.47G	60.39	68.20	-7.81	53.12	3	Vertical	14	2.26	-	33.70	6.47	32.90
PK	5.71568G	117.15	Inf	-Inf	109.34	3	Vertical	14	2.26	-	34.13	6.60	32.92
AV	5.71568G	106.67	Inf	-Inf	98.86	3	Vertical	14	2.26	-	34.13	6.60	32.92
PK	5.88524G	61.03	68.20	-7.17	52.50	3	Vertical	14	2.26	-	34.87	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
5.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45756G	60.51	74.00	-13.49	53.26	3	Horizontal	297	1.80	-	33.70	6.46	32.91
AV	5.45864G	48.25	54.00	-5.75	40.99	3	Horizontal	297	1.80	-	33.70	6.46	32.90
PK	5.46512G	59.84	68.20	-8.36	52.57	3	Horizontal	297	1.80	-	33.70	6.47	32.90
PK	5.71568G	121.31	Inf	-Inf	113.50	3	Horizontal	297	1.80	-	34.13	6.60	32.92
AV	5.7254G	110.95	Inf	-Inf	103.07	3	Horizontal	297	1.80	-	34.20	6.60	32.92
PK	5.855G	62.96	68.20	-5.24	54.49	3	Horizontal	297	1.80	-	34.81	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 102/82/72/77/75/74  
 -8.80/-3.26/0.93/-0.77/-0.63/0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15943G	67.86	68.20	-0.34	47.54	3	Vertical	31	1.40	-	41.52	10.85	32.05

802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 74/54/64/69/71/72  
 -0.18/2.51/1.88/0.95/0.49/0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.16002G	67.62	68.20	-0.58	47.30	3	Horizontal	30	1.80	-	41.52	10.85	32.05

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 100  
 80/100/102/101/100  
 5.73/2.35/-1.55/-1.97/1.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13676G	61.11	74.00	-12.89	54.95	3	Vertical	12	2.95	-	32.73	6.37	32.94
AV	5.14924G	48.24	54.00	-5.76	42.11	3	Vertical	12	2.95	-	32.70	6.37	32.94
PK	5.26416G	116.42	Inf	-Inf	110.12	3	Vertical	12	2.95	-	32.83	6.40	32.93
AV	5.26312G	104.57	Inf	-Inf	98.27	3	Vertical	12	2.95	-	32.83	6.40	32.93
PK	5.351G	64.38	74.00	-9.62	57.90	3	Vertical	12	2.95	-	33.00	6.40	32.92
AV	5.35152G	52.13	54.00	-1.87	45.64	3	Vertical	12	2.95	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
 SET 98  
 100/80/90/95/97/98  
 -3.84/4.68/3.76/3.26/1.33/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	61.56	74.00	-12.44	55.43	3	Horizontal	66	2.06	-	32.70	6.37	32.94
AV	5.14976G	49.90	54.00	-4.10	43.77	3	Horizontal	66	2.06	-	32.70	6.37	32.94
PK	5.2652G	122.67	Inf	-Inf	116.37	3	Horizontal	66	2.06	-	32.83	6.40	32.93
AV	5.26104G	110.99	Inf	-Inf	104.70	3	Horizontal	66	2.06	-	32.82	6.40	32.93
PK	5.35G	67.26	74.00	-6.74	60.78	3	Horizontal	66	2.06	-	33.00	6.40	32.92
AV	5.35048G	53.76	54.00	-0.24	47.28	3	Horizontal	66	2.06	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 96  
 98/78/88/93/95/96  
 -0.15/6.83/3.10/1.18/0.71/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78461G	66.30	74.00	-7.70	50.42	3	Vertical	355	1.80	-	38.21	10.44	32.77
AV	15.78094G	53.60	54.00	-0.40	37.76	3	Vertical	355	1.80	-	38.19	10.43	32.78

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

#### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 92  
 96/76/86/91/93/92  
 -1.31/6.63/2.96/0.77/-0.36/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78276G	67.25	74.00	-6.75	51.39	3	Horizontal	357	1.80	-	38.20	10.43	32.77
AV	15.78052G	53.88	54.00	-0.12	38.05	3	Horizontal	357	1.80	-	38.18	10.43	32.78

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
 SET 95  
 80/100/90/95/97/96/95  
 5.58/-4.55/3.57/1.03/-0.74/-0.17/0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29748G	116.86	Inf	-Inf	110.49	3	Vertical	11	2.91	-	32.89	6.40	32.92
AV	5.29748G	104.69	Inf	-Inf	98.32	3	Vertical	11	2.91	-	32.89	6.40	32.92
PK	5.35068G	66.71	74.00	-7.29	60.23	3	Vertical	11	2.91	-	33.00	6.40	32.92
AV	5.35068G	53.53	54.00	-0.47	47.05	3	Vertical	11	2.91	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 87  
 95/75/85/90/88/87  
 -6.22/4.30/1.91/-0.89/-0.11/0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2986G	120.02	Inf	-Inf	113.64	3	Horizontal	65	2.05	-	32.90	6.40	32.92
AV	5.29356G	108.26	Inf	-Inf	101.89	3	Horizontal	65	2.05	-	32.89	6.40	32.92
PK	5.35068G	67.54	74.00	-6.46	61.06	3	Horizontal	65	2.05	-	33.00	6.40	32.92
AV	5.35G	53.22	54.00	-0.78	46.74	3	Horizontal	65	2.05	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
SET 87  
87  
4.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90319G	62.72	74.00	-11.28	46.61	3	Vertical	332	1.80	-	38.40	10.47	32.76
AV	15.9033G	49.37	54.00	-4.63	33.26	3	Vertical	332	1.80	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
SET 87  
87  
4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90127G	63.57	74.00	-10.43	47.46	3	Horizontal	358	1.79	-	38.40	10.47	32.76
AV	15.90169G	49.83	54.00	-4.17	33.72	3	Horizontal	358	1.79	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 88  
 80/100/90/85/87/88  
 3.92/-16.70/-0.68/2.68/1.84/0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3238G	115.62	Inf	-Inf	109.19	3	Vertical	42	2.89	-	32.95	6.40	32.92
AV	5.3274G	102.19	Inf	-Inf	95.76	3	Vertical	42	2.89	-	32.95	6.40	32.92
PK	5.3526G	65.79	74.00	-8.21	59.30	3	Vertical	42	2.89	-	33.01	6.40	32.92
AV	5.3506G	53.16	54.00	-0.84	46.68	3	Vertical	42	2.89	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 88/68/78/83/85/84  
 -3.75/3.97/1.88/0.93/-0.89/0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	118.54	Inf	-Inf	112.11	3	Horizontal	278	1.68	-	32.95	6.40	32.92
AV	5.3218G	106.38	Inf	-Inf	99.96	3	Horizontal	278	1.68	-	32.94	6.40	32.92
PK	5.3532G	66.19	74.00	-7.81	59.70	3	Horizontal	278	1.68	-	33.01	6.40	32.92
AV	5.35G	53.98	54.00	-0.02	47.50	3	Horizontal	278	1.68	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
 SET 84  
 84  
 5.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9604G	61.47	74.00	-12.53	45.33	3	Vertical	344	1.80	-	38.40	10.49	32.75
AV	15.96373G	48.91	54.00	-5.09	32.77	3	Vertical	344	1.80	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
 SET 84  
 84  
 5.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95943G	60.91	74.00	-13.09	44.77	3	Horizontal	122	1.63	-	38.40	10.49	32.75
AV	15.95632G	48.73	54.00	-5.27	32.59	3	Horizontal	122	1.63	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 80/100/90/85/83/84  
 3.92/-22.62/-11.23/-1.76/0.84/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	65.86	74.00	-8.14	58.60	3	Vertical	11	2.22	-	33.70	6.46	32.90
AV	5.4586G	52.03	54.00	-1.97	44.77	3	Vertical	11	2.22	-	33.70	6.46	32.90
PK	5.4698G	68.10	68.20	-0.10	60.83	3	Vertical	11	2.22	-	33.70	6.47	32.90
PK	5.5062G	114.35	Inf	-Inf	107.02	3	Vertical	11	2.22	-	33.72	6.51	32.90
AV	5.5014G	102.45	Inf	-Inf	95.14	3	Vertical	11	2.22	-	33.71	6.50	32.90

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 84/64/74/79/81/80  
 -5.96/4.06/2.90/1.15/-0.22/0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	67.15	74.00	-6.85	59.89	3	Horizontal	284	1.76	-	33.70	6.46	32.90
AV	5.459G	53.38	54.00	-0.62	46.12	3	Horizontal	284	1.76	-	33.70	6.46	32.90
PK	5.4622G	67.50	68.20	-0.70	60.24	3	Horizontal	284	1.76	-	33.70	6.46	32.90
PK	5.4958G	118.14	Inf	-Inf	110.84	3	Horizontal	284	1.76	-	33.70	6.50	32.90
AV	5.4986G	106.13	Inf	-Inf	98.83	3	Horizontal	284	1.76	-	33.70	6.50	32.90

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5500MHz\_TnomVnom




EUT X\_2TX  
 SET 80  
 80  
 0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50459G	68.12	68.20	-0.08	49.60	3	Vertical	347	1.66	-	40.30	10.65	32.43

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -0.28/3.70/3.59/2.89/1.10/1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50436G	67.06	68.20	-1.14	48.54	3	Horizontal	17	1.78	-	40.30	10.65	32.43

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5580MHz\_TnomVnom




EUT X\_2TX  
 SET 102  
 80/100/102  
 5.61/4.45/0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.51	74.00	-8.49	58.25	3	Vertical	3	1.78	-	33.70	6.46	32.90
AV	5.4584G	50.15	54.00	-3.85	42.89	3	Vertical	3	1.78	-	33.70	6.46	32.90
PK	5.46608G	67.33	68.20	-0.87	60.06	3	Vertical	3	1.78	-	33.70	6.47	32.90
PK	5.58128G	116.18	Inf	-Inf	108.67	3	Vertical	3	1.78	-	33.84	6.58	32.91
AV	5.5768G	104.35	Inf	-Inf	96.83	3	Vertical	3	1.78	-	33.85	6.58	32.91
PK	5.72528G	60.89	68.20	-7.31	53.01	3	Vertical	3	1.78	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 100  
 102/82/92/97/99/100  
 -2.03/4.21/3.87/3.17/2.35/0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45904G	65.19	74.00	-8.81	57.93	3	Horizontal	290	1.61	-	33.70	6.46	32.90
AV	5.45776G	53.01	54.00	-0.99	45.76	3	Horizontal	290	1.61	-	33.70	6.46	32.91
PK	5.46416G	67.21	68.20	-0.99	59.95	3	Horizontal	290	1.61	-	33.70	6.46	32.90
PK	5.57296G	121.53	Inf	-Inf	114.02	3	Horizontal	290	1.61	-	33.85	6.57	32.91
AV	5.5736G	110.76	Inf	-Inf	103.25	3	Horizontal	290	1.61	-	33.85	6.57	32.91
PK	5.72592G	64.07	68.20	-4.13	56.18	3	Horizontal	290	1.61	-	34.21	6.60	32.92



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
 SET 68  
 100/80/70/65/67/68  
 -8.98/-2.84/-0.86/2.39/1.93/1.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.73502G	66.40	68.20	-1.80	47.53	3	Vertical	45	1.62	-	40.44	10.72	32.29

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 68  
 68  
 1.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73511G	67.16	68.20	-1.04	48.29	3	Horizontal	332	1.88	-	40.44	10.72	32.29

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5700MHz\_TnomVnom








EUT\_X\_2TX  
 SET 64  
 80/60/70/65/63/64  
 -9.39/3.83/-0.93/-0.01/1.09/1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6986G	109.88	Inf	-Inf	102.20	3	Vertical	12	2.14	-	34.00	6.60	32.92
AV	5.7058G	96.39	Inf	-Inf	88.66	3	Vertical	12	2.14	-	34.05	6.60	32.92
PK	5.7258G	66.90	68.20	-1.30	59.01	3	Vertical	12	2.14	-	34.21	6.60	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5700MHz\_TnomVnom



Lim.PK   
 PK   
 Lim.AV   
 AV 


16/12/2021

EUT\_X\_2TX  
 SET 61  
 64/44/54/59/61/62/61  
 -3.67/7.23/5.76/2.27/0.76/-1.24/0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	111.93	Inf	-Inf	104.25	3	Horizontal	297	1.12	-	34.00	6.60	32.92
AV	5.7016G	100.09	Inf	-Inf	92.40	3	Horizontal	297	1.12	-	34.01	6.60	32.92
PK	5.726G	67.30	68.20	-0.90	59.41	3	Horizontal	297	1.12	-	34.21	6.60	32.92

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5700MHz\_TnomVnom




EUT\_X\_2TX  
 SET 61  
 61  
 2.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09569G	65.82	68.20	-2.38	45.68	3	Vertical	195	2.76	-	41.39	10.83	32.08

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5700MHz\_TnomVnom



EUT\_X\_2TX  
 SET 61  
 61  
 1.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10396G	66.30	68.20	-1.90	46.14	3	Horizontal	50	2.30	-	41.41	10.83	32.08


**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.63/5.44/5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	60.02	74.00	-13.98	52.78	3	Vertical	15	2.27	-	33.70	6.45	32.91
AV	5.4554G	48.57	54.00	-5.43	41.32	3	Vertical	15	2.27	-	33.70	6.46	32.91
PK	5.46944G	59.66	68.20	-8.54	52.39	3	Vertical	15	2.27	-	33.70	6.47	32.90
PK	5.72216G	115.54	Inf	-Inf	107.68	3	Vertical	15	2.27	-	34.18	6.60	32.92
AV	5.71784G	104.08	Inf	-Inf	96.26	3	Vertical	15	2.27	-	34.14	6.60	32.92
PK	5.85824G	62.13	68.20	-6.07	53.65	3	Vertical	15	2.27	-	34.82	6.60	32.94

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 102  
 102  
 2.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	59.92	74.00	-14.08	52.67	3	Horizontal	298	1.80	-	33.70	6.46	32.91
AV	5.45972G	48.86	54.00	-5.14	41.60	3	Horizontal	298	1.80	-	33.70	6.46	32.90
PK	5.46836G	59.78	68.20	-8.42	52.51	3	Horizontal	298	1.80	-	33.70	6.47	32.90
PK	5.7254G	120.29	Inf	-Inf	112.41	3	Horizontal	298	1.80	-	34.20	6.60	32.92
AV	5.71784G	109.17	Inf	-Inf	101.35	3	Horizontal	298	1.80	-	34.14	6.60	32.92
PK	5.85G	65.79	68.20	-2.41	57.33	3	Horizontal	298	1.80	-	34.80	6.60	32.94




**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 81  
 81  
 1.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1555G	67.08	68.20	-1.12	46.77	3	Vertical	32	1.83	-	41.51	10.85	32.05

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 81  
 81  
 0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15832G	67.94	68.20	-0.26	47.62	3	Horizontal	301	1.80	-	41.52	10.85	32.05

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
SET 90  
80/100/90  
4.63/-6.51/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	59.69	74.00	-14.31	53.56	3	Vertical	10	2.94	-	32.70	6.37	32.94
AV	5.144G	47.94	54.00	-6.06	41.80	3	Vertical	10	2.94	-	32.71	6.37	32.94
PK	5.2672G	112.56	Inf	-Inf	106.26	3	Vertical	10	2.94	-	32.83	6.40	32.93
AV	5.27392G	100.26	Inf	-Inf	93.94	3	Vertical	10	2.94	-	32.85	6.40	32.93
PK	5.35064G	67.42	74.00	-6.58	60.94	3	Vertical	10	2.94	-	33.00	6.40	32.92
AV	5.35064G	53.86	54.00	-0.14	47.38	3	Vertical	10	2.94	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
 SET 82  
 90/70/80/85/83/82  
 -5.95/3.98/1.27/-2.01/-0.84/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	60.20	74.00	-13.80	54.07	3	Horizontal	65	2.03	-	32.70	6.37	32.94
AV	5.1496G	48.64	54.00	-5.36	42.51	3	Horizontal	65	2.03	-	32.70	6.37	32.94
PK	5.28008G	116.07	Inf	-Inf	109.74	3	Horizontal	65	2.03	-	32.86	6.40	32.93
AV	5.2672G	104.16	Inf	-Inf	97.86	3	Horizontal	65	2.03	-	32.83	6.40	32.93
PK	5.35176G	67.12	74.00	-6.88	60.63	3	Horizontal	65	2.03	-	33.01	6.40	32.92
AV	5.35G	53.75	54.00	-0.25	47.27	3	Horizontal	65	2.03	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
SET 82  
82  
6.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80546G	60.37	74.00	-13.63	44.39	3	Vertical	351	1.80	-	38.31	10.44	32.77
AV	15.80718G	47.36	54.00	-6.64	31.38	3	Vertical	351	1.80	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
SET 82  
82  
5.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8137G	61.60	74.00	-12.40	45.62	3	Horizontal	358	1.68	-	38.31	10.44	32.77
AV	15.80488G	48.32	54.00	-5.68	32.35	3	Horizontal	358	1.68	-	38.30	10.44	32.77

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUTX\_2TX  
SET 80  
80  
0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32008G	110.82	Inf	-Inf	104.40	3	Vertical	38	2.67	-	32.94	6.40	32.92
AV	5.31408G	98.03	Inf	-Inf	91.62	3	Vertical	38	2.67	-	32.93	6.40	32.92
PK	5.35056G	67.16	74.00	-6.84	60.68	3	Vertical	38	2.67	-	33.00	6.40	32.92
AV	5.35056G	53.87	54.00	-0.13	47.39	3	Vertical	38	2.67	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -2.86/4.23/1.71/-0.39/0.87/0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31936G	113.36	Inf	-Inf	106.94	3	Horizontal	278	1.70	-	32.94	6.40	32.92
AV	5.30376G	101.33	Inf	-Inf	94.94	3	Horizontal	278	1.70	-	32.91	6.40	32.92
PK	5.35728G	65.67	74.00	-8.33	59.16	3	Horizontal	278	1.70	-	33.03	6.40	32.92
AV	5.35G	53.68	54.00	-0.32	47.20	3	Horizontal	278	1.70	-	33.00	6.40	32.92



802.11ax HEW40\_Nss2,(MCS0)\_2TX

5310MHz\_TnomVnom




EUT X\_2TX  
SET 74  
74  
5.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93158G	61.50	74.00	-12.50	45.37	3	Vertical	75	1.80	-	38.40	10.48	32.75
AV	15.92138G	48.36	54.00	-5.64	32.23	3	Vertical	75	1.80	-	38.40	10.48	32.75

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5310MHz\_TnomVnom




EUT X\_2TX  
 SET 74  
 74  
 5.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93064G	61.13	74.00	-12.87	45.00	3	Horizontal	74	1.02	-	38.40	10.48	32.75
AV	15.93594G	48.60	54.00	-5.40	32.47	3	Horizontal	74	1.02	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 80/60/70/75/73/72  
 -9.50/5.12/3.32/-2.05/-0.52/0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45912G	64.17	74.00	-9.83	56.91	3	Vertical	12	2.21	-	33.70	6.46	32.90
AV	5.4596G	49.99	54.00	-4.01	42.73	3	Vertical	12	2.21	-	33.70	6.46	32.90
PK	5.46992G	67.24	68.20	-0.96	59.97	3	Vertical	12	2.21	-	33.70	6.47	32.90
PK	5.5064G	109.22	Inf	-Inf	101.88	3	Vertical	12	2.21	-	33.73	6.51	32.90
AV	5.50232G	97.00	Inf	-Inf	89.69	3	Vertical	12	2.21	-	33.71	6.50	32.90

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
 SET 70  
 72/52/62/67/69/70  
 -0.89/4.82/3.61/2.36/1.53/1.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.92	74.00	-10.08	56.67	3	Horizontal	285	1.72	-	33.70	6.46	32.91
AV	5.46G	52.34	54.00	-1.66	45.08	3	Horizontal	285	1.72	-	33.70	6.46	32.90
PK	5.46848G	66.74	68.20	-1.46	59.47	3	Horizontal	285	1.72	-	33.70	6.47	32.90
PK	5.52008G	113.78	Inf	-Inf	106.38	3	Horizontal	285	1.72	-	33.78	6.52	32.90
AV	5.51624G	100.98	Inf	-Inf	93.60	3	Horizontal	285	1.72	-	33.76	6.52	32.90

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5510MHz\_TnomVnom




EUT X\_2TX  
 SET 70  
 70  
 3.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.53236G	64.62	68.20	-3.58	46.07	3	Vertical	18	1.81	-	40.30	10.66	32.41

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5510MHz\_TnomVnom




EUT X\_2TX  
 SET 70  
 70  
 3.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53672G	65.03	68.20	-3.17	46.48	3	Horizontal	284	2.92	-	40.30	10.66	32.41

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
 SET 92  
 80/100/90/95/93/94/93/92  
 4.42/-7.42/0.39/-3.21/0.30/-1.38/-0.54/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.98	74.00	-16.02	51.50	3	Vertical	0	1.72	-	33.00	6.40	32.92
AV	5.35G	47.66	54.00	-6.34	41.18	3	Vertical	0	1.72	-	33.00	6.40	32.92
PK	5.4572G	65.38	74.00	-8.62	58.13	3	Vertical	0	1.72	-	33.70	6.46	32.91
AV	5.458G	53.58	54.00	-0.42	46.33	3	Vertical	0	1.72	-	33.70	6.46	32.91
PK	5.4668G	67.09	68.20	-1.11	59.82	3	Vertical	0	1.72	-	33.70	6.47	32.90
PK	5.5332G	110.91	Inf	-Inf	103.45	3	Vertical	0	1.72	-	33.83	6.53	32.90
AV	5.534G	99.71	Inf	-Inf	92.24	3	Vertical	0	1.72	-	33.84	6.53	32.90
PK	5.7412G	60.45	68.20	-7.75	52.44	3	Vertical	0	1.72	-	34.33	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 92/72/82/77/79/80  
 -7.42/3.68/-1.20/2.22/1.25/0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.81	74.00	-14.19	53.33	3	Horizontal	291	1.65	-	33.00	6.40	32.92
AV	5.35G	48.92	54.00	-5.08	42.44	3	Horizontal	291	1.65	-	33.00	6.40	32.92
PK	5.4588G	66.20	74.00	-7.80	58.94	3	Horizontal	291	1.65	-	33.70	6.46	32.90
AV	5.4588G	53.29	54.00	-0.71	46.03	3	Horizontal	291	1.65	-	33.70	6.46	32.90
PK	5.4676G	67.60	68.20	-0.60	60.33	3	Horizontal	291	1.65	-	33.70	6.47	32.90
PK	5.5364G	116.28	Inf	-Inf	108.79	3	Horizontal	291	1.65	-	33.85	6.54	32.90
AV	5.5364G	103.50	Inf	-Inf	96.01	3	Horizontal	291	1.65	-	33.85	6.54	32.90
PK	5.7356G	62.51	68.20	-5.69	54.55	3	Horizontal	291	1.65	-	34.28	6.60	32.92



802.11ax HEW40\_Nss2,(MCS0)\_2TX

5550MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -1.14/3.81/2.61/-0.13/0.47/0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.64166G	67.76	68.20	-0.44	49.08	3	Vertical	343	2.08	-	40.34	10.69	32.35

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5550MHz\_TnomVnom




EUT X\_2TX  
 SET 74  
 74  
 1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.6405G	67.08	68.20	-1.12	48.40	3	Horizontal	18	1.77	-	40.34	10.69	32.35

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 80/100/90/85/83/82/80  
 1.55/-17.01/-7.10/-3.61/-3.32/-1.46/0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66072G	110.04	Inf	-Inf	102.28	3	Vertical	15	2.20	-	34.08	6.60	32.92
AV	5.6636G	97.39	Inf	-Inf	89.64	3	Vertical	15	2.20	-	34.07	6.60	32.92
PK	5.73592G	67.31	68.20	-0.89	59.34	3	Vertical	15	2.20	-	34.29	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 80/60/70/75/73/72  
 -3.66/5.66/2.07/-1.60/-0.03/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66872G	112.54	Inf	-Inf	104.80	3	Horizontal	303	1.34	-	34.06	6.60	32.92
AV	5.66392G	99.76	Inf	-Inf	92.01	3	Horizontal	303	1.34	-	34.07	6.60	32.92
PK	5.73368G	67.20	68.20	-1.00	59.25	3	Horizontal	303	1.34	-	34.27	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
SET 72  
72  
2.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.0135G	65.34	68.20	-2.86	45.52	3	Vertical	50	1.80	-	41.14	10.80	32.12

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5670MHz\_TnomVnom



EUT\_X\_2TX  
 SET 72  
 72  
 2.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.00662G	65.42	68.20	-2.78	45.63	3	Horizontal	104	1.80	-	41.12	10.80	32.13


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.67/4.41/3.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	60.13	74.00	-13.87	52.88	3	Vertical	14	2.27	-	33.70	6.46	32.91
AV	5.45832G	48.65	54.00	-5.35	41.40	3	Vertical	14	2.27	-	33.70	6.46	32.91
PK	5.46144G	60.21	68.20	-7.99	52.95	3	Vertical	14	2.27	-	33.70	6.46	32.90
PK	5.70168G	112.86	Inf	-Inf	105.17	3	Vertical	14	2.27	-	34.01	6.60	32.92
AV	5.7152G	100.81	Inf	-Inf	93.01	3	Vertical	14	2.27	-	34.12	6.60	32.92
PK	5.85G	64.28	68.20	-3.92	55.82	3	Vertical	14	2.27	-	34.80	6.60	32.94

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 102  
 102  
 1.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	60.60	74.00	-13.40	53.36	3	Horizontal	297	1.80	-	33.70	6.45	32.91
AV	5.45728G	49.82	54.00	-4.18	42.57	3	Horizontal	297	1.80	-	33.70	6.46	32.91
PK	5.46664G	60.54	68.20	-7.66	53.27	3	Horizontal	297	1.80	-	33.70	6.47	32.90
PK	5.7048G	117.22	Inf	-Inf	109.50	3	Horizontal	297	1.80	-	34.04	6.60	32.92
AV	5.71832G	105.64	Inf	-Inf	97.81	3	Horizontal	297	1.80	-	34.15	6.60	32.92
PK	5.85144G	66.45	68.20	-1.75	57.99	3	Horizontal	297	1.80	-	34.80	6.60	32.94



**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 77  
 102/82/72/77/79/78/77  
 -5.75/-1.63/1.89/0.86/-0.07/-0.21/0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12512G	67.88	68.20	-0.32	47.65	3	Vertical	31	1.34	-	41.45	10.84	32.06

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
 SET 77  
 77  
 0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1324G	67.55	68.20	-0.65	47.31	3	Horizontal	30	1.79	-	41.46	10.84	32.06

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 80/60/70/75/73/72  
 -2.13/3.94/1.77/-0.47/-0.19/0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	58.51	74.00	-15.49	52.36	3	Vertical	10	2.95	-	32.72	6.37	32.94
AV	5.14792G	48.26	54.00	-5.74	42.13	3	Vertical	10	2.95	-	32.70	6.37	32.94
PK	5.27336G	104.45	Inf	-Inf	98.13	3	Vertical	10	2.95	-	32.85	6.40	32.93
AV	5.27272G	94.17	Inf	-Inf	87.85	3	Vertical	10	2.95	-	32.85	6.40	32.93
PK	5.36296G	63.43	74.00	-10.57	56.90	3	Vertical	10	2.95	-	33.05	6.40	32.92
AV	5.3636G	53.40	54.00	-0.60	46.87	3	Vertical	10	2.95	-	33.05	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
 SET 66  
 72/52/62/67/65/66  
 -1.69/3.54/2.40/-0.16/0.57/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14024G	59.25	74.00	-14.75	53.10	3	Horizontal	62	1.96	-	32.72	6.37	32.94
AV	5.14856G	49.02	54.00	-4.98	42.89	3	Horizontal	62	1.96	-	32.70	6.37	32.94
PK	5.27848G	108.45	Inf	-Inf	102.12	3	Horizontal	62	1.96	-	32.86	6.40	32.93
AV	5.27592G	97.80	Inf	-Inf	91.48	3	Horizontal	62	1.96	-	32.85	6.40	32.93
PK	5.35464G	63.58	74.00	-10.42	57.08	3	Horizontal	62	1.96	-	33.02	6.40	32.92
AV	5.35G	53.81	54.00	-0.19	47.33	3	Horizontal	62	1.96	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
SET 66  
66  
4.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87696G	60.12	74.00	-13.88	44.04	3	Vertical	275	2.77	-	38.38	10.46	32.76
AV	15.88392G	49.01	54.00	-4.99	32.92	3	Vertical	275	2.77	-	38.38	10.47	32.76

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT X\_2TX  
SET 66  
66  
4.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88748G	60.76	74.00	-13.24	44.66	3	Horizontal	360	2.60	-	38.39	10.47	32.76
AV	15.87612G	49.29	54.00	-4.71	33.21	3	Horizontal	360	2.60	-	38.38	10.46	32.76

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -8.26/3.71/2.12/-1.77/0.54/0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	64.34	74.00	-9.66	57.08	3	Vertical	12	2.20	-	33.70	6.46	32.90
AV	5.45992G	53.93	54.00	-0.07	46.67	3	Vertical	12	2.20	-	33.70	6.46	32.90
PK	5.46248G	66.14	68.20	-2.06	58.88	3	Vertical	12	2.20	-	33.70	6.46	32.90
PK	5.49992G	107.06	Inf	-Inf	99.76	3	Vertical	12	2.20	-	33.70	6.50	32.90
AV	5.52008G	95.79	Inf	-Inf	88.39	3	Vertical	12	2.20	-	33.78	6.52	32.90

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
 SET 67  
 74/54/64/69/67  
 -4.34/2.69/0.49/-0.65/0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	64.35	74.00	-9.65	57.10	3	Horizontal	290	1.65	-	33.70	6.46	32.91
AV	5.45864G	53.85	54.00	-0.15	46.59	3	Horizontal	290	1.65	-	33.70	6.46	32.90
PK	5.4692G	65.18	68.20	-3.02	57.91	3	Horizontal	290	1.65	-	33.70	6.47	32.90
PK	5.54344G	108.75	Inf	-Inf	101.24	3	Horizontal	290	1.65	-	33.87	6.54	32.90
AV	5.53224G	98.22	Inf	-Inf	90.76	3	Horizontal	290	1.65	-	33.83	6.53	32.90



802.11ax HEW80\_Nss2,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT X\_2TX  
 SET 67  
 67  
 3.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.60044G	64.98	68.20	-3.22	46.37	3	Vertical	76	1.80	-	40.30	10.68	32.37

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT\_X\_2TX  
SET 67  
67  
2.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.57724G	65.42	68.20	-2.78	46.83	3	Horizontal	191	1.80	-	40.30	10.67	32.38

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
 SET 90  
 80/100/90  
 3.02/-10.07/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	63.81	74.00	-10.19	56.56	3	Vertical	3	1.80	-	33.70	6.46	32.91
AV	5.45896G	53.72	54.00	-0.28	46.46	3	Vertical	3	1.80	-	33.70	6.46	32.90
PK	5.46088G	66.35	68.20	-1.85	59.09	3	Vertical	3	1.80	-	33.70	6.46	32.90
PK	5.57672G	107.23	Inf	-Inf	99.71	3	Vertical	3	1.80	-	33.85	6.58	32.91
AV	5.58056G	96.51	Inf	-Inf	89.00	3	Vertical	3	1.80	-	33.84	6.58	32.91
PK	5.72968G	68.16	68.20	-0.04	60.24	3	Vertical	3	1.80	-	34.24	6.60	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
 SET 76  
 90/70/80/75/77/78/77/76  
 -8.37/3.22/-1.46/1.60/0.34/-1.25/-0.52/0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	62.75	74.00	-11.25	55.50	3	Horizontal	295	1.80	-	33.70	6.46	32.91
AV	5.45704G	52.01	54.00	-1.99	44.76	3	Horizontal	295	1.80	-	33.70	6.46	32.91
PK	5.46216G	63.24	68.20	-4.96	55.98	3	Horizontal	295	1.80	-	33.70	6.46	32.90
PK	5.61192G	110.08	Inf	-Inf	102.52	3	Horizontal	295	1.80	-	33.87	6.60	32.91
AV	5.57416G	99.35	Inf	-Inf	91.84	3	Horizontal	295	1.80	-	33.85	6.57	32.91
PK	5.72648G	67.62	68.20	-0.58	59.73	3	Horizontal	295	1.80	-	34.21	6.60	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
 SET 76  
 76  
 4.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.81676G	63.80	68.20	-4.40	44.71	3	Vertical	15	1.15	-	40.58	10.75	32.24

802.11ax HEW80\_Nss2,(MCS0)\_2TX


5610MHz\_TnomVnom



EUT\_X\_2TX  
SET 76  
76  
5.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.84484G	62.99	68.20	-5.21	43.74	3	Horizontal	119	1.80	-	40.72	10.75	32.22


**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 97  
 80/100/90/95/97/98/97  
 4.07/-1.64/3.97/2.28/1.86/-0.12/1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	61.97	74.00	-12.03	54.73	3	Vertical	12	2.19	-	33.70	6.45	32.91
PK	5.46152G	63.35	68.20	-4.85	56.09	3	Vertical	12	2.19	-	33.70	6.46	32.90
AV	5.45768G	52.17	54.00	-1.83	44.92	3	Vertical	12	2.19	-	33.70	6.46	32.91
PK	5.6612G	110.48	Inf	-Inf	102.72	3	Vertical	12	2.19	-	34.08	6.60	32.92
AV	5.65928G	99.23	Inf	-Inf	91.47	3	Vertical	12	2.19	-	34.08	6.60	32.92
PK	5.85G	66.78	68.20	-1.42	58.32	3	Vertical	12	2.19	-	34.80	6.60	32.94

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT X\_2TX  
 SET 94  
 97/77/87/92/94  
 -2.29/3.42/2.55/1.50/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	64.87	74.00	-9.13	57.63	3	Horizontal	303	1.38	-	33.70	6.45	32.91
AV	5.4548G	53.33	54.00	-0.67	46.09	3	Horizontal	303	1.38	-	33.70	6.45	32.91
PK	5.47G	64.02	68.20	-4.18	56.75	3	Horizontal	303	1.38	-	33.70	6.47	32.90
PK	5.67848G	113.02	Inf	-Inf	105.30	3	Horizontal	303	1.38	-	34.04	6.60	32.92
AV	5.6612G	102.45	Inf	-Inf	94.69	3	Horizontal	303	1.38	-	34.08	6.60	32.92
PK	5.85128G	67.95	68.20	-0.25	59.49	3	Horizontal	303	1.38	-	34.80	6.60	32.94



**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 89  
 94/74/84/89/91/90/89  
 -0.79/2.09/1.43/0.42/-0.07/-0.13/0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.06848G	67.38	68.20	-0.82	47.34	3	Vertical	3	1.87	-	41.31	10.82	32.09

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
 SET 89  
 89  
 1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.06628G	67.02	68.20	-1.18	47.00	3	Horizontal	30	1.80	-	41.30	10.82	32.10

802.11ax HEW160\_Nss2,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0964G	58.36	74.00	-15.64	52.16	3	Vertical	0	1.76	-	32.80	6.35	32.95
AV	5.018G	49.06	54.00	-4.94	42.78	3	Vertical	0	1.76	-	32.93	6.31	32.96
PK	5.2836G	94.33	Inf	-Inf	87.99	3	Vertical	0	1.76	-	32.87	6.40	32.93
AV	5.282G	84.78	Inf	-Inf	78.45	3	Vertical	0	1.76	-	32.86	6.40	32.93
PK	5.4292G	59.82	74.00	-14.18	52.81	3	Vertical	0	1.76	-	33.49	6.43	32.91
AV	5.4468G	49.65	54.00	-4.35	42.44	3	Vertical	0	1.76	-	33.67	6.45	32.91
PK	5.5812G	60.62	68.20	-7.58	53.11	3	Vertical	0	1.76	-	33.84	6.58	32.91

802.11ax HEW160\_Nss2,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.002G	58.83	74.00	-15.17	52.50	3	Horizontal	286	1.74	-	32.99	6.30	32.96
AV	5.0116G	48.47	54.00	-5.53	42.17	3	Horizontal	286	1.74	-	32.95	6.31	32.96
PK	5.314G	101.11	Inf	-Inf	94.70	3	Horizontal	286	1.74	-	32.93	6.40	32.92
AV	5.2692G	90.46	Inf	-Inf	84.15	3	Horizontal	286	1.74	-	32.84	6.40	32.93
PK	5.394G	62.64	74.00	-11.36	55.97	3	Horizontal	286	1.74	-	33.18	6.40	32.91
AV	5.3732G	53.87	54.00	-0.13	47.30	3	Horizontal	286	1.74	-	33.09	6.40	32.92
PK	5.5796G	60.40	68.20	-7.80	52.89	3	Horizontal	286	1.74	-	33.84	6.58	32.91

802.11ax HEW160\_Nss2,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75276G	58.68	74.00	-15.32	43.01	3	Vertical	344	1.83	-	38.02	10.43	32.78
AV	15.74672G	48.25	54.00	-5.75	32.63	3	Vertical	344	1.83	-	37.98	10.42	32.78

802.11ax HEW160\_Nss2,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75388G	58.77	74.00	-15.23	43.10	3	Horizontal	34	2.38	-	38.02	10.43	32.78
AV	15.74778G	48.28	54.00	-5.72	32.65	3	Horizontal	34	2.38	-	37.99	10.42	32.78

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2804G	59.85	68.20	-8.35	53.52	3	Vertical	18	1.80	-	32.86	6.40	32.93
PK	5.4388G	60.45	74.00	-13.55	53.33	3	Vertical	18	1.80	-	33.59	6.44	32.91
PK	5.466G	59.12	68.20	-9.08	51.85	3	Vertical	18	1.80	-	33.70	6.47	32.90
AV	5.4564G	49.74	54.00	-4.26	42.49	3	Vertical	18	1.80	-	33.70	6.46	32.91
PK	5.5412G	94.16	Inf	-Inf	86.66	3	Vertical	18	1.80	-	33.86	6.54	32.90
AV	5.5956G	83.79	Inf	-Inf	76.29	3	Vertical	18	1.80	-	33.81	6.60	32.91
PK	5.8932G	60.62	68.20	-7.58	52.07	3	Vertical	18	1.80	-	34.89	6.60	32.94

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3364G	59.94	68.20	-8.26	53.49	3	Horizontal	292	1.67	-	32.97	6.40	32.92
PK	5.4532G	63.54	74.00	-10.46	56.30	3	Horizontal	292	1.67	-	33.70	6.45	32.91
AV	5.4516G	53.84	54.00	-0.26	46.50	3	Horizontal	292	1.67	-	33.70	6.45	32.91
PK	5.4692G	62.07	68.20	-6.13	54.80	3	Horizontal	292	1.67	-	33.70	6.47	32.90
PK	5.5428G	100.45	Inf	-Inf	92.94	3	Horizontal	292	1.67	-	33.87	6.54	32.90
AV	5.538G	90.14	Inf	-Inf	82.65	3	Horizontal	292	1.67	-	33.85	6.54	32.90
PK	5.7476G	60.67	68.20	-7.53	52.61	3	Horizontal	292	1.67	-	34.38	6.60	32.92



### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13786G	54.83	74.00	-19.17	40.46	3	Vertical	330	1.52	-	38.36	8.78	32.77
AV	11.14058G	44.26	54.00	-9.74	29.88	3	Vertical	330	1.52	-	38.36	8.79	32.77

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom



EUT\_X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14236G	55.80	74.00	-18.20	41.42	3	Horizontal	101	2.90	-	38.36	8.79	32.77
AV	11.14338G	44.55	54.00	-9.45	30.17	3	Horizontal	101	2.90	-	38.36	8.79	32.77




For 4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.1542G	68.16	68.20	-0.04	3	Vertical	347	1.78	-

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5260MHz\_TnomVnom




Worst 81 [Horizontal]  
All 98 [Vertical]/84 [Vertical]/84 [Horizontal]/81 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5198G	55.94	68.20	-12.26	41.79	3	Vertical	360	1.80	-	38.52	8.63	33.00
PK	15.79036G	71.35	74.00	-2.65	55.44	3	Vertical	3	1.80	-	38.24	10.44	32.77
AV	15.77172G	53.14	54.00	-0.86	37.36	3	Vertical	3	1.80	-	38.13	10.43	32.78
PK	10.52316G	56.42	68.20	-11.78	42.27	3	Horizontal	94	1.77	-	38.52	8.63	33.00
PK	15.79004G	72.12	74.00	-1.88	56.21	3	Horizontal	360	1.80	-	38.24	10.44	32.77
AV	15.78676G	53.95	54.00	-0.05	38.06	3	Horizontal	360	1.80	-	38.22	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 98  
 80/100/90/95/97/98  
 4.75/-0.78/3.81/3.79/2.90/2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	61.40	74.00	-12.60	55.26	3	Vertical	143	2.22	-	32.71	6.37	32.94
AV	5.14508G	48.55	54.00	-5.45	42.41	3	Vertical	143	2.22	-	32.71	6.37	32.94
PK	5.25584G	125.31	Inf	-Inf	119.03	3	Vertical	143	2.22	-	32.81	6.40	32.93
AV	5.25636G	115.45	Inf	-Inf	109.17	3	Vertical	143	2.22	-	32.81	6.40	32.93
PK	5.3536G	67.86	74.00	-6.14	61.37	3	Vertical	143	2.22	-	33.01	6.40	32.92
AV	5.35464G	51.51	54.00	-2.49	45.01	3	Vertical	143	2.22	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
SET 98  
98  
6.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	58.38	74.00	-15.62	52.25	3	Horizontal	84	1.13	-	32.70	6.37	32.94
AV	5.14508G	46.34	54.00	-7.66	40.20	3	Horizontal	84	1.13	-	32.71	6.37	32.94
PK	5.26104G	117.85	Inf	-Inf	111.56	3	Horizontal	84	1.13	-	32.82	6.40	32.93
AV	5.26156G	107.89	Inf	-Inf	101.60	3	Horizontal	84	1.13	-	32.82	6.40	32.93
PK	5.36868G	59.94	74.00	-14.06	53.39	3	Horizontal	84	1.13	-	33.07	6.40	32.92
AV	5.35G	47.64	54.00	-6.36	41.16	3	Horizontal	84	1.13	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5300MHz\_TnomVnom




Worst 83 [Horizontal]  
All 90 [Vertical]/85 [Vertical]/85 [Horizontal]/83 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60688G	57.38	74.00	-16.62	43.08	3	Vertical	12	1.58	-	38.60	8.65	32.95
PK	15.911G	70.53	74.00	-3.47	54.41	3	Vertical	4	1.83	-	38.40	10.47	32.75
AV	15.89256G	53.82	54.00	-0.18	37.72	3	Vertical	4	1.83	-	38.39	10.47	32.76
PK	10.61764G	56.38	74.00	-17.62	42.08	3	Horizontal	331	1.80	-	38.60	8.65	32.95
PK	15.88908G	72.22	74.00	-1.78	56.12	3	Horizontal	358	1.80	-	38.39	10.47	32.76
AV	15.89048G	53.87	54.00	-0.13	37.77	3	Horizontal	358	1.80	-	38.39	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
 SET 90  
 80/100/90/95/93/92/90  
 4.16/-8.60/1.31/-1.87/-0.32/-0.70/1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29664G	122.58	Inf	-Inf	116.21	3	Vertical	142	2.15	-	32.89	6.40	32.92
AV	5.2958G	112.84	Inf	-Inf	106.47	3	Vertical	142	2.15	-	32.89	6.40	32.92
PK	5.3546G	68.66	74.00	-5.34	62.16	3	Vertical	142	2.15	-	33.02	6.40	32.92
AV	5.35488G	52.28	54.00	-1.72	45.78	3	Vertical	142	2.15	-	33.02	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
SET 90  
90  
5.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30168G	114.89	Inf	-Inf	108.51	3	Horizontal	83	2.54	-	32.90	6.40	32.92
AV	5.30168G	105.46	Inf	-Inf	99.08	3	Horizontal	83	2.54	-	32.90	6.40	32.92
PK	5.35488G	62.62	74.00	-11.38	56.12	3	Horizontal	83	2.54	-	33.02	6.40	32.92
AV	5.3546G	48.53	54.00	-5.47	42.03	3	Horizontal	83	2.54	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5320MHz\_TnomVnom




Worst 86 [Horizontal]  
All 86 [Vertical]/86 [Vertical]/86 [Horizontal]/86 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6238G	57.03	74.00	-16.97	42.72	3	Vertical	73	1.80	-	38.60	8.66	32.95
AV	10.6308G	43.15	54.00	-10.85	28.83	3	Vertical	73	1.80	-	38.60	8.66	32.94
PK	15.95384G	65.04	74.00	-8.96	48.90	3	Vertical	3	1.79	-	38.40	10.49	32.75
AV	15.9512G	50.61	54.00	-3.39	34.47	3	Vertical	3	1.79	-	38.40	10.49	32.75
PK	10.62524G	56.62	74.00	-17.38	42.30	3	Horizontal	304	1.71	-	38.60	8.66	32.94
AV	10.63528G	43.14	54.00	-10.86	28.82	3	Horizontal	304	1.71	-	38.60	8.66	32.94
PK	15.95012G	65.73	74.00	-8.27	49.59	3	Horizontal	348	1.80	-	38.40	10.49	32.75
AV	15.95088G	51.66	54.00	-2.34	35.52	3	Horizontal	348	1.80	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
 SET 86  
 80/100/90/85/87/86  
 2.33/-17.90/-2.33/0.96/-0.18/0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	121.35	Inf	-Inf	114.93	3	Vertical	220	2.32	-	32.94	6.40	32.92
AV	5.3178G	111.60	Inf	-Inf	105.18	3	Vertical	220	2.32	-	32.94	6.40	32.92
PK	5.3516G	69.48	74.00	-4.52	62.99	3	Vertical	220	2.32	-	33.01	6.40	32.92
AV	5.351G	53.61	54.00	-0.39	47.13	3	Vertical	220	2.32	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
SET 86  
86  
4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	114.44	Inf	-Inf	108.02	3	Horizontal	82	2.77	-	32.94	6.40	32.92
AV	5.3212G	104.89	Inf	-Inf	98.47	3	Horizontal	82	2.77	-	32.94	6.40	32.92
PK	5.3544G	63.73	74.00	-10.27	57.23	3	Horizontal	82	2.77	-	33.02	6.40	32.92
AV	5.3546G	49.78	54.00	-4.22	43.28	3	Horizontal	82	2.77	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5500MHz\_TnomVnom




Worst 76 [Vertical]  
All 78 [Vertical]/76 [Vertical]/76 [Horizontal]/76 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01944G	55.36	74.00	-18.64	40.88	3	Vertical	132	2.64	-	38.48	8.75	32.75
AV	11.01848G	41.93	54.00	-12.07	27.45	3	Vertical	132	2.64	-	38.48	8.75	32.75
PK	16.50328G	66.38	68.20	-1.82	47.86	3	Vertical	353	1.80	-	40.30	10.65	32.43
PK	10.99884G	55.27	74.00	-18.73	40.77	3	Horizontal	76	1.69	-	38.50	8.75	32.75
AV	10.9942G	41.90	54.00	-12.10	27.40	3	Horizontal	76	1.69	-	38.50	8.75	32.75
PK	16.50308G	68.06	68.20	-0.14	49.54	3	Horizontal	32	1.80	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -2.41/4.36/3.25/2.54/0.34/0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	66.02	74.00	-7.98	58.77	3	Vertical	103.9	2.43	-	33.70	6.46	32.91
AV	5.457G	52.14	54.00	-1.86	44.89	3	Vertical	103.9	2.43	-	33.70	6.46	32.91
PK	5.4646G	67.90	68.20	-0.30	60.64	3	Vertical	103.9	2.43	-	33.70	6.46	32.90
PK	5.4962G	121.35	Inf	-Inf	114.05	3	Vertical	103.9	2.43	-	33.70	6.50	32.90
AV	5.496G	111.31	Inf	-Inf	104.01	3	Vertical	103.9	2.43	-	33.70	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
SET 78  
78  
5.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.63	74.00	-12.37	54.37	3	Horizontal	294	1.08	-	33.70	6.46	32.90
AV	5.458G	48.59	54.00	-5.41	41.34	3	Horizontal	294	1.08	-	33.70	6.46	32.91
PK	5.4658G	62.05	68.20	-6.15	54.78	3	Horizontal	294	1.08	-	33.70	6.47	32.90
PK	5.5048G	113.96	Inf	-Inf	106.64	3	Horizontal	294	1.08	-	33.72	6.50	32.90
AV	5.5042G	104.38	Inf	-Inf	97.06	3	Horizontal	294	1.08	-	33.72	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5580MHz\_TnomVnom




Worst 68 [Horizontal]  
All 100 [Vertical]/76 [Vertical]/76 [Horizontal]/68 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1468G	56.54	74.00	-17.46	42.17	3	Vertical	360	2.38	-	38.35	8.79	32.77
AV	11.14052G	42.61	54.00	-11.39	28.23	3	Vertical	360	2.38	-	38.36	8.79	32.77
PK	16.74132G	67.39	68.20	-0.81	48.52	3	Vertical	317	1.80	-	40.44	10.72	32.29
PK	11.17088G	55.89	74.00	-18.11	41.54	3	Horizontal	167	3.00	-	38.33	8.79	32.77
AV	11.14296G	42.58	54.00	-11.42	28.20	3	Horizontal	167	3.00	-	38.36	8.79	32.77
PK	16.74108G	67.87	68.20	-0.33	49.00	3	Horizontal	324	1.86	-	40.44	10.72	32.29



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 100  
 80/100/102/101/100  
 4.09/0.83/-0.14/-0.53/1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	64.99	74.00	-9.01	57.74	3	Vertical	102	2.28	-	33.70	6.46	32.91
AV	5.45776G	51.76	54.00	-2.24	44.51	3	Vertical	102	2.28	-	33.70	6.46	32.91
PK	5.46416G	67.11	68.20	-1.09	59.85	3	Vertical	102	2.28	-	33.70	6.46	32.90
PK	5.57744G	127.26	Inf	-Inf	119.74	3	Vertical	102	2.28	-	33.85	6.58	32.91
AV	5.57744G	116.25	Inf	-Inf	108.73	3	Vertical	102	2.28	-	33.85	6.58	32.91
PK	5.72656G	64.38	68.20	-3.82	56.49	3	Vertical	102	2.28	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
SET 100  
100  
5.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44944G	61.93	74.00	-12.07	54.70	3	Horizontal	237	1.00	-	33.69	6.45	32.91
PK	5.46288G	62.57	68.20	-5.63	55.31	3	Horizontal	237	1.00	-	33.70	6.46	32.90
AV	5.45648G	48.80	54.00	-5.20	41.55	3	Horizontal	237	1.00	-	33.70	6.46	32.91
PK	5.5768G	119.74	Inf	-Inf	112.22	3	Horizontal	237	1.00	-	33.85	6.58	32.91
AV	5.57552G	109.40	Inf	-Inf	101.88	3	Horizontal	237	1.00	-	33.85	6.58	32.91
PK	5.73744G	60.90	68.20	-7.30	52.92	3	Horizontal	237	1.00	-	34.30	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5700MHz\_TnomVnom




Worst 60 [Vertical]  
All 60 [Vertical]/60 [Vertical]/60 [Horizontal]/60 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38292G	55.72	74.00	-18.28	41.27	3	Vertical	298	1.80	-	38.40	8.85	32.80
AV	11.40556G	42.05	54.00	-11.95	27.60	3	Vertical	298	1.80	-	38.40	8.85	32.80
PK	17.10556G	65.13	68.20	-3.07	44.97	3	Vertical	252	2.92	-	41.41	10.83	32.08
PK	11.38696G	55.42	74.00	-18.58	40.97	3	Horizontal	74	2.50	-	38.40	8.85	32.80
AV	11.40008G	42.22	54.00	-11.78	27.77	3	Horizontal	74	2.50	-	38.40	8.85	32.80
PK	17.09592G	64.92	68.20	-3.28	44.78	3	Horizontal	344	2.95	-	41.39	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 80/60/70/65/63/62/60  
 -12.40/0.35/-5.72/-2.57/-1.02/-1.43/0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	115.37	Inf	-Inf	107.68	3	Vertical	91	2.31	-	34.01	6.60	32.92
AV	5.7016G	105.54	Inf	-Inf	97.85	3	Vertical	91	2.31	-	34.01	6.60	32.92
PK	5.7252G	67.23	68.20	-0.97	59.35	3	Vertical	91	2.31	-	34.20	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUTZ\_4TX  
SET 60  
60  
4.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	107.87	Inf	-Inf	100.15	3	Horizontal	297	1.01	-	34.04	6.60	32.92
AV	5.705G	98.15	Inf	-Inf	90.43	3	Horizontal	297	1.01	-	34.04	6.60	32.92
PK	5.726G	63.52	68.20	-4.68	55.63	3	Horizontal	297	1.01	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




Worst 75 [Horizontal]  
All 102 [Vertical]/79 [Vertical]/79 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43924G	55.84	74.00	-18.16	41.38	3	Vertical	360	1.42	-	38.40	8.86	32.80
AV	11.44648G	42.21	54.00	-11.79	27.75	3	Vertical	360	1.42	-	38.40	8.86	32.80
PK	17.1542G	68.16	68.20	-0.04	47.85	3	Vertical	347	1.78	-	41.51	10.85	32.05
PK	11.45872G	55.57	74.00	-18.43	41.12	3	Horizontal	293	1.60	-	38.40	8.86	32.81
AV	11.42444G	42.07	54.00	-11.93	27.61	3	Horizontal	293	1.60	-	38.40	8.86	32.80
PK	17.15412G	67.93	68.20	-0.27	47.62	3	Horizontal	354	1.80	-	41.51	10.85	32.05

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 4.71/4.50/4.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	61.16	74.00	-12.84	53.92	3	Vertical	92	2.38	-	33.70	6.45	32.91
AV	5.45108G	49.37	54.00	-4.63	42.13	3	Vertical	92	2.38	-	33.70	6.45	32.91
PK	5.4608G	61.88	68.20	-6.32	54.62	3	Vertical	92	2.38	-	33.70	6.46	32.90
PK	5.72216G	124.87	Inf	-Inf	117.01	3	Vertical	92	2.38	-	34.18	6.60	32.92
AV	5.72108G	115.04	Inf	-Inf	107.19	3	Vertical	92	2.38	-	34.17	6.60	32.92
PK	5.85284G	61.36	68.20	-6.84	52.89	3	Vertical	92	2.38	-	34.81	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT\_Z\_4TX  
SET 102  
102  
6.24


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	59.73	74.00	-14.27	52.49	3	Horizontal	298	2.67	-	33.70	6.45	32.91
AV	5.45108G	47.76	54.00	-6.24	40.52	3	Horizontal	298	2.67	-	33.70	6.45	32.91
PK	5.47G	59.39	68.20	-8.81	52.12	3	Horizontal	298	2.67	-	33.70	6.47	32.90
PK	5.7254G	118.76	Inf	-Inf	110.88	3	Horizontal	298	2.67	-	34.20	6.60	32.92
AV	5.7254G	108.41	Inf	-Inf	100.53	3	Horizontal	298	2.67	-	34.20	6.60	32.92
PK	5.9846G	61.73	68.20	-6.47	52.84	3	Horizontal	298	2.67	-	35.24	6.60	32.95



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5260MHz\_TnomVnom




Worst 80 [Horizontal]  
All 97 [Vertical]/85 [Vertical]/85 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53244G	56.44	68.20	-11.76	42.27	3	Vertical	164	2.84	-	38.53	8.63	32.99
PK	15.78544G	69.44	74.00	-4.56	53.56	3	Vertical	0	1.80	-	38.21	10.44	32.77
AV	15.78112G	53.42	54.00	-0.58	37.58	3	Vertical	0	1.80	-	38.19	10.43	32.78
PK	10.52944G	55.88	68.20	-12.32	41.71	3	Horizontal	124	1.30	-	38.53	8.63	32.99
PK	15.77896G	71.78	74.00	-2.22	55.96	3	Horizontal	0	1.83	-	38.17	10.43	32.78
AV	15.78352G	53.96	54.00	-0.04	38.09	3	Horizontal	0	1.83	-	38.20	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 97  
 80/100/90/95/97/98/97  
 4.75/-3.98/3.51/2.37/0.74/-0.39/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13728G	62.68	74.00	-11.32	56.52	3	Vertical	105	2.41	-	32.73	6.37	32.94
AV	5.14976G	48.84	54.00	-5.16	42.71	3	Vertical	105	2.41	-	32.70	6.37	32.94
PK	5.2574G	128.23	Inf	-Inf	121.95	3	Vertical	105	2.41	-	32.81	6.40	32.93
AV	5.2574G	113.38	Inf	-Inf	107.10	3	Vertical	105	2.41	-	32.81	6.40	32.93
PK	5.35776G	70.23	74.00	-3.77	63.72	3	Vertical	105	2.41	-	33.03	6.40	32.92
AV	5.35048G	53.58	54.00	-0.42	47.10	3	Vertical	105	2.41	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
SET 97  
97  
6.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	58.20	74.00	-15.80	52.07	3	Horizontal	70	1.00	-	32.70	6.37	32.94
AV	5.14768G	45.80	54.00	-8.20	39.67	3	Horizontal	70	1.00	-	32.70	6.37	32.94
PK	5.26624G	118.55	Inf	-Inf	112.25	3	Horizontal	70	1.00	-	32.83	6.40	32.93
AV	5.25636G	105.52	Inf	-Inf	99.24	3	Horizontal	70	1.00	-	32.81	6.40	32.93
PK	5.35204G	63.07	74.00	-10.93	56.58	3	Horizontal	70	1.00	-	33.01	6.40	32.92
AV	5.35G	47.79	54.00	-6.21	41.31	3	Horizontal	70	1.00	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5300MHz\_TnomVnom




Worst 84 [Horizontal]  
All 84 [Vertical]/84 [Vertical]/84 [Horizontal]/84 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61176G	56.65	74.00	-17.35	42.35	3	Vertical	339	1.64	-	38.60	8.65	32.95
AV	10.60252G	42.47	54.00	-11.53	28.18	3	Vertical	339	1.64	-	38.60	8.65	32.96
PK	15.90636G	68.82	74.00	-5.18	52.70	3	Vertical	3	1.80	-	38.40	10.47	32.75
AV	15.90136G	52.32	54.00	-1.68	36.21	3	Vertical	3	1.80	-	38.40	10.47	32.76
PK	10.59936G	56.26	68.20	-11.94	41.97	3	Horizontal	179	1.80	-	38.60	8.65	32.96
AV	10.61652G	42.48	54.00	-11.52	28.18	3	Horizontal	179	1.80	-	38.60	8.65	32.95
PK	15.9036G	70.40	74.00	-3.60	54.29	3	Horizontal	360	1.80	-	38.40	10.47	32.76
AV	15.89844G	52.98	54.00	-1.02	36.87	3	Horizontal	360	1.80	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
 SET 84  
 80/100/90/85/83/84  
 2.59/-13.13/-2.26/-0.63/1.53/1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	124.22	Inf	-Inf	117.83	3	Vertical	104	2.25	-	32.91	6.40	32.92
AV	5.29748G	110.62	Inf	-Inf	104.25	3	Vertical	104	2.25	-	32.89	6.40	32.92
PK	5.36188G	71.27	74.00	-2.73	64.74	3	Vertical	104	2.25	-	33.05	6.40	32.92
AV	5.35236G	52.86	54.00	-1.14	46.37	3	Vertical	104	2.25	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
SET 84  
84  
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30476G	114.39	Inf	-Inf	108.00	3	Horizontal	202	1.00	-	32.91	6.40	32.92
AV	5.29496G	101.59	Inf	-Inf	95.22	3	Horizontal	202	1.00	-	32.89	6.40	32.92
PK	5.35992G	65.32	74.00	-8.68	58.80	3	Horizontal	202	1.00	-	33.04	6.40	32.92
AV	5.35G	47.86	54.00	-6.14	41.38	3	Horizontal	202	1.00	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5320MHz\_TnomVnom




Worst 80 [Horizontal]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64288G	56.62	74.00	-17.38	42.30	3	Vertical	119	2.88	-	38.60	8.66	32.94
AV	10.63G	42.54	54.00	-11.46	28.22	3	Vertical	119	2.88	-	38.60	8.66	32.94
PK	15.95164G	61.95	74.00	-12.05	45.81	3	Vertical	3	1.79	-	38.40	10.49	32.75
AV	15.95636G	48.70	54.00	-5.30	32.56	3	Vertical	3	1.79	-	38.40	10.49	32.75
PK	10.62416G	56.30	74.00	-17.70	41.99	3	Horizontal	315	1.57	-	38.60	8.66	32.95
AV	10.62244G	42.58	54.00	-11.42	28.27	3	Horizontal	315	1.57	-	38.60	8.66	32.95
PK	15.95636G	62.91	74.00	-11.09	46.77	3	Horizontal	348	1.80	-	38.40	10.49	32.75
AV	15.95576G	49.40	54.00	-4.60	33.26	3	Horizontal	348	1.80	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
 SET 80  
 80/100/90/85/83/82/80  
 0.60/-21.36/-6.56/-2.29/-0.86/-0.32/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	122.00	Inf	-Inf	115.59	3	Vertical	104	2.37	-	32.93	6.40	32.92
AV	5.3174G	109.14	Inf	-Inf	102.73	3	Vertical	104	2.37	-	32.93	6.40	32.92
PK	5.3622G	66.90	74.00	-7.10	60.37	3	Vertical	104	2.37	-	33.05	6.40	32.92
AV	5.3522G	53.48	54.00	-0.52	46.99	3	Vertical	104	2.37	-	33.01	6.40	32.92



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUTZ\_4TX  
SET 80  
80  
5.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	112.90	Inf	-Inf	106.47	3	Horizontal	202	1.02	-	32.95	6.40	32.92
AV	5.325G	100.23	Inf	-Inf	93.80	3	Horizontal	202	1.02	-	32.95	6.40	32.92
PK	5.3528G	61.37	74.00	-12.63	54.88	3	Horizontal	202	1.02	-	33.01	6.40	32.92
AV	5.35G	48.04	54.00	-5.96	41.56	3	Horizontal	202	1.02	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5500MHz\_TnomVnom




Worst 75 [Horizontal]  
All 77 [Vertical]/77 [Vertical]/77 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00444G	55.35	74.00	-18.65	40.85	3	Vertical	234	1.80	-	38.50	8.75	32.75
AV	10.98192G	41.28	54.00	-12.72	26.79	3	Vertical	234	1.80	-	38.50	8.75	32.76
PK	16.50948G	65.54	68.20	-2.66	47.01	3	Vertical	353	1.80	-	40.30	10.65	32.42
PK	10.99432G	55.66	74.00	-18.34	41.16	3	Horizontal	112	2.25	-	38.50	8.75	32.75
AV	10.98212G	41.29	54.00	-12.71	26.80	3	Horizontal	112	2.25	-	38.50	8.75	32.76
PK	16.5042G	67.44	68.20	-0.76	48.92	3	Horizontal	31	1.84	-	40.30	10.65	32.43

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77/78/77  
 -2.60/4.18/3.38/2.15/0.94/-0.92/0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	67.03	74.00	-6.97	59.78	3	Vertical	105	2.41	-	33.70	6.46	32.91
AV	5.457G	52.40	54.00	-1.60	45.15	3	Vertical	105	2.41	-	33.70	6.46	32.91
PK	5.4674G	67.46	68.20	-0.74	60.19	3	Vertical	105	2.41	-	33.70	6.47	32.90
PK	5.497G	122.14	Inf	-Inf	114.84	3	Vertical	105	2.41	-	33.70	6.50	32.90
AV	5.5022G	108.53	Inf	-Inf	101.22	3	Vertical	105	2.41	-	33.71	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
SET 77  
77  
6.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	60.76	74.00	-13.24	53.52	3	Horizontal	296	2.58	-	33.70	6.45	32.91
AV	5.4598G	47.95	54.00	-6.05	40.69	3	Horizontal	296	2.58	-	33.70	6.46	32.90
PK	5.4688G	60.92	68.20	-7.28	53.65	3	Horizontal	296	2.58	-	33.70	6.47	32.90
PK	5.5064G	114.16	Inf	-Inf	106.82	3	Horizontal	296	2.58	-	33.73	6.51	32.90
AV	5.5012G	100.61	Inf	-Inf	93.31	3	Horizontal	296	2.58	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5580MHz\_TnomVnom




Worst 67 [Horizontal]  
All 98 [Vertical]/74 [Vertical]/74 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16316G	55.94	74.00	-18.06	41.58	3	Vertical	264	1.59	-	38.34	8.79	32.77
AV	11.14124G	42.18	54.00	-11.82	27.80	3	Vertical	264	1.59	-	38.36	8.79	32.77
PK	16.738G	66.89	68.20	-1.31	48.02	3	Vertical	351	1.80	-	40.44	10.72	32.29
PK	11.17648G	56.22	74.00	-17.78	41.88	3	Horizontal	214	1.80	-	38.32	8.79	32.77
AV	11.14492G	42.06	54.00	-11.94	27.68	3	Horizontal	214	1.80	-	38.36	8.79	32.77
PK	16.73112G	66.08	68.20	-2.12	47.22	3	Horizontal	324	1.80	-	40.43	10.72	32.29

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 98  
 80/100/90/95/97/98  
 4.92/-6.49/4.32/0.29/1.22/2.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44752G	65.69	74.00	-8.31	58.47	3	Vertical	106	2.25	-	33.68	6.45	32.91
AV	5.45776G	51.45	54.00	-2.55	44.20	3	Vertical	106	2.25	-	33.70	6.46	32.91
PK	5.468G	65.85	68.20	-2.35	58.58	3	Vertical	106	2.25	-	33.70	6.47	32.90
PK	5.58704G	126.68	Inf	-Inf	119.17	3	Vertical	106	2.25	-	33.83	6.59	32.91
AV	5.57744G	113.33	Inf	-Inf	105.81	3	Vertical	106	2.25	-	33.85	6.58	32.91
PK	5.73104G	62.53	68.20	-5.67	54.60	3	Vertical	106	2.25	-	34.25	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
SET 98  
98  
5.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45968G	62.28	74.00	-11.72	55.02	3	Horizontal	238	1.05	-	33.70	6.46	32.90
AV	5.45968G	48.25	54.00	-5.75	40.99	3	Horizontal	238	1.05	-	33.70	6.46	32.90
PK	5.46672G	61.32	68.20	-6.88	54.05	3	Horizontal	238	1.05	-	33.70	6.47	32.90
PK	5.58384G	118.20	Inf	-Inf	110.70	3	Horizontal	238	1.05	-	33.83	6.58	32.91
AV	5.57424G	105.78	Inf	-Inf	98.27	3	Horizontal	238	1.05	-	33.85	6.57	32.91
PK	5.72528G	60.97	68.20	-7.23	53.09	3	Horizontal	238	1.05	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5700MHz\_TnomVnom




Worst 54 [Vertical]  
All 54 [Vertical]/54 [Vertical]/54 [Horizontal]/54 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40972G	55.14	74.00	-18.86	40.69	3	Vertical	218	2.03	-	38.40	8.85	32.80
AV	11.40276G	41.46	54.00	-12.54	27.01	3	Vertical	218	2.03	-	38.40	8.85	32.80
PK	17.08416G	65.35	68.20	-2.85	45.26	3	Vertical	241	1.80	-	41.35	10.83	32.09
PK	11.39804G	55.79	74.00	-18.21	41.34	3	Horizontal	33	1.80	-	38.40	8.85	32.80
AV	11.40872G	41.48	54.00	-12.52	27.03	3	Horizontal	33	1.80	-	38.40	8.85	32.80
PK	17.10016G	64.89	68.20	-3.31	44.74	3	Horizontal	114	2.96	-	41.40	10.83	32.08



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 54  
 80/60/50/55/53/54  
 -21.66/-3.69/4.55/-1.82/4.01/1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	115.28	Inf	-Inf	107.56	3	Vertical	94	2.49	-	34.04	6.60	32.92
AV	5.695G	101.72	Inf	-Inf	94.03	3	Vertical	94	2.49	-	34.01	6.60	32.92
PK	5.7254G	66.48	68.20	-1.72	58.60	3	Vertical	94	2.49	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUTZ\_4TX  
SET 54  
54  
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	107.90	Inf	-Inf	100.20	3	Horizontal	292	1.01	-	34.02	6.60	32.92
AV	5.7022G	95.20	Inf	-Inf	87.50	3	Horizontal	292	1.01	-	34.02	6.60	32.92
PK	5.7256G	62.06	68.20	-6.14	54.18	3	Horizontal	292	1.01	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021


### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 70 [Horizontal]  
All 102 [Vertical]/77 [Vertical]/77 [Horizontal]/70 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44848G	56.09	74.00	-17.91	41.63	3	Vertical	26	2.28	-	38.40	8.86	32.80
AV	11.44244G	41.60	54.00	-12.40	27.14	3	Vertical	26	2.28	-	38.40	8.86	32.80
PK	17.1756G	68.00	68.20	-0.20	47.64	3	Vertical	347	1.80	-	41.55	10.85	32.04
PK	11.42044G	55.99	74.00	-18.01	41.53	3	Horizontal	5	2.97	-	38.40	8.86	32.80
AV	11.44728G	41.56	54.00	-12.44	27.10	3	Horizontal	5	2.97	-	38.40	8.86	32.80
PK	17.1562G	68.05	68.20	-0.15	47.74	3	Horizontal	353	1.80	-	41.51	10.85	32.05


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 5.29/5.16/4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	61.32	74.00	-12.68	54.08	3	Vertical	94	2.38	-	33.70	6.45	32.91
AV	5.4554G	48.63	54.00	-5.37	41.38	3	Vertical	94	2.38	-	33.70	6.46	32.91
PK	5.47G	62.01	68.20	-6.19	54.74	3	Vertical	94	2.38	-	33.70	6.47	32.90
PK	5.7146G	123.37	Inf	-Inf	115.57	3	Vertical	94	2.38	-	34.12	6.60	32.92
AV	5.7254G	111.90	Inf	-Inf	104.02	3	Vertical	94	2.38	-	34.20	6.60	32.92
PK	5.85068G	63.36	68.20	-4.84	54.90	3	Vertical	94	2.38	-	34.80	6.60	32.94

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 102  
 102  
 6.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	60.74	74.00	-13.26	53.50	3	Horizontal	294	2.68	-	33.70	6.45	32.91
AV	5.4554G	47.17	54.00	-6.83	39.92	3	Horizontal	294	2.68	-	33.70	6.46	32.91
PK	5.46296G	59.62	68.20	-8.58	52.36	3	Horizontal	294	2.68	-	33.70	6.46	32.90
PK	5.71244G	117.79	Inf	-Inf	110.01	3	Horizontal	294	2.68	-	34.10	6.60	32.92
AV	5.71784G	105.59	Inf	-Inf	97.77	3	Horizontal	294	2.68	-	34.14	6.60	32.92
PK	5.936G	61.93	68.20	-6.27	53.23	3	Horizontal	294	2.68	-	35.04	6.60	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5270MHz\_TnomVnom




Worst 77 [Horizontal]  
All 77 [Vertical]/77 [Vertical]/77 [Horizontal]/77 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5196G	56.75	68.20	-11.45	42.60	3	Vertical	54	1.80	-	38.52	8.63	33.00
PK	15.82192G	63.18	74.00	-10.82	47.18	3	Vertical	360	1.78	-	38.32	10.45	32.77
AV	15.80592G	49.91	54.00	-4.09	33.93	3	Vertical	360	1.78	-	38.31	10.44	32.77
PK	10.55904G	56.05	68.20	-12.15	41.83	3	Horizontal	338	1.33	-	38.56	8.64	32.98
PK	15.81376G	67.53	74.00	-6.47	51.55	3	Horizontal	0	1.84	-	38.31	10.44	32.77
AV	15.80848G	52.68	54.00	-1.32	36.70	3	Horizontal	0	1.84	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77  
 -2.11/4.23/2.62/0.74/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	60.69	74.00	-13.31	54.54	3	Vertical	106	2.42	-	32.72	6.37	32.94
AV	5.14512G	49.19	54.00	-4.81	43.05	3	Vertical	106	2.42	-	32.71	6.37	32.94
PK	5.25712G	118.72	Inf	-Inf	112.44	3	Vertical	106	2.42	-	32.81	6.40	32.93
AV	5.27728G	107.88	Inf	-Inf	101.56	3	Vertical	106	2.42	-	32.85	6.40	32.93
PK	5.35288G	69.42	74.00	-4.58	62.93	3	Vertical	106	2.42	-	33.01	6.40	32.92
AV	5.35232G	53.91	54.00	-0.09	47.42	3	Vertical	106	2.42	-	33.01	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom



EUTZ\_4TX  
SET 77  
77  
4.71


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	58.94	74.00	-15.06	52.78	3	Horizontal	71	1.14	-	32.73	6.37	32.94
AV	5.14736G	47.03	54.00	-6.97	40.89	3	Horizontal	71	1.14	-	32.71	6.37	32.94
PK	5.26664G	110.78	Inf	-Inf	104.48	3	Horizontal	71	1.14	-	32.83	6.40	32.93
AV	5.26608G	99.88	Inf	-Inf	93.58	3	Horizontal	71	1.14	-	32.83	6.40	32.93
PK	5.3512G	63.42	74.00	-10.58	56.94	3	Horizontal	71	1.14	-	33.00	6.40	32.92
AV	5.35064G	49.29	54.00	-4.71	42.81	3	Horizontal	71	1.14	-	33.00	6.40	32.92



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5310MHz\_TnomVnom




Worst 67 [Vertical]  
All 67 [Vertical]/67 [Vertical]/67 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58584G	56.45	68.20	-11.75	42.18	3	Vertical	282	1.80	-	38.59	8.65	32.97
PK	15.9372G	61.32	74.00	-12.68	45.19	3	Vertical	3	1.77	-	38.40	10.48	32.75
AV	15.93832G	48.45	54.00	-5.55	32.32	3	Vertical	3	1.77	-	38.40	10.48	32.75
PK	10.63264G	56.46	74.00	-17.54	42.14	3	Horizontal	201	2.65	-	38.60	8.66	32.94
AV	10.60744G	44.14	54.00	-9.86	29.84	3	Horizontal	201	2.65	-	38.60	8.65	32.95
PK	15.92352G	60.23	74.00	-13.77	44.10	3	Horizontal	15	1.22	-	38.40	10.48	32.75
AV	15.91624G	48.17	54.00	-5.83	32.05	3	Horizontal	15	1.22	-	38.40	10.47	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUTZ\_4TX  
 SET 67  
 80/60/70/65/67  
 -4.57/2.67/-0.69/0.99/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31696G	116.48	Inf	-Inf	110.07	3	Vertical	105	2.35	-	32.93	6.40	32.92
AV	5.31744G	105.46	Inf	-Inf	99.05	3	Vertical	105	2.35	-	32.93	6.40	32.92
PK	5.35608G	65.63	74.00	-8.37	59.13	3	Vertical	105	2.35	-	33.02	6.40	32.92
AV	5.35224G	53.90	54.00	-0.10	47.41	3	Vertical	105	2.35	-	33.01	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUTZ\_4TX  
SET 67  
67  
4.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32008G	107.86	Inf	-Inf	101.44	3	Horizontal	201	1.16	-	32.94	6.40	32.92
AV	5.31504G	96.11	Inf	-Inf	89.70	3	Horizontal	201	1.16	-	32.93	6.40	32.92
PK	5.3556G	60.80	74.00	-13.20	54.30	3	Horizontal	201	1.16	-	33.02	6.40	32.92
AV	5.35032G	49.38	54.00	-4.62	42.90	3	Horizontal	201	1.16	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5510MHz\_TnomVnom




Worst 54 [Horizontal]  
All 54 [Vertical]/54 [Vertical]/54 [Horizontal]/54 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00968G	55.48	74.00	-18.52	40.99	3	Vertical	93	1.80	-	38.49	8.75	32.75
AV	11.05416G	42.84	54.00	-11.16	28.39	3	Vertical	93	1.80	-	38.45	8.76	32.76
PK	16.54552G	63.40	68.20	-4.80	44.84	3	Vertical	165	2.90	-	40.30	10.66	32.40
PK	11.05512G	55.37	74.00	-18.63	40.93	3	Horizontal	243	1.79	-	38.44	8.76	32.76
AV	11.03736G	42.87	54.00	-11.13	28.40	3	Horizontal	243	1.79	-	38.46	8.76	32.75
PK	16.55688G	64.69	68.20	-3.51	46.12	3	Horizontal	73	1.66	-	40.30	10.67	32.40

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 54  
 80/60/50/55/53/54  
 -17.32/-0.71/3.95/-0.72/2.90/2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	61.71	74.00	-12.29	54.47	3	Vertical	105	2.46	-	33.70	6.45	32.91
AV	5.45696G	50.72	54.00	-3.28	43.47	3	Vertical	105	2.46	-	33.70	6.46	32.91
PK	5.46728G	65.71	68.20	-2.49	58.44	3	Vertical	105	2.46	-	33.70	6.47	32.90
PK	5.49704G	113.82	Inf	-Inf	106.52	3	Vertical	105	2.46	-	33.70	6.50	32.90
AV	5.51216G	101.83	Inf	-Inf	94.47	3	Vertical	105	2.46	-	33.75	6.51	32.90

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT\_Z\_4TX  
SET 54  
54  
5.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	60.55	74.00	-13.45	53.29	3	Horizontal	325	1.04	-	33.70	6.46	32.90
AV	5.4548G	48.65	54.00	-5.35	41.41	3	Horizontal	325	1.04	-	33.70	6.45	32.91
PK	5.46992G	60.79	68.20	-7.41	53.52	3	Horizontal	325	1.04	-	33.70	6.47	32.90
PK	5.50688G	107.35	Inf	-Inf	100.01	3	Horizontal	325	1.04	-	33.73	6.51	32.90
AV	5.50184G	95.05	Inf	-Inf	87.74	3	Horizontal	325	1.04	-	33.71	6.50	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5550MHz\_TnomVnom




Worst 69 [Horizontal]  
 All 74 [Vertical]/72 [Vertical]/72 [Horizontal]/69 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06056G	56.41	74.00	-17.59	41.96	3	Vertical	360	1.01	-	38.44	8.77	32.76
AV	11.07816G	43.60	54.00	-10.40	29.17	3	Vertical	360	1.01	-	38.42	8.77	32.76
PK	16.64344G	67.95	68.20	-0.25	49.26	3	Vertical	351	1.78	-	40.34	10.69	32.34
PK	11.10264G	56.66	74.00	-17.34	42.24	3	Horizontal	333	1.80	-	38.40	8.78	32.76
AV	11.11472G	43.67	54.00	-10.33	29.26	3	Horizontal	333	1.80	-	38.39	8.78	32.76
PK	16.64936G	68.04	68.20	-0.16	49.34	3	Horizontal	23	1.73	-	40.35	10.69	32.34

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 74  
 80/60/70/75/77/76/75/74  
 -4.83/4.10/2.64/0.43/-0.98/-0.65/-0.56/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	60.22	74.00	-13.78	53.74	3	Vertical	108	2.40	-	33.00	6.40	32.92
AV	5.35G	49.31	54.00	-4.69	42.83	3	Vertical	108	2.40	-	33.00	6.40	32.92
PK	5.4564G	66.32	74.00	-7.68	59.07	3	Vertical	108	2.40	-	33.70	6.46	32.91
AV	5.4572G	52.81	54.00	-1.19	45.56	3	Vertical	108	2.40	-	33.70	6.46	32.91
PK	5.462G	67.12	68.20	-1.08	59.86	3	Vertical	108	2.40	-	33.70	6.46	32.90
PK	5.5468G	118.66	Inf	-Inf	111.12	3	Vertical	108	2.40	-	33.89	6.55	32.90
AV	5.542G	107.46	Inf	-Inf	99.95	3	Vertical	108	2.40	-	33.87	6.54	32.90
PK	5.7468G	61.98	68.20	-6.22	53.93	3	Vertical	108	2.40	-	34.37	6.60	32.92



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT\_Z\_4TX  
SET 74  
74  
5.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.65	74.00	-16.35	51.17	3	Horizontal	84	1.00	-	33.00	6.40	32.92
AV	5.35G	47.66	54.00	-6.34	41.18	3	Horizontal	84	1.00	-	33.00	6.40	32.92
PK	5.4452G	60.68	74.00	-13.32	53.49	3	Horizontal	84	1.00	-	33.65	6.45	32.91
PK	5.4604G	61.56	68.20	-6.64	54.30	3	Horizontal	84	1.00	-	33.70	6.46	32.90
AV	5.4572G	48.89	54.00	-5.11	41.64	3	Horizontal	84	1.00	-	33.70	6.46	32.91
PK	5.5604G	109.05	Inf	-Inf	101.52	3	Horizontal	84	1.00	-	33.88	6.56	32.91
AV	5.5356G	99.16	Inf	-Inf	91.68	3	Horizontal	84	1.00	-	33.84	6.54	32.90
PK	5.7324G	60.04	68.20	-8.16	52.10	3	Horizontal	84	1.00	-	34.26	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5670MHz\_TnomVnom




Worst 62 [Vertical]  
All 62 [Vertical]/62 [Vertical]/62 [Horizontal]/62 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30392G	55.37	74.00	-18.63	40.93	3	Vertical	240	1.80	-	38.40	8.83	32.79
AV	11.31632G	43.00	54.00	-11.00	28.56	3	Vertical	240	1.80	-	38.40	8.83	32.79
PK	17.04192G	65.09	68.20	-3.11	45.16	3	Vertical	179	1.74	-	41.23	10.81	32.11
PK	11.36888G	55.75	74.00	-18.25	41.30	3	Horizontal	337	1.34	-	38.40	8.84	32.79
AV	11.30856G	43.21	54.00	-10.79	28.77	3	Horizontal	337	1.34	-	38.40	8.83	32.79
PK	17.00104G	64.57	68.20	-3.63	44.80	3	Horizontal	15	1.80	-	41.10	10.80	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 62  
 80/60/70/65/63/62  
 -8.87/1.39/-3.37/-0.95/-1.03/0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	114.62	Inf	-Inf	106.87	3	Vertical	94	2.37	-	34.07	6.60	32.92
AV	5.66008G	102.94	Inf	-Inf	95.18	3	Vertical	94	2.37	-	34.08	6.60	32.92
PK	5.72664G	67.63	68.20	-0.57	59.74	3	Vertical	94	2.37	-	34.21	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUTZ\_4TX  
SET 62  
62  
6.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	106.41	Inf	-Inf	98.68	3	Horizontal	299	1.00	-	34.05	6.60	32.92
AV	5.66296G	94.91	Inf	-Inf	87.16	3	Horizontal	299	1.00	-	34.07	6.60	32.92
PK	5.73752G	61.41	68.20	-6.79	53.43	3	Horizontal	299	1.00	-	34.30	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021


### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 81 [Horizontal]  
All 101 [Vertical]/91 [Vertical]/91 [Horizontal]/81 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45224G	55.50	74.00	-18.50	41.04	3	Vertical	215	1.80	-	38.40	8.86	32.80
AV	11.458G	43.07	54.00	-10.93	28.61	3	Vertical	215	1.80	-	38.40	8.86	32.80
PK	17.13168G	67.96	68.20	-0.24	47.72	3	Vertical	349	1.80	-	41.46	10.84	32.06
PK	11.41848G	55.07	74.00	-18.93	40.62	3	Horizontal	56	1.80	-	38.40	8.85	32.80
AV	11.4268G	42.91	54.00	-11.09	28.45	3	Horizontal	56	1.80	-	38.40	8.86	32.80
PK	17.13032G	67.99	68.20	-0.21	47.75	3	Horizontal	335	1.80	-	41.46	10.84	32.06


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 101  
 80/100/102/101  
 3.99/1.31/-0.54/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45208G	64.12	74.00	-9.88	56.88	3	Vertical	94	2.28	-	33.70	6.45	32.91
AV	5.45416G	51.01	54.00	-2.99	43.77	3	Vertical	94	2.28	-	33.70	6.45	32.91
PK	5.46976G	62.96	68.20	-5.24	55.69	3	Vertical	94	2.28	-	33.70	6.47	32.90
PK	5.7048G	120.83	Inf	-Inf	113.11	3	Vertical	94	2.28	-	34.04	6.60	32.92
AV	5.7152G	110.18	Inf	-Inf	102.38	3	Vertical	94	2.28	-	34.12	6.60	32.92
PK	5.86288G	67.12	68.20	-1.08	58.63	3	Vertical	94	2.28	-	34.83	6.60	32.94

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 101  
 101  
 5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	60.38	74.00	-13.62	53.13	3	Horizontal	292	1.01	-	33.70	6.46	32.91
AV	5.45728G	48.66	54.00	-5.34	41.41	3	Horizontal	292	1.01	-	33.70	6.46	32.91
PK	5.4604G	60.28	68.20	-7.92	53.02	3	Horizontal	292	1.01	-	33.70	6.46	32.90
PK	5.71728G	114.53	Inf	-Inf	106.71	3	Horizontal	292	1.01	-	34.14	6.60	32.92
AV	5.71208G	104.19	Inf	-Inf	96.41	3	Horizontal	292	1.01	-	34.10	6.60	32.92
PK	5.85768G	62.51	68.20	-5.69	54.03	3	Horizontal	292	1.01	-	34.82	6.60	32.94

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

22/12/2021

### 5290MHz\_TnomVnom




Worst 64 [Vertical]  
All 64 [Vertical]/64 [Vertical]/64 [Horizontal]/64 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5704G	56.27	68.20	-11.93	42.03	3	Vertical	224	1.80	-	38.57	8.64	32.97
AV	10.62816G	43.92	54.00	-10.08	29.60	3	Vertical	224	1.80	-	38.60	8.66	32.94
PK	15.91912G	61.32	74.00	-12.68	45.19	3	Vertical	5	1.83	-	38.40	10.48	32.75
AV	15.94776G	47.98	54.00	-6.02	31.85	3	Vertical	5	1.83	-	38.40	10.48	32.75
PK	10.548G	56.17	68.20	-12.03	41.97	3	Horizontal	45	1.80	-	38.55	8.64	32.99
PK	15.89128G	60.84	74.00	-13.16	44.74	3	Horizontal	335	1.80	-	38.39	10.47	32.76
AV	15.94104G	48.16	54.00	-5.84	32.03	3	Horizontal	335	1.80	-	38.40	10.48	32.75



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 64  
 80/60/70/65/63/64  
 -7.46/2.37/-2.41/-0.86/1.03/0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	59.46	74.00	-14.54	53.31	3	Vertical	106	2.36	-	32.72	6.37	32.94
AV	5.14792G	48.36	54.00	-5.64	42.23	3	Vertical	106	2.36	-	32.70	6.37	32.94
PK	5.25224G	112.72	Inf	-Inf	106.45	3	Vertical	106	2.36	-	32.80	6.40	32.93
AV	5.28232G	101.55	Inf	-Inf	95.22	3	Vertical	106	2.36	-	32.86	6.40	32.93
PK	5.3572G	64.83	74.00	-9.17	58.32	3	Vertical	106	2.36	-	33.03	6.40	32.92
AV	5.35784G	53.33	54.00	-0.67	46.82	3	Vertical	106	2.36	-	33.03	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
SET 64  
64  
5.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	58.79	74.00	-15.21	52.66	3	Horizontal	202	1.05	-	32.70	6.37	32.94
AV	5.13384G	47.14	54.00	-6.86	40.98	3	Horizontal	202	1.05	-	32.73	6.37	32.94
PK	5.25992G	104.39	Inf	-Inf	98.10	3	Horizontal	202	1.05	-	32.82	6.40	32.93
AV	5.27528G	93.00	Inf	-Inf	86.68	3	Horizontal	202	1.05	-	32.85	6.40	32.93
PK	5.42952G	60.22	74.00	-13.78	53.20	3	Horizontal	202	1.05	-	33.50	6.43	32.91
AV	5.35G	48.99	54.00	-5.01	42.51	3	Horizontal	202	1.05	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021

### 5530MHz\_TnomVnom




Worst 64 [Horizontal]  
All 64 [Vertical]/64 [Vertical]/64 [Horizontal]/64 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10384G	55.60	74.00	-18.40	41.18	3	Vertical	2	1.80	-	38.40	8.78	32.76
AV	11.08176G	43.60	54.00	-10.40	29.17	3	Vertical	2	1.80	-	38.42	8.77	32.76
PK	16.5468G	63.74	68.20	-4.46	45.18	3	Vertical	88	2.53	-	40.30	10.66	32.40
PK	11.088G	56.34	74.00	-17.66	41.92	3	Horizontal	284	2.74	-	38.41	8.77	32.76
AV	11.13296G	43.46	54.00	-10.54	29.08	3	Horizontal	284	2.74	-	38.37	8.78	32.77
PK	16.58264G	64.46	68.20	-3.74	45.87	3	Horizontal	61	1.00	-	40.30	10.67	32.38

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 64  
 80/60/70/65/63/64  
 -16.35/1.29/-1.93/-0.20/0.46/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	65.78	74.00	-8.22	58.53	3	Vertical	105	2.17	-	33.70	6.46	32.91
AV	5.45736G	53.88	54.00	-0.12	46.63	3	Vertical	105	2.17	-	33.70	6.46	32.91
PK	5.46248G	66.14	68.20	-2.06	58.88	3	Vertical	105	2.17	-	33.70	6.46	32.90
PK	5.53256G	113.03	Inf	-Inf	105.57	3	Vertical	105	2.17	-	33.83	6.53	32.90
AV	5.5172G	100.56	Inf	-Inf	93.17	3	Vertical	105	2.17	-	33.77	6.52	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
SET 64  
64  
4.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	60.99	74.00	-13.01	53.75	3	Horizontal	299	1.02	-	33.70	6.45	32.91
AV	5.4564G	49.11	54.00	-4.89	41.86	3	Horizontal	299	1.02	-	33.70	6.46	32.91
PK	5.46408G	60.88	68.20	-7.32	53.62	3	Horizontal	299	1.02	-	33.70	6.46	32.90
PK	5.53352G	104.41	Inf	-Inf	96.95	3	Horizontal	299	1.02	-	33.83	6.53	32.90
AV	5.51656G	92.60	Inf	-Inf	85.21	3	Horizontal	299	1.02	-	33.77	6.52	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021

### 5610MHz\_TnomVnom




Worst 70 [Vertical]  
All 70 [Vertical]/70 [Vertical]/70 [Horizontal]/70 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14832G	55.70	74.00	-18.30	41.33	3	Vertical	87	1.40	-	38.35	8.79	32.77
AV	11.21856G	43.80	54.00	-10.20	29.46	3	Vertical	87	1.40	-	38.32	8.80	32.78
PK	16.9068G	63.58	68.20	-4.62	43.99	3	Vertical	286	1.26	-	41.01	10.77	32.19
PK	11.1552G	55.78	74.00	-18.22	41.42	3	Horizontal	46	1.17	-	38.34	8.79	32.77
AV	11.1448G	43.14	54.00	-10.86	28.76	3	Horizontal	46	1.17	-	38.36	8.79	32.77
PK	16.8628G	63.28	68.20	-4.92	43.92	3	Horizontal	321	1.40	-	40.81	10.76	32.21

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 70  
 80/60/70/75/73/72/70  
 -5.30/4.01/1.34/-1.97/-0.26/-0.53/1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	62.46	74.00	-11.54	55.21	3	Vertical	93	2.34	-	33.70	6.46	32.91
AV	5.45448G	51.06	54.00	-2.94	43.82	3	Vertical	93	2.34	-	33.70	6.45	32.91
PK	5.46984G	64.50	68.20	-3.70	57.23	3	Vertical	93	2.34	-	33.70	6.47	32.90
PK	5.61512G	113.69	Inf	-Inf	106.11	3	Vertical	93	2.34	-	33.89	6.60	32.91
AV	5.62024G	102.33	Inf	-Inf	94.72	3	Vertical	93	2.34	-	33.92	6.60	32.91
PK	5.7284G	66.81	68.20	-1.39	58.90	3	Vertical	93	2.34	-	34.23	6.60	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom



EUT\_Z\_4TX  
SET 70  
70  
4.93


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	60.87	74.00	-13.13	53.63	3	Horizontal	320	1.00	-	33.70	6.45	32.91
AV	5.45128G	49.07	54.00	-4.93	41.83	3	Horizontal	320	1.00	-	33.70	6.45	32.91
PK	5.46984G	60.70	68.20	-7.50	53.43	3	Horizontal	320	1.00	-	33.70	6.47	32.90
PK	5.59592G	106.37	Inf	-Inf	98.87	3	Horizontal	320	1.00	-	33.81	6.60	32.91
AV	5.5812G	95.13	Inf	-Inf	87.62	3	Horizontal	320	1.00	-	33.84	6.58	32.91
PK	5.73416G	62.27	68.20	-5.93	54.32	3	Horizontal	320	1.00	-	34.27	6.60	32.92



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021


### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 87 [Horizontal]  
All 87 [Vertical]/87 [Vertical]/87 [Horizontal]/87 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42208G	55.21	74.00	-18.79	40.75	3	Vertical	187	2.02	-	38.40	8.86	32.80
AV	11.43184G	43.09	54.00	-10.91	28.63	3	Vertical	187	2.02	-	38.40	8.86	32.80
PK	17.12216G	65.21	68.20	-2.99	45.00	3	Vertical	351	1.97	-	41.44	10.84	32.07
PK	11.40336G	55.12	74.00	-18.88	40.67	3	Horizontal	360	1.03	-	38.40	8.85	32.80
AV	11.45792G	42.95	54.00	-11.05	28.49	3	Horizontal	360	1.03	-	38.40	8.86	32.80
PK	17.06392G	67.36	68.20	-0.84	47.35	3	Horizontal	353	1.78	-	41.29	10.82	32.10

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 87  
 80/100/90/85/87/88/87  
 2.48/-9.73/-2.18/1.31/0.29/-0.33/0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	64.40	74.00	-9.60	57.16	3	Vertical	92	2.34	-	33.70	6.45	32.91
AV	5.4596G	53.37	54.00	-0.63	46.11	3	Vertical	92	2.34	-	33.70	6.46	32.90
PK	5.47G	65.45	68.20	-2.75	58.18	3	Vertical	92	2.34	-	33.70	6.47	32.90
PK	5.6804G	116.73	Inf	-Inf	109.01	3	Vertical	92	2.34	-	34.04	6.60	32.92
AV	5.66024G	105.32	Inf	-Inf	97.56	3	Vertical	92	2.34	-	34.08	6.60	32.92
PK	5.85G	67.33	68.20	-0.87	58.87	3	Vertical	92	2.34	-	34.80	6.60	32.94