


### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 95  
95  
4.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38996G	60.50	74.00	-13.50	29.14	3	Horizontal	22	1.08	-	27.56	3.80	-
AV	2.38996G	48.02	54.00	-5.98	16.66	3	Horizontal	22	1.08	-	27.56	3.80	-
PK	2.43604G	116.35	Inf	-Inf	85.00	3	Horizontal	22	1.08	-	27.53	3.82	-
AV	2.4362G	112.53	Inf	-Inf	81.18	3	Horizontal	22	1.08	-	27.53	3.82	-
PK	2.48564G	61.79	74.00	-12.21	30.24	3	Horizontal	22	1.08	-	27.71	3.84	-
AV	2.4835G	49.30	54.00	-4.70	17.76	3	Horizontal	22	1.08	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 93  
93  
7.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87412G	51.59	74.00	-22.41	45.72	3	Vertical	198	1.58	-	32.55	6.30	32.98
AV	4.87398G	46.62	54.00	-7.38	40.75	3	Vertical	198	1.58	-	32.55	6.30	32.98
PK	7.30904G	57.70	74.00	-16.30	46.19	3	Vertical	30	1.22	-	37.28	7.31	33.08
AV	7.31024G	50.61	54.00	-3.39	39.10	3	Vertical	30	1.22	-	37.28	7.31	33.08

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
 SET 91  
 93/73/83/88/90/91  
 -0.07/9.53/5.39/3.05/2.07/1.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87392G	56.37	74.00	-17.63	50.50	3	Horizontal	308	2.12	-	32.55	6.30	32.98
AV	4.87396G	52.63	54.00	-1.37	46.76	3	Horizontal	308	2.12	-	32.55	6.30	32.98
PK	7.31176G	57.93	74.00	-16.07	46.42	3	Horizontal	319	1.62	-	37.28	7.31	33.08
AV	7.31022G	50.18	54.00	-3.82	38.67	3	Horizontal	319	1.62	-	37.28	7.31	33.08

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 83  
 80/100/90/85/83/84/83  
 4.40/-39.75/-6.18/-0.29/1.70/-0.02/1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	121.72	Inf	-Inf	90.34	3	Vertical	38	2.73	-	27.55	3.83	-
AV	2.4562G	117.74	Inf	-Inf	86.37	3	Vertical	38	2.73	-	27.54	3.83	-
PK	2.4837G	63.95	74.00	-10.05	32.41	3	Vertical	38	2.73	-	27.70	3.84	-
AV	2.4838G	52.21	54.00	-1.79	20.67	3	Vertical	38	2.73	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
SET 83  
83  
7.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	113.93	Inf	-Inf	82.55	3	Horizontal	239	1.35	-	27.55	3.83	-
AV	2.4562G	110.08	Inf	-Inf	78.71	3	Horizontal	239	1.35	-	27.54	3.83	-
PK	2.4838G	58.39	74.00	-15.61	26.85	3	Horizontal	239	1.35	-	27.70	3.84	-
AV	2.4838G	46.23	54.00	-7.77	14.69	3	Horizontal	239	1.35	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 80  
 80/100/90/85/83/82/80  
 1.50/-39.22/-12.55/-5.22/-1.96/-0.86/1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	121.35	Inf	-Inf	89.94	3	Vertical	38	2.73	-	27.58	3.83	-
AV	2.4612G	117.53	Inf	-Inf	86.13	3	Vertical	38	2.73	-	27.57	3.83	-
PK	2.4838G	65.42	74.00	-8.58	33.88	3	Vertical	38	2.73	-	27.70	3.84	-
AV	2.4835G	52.45	54.00	-1.55	20.91	3	Vertical	38	2.73	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
SET 80  
80  
7.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	113.27	Inf	-Inf	81.87	3	Horizontal	238	1.37	-	27.57	3.83	-
AV	2.4612G	109.37	Inf	-Inf	77.97	3	Horizontal	238	1.37	-	27.57	3.83	-
PK	2.4969G	58.60	74.00	-15.40	26.97	3	Horizontal	238	1.37	-	27.78	3.85	-
AV	2.4862G	46.59	54.00	-7.41	15.03	3	Horizontal	238	1.37	-	27.72	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 80  
80  
15.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92416G	47.71	74.00	-26.29	41.73	3	Vertical	215	1.30	-	32.65	6.30	32.97
AV	4.924G	38.61	54.00	-15.39	32.63	3	Vertical	215	1.30	-	32.65	6.30	32.97
PK	7.38536G	53.34	74.00	-20.66	41.80	3	Vertical	31	1.90	-	37.20	7.39	33.05
AV	7.38708G	40.61	54.00	-13.39	29.07	3	Vertical	31	1.90	-	37.20	7.39	33.05



### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 80  
80  
9.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92392G	50.29	74.00	-23.71	44.31	3	Horizontal	324	2.93	-	32.65	6.30	32.97
AV	4.92396G	44.01	54.00	-9.99	38.03	3	Horizontal	324	2.93	-	32.65	6.30	32.97
PK	7.38232G	53.79	74.00	-20.21	42.26	3	Horizontal	301	1.90	-	37.20	7.38	33.05
AV	7.38522G	41.85	54.00	-12.15	30.31	3	Horizontal	301	1.90	-	37.20	7.39	33.05

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUT\_Z\_4TX  
 SET 70  
 80/60/70/75/73/72/70  
 -6.32/4.08/0.39/-2.32/-1.02/-0.63/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	68.43	74.00	-5.57	37.07	3	Vertical	140	2.75	-	27.56	3.80	-
AV	2.3882G	53.76	54.00	-0.24	22.41	3	Vertical	140	2.75	-	27.55	3.80	-
PK	2.4068G	118.60	Inf	-Inf	87.21	3	Vertical	140	2.75	-	27.59	3.80	-
AV	2.4074G	108.82	Inf	-Inf	77.43	3	Vertical	140	2.75	-	27.59	3.80	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 70  
70  
7.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	60.21	74.00	-13.79	28.85	3	Horizontal	19	1.00	-	27.56	3.80	-
AV	2.39G	46.93	54.00	-7.07	15.57	3	Horizontal	19	1.00	-	27.56	3.80	-
PK	2.4137G	112.11	Inf	-Inf	80.73	3	Horizontal	19	1.00	-	27.57	3.81	-
AV	2.414G	102.13	Inf	-Inf	70.75	3	Horizontal	19	1.00	-	27.57	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 70  
70  
19.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81952G	49.06	74.00	-24.94	43.31	3	Vertical	38	1.93	-	32.44	6.30	32.99
AV	4.81914G	34.49	54.00	-19.51	28.74	3	Vertical	38	1.93	-	32.44	6.30	32.99

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 70  
70  
18.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82492G	48.92	74.00	-25.08	43.15	3	Horizontal	38	2.27	-	32.45	6.30	32.98
AV	4.82482G	35.69	54.00	-18.31	29.92	3	Horizontal	38	2.27	-	32.45	6.30	32.98

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 76  
 80/60/70/75/77/76  
 -2.93/6.50/3.11/0.93/-0.43/0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3897G	67.10	74.00	-6.90	35.74	3	Vertical	139	2.74	-	27.56	3.80	-
AV	2.39G	53.87	54.00	-0.13	22.51	3	Vertical	139	2.74	-	27.56	3.80	-
PK	2.4115G	120.23	Inf	-Inf	88.84	3	Vertical	139	2.74	-	27.58	3.81	-
AV	2.4122G	110.50	Inf	-Inf	79.11	3	Vertical	139	2.74	-	27.58	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUTZ\_4TX  
SET 76  
76  
8.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3785G	59.37	74.00	-14.63	28.06	3	Horizontal	20	1.04	-	27.51	3.80	-
AV	2.3855G	45.72	54.00	-8.28	14.38	3	Horizontal	20	1.04	-	27.54	3.80	-
PK	2.4187G	113.47	Inf	-Inf	82.10	3	Horizontal	20	1.04	-	27.56	3.81	-
AV	2.4194G	103.52	Inf	-Inf	72.15	3	Horizontal	20	1.04	-	27.56	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 85  
 80/100/90/85  
 3.71/-23.75/-3.28/0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38996G	73.52	74.00	-0.48	42.16	3	Vertical	139	2.94	-	27.56	3.80	-
AV	2.38996G	53.80	54.00	-0.20	22.44	3	Vertical	139	2.94	-	27.56	3.80	-
PK	2.43252G	122.30	Inf	-Inf	90.95	3	Vertical	139	2.94	-	27.53	3.82	-
AV	2.43236G	112.53	Inf	-Inf	81.17	3	Vertical	139	2.94	-	27.54	3.82	-
PK	2.4914G	70.28	74.00	-3.72	38.68	3	Vertical	139	2.94	-	27.75	3.85	-
AV	2.49092G	51.01	54.00	-2.99	19.41	3	Vertical	139	2.94	-	27.75	3.85	-



### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 85  
85  
5.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.37876G	67.54	74.00	-6.46	36.22	3	Horizontal	19	1.79	-	27.52	3.80	-
AV	2.3842G	46.18	54.00	-7.82	14.84	3	Horizontal	19	1.79	-	27.54	3.80	-
PK	2.43988G	115.88	Inf	-Inf	84.54	3	Horizontal	19	1.79	-	27.52	3.82	-
AV	2.43988G	106.06	Inf	-Inf	74.72	3	Horizontal	19	1.79	-	27.52	3.82	-
PK	2.48404G	68.70	74.00	-5.30	37.16	3	Horizontal	19	1.79	-	27.70	3.84	-
AV	2.48372G	48.78	54.00	-5.22	17.24	3	Horizontal	19	1.79	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 85  
85  
12.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.31044G	55.10	74.00	-18.90	43.59	3	Vertical	32	2.03	-	37.28	7.31	33.08
AV	7.30988G	41.59	54.00	-12.41	30.08	3	Vertical	32	2.03	-	37.28	7.31	33.08

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 85  
85  
11.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.3116G	56.43	74.00	-17.57	44.92	3	Horizontal	295	1.83	-	37.28	7.31	33.08
AV	7.31186G	42.40	54.00	-11.60	30.89	3	Horizontal	295	1.83	-	37.28	7.31	33.08

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 83  
 80/100/90/85/83  
 2.00/-32.52/-6.43/-1.58/0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4508G	120.50	Inf	-Inf	89.17	3	Vertical	144	1.88	-	27.50	3.83	-
AV	2.4509G	110.28	Inf	-Inf	78.94	3	Vertical	144	1.88	-	27.51	3.83	-
PK	2.4892G	70.55	74.00	-3.45	38.97	3	Vertical	144	1.88	-	27.74	3.84	-
AV	2.49G	53.92	54.00	-0.08	22.34	3	Vertical	144	1.88	-	27.74	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2457MHz\_TX




EUTZ\_4TX  
SET 83  
83  
1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4596G	116.12	Inf	-Inf	84.73	3	Horizontal	20	1.06	-	27.56	3.83	-
AV	2.4597G	105.90	Inf	-Inf	74.51	3	Horizontal	20	1.06	-	27.56	3.83	-
PK	2.484G	66.00	74.00	-8.00	34.46	3	Horizontal	20	1.06	-	27.70	3.84	-
AV	2.4837G	52.38	54.00	-1.62	20.84	3	Horizontal	20	1.06	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 76  
 80/60/70/75/77/76  
 -3.37/6.88/4.07/1.46/-0.15/0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4694G	119.27	Inf	-Inf	87.82	3	Vertical	205	2.54	-	27.62	3.83	-
AV	2.4693G	109.54	Inf	-Inf	78.09	3	Vertical	205	2.54	-	27.62	3.83	-
PK	2.488G	67.35	74.00	-6.65	35.78	3	Vertical	205	2.54	-	27.73	3.84	-
AV	2.4896G	53.25	54.00	-0.75	21.67	3	Vertical	205	2.54	-	27.74	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
SET 76  
76  
1.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4651G	114.07	Inf	-Inf	82.65	3	Horizontal	20	1.08	-	27.59	3.83	-
AV	2.4647G	104.21	Inf	-Inf	72.79	3	Horizontal	20	1.08	-	27.59	3.83	-
PK	2.4846G	67.44	74.00	-6.56	35.89	3	Horizontal	20	1.08	-	27.71	3.84	-
AV	2.4836G	52.56	54.00	-1.44	21.02	3	Horizontal	20	1.08	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 76  
76  
14.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.40072G	52.62	74.00	-21.38	41.07	3	Vertical	174	1.80	-	37.20	7.40	33.05
AV	7.39166G	39.26	54.00	-14.74	27.72	3	Vertical	174	1.80	-	37.20	7.39	33.05



### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 76  
76  
14.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.39616G	52.63	74.00	-21.37	41.08	3	Horizontal	198	1.80	-	37.20	7.40	33.05
AV	7.39862G	39.28	54.00	-14.72	27.73	3	Horizontal	198	1.80	-	37.20	7.40	33.05

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
 SET 73  
 80/60/70/75/73  
 -6.06/3.42/1.18/-1.19/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.86	74.00	-1.14	41.50	3	Vertical	201	3.00	-	27.56	3.80	-
AV	2.3859G	53.96	54.00	-0.04	22.62	3	Vertical	201	3.00	-	27.54	3.80	-
PK	2.4107G	120.41	Inf	-Inf	89.02	3	Vertical	201	3.00	-	27.58	3.81	-
AV	2.4107G	107.04	Inf	-Inf	75.65	3	Vertical	201	3.00	-	27.58	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 73  
73  
5.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3883G	62.40	74.00	-11.60	31.05	3	Horizontal	240	1.47	-	27.55	3.80	-
AV	2.3876G	48.65	54.00	-5.35	17.30	3	Horizontal	240	1.47	-	27.55	3.80	-
PK	2.4128G	113.74	Inf	-Inf	82.36	3	Horizontal	240	1.47	-	27.57	3.81	-
AV	2.4126G	99.99	Inf	-Inf	68.61	3	Horizontal	240	1.47	-	27.57	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 73  
73  
19.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8258G	47.81	74.00	-26.19	42.04	3	Vertical	37	2.16	-	32.45	6.30	32.98
AV	4.82106G	34.17	54.00	-19.83	28.42	3	Vertical	37	2.16	-	32.44	6.30	32.99

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 73  
73  
18.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83068G	49.39	74.00	-24.61	43.61	3	Horizontal	40	2.16	-	32.46	6.30	32.98
AV	4.82588G	35.58	54.00	-18.42	29.81	3	Horizontal	40	2.16	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 76  
 80/60/70/75/77/76  
 -2.51/6.01/3.12/0.82/-0.48/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3857G	68.30	74.00	-5.70	36.96	3	Vertical	204	3.00	-	27.54	3.80	-
AV	2.3858G	53.75	54.00	-0.25	22.41	3	Vertical	204	3.00	-	27.54	3.80	-
PK	2.4108G	121.74	Inf	-Inf	90.35	3	Vertical	204	3.00	-	27.58	3.81	-
AV	2.4157G	107.71	Inf	-Inf	76.33	3	Vertical	204	3.00	-	27.57	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
SET 76  
76  
6.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3879G	60.75	74.00	-13.25	29.40	3	Horizontal	237	1.50	-	27.55	3.80	-
AV	2.3875G	47.78	54.00	-6.22	16.43	3	Horizontal	237	1.50	-	27.55	3.80	-
PK	2.4176G	114.36	Inf	-Inf	82.99	3	Horizontal	237	1.50	-	27.56	3.81	-
AV	2.4125G	100.66	Inf	-Inf	69.27	3	Horizontal	237	1.50	-	27.58	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -2.11/8.46/7.02/3.37/0.51/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	73.48	74.00	-0.52	42.14	3	Vertical	206	2.59	-	27.54	3.80	-
AV	2.38996G	50.55	54.00	-3.45	19.19	3	Vertical	206	2.59	-	27.56	3.80	-
PK	2.44052G	123.31	Inf	-Inf	91.97	3	Vertical	206	2.59	-	27.52	3.82	-
AV	2.44052G	109.21	Inf	-Inf	77.87	3	Vertical	206	2.59	-	27.52	3.82	-
PK	2.48548G	72.69	74.00	-1.31	41.14	3	Vertical	206	2.59	-	27.71	3.84	-
AV	2.48548G	50.17	54.00	-3.83	18.62	3	Vertical	206	2.59	-	27.71	3.84	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 78  
78  
6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38804G	66.29	74.00	-7.71	34.94	3	Horizontal	29	1.32	-	27.55	3.80	-
AV	2.38788G	45.55	54.00	-8.45	14.20	3	Horizontal	29	1.32	-	27.55	3.80	-
PK	2.433G	115.88	Inf	-Inf	84.53	3	Horizontal	29	1.32	-	27.53	3.82	-
AV	2.43796G	102.21	Inf	-Inf	70.87	3	Horizontal	29	1.32	-	27.52	3.82	-
PK	2.48676G	67.14	74.00	-6.86	35.58	3	Horizontal	29	1.32	-	27.72	3.84	-
AV	2.4835G	46.14	54.00	-7.86	14.60	3	Horizontal	29	1.32	-	27.70	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 78  
78  
15.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.31548G	52.93	74.00	-21.07	41.42	3	Vertical	181	2.84	-	37.27	7.32	33.08
AV	7.31882G	38.23	54.00	-15.77	26.73	3	Vertical	181	2.84	-	37.26	7.32	33.08

802.11ax HEW20\_Nss1,(MCS0)\_4TX

2437MHz\_TX




EUTY\_4TX  
SET 78  
78  
14.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.30596G	53.68	74.00	-20.32	42.16	3	Horizontal	294	1.80	-	37.29	7.31	33.08
AV	7.31114G	39.59	54.00	-14.41	28.08	3	Horizontal	294	1.80	-	37.28	7.31	33.08

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -1.47/7.81/5.43/2.98/1.61/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4554G	121.84	Inf	-Inf	90.48	3	Vertical	205	2.64	-	27.53	3.83	-
AV	2.4607G	107.90	Inf	-Inf	76.51	3	Vertical	205	2.64	-	27.56	3.83	-
PK	2.4857G	68.19	74.00	-5.81	36.64	3	Vertical	205	2.64	-	27.71	3.84	-
AV	2.4855G	53.56	54.00	-0.44	22.01	3	Vertical	205	2.64	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
SET 78  
78  
4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4527G	114.71	Inf	-Inf	83.36	3	Horizontal	31	1.18	-	27.52	3.83	-
AV	2.4629G	101.34	Inf	-Inf	69.93	3	Horizontal	31	1.18	-	27.58	3.83	-
PK	2.4835G	63.87	74.00	-10.13	32.33	3	Horizontal	31	1.18	-	27.70	3.84	-
AV	2.4835G	49.40	54.00	-4.60	17.86	3	Horizontal	31	1.18	-	27.70	3.84	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

2462MHz\_TX




EUT\_Z\_4TX  
 SET 74  
 80/60/70/75/73/74  
 -8.46/6.03/3.89/-0.19/2.14/0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4605G	120.15	Inf	-Inf	88.76	3	Vertical	204	2.64	-	27.56	3.83	-
AV	2.4606G	106.90	Inf	-Inf	75.51	3	Vertical	204	2.64	-	27.56	3.83	-
PK	2.484G	67.88	74.00	-6.12	36.34	3	Vertical	204	2.64	-	27.70	3.84	-
AV	2.4858G	53.33	54.00	-0.67	21.78	3	Vertical	204	2.64	-	27.71	3.84	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

2462MHz\_TX




EUTZ\_4TX  
SET 74  
74  
6.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4642G	113.08	Inf	-Inf	81.66	3	Horizontal	12	1.71	-	27.59	3.83	-
AV	2.4643G	99.89	Inf	-Inf	68.47	3	Horizontal	12	1.71	-	27.59	3.83	-
PK	2.4843G	62.05	74.00	-11.95	30.50	3	Horizontal	12	1.71	-	27.71	3.84	-
AV	2.4842G	47.47	54.00	-6.53	15.92	3	Horizontal	12	1.71	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 74  
74  
15.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.39916G	52.99	74.00	-21.01	41.44	3	Vertical	9	1.80	-	37.20	7.40	33.05
AV	7.40486G	38.57	54.00	-15.43	27.01	3	Vertical	9	1.80	-	37.20	7.40	33.04



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX



EUTY\_4TX  
SET 74  
74  
15.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.38832G	52.77	74.00	-21.23	41.23	3	Horizontal	357	1.88	-	37.20	7.39	33.05
AV	7.39358G	38.58	54.00	-15.42	27.04	3	Horizontal	357	1.88	-	37.20	7.39	33.05




For 4T4S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	2.4835G	53.86	54.00	-0.14	3	Vertical	205	2.88	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Z\_4TX  
 SET 75  
 80/60/70/75/77/76/75  
 -4.72/4.59/2.05/0.32/-1.23/-0.58/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	67.07	74.00	-6.93	35.71	3	Vertical	145	1.74	-	27.56	3.80	-
AV	2.3892G	53.75	54.00	-0.25	22.39	3	Vertical	145	1.74	-	27.56	3.80	-
PK	2.4074G	116.61	Inf	-Inf	85.22	3	Vertical	145	1.74	-	27.59	3.80	-
AV	2.4137G	104.10	Inf	-Inf	72.72	3	Vertical	145	1.74	-	27.57	3.81	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 75  
75  
4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3889G	61.88	74.00	-12.12	30.52	3	Horizontal	249	3.00	-	27.56	3.80	-
AV	2.3894G	49.60	54.00	-4.40	18.24	3	Horizontal	249	3.00	-	27.56	3.80	-
PK	2.4149G	110.73	Inf	-Inf	79.35	3	Horizontal	249	3.00	-	27.57	3.81	-
AV	2.4134G	98.64	Inf	-Inf	67.26	3	Horizontal	249	3.00	-	27.57	3.81	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 75  
75  
9.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.824G	50.45	74.00	-23.55	44.68	3	Vertical	41	2.14	-	32.45	6.30	32.98
AV	4.82404G	44.27	54.00	-9.73	38.50	3	Vertical	41	2.14	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 75  
75  
7.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	51.85	74.00	-22.15	46.08	3	Horizontal	32	1.64	-	32.45	6.30	32.98
AV	4.82396G	46.77	54.00	-7.23	41.00	3	Horizontal	32	1.64	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 76  
 80/60/70/75/77/76  
 -2.52/5.89/3.04/0.86/-0.03/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	66.80	74.00	-7.20	35.45	3	Vertical	33	3.00	-	27.55	3.80	-
AV	2.39G	53.56	54.00	-0.44	22.20	3	Vertical	33	3.00	-	27.56	3.80	-
PK	2.4184G	117.74	Inf	-Inf	86.37	3	Vertical	33	3.00	-	27.56	3.81	-
AV	2.4154G	104.90	Inf	-Inf	73.52	3	Vertical	33	3.00	-	27.57	3.81	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

2417MHz\_TX




EUTZ\_4TX  
SET 76  
76  
5.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3887G	60.95	74.00	-13.05	29.60	3	Horizontal	249	3.00	-	27.55	3.80	-
AV	2.3898G	48.19	54.00	-5.81	16.83	3	Horizontal	249	3.00	-	27.56	3.80	-
PK	2.4106G	110.42	Inf	-Inf	79.03	3	Horizontal	249	3.00	-	27.58	3.81	-
AV	2.4152G	98.58	Inf	-Inf	67.20	3	Horizontal	249	3.00	-	27.57	3.81	-



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 84  
 80/100/90/85/83/84  
 2.95/-28.67/-7.07/-1.69/0.35/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38916G	70.57	74.00	-3.43	39.21	3	Vertical	205	2.88	-	27.56	3.80	-
AV	2.38916G	53.83	54.00	-0.17	22.47	3	Vertical	205	2.88	-	27.56	3.80	-
PK	2.44308G	119.72	Inf	-Inf	88.39	3	Vertical	205	2.88	-	27.51	3.82	-
AV	2.44068G	107.55	Inf	-Inf	76.21	3	Vertical	205	2.88	-	27.52	3.82	-
PK	2.48452G	72.49	74.00	-1.51	40.94	3	Vertical	205	2.88	-	27.71	3.84	-
AV	2.4835G	53.86	54.00	-0.14	22.32	3	Vertical	205	2.88	-	27.70	3.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 84  
84  
4.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	65.27	74.00	-8.73	33.91	3	Horizontal	8	1.50	-	27.56	3.80	-
AV	2.38996G	48.64	54.00	-5.36	17.28	3	Horizontal	8	1.50	-	27.56	3.80	-
PK	2.44036G	113.44	Inf	-Inf	82.10	3	Horizontal	8	1.50	-	27.52	3.82	-
AV	2.44436G	101.33	Inf	-Inf	70.00	3	Horizontal	8	1.50	-	27.51	3.82	-
PK	2.48372G	67.31	74.00	-6.69	35.77	3	Horizontal	8	1.50	-	27.70	3.84	-
AV	2.4835G	49.23	54.00	-4.77	17.69	3	Horizontal	8	1.50	-	27.70	3.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 84  
84  
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87396G	52.69	74.00	-21.31	46.82	3	Vertical	35	2.19	-	32.55	6.30	32.98
AV	4.87406G	47.86	54.00	-6.14	41.99	3	Vertical	35	2.19	-	32.55	6.30	32.98

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 84  
84  
1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87408G	55.84	74.00	-18.16	49.97	3	Horizontal	307	2.11	-	32.55	6.30	32.98
AV	4.87402G	52.50	54.00	-1.50	46.63	3	Horizontal	307	2.11	-	32.55	6.30	32.98

802.11ax HEW20\_Nss4,(MCS0)\_4TX

2457MHz\_TX




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77/78/77  
 -2.55/7.03/4.71/2.47/1.09/-0.33/1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4599G	118.16	Inf	-Inf	86.77	3	Vertical	44	2.60	-	27.56	3.83	-
AV	2.4579G	105.41	Inf	-Inf	74.03	3	Vertical	44	2.60	-	27.55	3.83	-
PK	2.4836G	66.25	74.00	-7.75	34.71	3	Vertical	44	2.60	-	27.70	3.84	-
AV	2.4835G	52.89	54.00	-1.11	21.35	3	Vertical	44	2.60	-	27.70	3.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2457MHz\_TX




EUTZ\_4TX  
SET 77  
77  
6.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4529G	110.78	Inf	-Inf	79.43	3	Horizontal	32	1.36	-	27.52	3.83	-
AV	2.4605G	98.89	Inf	-Inf	67.50	3	Horizontal	32	1.36	-	27.56	3.83	-
PK	2.4862G	60.09	74.00	-13.91	28.53	3	Horizontal	32	1.36	-	27.72	3.84	-
AV	2.4835G	47.47	54.00	-6.53	15.93	3	Horizontal	32	1.36	-	27.70	3.84	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

2462MHz\_TX




EUT\_Z\_4TX  
 SET 74  
 80/60/70/75/73/74  
 -7.42/5.57/3.13/-0.26/1.62/0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4615G	116.55	Inf	-Inf	85.15	3	Vertical	198	3.00	-	27.57	3.83	-
AV	2.4587G	104.21	Inf	-Inf	72.83	3	Vertical	198	3.00	-	27.55	3.83	-
PK	2.4856G	65.47	74.00	-8.53	33.92	3	Vertical	198	3.00	-	27.71	3.84	-
AV	2.4845G	53.31	54.00	-0.69	21.76	3	Vertical	198	3.00	-	27.71	3.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2462MHz\_TX




EUTZ\_4TX  
SET 74  
74  
6.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4551G	110.89	Inf	-Inf	79.53	3	Horizontal	11	1.42	-	27.53	3.83	-
AV	2.4626G	98.54	Inf	-Inf	67.13	3	Horizontal	11	1.42	-	27.58	3.83	-
PK	2.4858G	59.29	74.00	-14.71	27.74	3	Horizontal	11	1.42	-	27.71	3.84	-
AV	2.4836G	47.39	54.00	-6.61	15.85	3	Horizontal	11	1.42	-	27.70	3.84	-



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 74  
74  
15.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92404G	48.53	74.00	-25.47	42.55	3	Vertical	348	2.64	-	32.65	6.30	32.97
AV	4.92392G	38.80	54.00	-15.20	32.82	3	Vertical	348	2.64	-	32.65	6.30	32.97

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 2462MHz\_TX



EUTY\_4TX  
SET 74  
74  
10.24


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92412G	50.41	74.00	-23.59	44.43	3	Horizontal	314	2.12	-	32.65	6.30	32.97
AV	4.92402G	43.76	54.00	-10.24	37.78	3	Horizontal	314	2.12	-	32.65	6.30	32.97



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.03447G	28.71	54.00	-25.29	Vertical

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.0344G	40.09	74.00	-33.91	-10.30	3	Vertical	303	1.02	-	50.39	24.00	2.95	37.25
AV	1.03447G	28.71	54.00	-25.29	-10.30	3	Vertical	303	1.02	"Worst"	39.01	24.00	2.95	37.25

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.03456G	38.09	74.00	-35.91	-10.30	3	Horizontal	295	1.00	-	48.39	24.00	2.95	37.25
AV	1.02616G	27.95	54.00	-26.05	-10.31	3	Horizontal	295	1.00	"Worst"	38.26	24.00	2.94	37.25