


802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0498G	52.38	88.20	-35.82	37.91	3	Horizontal	317	1.63	-	39.05	8.62	33.20
RMS	13.04952G	40.16	68.20	-28.04	25.69	3	Horizontal	317	1.63	-	39.05	8.62	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57454G	48.17	83.54	-35.37	44.67	1	Vertical	3	1.52	-	37.87	15.33	49.70
AV	19.57514G	36.01	63.54	-27.53	32.51	1	Vertical	3	1.52	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57184G	48.06	83.54	-35.48	44.56	1	Horizontal	59	1.50	-	37.87	15.33	49.70
AV	19.57768G	35.98	63.54	-27.56	32.48	1	Horizontal	59	1.50	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.577G	99.02	Inf	-Inf	91.35	3	Vertical	27	2.11	-	34.05	5.80	32.18
RMS	6.5698G	86.16	Inf	-Inf	78.50	3	Vertical	27	2.11	-	34.04	5.80	32.18
PK	7.129G	62.70	88.20	-25.50	53.17	3	Vertical	27	2.11	-	35.93	6.10	32.50
RMS	7.1434G	50.63	68.20	-17.57	41.01	3	Vertical	27	2.11	-	36.05	6.10	32.53

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	103.56	Inf	-Inf	95.91	3	Horizontal	73	1.80	-	34.03	5.80	32.18
RMS	6.5794G	92.59	Inf	-Inf	84.91	3	Horizontal	73	1.80	-	34.06	5.80	32.18
PK	7.1602G	62.32	88.20	-25.88	52.66	3	Horizontal	73	1.80	-	36.12	6.10	32.56
RMS	7.1506G	50.82	68.20	-17.38	41.16	3	Horizontal	73	1.80	-	36.10	6.10	32.54

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13016G	52.50	88.20	-35.70	38.00	3	Vertical	297	1.62	-	39.06	8.67	33.23
RMS	13.13026G	40.34	68.20	-27.86	25.84	3	Vertical	297	1.62	-	39.06	8.67	33.23

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12964G	52.40	88.20	-35.80	37.91	3	Horizontal	11	2.41	-	39.06	8.66	33.23
RMS	13.1298G	40.22	68.20	-27.98	25.73	3	Horizontal	11	2.41	-	39.06	8.66	33.23

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69992G	48.04	83.54	-35.50	44.54	1	Vertical	356	1.50	-	37.82	15.38	49.70
AV	19.69932G	35.59	63.54	-27.95	32.09	1	Vertical	356	1.50	-	37.82	15.38	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69636G	48.63	83.54	-34.91	45.13	1	Horizontal	39	1.57	-	37.82	15.38	49.70
AV	19.69346G	35.96	63.54	-27.58	32.46	1	Horizontal	39	1.57	-	37.82	15.38	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	98.25	Inf	-Inf	90.16	3	Vertical	288	1.58	-	34.36	5.94	32.21
RMS	6.691G	87.02	Inf	-Inf	78.93	3	Vertical	288	1.58	-	34.36	5.94	32.21
PK	7.179G	62.06	88.20	-26.14	52.39	3	Vertical	288	1.58	-	36.16	6.10	32.59
RMS	7.139G	50.84	68.20	-17.36	41.25	3	Vertical	288	1.58	-	36.01	6.10	32.52

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	105.61	Inf	-Inf	97.57	3	Horizontal	286	1.41	-	34.32	5.92	32.20
RMS	6.695G	93.28	Inf	-Inf	85.17	3	Horizontal	286	1.41	-	34.38	5.94	32.21
PK	7.145G	62.49	88.20	-25.71	52.86	3	Horizontal	286	1.41	-	36.06	6.10	32.53
RMS	7.165G	50.64	68.20	-17.56	40.98	3	Horizontal	286	1.41	-	36.13	6.10	32.57

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36978G	53.77	74.00	-20.23	38.55	3	Vertical	196	2.85	-	39.75	8.78	33.31
AV	13.37013G	41.05	54.00	-12.95	25.82	3	Vertical	196	2.85	-	39.75	8.79	33.31

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36954G	53.83	74.00	-20.17	38.61	3	Horizontal	290	1.92	-	39.75	8.78	33.31
AV	13.37006G	41.14	54.00	-12.86	25.91	3	Horizontal	290	1.92	-	39.75	8.79	33.31

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05954G	48.51	83.54	-35.03	45.25	1	Vertical	266	1.51	-	37.45	15.53	49.72
AV	20.05874G	35.90	63.54	-27.64	32.64	1	Vertical	266	1.51	-	37.45	15.53	49.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0533G	48.42	83.54	-35.12	45.18	1	Horizontal	150	1.54	-	37.44	15.52	49.72
AV	20.05362G	36.03	63.54	-27.51	32.79	1	Horizontal	150	1.54	-	37.44	15.52	49.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	99.87	Inf	-Inf	91.43	3	Vertical	17	1.57	-	34.58	6.10	32.24
RMS	6.8418G	87.89	Inf	-Inf	79.45	3	Vertical	17	1.57	-	34.58	6.10	32.24
PK	7.1474G	62.53	88.20	-25.67	52.89	3	Vertical	17	1.57	-	36.08	6.10	32.54
RMS	7.1442G	50.63	68.20	-17.57	41.01	3	Vertical	17	1.57	-	36.05	6.10	32.53

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8626G	105.12	Inf	-Inf	96.57	3	Horizontal	71	1.83	-	34.70	6.10	32.25
RMS	6.8546G	93.79	Inf	-Inf	85.30	3	Horizontal	71	1.83	-	34.64	6.10	32.25
PK	7.157G	62.40	88.20	-25.80	52.74	3	Horizontal	71	1.83	-	36.11	6.10	32.55
RMS	7.149G	50.96	68.20	-17.24	41.31	3	Horizontal	71	1.83	-	36.09	6.10	32.54

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69039G	54.69	88.20	-33.51	39.02	3	Vertical	337	2.46	-	40.09	8.95	33.37
RMS	13.69022G	41.82	68.20	-26.38	26.15	3	Vertical	337	2.46	-	40.09	8.95	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68968G	54.51	88.20	-33.69	38.85	3	Horizontal	5	2.14	-	40.09	8.94	33.37
RMS	13.69G	41.65	68.20	-26.55	25.99	3	Horizontal	5	2.14	-	40.09	8.94	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53356G	47.94	83.54	-35.60	44.35	1	Vertical	106	1.50	-	37.74	15.74	49.89
AV	20.53092G	35.81	63.54	-27.73	32.22	1	Vertical	106	1.50	-	37.74	15.74	49.89

802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TnomVnom



EUT X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53202G	47.92	83.54	-35.62	44.33	1	Horizontal	8	1.52	-	37.74	15.74	49.89
AV	20.53766G	35.73	63.54	-27.81	32.12	1	Horizontal	8	1.52	-	37.75	15.74	49.88


802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 49
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.899G	100.81	Inf	-Inf	91.98	3	Vertical	18.2	2.03	-	34.99	6.10	32.26
RMS	6.8808G	88.77	Inf	-Inf	80.07	3	Vertical	18.2	2.03	-	34.85	6.10	32.25
PK	7.1692G	62.21	88.20	-25.99	52.54	3	Vertical	18.2	2.03	-	36.14	6.10	32.57
RMS	7.1482G	50.60	68.20	-17.60	40.95	3	Vertical	18.2	2.03	-	36.09	6.10	32.54


802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 49
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8962G	106.10	Inf	-Inf	97.29	3	Horizontal	70	1.76	-	34.97	6.10	32.26
RMS	6.892G	94.56	Inf	-Inf	85.77	3	Horizontal	70	1.76	-	34.94	6.10	32.25
PK	7.1664G	62.29	88.20	-25.91	52.63	3	Horizontal	70	1.76	-	36.13	6.10	32.57
RMS	7.1524G	50.53	68.20	-17.67	40.88	3	Horizontal	70	1.76	-	36.10	6.10	32.55

802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 49
 02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76954G	54.23	88.20	-33.97	38.38	3	Vertical	203	2.40	-	40.24	8.98	33.37
RMS	13.77037G	41.61	68.20	-26.59	25.75	3	Vertical	203	2.40	-	40.24	8.99	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




27/04/2022

EUT_X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76989G	54.43	88.20	-33.77	38.58	3	Horizontal	189	2.72	-	40.24	8.98	33.37
RMS	13.77018G	41.86	68.20	-26.34	26.00	3	Horizontal	189	2.72	-	40.24	8.99	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65356G	49.61	83.54	-33.93	45.78	1	Vertical	139	1.56	-	37.88	15.79	49.84
AV	20.6522G	37.00	63.54	-26.54	33.17	1	Vertical	139	1.56	-	37.88	15.79	49.84

802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
 Setting 49
 01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65094G	49.25	83.54	-34.29	45.42	1	Horizontal	34	1.57	-	37.88	15.79	49.84
AV	20.65896G	36.82	63.54	-26.72	32.97	1	Horizontal	34	1.57	-	37.89	15.80	49.84

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	100.21	Inf	-Inf	91.26	3	Vertical	22	1.68	-	35.11	6.10	32.26
RMS	6.9226G	89.19	Inf	-Inf	80.26	3	Vertical	22	1.68	-	35.09	6.10	32.26
PK	7.1554G	62.90	88.20	-25.30	53.24	3	Vertical	22	1.68	-	36.11	6.10	32.55
RMS	7.1434G	50.76	68.20	-17.44	41.14	3	Vertical	22	1.68	-	36.05	6.10	32.53

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	106.84	Inf	-Inf	97.93	3	Horizontal	71	2.11	-	35.07	6.10	32.26
RMS	6.9166G	94.83	Inf	-Inf	85.92	3	Horizontal	71	2.11	-	35.07	6.10	32.26
PK	7.1518G	62.11	88.20	-26.09	52.45	3	Horizontal	71	2.11	-	36.10	6.10	32.54
RMS	7.1338G	50.64	68.20	-17.56	41.08	3	Horizontal	71	2.11	-	35.97	6.10	32.51

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84989G	54.10	88.20	-34.10	37.95	3	Vertical	0	2.86	-	40.50	9.02	33.37
RMS	13.84967G	42.32	68.20	-25.88	26.17	3	Vertical	0	2.86	-	40.50	9.02	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85046G	54.42	88.20	-33.78	38.26	3	Horizontal	322	1.79	-	40.50	9.03	33.37
RMS	13.85044G	42.39	68.20	-25.81	26.23	3	Horizontal	322	1.79	-	40.50	9.03	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77902G	48.37	83.54	-35.17	44.36	1	Vertical	18	1.58	-	37.95	15.85	49.79
AV	20.7755G	36.02	63.54	-27.52	32.00	1	Vertical	18	1.58	-	37.96	15.85	49.79

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77822G	48.78	83.54	-34.76	44.77	1	Horizontal	240	1.55	-	37.95	15.85	49.79
AV	20.7785G	36.16	63.54	-27.38	32.15	1	Horizontal	240	1.55	-	37.95	15.85	49.79

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0154G	99.50	Inf	-Inf	90.35	3	Vertical	23.8	1.84	-	35.36	6.10	32.31
RMS	7.0074G	88.50	Inf	-Inf	79.36	3	Vertical	23.8	1.84	-	35.33	6.10	32.29
PK	7.137G	63.17	88.20	-25.03	53.59	3	Vertical	23.8	1.84	-	36.00	6.10	32.52
RMS	7.1306G	50.79	68.20	-17.41	41.26	3	Vertical	23.8	1.84	-	35.94	6.10	32.51

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.989G	106.95	Inf	-Inf	97.85	3	Horizontal	76	1.38	-	35.28	6.10	32.28
RMS	7.0098G	95.24	Inf	-Inf	86.10	3	Horizontal	76	1.38	-	35.34	6.10	32.30
PK	7.1434G	62.59	88.20	-25.61	52.97	3	Horizontal	76	1.38	-	36.05	6.10	32.53
RMS	7.165G	51.13	68.20	-17.07	41.47	3	Horizontal	76	1.38	-	36.13	6.10	32.57

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0099G	57.29	88.20	-30.91	40.64	3	Vertical	130	1.13	-	40.93	9.10	33.38
RMS	14.00951G	44.24	68.20	-23.96	27.59	3	Vertical	130	1.13	-	40.93	9.10	33.38

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00964G	56.35	88.20	-31.85	39.70	3	Horizontal	284	2.38	-	40.93	9.10	33.38
RMS	14.00966G	44.20	68.20	-24.00	27.55	3	Horizontal	284	2.38	-	40.93	9.10	33.38

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01348G	46.84	83.54	-36.70	42.98	1	Vertical	44	1.51	-	37.60	15.96	49.70
AV	21.01724G	34.33	63.54	-29.21	30.47	1	Vertical	44	1.51	-	37.60	15.96	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01244G	46.65	83.54	-36.89	42.79	1	Horizontal	82	1.57	-	37.60	15.96	49.70
AV	21.01002G	34.75	63.54	-28.79	30.90	1	Horizontal	82	1.57	-	37.60	15.95	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.088G	110.30	Inf	-Inf	110.30	3	Vertical	24	1.80	-	35.50	6.59	42.09
RMS	7.0898G	98.73	Inf	-Inf	98.70	3	Vertical	24	1.80	-	35.52	6.59	42.08
PK	7.1258G	72.73	88.20	-15.47	72.45	3	Vertical	24	1.80	-	35.75	6.60	42.07
RMS	7.1252G	60.99	68.20	-7.21	60.71	3	Vertical	24	1.80	-	35.75	6.60	42.07

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0886G	116.78	Inf	-Inf	116.77	3	Horizontal	84	1.65	-	35.51	6.59	42.09
RMS	7.079G	105.54	Inf	-Inf	105.61	3	Horizontal	84	1.65	-	35.43	6.59	42.09
PK	7.1276G	79.78	88.20	-8.42	79.48	3	Horizontal	84	1.65	-	35.77	6.60	42.07
RMS	7.1252G	68.04	68.20	-0.16	67.76	3	Horizontal	84	1.65	-	35.75	6.60	42.07

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16998G	55.16	88.20	-33.04	37.85	3	Vertical	294	1.46	-	41.48	9.18	33.35
RMS	14.17022G	41.59	68.20	-26.61	24.28	3	Vertical	294	1.46	-	41.48	9.18	33.35

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17042G	55.70	88.20	-32.50	38.39	3	Horizontal	89	3.00	-	41.48	9.18	33.35
RMS	14.16977G	41.61	68.20	-26.59	24.30	3	Horizontal	89	3.00	-	41.48	9.18	33.35

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 79
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25512G	49.44	83.54	-34.10	45.42	1	Vertical	278	1.51	-	37.61	16.06	49.65
AV	21.25676G	35.38	63.54	-28.16	31.35	1	Vertical	278	1.51	-	37.61	16.07	49.65

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 79
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25054G	49.41	83.54	-34.13	45.40	1	Horizontal	73	1.57	-	37.60	16.06	49.65
AV	21.25436G	35.23	63.54	-28.31	31.21	1	Horizontal	73	1.57	-	37.61	16.06	49.65

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
 Setting 85
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	73.99	88.20	-14.21	78.46	3	Vertical	298	1.78	-	32.15	6.03	42.65
RMS	5.923G	62.19	68.20	-6.01	66.66	3	Vertical	298	1.78	-	32.15	6.03	42.65
PK	5.979G	107.25	Inf	-Inf	111.57	3	Vertical	298	1.78	-	32.20	6.09	42.61
RMS	5.999G	97.26	Inf	-Inf	101.55	3	Vertical	298	1.78	-	32.20	6.11	42.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 85
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	81.07	88.20	-7.13	85.57	3	Horizontal	294	1.67	-	32.13	6.02	42.65
RMS	5.921G	67.97	68.20	-0.33	72.36	3	Horizontal	294	1.67	-	32.14	6.02	42.65
PK	5.999G	112.24	Inf	-Inf	116.53	3	Horizontal	294	1.67	-	32.20	6.11	42.60
RMS	5.996G	102.74	Inf	-Inf	107.03	3	Horizontal	294	1.67	-	32.20	6.11	42.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 85
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97023G	51.97	74.00	-22.03	38.19	3	Vertical	144	2.52	-	39.03	8.09	33.34
AV	11.96979G	39.66	54.00	-14.34	25.88	3	Vertical	144	2.52	-	39.03	8.09	33.34
PK	17.95482G	65.60	74.00	-8.40	36.51	3	Vertical	212	1.72	-	51.82	10.98	33.71
AV	17.95485G	49.33	54.00	-4.67	20.24	3	Vertical	212	1.72	-	51.82	10.98	33.71

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 85
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96958G	52.02	74.00	-21.98	38.24	3	Horizontal	283	2.71	-	39.03	8.09	33.34
AV	11.97039G	39.68	54.00	-14.32	25.90	3	Horizontal	283	2.71	-	39.03	8.09	33.34
PK	17.955G	65.19	74.00	-8.81	36.09	3	Horizontal	73	2.54	-	51.83	10.98	33.71
AV	17.9549G	49.14	54.00	-4.86	20.05	3	Horizontal	73	2.54	-	51.82	10.98	33.71

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	55.30	88.20	-32.90	49.66	3	Vertical	292	1.62	-	32.10	5.69	32.15
RMS	5.863G	44.90	68.20	-23.30	39.29	3	Vertical	292	1.62	-	32.10	5.66	32.15
PK	6.1486G	98.18	Inf	-Inf	91.95	3	Vertical	292	1.62	-	32.59	5.80	32.16
RMS	6.1342G	87.15	Inf	-Inf	80.97	3	Vertical	292	1.62	-	32.54	5.80	32.16

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	55.92	88.20	-32.28	50.16	3	Horizontal	287	1.84	-	32.20	5.72	32.16
RMS	5.8942G	45.39	68.20	-22.81	39.75	3	Horizontal	287	1.84	-	32.10	5.69	32.15
PK	6.1378G	103.56	Inf	-Inf	97.37	3	Horizontal	287	1.84	-	32.55	5.80	32.16
RMS	6.1282G	93.62	Inf	-Inf	87.47	3	Horizontal	287	1.84	-	32.51	5.80	32.16

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 57
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28986G	52.26	74.00	-21.74	38.60	3	Vertical	213	2.73	-	38.84	8.24	33.42
AV	12.29036G	41.21	54.00	-12.79	27.54	3	Vertical	213	2.73	-	38.84	8.25	33.42

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 57
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28996G	52.52	74.00	-21.48	38.86	3	Horizontal	292	1.68	-	38.84	8.24	33.42
AV	12.29042G	40.98	54.00	-13.02	27.31	3	Horizontal	292	1.68	-	38.84	8.25	33.42

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4318G	47.54	83.54	-36.00	45.08	1	Vertical	15	1.57	-	37.72	14.87	50.13
AV	18.4306G	36.20	63.54	-27.34	33.74	1	Vertical	15	1.57	-	37.72	14.87	50.13

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43338G	47.72	83.54	-35.82	45.26	1	Horizontal	26	1.50	-	37.72	14.87	50.13
AV	18.43328G	36.42	63.54	-27.12	33.96	1	Horizontal	26	1.50	-	37.72	14.87	50.13

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8354G	55.10	88.20	-33.10	49.54	3	Vertical	43.7	1.74	-	32.07	5.64	32.15
RMS	5.8426G	44.98	68.20	-23.22	39.40	3	Vertical	43.7	1.74	-	32.09	5.64	32.15
PK	6.373G	98.45	Inf	-Inf	91.47	3	Vertical	43.7	1.74	-	33.34	5.80	32.16
RMS	6.373G	88.17	Inf	-Inf	81.19	3	Vertical	43.7	1.74	-	33.34	5.80	32.16

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8714G	55.04	88.20	-33.16	49.42	3	Horizontal	73	1.80	-	32.10	5.67	32.15
RMS	5.9146G	44.99	68.20	-23.21	39.27	3	Horizontal	73	1.80	-	32.16	5.71	32.15
PK	6.3682G	103.86	Inf	-Inf	96.91	3	Horizontal	73	1.80	-	33.31	5.80	32.16
RMS	6.373G	93.73	Inf	-Inf	86.75	3	Horizontal	73	1.80	-	33.34	5.80	32.16

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77018G	52.15	88.20	-36.05	38.03	3	Vertical	20	1.62	-	38.94	8.49	33.31
RMS	12.77003G	41.44	68.20	-26.76	27.32	3	Vertical	20	1.62	-	38.94	8.49	33.31

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7696G	51.97	88.20	-36.23	37.86	3	Horizontal	72	1.81	-	38.94	8.48	33.31
RMS	12.76965G	41.23	68.20	-26.97	27.12	3	Horizontal	72	1.81	-	38.94	8.48	33.31

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15818G	47.53	83.54	-36.01	44.19	1	Vertical	294	1.53	-	37.81	15.16	49.63
AV	19.15812G	36.78	63.54	-26.76	33.44	1	Vertical	294	1.53	-	37.81	15.16	49.63

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15228G	48.48	83.54	-35.06	45.13	1	Horizontal	25	1.53	-	37.82	15.16	49.63
AV	19.15502G	36.75	63.54	-26.79	33.41	1	Horizontal	25	1.53	-	37.81	15.16	49.63

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	54.89	88.20	-33.31	49.25	3	Vertical	311	3.00	-	32.10	5.69	32.15
RMS	5.854G	45.04	68.20	-23.16	39.44	3	Vertical	311	3.00	-	32.10	5.65	32.15
PK	6.452G	98.22	Inf	-Inf	90.87	3	Vertical	311	3.00	-	33.71	5.80	32.16
RMS	6.4546G	87.75	Inf	-Inf	80.38	3	Vertical	311	3.00	-	33.73	5.80	32.16

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8904G	54.65	88.20	-33.55	49.01	3	Horizontal	74.1	1.90	-	32.10	5.69	32.15
RMS	5.9034G	45.34	68.20	-22.86	39.68	3	Horizontal	74.1	1.90	-	32.11	5.70	32.15
PK	6.4364G	103.04	Inf	-Inf	95.75	3	Horizontal	74.1	1.90	-	33.65	5.80	32.16
RMS	6.4832G	93.69	Inf	-Inf	86.15	3	Horizontal	74.1	1.90	-	33.90	5.80	32.16

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93024G	53.06	88.20	-35.14	38.68	3	Vertical	200	2.58	-	39.03	8.57	33.22
RMS	12.93033G	42.11	68.20	-26.09	27.73	3	Vertical	200	2.58	-	39.03	8.57	33.22

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93031G	53.03	88.20	-35.17	38.65	3	Horizontal	243	2.35	-	39.03	8.57	33.22
RMS	12.92988G	41.79	68.20	-26.41	27.42	3	Horizontal	243	2.35	-	39.03	8.56	33.22

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39962G	47.91	83.54	-35.63	44.51	1	Vertical	138	1.55	-	37.82	15.26	49.68
AV	19.39978G	37.27	63.54	-26.27	33.87	1	Vertical	138	1.55	-	37.82	15.26	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX


6465MHz_TnomVnom



EUT X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3909G	48.01	83.54	-35.53	44.62	1	Horizontal	105	1.57	-	37.81	15.26	49.68
AV	19.39958G	36.97	63.54	-26.57	33.57	1	Horizontal	105	1.57	-	37.82	15.26	49.68


802.11ax HEW80_Nss2,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 60
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	54.96	88.20	-33.24	49.20	3	Vertical	309.2	2.73	-	32.20	5.72	32.16
RMS	5.9094G	44.80	68.20	-23.40	39.10	3	Vertical	309.2	2.73	-	32.14	5.71	32.15
PK	6.5534G	95.98	Inf	-Inf	88.34	3	Vertical	309.2	2.73	-	34.01	5.80	32.17
RMS	6.5422G	86.15	Inf	-Inf	78.52	3	Vertical	309.2	2.73	-	34.00	5.80	32.17
PK	7.1442G	61.76	88.20	-26.44	52.14	3	Vertical	309.2	2.73	-	36.05	6.10	32.53
RMS	7.1694G	51.88	68.20	-16.32	42.21	3	Vertical	309.2	2.73	-	36.14	6.10	32.57

802.11ax HEW80_Nss2,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 60
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	55.43	88.20	-32.77	49.76	3	Horizontal	282	1.14	-	32.12	5.70	32.15
RMS	5.8814G	45.02	68.20	-23.18	39.39	3	Horizontal	282	1.14	-	32.10	5.68	32.15
PK	6.5506G	103.87	Inf	-Inf	96.24	3	Horizontal	282	1.14	-	34.00	5.80	32.17
RMS	6.5562G	93.49	Inf	-Inf	85.85	3	Horizontal	282	1.14	-	34.01	5.80	32.17
PK	7.1638G	62.02	88.20	-26.18	52.36	3	Horizontal	282	1.14	-	36.13	6.10	32.57
RMS	7.147G	51.78	68.20	-16.42	42.14	3	Horizontal	282	1.14	-	36.08	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0904G	52.38	88.20	-35.82	37.93	3	Vertical	297	1.24	-	39.01	8.65	33.21
RMS	13.08987G	42.26	68.20	-25.94	27.82	3	Vertical	297	1.24	-	39.01	8.64	33.21

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09042G	52.09	88.20	-36.11	37.64	3	Horizontal	247	2.97	-	39.01	8.65	33.21
RMS	13.09001G	41.93	68.20	-26.27	27.48	3	Horizontal	247	2.97	-	39.01	8.65	33.21

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63872G	48.24	83.54	-35.30	44.74	1	Vertical	268	1.54	-	37.84	15.36	49.70
AV	19.6343G	37.78	63.54	-25.76	34.28	1	Vertical	268	1.54	-	37.85	15.35	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63044G	47.82	83.54	-35.72	44.32	1	Horizontal	150	1.50	-	37.85	15.35	49.70
AV	19.63754G	37.73	63.54	-25.81	34.23	1	Horizontal	150	1.50	-	37.84	15.36	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	96.89	Inf	-Inf	89.18	3	Vertical	314	3.00	-	34.09	5.80	32.18
RMS	6.5962G	86.06	Inf	-Inf	78.35	3	Vertical	314	3.00	-	34.09	5.80	32.18
PK	7.1338G	61.86	88.20	-26.34	52.30	3	Vertical	314	3.00	-	35.97	6.10	32.51
RMS	7.1602G	52.41	68.20	-15.79	42.75	3	Vertical	314	3.00	-	36.12	6.10	32.56

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6298G	103.92	Inf	-Inf	96.11	3	Horizontal	288	1.53	-	34.16	5.84	32.19
RMS	6.637G	94.09	Inf	-Inf	86.25	3	Horizontal	288	1.53	-	34.17	5.86	32.19
PK	7.1506G	62.42	88.20	-25.78	52.76	3	Horizontal	288	1.53	-	36.10	6.10	32.54
RMS	7.1482G	52.30	68.20	-15.90	42.65	3	Horizontal	288	1.53	-	36.09	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25097G	53.36	74.00	-20.64	38.60	3	Vertical	46	2.39	-	39.30	8.73	33.27
AV	13.25026G	41.88	54.00	-12.12	27.12	3	Vertical	46	2.39	-	39.30	8.73	33.27

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25037G	52.49	74.00	-21.51	37.73	3	Horizontal	47	1.83	-	39.30	8.73	33.27
AV	13.2504G	41.77	54.00	-12.23	27.01	3	Horizontal	47	1.83	-	39.30	8.73	33.27

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87216G	47.37	83.54	-36.17	44.02	1	Vertical	169	1.56	-	37.60	15.45	49.70
AV	19.8704G	36.82	63.54	-26.72	33.46	1	Vertical	169	1.56	-	37.61	15.45	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87408G	47.75	83.54	-35.79	44.40	1	Horizontal	88	1.53	-	37.60	15.45	49.70
AV	19.87512G	36.92	63.54	-26.62	33.57	1	Horizontal	88	1.53	-	37.60	15.45	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.727G	97.16	Inf	-Inf	89.03	3	Vertical	314	3.00	-	34.35	5.99	32.21
RMS	6.723G	87.06	Inf	-Inf	78.94	3	Vertical	314	3.00	-	34.35	5.98	32.21
PK	7.171G	61.71	88.20	-26.49	52.05	3	Vertical	314	3.00	-	36.14	6.10	32.58
RMS	7.149G	52.01	68.20	-16.19	42.36	3	Vertical	314	3.00	-	36.09	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.735G	104.52	Inf	-Inf	96.41	3	Horizontal	68	1.80	-	34.33	6.00	32.22
RMS	6.719G	93.64	Inf	-Inf	85.51	3	Horizontal	68	1.80	-	34.36	5.98	32.21
PK	7.173G	62.62	88.20	-25.58	52.95	3	Horizontal	68	1.80	-	36.15	6.10	32.58
RMS	7.129G	51.85	68.20	-16.35	42.32	3	Horizontal	68	1.80	-	35.93	6.10	32.50

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41046G	53.44	88.20	-34.76	38.05	3	Vertical	152	2.03	-	39.91	8.81	33.33
RMS	13.41009G	42.61	68.20	-25.59	27.22	3	Vertical	152	2.03	-	39.91	8.81	33.33

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41029G	54.57	88.20	-33.63	39.18	3	Horizontal	68	1.81	-	39.91	8.81	33.33
RMS	13.40986G	42.86	68.20	-25.34	27.48	3	Horizontal	68	1.81	-	39.91	8.80	33.33

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11384G	48.46	83.54	-35.08	45.17	1	Vertical	318	1.57	-	37.49	15.55	49.75
AV	20.11624G	38.16	63.54	-25.38	34.87	1	Vertical	318	1.57	-	37.49	15.55	49.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11052G	48.98	83.54	-34.56	45.68	1	Horizontal	183	1.55	-	37.49	15.55	49.74
AV	20.11898G	38.27	63.54	-25.27	34.97	1	Horizontal	183	1.55	-	37.50	15.55	49.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8066G	98.01	Inf	-Inf	89.63	3	Vertical	21	1.71	-	34.51	6.10	32.23
RMS	6.8048G	87.81	Inf	-Inf	79.43	3	Vertical	21	1.71	-	34.51	6.10	32.23
PK	7.1648G	62.01	88.20	-26.19	52.35	3	Vertical	21	1.71	-	36.13	6.10	32.57
RMS	7.1432G	52.29	68.20	-15.91	42.67	3	Vertical	21	1.71	-	36.05	6.10	32.53

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8174G	104.60	Inf	-Inf	96.21	3	Horizontal	72	1.87	-	34.53	6.10	32.24
RMS	6.8156G	94.36	Inf	-Inf	85.97	3	Horizontal	72	1.87	-	34.53	6.10	32.24
PK	7.1522G	62.36	88.20	-25.84	52.70	3	Horizontal	72	1.87	-	36.10	6.10	32.54
RMS	7.1504G	52.18	68.20	-16.02	42.52	3	Horizontal	72	1.87	-	36.10	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57048G	54.27	88.20	-33.93	38.74	3	Vertical	237	2.00	-	40.00	8.89	33.36
RMS	13.56989G	42.86	68.20	-25.34	27.34	3	Vertical	237	2.00	-	40.00	8.88	33.36

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56979G	53.63	88.20	-34.57	38.11	3	Horizontal	31	1.00	-	40.00	8.88	33.36
RMS	13.57041G	42.98	68.20	-25.22	27.45	3	Horizontal	31	1.00	-	40.00	8.89	33.36

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35518G	47.78	83.54	-35.76	44.32	1	Vertical	134	1.53	-	37.64	15.66	49.84
AV	20.35198G	37.14	63.54	-26.40	33.68	1	Vertical	134	1.53	-	37.64	15.66	49.84

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35824G	48.69	83.54	-34.85	45.23	1	Horizontal	357	1.58	-	37.64	15.66	49.84
AV	20.35624G	36.96	63.54	-26.58	33.50	1	Horizontal	357	1.58	-	37.64	15.66	49.84

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	99.19	Inf	-Inf	90.71	3	Vertical	18.3	1.89	-	34.62	6.10	32.24
RMS	6.858G	89.01	Inf	-Inf	80.50	3	Vertical	18.3	1.89	-	34.66	6.10	32.25
PK	7.1436G	61.92	88.20	-26.28	52.30	3	Vertical	18.3	1.89	-	36.05	6.10	32.53
RMS	7.1926G	52.67	68.20	-15.53	43.00	3	Vertical	18.3	1.89	-	36.19	6.10	32.62

802.11ax HEW80_Nss2,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8972G	105.73	Inf	-Inf	96.91	3	Horizontal	73	1.91	-	34.98	6.10	32.26
RMS	6.8958G	95.87	Inf	-Inf	87.05	3	Horizontal	73	1.91	-	34.97	6.10	32.25
PK	7.1408G	62.03	88.20	-26.17	52.42	3	Horizontal	73	1.91	-	36.03	6.10	32.52
RMS	7.1632G	52.24	68.20	-15.96	42.57	3	Horizontal	73	1.91	-	36.13	6.10	32.56


802.11ax HEW80_Nss2,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 60
 02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72996G	54.13	88.20	-34.07	38.38	3	Vertical	247	1.04	-	40.16	8.96	33.37
RMS	13.72972G	43.13	68.20	-25.07	27.38	3	Vertical	247	1.04	-	40.16	8.96	33.37

802.11ax HEW80_Nss2,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




27/04/2022

EUT_X_2TX
 Setting 60
 02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72986G	53.90	88.20	-34.30	38.15	3	Horizontal	285	1.75	-	40.16	8.96	33.37
RMS	13.73012G	43.28	68.20	-24.92	27.52	3	Horizontal	285	1.75	-	40.16	8.97	33.37

802.11ax HEW80_Nss2,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
 Setting 60
 01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59422G	48.77	83.54	-34.77	45.05	1	Vertical	354	1.54	-	37.81	15.77	49.86
AV	20.59906G	37.81	63.54	-25.73	34.08	1	Vertical	354	1.54	-	37.82	15.77	49.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59304G	48.73	83.54	-34.81	45.01	1	Horizontal	153	1.52	-	37.81	15.77	49.86
AV	20.59918G	38.12	63.54	-25.42	34.39	1	Horizontal	153	1.52	-	37.82	15.77	49.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9306G	100.62	Inf	-Inf	91.66	3	Vertical	21	1.28	-	35.12	6.10	32.26
RMS	6.975G	90.56	Inf	-Inf	81.48	3	Vertical	21	1.28	-	35.25	6.10	32.27
PK	7.1562G	63.09	88.20	-25.11	53.43	3	Vertical	21	1.28	-	36.11	6.10	32.55
RMS	7.149G	52.57	68.20	-15.63	42.92	3	Vertical	21	1.28	-	36.09	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9402G	106.45	Inf	-Inf	97.46	3	Horizontal	59.2	2.01	-	35.16	6.10	32.27
RMS	6.9726G	95.59	Inf	-Inf	86.51	3	Horizontal	59.2	2.01	-	35.25	6.10	32.27
PK	7.245G	62.72	88.20	-25.48	52.93	3	Horizontal	59.2	2.01	-	36.38	6.12	32.71
RMS	7.1394G	52.30	68.20	-15.90	42.70	3	Horizontal	59.2	2.01	-	36.02	6.10	32.52

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8904G	54.64	88.20	-33.56	38.31	3	Vertical	65	1.92	-	40.66	9.05	33.38
RMS	13.88975G	44.46	68.20	-23.74	28.14	3	Vertical	65	1.92	-	40.66	9.04	33.38

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8901G	55.18	88.20	-33.02	38.85	3	Horizontal	17	1.27	-	40.66	9.05	33.38
RMS	13.88961G	44.34	68.20	-23.86	28.02	3	Horizontal	17	1.27	-	40.66	9.04	33.38

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 59
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8336G	48.20	83.54	-35.34	44.22	1	Vertical	350	1.54	-	37.87	15.88	49.77
AV	20.83096G	37.34	63.54	-26.20	33.37	1	Vertical	350	1.54	-	37.87	15.87	49.77

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83092G	48.21	83.54	-35.33	44.24	1	Horizontal	101	1.53	-	37.87	15.87	49.77
AV	20.83332G	37.45	63.54	-26.09	33.48	1	Horizontal	101	1.53	-	37.87	15.87	49.77

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0306G	108.52	Inf	-Inf	108.92	3	Vertical	25	1.73	-	35.12	6.58	42.10
RMS	7.0402G	97.87	Inf	-Inf	98.23	3	Vertical	25	1.73	-	35.16	6.58	42.10
PK	7.125G	70.49	88.20	-17.71	70.22	3	Vertical	25	1.73	-	35.75	6.60	42.08
RMS	7.125G	59.17	68.20	-9.03	58.90	3	Vertical	25	1.73	-	35.75	6.60	42.08

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 90
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	114.19	Inf	-Inf	114.72	3	Horizontal	76	1.79	-	35.01	6.57	42.11
RMS	7.0138G	104.35	Inf	-Inf	104.83	3	Horizontal	76	1.79	-	35.06	6.57	42.11
PK	7.1258G	79.32	88.20	-8.88	79.04	3	Horizontal	76	1.79	-	35.75	6.60	42.07
RMS	7.125G	67.99	68.20	-0.21	67.72	3	Horizontal	76	1.79	-	35.75	6.60	42.08

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 90
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05001G	58.30	88.20	-29.90	41.50	3	Vertical	205	2.23	-	41.05	9.12	33.37
RMS	14.05003G	48.84	68.20	-19.36	32.04	3	Vertical	205	2.23	-	41.05	9.12	33.37

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 90
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05011G	58.48	88.20	-29.72	41.68	3	Horizontal	101	1.97	-	41.05	9.12	33.37
RMS	14.04995G	48.53	68.20	-19.67	31.73	3	Horizontal	101	1.97	-	41.05	9.12	33.37

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07114G	46.89	83.54	-36.65	43.00	1	Vertical	214	1.57	-	37.60	15.98	49.69
AV	21.07586G	36.23	63.54	-27.31	32.33	1	Vertical	214	1.57	-	37.60	15.98	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0789G	47.09	83.54	-36.45	43.18	1	Horizontal	288	1.50	-	37.60	15.99	49.68
AV	21.07812G	36.56	63.54	-26.98	32.65	1	Horizontal	288	1.50	-	37.60	15.99	49.68

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	62.12	88.20	-26.08	56.37	3	Vertical	22.1	1.32	-	32.19	5.72	32.16
RMS	5.917G	49.29	68.20	-18.91	43.56	3	Vertical	22.1	1.32	-	32.17	5.72	32.16
PK	6.049G	97.29	Inf	-Inf	91.16	3	Vertical	22.1	1.32	-	32.49	5.80	32.16
RMS	6.053G	85.77	Inf	-Inf	79.64	3	Vertical	22.1	1.32	-	32.49	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	65.10	88.20	-23.10	59.41	3	Horizontal	284	1.78	-	32.13	5.71	32.15
RMS	5.911G	53.50	68.20	-14.70	47.80	3	Horizontal	284	1.78	-	32.14	5.71	32.15
PK	6.057G	102.84	Inf	-Inf	96.71	3	Horizontal	284	1.78	-	32.49	5.80	32.16
RMS	6.049G	92.72	Inf	-Inf	86.59	3	Horizontal	284	1.78	-	32.49	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04972G	51.96	74.00	-22.04	38.05	3	Vertical	46	2.76	-	39.15	8.12	33.36
AV	12.0503G	41.63	54.00	-12.37	27.71	3	Vertical	46	2.76	-	39.15	8.13	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04969G	52.37	74.00	-21.63	38.46	3	Horizontal	56	1.37	-	39.15	8.12	33.36
AV	12.05007G	41.15	54.00	-12.85	27.23	3	Horizontal	56	1.37	-	39.15	8.13	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07088G	46.60	83.54	-36.94	44.50	1	Vertical	154	1.54	-	37.64	14.73	50.27
AV	18.07458G	35.73	63.54	-27.81	33.63	1	Vertical	154	1.54	-	37.64	14.73	50.27

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0736G	45.92	83.54	-37.62	43.82	1	Horizontal	206	1.50	-	37.64	14.73	50.27
AV	18.07394G	35.94	63.54	-27.60	33.84	1	Horizontal	206	1.50	-	37.64	14.73	50.27

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	60.28	88.20	-27.92	54.62	3	Vertical	290	1.73	-	32.11	5.70	32.15
RMS	5.9098G	45.72	68.20	-22.48	40.02	3	Vertical	290	1.73	-	32.14	5.71	32.15
PK	6.2474G	97.21	Inf	-Inf	90.68	3	Vertical	290	1.73	-	32.89	5.80	32.16
RMS	6.2074G	87.10	Inf	-Inf	80.73	3	Vertical	290	1.73	-	32.73	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	63.21	88.20	-24.99	57.50	3	Horizontal	282	1.87	-	32.15	5.71	32.15
RMS	5.9066G	46.81	68.20	-21.39	41.12	3	Horizontal	282	1.87	-	32.13	5.71	32.15
PK	6.2154G	103.38	Inf	-Inf	96.98	3	Horizontal	282	1.87	-	32.76	5.80	32.16
RMS	6.129G	93.45	Inf	-Inf	87.29	3	Horizontal	282	1.87	-	32.52	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36962G	51.95	74.00	-22.05	38.45	3	Vertical	62	1.78	-	38.66	8.28	33.44
AV	12.37032G	40.89	54.00	-13.11	27.38	3	Vertical	62	1.78	-	38.66	8.29	33.44

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36975G	52.10	74.00	-21.90	38.60	3	Horizontal	350	1.42	-	38.66	8.28	33.44
AV	12.37024G	41.68	54.00	-12.32	28.17	3	Horizontal	350	1.42	-	38.66	8.29	33.44

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5584G	47.71	83.54	-35.83	45.05	1	Vertical	337	1.53	-	37.78	14.92	50.04
AV	18.55494G	36.89	63.54	-26.65	34.24	1	Vertical	337	1.53	-	37.78	14.92	50.05

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5525G	47.44	83.54	-36.10	44.79	1	Horizontal	59	1.55	-	37.78	14.92	50.05
AV	18.55236G	36.36	63.54	-27.18	33.71	1	Horizontal	59	1.55	-	37.78	14.92	50.05

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	55.45	88.20	-32.75	49.72	3	Vertical	296.6	1.75	-	32.17	5.72	32.16
RMS	5.9202G	44.99	68.20	-23.21	39.25	3	Vertical	296.6	1.75	-	32.18	5.72	32.16
PK	6.3234G	97.38	Inf	-Inf	90.65	3	Vertical	296.6	1.75	-	33.09	5.80	32.16
RMS	6.3714G	87.29	Inf	-Inf	80.32	3	Vertical	296.6	1.75	-	33.33	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	56.48	88.20	-31.72	50.72	3	Horizontal	65	1.80	-	32.20	5.72	32.16
RMS	5.9034G	45.60	68.20	-22.60	39.94	3	Horizontal	65	1.80	-	32.11	5.70	32.15
PK	6.3714G	102.95	Inf	-Inf	95.98	3	Horizontal	65	1.80	-	33.33	5.80	32.16
RMS	6.3738G	93.01	Inf	-Inf	86.03	3	Horizontal	65	1.80	-	33.34	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68995G	51.79	74.00	-22.21	37.94	3	Vertical	265	1.07	-	38.77	8.44	33.36
AV	12.69019G	41.32	54.00	-12.68	27.46	3	Vertical	265	1.07	-	38.77	8.45	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69002G	51.88	74.00	-22.12	38.02	3	Horizontal	41	2.85	-	38.77	8.45	33.36
AV	12.69012G	41.36	54.00	-12.64	27.50	3	Horizontal	41	2.85	-	38.77	8.45	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03022G	48.45	83.54	-35.09	44.99	1	Vertical	106	1.50	-	37.96	15.11	49.61
AV	19.03354G	37.35	63.54	-26.19	33.89	1	Vertical	106	1.50	-	37.96	15.11	49.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04G	48.39	83.54	-35.15	44.93	1	Horizontal	175	1.54	-	37.95	15.12	49.61
AV	19.03506G	37.28	63.54	-26.26	33.82	1	Horizontal	175	1.54	-	37.96	15.11	49.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	55.33	88.20	-32.87	49.61	3	Vertical	290	1.71	-	32.16	5.71	32.15
RMS	5.917G	44.71	68.20	-23.49	38.98	3	Vertical	290	1.71	-	32.17	5.72	32.16
PK	6.4742G	97.53	Inf	-Inf	90.04	3	Vertical	290	1.71	-	33.85	5.80	32.16
RMS	6.4742G	86.95	Inf	-Inf	79.46	3	Vertical	290	1.71	-	33.85	5.80	32.16
PK	7.1658G	62.09	88.20	-26.11	52.43	3	Vertical	290	1.71	-	36.13	6.10	32.57
RMS	7.1462G	52.29	68.20	-15.91	42.65	3	Vertical	290	1.71	-	36.07	6.10	32.53

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8526G	55.18	88.20	-33.02	49.58	3	Horizontal	71.4	1.98	-	32.10	5.65	32.15
RMS	5.9114G	45.25	68.20	-22.95	39.54	3	Horizontal	71.4	1.98	-	32.15	5.71	32.15
PK	6.4938G	104.63	Inf	-Inf	97.03	3	Horizontal	71.4	1.98	-	33.96	5.80	32.16
RMS	6.477G	92.96	Inf	-Inf	85.46	3	Horizontal	71.4	1.98	-	33.86	5.80	32.16
PK	7.1602G	62.41	88.20	-25.79	52.75	3	Horizontal	71.4	1.98	-	36.12	6.10	32.56
RMS	7.1294G	51.97	68.20	-16.23	42.44	3	Horizontal	71.4	1.98	-	35.94	6.10	32.51

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01023G	53.24	88.20	-34.96	38.72	3	Vertical	191	2.51	-	39.09	8.61	33.18
RMS	13.01021G	41.91	68.20	-26.29	27.39	3	Vertical	191	2.51	-	39.09	8.61	33.18

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01014G	52.68	88.20	-35.52	38.16	3	Horizontal	27	1.18	-	39.09	8.61	33.18
RMS	13.01026G	42.09	68.20	-26.11	27.57	3	Horizontal	27	1.18	-	39.09	8.61	33.18

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




28/04/2022

EUT X_2TX
Setting 72
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51132G	47.95	83.54	-35.59	44.45	1	Vertical	152	1.58	-	37.90	15.30	49.70
AV	19.5168G	37.92	63.54	-25.62	34.42	1	Vertical	152	1.58	-	37.89	15.31	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 72
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51806G	48.40	83.54	-35.14	44.90	1	Horizontal	42	1.54	-	37.89	15.31	49.70
AV	19.51966G	38.07	63.54	-25.47	34.57	1	Horizontal	42	1.54	-	37.89	15.31	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	96.79	Inf	-Inf	88.71	3	Vertical	290	1.62	-	34.35	5.93	32.20
RMS	6.6826G	86.91	Inf	-Inf	78.86	3	Vertical	290	1.62	-	34.33	5.92	32.20
PK	7.1798G	62.26	88.20	-25.94	52.59	3	Vertical	290	1.62	-	36.16	6.10	32.59
RMS	7.1952G	52.01	68.20	-16.19	42.34	3	Vertical	290	1.62	-	36.19	6.10	32.62

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6452G	103.72	Inf	-Inf	95.85	3	Horizontal	72	1.78	-	34.19	5.87	32.19
RMS	6.6342G	93.33	Inf	-Inf	85.50	3	Horizontal	72	1.78	-	34.17	5.85	32.19
PK	7.1468G	63.10	88.20	-25.10	53.47	3	Horizontal	72	1.78	-	36.07	6.10	32.54
RMS	7.1336G	52.32	68.20	-15.88	42.76	3	Horizontal	72	1.78	-	35.97	6.10	32.51

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33013G	53.32	74.00	-20.68	38.30	3	Vertical	267	2.44	-	39.55	8.77	33.30
AV	13.32961G	42.86	54.00	-11.14	27.85	3	Vertical	267	2.44	-	39.55	8.76	33.30

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 70
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32954G	53.26	74.00	-20.74	38.25	3	Horizontal	136	2.86	-	39.55	8.76	33.30
AV	13.33043G	42.32	54.00	-11.68	27.30	3	Horizontal	136	2.86	-	39.55	8.77	33.30

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 70
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99526G	48.71	83.54	-34.83	45.50	1	Vertical	146	1.51	-	37.41	15.50	49.70
AV	19.99466G	37.43	63.54	-26.11	34.22	1	Vertical	146	1.51	-	37.41	15.50	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 70
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99156G	48.67	83.54	-34.87	45.46	1	Horizontal	154	1.57	-	37.41	15.50	49.70
AV	19.99354G	37.50	63.54	-26.04	34.29	1	Horizontal	154	1.57	-	37.41	15.50	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	98.67	Inf	-Inf	90.16	3	Vertical	21	1.56	-	34.66	6.10	32.25
RMS	6.8506G	88.95	Inf	-Inf	80.49	3	Vertical	21	1.56	-	34.60	6.10	32.24
PK	7.201G	62.55	88.20	-25.65	52.88	3	Vertical	21	1.56	-	36.20	6.10	32.63
RMS	7.1514G	52.40	68.20	-15.80	42.74	3	Vertical	21	1.56	-	36.10	6.10	32.54

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	106.39	Inf	-Inf	97.88	3	Horizontal	69.4	1.83	-	34.66	6.10	32.25
RMS	6.8858G	94.98	Inf	-Inf	86.24	3	Horizontal	69.4	1.83	-	34.89	6.10	32.25
PK	7.153G	63.79	88.20	-24.41	54.13	3	Horizontal	69.4	1.83	-	36.11	6.10	32.55
RMS	7.1898G	53.20	68.20	-15.00	43.53	3	Horizontal	69.4	1.83	-	36.18	6.10	32.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64951G	53.16	88.20	-35.04	37.56	3	Vertical	59	2.30	-	40.05	8.92	33.37
RMS	13.65012G	42.78	68.20	-25.42	27.17	3	Vertical	59	2.30	-	40.05	8.93	33.37

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64988G	53.59	88.20	-34.61	37.99	3	Horizontal	247	2.09	-	40.05	8.92	33.37
RMS	13.64969G	42.79	68.20	-25.41	27.19	3	Horizontal	247	2.09	-	40.05	8.92	33.37

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47544G	47.35	83.54	-36.19	43.84	1	Vertical	303	1.51	-	37.69	15.71	49.89
AV	20.473G	37.26	63.54	-26.28	33.75	1	Vertical	303	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47338G	47.71	83.54	-35.83	44.20	1	Horizontal	44	1.51	-	37.69	15.71	49.89
AV	20.47286G	36.70	63.54	-26.84	33.19	1	Horizontal	44	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 68
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	100.74	Inf	-Inf	91.59	3	Vertical	21.7	1.64	-	35.35	6.10	32.30
RMS	7.007G	90.95	Inf	-Inf	81.81	3	Vertical	21.7	1.64	-	35.33	6.10	32.29
PK	7.129G	65.67	88.20	-22.53	56.14	3	Vertical	21.7	1.64	-	35.93	6.10	32.50
RMS	7.13G	53.26	68.20	-14.94	43.73	3	Vertical	21.7	1.64	-	35.94	6.10	32.51

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 68
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.007G	107.74	Inf	-Inf	98.60	3	Horizontal	288	1.26	-	35.33	6.10	32.29
RMS	7.016G	97.30	Inf	-Inf	88.15	3	Horizontal	288	1.26	-	35.36	6.10	32.31
PK	7.13G	74.22	88.20	-13.98	64.69	3	Horizontal	288	1.26	-	35.94	6.10	32.51
RMS	7.131G	59.73	68.20	-8.47	50.19	3	Horizontal	288	1.26	-	35.95	6.10	32.51

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 68
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9701G	56.41	88.20	-31.79	39.86	3	Vertical	275	1.91	-	40.84	9.09	33.38
RMS	13.97004G	46.21	68.20	-21.99	29.66	3	Vertical	275	1.91	-	40.84	9.09	33.38

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 68
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96982G	57.34	88.20	-30.86	40.80	3	Horizontal	179	2.67	-	40.84	9.08	33.38
RMS	13.97012G	45.90	68.20	-22.30	29.35	3	Horizontal	179	2.67	-	40.84	9.09	33.38

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 68
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9545G	46.92	83.54	-36.62	43.04	1	Vertical	208	1.55	-	37.67	15.93	49.72
AV	20.95706G	36.40	63.54	-27.14	32.52	1	Vertical	208	1.55	-	37.67	15.93	49.72

802.11ax HEW160_Nss2,(MCS0)_2TX



6985MHz_TnomVnom



EUT X_2TX
Setting 68
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95598G	47.18	83.54	-36.36	43.30	1	Horizontal	278	1.56	-	37.67	15.93	49.72
AV	20.95658G	36.27	63.54	-27.27	32.39	1	Horizontal	278	1.56	-	37.67	15.93	49.72


For Radio 3 / non beamforming mode / 1T1S



802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz_TnomVnom

MASK


03/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6435MHz_TnomVnom

MASK

03/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz_TnomVnom

MASK

03/01/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4725G	-2.29	6.4603G	-32.08	-23.06	-9.02	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6515MHz_TnomVnom

MASK

03/01/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50991G	-2.35	6.5G	-31.87	-24.14	-7.73	1

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6165MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TnomVnom

03/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6445MHz_TnomVnom

MASK

03/01/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45G	-0.57	6.4734G	-31.78	-22.94	-8.84	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6485MHz_TnomVnom

MASK

03/01/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4826G	-0.37	6.4632G	-28.52	-20.40	-8.12	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

03/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TnomVnom

03/01/2022

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67641G	1.57	6.6512G	-31.68	-23.27	-8.41	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TnomVnom

03/01/2022

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83741G	1.04	6.814G	-31.22	-22.56	-8.66	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TnomVnom

03/01/2022



802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TnomVnom

03/01/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99619G	2.41	6.0622G	-30.22	-23.36	-6.86	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6145MHz_TnomVnom

03/01/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13181G	1.72	6.021G	-46.36	-38.22	-8.14	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6385MHz_TnomVnom

MASK


03/01/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6465MHz_TnomVnom

MASK

03/01/2022



802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55379G	3.23	6.4758G	-29.30	-21.86	-7.44	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TnomVnom

03/01/2022

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61301G	3.78	6.5494G	-28.31	-22.52	-5.79	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6705MHz_TnomVnom

MASK

03/01/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69221G	3.68	6.5734G	-42.40	-36.03	-6.37	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6785MHz_TnomVnom

MASK

03/01/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77261G	3.81	6.713G	-25.98	-20.29	-5.69	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85301G	3.15	6.8018G	-25.87	-17.11	-8.76	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TnomVnom

03/01/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93341G	2.75	6.8834G	-26.36	-17.89	-8.47	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TnomVnom

03/01/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99623G	1.98	6.9482G	-29.65	-22.92	-6.73	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TnomVnom

03/01/2022

CF Freq
6.025GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05217G	5.20	6.1762G	-19.16	-14.82	-4.34	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX



MASK

6985MHz_TnomVnom

03/01/2022



For non beamforming mode / 2T2S




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6435MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6475MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6515MHz_TnomVnom

03/01/2022



802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TnomVnom

03/01/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5386G	-6.47	6.549G	-35.71	-27.26	-8.45	1
6.5363G	-6.19	6.5493G	-36.22	-27.80	-8.42	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TnomVnom

03/01/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6975G	-6.86	6.6796G	-37.49	-26.96	-10.53	1
6.6975G	-7.15	6.68G	-37.23	-28.87	-8.36	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022



802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6895MHz_TnomVnom

03/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8975G	-4.62	6.88G	-35.15	-25.77	-9.38	1
6.90119G	-4.90	6.911G	-36.15	-27.86	-8.29	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6995MHz_TnomVnom

03/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9974G	-5.59	7.0106G	-37.05	-27.48	-9.57	1
6.9986G	-4.74	7.0108G	-36.09	-27.61	-8.48	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

7095MHz_TnomVnom

03/01/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0936G	-7.05	7.0807G	-36.51	-28.32	-8.19	1
7.0964G	-6.32	7.0783G	-37.61	-29.22	-8.39	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TnomVnom

03/01/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95881G	-2.61	6.029G	-52.43	-42.61	-9.82	1
5.97119G	-2.72	5.932G	-35.95	-26.92	-9.03	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6165MHz_TnomVnom

03/01/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15881G	-3.61	6.1326G	-36.29	-27.72	-8.57	1
6.15881G	-3.46	6.1324G	-36.19	-27.47	-8.72	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TnomVnom

03/01/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39761G	-3.62	6.3728G	-35.52	-27.50	-8.02	1
6.4G	-4.07	6.372G	-35.97	-28.21	-7.76	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6445MHz_TnomVnom

03/01/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45139G	-2.33	6.4122G	-34.08	-26.47	-7.61	1
6.45379G	-2.38	6.4096G	-35.38	-27.29	-8.09	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6485MHz_TnomVnom

03/01/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47741G	-2.04	6.521G	-35.89	-27.48	-8.41	1
6.47881G	-2.06	6.4522G	-34.52	-26.16	-8.36	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TnomVnom

03/01/2022



802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TnomVnom

03/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68G	-2.02	6.6498G	-34.58	-26.82	-7.76	1
6.6812G	-2.32	6.6528G	-35.23	-26.15	-9.08	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TnomVnom

03/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83881G	-2.57	6.8076G	-36.74	-28.58	-8.16	1
6.8488G	-3.25	6.87G	-33.40	-24.26	-9.14	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6925MHz_TnomVnom

03/01/2022



802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7005MHz_TnomVnom

03/01/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99881G	-3.08	6.97G	-36.25	-28.07	-8.18	1
6.99861G	-2.65	6.9686G	-36.87	-28.11	-8.76	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7085MHz_TnomVnom

03/01/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09879G	-4.69	7.049G	-37.29	-30.07	-7.22	1
7.0812G	-3.94	7.0524G	-35.36	-27.91	-7.45	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TnomVnom

03/01/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99699G	0.44	6.1078G	-46.97	-39.31	-7.66	1
5.99579G	0.42	6.1078G	-47.58	-39.54	-8.04	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6145MHz_TnomVnom

03/01/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13261G	0.94	6.0202G	-47.98	-39.06	-8.92	1
6.11663G	0.59	6.0206G	-47.66	-39.41	-8.25	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TnomVnom

03/01/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37301G	-0.87	6.4274G	-29.67	-20.93	-8.74	1
6.37141G	-1.09	6.3426G	-29.55	-21.09	-8.46	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6465MHz_TnomVnom

03/01/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45741G	1.07	6.4222G	-28.05	-19.00	-9.05	1
6.45621G	1.23	6.4226G	-27.73	-18.78	-8.95	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TnomVnom

04/01/2022



802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TnomVnom

04/01/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69261G	1.31	6.5822G	-46.79	-38.23	-8.56	1
6.69581G	0.52	6.581G	-48.19	-39.48	-8.71	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TnomVnom

04/01/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77341G	0.78	6.661G	-46.86	-39.22	-7.64	1
6.77221G	0.65	6.6622G	-47.79	-39.15	-8.64	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6945MHz_TnomVnom

04/01/2022



802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

7025MHz_TnomVnom

04/01/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99663G	-0.78	6.9826G	-28.40	-20.83	-7.57	1
6.99663G	-0.99	6.9826G	-28.99	-21.06	-7.93	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TnomVnom

04/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05057G	3.34	6.3498G	-42.60	-36.66	-5.94	1
6.04818G	3.17	6.341G	-42.47	-36.83	-5.64	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TnomVnom

04/01/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15863G	3.18	6.341G	-27.85	-16.98	-10.87	1
6.16022G	3.37	6.0282G	-26.91	-16.88	-10.03	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TnomVnom

04/01/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36818G	2.15	6.0986G	-41.23	-37.56	-3.67	1
6.36818G	1.72	6.0986G	-41.21	-38.20	-3.01	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX



MASK

6985MHz_TnomVnom

04/01/2022



For non beamforming mode / 4T1S



802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

04/01/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4175G	-10.89	6.4G	-40.96	-31.78	-9.18	1
6.4155G	-10.93	6.4007G	-40.27	-32.64	-7.63	2
6.4139G	-11.34	6.4G	-40.94	-33.25	-7.69	3
6.4113G	-10.88	6.3997G	-41.06	-32.08	-8.98	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

04/01/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4325G	-10.59	6.4515G	-41.63	-33.51	-8.12	1
6.4375G	-10.14	6.4208G	-39.73	-31.09	-8.64	2
6.4325G	-10.46	6.4497G	-40.27	-30.62	-9.65	3
6.434G	-10.56	6.4489G	-39.44	-30.96	-8.48	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

04/01/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4725G	-9.57	6.4603G	-39.51	-30.27	-9.24	1
6.4725G	-9.36	6.4604G	-39.29	-30.83	-8.46	2
6.4712G	-9.27	6.461G	-38.53	-29.41	-9.12	3
6.4739G	-9.75	6.4599G	-39.70	-31.32	-8.38	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

04/01/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5112G	-10.29	6.4973G	-42.41	-33.85	-8.56	1
6.5176G	-10.08	6.5014G	-39.08	-30.39	-8.69	2
6.5163G	-9.99	6.5288G	-39.12	-30.30	-8.82	3
6.5112G	-10.65	6.5316G	-41.78	-33.21	-8.57	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

04/01/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5337G	-10.17	6.52G	-40.14	-30.92	-9.22	1
6.5376G	-9.88	6.5504G	-40.21	-31.63	-8.58	2
6.5375G	-9.84	6.5486G	-38.71	-29.84	-8.87	3
6.5313G	-10.08	6.5202G	-39.78	-30.10	-9.68	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

04/01/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6912G	-9.70	6.6799G	-39.61	-32.12	-7.49	1
6.6911G	-9.78	6.6805G	-39.29	-31.31	-7.98	2
6.6937G	-9.34	6.6784G	-40.31	-32.69	-7.62	3
6.6937G	-9.90	6.6806G	-39.17	-31.66	-7.51	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

04/01/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8525G	-9.80	6.8391G	-40.40	-32.13	-8.27	1
6.8575G	-9.70	6.8699G	-39.79	-30.55	-9.24	2
6.8587G	-9.38	6.8685G	-38.04	-29.89	-8.15	3
6.8563G	-10.68	6.8408G	-39.90	-30.86	-9.04	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8775G	-9.74	6.8605G	-39.17	-30.50	-8.67	1
6.8775G	-10.02	6.8602G	-39.83	-31.89	-7.94	2
6.8737G	-9.08	6.8595G	-39.30	-30.68	-8.62	3
6.8712G	-10.27	6.8889G	-39.28	-31.11	-8.17	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

04/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8963G	-10.22	6.8774G	-42.08	-34.47	-7.61	1
6.8956G	-10.60	6.9104G	-40.37	-32.48	-7.89	2
6.8987G	-10.27	6.9085G	-38.86	-30.41	-8.45	3
6.8912G	-10.61	6.88G	-40.42	-32.05	-8.37	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

04/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9963G	-11.06	7.0337G	-58.87	-51.06	-7.81	1
6.9976G	-9.90	7.0365G	-59.18	-49.90	-9.28	2
6.9986G	-10.94	7.0295G	-58.94	-50.92	-8.02	3
6.9925G	-10.85	6.9595G	-59.11	-50.85	-8.26	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

04/01/2022

CF Freq
7.095GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0962G	-11.75	7.0548G	-59.10	-51.75	-7.35	1
7.10009G	-10.70	7.0799G	-40.61	-32.89	-7.72	2
7.0988G	-11.85	7.0589G	-59.55	-51.85	-7.70	3
7.0937G	-11.56	7.0515G	-59.40	-51.56	-7.84	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

04/01/2022

CF Freq
5.965GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95761G	-8.93	5.9324G	-40.87	-33.04	-7.83	1
5.97099G	-9.38	5.9338G	-41.06	-32.97	-8.09	2
5.95761G	-9.29	5.9328G	-41.04	-33.41	-7.63	3
5.95881G	-9.06	5.9942G	-40.00	-31.81	-8.19	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

04/01/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15761G	-8.58	6.132G	-40.56	-33.04	-7.52	1
6.1606G	-8.92	6.1338G	-40.80	-31.97	-8.83	2
6.15881G	-9.03	6.129G	-42.14	-34.55	-7.59	3
6.15881G	-8.86	6.1326G	-41.05	-32.82	-8.23	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

04/01/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41019G	-8.45	6.3702G	-41.44	-33.65	-7.79	1
6.4004G	-8.84	6.3734G	-40.82	-32.30	-8.52	2
6.4002G	-8.93	6.3674G	-42.41	-34.88	-7.53	3
6.4088G	-8.62	6.3726G	-40.65	-32.56	-8.09	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

04/01/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45119G	-8.74	6.4122G	-40.78	-32.84	-7.94	1
6.45G	-8.29	6.4136G	-39.81	-32.01	-7.80	2
6.45G	-9.05	6.4732G	-39.06	-31.33	-7.73	3
6.43881G	-8.80	6.4736G	-39.23	-30.59	-8.64	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

04/01/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47981G	-8.22	6.5142G	-39.14	-30.84	-8.30	1
6.47861G	-8.42	6.4476G	-42.57	-34.47	-8.10	2
6.48G	-8.47	6.4538G	-39.97	-32.01	-7.96	3
6.4814G	-8.85	6.5186G	-41.44	-33.40	-8.04	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5288G	-8.42	6.4922G	-40.42	-32.47	-7.95	1
6.53079G	-8.71	6.5466G	-36.04	-28.72	-7.32	2
6.53379G	-8.82	6.5534G	-38.74	-31.06	-7.68	3
6.5274G	-8.44	6.494G	-39.32	-31.49	-7.83	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

04/01/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5624G	-7.35	6.5276G	-41.36	-33.66	-7.70	1
6.5606G	-7.16	6.5352G	-38.69	-29.99	-8.70	2
6.5676G	-7.68	6.5324G	-40.07	-32.14	-7.93	3
6.55901G	-7.70	6.5324G	-39.85	-31.92	-7.93	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

04/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67721G	-7.31	6.654G	-38.31	-30.51	-7.80	1
6.6806G	-7.59	6.6526G	-39.97	-31.64	-8.33	2
6.67881G	-7.43	6.6524G	-39.16	-31.06	-8.10	3
6.6884G	-7.83	6.6538G	-38.87	-31.67	-7.20	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

04/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83881G	-7.44	6.8074G	-41.67	-33.57	-8.10	1
6.85259G	-7.81	6.9082G	-56.10	-47.77	-8.33	2
6.8486G	-7.35	6.8778G	-39.82	-31.73	-8.09	3
6.83881G	-8.06	6.8764G	-39.52	-31.65	-7.87	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8814G	-9.23	6.8208G	-56.30	-49.23	-7.07	1
6.88G	-9.38	6.9526G	-56.51	-49.38	-7.13	2
6.87861G	-8.52	6.9504G	-56.21	-48.52	-7.69	3
6.87861G	-9.18	6.9482G	-56.73	-49.18	-7.55	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

04/01/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91881G	-8.49	6.9888G	-55.59	-48.49	-7.10	1
6.93G	-7.56	6.9578G	-39.56	-31.57	-7.99	2
6.9286G	-8.42	6.9536G	-38.40	-30.89	-7.51	3
6.91901G	-8.69	6.8874G	-42.18	-34.82	-7.36	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

04/01/2022

CF Freq
7.005GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99961G	-7.83	6.9408G	-55.81	-47.80	-8.01	1
6.99761G	-7.60	6.9674G	-41.88	-33.97	-7.91	2
6.99861G	-8.12	6.9734G	-39.45	-31.35	-8.10	3
6.99881G	-7.80	6.9722G	-39.58	-31.99	-7.59	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

04/01/2022

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09119G	-8.31	7.0196G	-55.57	-48.31	-7.26	1
7.08G	-7.67	7.0512G	-39.58	-31.40	-8.18	2
7.0886G	-8.69	7.0474G	-41.82	-34.85	-6.97	3
7.07361G	-7.95	7.0478G	-41.06	-33.56	-7.50	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

04/01/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99739G	-6.94	6.1146G	-54.63	-46.94	-7.69	1
5.99659G	-6.80	6.0274G	-34.42	-26.82	-7.60	2
5.99779G	-7.26	6.0278G	-34.47	-27.32	-7.15	3
6.00138G	-7.00	6.113G	-55.45	-47.00	-8.45	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

04/01/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11663G	-6.51	6.0874G	-37.24	-29.13	-8.11	1
6.13141G	-6.53	6.1022G	-34.15	-26.59	-7.56	2
6.13341G	-6.03	6.0874G	-36.60	-27.90	-8.70	3
6.13461G	-7.06	6.0182G	-55.05	-46.83	-8.22	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

04/01/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37621G	-6.85	6.5158G	-54.92	-46.85	-8.07	1
6.37261G	-6.78	6.2574G	-54.97	-46.78	-8.19	2
6.37301G	-7.45	6.2586G	-55.21	-47.45	-7.76	3
6.39379G	-7.50	6.4278G	-34.79	-27.51	-7.28	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

04/01/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45261G	-5.45	6.4222G	-33.16	-25.46	-7.70	1
6.45621G	-5.58	6.4074G	-36.62	-28.30	-8.32	2
6.47339G	-6.00	6.409G	-36.60	-28.57	-8.03	3
6.45381G	-6.10	6.4062G	-36.98	-29.10	-7.88	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55659G	-5.84	6.5018G	-33.73	-25.89	-7.84	1
6.56018G	-6.10	6.5878G	-34.09	-26.13	-7.96	2
6.55859G	-6.31	6.4878G	-37.22	-28.93	-8.29	3
6.53381G	-6.49	6.4874G	-37.16	-29.26	-7.90	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

04/01/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61381G	-5.48	6.5822G	-33.00	-25.55	-7.45	1
6.61101G	-6.21	6.4986G	-54.09	-46.17	-7.92	2
6.61381G	-6.42	6.5826G	-33.67	-26.43	-7.24	3
6.63379G	-6.23	6.4958G	-54.05	-46.23	-7.82	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

04/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69621G	-5.25	6.6622G	-32.73	-25.28	-7.45	1
6.69221G	-5.83	6.6622G	-33.60	-25.86	-7.74	2
6.67623G	-5.99	6.5714G	-54.04	-45.99	-8.05	3
6.69261G	-5.74	6.5782G	-53.89	-45.74	-8.15	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

04/01/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77421G	-4.87	6.6554G	-52.71	-44.87	-7.84	1
6.77221G	-5.13	6.9162G	-53.39	-45.13	-8.26	2
6.77381G	-5.23	6.6594G	-53.26	-45.23	-8.03	3
6.77341G	-5.44	6.7426G	-32.93	-25.45	-7.48	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85621G	-5.88	6.7386G	-53.15	-45.88	-7.27	1
6.85261G	-6.20	6.9898G	-53.15	-46.20	-6.95	2
6.85381G	-6.09	7.0006G	-53.31	-46.09	-7.22	3
6.87619G	-6.54	6.9902G	-53.92	-46.47	-7.45	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

04/01/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93661G	-5.51	6.8134G	-53.11	-45.51	-7.60	1
6.95619G	-5.19	6.9874G	-33.16	-25.20	-7.96	2
6.95619G	-6.34	6.9874G	-33.65	-26.36	-7.29	3
6.93021G	-5.18	6.819G	-53.15	-45.18	-7.97	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

04/01/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99743G	-5.59	6.8994G	-53.06	-45.59	-7.47	1
6.99623G	-5.52	7.1526G	-53.67	-45.36	-8.31	2
7.01341G	-6.82	6.899G	-54.20	-46.82	-7.38	3
6.99623G	-4.87	6.8966G	-52.77	-44.84	-7.93	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

04/01/2022

CF Freq
6.025GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05137G	-2.26	6.3562G	-49.56	-42.26	-7.30	1
6.05137G	-2.21	6.3666G	-50.09	-42.21	-7.88	2
6.04818G	-2.65	6.2818G	-50.54	-42.65	-7.89	3
6.05137G	-2.77	6.3746G	-50.68	-42.77	-7.91	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

04/01/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15863G	-1.73	5.9322G	-48.46	-41.73	-6.73	1
6.12106G	-1.45	5.9306G	-48.20	-41.45	-6.75	2
6.15863G	-2.03	5.9314G	-48.82	-42.03	-6.79	3
6.15303G	-1.73	5.9338G	-47.63	-41.73	-5.90	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

04/01/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	-2.06	6.0722G	-48.84	-42.06	-6.78	1
6.37137G	-2.56	6.0306G	-48.88	-42.56	-6.32	2
6.37137G	-2.61	6.0954G	-49.00	-42.61	-6.39	3
6.37297G	-2.59	6.045G	-49.54	-42.59	-6.95	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48022G	-0.79	6.2562G	-49.30	-40.79	-8.51	1
6.48022G	-0.45	6.8602G	-48.22	-40.45	-7.77	2
6.48022G	-1.36	6.8586G	-49.28	-41.36	-7.92	3
6.47863G	-1.52	6.8298G	-49.78	-41.52	-8.26	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

04/01/2022

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63943G	0.11	6.4106G	-46.53	-39.89	-6.64	1
6.64022G	-0.02	6.4106G	-46.89	-40.02	-6.87	2
6.64182G	-0.79	6.4114G	-47.83	-40.79	-7.04	3
6.63943G	-1.10	6.413G	-48.30	-41.10	-7.20	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80102G	-0.48	6.5762G	-45.78	-40.48	-5.30	1
6.85377G	-0.59	6.5698G	-47.12	-40.59	-6.53	2
6.85217G	-0.94	6.5746G	-48.02	-40.94	-7.08	3
6.79863G	-1.62	6.5754G	-48.25	-41.62	-6.63	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

04/01/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 



Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96182G	-1.25	6.7306G	-46.62	-41.25	-5.37	1
6.95703G	-1.17	6.7362G	-48.13	-41.17	-6.96	2
6.95863G	-1.84	6.7362G	-49.24	-41.84	-7.40	3
6.95783G	-0.76	6.7346G	-47.10	-40.76	-6.34	4

For non beamforming mode / 4T4S



802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6415MHz_TnomVnom

06/01/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4137G	-7.07	6.3987G	-38.57	-30.12	-8.45	1
6.4112G	-6.72	6.3979G	-39.21	-30.54	-8.67	2
6.4175G	-7.52	6.3993G	-38.14	-27.68	-10.46	3
6.4125G	-7.09	6.4005G	-37.17	-27.72	-9.45	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6435MHz_TnomVnom

06/01/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4338G	-6.31	6.4188G	-38.27	-28.57	-9.70	1
6.4313G	-6.15	6.4499G	-36.81	-27.82	-8.99	2
6.44129G	-6.56	6.4501G	-36.91	-27.18	-9.73	3
6.44G	-6.54	6.4197G	-37.74	-28.89	-8.85	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6475MHz_TnomVnom

06/01/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4762G	-6.03	6.458G	-38.13	-29.79	-8.34	1
6.4737G	-5.86	6.4597G	-36.60	-26.06	-10.54	2
6.4726G	-5.89	6.4585G	-38.13	-29.01	-9.12	3
6.4738G	-6.39	6.4597G	-37.31	-27.68	-9.63	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6515MHz_TnomVnom

06/01/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5174G	-7.42	6.4997G	-38.11	-29.48	-8.63	1
6.5112G	-7.15	6.4985G	-38.91	-27.19	-11.72	2
6.5163G	-7.05	6.4994G	-37.65	-28.65	-9.00	3
6.5125G	-7.42	6.4999G	-37.77	-29.60	-8.17	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TnomVnom

06/01/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5362G	-7.09	6.5495G	-37.63	-28.60	-9.03	1
6.5312G	-7.01	6.5514G	-38.57	-27.85	-10.72	2
6.5312G	-6.99	6.5498G	-37.27	-28.10	-9.17	3
6.54G	-7.31	6.55G	-37.85	-29.55	-8.30	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TnomVnom

06/01/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6925G	-5.68	6.6778G	-37.87	-29.01	-8.86	1
6.6912G	-5.95	6.6793G	-37.42	-26.15	-11.27	2
6.6913G	-5.64	6.6793G	-36.45	-27.96	-8.49	3
6.6999G	-6.38	6.6793G	-37.83	-27.63	-10.20	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6855MHz_TnomVnom

06/01/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8513G	-6.27	6.8412G	-35.99	-27.07	-8.92	1
6.8537G	-6.35	6.8719G	-38.82	-29.65	-9.17	2
6.86129G	-6.10	6.8699G	-36.46	-26.25	-10.21	3
6.86G	-6.96	6.8394G	-38.04	-29.30	-8.74	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

06/01/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8713G	-6.38	6.8597G	-37.19	-27.56	-9.63	1
6.8763G	-6.66	6.8591G	-38.14	-29.80	-8.34	2
6.8762G	-6.18	6.8598G	-36.81	-28.59	-8.22	3
6.88129G	-6.87	6.8593G	-37.95	-29.35	-8.60	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6895MHz_TnomVnom

06/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8975G	-6.09	6.9088G	-36.20	-26.60	-9.60	1
6.89G	-6.68	6.9097G	-36.78	-27.38	-9.40	2
6.8912G	-6.24	6.9112G	-37.49	-29.13	-8.36	3
6.8913G	-6.70	6.8818G	-35.78	-26.73	-9.05	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6995MHz_TnomVnom

06/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9962G	-6.60	7.0107G	-37.74	-28.55	-9.19	1
6.9963G	-5.92	7.0114G	-37.81	-28.93	-8.88	2
6.9962G	-6.64	7.0094G	-36.34	-27.58	-8.76	3
6.9926G	-7.11	6.9771G	-39.56	-31.65	-7.91	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

7095MHz_TnomVnom

06/01/2022

CF Freq
7.095GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0925G	-7.28	7.0807G	-36.82	-27.62	-9.20	1
7.0925G	-6.36	7.0804G	-36.41	-28.36	-8.05	2
7.0999G	-7.24	7.0806G	-37.12	-28.62	-8.50	3
7.0925G	-7.02	7.0794G	-37.67	-27.25	-10.42	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

5965MHz_TnomVnom

06/01/2022

CF Freq
5.965GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9696G	-5.36	5.9276G	-39.07	-31.35	-7.72	1
5.9688G	-5.42	5.9972G	-37.75	-29.43	-8.32	2
5.97G	-5.99	5.9276G	-39.03	-31.96	-7.07	3
5.9676G	-5.54	5.9974G	-37.40	-29.56	-7.84	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6165MHz_TnomVnom

06/01/2022

CF Freq
6.165GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15881G	-4.41	6.1272G	-37.91	-30.07	-7.84	1
6.17G	-4.32	6.1274G	-38.22	-30.33	-7.89	2
6.15361G	-4.47	6.1274G	-37.85	-30.56	-7.29	3
6.1612G	-4.18	6.1286G	-37.46	-29.80	-7.66	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6405MHz_TnomVnom

06/01/2022

CF Freq
6.405GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41G	-5.61	6.4426G	-39.10	-31.85	-7.25	1
6.4012G	-5.81	6.3686G	-38.86	-31.51	-7.35	2
6.39361G	-5.90	6.3674G	-39.08	-31.87	-7.21	3
6.4076G	-5.59	6.4374G	-36.22	-29.03	-7.19	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6445MHz_TnomVnom

06/01/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4488G	-4.38	6.4072G	-37.66	-29.95	-7.71	1
6.43881G	-4.25	6.4074G	-37.38	-30.60	-6.78	2
6.4488G	-4.88	6.4826G	-38.07	-30.87	-7.20	3
6.4476G	-4.55	6.4156G	-34.89	-26.86	-8.03	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6485MHz_TnomVnom

06/01/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4876G	-4.40	6.5172G	-35.67	-27.89	-7.78	1
6.4888G	-4.32	6.4474G	-38.41	-30.67	-7.74	2
6.49G	-5.00	6.4486G	-38.60	-30.62	-7.98	3
6.4812G	-4.89	6.4488G	-37.71	-30.37	-7.34	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

06/01/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5274G	-4.72	6.4876G	-37.53	-30.14	-7.39	1
6.52G	-4.70	6.5574G	-36.48	-28.91	-7.57	2
6.53G	-5.35	6.5626G	-38.27	-31.46	-6.81	3
6.5276G	-4.91	6.4886G	-37.45	-29.82	-7.63	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6565MHz_TnomVnom

06/01/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55881G	-3.87	6.6026G	-37.43	-30.13	-7.30	1
6.57G	-3.86	6.5276G	-37.59	-30.11	-7.48	2
6.5688G	-4.02	6.5286G	-36.98	-29.62	-7.36	3
6.56G	-4.38	6.5972G	-36.09	-27.84	-8.25	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6685MHz_TnomVnom

06/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67361G	-3.73	6.6474G	-37.08	-29.95	-7.13	1
6.68G	-4.13	6.6474G	-38.24	-30.48	-7.76	2
6.67981G	-3.70	6.6556G	-34.12	-26.61	-7.51	3
6.69G	-4.05	6.7226G	-37.55	-30.21	-7.34	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6845MHz_TnomVnom

06/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8488G	-4.55	6.8076G	-37.95	-30.77	-7.18	1
6.85119G	-4.95	6.8772G	-36.92	-28.87	-8.05	2
6.85G	-4.43	6.8086G	-38.16	-30.07	-8.09	3
6.8476G	-5.01	6.8086G	-38.05	-30.35	-7.70	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

06/01/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8876G	-4.21	6.8474G	-37.19	-30.26	-6.93	1
6.89G	-4.88	6.9228G	-37.89	-31.14	-6.75	2
6.88G	-4.08	6.9172G	-35.46	-27.96	-7.50	3
6.8874G	-4.21	6.8474G	-37.90	-30.37	-7.53	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6925MHz_TnomVnom

06/01/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9276G	-4.28	6.8874G	-38.29	-30.52	-7.77	1
6.93G	-3.91	6.9574G	-35.07	-27.94	-7.13	2
6.9288G	-4.72	6.9574G	-36.12	-28.81	-7.31	3
6.92G	-4.36	6.8886G	-37.38	-29.53	-7.85	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

7005MHz_TnomVnom

06/01/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7G	-4.97	6.9674G	-37.94	-30.94	-7.00	1
7G	-4.91	7.0426G	-38.18	-30.64	-7.54	2
7.0086G	-5.55	7.0372G	-36.70	-29.65	-7.05	3
7G	-4.86	6.9674G	-38.13	-31.06	-7.07	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

7085MHz_TnomVnom

06/01/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07381G	-5.57	7.1226G	-38.52	-31.81	-6.71	1
7.0808G	-5.11	7.1226G	-37.74	-30.92	-6.82	2
7.09239G	-6.07	7.0486G	-38.10	-31.71	-6.39	3
7.07381G	-5.13	7.0486G	-37.50	-30.49	-7.01	4

802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

5985MHz_TnomVnom

06/01/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99939G	-2.05	6.1142G	-50.36	-42.05	-8.31	1
6.00018G	-2.07	5.9418G	-31.14	-22.07	-9.07	2
5.99979G	-1.76	6.1086G	-50.32	-41.33	-8.99	3
6.00138G	-2.16	6.1146G	-51.47	-42.16	-9.31	4

802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6145MHz_TnomVnom

06/01/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13261G	-2.45	6.1014G	-31.47	-22.46	-9.01	1
6.13261G	-2.74	6.1014G	-31.30	-22.74	-8.56	2
6.13101G	-1.60	6.1014G	-30.64	-21.62	-9.02	3
6.13181G	-2.69	6.0166G	-51.89	-42.69	-9.20	4

802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6385MHz_TnomVnom

06/01/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37061G	-2.91	6.4622G	-38.35	-29.39	-8.96	1
6.37141G	-2.86	6.3418G	-31.16	-22.90	-8.26	2
6.37221G	-3.20	6.3414G	-32.18	-23.22	-8.96	3
6.39979G	-3.28	6.4626G	-38.35	-28.97	-9.38	4

802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6465MHz_TnomVnom

06/01/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45141G	-2.47	6.4214G	-30.69	-22.47	-8.22	1
6.45101G	-2.65	6.4218G	-30.88	-22.67	-8.21	2
6.47139G	-2.83	6.373G	-41.24	-32.78	-8.46	3
6.45141G	-2.87	6.3982G	-35.43	-27.24	-8.19	4