


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3489G	56.16	74.00	-17.84	43.23	3	Vertical	166	2.21	-	38.85	8.93	34.85
AV	12.35434G	42.71	54.00	-11.29	29.76	3	Vertical	166	2.21	-	38.86	8.93	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35328G	56.14	74.00	-17.86	43.19	3	Horizontal	138	2.67	-	38.86	8.93	34.84
AV	12.35126G	42.73	54.00	-11.27	29.79	3	Horizontal	138	2.67	-	38.85	8.93	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52654G	48.37	83.54	-35.17	45.74	1	Vertical	269	1.55	-	37.79	14.91	50.07
AV	18.5212G	35.05	63.54	-28.49	32.43	1	Vertical	269	1.55	-	37.79	14.91	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52938G	48.02	83.54	-35.52	45.39	1	Horizontal	346	1.56	-	37.79	14.91	50.07
AV	18.52686G	35.17	63.54	-28.37	32.54	1	Horizontal	346	1.56	-	37.79	14.91	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_X_2TX
Setting 38
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	58.87	88.20	-29.33	52.27	3	Vertical	110	1.02	-	34.60	5.31	33.31
RMS	5.925G	48.30	68.20	-19.90	41.24	3	Vertical	110	1.02	-	35.05	5.36	33.35
PK	6.4174G	102.09	Inf	-Inf	93.82	3	Vertical	110	1.02	-	35.67	5.70	33.10
RMS	6.4078G	93.85	Inf	-Inf	85.57	3	Vertical	110	1.02	-	35.68	5.70	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_X_2TX
Setting 38
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	58.43	88.20	-29.77	51.55	3	Horizontal	312	2.10	-	34.87	5.34	33.33
RMS	5.925G	48.39	68.20	-19.81	41.33	3	Horizontal	312	2.10	-	35.05	5.36	33.35
PK	6.4078G	110.42	Inf	-Inf	102.14	3	Horizontal	312	2.10	-	35.68	5.70	33.10
RMS	6.4078G	99.17	Inf	-Inf	90.89	3	Horizontal	312	2.10	-	35.68	5.70	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82768G	57.13	88.20	-31.07	43.60	3	Vertical	255	2.03	-	39.43	8.83	34.73
RMS	12.83048G	43.37	68.20	-24.83	29.84	3	Vertical	255	2.03	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82682G	57.18	88.20	-31.02	43.65	3	Horizontal	293	1.20	-	39.43	8.83	34.73
RMS	12.82638G	43.43	68.20	-24.77	29.90	3	Horizontal	293	1.20	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24068G	48.61	83.54	-34.93	45.35	1	Vertical	271	1.56	-	37.71	15.20	49.65
AV	19.24104G	34.71	63.54	-28.83	31.45	1	Vertical	271	1.56	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_X_2TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24576G	47.94	83.54	-35.60	44.68	1	Horizontal	65	1.57	-	37.71	15.20	49.65
AV	19.24388G	34.70	63.54	-28.84	31.44	1	Horizontal	65	1.57	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 43
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	59.06	88.20	-29.14	52.18	3	Vertical	110	1.05	-	34.88	5.34	33.34
RMS	5.8806G	48.28	68.20	-19.92	41.41	3	Vertical	110	1.05	-	34.86	5.34	33.33
PK	6.4398G	104.61	Inf	-Inf	96.37	3	Vertical	110	1.05	-	35.62	5.70	33.08
RMS	6.4398G	95.45	Inf	-Inf	87.21	3	Vertical	110	1.05	-	35.62	5.70	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 43
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	59.20	88.20	-29.00	52.25	3	Horizontal	284	1.80	-	34.94	5.35	33.34
RMS	5.925G	48.29	68.20	-19.91	41.23	3	Horizontal	284	1.80	-	35.05	5.36	33.35
PK	6.4302G	108.82	Inf	-Inf	100.57	3	Horizontal	284	1.80	-	35.64	5.70	33.09
RMS	6.4374G	98.98	Inf	-Inf	90.73	3	Horizontal	284	1.80	-	35.63	5.70	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87208G	56.57	88.20	-31.63	43.00	3	Vertical	331	2.57	-	39.47	8.83	34.73
RMS	12.87366G	43.22	68.20	-24.98	29.65	3	Vertical	331	2.57	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86514G	56.38	88.20	-31.82	42.81	3	Horizontal	302	2.56	-	39.47	8.83	34.73
RMS	12.87174G	43.22	68.20	-24.98	29.65	3	Horizontal	302	2.56	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30172G	48.19	83.54	-35.35	44.89	1	Vertical	201	1.55	-	37.74	15.22	49.66
AV	19.30818G	35.19	63.54	-28.35	31.88	1	Vertical	201	1.55	-	37.75	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30292G	48.02	83.54	-35.52	44.72	1	Horizontal	330	1.52	-	37.74	15.22	49.66
AV	19.30698G	35.22	63.54	-28.32	31.91	1	Horizontal	330	1.52	-	37.75	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 37
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.79	88.20	-29.41	51.73	3	Vertical	96	1.13	-	35.05	5.36	33.35
RMS	5.925G	48.25	68.20	-19.95	41.19	3	Vertical	96	1.13	-	35.05	5.36	33.35
PK	6.4698G	100.58	Inf	-Inf	92.26	3	Vertical	96	1.13	-	35.68	5.70	33.06
RMS	6.4724G	92.15	Inf	-Inf	83.82	3	Vertical	96	1.13	-	35.69	5.70	33.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_X_2TX
Setting 37
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8432G	59.23	88.20	-28.97	52.47	3	Horizontal	286	1.80	-	34.76	5.32	33.32
RMS	5.877G	48.30	68.20	-19.90	41.44	3	Horizontal	286	1.80	-	34.85	5.34	33.33
PK	6.4802G	109.21	Inf	-Inf	100.84	3	Horizontal	286	1.80	-	35.72	5.70	33.05
RMS	6.4776G	97.81	Inf	-Inf	89.46	3	Horizontal	286	1.80	-	35.71	5.70	33.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95064G	57.10	88.20	-31.10	43.40	3	Vertical	128	2.45	-	39.60	8.81	34.71
RMS	12.94536G	43.72	68.20	-24.48	30.03	3	Vertical	128	2.45	-	39.59	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9452G	56.72	88.20	-31.48	43.03	3	Horizontal	50	1.93	-	39.59	8.81	34.71
RMS	12.95468G	43.65	68.20	-24.55	29.94	3	Horizontal	50	1.93	-	39.61	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_X_2TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4274G	48.45	83.54	-35.09	45.03	1	Vertical	21	1.58	-	37.84	15.27	49.69
AV	19.42216G	35.19	63.54	-28.35	31.76	1	Vertical	21	1.58	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_X_2TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42778G	48.45	83.54	-35.09	45.03	1	Horizontal	323	1.56	-	37.84	15.27	49.69
AV	19.42294G	35.19	63.54	-28.35	31.76	1	Horizontal	323	1.56	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	58.71	88.20	-29.49	51.84	3	Vertical	100	1.12	-	34.86	5.34	33.33
RMS	5.8682G	48.17	68.20	-20.03	41.33	3	Vertical	100	1.12	-	34.84	5.33	33.33
PK	6.5178G	103.95	Inf	-Inf	95.43	3	Vertical	100	1.12	-	35.87	5.70	33.05
RMS	6.5178G	92.84	Inf	-Inf	84.32	3	Vertical	100	1.12	-	35.87	5.70	33.05
PK	7.1422G	61.41	88.20	-26.79	51.86	3	Vertical	100	1.12	-	37.04	5.97	33.46
RMS	7.131G	51.34	68.20	-16.86	41.87	3	Vertical	100	1.12	-	36.95	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8766G	59.11	88.20	-29.09	52.25	3	Horizontal	283	1.80	-	34.85	5.34	33.33
RMS	5.9242G	48.23	68.20	-19.97	41.17	3	Horizontal	283	1.80	-	35.05	5.36	33.35
PK	6.5066G	108.12	Inf	-Inf	99.63	3	Horizontal	283	1.80	-	35.83	5.70	33.04
RMS	6.5122G	97.92	Inf	-Inf	89.42	3	Horizontal	283	1.80	-	35.85	5.70	33.05
PK	7.1254G	61.71	88.20	-26.49	52.29	3	Horizontal	283	1.80	-	36.90	5.96	33.44
RMS	7.1282G	51.37	68.20	-16.83	41.92	3	Horizontal	283	1.80	-	36.93	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03212G	57.05	88.20	-31.15	43.26	3	Vertical	292	1.85	-	39.70	8.79	34.70
RMS	13.03492G	43.34	68.20	-24.86	29.55	3	Vertical	292	1.85	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03124G	56.51	88.20	-31.69	42.72	3	Horizontal	151	2.05	-	39.70	8.79	34.70
RMS	13.03402G	43.48	68.20	-24.72	29.69	3	Horizontal	151	2.05	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54186G	48.08	83.54	-35.46	44.58	1	Vertical	172	1.57	-	37.88	15.32	49.70
AV	19.54484G	34.98	63.54	-28.56	31.48	1	Vertical	172	1.57	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54186G	47.84	83.54	-35.70	44.34	1	Horizontal	213	1.53	-	37.88	15.32	49.70
AV	19.5421G	34.97	63.54	-28.57	31.47	1	Horizontal	213	1.53	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 39
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	58.68	88.20	-29.52	51.82	3	Vertical	116	1.19	-	34.85	5.34	33.33
RMS	5.8826G	48.25	68.20	-19.95	41.37	3	Vertical	116	1.19	-	34.87	5.34	33.33
PK	6.5266G	109.47	Inf	-Inf	100.91	3	Vertical	116	1.19	-	35.91	5.70	33.05
RMS	6.5266G	100.84	Inf	-Inf	92.28	3	Vertical	116	1.19	-	35.91	5.70	33.05
PK	7.1874G	61.56	88.20	-26.64	51.83	3	Vertical	116	1.19	-	37.25	5.99	33.51
RMS	7.137G	51.36	68.20	-16.84	41.84	3	Vertical	116	1.19	-	37.00	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	58.72	88.20	-29.48	51.66	3	Horizontal	282	1.78	-	35.05	5.36	33.35
RMS	5.9162G	46.88	68.20	-21.32	39.87	3	Horizontal	282	1.78	-	35.00	5.36	33.35
PK	6.5294G	114.40	Inf	-Inf	105.83	3	Horizontal	282	1.78	-	35.92	5.70	33.05
RMS	6.535G	103.81	Inf	-Inf	95.23	3	Horizontal	282	1.78	-	35.94	5.70	33.06
PK	7.1874G	62.02	88.20	-26.18	52.29	3	Horizontal	282	1.78	-	37.25	5.99	33.51
RMS	7.207G	49.87	68.20	-18.33	40.10	3	Horizontal	282	1.78	-	37.31	6.00	33.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06832G	57.71	88.20	-30.49	43.92	3	Vertical	238	1.97	-	39.70	8.79	34.70
RMS	13.0658G	43.52	68.20	-24.68	29.73	3	Vertical	238	1.97	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06532G	58.03	88.20	-30.17	44.24	3	Horizontal	274	2.52	-	39.70	8.79	34.70
RMS	13.07126G	43.49	68.20	-24.71	29.70	3	Horizontal	274	2.52	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60372G	48.99	83.54	-34.55	45.49	1	Vertical	19	1.52	-	37.86	15.34	49.70
AV	19.60708G	35.75	63.54	-27.79	32.25	1	Vertical	19	1.52	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60368G	48.89	83.54	-34.65	45.39	1	Horizontal	116	1.52	-	37.86	15.34	49.70
AV	19.60696G	35.74	63.54	-27.80	32.24	1	Horizontal	116	1.52	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	104.25	Inf	-Inf	95.49	3	Vertical	109	1.17	-	36.20	5.70	33.14
RMS	6.6884G	91.84	Inf	-Inf	83.07	3	Vertical	109	1.17	-	36.20	5.70	33.13
PK	7.157G	62.11	88.20	-26.09	52.48	3	Vertical	109	1.17	-	37.13	5.98	33.48
RMS	7.2428G	50.06	68.20	-18.14	40.23	3	Vertical	109	1.17	-	37.39	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	107.66	Inf	-Inf	98.89	3	Horizontal	283	1.75	-	36.20	5.70	33.13
RMS	6.6884G	98.66	Inf	-Inf	89.89	3	Horizontal	283	1.75	-	36.20	5.70	33.13
PK	7.19G	63.27	88.20	-24.93	53.53	3	Horizontal	283	1.75	-	37.26	6.00	33.52
RMS	7.1394G	51.48	68.20	-16.72	41.95	3	Horizontal	283	1.75	-	37.02	5.97	33.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3903G	57.47	74.00	-16.53	43.29	3	Vertical	88	1.46	-	40.18	8.72	34.72
AV	13.38932G	44.31	54.00	-9.69	30.13	3	Vertical	88	1.46	-	40.18	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39278G	57.87	74.00	-16.13	43.68	3	Horizontal	280	1.09	-	40.19	8.72	34.72
AV	13.39326G	44.38	54.00	-9.62	30.19	3	Horizontal	280	1.09	-	40.19	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0807G	46.32	83.54	-37.22	43.05	1	Vertical	89	1.51	-	37.46	15.54	49.73
AV	20.08596G	33.43	63.54	-30.11	30.15	1	Vertical	89	1.51	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0859G	46.21	83.54	-37.33	42.93	1	Horizontal	114	1.51	-	37.47	15.54	49.73
AV	20.08374G	33.40	63.54	-30.14	30.12	1	Horizontal	114	1.51	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 48
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	101.84	Inf	-Inf	92.75	3	Vertical	281	2.09	-	36.55	5.76	33.22
RMS	6.8634G	93.13	Inf	-Inf	84.04	3	Vertical	281	2.09	-	36.55	5.76	33.22
PK	7.163G	61.84	88.20	-26.36	52.20	3	Vertical	281	2.09	-	37.15	5.98	33.49
RMS	7.1252G	51.53	68.20	-16.67	42.11	3	Vertical	281	2.09	-	36.90	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 48
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	110.51	Inf	-Inf	101.41	3	Horizontal	295	1.76	-	36.56	5.76	33.22
RMS	6.8578G	101.60	Inf	-Inf	92.49	3	Horizontal	295	1.76	-	36.57	5.76	33.22
PK	7.1966G	62.36	88.20	-25.84	52.60	3	Horizontal	295	1.76	-	37.29	6.00	33.53
RMS	7.1266G	51.68	68.20	-16.52	42.25	3	Horizontal	295	1.76	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71312G	58.72	88.20	-29.48	44.46	3	Vertical	135	1.36	-	40.41	8.66	34.81
RMS	13.71392G	45.63	68.20	-22.57	31.37	3	Vertical	135	1.36	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70562G	59.25	88.20	-28.95	44.99	3	Horizontal	200	2.78	-	40.41	8.66	34.81
RMS	13.70992G	45.51	68.20	-22.69	31.25	3	Horizontal	200	2.78	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56776G	48.20	83.54	-35.34	44.53	1	Vertical	229	1.58	-	37.78	15.76	49.87
AV	20.56162G	35.31	63.54	-28.23	31.67	1	Vertical	229	1.58	-	37.77	15.75	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TnomVnom



EUT_X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56116G	48.12	83.54	-35.42	44.48	1	Horizontal	340	1.56	-	37.77	15.75	49.88
AV	20.56454G	35.26	63.54	-28.28	31.60	1	Horizontal	340	1.56	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 44
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.882G	101.15	Inf	-Inf	92.13	3	Vertical	19	1.05	-	36.47	5.78	33.23
RMS	6.8778G	91.77	Inf	-Inf	82.73	3	Vertical	19	1.05	-	36.49	5.78	33.23
PK	7.1592G	62.35	88.20	-25.85	52.71	3	Vertical	19	1.05	-	37.14	5.98	33.48
RMS	7.1368G	51.54	68.20	-16.66	42.03	3	Vertical	19	1.05	-	36.99	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom








EUT_X_2TX
Setting 44
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8848G	111.12	Inf	-Inf	102.11	3	Horizontal	282	1.70	-	36.46	5.78	33.23
RMS	6.8834G	102.40	Inf	-Inf	93.38	3	Horizontal	282	1.70	-	36.47	5.78	33.23
PK	7.1704G	62.21	88.20	-25.99	52.53	3	Horizontal	282	1.70	-	37.18	5.99	33.49
RMS	7.1326G	51.69	68.20	-16.51	42.21	3	Horizontal	282	1.70	-	36.96	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74926G	59.50	88.20	-28.70	45.22	3	Vertical	209	2.46	-	40.45	8.65	34.82
RMS	13.74758G	46.34	68.20	-21.86	32.06	3	Vertical	209	2.46	-	40.45	8.65	34.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74562G	59.83	88.20	-28.37	45.55	3	Horizontal	57	2.49	-	40.45	8.65	34.82
RMS	13.753G	46.36	68.20	-21.84	32.09	3	Horizontal	57	2.49	-	40.45	8.65	34.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62196G	48.12	83.54	-35.42	44.34	1	Vertical	320	1.52	-	37.85	15.78	49.85
AV	20.62494G	35.09	63.54	-28.45	31.31	1	Vertical	320	1.52	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz_TnomVnom




EUT_X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62276G	48.17	83.54	-35.37	44.39	1	Horizontal	115	1.56	-	37.85	15.78	49.85
AV	20.62552G	35.01	63.54	-28.53	31.23	1	Horizontal	115	1.56	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	99.94	Inf	-Inf	90.95	3	Vertical	270	2.17	-	36.43	5.80	33.24
RMS	6.9034G	91.00	Inf	-Inf	82.01	3	Vertical	270	2.17	-	36.43	5.80	33.24
PK	7.231G	62.30	88.20	-25.90	52.49	3	Vertical	270	2.17	-	37.36	6.02	33.57
RMS	7.1428G	51.48	68.20	-16.72	41.93	3	Vertical	270	2.17	-	37.04	5.97	33.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9006G	108.88	Inf	-Inf	99.92	3	Horizontal	278	2.58	-	36.40	5.80	33.24
RMS	6.902G	99.83	Inf	-Inf	90.85	3	Horizontal	278	2.58	-	36.42	5.80	33.24
PK	7.1736G	63.06	88.20	-25.14	53.38	3	Horizontal	278	2.58	-	37.19	5.99	33.50
RMS	7.1302G	51.50	68.20	-16.70	42.04	3	Horizontal	278	2.58	-	36.94	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79338G	59.76	88.20	-28.44	45.47	3	Vertical	187	2.33	-	40.49	8.64	34.84
RMS	13.79392G	46.48	68.20	-21.72	32.19	3	Vertical	187	2.33	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79258G	59.91	88.20	-28.29	45.62	3	Horizontal	196	1.42	-	40.49	8.64	34.84
RMS	13.79384G	46.57	68.20	-21.63	32.28	3	Horizontal	196	1.42	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6869G	48.99	83.54	-34.55	45.09	1	Vertical	22	1.58	-	37.92	15.81	49.83
AV	20.68308G	35.42	63.54	-28.12	31.52	1	Vertical	22	1.58	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6895G	49.15	83.54	-34.39	45.23	1	Horizontal	251	1.54	-	37.93	15.81	49.82
AV	20.68308G	35.46	63.54	-28.08	31.56	1	Horizontal	251	1.54	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 26
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.994G	99.77	Inf	-Inf	90.55	3	Vertical	323	3.00	-	36.62	5.89	33.29
RMS	7.004G	90.20	Inf	-Inf	80.97	3	Vertical	323	3.00	-	36.62	5.90	33.29
PK	7.187G	63.17	88.20	-25.03	53.44	3	Vertical	323	3.00	-	37.25	5.99	33.51
RMS	7.135G	51.55	68.20	-16.65	42.05	3	Vertical	323	3.00	-	36.98	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 26
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.996G	108.10	Inf	-Inf	98.87	3	Horizontal	285	1.74	-	36.62	5.90	33.29
RMS	6.994G	98.74	Inf	-Inf	89.52	3	Horizontal	285	1.74	-	36.62	5.89	33.29
PK	7.237G	63.23	88.20	-24.97	53.41	3	Horizontal	285	1.74	-	37.37	6.02	33.57
RMS	7.131G	51.68	68.20	-16.52	42.21	3	Horizontal	285	1.74	-	36.95	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98984G	59.89	88.20	-28.31	45.35	3	Vertical	22	1.86	-	40.87	8.60	34.93
RMS	13.98716G	46.38	68.20	-21.82	31.84	3	Vertical	22	1.86	-	40.86	8.60	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98846G	59.73	88.20	-28.47	45.19	3	Horizontal	123	2.10	-	40.87	8.60	34.93
RMS	13.99214G	46.41	68.20	-21.79	31.86	3	Horizontal	123	2.10	-	40.88	8.60	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98242G	48.34	83.54	-35.20	44.48	1	Vertical	52	1.56	-	37.63	15.94	49.71
AV	20.98822G	34.98	63.54	-28.56	31.12	1	Vertical	52	1.56	-	37.62	15.94	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98808G	47.85	83.54	-35.69	43.99	1	Horizontal	226	1.52	-	37.62	15.94	49.70
AV	20.98588G	34.80	63.54	-28.74	30.95	1	Horizontal	226	1.52	-	37.62	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUTX_2TX
Setting 39
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.089G	103.69	Inf	-Inf	94.43	3	Vertical	44	2.90	-	36.72	5.94	33.40
RMS	7.0968G	93.50	Inf	-Inf	84.25	3	Vertical	44	2.90	-	36.71	5.95	33.41
PK	7.2174G	62.82	88.20	-25.38	53.03	3	Vertical	44	2.90	-	37.33	6.01	33.55
RMS	7.1268G	51.84	68.20	-16.36	42.41	3	Vertical	44	2.90	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUTX_2TX
Setting 39
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0968G	112.15	Inf	-Inf	102.90	3	Horizontal	282	1.71	-	36.71	5.95	33.41
RMS	7.101G	101.73	Inf	-Inf	92.48	3	Horizontal	282	1.71	-	36.71	5.95	33.41
PK	7.1316G	63.31	88.20	-24.89	53.84	3	Horizontal	282	1.71	-	36.95	5.97	33.45
RMS	7.1262G	53.17	68.20	-15.03	43.74	3	Horizontal	282	1.71	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19346G	59.57	88.20	-28.63	45.01	3	Vertical	214	2.94	-	40.81	8.65	34.90
RMS	14.1935G	45.69	68.20	-22.51	31.13	3	Vertical	214	2.94	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18774G	58.64	88.20	-29.56	44.08	3	Horizontal	196	1.44	-	40.81	8.65	34.90
RMS	14.18524G	45.54	68.20	-22.66	30.98	3	Horizontal	196	1.44	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28658G	49.87	83.54	-33.67	45.79	1	Vertical	112	1.51	-	37.64	16.08	49.64
AV	21.2829G	36.23	63.54	-27.31	32.15	1	Vertical	112	1.51	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28276G	49.54	83.54	-34.00	45.46	1	Horizontal	175	1.56	-	37.64	16.08	49.64
AV	21.28884G	36.54	63.54	-27.00	32.45	1	Horizontal	175	1.56	-	37.65	16.08	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_X_2TX
Setting 52
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	65.97	88.20	-22.23	58.91	3	Vertical	355	1.71	-	35.05	5.36	33.35
RMS	5.925G	53.34	68.20	-14.86	46.28	3	Vertical	355	1.71	-	35.05	5.36	33.35
PK	5.981G	101.45	Inf	-Inf	94.11	3	Vertical	355	1.71	-	35.32	5.39	33.37
RMS	5.9826G	90.59	Inf	-Inf	83.24	3	Vertical	355	1.71	-	35.33	5.39	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_X_2TX
Setting 52
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	69.75	88.20	-18.45	62.72	3	Horizontal	301	1.79	-	35.02	5.36	33.35
RMS	5.925G	57.19	68.20	-11.01	50.13	3	Horizontal	301	1.79	-	35.05	5.36	33.35
PK	5.9514G	108.13	Inf	-Inf	100.90	3	Horizontal	301	1.79	-	35.21	5.38	33.36
RMS	5.9506G	98.04	Inf	-Inf	90.82	3	Horizontal	301	1.79	-	35.20	5.38	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUTX_2TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93G	56.63	74.00	-17.37	43.49	3	Vertical	241	1.47	-	39.11	8.95	34.92
AV	11.93226G	42.76	54.00	-11.24	29.63	3	Vertical	241	1.47	-	39.10	8.95	34.92
PK	17.89042G	61.29	74.00	-12.71	44.33	3	Vertical	49	1.17	-	41.97	9.76	34.77
AV	17.8983G	47.90	54.00	-6.10	30.92	3	Vertical	49	1.17	-	41.99	9.76	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUTX_2TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9322G	56.55	74.00	-17.45	43.42	3	Horizontal	301	2.61	-	39.10	8.95	34.92
AV	11.92886G	42.75	54.00	-11.25	29.61	3	Horizontal	301	2.61	-	39.11	8.95	34.92
PK	17.89862G	61.52	74.00	-12.48	44.53	3	Horizontal	34	2.37	-	42.00	9.76	34.77
AV	17.8981G	47.83	54.00	-6.17	30.85	3	Horizontal	34	2.37	-	41.99	9.76	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8968G	58.91	88.20	-29.29	52.01	3	Vertical	97	1.02	-	34.89	5.35	33.34
RMS	5.925G	48.26	68.20	-19.94	41.20	3	Vertical	97	1.02	-	35.05	5.36	33.35
PK	6.183G	97.95	Inf	-Inf	90.03	3	Vertical	97	1.02	-	35.60	5.58	33.26
RMS	6.183G	89.72	Inf	-Inf	81.80	3	Vertical	97	1.02	-	35.60	5.58	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7726G	59.83	88.20	-28.37	53.37	3	Horizontal	313	2.65	-	34.45	5.30	33.29
RMS	5.9202G	48.43	68.20	-19.77	41.40	3	Horizontal	313	2.65	-	35.02	5.36	33.35
PK	6.1596G	107.48	Inf	-Inf	99.73	3	Horizontal	313	2.65	-	35.46	5.56	33.27
RMS	6.1578G	99.27	Inf	-Inf	91.53	3	Horizontal	313	2.65	-	35.45	5.56	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32766G	55.86	74.00	-18.14	43.00	3	Vertical	184	1.87	-	38.78	8.93	34.85
AV	12.32964G	42.14	54.00	-11.86	29.27	3	Vertical	184	1.87	-	38.79	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32538G	56.10	74.00	-17.90	43.24	3	Horizontal	215	1.84	-	38.78	8.93	34.85
AV	12.32688G	42.19	54.00	-11.81	29.33	3	Horizontal	215	1.84	-	38.78	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49492G	48.97	83.54	-34.57	46.38	1	Vertical	78	1.53	-	37.79	14.90	50.10
AV	18.49832G	34.28	63.54	-29.26	31.68	1	Vertical	78	1.53	-	37.80	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49576G	48.18	83.54	-35.36	45.59	1	Horizontal	196	1.51	-	37.79	14.90	50.10
AV	18.49752G	34.30	63.54	-29.24	31.70	1	Horizontal	196	1.51	-	37.80	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	59.36	88.20	-28.84	52.36	3	Vertical	100	1.15	-	34.99	5.36	33.35
RMS	5.925G	48.30	68.20	-19.90	41.24	3	Vertical	100	1.15	-	35.05	5.36	33.35
PK	6.393G	104.05	Inf	-Inf	95.77	3	Vertical	100	1.15	-	35.69	5.70	33.11
RMS	6.3882G	95.21	Inf	-Inf	86.96	3	Vertical	100	1.15	-	35.68	5.69	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	58.84	88.20	-29.36	51.96	3	Horizontal	308	1.93	-	34.88	5.34	33.34
RMS	5.925G	48.34	68.20	-19.86	41.28	3	Horizontal	308	1.93	-	35.05	5.36	33.35
PK	6.3906G	112.14	Inf	-Inf	103.87	3	Horizontal	308	1.93	-	35.68	5.70	33.11
RMS	6.3954G	101.65	Inf	-Inf	93.37	3	Horizontal	308	1.93	-	35.69	5.70	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81336G	57.16	88.20	-31.04	43.65	3	Vertical	298	2.07	-	39.41	8.84	34.74
RMS	12.80556G	43.00	68.20	-25.20	29.49	3	Vertical	298	2.07	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8105G	57.01	88.20	-31.19	43.50	3	Horizontal	130	1.21	-	39.41	8.84	34.74
RMS	12.80568G	42.97	68.20	-25.23	29.46	3	Horizontal	130	1.21	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21898G	47.24	83.54	-36.30	43.95	1	Vertical	291	1.56	-	37.74	15.19	49.64
AV	19.2158G	34.01	63.54	-29.53	30.72	1	Vertical	291	1.56	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2188G	47.40	83.54	-36.14	44.11	1	Horizontal	297	1.58	-	37.74	15.19	49.64
AV	19.21562G	33.90	63.54	-29.64	30.61	1	Horizontal	297	1.58	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 51
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	58.88	88.20	-29.32	52.04	3	Vertical	110	1.00	-	34.84	5.33	33.33
RMS	5.9242G	48.30	68.20	-19.90	41.24	3	Vertical	110	1.00	-	35.05	5.36	33.35
PK	6.4618G	102.64	Inf	-Inf	94.36	3	Vertical	110	1.00	-	35.65	5.70	33.07
RMS	6.4402G	94.24	Inf	-Inf	86.00	3	Vertical	110	1.00	-	35.62	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 51
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	59.14	88.20	-29.06	52.27	3	Horizontal	284	1.77	-	34.86	5.34	33.33
RMS	5.9242G	48.29	68.20	-19.91	41.23	3	Horizontal	284	1.77	-	35.05	5.36	33.35
PK	6.4498G	108.97	Inf	-Inf	100.74	3	Horizontal	284	1.77	-	35.60	5.70	33.07
RMS	6.4402G	100.03	Inf	-Inf	91.79	3	Horizontal	284	1.77	-	35.62	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88612G	56.71	88.20	-31.49	43.12	3	Vertical	260	2.21	-	39.49	8.82	34.72
RMS	12.89002G	42.68	68.20	-25.52	29.09	3	Vertical	260	2.21	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89344G	56.51	88.20	-31.69	42.92	3	Horizontal	47	2.34	-	39.49	8.82	34.72
RMS	12.89248G	42.58	68.20	-25.62	28.99	3	Horizontal	47	2.34	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33248G	48.10	83.54	-35.44	44.77	1	Vertical	347	1.54	-	37.77	15.23	49.67
AV	19.3313G	34.65	63.54	-28.89	31.32	1	Vertical	347	1.54	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33914G	48.03	83.54	-35.51	44.69	1	Horizontal	122	1.52	-	37.77	15.24	49.67
AV	19.3316G	34.56	63.54	-28.98	31.23	1	Horizontal	122	1.52	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.64	88.20	-29.56	51.58	3	Vertical	93	1.15	-	35.05	5.36	33.35
RMS	5.9234G	48.33	68.20	-19.87	41.28	3	Vertical	93	1.15	-	35.04	5.36	33.35
PK	6.472G	105.58	Inf	-Inf	97.25	3	Vertical	93	1.15	-	35.69	5.70	33.06
RMS	6.472G	97.09	Inf	-Inf	88.76	3	Vertical	93	1.15	-	35.69	5.70	33.06
PK	7.1298G	60.72	88.20	-27.48	51.27	3	Vertical	93	1.15	-	36.94	5.96	33.45
RMS	7.135G	51.27	68.20	-16.93	41.77	3	Vertical	93	1.15	-	36.98	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.848G	59.27	88.20	-28.93	52.48	3	Horizontal	292	1.80	-	34.79	5.32	33.32
RMS	5.925G	48.32	68.20	-19.88	41.26	3	Horizontal	292	1.80	-	35.05	5.36	33.35
PK	6.4824G	109.30	Inf	-Inf	100.92	3	Horizontal	292	1.80	-	35.73	5.70	33.05
RMS	6.4824G	98.97	Inf	-Inf	90.59	3	Horizontal	292	1.80	-	35.73	5.70	33.05
PK	7.1324G	61.40	88.20	-26.80	51.92	3	Horizontal	292	1.80	-	36.96	5.97	33.45
RMS	7.1324G	51.27	68.20	-16.93	41.79	3	Horizontal	292	1.80	-	36.96	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9719G	56.94	88.20	-31.26	43.20	3	Vertical	244	2.20	-	39.64	8.81	34.71
RMS	12.97448G	43.10	68.20	-25.10	29.35	3	Vertical	244	2.20	-	39.65	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96512G	57.24	88.20	-30.96	43.51	3	Horizontal	147	2.78	-	39.63	8.81	34.71
RMS	12.97058G	43.06	68.20	-25.14	29.32	3	Horizontal	147	2.78	-	39.64	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.453G	49.06	83.54	-34.48	45.61	1	Vertical	115	1.52	-	37.86	15.28	49.69
AV	19.45886G	34.92	63.54	-28.62	31.46	1	Vertical	115	1.52	-	37.87	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45182G	48.26	83.54	-35.28	44.81	1	Horizontal	96	1.57	-	37.86	15.28	49.69
AV	19.45582G	34.98	63.54	-28.56	31.53	1	Horizontal	96	1.57	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
Setting 57
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.95	88.20	-28.25	52.95	3	Vertical	108	1.13	-	34.99	5.36	33.35
RMS	5.9118G	48.28	68.20	-19.92	41.29	3	Vertical	108	1.13	-	34.97	5.36	33.34
PK	6.5222G	104.06	Inf	-Inf	95.52	3	Vertical	108	1.13	-	35.89	5.70	33.05
RMS	6.5222G	94.29	Inf	-Inf	85.75	3	Vertical	108	1.13	-	35.89	5.70	33.05
PK	7.169G	61.33	88.20	-26.87	51.66	3	Vertical	108	1.13	-	37.18	5.98	33.49
RMS	7.1438G	51.31	68.20	-16.89	41.75	3	Vertical	108	1.13	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 57
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	59.07	88.20	-29.13	52.25	3	Horizontal	279	1.76	-	34.81	5.33	33.32
RMS	5.925G	48.35	68.20	-19.85	41.29	3	Horizontal	279	1.76	-	35.05	5.36	33.35
PK	6.5278G	108.90	Inf	-Inf	100.34	3	Horizontal	279	1.76	-	35.91	5.70	33.05
RMS	6.5306G	99.90	Inf	-Inf	91.34	3	Horizontal	279	1.76	-	35.92	5.70	33.06
PK	7.127G	62.30	88.20	-25.90	52.86	3	Horizontal	279	1.76	-	36.92	5.96	33.44
RMS	7.1438G	51.48	68.20	-16.72	41.92	3	Horizontal	279	1.76	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05166G	56.88	88.20	-31.32	43.09	3	Vertical	311	1.54	-	39.70	8.79	34.70
RMS	13.05398G	42.94	68.20	-25.26	29.15	3	Vertical	311	1.54	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0541G	57.48	88.20	-30.72	43.69	3	Horizontal	46	2.26	-	39.70	8.79	34.70
RMS	13.04886G	43.08	68.20	-25.12	29.29	3	Horizontal	46	2.26	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5733G	48.17	83.54	-35.37	44.67	1	Vertical	26	1.52	-	37.87	15.33	49.70
AV	19.5727G	34.73	63.54	-28.81	31.23	1	Vertical	26	1.52	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz_TnomVnom




EUT_X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5701G	48.38	83.54	-35.16	44.88	1	Horizontal	13	1.56	-	37.87	15.33	49.70
AV	19.57848G	34.85	63.54	-28.69	31.35	1	Horizontal	13	1.56	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUTX_2TX
Setting 47
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9176G	58.62	88.20	-29.58	51.60	3	Vertical	107	1.20	-	35.01	5.36	33.35
RMS	5.9228G	48.26	68.20	-19.94	41.21	3	Vertical	107	1.20	-	35.04	5.36	33.35
PK	6.5728G	101.47	Inf	-Inf	92.80	3	Vertical	107	1.20	-	36.05	5.70	33.08
RMS	6.5728G	92.47	Inf	-Inf	83.80	3	Vertical	107	1.20	-	36.05	5.70	33.08
PK	7.202G	61.44	88.20	-26.76	51.67	3	Vertical	107	1.20	-	37.30	6.00	33.53
RMS	7.137G	51.34	68.20	-16.86	41.82	3	Vertical	107	1.20	-	37.00	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 47
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	59.50	88.20	-28.70	52.45	3	Horizontal	287	1.87	-	35.04	5.36	33.35
RMS	5.9176G	46.62	68.20	-21.58	39.60	3	Horizontal	287	1.87	-	35.01	5.36	33.35
PK	6.5468G	108.01	Inf	-Inf	99.38	3	Horizontal	287	1.87	-	35.99	5.70	33.06
RMS	6.5468G	96.92	Inf	-Inf	88.29	3	Horizontal	287	1.87	-	35.99	5.70	33.06
PK	7.1604G	61.92	88.20	-26.28	52.28	3	Horizontal	287	1.87	-	37.14	5.98	33.48
RMS	7.1396G	49.65	68.20	-18.55	40.12	3	Horizontal	287	1.87	-	37.02	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13278G	57.19	88.20	-31.01	43.36	3	Vertical	198	2.67	-	39.77	8.77	34.71
RMS	13.1311G	43.40	68.20	-24.80	29.58	3	Vertical	198	2.67	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12874G	57.52	88.20	-30.68	43.70	3	Horizontal	236	1.06	-	39.76	8.77	34.71
RMS	13.13138G	43.39	68.20	-24.81	29.57	3	Horizontal	236	1.06	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69824G	48.86	83.54	-34.68	45.36	1	Vertical	228	1.51	-	37.82	15.38	49.70
AV	19.69862G	34.94	63.54	-28.60	31.44	1	Vertical	228	1.51	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69852G	48.66	83.54	-34.88	45.16	1	Horizontal	92	1.57	-	37.82	15.38	49.70
AV	19.69558G	34.90	63.54	-28.64	31.40	1	Horizontal	92	1.57	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6696G	102.54	Inf	-Inf	93.76	3	Vertical	112	1.01	-	36.20	5.70	33.12
RMS	6.6696G	93.69	Inf	-Inf	84.91	3	Vertical	112	1.01	-	36.20	5.70	33.12
PK	7.1426G	61.78	88.20	-26.42	52.23	3	Vertical	112	1.01	-	37.04	5.97	33.46
RMS	7.1316G	51.45	68.20	-16.75	41.98	3	Vertical	112	1.01	-	36.95	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6784G	110.35	Inf	-Inf	101.58	3	Horizontal	291	1.72	-	36.20	5.70	33.13
RMS	6.6784G	101.40	Inf	-Inf	92.63	3	Horizontal	291	1.72	-	36.20	5.70	33.13
PK	7.1426G	62.40	88.20	-25.80	52.85	3	Horizontal	291	1.72	-	37.04	5.97	33.46
RMS	7.125G	51.57	68.20	-16.63	42.15	3	Horizontal	291	1.72	-	36.90	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36744G	57.96	74.00	-16.04	43.81	3	Vertical	192	2.86	-	40.13	8.73	34.71
AV	13.36878G	43.90	54.00	-10.10	29.74	3	Vertical	192	2.86	-	40.14	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36648G	57.77	74.00	-16.23	43.62	3	Horizontal	96	1.47	-	40.13	8.73	34.71
AV	13.36724G	43.86	54.00	-10.14	29.71	3	Horizontal	96	1.47	-	40.13	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05988G	47.12	83.54	-36.42	43.86	1	Vertical	354	1.50	-	37.45	15.53	49.72
AV	20.05138G	33.28	63.54	-30.26	30.04	1	Vertical	354	1.50	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0597G	46.29	83.54	-37.25	43.03	1	Horizontal	286	1.58	-	37.45	15.53	49.72
AV	20.0511G	33.34	63.54	-30.20	30.10	1	Horizontal	286	1.58	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8478G	104.60	Inf	-Inf	95.47	3	Vertical	15	2.20	-	36.59	5.75	33.21
RMS	6.8492G	94.10	Inf	-Inf	84.96	3	Vertical	15	2.20	-	36.60	5.75	33.21
PK	7.1894G	62.10	88.20	-26.10	52.37	3	Vertical	15	2.20	-	37.26	5.99	33.52
RMS	7.1362G	51.50	68.20	-16.70	41.99	3	Vertical	15	2.20	-	36.99	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	108.74	Inf	-Inf	99.62	3	Horizontal	293	1.72	-	36.58	5.76	33.22
RMS	6.8562G	99.97	Inf	-Inf	90.85	3	Horizontal	293	1.72	-	36.58	5.76	33.22
PK	7.1278G	62.60	88.20	-25.60	53.16	3	Horizontal	293	1.72	-	36.92	5.96	33.44
RMS	7.132G	51.70	68.20	-16.50	42.22	3	Horizontal	293	1.72	-	36.96	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69004G	58.65	88.20	-29.55	44.41	3	Vertical	60	2.81	-	40.38	8.66	34.80
RMS	13.68692G	44.81	68.20	-23.39	30.58	3	Vertical	60	2.81	-	40.37	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69148G	58.75	88.20	-29.45	44.51	3	Horizontal	328	1.03	-	40.38	8.66	34.80
RMS	13.69008G	44.76	68.20	-23.44	30.52	3	Horizontal	328	1.03	-	40.38	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5355G	48.31	83.54	-35.23	44.72	1	Vertical	177	1.57	-	37.74	15.74	49.89
AV	20.53516G	35.16	63.54	-28.38	31.57	1	Vertical	177	1.57	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6845MHz_TnomVnom



EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53044G	48.61	83.54	-34.93	45.02	1	Horizontal	187	1.53	-	37.74	15.74	49.89
AV	20.53226G	35.04	63.54	-28.50	31.45	1	Horizontal	187	1.53	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 56
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8892G	103.35	Inf	-Inf	94.35	3	Vertical	9	2.21	-	36.44	5.79	33.23
RMS	6.8906G	92.89	Inf	-Inf	83.90	3	Vertical	9	2.21	-	36.44	5.79	33.24
PK	7.2154G	62.68	88.20	-25.52	52.89	3	Vertical	9	2.21	-	37.33	6.01	33.55
RMS	7.144G	51.50	68.20	-16.70	41.94	3	Vertical	9	2.21	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8864G	109.79	Inf	-Inf	100.78	3	Horizontal	279	1.73	-	36.45	5.79	33.23
RMS	6.8892G	99.69	Inf	-Inf	90.69	3	Horizontal	279	1.73	-	36.44	5.79	33.23
PK	7.1622G	62.32	88.20	-25.88	52.67	3	Horizontal	279	1.73	-	37.15	5.98	33.48
RMS	7.1426G	51.83	68.20	-16.37	42.28	3	Horizontal	279	1.73	-	37.04	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77306G	59.77	88.20	-28.43	45.48	3	Vertical	302	1.04	-	40.47	8.65	34.83
RMS	13.77338G	45.99	68.20	-22.21	31.70	3	Vertical	302	1.04	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77404G	59.88	88.20	-28.32	45.60	3	Horizontal	312	1.82	-	40.47	8.65	34.84
RMS	13.77364G	45.99	68.20	-22.21	31.70	3	Horizontal	312	1.82	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz_TnomVnom




EUT X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65942G	48.07	83.54	-35.47	44.22	1	Vertical	326	1.58	-	37.89	15.80	49.84
AV	20.65076G	35.16	63.54	-28.38	31.33	1	Vertical	326	1.58	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz_TnomVnom




EUT X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65684G	49.10	83.54	-34.44	45.25	1	Horizontal	181	1.52	-	37.89	15.80	49.84
AV	20.65648G	35.05	63.54	-28.49	31.20	1	Horizontal	181	1.52	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.919G	101.32	Inf	-Inf	92.20	3	Vertical	8	1.07	-	36.55	5.82	33.25
RMS	6.9202G	91.44	Inf	-Inf	82.31	3	Vertical	8	1.07	-	36.56	5.82	33.25
PK	7.2178G	62.82	88.20	-25.38	53.02	3	Vertical	8	1.07	-	37.34	6.01	33.55
RMS	7.1254G	51.49	68.20	-16.71	42.07	3	Vertical	8	1.07	-	36.90	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9346G	109.23	Inf	-Inf	99.98	3	Horizontal	284	1.70	-	36.68	5.83	33.26
RMS	6.9382G	100.06	Inf	-Inf	90.77	3	Horizontal	284	1.70	-	36.71	5.84	33.26
PK	7.1902G	62.88	88.20	-25.32	53.14	3	Horizontal	284	1.70	-	37.26	6.00	33.52
RMS	7.1326G	52.08	68.20	-16.12	42.60	3	Horizontal	284	1.70	-	36.96	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84752G	60.20	88.20	-28.00	45.89	3	Vertical	201	1.23	-	40.55	8.63	34.87
RMS	13.85302G	46.10	68.20	-22.10	31.79	3	Vertical	201	1.23	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8521G	60.61	88.20	-27.59	46.30	3	Horizontal	4	2.39	-	40.55	8.63	34.87
RMS	13.85424G	46.08	68.20	-22.12	31.77	3	Horizontal	4	2.39	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77484G	48.72	83.54	-34.82	44.70	1	Vertical	2	1.54	-	37.96	15.85	49.79
AV	20.77406G	35.25	63.54	-28.29	31.23	1	Vertical	2	1.54	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7723G	48.18	83.54	-35.36	44.16	1	Horizontal	254	1.54	-	37.96	15.85	49.79
AV	20.77102G	35.13	63.54	-28.41	31.10	1	Horizontal	254	1.54	-	37.97	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 41
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	95.89	Inf	-Inf	86.63	3	Vertical	191	1.80	-	36.65	5.89	33.28
RMS	6.9866G	86.89	Inf	-Inf	77.63	3	Vertical	191	1.80	-	36.65	5.89	33.28
PK	7.137G	62.17	88.20	-26.03	52.65	3	Vertical	191	1.80	-	37.00	5.97	33.45
RMS	7.1322G	51.38	68.20	-16.82	41.90	3	Vertical	191	1.80	-	36.96	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 41
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0234G	109.00	Inf	-Inf	99.72	3	Horizontal	292	1.70	-	36.69	5.91	33.32
RMS	7.0234G	99.73	Inf	-Inf	90.45	3	Horizontal	292	1.70	-	36.69	5.91	33.32
PK	7.125G	62.80	88.20	-25.40	53.38	3	Horizontal	292	1.70	-	36.90	5.96	33.44
RMS	7.1298G	51.64	68.20	-16.56	42.19	3	Horizontal	292	1.70	-	36.94	5.96	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00696G	59.94	88.20	-28.26	45.37	3	Vertical	72	2.68	-	40.90	8.60	34.93
RMS	14.00614G	45.90	68.20	-22.30	31.33	3	Vertical	72	2.68	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00564G	59.49	88.20	-28.71	44.92	3	Horizontal	27	1.70	-	40.90	8.60	34.93
RMS	14.00594G	45.97	68.20	-22.23	31.40	3	Horizontal	27	1.70	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01912G	48.08	83.54	-35.46	44.22	1	Vertical	204	1.58	-	37.60	15.96	49.70
AV	21.01926G	34.99	63.54	-28.55	31.13	1	Vertical	204	1.58	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0163G	48.42	83.54	-35.12	44.56	1	Horizontal	12	1.57	-	37.60	15.96	49.70
AV	21.01942G	34.93	63.54	-28.61	31.07	1	Horizontal	12	1.57	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0898G	100.94	Inf	-Inf	91.68	3	Vertical	23	2.59	-	36.72	5.94	33.40
RMS	7.0676G	91.17	Inf	-Inf	81.85	3	Vertical	23	2.59	-	36.76	5.93	33.37
PK	7.1258G	67.11	88.20	-21.09	57.68	3	Vertical	23	2.59	-	36.91	5.96	33.44
RMS	7.1252G	55.48	68.20	-12.72	46.06	3	Vertical	23	2.59	-	36.90	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.097G	111.69	Inf	-Inf	102.44	3	Horizontal	286	1.70	-	36.71	5.95	33.41
RMS	7.0988G	101.13	Inf	-Inf	91.89	3	Horizontal	286	1.70	-	36.70	5.95	33.41
PK	7.1258G	78.95	88.20	-9.25	69.52	3	Horizontal	286	1.70	-	36.91	5.96	33.44
RMS	7.1252G	65.54	68.20	-2.66	56.12	3	Horizontal	286	1.70	-	36.90	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17188G	58.65	88.20	-29.55	44.08	3	Vertical	182	2.03	-	40.83	8.64	34.90
RMS	14.17234G	45.18	68.20	-23.02	30.61	3	Vertical	182	2.03	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1689G	59.68	88.20	-28.52	45.11	3	Horizontal	360	1.44	-	40.83	8.64	34.90
RMS	14.17172G	45.16	68.20	-23.04	30.59	3	Horizontal	360	1.44	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25628G	49.39	83.54	-34.15	45.36	1	Vertical	222	1.55	-	37.61	16.07	49.65
AV	21.25636G	35.63	63.54	-27.91	31.60	1	Vertical	222	1.55	-	37.61	16.07	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25594G	48.87	83.54	-34.67	44.84	1	Horizontal	332	1.56	-	37.61	16.07	49.65
AV	21.2563G	35.50	63.54	-28.04	31.47	1	Horizontal	332	1.56	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	62.07	88.20	-26.13	55.03	3	Vertical	-0	1.78	-	35.03	5.36	33.35
RMS	5.925G	50.55	68.20	-17.65	43.49	3	Vertical	-0	1.78	-	35.05	5.36	33.35
PK	6.0018G	99.41	Inf	-Inf	91.99	3	Vertical	-0	1.78	-	35.40	5.40	33.38
RMS	6.0018G	89.38	Inf	-Inf	81.96	3	Vertical	-0	1.78	-	35.40	5.40	33.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	71.55	88.20	-16.65	64.49	3	Horizontal	296	1.65	-	35.05	5.36	33.35
RMS	5.925G	60.30	68.20	-7.90	53.24	3	Horizontal	296	1.65	-	35.05	5.36	33.35
PK	5.9938G	110.25	Inf	-Inf	102.85	3	Horizontal	296	1.65	-	35.38	5.40	33.38
RMS	5.9914G	98.77	Inf	-Inf	91.38	3	Horizontal	296	1.65	-	35.37	5.40	33.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUTX_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96744G	56.80	74.00	-17.20	43.76	3	Vertical	192	2.85	-	39.00	8.98	34.94
AV	11.96662G	42.63	54.00	-11.37	29.59	3	Vertical	192	2.85	-	39.00	8.98	34.94
PK	17.95756G	60.90	74.00	-13.10	43.87	3	Vertical	294	1.50	-	42.06	9.79	34.82
AV	17.9523G	47.63	54.00	-6.37	30.61	3	Vertical	294	1.50	-	42.05	9.78	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUTX_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96654G	56.53	74.00	-17.47	43.49	3	Horizontal	205	1.70	-	39.00	8.98	34.94
AV	11.97246G	42.71	54.00	-11.29	29.69	3	Horizontal	205	1.70	-	38.98	8.98	34.94
PK	17.9593G	61.47	74.00	-12.53	44.44	3	Horizontal	77	2.19	-	42.06	9.79	34.82
AV	17.95778G	47.63	54.00	-6.37	30.60	3	Horizontal	77	2.19	-	42.06	9.79	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUTX_2TX
Setting 64
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8522G	59.47	88.20	-28.73	52.66	3	Vertical	113	1.05	-	34.80	5.33	33.32
RMS	5.925G	48.36	68.20	-19.84	41.30	3	Vertical	113	1.05	-	35.05	5.36	33.35
PK	6.1234G	101.29	Inf	-Inf	93.62	3	Vertical	113	1.05	-	35.45	5.52	33.30
RMS	6.1762G	90.94	Inf	-Inf	83.06	3	Vertical	113	1.05	-	35.56	5.58	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUTX_2TX
Setting 64
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	59.43	88.20	-28.77	52.44	3	Horizontal	299	1.80	-	34.98	5.36	33.35
RMS	5.925G	49.06	68.20	-19.14	42.00	3	Horizontal	299	1.80	-	35.05	5.36	33.35
PK	6.1066G	109.80	Inf	-Inf	102.11	3	Horizontal	299	1.80	-	35.49	5.51	33.31
RMS	6.133G	98.56	Inf	-Inf	90.89	3	Horizontal	299	1.80	-	35.43	5.53	33.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29272G	56.50	74.00	-17.50	43.71	3	Vertical	299	2.06	-	38.71	8.94	34.86
AV	12.28504G	42.31	54.00	-11.69	29.52	3	Vertical	299	2.06	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29158G	56.38	74.00	-17.62	43.59	3	Horizontal	47	2.27	-	38.71	8.94	34.86
AV	12.2883G	42.26	54.00	-11.74	29.47	3	Horizontal	47	2.27	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43344G	47.26	83.54	-36.28	44.80	1	Vertical	330	1.50	-	37.72	14.87	50.13
AV	18.43308G	34.20	63.54	-29.34	31.74	1	Vertical	330	1.50	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43164G	47.17	83.54	-36.37	44.71	1	Horizontal	171	1.57	-	37.72	14.87	50.13
AV	18.43832G	34.19	63.54	-29.35	31.70	1	Horizontal	171	1.57	-	37.73	14.88	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	58.92	88.20	-29.28	52.04	3	Vertical	99	1.05	-	34.87	5.34	33.33
RMS	5.917G	48.18	68.20	-20.02	41.17	3	Vertical	99	1.05	-	35.00	5.36	33.35
PK	6.3778G	105.37	Inf	-Inf	97.14	3	Vertical	99	1.05	-	35.66	5.69	33.12
RMS	6.3754G	96.43	Inf	-Inf	88.21	3	Vertical	99	1.05	-	35.65	5.69	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUTX_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	58.65	88.20	-29.55	51.74	3	Horizontal	298	1.80	-	34.90	5.35	33.34
RMS	5.9242G	48.59	68.20	-19.61	41.53	3	Horizontal	298	1.80	-	35.05	5.36	33.35
PK	6.397G	108.28	Inf	-Inf	100.00	3	Horizontal	298	1.80	-	35.69	5.70	33.11
RMS	6.397G	97.70	Inf	-Inf	89.42	3	Horizontal	298	1.80	-	35.69	5.70	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76864G	56.94	88.20	-31.26	43.47	3	Vertical	353	1.66	-	39.37	8.85	34.75
RMS	12.77414G	43.08	68.20	-25.12	29.61	3	Vertical	353	1.66	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7713G	56.82	88.20	-31.38	43.35	3	Horizontal	212	1.35	-	39.37	8.85	34.75
RMS	12.76674G	42.97	68.20	-25.23	29.50	3	Horizontal	212	1.35	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15054G	48.08	83.54	-35.46	44.73	1	Vertical	83	1.52	-	37.82	15.16	49.63
AV	19.15636G	34.42	63.54	-29.12	31.08	1	Vertical	83	1.52	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1593G	48.04	83.54	-35.50	44.70	1	Horizontal	300	1.52	-	37.81	15.16	49.63
AV	19.15048G	34.32	63.54	-29.22	30.97	1	Horizontal	300	1.52	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	59.02	88.20	-29.18	52.06	3	Vertical	104	1.07	-	34.95	5.35	33.34
RMS	5.9216G	48.12	68.20	-20.08	41.08	3	Vertical	104	1.07	-	35.03	5.36	33.35
PK	6.4338G	104.21	Inf	-Inf	95.97	3	Vertical	104	1.07	-	35.63	5.70	33.09
RMS	6.4364G	93.94	Inf	-Inf	85.69	3	Vertical	104	1.07	-	35.63	5.70	33.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8592G	59.12	88.20	-29.08	52.29	3	Horizontal	311	2.67	-	34.82	5.33	33.32
RMS	5.9242G	48.29	68.20	-19.91	41.23	3	Horizontal	311	2.67	-	35.05	5.36	33.35
PK	6.439G	108.89	Inf	-Inf	100.65	3	Horizontal	311	2.67	-	35.62	5.70	33.08
RMS	6.4364G	99.01	Inf	-Inf	90.76	3	Horizontal	311	2.67	-	35.63	5.70	33.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93108G	57.28	88.20	-30.92	43.62	3	Vertical	104	2.84	-	39.56	8.81	34.71
RMS	12.92826G	42.85	68.20	-25.35	29.19	3	Vertical	104	2.84	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93384G	56.98	88.20	-31.22	43.31	3	Horizontal	193	2.35	-	39.57	8.81	34.71
RMS	12.93124G	42.78	68.20	-25.42	29.12	3	Horizontal	193	2.35	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39468G	48.56	83.54	-34.98	45.16	1	Vertical	234	1.57	-	37.82	15.26	49.68
AV	19.39252G	34.87	63.54	-28.67	31.48	1	Vertical	234	1.57	-	37.81	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3931G	48.47	83.54	-35.07	45.08	1	Horizontal	76	1.51	-	37.81	15.26	49.68
AV	19.39824G	35.03	63.54	-28.51	31.63	1	Horizontal	76	1.51	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 69
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	58.67	88.20	-29.53	51.74	3	Vertical	106	1.12	-	34.92	5.35	33.34
RMS	5.925G	48.04	68.20	-20.16	40.98	3	Vertical	106	1.12	-	35.05	5.36	33.35
PK	6.5758G	103.67	Inf	-Inf	95.00	3	Vertical	106	1.12	-	36.05	5.70	33.08
RMS	6.5674G	95.11	Inf	-Inf	86.45	3	Vertical	106	1.12	-	36.03	5.70	33.07
PK	7.1554G	61.83	88.20	-26.37	52.21	3	Vertical	106	1.12	-	37.12	5.98	33.48
RMS	7.245G	51.12	68.20	-17.08	41.29	3	Vertical	106	1.12	-	37.39	6.02	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 69
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.67	88.20	-29.53	51.61	3	Horizontal	284	2.51	-	35.05	5.36	33.35
RMS	5.925G	48.14	68.20	-20.06	41.08	3	Horizontal	284	2.51	-	35.05	5.36	33.35
PK	6.5786G	107.59	Inf	-Inf	98.91	3	Horizontal	284	2.51	-	36.06	5.70	33.08
RMS	6.5758G	98.82	Inf	-Inf	90.15	3	Horizontal	284	2.51	-	36.05	5.70	33.08
PK	7.1722G	61.30	88.20	-26.90	51.62	3	Horizontal	284	2.51	-	37.19	5.99	33.50
RMS	7.2422G	51.13	68.20	-17.07	41.31	3	Horizontal	284	2.51	-	37.38	6.02	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08874G	56.92	88.20	-31.28	43.14	3	Vertical	70	1.58	-	39.70	8.78	34.70
RMS	13.08804G	43.22	68.20	-24.98	29.44	3	Vertical	70	1.58	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT_X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09064G	57.70	88.20	-30.50	43.92	3	Horizontal	328	2.90	-	39.70	8.78	34.70
RMS	13.0884G	43.19	68.20	-25.01	29.41	3	Horizontal	328	2.90	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63852G	47.96	83.54	-35.58	44.46	1	Vertical	194	1.50	-	37.84	15.36	49.70
AV	19.63542G	34.82	63.54	-28.72	31.32	1	Vertical	194	1.50	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63608G	48.31	83.54	-35.23	44.81	1	Horizontal	134	1.58	-	37.85	15.35	49.70
AV	19.63298G	34.72	63.54	-28.82	31.22	1	Horizontal	134	1.58	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 68
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6562G	102.61	Inf	-Inf	93.83	3	Vertical	103	1.05	-	36.20	5.70	33.12
RMS	6.6538G	92.54	Inf	-Inf	83.76	3	Vertical	103	1.05	-	36.20	5.70	33.12
PK	7.1314G	61.25	88.20	-26.95	51.78	3	Vertical	103	1.05	-	36.95	5.97	33.45
RMS	7.2178G	51.02	68.20	-17.18	41.22	3	Vertical	103	1.05	-	37.34	6.01	33.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 68
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6082G	109.53	Inf	-Inf	100.80	3	Horizontal	280	1.80	-	36.12	5.70	33.09
RMS	6.6082G	99.18	Inf	-Inf	90.45	3	Horizontal	280	1.80	-	36.12	5.70	33.09
PK	7.1698G	61.28	88.20	-26.92	51.61	3	Horizontal	280	1.80	-	37.18	5.98	33.49
RMS	7.1338G	51.23	68.20	-16.97	41.74	3	Horizontal	280	1.80	-	36.97	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2462G	57.76	88.20	-30.44	43.77	3	Vertical	54	2.67	-	39.95	8.75	34.71
RMS	13.24918G	43.76	68.20	-24.44	29.77	3	Vertical	54	2.67	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24674G	58.09	88.20	-30.11	44.10	3	Horizontal	201	2.48	-	39.95	8.75	34.71
RMS	13.24468G	43.79	68.20	-24.41	29.81	3	Horizontal	201	2.48	-	39.94	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8783G	48.06	83.54	-35.48	44.72	1	Vertical	288	1.52	-	37.59	15.45	49.70
AV	19.87732G	34.91	63.54	-28.63	31.56	1	Vertical	288	1.52	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87514G	47.82	83.54	-35.72	44.47	1	Horizontal	29	1.58	-	37.60	15.45	49.70
AV	19.87994G	34.67	63.54	-28.87	31.33	1	Horizontal	29	1.58	-	37.59	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 67
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	102.34	Inf	-Inf	93.57	3	Vertical	17	1.25	-	36.20	5.70	33.13
RMS	6.719G	92.20	Inf	-Inf	83.37	3	Vertical	17	1.25	-	36.28	5.70	33.15
PK	7.165G	61.49	88.20	-26.71	51.84	3	Vertical	17	1.25	-	37.16	5.98	33.49
RMS	7.133G	51.15	68.20	-17.05	41.67	3	Vertical	17	1.25	-	36.96	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 67
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	110.85	Inf	-Inf	102.06	3	Horizontal	285	1.80	-	36.23	5.70	33.14
RMS	6.711G	100.42	Inf	-Inf	91.63	3	Horizontal	285	1.80	-	36.24	5.70	33.15
PK	7.131G	61.93	88.20	-26.27	52.46	3	Horizontal	285	1.80	-	36.95	5.97	33.45
RMS	7.133G	51.64	68.20	-16.56	42.16	3	Horizontal	285	1.80	-	36.96	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 67
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40572G	57.67	88.20	-30.53	43.47	3	Vertical	333	2.21	-	40.20	8.72	34.72
RMS	13.4068G	43.59	68.20	-24.61	29.39	3	Vertical	333	2.21	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 67
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40864G	57.46	88.20	-30.74	43.26	3	Horizontal	156	1.89	-	40.20	8.72	34.72
RMS	13.41088G	43.69	68.20	-24.51	29.49	3	Horizontal	156	1.89	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 67
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11214G	48.48	83.54	-35.06	45.18	1	Vertical	7	1.51	-	37.49	15.55	49.74
AV	20.11188G	34.98	63.54	-28.56	31.68	1	Vertical	7	1.51	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 67
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11484G	48.28	83.54	-35.26	44.99	1	Horizontal	168	1.51	-	37.49	15.55	49.75
AV	20.1117G	35.11	63.54	-28.43	31.81	1	Horizontal	168	1.51	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7594G	102.21	Inf	-Inf	93.30	3	Vertical	112	1.01	-	36.38	5.70	33.17
RMS	6.7546G	92.18	Inf	-Inf	83.26	3	Vertical	112	1.01	-	36.39	5.70	33.17
PK	7.1786G	62.30	88.20	-25.90	52.60	3	Vertical	112	1.01	-	37.21	5.99	33.50
RMS	7.1258G	51.21	68.20	-16.99	41.78	3	Vertical	112	1.01	-	36.91	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	109.36	Inf	-Inf	100.50	3	Horizontal	293	1.80	-	36.34	5.70	33.18
RMS	6.7834G	97.93	Inf	-Inf	89.08	3	Horizontal	293	1.80	-	36.33	5.70	33.18
PK	7.153G	62.64	88.20	-25.56	53.02	3	Horizontal	293	1.80	-	37.11	5.98	33.47
RMS	7.1386G	51.63	68.20	-16.57	42.11	3	Horizontal	293	1.80	-	37.01	5.97	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57168G	57.91	88.20	-30.29	43.77	3	Vertical	215	2.68	-	40.20	8.69	34.75
RMS	13.56932G	43.33	68.20	-24.87	29.19	3	Vertical	215	2.68	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56788G	57.39	88.20	-30.81	43.25	3	Horizontal	90	1.07	-	40.20	8.69	34.75
RMS	13.57304G	43.31	68.20	-24.89	29.17	3	Horizontal	90	1.07	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35582G	48.00	83.54	-35.54	44.54	1	Vertical	175	1.53	-	37.64	15.66	49.84
AV	20.35298G	34.41	63.54	-29.13	30.95	1	Vertical	175	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35316G	48.17	83.54	-35.37	44.71	1	Horizontal	297	1.54	-	37.64	15.66	49.84
AV	20.35576G	34.30	63.54	-29.24	30.84	1	Horizontal	297	1.54	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTX_2TX
Setting 65
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8314G	102.90	Inf	-Inf	93.89	3	Vertical	29	2.48	-	36.49	5.73	33.21
RMS	6.8362G	89.87	Inf	-Inf	80.82	3	Vertical	29	2.48	-	36.52	5.74	33.21
PK	7.1314G	61.78	88.20	-26.42	52.31	3	Vertical	29	2.48	-	36.95	5.97	33.45
RMS	7.1266G	51.24	68.20	-16.96	41.81	3	Vertical	29	2.48	-	36.91	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8338G	109.08	Inf	-Inf	100.06	3	Horizontal	287	1.80	-	36.50	5.73	33.21
RMS	6.8542G	98.28	Inf	-Inf	89.17	3	Horizontal	287	1.80	-	36.58	5.75	33.22
PK	7.141G	61.92	88.20	-26.28	52.38	3	Horizontal	287	1.80	-	37.03	5.97	33.46
RMS	7.1386G	51.85	68.20	-16.35	42.33	3	Horizontal	287	1.80	-	37.01	5.97	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73488G	59.58	88.20	-28.62	45.32	3	Vertical	231	2.43	-	40.43	8.65	34.82
RMS	13.73288G	45.43	68.20	-22.77	31.17	3	Vertical	231	2.43	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72628G	58.93	88.20	-29.27	44.67	3	Horizontal	280	1.55	-	40.43	8.65	34.82
RMS	13.72996G	45.38	68.20	-22.82	31.12	3	Horizontal	280	1.55	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59218G	48.25	83.54	-35.29	44.53	1	Vertical	235	1.56	-	37.81	15.77	49.86
AV	20.5957G	34.94	63.54	-28.60	31.22	1	Vertical	235	1.56	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_X_2TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59614G	48.73	83.54	-34.81	45.00	1	Horizontal	236	1.50	-	37.82	15.77	49.86
AV	20.59334G	34.89	63.54	-28.65	31.17	1	Horizontal	236	1.50	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUTX_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	99.79	Inf	-Inf	90.70	3	Vertical	296	1.94	-	36.52	5.82	33.25
RMS	6.9126G	89.85	Inf	-Inf	80.79	3	Vertical	296	1.94	-	36.50	5.81	33.25
PK	7.1502G	62.39	88.20	-25.81	52.78	3	Vertical	296	1.94	-	37.10	5.98	33.47
RMS	7.131G	51.28	68.20	-16.92	41.81	3	Vertical	296	1.94	-	36.95	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.939G	109.05	Inf	-Inf	99.76	3	Horizontal	292	1.80	-	36.71	5.84	33.26
RMS	6.9402G	98.82	Inf	-Inf	89.52	3	Horizontal	292	1.80	-	36.72	5.84	33.26
PK	7.1394G	63.88	88.20	-24.32	54.35	3	Horizontal	292	1.80	-	37.02	5.97	33.46
RMS	7.1382G	52.64	68.20	-15.56	43.12	3	Horizontal	292	1.80	-	37.01	5.97	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.887G	59.87	88.20	-28.33	45.54	3	Vertical	19	2.55	-	40.59	8.62	34.88
RMS	13.8862G	45.99	68.20	-22.21	31.66	3	Vertical	19	2.55	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8856G	59.69	88.20	-28.51	45.36	3	Horizontal	75	1.51	-	40.59	8.62	34.88
RMS	13.88558G	45.94	68.20	-22.26	31.61	3	Horizontal	75	1.51	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83928G	48.20	83.54	-35.34	44.22	1	Vertical	98	1.52	-	37.86	15.88	49.76
AV	20.83358G	35.10	63.54	-28.44	31.12	1	Vertical	98	1.52	-	37.87	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83588G	48.52	83.54	-35.02	44.55	1	Horizontal	40	1.55	-	37.86	15.88	49.77
AV	20.83416G	35.03	63.54	-28.51	31.05	1	Horizontal	40	1.55	-	37.87	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	98.45	Inf	-Inf	89.19	3	Vertical	270	2.98	-	36.65	5.89	33.28
RMS	6.9874G	88.38	Inf	-Inf	79.12	3	Vertical	270	2.98	-	36.65	5.89	33.28
PK	7.1514G	62.46	88.20	-25.74	52.84	3	Vertical	270	2.98	-	37.11	5.98	33.47
RMS	7.1266G	51.44	68.20	-16.76	42.01	3	Vertical	270	2.98	-	36.91	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0274G	109.45	Inf	-Inf	100.15	3	Horizontal	295	1.80	-	36.71	5.91	33.32
RMS	7.0402G	99.96	Inf	-Inf	90.62	3	Horizontal	295	1.80	-	36.76	5.92	33.34
PK	7.1266G	68.08	88.20	-20.12	58.65	3	Horizontal	295	1.80	-	36.91	5.96	33.44
RMS	7.125G	54.85	68.20	-13.35	45.43	3	Horizontal	295	1.80	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04768G	59.29	88.20	-28.91	44.70	3	Vertical	172	2.24	-	40.90	8.61	34.92
RMS	14.0463G	45.59	68.20	-22.61	31.00	3	Vertical	172	2.24	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0493G	59.03	88.20	-29.17	44.44	3	Horizontal	91	2.24	-	40.90	8.61	34.92
RMS	14.0466G	45.45	68.20	-22.75	30.86	3	Horizontal	91	2.24	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07716G	47.71	83.54	-35.83	43.81	1	Vertical	252	1.50	-	37.60	15.98	49.68
AV	21.07126G	34.80	63.54	-28.74	30.91	1	Vertical	252	1.50	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07166G	48.37	83.54	-35.17	44.48	1	Horizontal	224	1.55	-	37.60	15.98	49.69
AV	21.07142G	34.70	63.54	-28.84	30.81	1	Horizontal	224	1.55	-	37.60	15.98	49.69

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	74.57	88.20	-13.63	67.58	3	Vertical	293	1.00	-	34.97	5.36	33.34
RMS	5.916G	56.74	68.20	-11.46	49.73	3	Vertical	293	1.00	-	35.00	5.36	33.35
PK	5.962G	104.15	Inf	-Inf	96.88	3	Vertical	293	1.00	-	35.25	5.38	33.36
RMS	6.05G	94.09	Inf	-Inf	86.59	3	Vertical	293	1.00	-	35.40	5.45	33.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	79.02	88.20	-9.18	72.00	3	Horizontal	297	1.89	-	35.01	5.36	33.35
RMS	5.925G	65.37	68.20	-2.83	58.31	3	Horizontal	297	1.89	-	35.05	5.36	33.35
PK	6.037G	110.71	Inf	-Inf	103.22	3	Horizontal	297	1.89	-	35.40	5.44	33.35
RMS	6.043G	100.58	Inf	-Inf	93.09	3	Horizontal	297	1.89	-	35.40	5.44	33.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04936G	57.24	74.00	-16.76	44.29	3	Vertical	10	1.27	-	38.90	8.99	34.94
AV	12.046G	42.53	54.00	-11.47	29.58	3	Vertical	10	1.27	-	38.90	8.99	34.94

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0492G	56.77	74.00	-17.23	43.82	3	Horizontal	106	2.32	-	38.90	8.99	34.94
AV	12.04616G	42.53	54.00	-11.47	29.58	3	Horizontal	106	2.32	-	38.90	8.99	34.94

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07962G	47.07	83.54	-36.47	44.97	1	Vertical	280	1.50	-	37.64	14.73	50.27
AV	18.0778G	33.30	63.54	-30.24	31.20	1	Vertical	280	1.50	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07698G	46.66	83.54	-36.88	44.56	1	Horizontal	116	1.51	-	37.64	14.73	50.27
AV	18.07136G	33.35	63.54	-30.19	31.25	1	Horizontal	116	1.51	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	59.36	88.20	-28.84	52.30	3	Vertical	318	2.31	-	35.05	5.36	33.35
RMS	5.9242G	49.17	68.20	-19.03	42.11	3	Vertical	318	2.31	-	35.05	5.36	33.35
PK	6.1226G	102.50	Inf	-Inf	94.83	3	Vertical	318	2.31	-	35.45	5.52	33.30
RMS	6.1994G	91.97	Inf	-Inf	83.91	3	Vertical	318	2.31	-	35.70	5.60	33.24

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	65.95	88.20	-22.25	58.93	3	Horizontal	302	1.80	-	35.01	5.36	33.35
RMS	5.9242G	54.47	68.20	-13.73	47.41	3	Horizontal	302	1.80	-	35.05	5.36	33.35
PK	6.113G	115.11	Inf	-Inf	107.43	3	Horizontal	302	1.80	-	35.47	5.51	33.30
RMS	6.1322G	99.33	Inf	-Inf	91.65	3	Horizontal	302	1.80	-	35.44	5.53	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37004G	55.89	74.00	-18.11	42.89	3	Vertical	117	2.93	-	38.91	8.93	34.84
AV	12.36678G	42.15	54.00	-11.85	29.16	3	Vertical	117	2.93	-	38.90	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37372G	56.12	74.00	-17.88	43.11	3	Horizontal	58	1.94	-	38.92	8.93	34.84
AV	12.37132G	42.09	54.00	-11.91	29.09	3	Horizontal	58	1.94	-	38.91	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5571G	48.57	83.54	-34.97	45.91	1	Vertical	74	1.57	-	37.78	14.92	50.04
AV	18.55444G	34.29	63.54	-29.25	31.64	1	Vertical	74	1.57	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55476G	48.21	83.54	-35.33	45.56	1	Horizontal	43	1.57	-	37.78	14.92	50.05
AV	18.55144G	34.27	63.54	-29.27	31.62	1	Horizontal	43	1.57	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 81
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	58.80	88.20	-29.40	51.89	3	Vertical	86	1.00	-	34.90	5.35	33.34
RMS	5.923G	48.32	68.20	-19.88	41.27	3	Vertical	86	1.00	-	35.04	5.36	33.35
PK	6.375G	107.44	Inf	-Inf	99.22	3	Vertical	86	1.00	-	35.65	5.69	33.12
RMS	6.375G	98.60	Inf	-Inf	90.38	3	Vertical	86	1.00	-	35.65	5.69	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 81
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.76	88.20	-28.44	52.71	3	Horizontal	313	1.91	-	35.04	5.36	33.35
RMS	5.925G	49.88	68.20	-18.32	42.82	3	Horizontal	313	1.91	-	35.05	5.36	33.35
PK	6.367G	110.04	Inf	-Inf	101.86	3	Horizontal	313	1.91	-	35.63	5.68	33.13
RMS	6.369G	99.33	Inf	-Inf	91.14	3	Horizontal	313	1.91	-	35.64	5.68	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69312G	56.88	74.00	-17.12	43.51	3	Vertical	172	2.77	-	39.27	8.86	34.76
AV	12.68802G	42.91	54.00	-11.09	29.56	3	Vertical	172	2.77	-	39.25	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69156G	56.93	74.00	-17.07	43.56	3	Horizontal	136	1.87	-	39.27	8.86	34.76
AV	12.6944G	42.86	54.00	-11.14	29.48	3	Horizontal	136	1.87	-	39.28	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03494G	49.02	83.54	-34.52	45.56	1	Vertical	187	1.50	-	37.96	15.11	49.61
AV	19.03828G	34.93	63.54	-28.61	31.47	1	Vertical	187	1.50	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TnomVnom



EUT_X_2TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03554G	48.21	83.54	-35.33	44.75	1	Horizontal	320	1.51	-	37.96	15.11	49.61
AV	19.03212G	34.88	63.54	-28.66	31.42	1	Horizontal	320	1.51	-	37.96	15.11	49.61


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 76
 04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	59.17	88.20	-29.03	52.32	3	Vertical	101	1.00	-	34.84	5.34	33.33
RMS	5.9198G	48.04	68.20	-20.16	41.01	3	Vertical	101	1.00	-	35.02	5.36	33.35
PK	6.4266G	104.73	Inf	-Inf	96.47	3	Vertical	101	1.00	-	35.65	5.70	33.09
RMS	6.4742G	92.54	Inf	-Inf	84.20	3	Vertical	101	1.00	-	35.70	5.70	33.06
PK	7.1406G	62.12	88.20	-26.08	52.59	3	Vertical	101	1.00	-	37.02	5.97	33.46
RMS	7.1434G	50.85	68.20	-17.35	41.29	3	Vertical	101	1.00	-	37.05	5.97	33.46


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 76
 04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	59.38	88.20	-28.82	52.51	3	Horizontal	288	1.95	-	34.86	5.34	33.33
RMS	5.925G	48.19	68.20	-20.01	41.13	3	Horizontal	288	1.95	-	35.05	5.36	33.35
PK	6.4714G	106.71	Inf	-Inf	98.38	3	Horizontal	288	1.95	-	35.69	5.70	33.06
RMS	6.477G	96.46	Inf	-Inf	88.11	3	Horizontal	288	1.95	-	35.71	5.70	33.06
PK	7.1714G	61.25	88.20	-26.95	51.57	3	Horizontal	288	1.95	-	37.19	5.99	33.50
RMS	7.1434G	51.02	68.20	-17.18	41.46	3	Horizontal	288	1.95	-	37.05	5.97	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 76
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01174G	56.74	88.20	-31.46	42.94	3	Vertical	154	2.04	-	39.70	8.80	34.70
RMS	13.01496G	43.07	68.20	-25.13	29.27	3	Vertical	154	2.04	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01444G	57.08	88.20	-31.12	43.28	3	Horizontal	325	1.54	-	39.70	8.80	34.70
RMS	13.01492G	43.16	68.20	-25.04	29.36	3	Horizontal	325	1.54	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51012G	49.72	83.54	-33.82	46.22	1	Vertical	359	1.53	-	37.90	15.30	49.70
AV	19.5132G	35.14	63.54	-28.40	31.64	1	Vertical	359	1.53	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5162G	48.19	83.54	-35.35	44.69	1	Horizontal	149	1.56	-	37.89	15.31	49.70
AV	19.5131G	35.18	63.54	-28.36	31.68	1	Horizontal	149	1.56	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 77
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6474G	105.53	Inf	-Inf	96.75	3	Vertical	110	1.18	-	36.19	5.70	33.11
RMS	6.6474G	95.80	Inf	-Inf	87.02	3	Vertical	110	1.18	-	36.19	5.70	33.11
PK	7.1666G	61.88	88.20	-26.32	52.22	3	Vertical	110	1.18	-	37.17	5.98	33.49
RMS	7.1336G	50.91	68.20	-17.29	41.42	3	Vertical	110	1.18	-	36.97	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 77
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6804G	104.27	Inf	-Inf	95.50	3	Horizontal	323	1.80	-	36.20	5.70	33.13
RMS	6.6562G	95.41	Inf	-Inf	86.63	3	Horizontal	323	1.80	-	36.20	5.70	33.12
PK	7.1952G	61.63	88.20	-26.57	51.87	3	Horizontal	323	1.80	-	37.28	6.00	33.52
RMS	7.1292G	50.98	68.20	-17.22	41.54	3	Horizontal	323	1.80	-	36.93	5.96	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33498G	57.69	74.00	-16.31	43.60	3	Vertical	143	1.89	-	40.07	8.73	34.71
AV	13.32894G	44.00	54.00	-10.00	29.92	3	Vertical	143	1.89	-	40.06	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32542G	58.81	74.00	-15.19	44.74	3	Horizontal	195	2.55	-	40.05	8.73	34.71
AV	13.32688G	43.91	54.00	-10.09	29.84	3	Horizontal	195	2.55	-	40.05	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9966G	46.59	83.54	-36.95	43.38	1	Vertical	81	1.56	-	37.41	15.50	49.70
AV	19.99302G	33.19	63.54	-30.35	29.98	1	Vertical	81	1.56	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99136G	46.13	83.54	-37.41	42.92	1	Horizontal	97	1.52	-	37.41	15.50	49.70
AV	19.99598G	33.09	63.54	-30.45	29.88	1	Horizontal	97	1.52	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7978G	101.95	Inf	-Inf	93.14	3	Vertical	29	2.97	-	36.30	5.70	33.19
RMS	6.8058G	90.75	Inf	-Inf	81.90	3	Vertical	29	2.97	-	36.33	5.71	33.19
PK	7.2138G	61.82	88.20	-26.38	52.03	3	Vertical	29	2.97	-	37.33	6.01	33.55
RMS	7.1386G	51.18	68.20	-17.02	41.66	3	Vertical	29	2.97	-	37.01	5.97	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
Setting 73
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.753G	111.78	Inf	-Inf	102.86	3	Horizontal	290	1.80	-	36.39	5.70	33.17
RMS	6.8554G	97.78	Inf	-Inf	88.66	3	Horizontal	290	1.80	-	36.58	5.76	33.22
PK	7.1386G	64.78	88.20	-23.42	55.26	3	Horizontal	290	1.80	-	37.01	5.97	33.46
RMS	7.1386G	54.00	68.20	-14.20	44.48	3	Horizontal	290	1.80	-	37.01	5.97	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 73
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65258G	58.45	88.20	-29.75	44.25	3	Vertical	317	1.23	-	40.31	8.67	34.78
RMS	13.64982G	44.78	68.20	-23.42	30.59	3	Vertical	317	1.23	-	40.30	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65016G	58.88	88.20	-29.32	44.69	3	Horizontal	64	1.12	-	40.30	8.67	34.78
RMS	13.65192G	44.69	68.20	-23.51	30.50	3	Horizontal	64	1.12	-	40.30	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47786G	47.84	83.54	-35.70	44.32	1	Vertical	116	1.56	-	37.69	15.72	49.89
AV	20.47766G	34.89	63.54	-28.65	31.38	1	Vertical	116	1.56	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47224G	48.32	83.54	-35.22	44.81	1	Horizontal	225	1.57	-	37.69	15.71	49.89
AV	20.47778G	34.74	63.54	-28.80	31.22	1	Horizontal	225	1.57	-	37.69	15.72	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 75
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	102.42	Inf	-Inf	93.27	3	Vertical	130	1.80	-	36.58	5.82	33.25
RMS	6.9538G	87.31	Inf	-Inf	77.95	3	Vertical	130	1.80	-	36.78	5.85	33.27
PK	7.1306G	67.51	88.20	-20.69	58.05	3	Vertical	130	1.80	-	36.94	5.97	33.45
RMS	7.1298G	52.49	68.20	-15.71	43.04	3	Vertical	130	1.80	-	36.94	5.96	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 75
04-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0402G	110.01	Inf	-Inf	100.67	3	Horizontal	290	1.79	-	36.76	5.92	33.34
RMS	7.0234G	99.32	Inf	-Inf	90.04	3	Horizontal	290	1.79	-	36.69	5.91	33.32
PK	7.1354G	84.06	88.20	-4.14	74.56	3	Horizontal	290	1.79	-	36.98	5.97	33.45
RMS	7.1298G	67.44	68.20	-0.76	57.99	3	Horizontal	290	1.79	-	36.94	5.96	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96536G	59.91	88.20	-28.29	45.42	3	Vertical	54	1.69	-	40.80	8.61	34.92
RMS	13.97258G	45.95	68.20	-22.25	31.44	3	Vertical	54	1.69	-	40.82	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96876G	59.62	88.20	-28.58	45.12	3	Horizontal	200	2.66	-	40.81	8.61	34.92
RMS	13.96556G	45.96	68.20	-22.24	31.47	3	Horizontal	200	2.66	-	40.80	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95998G	47.70	83.54	-35.84	43.83	1	Vertical	39	1.56	-	37.66	15.93	49.72
AV	20.95468G	34.52	63.54	-29.02	30.64	1	Vertical	39	1.56	-	37.67	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT_X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9526G	47.98	83.54	-35.56	44.09	1	Horizontal	221	1.56	-	37.68	15.93	49.72
AV	20.95452G	34.53	63.54	-29.01	30.65	1	Horizontal	221	1.56	-	37.67	15.93	49.72




For beamforming mode / 4T1S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	17.8651G	48.64	54.00	-5.36	3	Vertical	39	1.20	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 29
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	60.67	88.20	-27.53	53.62	3	Vertical	0	2.92	-	35.04	5.36	33.35
RMS	5.9246G	49.01	68.20	-19.19	41.95	3	Vertical	0	2.92	-	35.05	5.36	33.35
PK	5.9504G	109.77	Inf	-Inf	102.55	3	Vertical	0	2.92	-	35.20	5.38	33.36
RMS	5.9498G	99.91	Inf	-Inf	92.70	3	Vertical	0	2.92	-	35.20	5.37	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 29
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	67.02	88.20	-21.18	59.97	3	Horizontal	310	2.06	-	35.04	5.36	33.35
RMS	5.925G	55.08	68.20	-13.12	48.02	3	Horizontal	310	2.06	-	35.05	5.36	33.35
PK	5.9542G	120.07	Inf	-Inf	112.83	3	Horizontal	310	2.06	-	35.22	5.38	33.36
RMS	5.951G	109.21	Inf	-Inf	101.99	3	Horizontal	310	2.06	-	35.20	5.38	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 29
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91064G	57.16	74.00	-16.84	43.97	3	Vertical	131	1.53	-	39.17	8.94	34.92
AV	11.90644G	43.23	54.00	-10.77	30.03	3	Vertical	131	1.53	-	39.18	8.93	34.91
PK	11.91404G	56.54	74.00	-17.46	43.36	3	Vertical	22	1.49	-	39.16	8.94	34.92
AV	11.90922G	43.03	54.00	-10.97	29.84	3	Vertical	22	1.49	-	39.17	8.94	34.92
PK	17.86138G	61.65	74.00	-12.35	44.77	3	Vertical	39	1.20	-	41.88	9.75	34.75
AV	17.8651G	48.64	54.00	-5.36	31.74	3	Vertical	39	1.20	-	41.90	9.75	34.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 29
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91332G	56.50	74.00	-17.50	43.32	3	Horizontal	29	1.63	-	39.16	8.94	34.92
AV	11.90576G	43.10	54.00	-10.90	29.90	3	Horizontal	29	1.63	-	39.18	8.93	34.91
PK	17.86808G	61.49	74.00	-12.51	44.59	3	Horizontal	101	1.13	-	41.90	9.75	34.75
AV	17.86976G	48.41	54.00	-5.59	31.50	3	Horizontal	101	1.13	-	41.91	9.75	34.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	59.35	88.20	-28.85	52.33	3	Vertical	112	1.73	-	35.01	5.36	33.35
RMS	5.9206G	46.49	68.20	-21.71	39.46	3	Vertical	112	1.73	-	35.02	5.36	33.35
PK	6.1678G	100.41	Inf	-Inf	92.60	3	Vertical	112	1.73	-	35.51	5.57	33.27
RMS	6.1678G	89.35	Inf	-Inf	81.54	3	Vertical	112	1.73	-	35.51	5.57	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7262G	58.61	88.20	-29.59	52.28	3	Horizontal	51	1.67	-	34.30	5.30	33.27
RMS	5.8774G	46.53	68.20	-21.67	39.67	3	Horizontal	51	1.67	-	34.85	5.34	33.33
PK	6.1726G	109.69	Inf	-Inf	101.84	3	Horizontal	51	1.67	-	35.54	5.57	33.26
RMS	6.1678G	98.89	Inf	-Inf	91.08	3	Horizontal	51	1.67	-	35.51	5.57	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3517G	56.30	74.00	-17.70	43.35	3	Vertical	98	1.53	-	38.86	8.93	34.84
AV	12.34574G	42.40	54.00	-11.60	29.48	3	Vertical	98	1.53	-	38.84	8.93	34.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35302G	55.57	74.00	-18.43	42.62	3	Horizontal	75	2.41	-	38.86	8.93	34.84
AV	12.34554G	42.37	54.00	-11.63	29.45	3	Horizontal	75	2.41	-	38.84	8.93	34.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52514G	48.36	83.54	-35.18	45.73	1	Vertical	113	1.53	-	37.79	14.91	50.07
AV	18.52348G	35.42	63.54	-28.12	32.80	1	Vertical	113	1.53	-	37.79	14.91	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.527G	48.41	83.54	-35.13	45.78	1	Horizontal	334	1.50	-	37.79	14.91	50.07
AV	18.52936G	35.32	63.54	-28.22	32.69	1	Horizontal	334	1.50	-	37.79	14.91	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	58.85	88.20	-29.35	51.89	3	Vertical	104	1.05	-	34.95	5.35	33.34
RMS	5.8746G	47.85	68.20	-20.35	40.99	3	Vertical	104	1.05	-	34.85	5.34	33.33
PK	6.4066G	97.73	Inf	-Inf	89.44	3	Vertical	104	1.05	-	35.69	5.70	33.10
RMS	6.4066G	88.16	Inf	-Inf	79.87	3	Vertical	104	1.05	-	35.69	5.70	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	58.65	88.20	-29.55	51.72	3	Horizontal	292	1.59	-	34.92	5.35	33.34
RMS	5.8858G	47.86	68.20	-20.34	40.98	3	Horizontal	292	1.59	-	34.87	5.34	33.33
PK	6.4066G	107.41	Inf	-Inf	99.12	3	Horizontal	292	1.59	-	35.69	5.70	33.10
RMS	6.4094G	96.96	Inf	-Inf	88.68	3	Horizontal	292	1.59	-	35.68	5.70	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83482G	56.76	88.20	-31.44	43.23	3	Vertical	358	2.11	-	39.43	8.83	34.73
AV	12.8297G	43.19	68.20	-25.01	29.66	3	Vertical	358	2.11	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82956G	57.00	88.20	-31.20	43.47	3	Horizontal	81	2.84	-	39.43	8.83	34.73
AV	12.82758G	43.14	68.20	-25.06	29.61	3	Horizontal	81	2.84	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24666G	47.88	83.54	-35.66	44.63	1	Vertical	310	1.56	-	37.70	15.20	49.65
AV	19.2444G	35.19	63.54	-28.35	31.93	1	Vertical	310	1.56	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24564G	48.26	83.54	-35.28	45.00	1	Horizontal	305	1.58	-	37.71	15.20	49.65
AV	19.24478G	35.17	63.54	-28.37	31.91	1	Horizontal	305	1.58	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 26
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.715G	59.72	88.20	-28.48	53.43	3	Vertical	91	1.07	-	34.26	5.30	33.27
RMS	5.925G	47.84	68.20	-20.36	40.78	3	Vertical	91	1.07	-	35.05	5.36	33.35
PK	6.4382G	99.18	Inf	-Inf	90.94	3	Vertical	91	1.07	-	35.62	5.70	33.08
RMS	6.4382G	90.34	Inf	-Inf	82.10	3	Vertical	91	1.07	-	35.62	5.70	33.08
PK	7.139G	61.93	88.20	-26.27	52.41	3	Vertical	91	1.07	-	37.01	5.97	33.46
RMS	7.187G	50.69	68.20	-17.51	40.96	3	Vertical	91	1.07	-	37.25	5.99	33.51

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 26
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	59.18	88.20	-29.02	52.17	3	Horizontal	313	2.86	-	35.00	5.36	33.35
RMS	5.9198G	47.86	68.20	-20.34	40.83	3	Horizontal	313	2.86	-	35.02	5.36	33.35
PK	6.435G	106.42	Inf	-Inf	98.17	3	Horizontal	313	2.86	-	35.63	5.70	33.08
RMS	6.4414G	97.66	Inf	-Inf	89.42	3	Horizontal	313	2.86	-	35.62	5.70	33.08
PK	7.1358G	61.45	88.20	-26.75	51.94	3	Horizontal	313	2.86	-	36.99	5.97	33.45
RMS	7.2158G	50.80	68.20	-17.40	41.01	3	Horizontal	313	2.86	-	37.33	6.01	33.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87252G	56.37	88.20	-31.83	42.80	3	Vertical	107	1.67	-	39.47	8.83	34.73
AV	12.875G	43.01	68.20	-25.19	29.44	3	Vertical	107	1.67	-	39.48	8.82	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87026G	56.63	88.20	-31.57	43.06	3	Horizontal	20	2.32	-	39.47	8.83	34.73
AV	12.8713G	43.12	68.20	-25.08	29.55	3	Horizontal	20	2.32	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3066G	48.71	83.54	-34.83	45.40	1	Vertical	253	1.54	-	37.75	15.22	49.66
AV	19.30026G	35.51	63.54	-28.03	32.21	1	Vertical	253	1.54	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 26
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30986G	48.87	83.54	-34.67	45.56	1	Horizontal	153	1.50	-	37.75	15.22	49.66
AV	19.30318G	35.66	63.54	-27.88	32.36	1	Horizontal	153	1.50	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.848G	58.67	88.20	-29.53	51.88	3	Vertical	60	1.88	-	34.79	5.32	33.32
RMS	5.92G	47.82	68.20	-20.38	40.79	3	Vertical	60	1.88	-	35.02	5.36	33.35
PK	6.472G	97.66	Inf	-Inf	89.33	3	Vertical	60	1.88	-	35.69	5.70	33.06
RMS	6.472G	88.60	Inf	-Inf	80.27	3	Vertical	60	1.88	-	35.69	5.70	33.06
PK	7.201G	61.29	88.20	-26.91	51.52	3	Vertical	60	1.88	-	37.30	6.00	33.53
RMS	7.144G	50.77	68.20	-17.43	41.21	3	Vertical	60	1.88	-	37.05	5.97	33.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTX_4TX
Setting 31
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.878G	59.08	88.20	-29.12	52.21	3	Horizontal	297	1.62	-	34.86	5.34	33.33
RMS	5.925G	47.92	68.20	-20.28	40.86	3	Horizontal	297	1.62	-	35.05	5.36	33.35
PK	6.478G	107.61	Inf	-Inf	99.25	3	Horizontal	297	1.62	-	35.71	5.70	33.05
RMS	6.481G	98.63	Inf	-Inf	90.26	3	Horizontal	297	1.62	-	35.72	5.70	33.05
PK	7.192G	61.41	88.20	-26.79	51.66	3	Horizontal	297	1.62	-	37.27	6.00	33.52
RMS	7.219G	50.79	68.20	-17.41	40.99	3	Horizontal	297	1.62	-	37.34	6.01	33.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95366G	57.00	88.20	-31.20	43.29	3	Vertical	95	1.57	-	39.61	8.81	34.71
AV	12.94712G	43.32	68.20	-24.88	29.63	3	Vertical	95	1.57	-	39.59	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94836G	56.65	88.20	-31.55	42.95	3	Horizontal	21	2.43	-	39.60	8.81	34.71
AV	12.95432G	43.42	68.20	-24.78	29.71	3	Horizontal	21	2.43	-	39.61	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42874G	48.96	83.54	-34.58	45.54	1	Vertical	52	1.54	-	37.84	15.27	49.69
AV	19.4241G	35.95	63.54	-27.59	32.52	1	Vertical	52	1.54	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42834G	49.58	83.54	-33.96	46.16	1	Horizontal	199	1.58	-	37.84	15.27	49.69
AV	19.42488G	36.06	63.54	-27.48	32.63	1	Horizontal	199	1.58	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	58.94	88.20	-29.26	51.94	3	Vertical	99	1.00	-	34.99	5.36	33.35
RMS	5.9242G	47.84	68.20	-20.36	40.78	3	Vertical	99	1.00	-	35.05	5.36	33.35
PK	6.5066G	98.59	Inf	-Inf	90.10	3	Vertical	99	1.00	-	35.83	5.70	33.04
RMS	6.5066G	88.30	Inf	-Inf	79.81	3	Vertical	99	1.00	-	35.83	5.70	33.04
PK	7.1814G	61.42	88.20	-26.78	51.71	3	Vertical	99	1.00	-	37.23	5.99	33.51
RMS	7.2094G	50.84	68.20	-17.36	41.06	3	Vertical	99	1.00	-	37.32	6.00	33.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8458G	58.32	88.20	-29.88	51.55	3	Horizontal	55	1.49	-	34.77	5.32	33.32
RMS	5.9242G	47.86	68.20	-20.34	40.80	3	Horizontal	55	1.49	-	35.05	5.36	33.35
PK	6.5122G	108.03	Inf	-Inf	99.53	3	Horizontal	55	1.49	-	35.85	5.70	33.05
RMS	6.5178G	97.94	Inf	-Inf	89.42	3	Horizontal	55	1.49	-	35.87	5.70	33.05
PK	7.1366G	61.09	88.20	-27.11	51.58	3	Horizontal	55	1.49	-	36.99	5.97	33.45
RMS	7.131G	50.83	68.20	-17.37	41.36	3	Horizontal	55	1.49	-	36.95	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03436G	57.14	88.20	-31.06	43.35	3	Vertical	256	2.26	-	39.70	8.79	34.70
AV	13.03178G	43.33	68.20	-24.87	29.54	3	Vertical	256	2.26	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02868G	56.50	88.20	-31.70	42.71	3	Horizontal	61	2.54	-	39.70	8.79	34.70
AV	13.03168G	43.21	68.20	-24.99	29.42	3	Horizontal	61	2.54	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54154G	49.39	83.54	-34.15	45.89	1	Vertical	295	1.57	-	37.88	15.32	49.70
AV	19.5451G	35.63	63.54	-27.91	32.13	1	Vertical	295	1.57	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5412G	49.40	83.54	-34.14	45.90	1	Horizontal	69	1.53	-	37.88	15.32	49.70
AV	19.54476G	35.67	63.54	-27.87	32.17	1	Horizontal	69	1.53	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	58.63	88.20	-29.57	51.65	3	Vertical	205	1.80	-	34.96	5.36	33.34
RMS	5.8882G	47.95	68.20	-20.25	41.07	3	Vertical	205	1.80	-	34.88	5.34	33.34
PK	6.5434G	102.06	Inf	-Inf	93.45	3	Vertical	205	1.80	-	35.97	5.70	33.06
RMS	6.5434G	92.26	Inf	-Inf	83.65	3	Vertical	205	1.80	-	35.97	5.70	33.06
PK	7.2098G	61.83	88.20	-26.37	52.05	3	Vertical	205	1.80	-	37.32	6.00	33.54
RMS	7.2238G	50.90	68.20	-17.30	41.10	3	Vertical	205	1.80	-	37.35	6.01	33.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	58.52	88.20	-29.68	51.66	3	Horizontal	286	1.80	-	34.85	5.34	33.33
RMS	5.8938G	47.91	68.20	-20.29	41.01	3	Horizontal	286	1.80	-	34.89	5.35	33.34
PK	6.5406G	114.37	Inf	-Inf	105.77	3	Horizontal	286	1.80	-	35.96	5.70	33.06
RMS	6.5378G	104.90	Inf	-Inf	96.31	3	Horizontal	286	1.80	-	35.95	5.70	33.06
PK	7.2266G	61.42	88.20	-26.78	51.62	3	Horizontal	286	1.80	-	37.35	6.01	33.56
RMS	7.1426G	50.86	68.20	-17.34	41.31	3	Horizontal	286	1.80	-	37.04	5.97	33.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07432G	57.28	88.20	-30.92	43.49	3	Vertical	313	1.19	-	39.70	8.79	34.70
AV	13.06526G	43.34	68.20	-24.86	29.55	3	Vertical	313	1.19	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06872G	56.87	88.20	-31.33	43.08	3	Horizontal	144	2.37	-	39.70	8.79	34.70
AV	13.07408G	43.44	68.20	-24.76	29.65	3	Horizontal	144	2.37	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60222G	49.40	83.54	-34.14	45.90	1	Vertical	315	1.54	-	37.86	15.34	49.70
AV	19.60186G	36.24	63.54	-27.30	32.74	1	Vertical	315	1.54	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6096G	49.34	83.54	-34.20	45.84	1	Horizontal	97	1.52	-	37.86	15.34	49.70
AV	19.6024G	36.29	63.54	-27.25	32.79	1	Horizontal	97	1.52	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	100.22	Inf	-Inf	91.46	3	Vertical	150	2.95	-	36.20	5.70	33.14
RMS	6.6906G	90.38	Inf	-Inf	81.62	3	Vertical	150	2.95	-	36.20	5.70	33.14
PK	7.1328G	62.36	88.20	-25.84	52.88	3	Vertical	150	2.95	-	36.96	5.97	33.45
RMS	7.2406G	51.04	68.20	-17.16	41.22	3	Vertical	150	2.95	-	37.38	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	110.52	Inf	-Inf	101.76	3	Horizontal	308	1.79	-	36.20	5.70	33.14
RMS	6.6928G	100.62	Inf	-Inf	91.86	3	Horizontal	308	1.79	-	36.20	5.70	33.14
PK	7.2318G	62.16	88.20	-26.04	52.35	3	Horizontal	308	1.79	-	37.36	6.02	33.57
RMS	7.2384G	50.99	68.20	-17.21	41.17	3	Horizontal	308	1.79	-	37.38	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38626G	58.48	74.00	-15.52	44.31	3	Vertical	181	1.46	-	40.17	8.72	34.72
AV	13.38898G	44.15	54.00	-9.85	29.97	3	Vertical	181	1.46	-	40.18	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3949G	58.25	74.00	-15.75	44.06	3	Horizontal	349	1.25	-	40.19	8.72	34.72
AV	13.39356G	44.19	54.00	-9.81	30.00	3	Horizontal	349	1.25	-	40.19	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0888G	47.66	83.54	-35.88	44.39	1	Vertical	51	1.53	-	37.47	15.54	49.74
AV	20.0863G	34.26	63.54	-29.28	30.98	1	Vertical	51	1.53	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08308G	47.61	83.54	-35.93	44.33	1	Horizontal	340	1.53	-	37.47	15.54	49.73
AV	20.08336G	34.30	63.54	-29.24	31.02	1	Horizontal	340	1.53	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	98.81	Inf	-Inf	89.72	3	Vertical	274	1.63	-	36.55	5.76	33.22
RMS	6.8634G	88.78	Inf	-Inf	79.69	3	Vertical	274	1.63	-	36.55	5.76	33.22
PK	7.149G	63.01	88.20	-25.19	53.42	3	Vertical	274	1.63	-	37.09	5.97	33.47
RMS	7.1266G	51.13	68.20	-17.07	41.70	3	Vertical	274	1.63	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8536G	108.65	Inf	-Inf	99.53	3	Horizontal	55	1.55	-	36.59	5.75	33.22
RMS	6.8578G	98.74	Inf	-Inf	89.63	3	Horizontal	55	1.55	-	36.57	5.76	33.22
PK	7.1756G	61.76	88.20	-26.44	52.07	3	Horizontal	55	1.55	-	37.20	5.99	33.50
RMS	7.1266G	51.17	68.20	-17.03	41.74	3	Horizontal	55	1.55	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71224G	59.26	88.20	-28.94	45.00	3	Vertical	264	1.26	-	40.41	8.66	34.81
AV	13.71192G	45.39	68.20	-22.81	31.13	3	Vertical	264	1.26	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70814G	59.11	88.20	-29.09	44.85	3	Horizontal	185	2.64	-	40.41	8.66	34.81
AV	13.71004G	45.44	68.20	-22.76	31.18	3	Horizontal	185	2.64	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56206G	49.48	83.54	-34.06	45.84	1	Vertical	208	1.55	-	37.77	15.75	49.88
AV	20.56464G	36.39	63.54	-27.15	32.73	1	Vertical	208	1.55	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TnomVnom



EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56694G	49.47	83.54	-34.07	45.80	1	Horizontal	267	1.53	-	37.78	15.76	49.87
AV	20.56506G	36.44	63.54	-27.10	32.78	1	Horizontal	267	1.53	-	37.78	15.75	49.87


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 26
 04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8714G	97.73	Inf	-Inf	88.68	3	Vertical	322	2.25	-	36.51	5.77	33.23
RMS	6.869G	88.10	Inf	-Inf	79.03	3	Vertical	322	2.25	-	36.52	5.77	33.22
PK	7.1414G	61.54	88.20	-26.66	52.00	3	Vertical	322	2.25	-	37.03	5.97	33.46
RMS	7.1354G	51.10	68.20	-17.10	41.60	3	Vertical	322	2.25	-	36.98	5.97	33.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
 Setting 26
 04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	105.20	Inf	-Inf	96.16	3	Horizontal	307	2.49	-	36.49	5.78	33.23
RMS	6.8774G	95.99	Inf	-Inf	86.95	3	Horizontal	307	2.49	-	36.49	5.78	33.23
PK	7.163G	62.23	88.20	-25.97	52.59	3	Horizontal	307	2.49	-	37.15	5.98	33.49
RMS	7.1294G	51.19	68.20	-17.01	41.74	3	Horizontal	307	2.49	-	36.94	5.96	33.45