


802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15598G	48.56	83.54	-34.98	45.22	1	Horizontal	302	1.58	-	37.81	15.16	49.63
AV	19.15698G	37.33	63.54	-26.21	33.99	1	Horizontal	302	1.58	-	37.81	15.16	49.63

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 75
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8696G	60.88	88.20	-27.32	54.04	3	Vertical	115	1.04	-	34.84	5.33	33.33
RMS	5.9034G	51.41	68.20	-16.79	44.48	3	Vertical	115	1.04	-	34.92	5.35	33.34
PK	6.4858G	104.77	Inf	-Inf	96.38	3	Vertical	115	1.04	-	35.74	5.70	33.05
RMS	6.4832G	94.29	Inf	-Inf	85.91	3	Vertical	115	1.04	-	35.73	5.70	33.05

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 75
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.89	88.20	-27.31	53.93	3	Horizontal	286	1.76	-	34.95	5.35	33.34
RMS	5.9242G	51.61	68.20	-16.59	44.55	3	Horizontal	286	1.76	-	35.05	5.36	33.35
PK	6.478G	109.56	Inf	-Inf	101.20	3	Horizontal	286	1.76	-	35.71	5.70	33.05
RMS	6.4364G	100.35	Inf	-Inf	92.10	3	Horizontal	286	1.76	-	35.63	5.70	33.08

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92642G	56.50	88.20	-31.70	42.85	3	Vertical	287	2.17	-	39.55	8.81	34.71
RMS	12.93288G	45.82	68.20	-22.38	32.15	3	Vertical	287	2.17	-	39.57	8.81	34.71

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92536G	56.28	88.20	-31.92	42.63	3	Horizontal	333	2.18	-	39.55	8.81	34.71
RMS	12.9265G	45.52	68.20	-22.68	31.87	3	Horizontal	333	2.18	-	39.55	8.81	34.71

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39816G	48.35	83.54	-35.19	44.95	1	Vertical	120	1.57	-	37.82	15.26	49.68
AV	19.39118G	37.93	63.54	-25.61	34.54	1	Vertical	120	1.57	-	37.81	15.26	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX


6465MHz_TnomVnom



EUT_X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39248G	48.35	83.54	-35.19	44.96	1	Horizontal	232	1.55	-	37.81	15.26	49.68
AV	19.3937G	37.80	63.54	-25.74	34.41	1	Horizontal	232	1.55	-	37.81	15.26	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 76
 04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	60.33	88.20	-27.87	53.45	3	Vertical	119	1.00	-	34.87	5.34	33.33
RMS	5.9206G	51.45	68.20	-16.75	44.42	3	Vertical	119	1.00	-	35.02	5.36	33.35
PK	6.5366G	102.79	Inf	-Inf	94.20	3	Vertical	119	1.00	-	35.95	5.70	33.06
RMS	6.5422G	94.20	Inf	-Inf	85.59	3	Vertical	119	1.00	-	35.97	5.70	33.06
PK	7.203G	61.82	88.20	-26.38	52.04	3	Vertical	119	1.00	-	37.31	6.00	33.53
RMS	7.2198G	53.02	68.20	-15.18	43.22	3	Vertical	119	1.00	-	37.34	6.01	33.55

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 76
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	60.17	88.20	-28.03	53.34	3	Horizontal	284	1.70	-	34.83	5.33	33.33
RMS	5.901G	51.26	68.20	-16.94	44.34	3	Horizontal	284	1.70	-	34.91	5.35	33.34
PK	6.5562G	110.37	Inf	-Inf	101.73	3	Horizontal	284	1.70	-	36.01	5.70	33.07
RMS	6.5366G	100.21	Inf	-Inf	91.62	3	Horizontal	284	1.70	-	35.95	5.70	33.06
PK	7.2114G	61.86	88.20	-26.34	52.07	3	Horizontal	284	1.70	-	37.32	6.01	33.54
RMS	7.1974G	52.68	68.20	-15.52	42.92	3	Horizontal	284	1.70	-	37.29	6.00	33.53

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09394G	57.14	88.20	-31.06	43.36	3	Vertical	113	1.48	-	39.70	8.78	34.70
RMS	13.08748G	45.94	68.20	-22.26	32.16	3	Vertical	113	1.48	-	39.70	8.78	34.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.086G	56.96	88.20	-31.24	43.18	3	Horizontal	55	1.48	-	39.70	8.78	34.70
RMS	13.08744G	45.88	68.20	-22.32	32.10	3	Horizontal	55	1.48	-	39.70	8.78	34.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz_TnomVnom




EUT X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63226G	48.53	83.54	-35.01	45.03	1	Vertical	306	1.50	-	37.85	15.35	49.70
AV	19.63692G	37.48	63.54	-26.06	33.98	1	Vertical	306	1.50	-	37.85	15.35	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz_TnomVnom




EUT_X_2TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63574G	48.57	83.54	-34.97	45.07	1	Horizontal	154	1.58	-	37.85	15.35	49.70
AV	19.63736G	37.65	63.54	-25.89	34.15	1	Horizontal	154	1.58	-	37.85	15.35	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6394G	102.96	Inf	-Inf	94.19	3	Vertical	109	1.17	-	36.18	5.70	33.11
RMS	6.6178G	92.99	Inf	-Inf	84.25	3	Vertical	109	1.17	-	36.14	5.70	33.10
PK	7.213G	62.89	88.20	-25.31	53.10	3	Vertical	109	1.17	-	37.33	6.01	33.55
RMS	7.213G	52.54	68.20	-15.66	42.75	3	Vertical	109	1.17	-	37.33	6.01	33.55

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6586G	110.17	Inf	-Inf	101.39	3	Horizontal	287	1.68	-	36.20	5.70	33.12
RMS	6.6562G	99.22	Inf	-Inf	90.44	3	Horizontal	287	1.68	-	36.20	5.70	33.12
PK	7.2082G	62.79	88.20	-25.41	53.01	3	Horizontal	287	1.68	-	37.32	6.00	33.54
RMS	7.201G	52.45	68.20	-15.75	42.68	3	Horizontal	287	1.68	-	37.30	6.00	33.53

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom








EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2502G	57.28	74.00	-16.72	43.29	3	Vertical	177	2.35	-	39.95	8.75	34.71
AV	13.25024G	46.98	54.00	-7.02	32.99	3	Vertical	177	2.35	-	39.95	8.75	34.71

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2545G	57.72	74.00	-16.28	43.73	3	Horizontal	112	2.88	-	39.95	8.75	34.71
AV	13.25478G	46.56	54.00	-7.44	32.57	3	Horizontal	112	2.88	-	39.95	8.75	34.71

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87842G	49.01	83.54	-34.53	45.67	1	Vertical	187	1.56	-	37.59	15.45	49.70
AV	19.8741G	37.77	63.54	-25.77	34.42	1	Vertical	187	1.56	-	37.60	15.45	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87994G	48.82	83.54	-34.72	45.48	1	Horizontal	236	1.57	-	37.59	15.45	49.70
AV	19.87836G	37.58	63.54	-25.96	34.24	1	Horizontal	236	1.57	-	37.59	15.45	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.723G	101.50	Inf	-Inf	92.66	3	Vertical	120	1.14	-	36.29	5.70	33.15
RMS	6.731G	91.41	Inf	-Inf	82.55	3	Vertical	120	1.14	-	36.32	5.70	33.16
PK	7.129G	62.55	88.20	-25.65	53.10	3	Vertical	120	1.14	-	36.93	5.96	33.44
RMS	7.143G	52.17	68.20	-16.03	42.62	3	Vertical	120	1.14	-	37.04	5.97	33.46

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.731G	110.50	Inf	-Inf	101.64	3	Horizontal	284	1.78	-	36.32	5.70	33.16
RMS	6.719G	99.79	Inf	-Inf	90.96	3	Horizontal	284	1.78	-	36.28	5.70	33.15
PK	7.129G	62.61	88.20	-25.59	53.16	3	Horizontal	284	1.78	-	36.93	5.96	33.44
RMS	7.135G	52.48	68.20	-15.72	42.98	3	Horizontal	284	1.78	-	36.98	5.97	33.45

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41274G	57.49	88.20	-30.71	43.29	3	Vertical	95	1.64	-	40.20	8.72	34.72
RMS	13.41G	46.35	68.20	-21.85	32.15	3	Vertical	95	1.64	-	40.20	8.72	34.72

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40772G	57.54	88.20	-30.66	43.34	3	Horizontal	187	1.19	-	40.20	8.72	34.72
RMS	13.40534G	46.79	68.20	-21.41	32.59	3	Horizontal	187	1.19	-	40.20	8.72	34.72

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1151G	49.75	83.54	-33.79	46.46	1	Vertical	56	1.55	-	37.49	15.55	49.75
AV	20.11598G	38.58	63.54	-24.96	35.29	1	Vertical	56	1.55	-	37.49	15.55	49.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1121G	48.42	83.54	-35.12	45.12	1	Horizontal	326	1.56	-	37.49	15.55	49.74
AV	20.1154G	38.15	63.54	-25.39	34.86	1	Horizontal	326	1.56	-	37.49	15.55	49.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.776G	101.76	Inf	-Inf	92.89	3	Vertical	119	1.17	-	36.35	5.70	33.18
RMS	6.7742G	90.46	Inf	-Inf	81.59	3	Vertical	119	1.17	-	36.35	5.70	33.18
PK	7.145G	62.88	88.20	-25.32	53.31	3	Vertical	119	1.17	-	37.06	5.97	33.46
RMS	7.1846G	52.62	68.20	-15.58	42.90	3	Vertical	119	1.17	-	37.24	5.99	33.51

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7742G	110.76	Inf	-Inf	101.89	3	Horizontal	285	1.74	-	36.35	5.70	33.18
RMS	6.7742G	99.42	Inf	-Inf	90.55	3	Horizontal	285	1.74	-	36.35	5.70	33.18
PK	7.1252G	63.28	88.20	-24.92	53.86	3	Horizontal	285	1.74	-	36.90	5.96	33.44
RMS	7.1396G	53.05	68.20	-15.15	43.52	3	Horizontal	285	1.74	-	37.02	5.97	33.46

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57318G	56.60	88.20	-31.60	42.46	3	Vertical	344	2.18	-	40.20	8.69	34.75
RMS	13.56904G	46.15	68.20	-22.05	32.01	3	Vertical	344	2.18	-	40.20	8.69	34.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5658G	57.34	88.20	-30.86	43.20	3	Horizontal	20	1.89	-	40.20	8.69	34.75
RMS	13.5712G	45.90	68.20	-22.30	31.76	3	Horizontal	20	1.89	-	40.20	8.69	34.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35662G	48.37	83.54	-35.17	44.91	1	Vertical	227	1.58	-	37.64	15.66	49.84
AV	20.35752G	37.29	63.54	-26.25	33.83	1	Vertical	227	1.58	-	37.64	15.66	49.84

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35674G	48.60	83.54	-34.94	45.14	1	Horizontal	23	1.56	-	37.64	15.66	49.84
AV	20.35646G	37.42	63.54	-26.12	33.96	1	Horizontal	23	1.56	-	37.64	15.66	49.84

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	102.24	Inf	-Inf	93.11	3	Vertical	15	1.00	-	36.59	5.75	33.21
RMS	6.8594G	91.17	Inf	-Inf	82.07	3	Vertical	15	1.00	-	36.56	5.76	33.22
PK	7.138G	62.95	88.20	-25.25	53.44	3	Vertical	15	1.00	-	37.00	5.97	33.46
RMS	7.1842G	52.55	68.20	-15.65	42.83	3	Vertical	15	1.00	-	37.24	5.99	33.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
Setting 73
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8748G	109.40	Inf	-Inf	100.36	3	Horizontal	286	1.68	-	36.50	5.77	33.23
RMS	6.9014G	98.57	Inf	-Inf	89.60	3	Horizontal	286	1.68	-	36.41	5.80	33.24
PK	7.1282G	63.81	88.20	-24.39	54.36	3	Horizontal	286	1.68	-	36.93	5.96	33.44
RMS	7.1366G	53.82	68.20	-14.38	44.31	3	Horizontal	286	1.68	-	36.99	5.97	33.45

802.11ax HEW80_Nss2,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
 Setting 73
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73252G	59.25	88.20	-28.95	44.99	3	Vertical	342	1.97	-	40.43	8.65	34.82
RMS	13.73262G	48.13	68.20	-20.07	33.87	3	Vertical	342	1.97	-	40.43	8.65	34.82

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7261G	59.37	88.20	-28.83	45.10	3	Horizontal	287	1.93	-	40.43	8.65	34.81
RMS	13.73022G	48.09	68.20	-20.11	33.83	3	Horizontal	287	1.93	-	40.43	8.65	34.82

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59216G	49.36	83.54	-34.18	45.64	1	Vertical	313	1.53	-	37.81	15.77	49.86
AV	20.59322G	37.77	63.54	-25.77	34.05	1	Vertical	313	1.53	-	37.81	15.77	49.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59598G	48.80	83.54	-34.74	45.07	1	Horizontal	170	1.54	-	37.82	15.77	49.86
AV	20.59244G	38.01	63.54	-25.53	34.29	1	Horizontal	170	1.54	-	37.81	15.77	49.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUTX_2TX
Setting 69
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	100.34	Inf	-Inf	91.20	3	Vertical	273	2.14	-	36.57	5.82	33.25
RMS	6.9522G	89.80	Inf	-Inf	80.43	3	Vertical	273	2.14	-	36.79	5.85	33.27
PK	7.1922G	62.84	88.20	-25.36	53.09	3	Vertical	273	2.14	-	37.27	6.00	33.52
RMS	7.2162G	52.57	68.20	-15.63	42.78	3	Vertical	273	2.14	-	37.33	6.01	33.55

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	109.13	Inf	-Inf	99.92	3	Horizontal	287	1.73	-	36.63	5.83	33.25
RMS	6.963G	98.39	Inf	-Inf	89.05	3	Horizontal	287	1.73	-	36.75	5.86	33.27
PK	7.1982G	64.18	88.20	-24.02	54.42	3	Horizontal	287	1.73	-	37.29	6.00	33.53
RMS	7.1358G	53.63	68.20	-14.57	44.12	3	Horizontal	287	1.73	-	36.99	5.97	33.45

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89382G	59.86	88.20	-28.34	45.54	3	Vertical	55	2.96	-	40.59	8.62	34.89
RMS	13.89086G	49.48	68.20	-18.72	35.15	3	Vertical	55	2.96	-	40.59	8.62	34.88

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8878G	59.61	88.20	-28.59	45.28	3	Horizontal	198	1.10	-	40.59	8.62	34.88
RMS	13.89268G	49.08	68.20	-19.12	34.75	3	Horizontal	198	1.10	-	40.59	8.62	34.88

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8374G	48.96	83.54	-34.58	44.99	1	Vertical	306	1.51	-	37.86	15.88	49.77
AV	20.83822G	37.71	63.54	-25.83	33.73	1	Vertical	306	1.51	-	37.86	15.88	49.76

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83192G	49.08	83.54	-34.46	45.11	1	Horizontal	303	1.57	-	37.87	15.87	49.77
AV	20.83484G	38.17	63.54	-25.37	34.20	1	Horizontal	303	1.57	-	37.86	15.88	49.77

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0346G	102.80	Inf	-Inf	93.47	3	Vertical	23	2.59	-	36.74	5.92	33.33
RMS	7.0378G	91.40	Inf	-Inf	82.07	3	Vertical	23	2.59	-	36.75	5.92	33.34
PK	7.1258G	62.47	88.20	-25.73	53.04	3	Vertical	23	2.59	-	36.91	5.96	33.44
RMS	7.1266G	52.56	68.20	-15.64	43.13	3	Vertical	23	2.59	-	36.91	5.96	33.44

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0394G	109.34	Inf	-Inf	100.00	3	Horizontal	284	1.76	-	36.76	5.92	33.34
RMS	7.0538G	98.86	Inf	-Inf	89.49	3	Horizontal	284	1.76	-	36.79	5.93	33.35
PK	7.125G	68.03	88.20	-20.17	58.61	3	Horizontal	284	1.76	-	36.90	5.96	33.44
RMS	7.125G	56.39	68.20	-11.81	46.97	3	Horizontal	284	1.76	-	36.90	5.96	33.44

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0497G	59.22	88.20	-28.98	44.63	3	Vertical	18	1.22	-	40.90	8.61	34.92
RMS	14.04996G	48.37	68.20	-19.83	33.78	3	Vertical	18	1.22	-	40.90	8.61	34.92

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0472G	59.09	88.20	-29.11	44.50	3	Horizontal	296	2.97	-	40.90	8.61	34.92
RMS	14.04618G	48.34	68.20	-19.86	33.75	3	Horizontal	296	2.97	-	40.90	8.61	34.92

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07346G	48.41	83.54	-35.13	44.52	1	Vertical	14	1.58	-	37.60	15.98	49.69
AV	21.07508G	37.35	63.54	-26.19	33.45	1	Vertical	14	1.58	-	37.60	15.98	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07436G	48.35	83.54	-35.19	44.46	1	Horizontal	53	1.51	-	37.60	15.98	49.69
AV	21.07902G	37.48	63.54	-26.06	33.57	1	Horizontal	53	1.51	-	37.60	15.99	49.68

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 83
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	77.72	88.20	-10.48	70.71	3	Vertical	320	2.40	-	35.00	5.36	33.35
RMS	5.917G	59.28	68.20	-8.92	52.27	3	Vertical	320	2.40	-	35.00	5.36	33.35
PK	6.049G	99.18	Inf	-Inf	91.68	3	Vertical	320	2.40	-	35.40	5.45	33.35
RMS	6.051G	88.85	Inf	-Inf	81.35	3	Vertical	320	2.40	-	35.40	5.45	33.35

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 83
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	86.16	88.20	-2.04	79.14	3	Horizontal	312	2.70	-	35.01	5.36	33.35
RMS	5.919G	67.85	68.20	-0.35	60.83	3	Horizontal	312	2.70	-	35.01	5.36	33.35
PK	6.089G	108.39	Inf	-Inf	100.74	3	Horizontal	312	2.70	-	35.48	5.49	33.32
RMS	6.047G	98.68	Inf	-Inf	91.18	3	Horizontal	312	2.70	-	35.40	5.45	33.35

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05462G	56.48	74.00	-17.52	43.52	3	Vertical	291	2.68	-	38.90	8.99	34.93
AV	12.04836G	45.20	54.00	-8.80	32.25	3	Vertical	291	2.68	-	38.90	8.99	34.94

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04952G	56.23	74.00	-17.77	43.28	3	Horizontal	148	1.57	-	38.90	8.99	34.94
AV	12.0478G	45.43	54.00	-8.57	32.48	3	Horizontal	148	1.57	-	38.90	8.99	34.94

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07254G	47.79	83.54	-35.75	45.69	1	Vertical	197	1.57	-	37.64	14.73	50.27
AV	18.07258G	36.16	63.54	-27.38	34.06	1	Vertical	197	1.57	-	37.64	14.73	50.27

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07688G	46.99	83.54	-36.55	44.89	1	Horizontal	250	1.56	-	37.64	14.73	50.27
AV	18.07962G	36.34	63.54	-27.20	34.24	1	Horizontal	250	1.56	-	37.64	14.73	50.27

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 82
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	60.49	88.20	-27.71	53.48	3	Vertical	117	1.00	-	35.00	5.36	33.35
RMS	5.9042G	50.41	68.20	-17.79	43.47	3	Vertical	117	1.00	-	34.93	5.35	33.34
PK	6.2114G	102.67	Inf	-Inf	94.67	3	Vertical	117	1.00	-	35.63	5.61	33.24
RMS	6.1994G	92.23	Inf	-Inf	84.17	3	Vertical	117	1.00	-	35.70	5.60	33.24

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 82
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	65.62	88.20	-22.58	58.56	3	Horizontal	287	1.73	-	35.05	5.36	33.35
RMS	5.925G	56.45	68.20	-11.75	49.39	3	Horizontal	287	1.73	-	35.05	5.36	33.35
PK	6.209G	108.36	Inf	-Inf	100.35	3	Horizontal	287	1.73	-	35.65	5.60	33.24
RMS	6.1538G	97.57	Inf	-Inf	89.88	3	Horizontal	287	1.73	-	35.42	5.55	33.28

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37258G	56.03	74.00	-17.97	43.02	3	Vertical	56	1.55	-	38.92	8.93	34.84
AV	12.37152G	44.71	54.00	-9.29	31.71	3	Vertical	56	1.55	-	38.91	8.93	34.84

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36566G	55.98	74.00	-18.02	42.99	3	Horizontal	242	2.69	-	38.90	8.93	34.84
AV	12.37424G	44.91	54.00	-9.09	31.90	3	Horizontal	242	2.69	-	38.92	8.93	34.84

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55848G	47.92	83.54	-35.62	45.26	1	Vertical	57	1.54	-	37.78	14.92	50.04
AV	18.55728G	37.26	63.54	-26.28	34.60	1	Vertical	57	1.54	-	37.78	14.92	50.04

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 82
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5526G	47.76	83.54	-35.78	45.11	1	Horizontal	215	1.50	-	37.78	14.92	50.05
AV	18.55932G	37.19	63.54	-26.35	34.53	1	Horizontal	215	1.50	-	37.78	14.92	50.04

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 79
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.904G	59.93	88.20	-28.27	53.00	3	Vertical	107	1.00	-	34.92	5.35	33.34
RMS	5.898G	49.16	68.20	-19.04	42.25	3	Vertical	107	1.00	-	34.90	5.35	33.34
PK	6.282G	101.89	Inf	-Inf	93.91	3	Vertical	107	1.00	-	35.53	5.64	33.19
RMS	6.369G	91.84	Inf	-Inf	83.65	3	Vertical	107	1.00	-	35.64	5.68	33.13

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 79
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	59.54	88.20	-28.66	52.52	3	Horizontal	309	2.61	-	35.01	5.36	33.35
RMS	5.925G	49.92	68.20	-18.28	42.86	3	Horizontal	309	2.61	-	35.05	5.36	33.35
PK	6.375G	108.03	Inf	-Inf	99.81	3	Horizontal	309	2.61	-	35.65	5.69	33.12
RMS	6.375G	97.77	Inf	-Inf	89.55	3	Horizontal	309	2.61	-	35.65	5.69	33.12

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69072G	56.37	74.00	-17.63	43.01	3	Vertical	6	1.21	-	39.26	8.86	34.76
AV	12.69386G	46.00	54.00	-8.00	32.62	3	Vertical	6	1.21	-	39.28	8.86	34.76

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68964G	56.67	74.00	-17.33	43.31	3	Horizontal	226	2.48	-	39.26	8.86	34.76
AV	12.69076G	45.64	54.00	-8.36	32.28	3	Horizontal	226	2.48	-	39.26	8.86	34.76

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0394G	48.81	83.54	-34.73	45.35	1	Vertical	246	1.55	-	37.95	15.12	49.61
AV	19.0354G	38.22	63.54	-25.32	34.76	1	Vertical	246	1.55	-	37.96	15.11	49.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03854G	48.53	83.54	-35.01	45.07	1	Horizontal	40	1.58	-	37.95	15.12	49.61
AV	19.03064G	38.13	63.54	-25.41	34.67	1	Horizontal	40	1.58	-	37.96	15.11	49.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 86
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	58.93	88.20	-29.27	51.93	3	Vertical	114	1.03	-	34.99	5.36	33.35
RMS	5.8974G	49.82	68.20	-18.38	42.92	3	Vertical	114	1.03	-	34.89	5.35	33.34
PK	6.5246G	103.71	Inf	-Inf	95.16	3	Vertical	114	1.03	-	35.90	5.70	33.05
RMS	6.491G	92.12	Inf	-Inf	83.71	3	Vertical	114	1.03	-	35.76	5.70	33.05
PK	7.1266G	62.18	88.20	-26.02	52.75	3	Vertical	114	1.03	-	36.91	5.96	33.44
RMS	7.1434G	52.84	68.20	-15.36	43.28	3	Vertical	114	1.03	-	37.05	5.97	33.46

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom








EUT_X_2TX
Setting 86
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	60.29	88.20	-27.91	53.26	3	Horizontal	287	1.73	-	35.02	5.36	33.35
RMS	5.9226G	49.38	68.20	-18.82	42.33	3	Horizontal	287	1.73	-	35.04	5.36	33.35
PK	6.4406G	108.95	Inf	-Inf	100.71	3	Horizontal	287	1.73	-	35.62	5.70	33.08
RMS	6.4882G	98.60	Inf	-Inf	90.20	3	Horizontal	287	1.73	-	35.75	5.70	33.05
PK	7.1714G	63.16	88.20	-25.04	53.48	3	Horizontal	287	1.73	-	37.19	5.99	33.50
RMS	7.135G	52.52	68.20	-15.68	43.02	3	Horizontal	287	1.73	-	36.98	5.97	33.45

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT_X_2TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00686G	56.97	88.20	-31.23	43.17	3	Vertical	358	1.44	-	39.70	8.80	34.70
RMS	13.00548G	46.19	68.20	-22.01	32.39	3	Vertical	358	1.44	-	39.70	8.80	34.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00868G	56.73	88.20	-31.47	42.93	3	Horizontal	227	2.62	-	39.70	8.80	34.70
RMS	13.00624G	46.09	68.20	-22.11	32.29	3	Horizontal	227	2.62	-	39.70	8.80	34.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz_TnomVnom




EUT_X_2TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5134G	49.10	83.54	-34.44	45.60	1	Vertical	110	1.50	-	37.89	15.31	49.70
AV	19.51378G	39.07	63.54	-24.47	35.57	1	Vertical	110	1.50	-	37.89	15.31	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz_TnomVnom




EUT_X_2TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51914G	49.19	83.54	-34.35	45.69	1	Horizontal	281	1.56	-	37.89	15.31	49.70
AV	19.51378G	38.39	63.54	-25.15	34.89	1	Horizontal	281	1.56	-	37.89	15.31	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 85
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6254G	103.06	Inf	-Inf	94.31	3	Vertical	108	1.19	-	36.15	5.70	33.10
RMS	6.6386G	92.37	Inf	-Inf	83.60	3	Vertical	108	1.19	-	36.18	5.70	33.11
PK	7.1512G	63.21	88.20	-24.99	53.60	3	Vertical	108	1.19	-	37.10	5.98	33.47
RMS	7.1336G	52.61	68.20	-15.59	43.12	3	Vertical	108	1.19	-	36.97	5.97	33.45

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUTX_2TX
Setting 85
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	110.55	Inf	-Inf	101.78	3	Horizontal	288	1.87	-	36.18	5.70	33.11
RMS	6.6892G	99.81	Inf	-Inf	91.04	3	Horizontal	288	1.87	-	36.20	5.70	33.13
PK	7.127G	67.17	88.20	-21.03	57.73	3	Horizontal	288	1.87	-	36.92	5.96	33.44
RMS	7.127G	56.62	68.20	-11.58	47.18	3	Horizontal	288	1.87	-	36.92	5.96	33.44

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33002G	57.92	74.00	-16.08	43.84	3	Vertical	305	2.03	-	40.06	8.73	34.71
AV	13.32932G	46.76	54.00	-7.24	32.68	3	Vertical	305	2.03	-	40.06	8.73	34.71

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32778G	58.39	74.00	-15.61	44.31	3	Horizontal	53	2.26	-	40.06	8.73	34.71
AV	13.32932G	46.92	54.00	-7.08	32.84	3	Horizontal	53	2.26	-	40.06	8.73	34.71

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99584G	47.40	83.54	-36.14	44.19	1	Vertical	198	1.55	-	37.41	15.50	49.70
AV	19.99626G	36.07	63.54	-27.47	32.86	1	Vertical	198	1.55	-	37.41	15.50	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99428G	47.85	83.54	-35.69	44.64	1	Horizontal	249	1.57	-	37.41	15.50	49.70
AV	19.99142G	36.16	63.54	-27.38	32.95	1	Horizontal	249	1.57	-	37.41	15.50	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8502G	100.45	Inf	-Inf	91.32	3	Vertical	106	1.93	-	36.60	5.75	33.22
RMS	6.8214G	89.19	Inf	-Inf	80.24	3	Vertical	106	1.93	-	36.43	5.72	33.20
PK	7.131G	58.49	88.20	-29.71	49.02	3	Vertical	106	1.93	-	36.95	5.97	33.45
RMS	7.131G	47.86	68.20	-20.34	38.39	3	Vertical	106	1.93	-	36.95	5.97	33.45
PK	7.25G	53.38	74.00	-20.62	43.54	3	Vertical	106	1.93	-	37.40	6.03	33.59
RMS	7.2606G	43.57	54.00	-10.43	33.72	3	Vertical	106	1.93	-	37.42	6.03	33.60

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8502G	109.23	Inf	-Inf	100.10	3	Horizontal	284	1.70	-	36.60	5.75	33.22
RMS	6.7926G	98.53	Inf	-Inf	89.71	3	Horizontal	284	1.70	-	36.31	5.70	33.19
PK	7.1274G	73.03	88.20	-15.17	63.59	3	Horizontal	284	1.70	-	36.92	5.96	33.44
RMS	7.131G	60.65	68.20	-7.55	51.18	3	Horizontal	284	1.70	-	36.95	5.97	33.45
PK	7.2714G	64.26	74.00	-9.74	54.40	3	Horizontal	284	1.70	-	37.44	6.04	33.62
RMS	7.2642G	51.39	54.00	-2.61	41.54	3	Horizontal	284	1.70	-	37.43	6.03	33.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64854G	58.93	88.20	-29.27	44.74	3	Vertical	165	2.24	-	40.30	8.67	34.78
RMS	13.64606G	47.75	68.20	-20.45	33.57	3	Vertical	165	2.24	-	40.29	8.67	34.78

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT_X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64984G	58.15	88.20	-30.05	43.96	3	Horizontal	17	1.79	-	40.30	8.67	34.78
RMS	13.64662G	47.78	68.20	-20.42	33.60	3	Horizontal	17	1.79	-	40.29	8.67	34.78

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz_TnomVnom




EUT_X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47244G	48.51	83.54	-35.03	45.00	1	Vertical	92	1.56	-	37.69	15.71	49.89
AV	20.47802G	37.84	63.54	-25.70	34.32	1	Vertical	92	1.56	-	37.69	15.72	49.89

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz_TnomVnom




EUT X_2TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47292G	48.69	83.54	-34.85	45.18	1	Horizontal	142	1.51	-	37.69	15.71	49.89
AV	20.47766G	38.19	63.54	-25.35	34.68	1	Horizontal	142	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 73
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	100.40	Inf	-Inf	91.15	3	Vertical	26	2.52	-	36.65	5.91	33.31
RMS	6.997G	90.19	Inf	-Inf	80.97	3	Vertical	26	2.52	-	36.61	5.90	33.29
PK	7.141G	76.76	88.20	-11.44	67.22	3	Vertical	26	2.52	-	37.03	5.97	33.46
RMS	7.129G	59.54	68.20	-8.66	50.09	3	Vertical	26	2.52	-	36.93	5.96	33.44
PK	7.281G	60.27	74.00	-13.73	50.40	3	Vertical	26	2.52	-	37.46	6.04	33.63
RMS	7.261G	46.95	54.00	-7.05	37.10	3	Vertical	26	2.52	-	37.42	6.03	33.60

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 73
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.045G	106.91	Inf	-Inf	97.55	3	Horizontal	285	1.75	-	36.78	5.92	33.34
RMS	7.049G	96.48	Inf	-Inf	87.11	3	Horizontal	285	1.75	-	36.80	5.92	33.35
PK	7.141G	86.00	88.20	-2.20	76.46	3	Horizontal	285	1.75	-	37.03	5.97	33.46
RMS	7.133G	67.62	68.20	-0.58	58.14	3	Horizontal	285	1.75	-	36.96	5.97	33.45
PK	7.281G	67.33	74.00	-6.67	57.46	3	Horizontal	285	1.75	-	37.46	6.04	33.63
RMS	7.261G	52.67	54.00	-1.33	42.82	3	Horizontal	285	1.75	-	37.42	6.03	33.60

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96992G	59.89	88.20	-28.31	45.39	3	Vertical	226	1.14	-	40.81	8.61	34.92
RMS	13.9658G	49.48	68.20	-18.72	34.99	3	Vertical	226	1.14	-	40.80	8.61	34.92

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96596G	59.62	88.20	-28.58	45.13	3	Horizontal	90	1.60	-	40.80	8.61	34.92
RMS	13.9687G	49.01	68.20	-19.19	34.51	3	Horizontal	90	1.60	-	40.81	8.61	34.92

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95548G	49.12	83.54	-34.42	45.24	1	Vertical	247	1.57	-	37.67	15.93	49.72
AV	20.95812G	37.57	63.54	-25.97	33.69	1	Vertical	247	1.57	-	37.67	15.93	49.72

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom



EUT X_2TX
Setting 73
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95268G	49.05	83.54	-34.49	45.16	1	Horizontal	353	1.55	-	37.68	15.93	49.72
AV	20.9585G	37.88	63.54	-25.66	34.00	1	Horizontal	353	1.55	-	37.67	15.93	49.72




For non beamforming mode / 4T1S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	RMS	5.9234G	63.13	68.20	-5.07	3	Horizontal	302	1.90	-

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 27
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	58.62	88.20	-29.58	51.61	3	Vertical	322	2.33	-	35.00	5.36	33.35
RMS	5.9236G	45.51	68.20	-22.69	38.46	3	Vertical	322	2.33	-	35.04	5.36	33.35
PK	5.9538G	98.97	Inf	-Inf	91.73	3	Vertical	322	2.33	-	35.22	5.38	33.36
RMS	5.9538G	85.85	Inf	-Inf	78.61	3	Vertical	322	2.33	-	35.22	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 27
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	58.65	88.20	-29.55	51.62	3	Horizontal	302	1.87	-	35.02	5.36	33.35
RMS	5.9236G	46.66	68.20	-21.54	39.61	3	Horizontal	302	1.87	-	35.04	5.36	33.35
PK	5.9538G	108.47	Inf	-Inf	101.23	3	Horizontal	302	1.87	-	35.22	5.38	33.36
RMS	5.9486G	94.71	Inf	-Inf	87.51	3	Horizontal	302	1.87	-	35.19	5.37	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91386G	56.24	74.00	-17.76	43.06	3	Vertical	281	2.90	-	39.16	8.94	34.92
AV	11.91494G	42.07	54.00	-11.93	28.89	3	Vertical	281	2.90	-	39.16	8.94	34.92
PK	17.8649G	61.41	74.00	-12.59	44.52	3	Vertical	298	1.60	-	41.89	9.75	34.75
AV	17.8699G	47.52	54.00	-6.48	30.61	3	Vertical	298	1.60	-	41.91	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91472G	56.15	74.00	-17.85	42.97	3	Horizontal	153	1.98	-	39.16	8.94	34.92
AV	11.91484G	41.99	54.00	-12.01	28.81	3	Horizontal	153	1.98	-	39.16	8.94	34.92
PK	17.8682G	61.67	74.00	-12.33	44.77	3	Horizontal	78	2.25	-	41.90	9.75	34.75
AV	17.86984G	47.54	54.00	-6.46	30.63	3	Horizontal	78	2.25	-	41.91	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7522G	59.64	88.20	-28.56	53.22	3	Vertical	31	2.91	-	34.40	5.30	33.28
RMS	5.9202G	46.20	68.20	-22.00	39.17	3	Vertical	31	2.91	-	35.02	5.36	33.35
PK	6.1806G	98.65	Inf	-Inf	90.75	3	Vertical	31	2.91	-	35.58	5.58	33.26
RMS	6.1806G	88.39	Inf	-Inf	80.49	3	Vertical	31	2.91	-	35.58	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	58.99	88.20	-29.21	52.17	3	Horizontal	308	1.80	-	34.81	5.33	33.32
RMS	5.9202G	46.25	68.20	-21.95	39.22	3	Horizontal	308	1.80	-	35.02	5.36	33.35
PK	6.175G	107.19	Inf	-Inf	99.33	3	Horizontal	308	1.80	-	35.55	5.57	33.26
RMS	6.1694G	96.02	Inf	-Inf	88.19	3	Horizontal	308	1.80	-	35.52	5.57	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35286G	56.50	74.00	-17.50	43.55	3	Vertical	353	1.46	-	38.86	8.93	34.84
AV	12.3452G	42.13	54.00	-11.87	29.21	3	Vertical	353	1.46	-	38.84	8.93	34.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34814G	56.44	74.00	-17.56	43.52	3	Horizontal	146	2.78	-	38.84	8.93	34.85
AV	12.34566G	42.13	54.00	-11.87	29.21	3	Horizontal	146	2.78	-	38.84	8.93	34.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52986G	48.86	83.54	-34.68	46.23	1	Vertical	272	1.56	-	37.79	14.91	50.07
AV	18.52024G	34.44	63.54	-29.10	31.82	1	Vertical	272	1.56	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52644G	49.07	83.54	-34.47	46.44	1	Horizontal	37	1.53	-	37.79	14.91	50.07
AV	18.5204G	34.54	63.54	-29.00	31.92	1	Horizontal	37	1.53	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	58.97	88.20	-29.23	52.07	3	Vertical	113	1.00	-	34.89	5.35	33.34
RMS	5.911G	46.25	68.20	-21.95	39.26	3	Vertical	113	1.00	-	34.97	5.36	33.34
PK	6.4122G	99.22	Inf	-Inf	90.94	3	Vertical	113	1.00	-	35.68	5.70	33.10
RMS	6.4178G	89.05	Inf	-Inf	80.79	3	Vertical	113	1.00	-	35.66	5.70	33.10

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8718G	60.16	88.20	-28.04	53.31	3	Horizontal	298	1.80	-	34.84	5.34	33.33
RMS	5.925G	46.28	68.20	-21.92	39.22	3	Horizontal	298	1.80	-	35.05	5.36	33.35
PK	6.4206G	108.78	Inf	-Inf	100.51	3	Horizontal	298	1.80	-	35.66	5.70	33.09
RMS	6.4094G	96.61	Inf	-Inf	88.33	3	Horizontal	298	1.80	-	35.68	5.70	33.10

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82748G	57.35	88.20	-30.85	43.82	3	Vertical	205	2.99	-	39.43	8.83	34.73
RMS	12.82778G	42.97	68.20	-25.23	29.44	3	Vertical	205	2.99	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82968G	57.15	88.20	-31.05	43.62	3	Horizontal	32	1.85	-	39.43	8.83	34.73
RMS	12.82508G	42.94	68.20	-25.26	29.41	3	Horizontal	32	1.85	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24678G	48.25	83.54	-35.29	45.00	1	Vertical	121	1.56	-	37.70	15.20	49.65
AV	19.24068G	34.46	63.54	-29.08	31.20	1	Vertical	121	1.56	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24786G	48.19	83.54	-35.35	44.94	1	Horizontal	300	1.53	-	37.70	15.20	49.65
AV	19.24398G	34.41	63.54	-29.13	31.15	1	Horizontal	300	1.53	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.827G	58.66	88.20	-29.54	52.00	3	Vertical	102	1.00	-	34.66	5.31	33.31
RMS	5.925G	46.38	68.20	-21.82	39.32	3	Vertical	102	1.00	-	35.05	5.36	33.35
PK	6.4446G	98.89	Inf	-Inf	90.66	3	Vertical	102	1.00	-	35.61	5.70	33.08
RMS	6.4286G	88.57	Inf	-Inf	80.32	3	Vertical	102	1.00	-	35.64	5.70	33.09
PK	7.1262G	61.59	88.20	-26.61	52.16	3	Vertical	102	1.00	-	36.91	5.96	33.44
RMS	7.1454G	49.37	68.20	-18.83	39.80	3	Vertical	102	1.00	-	37.06	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	59.06	88.20	-29.14	52.23	3	Horizontal	301	1.80	-	34.82	5.33	33.32
RMS	5.923G	46.38	68.20	-21.82	39.33	3	Horizontal	301	1.80	-	35.04	5.36	33.35
PK	6.4286G	107.57	Inf	-Inf	99.32	3	Horizontal	301	1.80	-	35.64	5.70	33.09
RMS	6.4286G	97.16	Inf	-Inf	88.91	3	Horizontal	301	1.80	-	35.64	5.70	33.09
PK	7.1326G	61.67	88.20	-26.53	52.19	3	Horizontal	301	1.80	-	36.96	5.97	33.45
RMS	7.1262G	49.38	68.20	-18.82	39.95	3	Horizontal	301	1.80	-	36.91	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86548G	56.78	88.20	-31.42	43.21	3	Vertical	267	1.32	-	39.47	8.83	34.73
RMS	12.87386G	43.01	68.20	-25.19	29.44	3	Vertical	267	1.32	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87044G	56.98	88.20	-31.22	43.41	3	Horizontal	267	1.98	-	39.47	8.83	34.73
RMS	12.87316G	42.97	68.20	-25.23	29.40	3	Horizontal	267	1.98	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30298G	48.28	83.54	-35.26	44.98	1	Vertical	325	1.52	-	37.74	15.22	49.66
AV	19.30856G	35.04	63.54	-28.50	31.73	1	Vertical	325	1.52	-	37.75	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30098G	48.32	83.54	-35.22	45.02	1	Horizontal	270	1.51	-	37.74	15.22	49.66
AV	19.30944G	34.86	63.54	-28.68	31.55	1	Horizontal	270	1.51	-	37.75	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	58.85	88.20	-29.35	52.03	3	Vertical	106	2.77	-	34.81	5.33	33.32
RMS	5.869G	46.31	68.20	-21.89	39.47	3	Vertical	106	2.77	-	34.84	5.33	33.33
PK	6.475G	99.65	Inf	-Inf	91.31	3	Vertical	106	2.77	-	35.70	5.70	33.06
RMS	6.478G	89.30	Inf	-Inf	80.94	3	Vertical	106	2.77	-	35.71	5.70	33.05
PK	7.15G	61.52	88.20	-26.68	51.92	3	Vertical	106	2.77	-	37.10	5.97	33.47
RMS	7.213G	49.26	68.20	-18.94	39.47	3	Vertical	106	2.77	-	37.33	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.806G	58.81	88.20	-29.39	52.27	3	Horizontal	300	1.80	-	34.54	5.30	33.30
RMS	5.923G	46.40	68.20	-21.80	39.35	3	Horizontal	300	1.80	-	35.04	5.36	33.35
PK	6.481G	108.25	Inf	-Inf	99.88	3	Horizontal	300	1.80	-	35.72	5.70	33.05
RMS	6.469G	97.35	Inf	-Inf	89.03	3	Horizontal	300	1.80	-	35.68	5.70	33.06
PK	7.126G	61.66	88.20	-26.54	52.23	3	Horizontal	300	1.80	-	36.91	5.96	33.44
RMS	7.207G	49.33	68.20	-18.87	39.56	3	Horizontal	300	1.80	-	37.31	6.00	33.54

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94554G	57.37	88.20	-30.83	43.68	3	Vertical	106	1.52	-	39.59	8.81	34.71
RMS	12.94808G	43.36	68.20	-24.84	29.66	3	Vertical	106	1.52	-	39.60	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95224G	57.16	88.20	-31.04	43.46	3	Horizontal	171	1.89	-	39.60	8.81	34.71
RMS	12.95054G	43.49	68.20	-24.71	29.79	3	Horizontal	171	1.89	-	39.60	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4214G	49.12	83.54	-34.42	45.69	1	Vertical	134	1.58	-	37.84	15.27	49.68
AV	19.42396G	35.49	63.54	-28.05	32.06	1	Vertical	134	1.58	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42422G	49.37	83.54	-34.17	45.94	1	Horizontal	339	1.55	-	37.84	15.27	49.68
AV	19.42692G	35.52	63.54	-28.02	32.10	1	Horizontal	339	1.55	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	58.67	88.20	-29.53	51.63	3	Vertical	334	2.93	-	35.03	5.36	33.35
RMS	5.8822G	46.30	68.20	-21.90	39.43	3	Vertical	334	2.93	-	34.86	5.34	33.33
PK	6.5066G	100.06	Inf	-Inf	91.57	3	Vertical	334	2.93	-	35.83	5.70	33.04
RMS	6.5122G	88.81	Inf	-Inf	80.31	3	Vertical	334	2.93	-	35.85	5.70	33.05
PK	7.1674G	63.50	88.20	-24.70	53.84	3	Vertical	334	2.93	-	37.17	5.98	33.49
RMS	7.1338G	49.26	68.20	-18.94	39.77	3	Vertical	334	2.93	-	36.97	5.97	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	58.48	88.20	-29.72	51.61	3	Horizontal	301	1.80	-	34.86	5.34	33.33
RMS	5.9186G	46.38	68.20	-21.82	39.36	3	Horizontal	301	1.80	-	35.01	5.36	33.35
PK	6.5094G	108.14	Inf	-Inf	99.64	3	Horizontal	301	1.80	-	35.84	5.70	33.04
RMS	6.5094G	96.04	Inf	-Inf	87.54	3	Horizontal	301	1.80	-	35.84	5.70	33.04
PK	7.1926G	61.06	88.20	-27.14	51.31	3	Horizontal	301	1.80	-	37.27	6.00	33.52
RMS	7.131G	49.32	68.20	-18.88	39.85	3	Horizontal	301	1.80	-	36.95	5.97	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0255G	57.67	88.20	-30.53	43.88	3	Vertical	262	2.87	-	39.70	8.79	34.70
RMS	13.03452G	43.24	68.20	-24.96	29.45	3	Vertical	262	2.87	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03444G	56.99	88.20	-31.21	43.20	3	Horizontal	356	1.34	-	39.70	8.79	34.70
RMS	13.03474G	43.31	68.20	-24.89	29.52	3	Horizontal	356	1.34	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54422G	48.90	83.54	-34.64	45.40	1	Vertical	297	1.50	-	37.88	15.32	49.70
AV	19.5415G	35.22	63.54	-28.32	31.72	1	Vertical	297	1.50	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54928G	48.14	83.54	-35.40	44.64	1	Horizontal	350	1.53	-	37.88	15.32	49.70
AV	19.5416G	35.38	63.54	-28.16	31.88	1	Horizontal	350	1.53	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	59.26	88.20	-28.94	52.24	3	Vertical	103	2.92	-	35.01	5.36	33.35
RMS	5.8938G	46.30	68.20	-21.90	39.40	3	Vertical	103	2.92	-	34.89	5.35	33.34
PK	6.5378G	99.94	Inf	-Inf	91.35	3	Vertical	103	2.92	-	35.95	5.70	33.06
RMS	6.535G	88.16	Inf	-Inf	79.58	3	Vertical	103	2.92	-	35.94	5.70	33.06
PK	7.2098G	61.55	88.20	-26.65	51.77	3	Vertical	103	2.92	-	37.32	6.00	33.54
RMS	7.2182G	49.22	68.20	-18.98	39.42	3	Vertical	103	2.92	-	37.34	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	58.84	88.20	-29.36	51.94	3	Horizontal	301	1.80	-	34.89	5.35	33.34
RMS	5.877G	46.36	68.20	-21.84	39.50	3	Horizontal	301	1.80	-	34.85	5.34	33.33
PK	6.5294G	106.40	Inf	-Inf	97.83	3	Horizontal	301	1.80	-	35.92	5.70	33.05
RMS	6.5294G	96.12	Inf	-Inf	87.55	3	Horizontal	301	1.80	-	35.92	5.70	33.05
PK	7.137G	62.01	88.20	-26.19	52.49	3	Horizontal	301	1.80	-	37.00	5.97	33.45
RMS	7.221G	49.32	68.20	-18.88	39.53	3	Horizontal	301	1.80	-	37.34	6.01	33.56

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06704G	58.11	88.20	-30.09	44.32	3	Vertical	167	1.40	-	39.70	8.79	34.70
RMS	13.07376G	43.35	68.20	-24.85	29.56	3	Vertical	167	1.40	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07034G	57.18	88.20	-31.02	43.39	3	Horizontal	15	1.52	-	39.70	8.79	34.70
RMS	13.07172G	43.24	68.20	-24.96	29.45	3	Horizontal	15	1.52	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60368G	49.79	83.54	-33.75	46.29	1	Vertical	214	1.56	-	37.86	15.34	49.70
AV	19.60148G	35.78	63.54	-27.76	32.28	1	Vertical	214	1.56	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60216G	49.70	83.54	-33.84	46.20	1	Horizontal	45	1.51	-	37.86	15.34	49.70
AV	19.607G	35.93	63.54	-27.61	32.43	1	Horizontal	45	1.51	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 33
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	101.06	Inf	-Inf	92.30	3	Vertical	335	3.00	-	36.20	5.70	33.14
RMS	6.7016G	90.16	Inf	-Inf	81.39	3	Vertical	335	3.00	-	36.21	5.70	33.14
PK	7.1372G	61.44	88.20	-26.76	51.92	3	Vertical	335	3.00	-	37.00	5.97	33.45
RMS	7.1394G	49.26	68.20	-18.94	39.73	3	Vertical	335	3.00	-	37.02	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 33
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	109.31	Inf	-Inf	100.55	3	Horizontal	304	1.85	-	36.20	5.70	33.14
RMS	6.6994G	96.61	Inf	-Inf	87.85	3	Horizontal	304	1.85	-	36.20	5.70	33.14
PK	7.1504G	61.96	88.20	-26.24	52.35	3	Horizontal	304	1.85	-	37.10	5.98	33.47
RMS	7.1394G	49.31	68.20	-18.89	39.78	3	Horizontal	304	1.85	-	37.02	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38822G	57.95	74.00	-16.05	43.77	3	Vertical	306	2.51	-	40.18	8.72	34.72
RMS	13.38676G	43.96	54.00	-10.04	29.79	3	Vertical	306	2.51	-	40.17	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38894G	57.61	74.00	-16.39	43.43	3	Horizontal	34	1.50	-	40.18	8.72	34.72
RMS	13.39306G	43.92	54.00	-10.08	29.73	3	Horizontal	34	1.50	-	40.19	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08324G	47.09	83.54	-36.45	43.81	1	Vertical	61	1.55	-	37.47	15.54	49.73
AV	20.08306G	33.84	63.54	-29.70	30.56	1	Vertical	61	1.55	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08962G	47.85	83.54	-35.69	44.58	1	Horizontal	199	1.54	-	37.47	15.54	49.74
AV	20.08586G	33.88	63.54	-29.66	30.60	1	Horizontal	199	1.54	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 33
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	101.61	Inf	-Inf	92.50	3	Vertical	105	2.59	-	36.57	5.76	33.22
RMS	6.8564G	89.40	Inf	-Inf	80.29	3	Vertical	105	2.59	-	36.57	5.76	33.22
PK	7.1266G	62.20	88.20	-26.00	52.77	3	Vertical	105	2.59	-	36.91	5.96	33.44
RMS	7.128G	49.27	68.20	-18.93	39.83	3	Vertical	105	2.59	-	36.92	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 33
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	108.05	Inf	-Inf	98.96	3	Horizontal	55	1.62	-	36.55	5.76	33.22
RMS	6.8578G	96.95	Inf	-Inf	87.84	3	Horizontal	55	1.62	-	36.57	5.76	33.22
PK	7.1252G	62.84	88.20	-25.36	53.42	3	Horizontal	55	1.62	-	36.90	5.96	33.44
RMS	7.135G	49.22	68.20	-18.98	39.72	3	Horizontal	55	1.62	-	36.98	5.97	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71044G	60.23	88.20	-27.97	45.97	3	Vertical	103	1.81	-	40.41	8.66	34.81
RMS	13.71246G	45.26	68.20	-22.94	31.00	3	Vertical	103	1.81	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7137G	59.02	88.20	-29.18	44.76	3	Horizontal	83	2.39	-	40.41	8.66	34.81
RMS	13.7119G	45.21	68.20	-22.99	30.95	3	Horizontal	83	2.39	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56668G	49.51	83.54	-34.03	45.84	1	Vertical	277	1.50	-	37.78	15.76	49.87
AV	20.56112G	35.84	63.54	-27.70	32.20	1	Vertical	277	1.50	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 33
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56564G	48.99	83.54	-34.55	45.33	1	Horizontal	162	1.56	-	37.78	15.75	49.87
AV	20.56122G	35.84	63.54	-27.70	32.20	1	Horizontal	162	1.56	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
Setting 32
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	90.57	Inf	-Inf	81.49	3	Vertical	103	2.58	-	36.53	5.77	33.22
RMS	6.8666G	81.35	Inf	-Inf	72.27	3	Vertical	103	2.58	-	36.53	5.77	33.22
PK	7.1606G	49.85	88.20	-38.35	40.21	3	Vertical	103	2.58	-	37.14	5.98	33.48
RMS	7.1282G	38.95	68.20	-29.25	29.50	3	Vertical	103	2.58	-	36.93	5.96	33.44


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 32
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	98.42	Inf	-Inf	89.34	3	Horizontal	58	1.72	-	36.53	5.77	33.22
RMS	6.8678G	88.66	Inf	-Inf	79.58	3	Horizontal	58	1.72	-	36.53	5.77	33.22
PK	7.1594G	49.56	88.20	-38.64	39.92	3	Horizontal	58	1.72	-	37.14	5.98	33.48
RMS	7.1294G	39.12	68.20	-29.08	29.67	3	Horizontal	58	1.72	-	36.94	5.96	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom








EUT X_4TX
 Setting 32
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75378G	60.18	88.20	-28.02	45.91	3	Vertical	287	1.62	-	40.45	8.65	34.83
RMS	13.7529G	45.72	68.20	-22.48	31.45	3	Vertical	287	1.62	-	40.45	8.65	34.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75244G	60.09	88.20	-28.11	45.82	3	Horizontal	236	2.52	-	40.45	8.65	34.83
RMS	13.75036G	45.71	68.20	-22.49	31.44	3	Horizontal	236	2.52	-	40.45	8.65	34.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62616G	48.72	83.54	-34.82	44.94	1	Vertical	308	1.57	-	37.85	15.78	49.85
AV	20.6248G	35.35	63.54	-28.19	31.57	1	Vertical	308	1.57	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62402G	49.63	83.54	-33.91	45.85	1	Horizontal	222	1.51	-	37.85	15.78	49.85
AV	20.62176G	35.32	63.54	-28.22	31.54	1	Horizontal	222	1.51	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 31
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8974G	99.86	Inf	-Inf	90.89	3	Vertical	103	2.57	-	36.41	5.80	33.24
RMS	6.9022G	89.88	Inf	-Inf	80.90	3	Vertical	103	2.57	-	36.42	5.80	33.24
PK	7.1914G	61.51	88.20	-26.69	51.76	3	Vertical	103	2.57	-	37.27	6.00	33.52
RMS	7.1266G	50.86	68.20	-17.34	41.43	3	Vertical	103	2.57	-	36.91	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 31
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8974G	107.88	Inf	-Inf	98.91	3	Horizontal	58	1.70	-	36.41	5.80	33.24
RMS	6.8926G	97.46	Inf	-Inf	88.48	3	Horizontal	58	1.70	-	36.43	5.79	33.24
PK	7.195G	62.34	88.20	-25.86	52.58	3	Horizontal	58	1.70	-	37.28	6.00	33.52
RMS	7.1386G	50.90	68.20	-17.30	41.38	3	Horizontal	58	1.70	-	37.01	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79398G	59.96	88.20	-28.24	45.67	3	Vertical	338	2.44	-	40.49	8.64	34.84
RMS	13.79386G	45.72	68.20	-22.48	31.43	3	Vertical	338	2.44	-	40.49	8.64	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79226G	59.86	88.20	-28.34	45.57	3	Horizontal	290	1.94	-	40.49	8.64	34.84
RMS	13.79394G	45.71	68.20	-22.49	31.42	3	Horizontal	290	1.94	-	40.49	8.64	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6869G	49.48	83.54	-34.06	45.58	1	Vertical	97	1.56	-	37.92	15.81	49.83
AV	20.68218G	35.30	63.54	-28.24	31.40	1	Vertical	97	1.56	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 31
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68112G	48.89	83.54	-34.65	44.99	1	Horizontal	321	1.58	-	37.92	15.81	49.83
AV	20.68232G	35.19	63.54	-28.35	31.29	1	Horizontal	321	1.58	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 23
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	100.81	Inf	-Inf	91.59	3	Vertical	327	2.98	-	36.61	5.90	33.29
RMS	7.003G	90.43	Inf	-Inf	81.21	3	Vertical	327	2.98	-	36.61	5.90	33.29
PK	7.151G	62.63	88.20	-25.57	53.02	3	Vertical	327	2.98	-	37.10	5.98	33.47
RMS	7.127G	50.97	68.20	-17.23	41.53	3	Vertical	327	2.98	-	36.92	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 23
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	107.91	Inf	-Inf	98.69	3	Horizontal	56	1.74	-	36.61	5.90	33.29
RMS	6.9926G	98.06	Inf	-Inf	88.83	3	Horizontal	56	1.74	-	36.63	5.89	33.29
PK	7.1742G	62.29	88.20	-25.91	52.60	3	Horizontal	56	1.74	-	37.20	5.99	33.50
RMS	7.1358G	51.01	68.20	-17.19	41.50	3	Horizontal	56	1.74	-	36.99	5.97	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98954G	60.22	88.20	-27.98	45.68	3	Vertical	123	1.54	-	40.87	8.60	34.93
RMS	13.98936G	45.56	68.20	-22.64	31.02	3	Vertical	123	1.54	-	40.87	8.60	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99212G	60.08	88.20	-28.12	45.53	3	Horizontal	13	2.92	-	40.88	8.60	34.93
RMS	13.9938G	45.55	68.20	-22.65	31.00	3	Horizontal	13	2.92	-	40.88	8.60	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98062G	47.94	83.54	-35.60	44.08	1	Vertical	214	1.58	-	37.63	15.94	49.71
AV	20.98216G	34.44	63.54	-29.10	30.58	1	Vertical	214	1.58	-	37.63	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98524G	48.30	83.54	-35.24	44.45	1	Horizontal	148	1.54	-	37.62	15.94	49.71
AV	20.9821G	34.42	63.54	-29.12	30.56	1	Horizontal	148	1.54	-	37.63	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 27
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.103G	99.71	Inf	-Inf	90.45	3	Vertical	23	1.71	-	36.72	5.95	33.41
RMS	7.0978G	89.56	Inf	-Inf	80.32	3	Vertical	23	1.71	-	36.70	5.95	33.41
PK	7.1266G	62.50	88.20	-25.70	53.07	3	Vertical	23	1.71	-	36.91	5.96	33.44
RMS	7.1262G	51.18	68.20	-17.02	41.75	3	Vertical	23	1.71	-	36.91	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 27
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0978G	109.25	Inf	-Inf	100.01	3	Horizontal	284	1.84	-	36.70	5.95	33.41
RMS	7.0978G	99.21	Inf	-Inf	89.97	3	Horizontal	284	1.84	-	36.70	5.95	33.41
PK	7.1518G	62.88	88.20	-25.32	53.26	3	Horizontal	284	1.84	-	37.11	5.98	33.47
RMS	7.1278G	51.82	68.20	-16.38	42.38	3	Horizontal	284	1.84	-	36.92	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1898G	58.71	88.20	-29.49	44.15	3	Vertical	101	2.53	-	40.81	8.65	34.90
RMS	14.18564G	44.72	68.20	-23.48	30.16	3	Vertical	101	2.53	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18576G	58.97	88.20	-29.23	44.41	3	Horizontal	289	2.74	-	40.81	8.65	34.90
RMS	14.18508G	44.70	68.20	-23.50	30.14	3	Horizontal	289	2.74	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2836G	50.51	83.54	-33.03	46.43	1	Vertical	253	1.52	-	37.64	16.08	49.64
AV	21.28798G	36.11	63.54	-27.43	32.02	1	Vertical	253	1.52	-	37.65	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28826G	50.42	83.54	-33.12	46.33	1	Horizontal	178	1.54	-	37.65	16.08	49.64
AV	21.288G	36.08	63.54	-27.46	31.99	1	Horizontal	178	1.54	-	37.65	16.08	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 38
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	63.20	88.20	-25.00	56.15	3	Vertical	320	2.34	-	35.04	5.36	33.35
RMS	5.9238G	50.75	68.20	-17.45	43.70	3	Vertical	320	2.34	-	35.04	5.36	33.35
PK	5.9586G	99.21	Inf	-Inf	91.96	3	Vertical	320	2.34	-	35.23	5.38	33.36
RMS	5.9586G	87.59	Inf	-Inf	80.34	3	Vertical	320	2.34	-	35.23	5.38	33.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 38
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	72.03	88.20	-16.17	64.98	3	Horizontal	301	1.85	-	35.04	5.36	33.35
RMS	5.9238G	58.11	68.20	-10.09	51.06	3	Horizontal	301	1.85	-	35.04	5.36	33.35
PK	5.9586G	107.07	Inf	-Inf	99.82	3	Horizontal	301	1.85	-	35.23	5.38	33.36
RMS	5.9686G	96.62	Inf	-Inf	89.34	3	Horizontal	301	1.85	-	35.27	5.38	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9292G	57.47	74.00	-16.53	44.33	3	Vertical	43	1.19	-	39.11	8.95	34.92
RMS	11.9324G	44.12	54.00	-9.88	30.99	3	Vertical	43	1.19	-	39.10	8.95	34.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92954G	56.18	74.00	-17.82	43.04	3	Horizontal	309	2.95	-	39.11	8.95	34.92
RMS	11.9271G	44.00	54.00	-10.00	30.85	3	Horizontal	309	2.95	-	39.12	8.95	34.92

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 38
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8806G	59.06	88.20	-29.14	52.19	3	Vertical	89	1.00	-	34.86	5.34	33.33
RMS	5.9226G	47.97	68.20	-20.23	40.92	3	Vertical	89	1.00	-	35.04	5.36	33.35
PK	6.1674G	100.35	Inf	-Inf	92.55	3	Vertical	89	1.00	-	35.50	5.57	33.27
RMS	6.1674G	90.93	Inf	-Inf	83.13	3	Vertical	89	1.00	-	35.50	5.57	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 38
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8782G	58.87	88.20	-29.33	52.00	3	Horizontal	308	1.77	-	34.86	5.34	33.33
RMS	5.9238G	48.10	68.20	-20.10	41.05	3	Horizontal	308	1.77	-	35.04	5.36	33.35
PK	6.159G	107.28	Inf	-Inf	99.54	3	Horizontal	308	1.77	-	35.45	5.56	33.27
RMS	6.159G	97.74	Inf	-Inf	90.00	3	Horizontal	308	1.77	-	35.45	5.56	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 38
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32554G	56.81	74.00	-17.19	43.95	3	Vertical	331	2.49	-	38.78	8.93	34.85
AV	12.32648G	43.81	54.00	-10.19	30.95	3	Vertical	331	2.49	-	38.78	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 38
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33444G	56.66	74.00	-17.34	43.78	3	Horizontal	70	1.69	-	38.80	8.93	34.85
AV	12.33206G	43.88	54.00	-10.12	31.00	3	Horizontal	70	1.69	-	38.80	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49044G	48.08	83.54	-35.46	45.49	1	Vertical	141	1.55	-	37.79	14.90	50.10
AV	18.4931G	36.07	63.54	-27.47	33.48	1	Vertical	141	1.55	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49236G	48.62	83.54	-34.92	46.03	1	Horizontal	313	1.51	-	37.79	14.90	50.10
AV	18.49322G	36.11	63.54	-27.43	33.52	1	Horizontal	313	1.51	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.829G	58.80	88.20	-29.40	52.13	3	Vertical	110	1.00	-	34.67	5.31	33.31
RMS	5.920G	47.93	68.20	-20.27	40.90	3	Vertical	110	1.00	-	35.02	5.36	33.35
PK	6.4146G	99.31	Inf	-Inf	91.04	3	Vertical	110	1.00	-	35.67	5.70	33.10
RMS	6.3882G	88.88	Inf	-Inf	80.63	3	Vertical	110	1.00	-	35.68	5.69	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	58.39	88.20	-29.81	51.46	3	Horizontal	300	1.80	-	34.92	5.35	33.34
RMS	5.9226G	48.02	68.20	-20.18	40.97	3	Horizontal	300	1.80	-	35.04	5.36	33.35
PK	6.3954G	108.08	Inf	-Inf	99.80	3	Horizontal	300	1.80	-	35.69	5.70	33.11
RMS	6.4002G	97.25	Inf	-Inf	88.96	3	Horizontal	300	1.80	-	35.70	5.70	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80754G	57.30	88.20	-30.90	43.79	3	Vertical	284	2.09	-	39.41	8.84	34.74
RMS	12.81382G	44.74	68.20	-23.46	31.23	3	Vertical	284	2.09	-	39.41	8.84	34.74

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8065G	57.31	88.20	-30.89	43.80	3	Horizontal	274	2.45	-	39.41	8.84	34.74
RMS	12.80748G	44.58	68.20	-23.62	31.07	3	Horizontal	274	2.45	-	39.41	8.84	34.74

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22G	48.26	83.54	-35.28	44.97	1	Vertical	84	1.57	-	37.74	15.19	49.64
AV	19.21912G	35.68	63.54	-27.86	32.39	1	Vertical	84	1.57	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2186G	47.76	83.54	-35.78	44.47	1	Horizontal	28	1.50	-	37.74	15.19	49.64
AV	19.21674G	35.84	63.54	-27.70	32.55	1	Horizontal	28	1.50	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 39
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	58.91	88.20	-29.29	52.01	3	Vertical	115	1.00	-	34.89	5.35	33.34
RMS	5.8938G	47.89	68.20	-20.31	40.99	3	Vertical	115	1.00	-	34.89	5.35	33.34
PK	6.4346G	100.54	Inf	-Inf	92.29	3	Vertical	115	1.00	-	35.63	5.70	33.08
RMS	6.458G	87.80	Inf	-Inf	79.54	3	Vertical	115	1.00	-	35.63	5.70	33.07

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 39
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8522G	58.42	88.20	-29.78	51.61	3	Horizontal	299	1.80	-	34.80	5.33	33.32
RMS	5.9172G	47.97	68.20	-20.23	40.96	3	Horizontal	299	1.80	-	35.00	5.36	33.35
PK	6.4554G	107.15	Inf	-Inf	98.90	3	Horizontal	299	1.80	-	35.62	5.70	33.07
RMS	6.4502G	95.79	Inf	-Inf	87.56	3	Horizontal	299	1.80	-	35.60	5.70	33.07

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88814G	56.88	88.20	-31.32	43.29	3	Vertical	284	2.97	-	39.49	8.82	34.72
RMS	12.88594G	44.27	68.20	-23.93	30.68	3	Vertical	284	2.97	-	39.49	8.82	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88708G	57.50	88.20	-30.70	43.91	3	Horizontal	227	2.35	-	39.49	8.82	34.72
RMS	12.89166G	44.57	68.20	-23.63	30.98	3	Horizontal	227	2.35	-	39.49	8.82	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33648G	48.21	83.54	-35.33	44.88	1	Vertical	360	1.58	-	37.77	15.23	49.67
AV	19.33236G	36.29	63.54	-27.25	32.96	1	Vertical	360	1.58	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33754G	48.31	83.54	-35.23	44.97	1	Horizontal	277	1.54	-	37.77	15.24	49.67
AV	19.33274G	35.97	63.54	-27.57	32.64	1	Horizontal	277	1.54	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 39
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8186G	58.06	88.20	-30.14	51.45	3	Vertical	107	2.77	-	34.61	5.31	33.31
RMS	5.883G	47.91	68.20	-20.29	41.03	3	Vertical	107	2.77	-	34.87	5.34	33.33
PK	6.4906G	99.80	Inf	-Inf	91.39	3	Vertical	107	2.77	-	35.76	5.70	33.05
RMS	6.4738G	88.97	Inf	-Inf	80.63	3	Vertical	107	2.77	-	35.70	5.70	33.06
PK	7.129G	61.25	88.20	-26.95	51.80	3	Vertical	107	2.77	-	36.93	5.96	33.44
RMS	7.143G	50.72	68.20	-17.48	41.17	3	Vertical	107	2.77	-	37.04	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 39
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.883G	59.23	88.20	-28.97	52.35	3	Horizontal	303	1.73	-	34.87	5.34	33.33
RMS	5.8914G	47.93	68.20	-20.27	41.04	3	Horizontal	303	1.73	-	34.88	5.35	33.34
PK	6.4766G	107.32	Inf	-Inf	98.97	3	Horizontal	303	1.73	-	35.71	5.70	33.06
RMS	6.4906G	96.09	Inf	-Inf	87.68	3	Horizontal	303	1.73	-	35.76	5.70	33.05
PK	7.1738G	62.27	88.20	-25.93	52.58	3	Horizontal	303	1.73	-	37.20	5.99	33.50
RMS	7.1514G	50.82	68.20	-17.38	41.20	3	Horizontal	303	1.73	-	37.11	5.98	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97074G	57.22	88.20	-30.98	43.48	3	Vertical	233	1.72	-	39.64	8.81	34.71
RMS	12.96768G	45.04	68.20	-23.16	31.30	3	Vertical	233	1.72	-	39.64	8.81	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97126G	57.49	88.20	-30.71	43.75	3	Horizontal	356	1.60	-	39.64	8.81	34.71
RMS	12.96612G	45.13	68.20	-23.07	31.40	3	Horizontal	356	1.60	-	39.63	8.81	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4558G	48.54	83.54	-35.00	45.09	1	Vertical	301	1.56	-	37.86	15.28	49.69
AV	19.45614G	36.78	63.54	-26.76	33.33	1	Vertical	301	1.56	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45016G	49.47	83.54	-34.07	46.02	1	Horizontal	159	1.52	-	37.86	15.28	49.69
AV	19.45006G	36.43	63.54	-27.11	32.98	1	Horizontal	159	1.52	-	37.86	15.28	49.69


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 39
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	58.62	88.20	-29.58	51.80	3	Vertical	96	2.82	-	34.81	5.33	33.32
RMS	5.923G	47.89	68.20	-20.31	40.84	3	Vertical	96	2.82	-	35.04	5.36	33.35
PK	6.525G	98.89	Inf	-Inf	90.34	3	Vertical	96	2.82	-	35.90	5.70	33.05
RMS	6.5334G	88.33	Inf	-Inf	79.76	3	Vertical	96	2.82	-	35.93	5.70	33.06
PK	7.2138G	61.31	88.20	-26.89	51.52	3	Vertical	96	2.82	-	37.33	6.01	33.55
RMS	7.1438G	50.81	68.20	-17.39	41.25	3	Vertical	96	2.82	-	37.05	5.97	33.46


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom







EUT_X_4TX
 Setting 39
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8446G	58.48	88.20	-29.72	51.71	3	Horizontal	303	1.81	-	34.77	5.32	33.32
RMS	5.923G	47.92	68.20	-20.28	40.87	3	Horizontal	303	1.81	-	35.04	5.36	33.35
PK	6.5306G	106.72	Inf	-Inf	98.16	3	Horizontal	303	1.81	-	35.92	5.70	33.06
RMS	6.5306G	95.19	Inf	-Inf	86.63	3	Horizontal	303	1.81	-	35.92	5.70	33.06
PK	7.225G	61.21	88.20	-26.99	51.41	3	Horizontal	303	1.81	-	37.35	6.01	33.56
RMS	7.2194G	50.79	68.20	-17.41	40.99	3	Horizontal	303	1.81	-	37.34	6.01	33.55

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




Lim.PK 
 PK 
 Lim.AV 
 AV 

16/01/2022

EUT X_4TX
 Setting 39
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04618G	57.83	88.20	-30.37	44.04	3	Vertical	81	2.04	-	39.70	8.79	34.70
RMS	13.05194G	44.79	68.20	-23.41	31.00	3	Vertical	81	2.04	-	39.70	8.79	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 39
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04774G	57.86	88.20	-30.34	44.07	3	Horizontal	138	2.39	-	39.70	8.79	34.70
RMS	13.0467G	44.91	68.20	-23.29	31.12	3	Horizontal	138	2.39	-	39.70	8.79	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57002G	48.91	83.54	-34.63	45.41	1	Vertical	175	1.54	-	37.87	15.33	49.70
AV	19.57356G	36.30	63.54	-27.24	32.80	1	Vertical	175	1.54	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57864G	48.82	83.54	-34.72	45.32	1	Horizontal	3	1.52	-	37.87	15.33	49.70
AV	19.57942G	36.20	63.54	-27.34	32.70	1	Horizontal	3	1.52	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5746G	99.18	Inf	-Inf	90.51	3	Vertical	103	2.78	-	36.05	5.70	33.08
RMS	6.553G	89.02	Inf	-Inf	80.38	3	Vertical	103	2.78	-	36.01	5.70	33.07
PK	7.141G	61.40	88.20	-26.80	51.86	3	Vertical	103	2.78	-	37.03	5.97	33.46
RMS	7.1338G	50.79	68.20	-17.41	41.30	3	Vertical	103	2.78	-	36.97	5.97	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5794G	108.57	Inf	-Inf	99.89	3	Horizontal	306	1.80	-	36.06	5.70	33.08
RMS	6.5746G	96.83	Inf	-Inf	88.16	3	Horizontal	306	1.80	-	36.05	5.70	33.08
PK	7.1554G	61.00	88.20	-27.20	51.38	3	Horizontal	306	1.80	-	37.12	5.98	33.48
RMS	7.1458G	50.85	68.20	-17.35	41.27	3	Horizontal	306	1.80	-	37.07	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13136G	57.22	88.20	-30.98	43.40	3	Vertical	23	1.97	-	39.76	8.77	34.71
RMS	13.1262G	44.96	68.20	-23.24	31.15	3	Vertical	23	1.97	-	39.75	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12528G	57.83	88.20	-30.37	44.02	3	Horizontal	74	2.60	-	39.75	8.77	34.71
RMS	13.1307G	45.15	68.20	-23.05	31.33	3	Horizontal	74	2.60	-	39.76	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69266G	48.77	83.54	-34.77	45.27	1	Vertical	90	1.56	-	37.82	15.38	49.70
AV	19.6968G	36.41	63.54	-27.13	32.91	1	Vertical	90	1.56	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6916G	48.54	83.54	-35.00	45.04	1	Horizontal	351	1.52	-	37.82	15.38	49.70
AV	19.69552G	36.54	63.54	-27.00	33.04	1	Horizontal	351	1.52	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	100.09	Inf	-Inf	91.32	3	Vertical	108	2.53	-	36.20	5.70	33.13
RMS	6.677G	89.90	Inf	-Inf	81.13	3	Vertical	108	2.53	-	36.20	5.70	33.13
PK	7.127G	61.58	88.20	-26.62	52.14	3	Vertical	108	2.53	-	36.92	5.96	33.44
RMS	7.139G	50.87	68.20	-17.33	41.35	3	Vertical	108	2.53	-	37.01	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.671G	107.48	Inf	-Inf	98.71	3	Horizontal	286	1.80	-	36.20	5.70	33.13
RMS	6.691G	97.69	Inf	-Inf	88.93	3	Horizontal	286	1.80	-	36.20	5.70	33.14
PK	7.133G	61.88	88.20	-26.32	52.40	3	Horizontal	286	1.80	-	36.96	5.97	33.45
RMS	7.139G	50.94	68.20	-17.26	41.42	3	Horizontal	286	1.80	-	37.01	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3702G	57.68	74.00	-16.32	43.52	3	Vertical	1	1.66	-	40.14	8.73	34.71
AV	13.37328G	45.39	54.00	-8.61	31.22	3	Vertical	1	1.66	-	40.15	8.73	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 41
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3722G	58.12	74.00	-15.88	43.96	3	Horizontal	232	2.89	-	40.14	8.73	34.71
AV	13.36702G	45.43	54.00	-8.57	31.28	3	Horizontal	232	2.89	-	40.13	8.73	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05G	47.33	83.54	-36.21	44.09	1	Vertical	1	1.55	-	37.44	15.52	49.72
AV	20.0581G	34.87	63.54	-28.67	31.61	1	Vertical	1	1.55	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.051G	47.11	83.54	-36.43	43.87	1	Horizontal	69	1.58	-	37.44	15.52	49.72
AV	20.05782G	34.93	63.54	-28.61	31.67	1	Horizontal	69	1.58	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 42
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	101.02	Inf	-Inf	91.94	3	Vertical	108	2.52	-	36.55	5.74	33.21
RMS	6.837G	89.54	Inf	-Inf	80.49	3	Vertical	108	2.52	-	36.52	5.74	33.21
PK	7.2082G	62.18	88.20	-26.02	52.40	3	Vertical	108	2.52	-	37.32	6.00	33.54
RMS	7.2386G	51.04	68.20	-17.16	41.22	3	Vertical	108	2.52	-	37.38	6.02	33.58

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 42
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	107.95	Inf	-Inf	98.83	3	Horizontal	56	1.66	-	36.59	5.75	33.22
RMS	6.8578G	97.38	Inf	-Inf	88.27	3	Horizontal	56	1.66	-	36.57	5.76	33.22
PK	7.197G	61.86	88.20	-26.34	52.10	3	Horizontal	56	1.66	-	37.29	6.00	33.53
RMS	7.2402G	51.09	68.20	-17.11	41.27	3	Horizontal	56	1.66	-	37.38	6.02	33.58

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68848G	59.38	88.20	-28.82	45.14	3	Vertical	151	1.01	-	40.38	8.66	34.80
RMS	13.68834G	46.34	68.20	-21.86	32.10	3	Vertical	151	1.01	-	40.38	8.66	34.80

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69302G	58.99	88.20	-29.21	44.74	3	Horizontal	168	2.79	-	40.39	8.66	34.80
RMS	13.68904G	46.21	68.20	-21.99	31.97	3	Horizontal	168	2.79	-	40.38	8.66	34.80

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53258G	49.85	83.54	-33.69	46.26	1	Vertical	301	1.51	-	37.74	15.74	49.89
AV	20.53902G	36.65	63.54	-26.89	33.04	1	Vertical	301	1.51	-	37.75	15.74	49.88

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53484G	48.90	83.54	-34.64	45.31	1	Horizontal	144	1.56	-	37.74	15.74	49.89
AV	20.53352G	36.92	63.54	-26.62	33.33	1	Horizontal	144	1.56	-	37.74	15.74	49.89


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 39
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8976G	99.84	Inf	-Inf	90.87	3	Vertical	105	2.55	-	36.41	5.80	33.24
RMS	6.892G	89.49	Inf	-Inf	80.51	3	Vertical	105	2.55	-	36.43	5.79	33.24
PK	7.1804G	62.11	88.20	-26.09	52.41	3	Vertical	105	2.55	-	37.22	5.99	33.51
RMS	7.2308G	51.01	68.20	-17.19	41.20	3	Vertical	105	2.55	-	37.36	6.02	33.57

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 39
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	107.70	Inf	-Inf	98.62	3	Horizontal	56	1.68	-	36.53	5.77	33.22
RMS	6.8878G	97.23	Inf	-Inf	88.22	3	Horizontal	56	1.68	-	36.45	5.79	33.23
PK	7.235G	62.17	88.20	-26.03	52.35	3	Horizontal	56	1.68	-	37.37	6.02	33.57
RMS	7.1426G	51.02	68.20	-17.18	41.47	3	Horizontal	56	1.68	-	37.04	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom







EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76862G	60.31	88.20	-27.89	46.02	3	Vertical	216	2.02	-	40.47	8.65	34.83
RMS	13.77076G	47.58	68.20	-20.62	33.29	3	Vertical	216	2.02	-	40.47	8.65	34.83

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT_X_4TX
 Setting 39
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7662G	59.88	88.20	-28.32	45.59	3	Horizontal	307	2.36	-	40.47	8.65	34.83
RMS	13.77454G	47.84	68.20	-20.36	33.56	3	Horizontal	307	2.36	-	40.47	8.65	34.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65342G	48.65	83.54	-34.89	44.82	1	Vertical	309	1.55	-	37.88	15.79	49.84
AV	20.65756G	36.66	63.54	-26.88	32.81	1	Vertical	309	1.55	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65418G	49.06	83.54	-34.48	45.22	1	Horizontal	216	1.50	-	37.89	15.79	49.84
AV	20.65742G	36.67	63.54	-26.87	32.82	1	Horizontal	216	1.50	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 35
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	97.85	Inf	-Inf	88.70	3	Vertical	271	2.26	-	36.58	5.82	33.25
RMS	6.9226G	87.51	Inf	-Inf	78.36	3	Vertical	271	2.26	-	36.58	5.82	33.25
PK	7.2166G	61.97	88.20	-26.23	52.18	3	Vertical	271	2.26	-	37.33	6.01	33.55
RMS	7.1266G	50.95	68.20	-17.25	41.52	3	Vertical	271	2.26	-	36.91	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	107.31	Inf	-Inf	98.20	3	Horizontal	55	1.71	-	36.54	5.82	33.25
RMS	6.9226G	97.54	Inf	-Inf	88.39	3	Horizontal	55	1.71	-	36.58	5.82	33.25
PK	7.1278G	61.87	88.20	-26.33	52.43	3	Horizontal	55	1.71	-	36.92	5.96	33.44
RMS	7.1266G	51.11	68.20	-17.09	41.68	3	Horizontal	55	1.71	-	36.91	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84746G	60.49	88.20	-27.71	46.18	3	Vertical	176	1.45	-	40.55	8.63	34.87
RMS	13.84856G	47.98	68.20	-20.22	33.67	3	Vertical	176	1.45	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84636G	60.28	88.20	-27.92	45.97	3	Horizontal	257	2.56	-	40.55	8.63	34.87
RMS	13.8467G	47.52	68.20	-20.68	33.21	3	Horizontal	257	2.56	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77702G	49.17	83.54	-34.37	45.15	1	Vertical	92	1.57	-	37.96	15.85	49.79
AV	20.77496G	36.53	63.54	-27.01	32.51	1	Vertical	92	1.57	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77002G	48.66	83.54	-34.88	44.63	1	Horizontal	229	1.54	-	37.97	15.85	49.79
AV	20.77458G	36.60	63.54	-26.94	32.58	1	Horizontal	229	1.54	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 38
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	101.11	Inf	-Inf	91.88	3	Vertical	327	3.00	-	36.63	5.89	33.29
RMS	7.013G	91.18	Inf	-Inf	81.93	3	Vertical	327	3.00	-	36.65	5.91	33.31
PK	7.1386G	62.56	88.20	-25.64	53.04	3	Vertical	327	3.00	-	37.01	5.97	33.46
RMS	7.1322G	51.03	68.20	-17.17	41.55	3	Vertical	327	3.00	-	36.96	5.97	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 38
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.997G	108.41	Inf	-Inf	99.19	3	Horizontal	56	1.80	-	36.61	5.90	33.29
RMS	7.0074G	98.70	Inf	-Inf	89.47	3	Horizontal	56	1.80	-	36.63	5.90	33.30
PK	7.1938G	62.18	88.20	-26.02	52.42	3	Horizontal	56	1.80	-	37.28	6.00	33.52
RMS	7.1298G	51.12	68.20	-17.08	41.67	3	Horizontal	56	1.80	-	36.94	5.96	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0069G	60.10	88.20	-28.10	45.53	3	Vertical	328	2.50	-	40.90	8.60	34.93
RMS	14.00608G	47.52	68.20	-20.68	32.95	3	Vertical	328	2.50	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00858G	60.26	88.20	-27.94	45.69	3	Horizontal	131	2.22	-	40.90	8.60	34.93
RMS	14.00732G	47.45	68.20	-20.75	32.88	3	Horizontal	131	2.22	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0141G	48.56	83.54	-34.98	44.70	1	Vertical	226	1.54	-	37.60	15.96	49.70
AV	21.0168G	36.29	63.54	-27.25	32.43	1	Vertical	226	1.54	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0199G	48.49	83.54	-35.05	44.63	1	Horizontal	88	1.56	-	37.60	15.96	49.70
AV	21.01654G	36.22	63.54	-27.32	32.36	1	Horizontal	88	1.56	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 43
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0926G	100.77	Inf	-Inf	91.51	3	Vertical	25	1.28	-	36.71	5.95	33.40
RMS	7.0878G	89.56	Inf	-Inf	80.30	3	Vertical	25	1.28	-	36.72	5.94	33.40
PK	7.1282G	67.45	88.20	-20.75	58.00	3	Vertical	25	1.28	-	36.93	5.96	33.44
RMS	7.1278G	53.72	68.20	-14.48	44.28	3	Vertical	25	1.28	-	36.92	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 43
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0902G	110.10	Inf	-Inf	100.83	3	Horizontal	286	1.67	-	36.72	5.95	33.40
RMS	7.0802G	98.28	Inf	-Inf	88.99	3	Horizontal	286	1.67	-	36.74	5.94	33.39
PK	7.125G	75.93	88.20	-12.27	66.51	3	Horizontal	286	1.67	-	36.90	5.96	33.44
RMS	7.1254G	60.89	68.20	-7.31	51.47	3	Horizontal	286	1.67	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16976G	59.22	88.20	-28.98	44.65	3	Vertical	131	1.24	-	40.83	8.64	34.90
RMS	14.1652G	46.71	68.20	-21.49	32.14	3	Vertical	131	1.24	-	40.83	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1653G	59.18	88.20	-29.02	44.61	3	Horizontal	240	1.12	-	40.83	8.64	34.90
RMS	14.16628G	46.79	68.20	-21.41	32.22	3	Horizontal	240	1.12	-	40.83	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25428G	49.34	83.54	-34.20	45.32	1	Vertical	237	1.53	-	37.61	16.06	49.65
AV	21.25682G	36.84	63.54	-26.70	32.81	1	Vertical	237	1.53	-	37.61	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25304G	49.36	83.54	-34.18	45.35	1	Horizontal	98	1.58	-	37.60	16.06	49.65
AV	21.25142G	36.85	63.54	-26.69	32.84	1	Horizontal	98	1.58	-	37.60	16.06	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 49
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	66.89	88.20	-21.31	59.84	3	Vertical	322	2.32	-	35.04	5.36	33.35
RMS	5.9242G	54.08	68.20	-14.12	47.02	3	Vertical	322	2.32	-	35.05	5.36	33.35
PK	5.9938G	98.94	Inf	-Inf	91.54	3	Vertical	322	2.32	-	35.38	5.40	33.38
RMS	5.9986G	87.68	Inf	-Inf	80.27	3	Vertical	322	2.32	-	35.39	5.40	33.38

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 49
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	74.67	88.20	-13.53	67.61	3	Horizontal	302	1.90	-	35.05	5.36	33.35
RMS	5.9234G	63.13	68.20	-5.07	56.08	3	Horizontal	302	1.90	-	35.04	5.36	33.35
PK	5.9938G	107.13	Inf	-Inf	99.73	3	Horizontal	302	1.90	-	35.38	5.40	33.38
RMS	5.9986G	96.33	Inf	-Inf	88.92	3	Horizontal	302	1.90	-	35.39	5.40	33.38

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 49
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97258G	56.44	74.00	-17.56	43.42	3	Vertical	332	1.37	-	38.98	8.98	34.94
AV	11.97002G	44.02	54.00	-9.98	30.99	3	Vertical	332	1.37	-	38.99	8.98	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 49
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96974G	56.58	74.00	-17.42	43.55	3	Horizontal	95	1.98	-	38.99	8.98	34.94
AV	11.96708G	43.91	54.00	-10.09	30.87	3	Horizontal	95	1.98	-	39.00	8.98	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 49
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	58.60	88.20	-29.60	51.56	3	Vertical	106	1.77	-	35.03	5.36	33.35
RMS	5.9218G	48.06	68.20	-20.14	41.02	3	Vertical	106	1.77	-	35.03	5.36	33.35
PK	6.1462G	98.61	Inf	-Inf	90.93	3	Vertical	106	1.77	-	35.41	5.55	33.28
RMS	6.127G	89.30	Inf	-Inf	81.61	3	Vertical	106	1.77	-	35.45	5.53	33.29

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 49
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.37	88.20	-28.83	52.31	3	Horizontal	308	1.80	-	35.05	5.36	33.35
RMS	5.923G	48.52	68.20	-19.68	41.47	3	Horizontal	308	1.80	-	35.04	5.36	33.35
PK	6.1546G	107.82	Inf	-Inf	100.11	3	Horizontal	308	1.80	-	35.43	5.55	33.27
RMS	6.1342G	98.05	Inf	-Inf	90.38	3	Horizontal	308	1.80	-	35.43	5.53	33.29

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29394G	56.57	74.00	-17.43	43.78	3	Vertical	98	2.82	-	38.71	8.94	34.86
AV	12.28526G	44.01	54.00	-9.99	31.22	3	Vertical	98	2.82	-	38.71	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29408G	56.65	74.00	-17.35	43.86	3	Horizontal	150	2.11	-	38.71	8.94	34.86
AV	12.2858G	44.06	54.00	-9.94	31.27	3	Horizontal	150	2.11	-	38.71	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43234G	48.38	83.54	-35.16	45.92	1	Vertical	60	1.52	-	37.72	14.87	50.13
AV	18.43648G	35.88	63.54	-27.66	33.42	1	Vertical	60	1.52	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43864G	47.77	83.54	-35.77	45.28	1	Horizontal	121	1.57	-	37.73	14.88	50.12
AV	18.43854G	36.07	63.54	-27.47	33.58	1	Horizontal	121	1.57	-	37.73	14.88	50.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 50
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8042G	59.22	88.20	-28.98	52.69	3	Vertical	106	2.82	-	34.53	5.30	33.30
RMS	5.9242G	48.05	68.20	-20.15	40.99	3	Vertical	106	2.82	-	35.05	5.36	33.35
PK	6.4138G	98.23	Inf	-Inf	89.96	3	Vertical	106	2.82	-	35.67	5.70	33.10
RMS	6.373G	87.75	Inf	-Inf	79.54	3	Vertical	106	2.82	-	35.65	5.69	33.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 50
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	59.33	88.20	-28.87	52.52	3	Horizontal	298	1.80	-	34.80	5.33	33.32
RMS	5.9242G	48.25	68.20	-19.95	41.19	3	Horizontal	298	1.80	-	35.05	5.36	33.35
PK	6.3658G	107.98	Inf	-Inf	99.80	3	Horizontal	298	1.80	-	35.63	5.68	33.13
RMS	6.3754G	96.14	Inf	-Inf	87.92	3	Horizontal	298	1.80	-	35.65	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7722G	57.59	88.20	-30.61	44.12	3	Vertical	225	1.10	-	39.37	8.85	34.75
RMS	12.76776G	44.74	68.20	-23.46	31.27	3	Vertical	225	1.10	-	39.37	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76538G	57.20	88.20	-31.00	43.73	3	Horizontal	202	1.54	-	39.37	8.85	34.75
RMS	12.76502G	44.66	68.20	-23.54	31.19	3	Horizontal	202	1.54	-	39.37	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15906G	48.71	83.54	-34.83	45.37	1	Vertical	328	1.58	-	37.81	15.16	49.63
AV	19.15522G	36.22	63.54	-27.32	32.88	1	Vertical	328	1.58	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15648G	49.38	83.54	-34.16	46.04	1	Horizontal	207	1.56	-	37.81	15.16	49.63
AV	19.15616G	36.27	63.54	-27.27	32.93	1	Horizontal	207	1.56	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 52
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.80	88.20	-29.40	51.78	3	Vertical	105	2.77	-	35.01	5.36	33.35
RMS	5.88G	48.02	68.20	-20.18	41.15	3	Vertical	105	2.77	-	34.86	5.34	33.33
PK	6.478G	101.08	Inf	-Inf	92.72	3	Vertical	105	2.77	-	35.71	5.70	33.05
RMS	6.478G	88.57	Inf	-Inf	80.21	3	Vertical	105	2.77	-	35.71	5.70	33.05

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 52
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.906G	58.04	88.20	-30.16	51.09	3	Horizontal	301	1.80	-	34.94	5.35	33.34
RMS	5.9112G	48.16	68.20	-20.04	41.17	3	Horizontal	301	1.80	-	34.97	5.36	33.34
PK	6.4806G	107.52	Inf	-Inf	99.15	3	Horizontal	301	1.80	-	35.72	5.70	33.05
RMS	6.4806G	96.65	Inf	-Inf	88.28	3	Horizontal	301	1.80	-	35.72	5.70	33.05

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93104G	57.96	88.20	-30.24	44.30	3	Vertical	186	1.71	-	39.56	8.81	34.71
RMS	12.9297G	44.48	68.20	-23.72	30.82	3	Vertical	186	1.71	-	39.56	8.81	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92794G	57.02	88.20	-31.18	43.36	3	Horizontal	273	1.92	-	39.56	8.81	34.71
RMS	12.93132G	44.50	68.20	-23.70	30.84	3	Horizontal	273	1.92	-	39.56	8.81	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.392G	48.92	83.54	-34.62	45.53	1	Vertical	188	1.52	-	37.81	15.26	49.68
AV	19.3953G	36.45	63.54	-27.09	33.05	1	Vertical	188	1.52	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.395G	48.40	83.54	-35.14	45.00	1	Horizontal	183	1.54	-	37.82	15.26	49.68
AV	19.39016G	36.23	63.54	-27.31	32.84	1	Horizontal	183	1.54	-	37.81	15.26	49.68


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 50
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	58.72	88.20	-29.48	51.79	3	Vertical	101	2.93	-	34.92	5.35	33.34
RMS	5.9206G	48.03	68.20	-20.17	41.00	3	Vertical	101	2.93	-	35.02	5.36	33.35
PK	6.5338G	97.88	Inf	-Inf	89.30	3	Vertical	101	2.93	-	35.94	5.70	33.06
RMS	6.5338G	88.58	Inf	-Inf	80.00	3	Vertical	101	2.93	-	35.94	5.70	33.06
PK	7.2282G	61.34	88.20	-26.86	51.53	3	Vertical	101	2.93	-	37.36	6.01	33.56
RMS	7.245G	51.07	68.20	-17.13	41.24	3	Vertical	101	2.93	-	37.39	6.02	33.58

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 50
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	58.83	88.20	-29.37	51.97	3	Horizontal	308	2.60	-	34.85	5.34	33.33
RMS	5.925G	48.06	68.20	-20.14	41.00	3	Horizontal	308	2.60	-	35.05	5.36	33.35
PK	6.5198G	107.72	Inf	-Inf	99.19	3	Horizontal	308	2.60	-	35.88	5.70	33.05
RMS	6.5338G	96.39	Inf	-Inf	87.81	3	Horizontal	308	2.60	-	35.94	5.70	33.06
PK	7.2142G	61.43	88.20	-26.77	51.64	3	Horizontal	308	2.60	-	37.33	6.01	33.55
RMS	7.245G	51.07	68.20	-17.13	41.24	3	Horizontal	308	2.60	-	37.39	6.02	33.58

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0886G	57.51	88.20	-30.69	43.73	3	Vertical	48	1.20	-	39.70	8.78	34.70
RMS	13.08552G	44.99	68.20	-23.21	31.21	3	Vertical	48	1.20	-	39.70	8.78	34.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08678G	57.32	88.20	-30.88	43.54	3	Horizontal	255	1.73	-	39.70	8.78	34.70
RMS	13.0925G	44.99	68.20	-23.21	31.21	3	Horizontal	255	1.73	-	39.70	8.78	34.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6386G	48.82	83.54	-34.72	45.32	1	Vertical	167	1.54	-	37.84	15.36	49.70
AV	19.63752G	36.37	63.54	-27.17	32.87	1	Vertical	167	1.54	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63284G	49.72	83.54	-33.82	46.22	1	Horizontal	23	1.58	-	37.85	15.35	49.70
AV	19.63686G	36.32	63.54	-27.22	32.82	1	Horizontal	23	1.58	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	99.46	Inf	-Inf	90.71	3	Vertical	109	2.55	-	36.15	5.70	33.10
RMS	6.637G	87.45	Inf	-Inf	78.69	3	Vertical	109	2.55	-	36.17	5.70	33.11
PK	7.1506G	62.04	88.20	-26.16	52.43	3	Vertical	109	2.55	-	37.10	5.98	33.47
RMS	7.2226G	50.96	68.20	-17.24	41.16	3	Vertical	109	2.55	-	37.35	6.01	33.56

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6346G	107.86	Inf	-Inf	99.10	3	Horizontal	309	1.88	-	36.17	5.70	33.11
RMS	6.6394G	96.29	Inf	-Inf	87.52	3	Horizontal	309	1.88	-	36.18	5.70	33.11
PK	7.1698G	60.87	88.20	-27.33	51.20	3	Horizontal	309	1.88	-	37.18	5.98	33.49
RMS	7.2154G	50.94	68.20	-17.26	41.15	3	Horizontal	309	1.88	-	37.33	6.01	33.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24946G	58.02	88.20	-30.18	44.03	3	Vertical	32	2.94	-	39.95	8.75	34.71
RMS	13.24678G	45.44	68.20	-22.76	31.45	3	Vertical	32	2.94	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.246G	57.92	88.20	-30.28	43.93	3	Horizontal	360	2.62	-	39.95	8.75	34.71
RMS	13.24686G	45.42	68.20	-22.78	31.43	3	Horizontal	360	2.62	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.877G	48.79	83.54	-34.75	45.44	1	Vertical	190	1.58	-	37.60	15.45	49.70
AV	19.87812G	36.18	63.54	-27.36	32.83	1	Vertical	190	1.58	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87222G	48.59	83.54	-34.95	45.24	1	Horizontal	41	1.52	-	37.60	15.45	49.70
AV	19.87554G	35.97	63.54	-27.57	32.62	1	Horizontal	41	1.52	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 52
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	99.67	Inf	-Inf	90.88	3	Vertical	102	2.66	-	36.23	5.70	33.14
RMS	6.717G	88.94	Inf	-Inf	80.12	3	Vertical	102	2.66	-	36.27	5.70	33.15
PK	7.199G	61.53	88.20	-26.67	51.76	3	Vertical	102	2.66	-	37.30	6.00	33.53
RMS	7.139G	51.05	68.20	-17.15	41.53	3	Vertical	102	2.66	-	37.01	5.97	33.46

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom








EUT_X_4TX
Setting 52
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	109.39	Inf	-Inf	100.63	3	Horizontal	286	1.87	-	36.20	5.70	33.14
RMS	6.691G	97.34	Inf	-Inf	88.58	3	Horizontal	286	1.87	-	36.20	5.70	33.14
PK	7.125G	61.65	88.20	-26.55	52.23	3	Horizontal	286	1.87	-	36.90	5.96	33.44
RMS	7.133G	51.20	68.20	-17.00	41.72	3	Horizontal	286	1.87	-	36.96	5.97	33.45

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40664G	57.78	88.20	-30.42	43.58	3	Vertical	136	1.81	-	40.20	8.72	34.72
RMS	13.40854G	45.36	68.20	-22.84	31.16	3	Vertical	136	1.81	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40606G	58.11	88.20	-30.09	43.91	3	Horizontal	3	1.75	-	40.20	8.72	34.72
RMS	13.40892G	45.02	68.20	-23.18	30.82	3	Horizontal	3	1.75	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11792G	49.11	83.54	-34.43	45.82	1	Vertical	219	1.50	-	37.49	15.55	49.75
AV	20.11568G	36.84	63.54	-26.70	33.55	1	Vertical	219	1.50	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1118G	49.43	83.54	-34.11	46.13	1	Horizontal	304	1.55	-	37.49	15.55	49.74
AV	20.1153G	36.26	63.54	-27.28	32.97	1	Horizontal	304	1.55	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 55
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7962G	100.55	Inf	-Inf	91.73	3	Vertical	101	2.61	-	36.31	5.70	33.19
RMS	6.817G	89.77	Inf	-Inf	80.85	3	Vertical	101	2.61	-	36.40	5.72	33.20
PK	7.1674G	61.46	88.20	-26.74	51.80	3	Vertical	101	2.61	-	37.17	5.98	33.49
RMS	7.1322G	51.03	68.20	-17.17	41.55	3	Vertical	101	2.61	-	36.96	5.97	33.45

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 55
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.777G	108.08	Inf	-Inf	99.21	3	Horizontal	292	1.89	-	36.35	5.70	33.18
RMS	6.7962G	97.37	Inf	-Inf	88.55	3	Horizontal	292	1.89	-	36.31	5.70	33.19
PK	7.1258G	62.66	88.20	-25.54	53.23	3	Horizontal	292	1.89	-	36.91	5.96	33.44
RMS	7.1386G	51.30	68.20	-16.90	41.78	3	Horizontal	292	1.89	-	37.01	5.97	33.46

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5656G	57.41	88.20	-30.79	43.27	3	Vertical	112	1.13	-	40.20	8.69	34.75
RMS	13.57186G	45.03	68.20	-23.17	30.89	3	Vertical	112	1.13	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57406G	57.49	88.20	-30.71	43.35	3	Horizontal	143	2.89	-	40.20	8.69	34.75
RMS	13.57438G	44.92	68.20	-23.28	30.78	3	Horizontal	143	2.89	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3575G	48.22	83.54	-35.32	44.76	1	Vertical	109	1.58	-	37.64	15.66	49.84
AV	20.35036G	35.67	63.54	-27.87	32.21	1	Vertical	109	1.58	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUT X_4TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35858G	49.06	83.54	-34.48	45.60	1	Horizontal	49	1.55	-	37.64	15.66	49.84
AV	20.35722G	35.67	63.54	-27.87	32.21	1	Horizontal	49	1.55	-	37.64	15.66	49.84


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 52
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8674G	100.02	Inf	-Inf	90.94	3	Vertical	105	2.56	-	36.53	5.77	33.22
RMS	6.877G	90.21	Inf	-Inf	81.17	3	Vertical	105	2.56	-	36.49	5.78	33.23
PK	7.1554G	61.87	88.20	-26.33	52.25	3	Vertical	105	2.56	-	37.12	5.98	33.48
RMS	7.1386G	51.11	68.20	-17.09	41.59	3	Vertical	105	2.56	-	37.01	5.97	33.46


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 52
 04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8566G	108.19	Inf	-Inf	99.08	3	Horizontal	54	1.69	-	36.57	5.76	33.22
RMS	6.8674G	97.44	Inf	-Inf	88.36	3	Horizontal	54	1.69	-	36.53	5.77	33.22
PK	7.1482G	61.68	88.20	-26.52	52.09	3	Horizontal	54	1.69	-	37.09	5.97	33.47
RMS	7.1266G	51.30	68.20	-16.90	41.87	3	Horizontal	54	1.69	-	36.91	5.96	33.44


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 52
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73338G	59.74	88.20	-28.46	45.48	3	Vertical	327	1.75	-	40.43	8.65	34.82
RMS	13.73266G	46.91	68.20	-21.29	32.65	3	Vertical	327	1.75	-	40.43	8.65	34.82

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 52
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7336G	59.28	88.20	-28.92	45.02	3	Horizontal	352	1.84	-	40.43	8.65	34.82
RMS	13.72678G	47.05	68.20	-21.15	32.79	3	Horizontal	352	1.84	-	40.43	8.65	34.82

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59656G	48.67	83.54	-34.87	44.94	1	Vertical	89	1.54	-	37.82	15.77	49.86
AV	20.59006G	36.79	63.54	-26.75	33.07	1	Vertical	89	1.54	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz_TnomVnom




EUT X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59056G	49.51	83.54	-34.03	45.79	1	Horizontal	156	1.55	-	37.81	15.77	49.86
AV	20.596G	37.01	63.54	-26.53	33.28	1	Horizontal	156	1.55	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 51
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9834G	101.34	Inf	-Inf	92.07	3	Vertical	330	3.00	-	36.67	5.88	33.28
RMS	6.9834G	90.55	Inf	-Inf	81.28	3	Vertical	330	3.00	-	36.67	5.88	33.28
PK	7.125G	62.78	88.20	-25.42	53.36	3	Vertical	330	3.00	-	36.90	5.96	33.44
RMS	7.131G	51.27	68.20	-16.93	41.80	3	Vertical	330	3.00	-	36.95	5.97	33.45

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 51
04-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.927G	108.53	Inf	-Inf	99.33	3	Horizontal	57	1.72	-	36.62	5.83	33.25
RMS	6.9726G	98.01	Inf	-Inf	88.71	3	Horizontal	57	1.72	-	36.71	5.87	33.28
PK	7.1274G	64.74	88.20	-23.46	55.30	3	Horizontal	57	1.72	-	36.92	5.96	33.44
RMS	7.1274G	51.48	68.20	-16.72	42.04	3	Horizontal	57	1.72	-	36.92	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88658G	59.87	88.20	-28.33	45.54	3	Vertical	250	1.91	-	40.59	8.62	34.88
RMS	13.88752G	47.41	68.20	-20.79	33.08	3	Vertical	250	1.91	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89194G	60.09	88.20	-28.11	45.76	3	Horizontal	250	2.19	-	40.59	8.62	34.88
RMS	13.88574G	47.48	68.20	-20.72	33.15	3	Horizontal	250	2.19	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83434G	48.98	83.54	-34.56	45.00	1	Vertical	41	1.53	-	37.87	15.88	49.77
AV	20.8353G	36.20	63.54	-27.34	32.23	1	Vertical	41	1.53	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83122G	48.68	83.54	-34.86	44.71	1	Horizontal	25	1.54	-	37.87	15.87	49.77
AV	20.83994G	36.46	63.54	-27.08	32.48	1	Horizontal	25	1.54	-	37.86	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 54
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9898G	100.55	Inf	-Inf	91.30	3	Vertical	24	1.66	-	36.64	5.89	33.28
RMS	7.0346G	90.18	Inf	-Inf	80.85	3	Vertical	24	1.66	-	36.74	5.92	33.33
PK	7.2058G	61.69	88.20	-26.51	51.92	3	Vertical	24	1.66	-	37.31	6.00	33.54
RMS	7.125G	50.73	68.20	-17.47	41.31	3	Vertical	24	1.66	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 54
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0554G	108.83	Inf	-Inf	99.47	3	Horizontal	288	1.70	-	36.79	5.93	33.36
RMS	7.0354G	97.79	Inf	-Inf	88.46	3	Horizontal	288	1.70	-	36.74	5.92	33.33
PK	7.125G	66.89	88.20	-21.31	57.47	3	Horizontal	288	1.70	-	36.90	5.96	33.44
RMS	7.125G	55.08	68.20	-13.12	45.66	3	Horizontal	288	1.70	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 54
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0498G	59.74	88.20	-28.46	45.15	3	Vertical	238	1.55	-	40.90	8.61	34.92
RMS	14.0485G	46.91	68.20	-21.29	32.32	3	Vertical	238	1.55	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 54
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05496G	59.54	88.20	-28.66	44.95	3	Horizontal	222	2.40	-	40.90	8.61	34.92
RMS	14.0461G	46.82	68.20	-21.38	32.23	3	Horizontal	222	2.40	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 54
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07742G	49.38	83.54	-34.16	45.48	1	Vertical	142	1.55	-	37.60	15.98	49.68
AV	21.07802G	36.07	63.54	-27.47	32.16	1	Vertical	142	1.55	-	37.60	15.99	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 54
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07134G	48.33	83.54	-35.21	44.44	1	Horizontal	72	1.58	-	37.60	15.98	49.69
AV	21.07498G	36.04	63.54	-27.50	32.15	1	Horizontal	72	1.58	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT_X_4TX
Setting 58
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	58.53	88.20	-29.67	51.50	3	Vertical	97	2.02	-	35.02	5.36	33.35
RMS	5.9194G	48.71	68.20	-19.49	41.68	3	Vertical	97	2.02	-	35.02	5.36	33.35
PK	6.0346G	97.48	Inf	-Inf	90.01	3	Vertical	97	2.02	-	35.40	5.43	33.36
RMS	6.049G	88.13	Inf	-Inf	80.63	3	Vertical	97	2.02	-	35.40	5.45	33.35