



For non beamforming mode / 2T2S

Summary



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	4.99	4.99
802.11ax HEW40_Nss2,(MCS0)_2TX	4.88	4.88
802.11ax HEW80_Nss2,(MCS0)_2TX	4.7	4.70
802.11ax HEW160_Nss2,(MCS0)_2TX	4.76	4.76
6.425-6.525GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	4.99	4.99
802.11ax HEW40_Nss2,(MCS0)_2TX	4.93	4.93
802.11ax HEW80_Nss2,(MCS0)_2TX	4.78	4.78
802.11ax HEW160_Nss2,(MCS0)_2TX	4.73	4.73
6.525-6.875GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	4.98	4.98
802.11ax HEW40_Nss2,(MCS0)_2TX	4.98	4.98
802.11ax HEW80_Nss2,(MCS0)_2TX	4.95	4.95
802.11ax HEW160_Nss2,(MCS0)_2TX	4.96	4.96
6.875-7.125GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	4.97	4.97
802.11ax HEW40_Nss2,(MCS0)_2TX	4.8	4.80
802.11ax HEW80_Nss2,(MCS0)_2TX	4.84	4.84
802.11ax HEW160_Nss2,(MCS0)_2TX	3.56	3.56



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.90	5.00
6175MHz	Pass	4.99	5.00
6415MHz	Pass	4.85	5.00
6435MHz	Pass	4.89	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.99	5.00
6535MHz	Pass	4.98	5.00
6695MHz	Pass	4.83	5.00
6855MHz	Pass	4.82	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.91	5.00
6895MHz	Pass	4.75	5.00
6995MHz	Pass	4.75	5.00
7095MHz	Pass	4.97	5.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.76	5.00
6165MHz	Pass	4.67	5.00
6405MHz	Pass	4.88	5.00
6445MHz	Pass	4.72	5.00
6485MHz	Pass	4.93	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.73	5.00
6565MHz	Pass	4.73	5.00
6685MHz	Pass	4.98	5.00
6845MHz	Pass	4.86	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.77	5.00
6925MHz	Pass	4.65	5.00
7005MHz	Pass	4.80	5.00
7085MHz	Pass	4.74	5.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.64	5.00
6145MHz	Pass	4.65	5.00
6385MHz	Pass	4.70	5.00
6465MHz	Pass	4.78	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.75	5.00
6625MHz	Pass	4.95	5.00
6705MHz	Pass	4.93	5.00
6785MHz	Pass	4.92	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.80	5.00
6945MHz	Pass	4.61	5.00
7025MHz	Pass	4.84	5.00
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.67	5.00
6185MHz	Pass	4.67	5.00
6345MHz	Pass	4.76	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.73	5.00
6665MHz	Pass	4.90	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6985MHz	Pass	3.56	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;








































































For non beamforming mode / 4T1S

Summary



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.81	4.81
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.95	4.95
802.11ax HEW160_Nss1,(MCS0)_4TX	4.94	4.94
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.74	4.74
802.11ax HEW40_Nss1,(MCS0)_4TX	4.78	4.78
802.11ax HEW80_Nss1,(MCS0)_4TX	4.9	4.90
802.11ax HEW160_Nss1,(MCS0)_4TX	4.71	4.71
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.83	4.83
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	4.98	4.98
802.11ax HEW160_Nss1,(MCS0)_4TX	4.91	4.91
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.91	4.91
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.88	4.88
802.11ax HEW160_Nss1,(MCS0)_4TX	4.88	4.88



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.67	5.00
6175MHz	Pass	4.81	5.00
6415MHz	Pass	4.52	5.00
6435MHz	Pass	4.65	5.00
6475MHz	Pass	4.74	5.00
6515MHz	Pass	4.63	5.00
6535MHz	Pass	4.81	5.00
6695MHz	Pass	4.71	5.00
6855MHz	Pass	4.72	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.83	5.00
6895MHz	Pass	4.85	5.00
6995MHz	Pass	4.91	5.00
7095MHz	Pass	4.80	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.68	5.00
6165MHz	Pass	4.78	5.00
6405MHz	Pass	4.99	5.00
6445MHz	Pass	4.49	5.00
6485MHz	Pass	4.37	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.78	5.00
6565MHz	Pass	4.87	5.00
6685MHz	Pass	4.85	5.00
6845MHz	Pass	4.95	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.35	5.00
6925MHz	Pass	4.85	5.00
7005MHz	Pass	4.99	5.00
7085MHz	Pass	4.82	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.95	5.00
6145MHz	Pass	4.87	5.00
6385MHz	Pass	4.83	5.00
6465MHz	Pass	4.90	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.90	5.00
6625MHz	Pass	4.97	5.00
6705MHz	Pass	4.98	5.00
6785MHz	Pass	4.87	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6945MHz	Pass	4.86	5.00
7025MHz	Pass	4.88	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.94	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.74	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.71	5.00
6665MHz	Pass	4.85	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.91	5.00
6985MHz	Pass	4.88	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




























































For non beamforming mode / 4T4S

Summary



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	4.88	4.88
802.11ax HEW40_Nss4,(MCS0)_4TX	4.86	4.86
802.11ax HEW80_Nss4,(MCS0)_4TX	4.97	4.97
802.11ax HEW160_Nss4,(MCS0)_4TX	4.87	4.87
6.425-6.525GHz	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	4.91	4.91
802.11ax HEW40_Nss4,(MCS0)_4TX	4.97	4.97
802.11ax HEW80_Nss4,(MCS0)_4TX	4.9	4.90
802.11ax HEW160_Nss4,(MCS0)_4TX	4.82	4.82
6.525-6.875GHz	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	4.92	4.92
802.11ax HEW40_Nss4,(MCS0)_4TX	4.94	4.94
802.11ax HEW80_Nss4,(MCS0)_4TX	4.89	4.89
802.11ax HEW160_Nss4,(MCS0)_4TX	4.86	4.86
6.875-7.125GHz	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	4.89	4.89
802.11ax HEW40_Nss4,(MCS0)_4TX	4.82	4.82
802.11ax HEW80_Nss4,(MCS0)_4TX	4.97	4.97
802.11ax HEW160_Nss4,(MCS0)_4TX	4.91	4.91



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.88	5.00
6175MHz	Pass	4.34	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.80	5.00
6475MHz	Pass	4.91	5.00
6515MHz	Pass	4.91	5.00
6535MHz	Pass	4.78	5.00
6695MHz	Pass	4.79	5.00
6855MHz	Pass	4.92	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.70	5.00
6895MHz	Pass	4.89	5.00
6995MHz	Pass	4.88	5.00
7095MHz	Pass	4.78	5.00
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.86	5.00
6165MHz	Pass	4.83	5.00
6405MHz	Pass	4.82	5.00
6445MHz	Pass	4.83	5.00
6485MHz	Pass	4.97	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.77	5.00
6565MHz	Pass	4.83	5.00
6685MHz	Pass	4.94	5.00
6845MHz	Pass	4.83	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.94	5.00
6925MHz	Pass	4.76	5.00
7005MHz	Pass	4.82	5.00
7085MHz	Pass	4.62	5.00
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.97	5.00
6145MHz	Pass	4.90	5.00
6385MHz	Pass	4.81	5.00
6465MHz	Pass	4.82	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.90	5.00
6625MHz	Pass	4.85	5.00
6705MHz	Pass	4.85	5.00
6785MHz	Pass	4.86	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.89	5.00
6945MHz	Pass	4.97	5.00
7025MHz	Pass	4.91	5.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.87	5.00
6185MHz	Pass	4.78	5.00
6345MHz	Pass	4.80	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.82	5.00
6665MHz	Pass	4.86	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.74	5.00
6985MHz	Pass	4.91	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






























































For beamforming mode / 2T1S
Summary



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.9	4.90
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.89	4.89
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.98	4.98
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.99	4.99
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.98	4.98
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.94	4.94
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.78	4.78
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.97	4.97
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.91	4.91
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.97	4.97
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.91	4.91
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.88	4.88
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.96	4.96
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.84	4.84
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.91	4.91
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.88	4.88



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.84	5.00
6175MHz	Pass	4.90	5.00
6415MHz	Pass	4.87	5.00
6435MHz	Pass	4.98	5.00
6475MHz	Pass	4.78	5.00
6515MHz	Pass	4.77	5.00
6535MHz	Pass	4.76	5.00
6695MHz	Pass	4.86	5.00
6855MHz	Pass	4.78	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.91	5.00
6895MHz	Pass	4.96	5.00
6995MHz	Pass	4.95	5.00
7095MHz	Pass	4.79	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.89	5.00
6165MHz	Pass	4.68	5.00
6405MHz	Pass	4.83	5.00
6445MHz	Pass	4.88	5.00
6485MHz	Pass	4.71	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.94	5.00
6565MHz	Pass	4.66	5.00
6685MHz	Pass	4.80	5.00
6845MHz	Pass	4.97	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.67	5.00
6925MHz	Pass	4.84	5.00
7005MHz	Pass	4.82	5.00
7085MHz	Pass	4.83	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.98	5.00
6145MHz	Pass	4.83	5.00
6385MHz	Pass	4.93	5.00
6465MHz	Pass	4.67	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.78	5.00
6625MHz	Pass	4.87	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.91	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.82	5.00
6945MHz	Pass	4.89	5.00
7025MHz	Pass	4.91	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.72	5.00
6185MHz	Pass	4.99	5.00
6345MHz	Pass	4.89	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.97	5.00
6665MHz	Pass	4.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.80	5.00
6985MHz	Pass	4.88	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = Trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





























































For beamforming mode / 4T1S

Summary



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.82	4.82
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.99	4.99
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.97	4.97
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.95	4.95
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.77	4.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.9	4.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.96	4.96
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.77	4.77
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.96	4.96
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.97	4.97
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.86	4.86
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.96	4.96
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.91	4.91
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.81	4.81
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.85	4.85
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.94	4.94



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.81	5.00
6175MHz	Pass	4.82	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.75	5.00
6475MHz	Pass	4.77	5.00
6515MHz	Pass	4.77	5.00
6535MHz	Pass	4.52	5.00
6695MHz	Pass	4.96	5.00
6855MHz	Pass	4.80	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6895MHz	Pass	4.91	5.00
6995MHz	Pass	4.82	5.00
7095MHz	Pass	4.67	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.99	5.00
6165MHz	Pass	4.48	5.00
6405MHz	Pass	4.74	5.00
6445MHz	Pass	4.90	5.00
6485MHz	Pass	4.78	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.84	5.00
6565MHz	Pass	4.96	5.00
6685MHz	Pass	4.52	5.00
6845MHz	Pass	4.97	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.68	5.00
6925MHz	Pass	4.81	5.00
7005MHz	Pass	4.75	5.00
7085MHz	Pass	4.76	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.75	5.00
6145MHz	Pass	4.88	5.00
6385MHz	Pass	4.97	5.00
6465MHz	Pass	4.96	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6625MHz	Pass	4.76	5.00
6705MHz	Pass	4.51	5.00
6785MHz	Pass	4.86	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6945MHz	Pass	4.85	5.00
7025MHz	Pass	4.85	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.70	5.00
6185MHz	Pass	4.95	5.00
6345MHz	Pass	4.90	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.77	5.00
6665MHz	Pass	4.96	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.93	5.00
6985MHz	Pass	4.94	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




































































For Scanning radio 1 / 2T2S
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-1.12	4.88
802.11ax HEW40_Nss2,(MCS0)_2TX	-1.06	4.94
802.11ax HEW80_Nss2,(MCS0)_2TX	-1.11	4.89
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.09	4.91
6.425-6.525GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-1.14	4.86
802.11ax HEW40_Nss2,(MCS0)_2TX	-1.12	4.88
802.11ax HEW80_Nss2,(MCS0)_2TX	-1.17	4.83
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.13	4.87
6.525-6.875GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-1.16	4.84
802.11ax HEW40_Nss2,(MCS0)_2TX	-1.04	4.96
802.11ax HEW80_Nss2,(MCS0)_2TX	-1.02	4.98
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.08	4.92
6.875-7.125GHz	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-1.06	4.94
802.11ax HEW40_Nss2,(MCS0)_2TX	-1.06	4.94
802.11ax HEW80_Nss2,(MCS0)_2TX	-1.04	4.96
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.16	4.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;




Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.00	-4.57	-3.88	-1.23	Inf	4.77	5.00
6175MHz	Pass	6.00	-4.31	-3.88	-1.12	Inf	4.88	5.00
6415MHz	Pass	6.00	-4.08	-4.25	-1.15	Inf	4.85	5.00
6435MHz	Pass	6.00	-4.41	-4.36	-1.47	Inf	4.53	5.00
6475MHz	Pass	6.00	-4.03	-4.63	-1.36	Inf	4.64	5.00
6515MHz	Pass	6.00	-3.72	-4.54	-1.14	Inf	4.86	5.00
6535MHz	Pass	6.00	-4.05	-4.45	-1.29	Inf	4.71	5.00
6695MHz	Pass	6.00	-4.22	-4.52	-1.41	Inf	4.59	5.00
6855MHz	Pass	6.00	-4.16	-4.31	-1.30	Inf	4.70	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	6.00	-4.03	-4.17	-1.16	Inf	4.84	5.00
6875MHz Straddle 6.875-7.125GHz								
6895MHz	Pass	6.00	-4.18	-4.55	-1.37	Inf	4.63	5.00
6995MHz	Pass	6.00	-4.31	-4.05	-1.21	Inf	4.79	5.00
7095MHz	Pass	6.00	-4.42	-3.65	-1.06	Inf	4.94	5.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	6.00	-4.23	-3.74	-1.06	Inf	4.94	5.00
6165MHz	Pass	6.00	-4.31	-3.87	-1.13	Inf	4.87	5.00
6405MHz	Pass	6.00	-4.27	-3.95	-1.15	Inf	4.85	5.00
6445MHz	Pass	6.00	-4.25	-4.05	-1.24	Inf	4.76	5.00
6485MHz	Pass	6.00	-4.01	-4.09	-1.12	Inf	4.88	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	6.00	-4.21	-3.95	-1.15	Inf	4.85	5.00
6525MHz Straddle 6.525-6.875GHz								
6565MHz	Pass	6.00	-4.21	-3.80	-1.06	Inf	4.94	5.00
6685MHz	Pass	6.00	-4.19	-4.07	-1.22	Inf	4.78	5.00
6845MHz	Pass	6.00	-4.02	-3.91	-1.10	Inf	4.90	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	6.00	-4.04	-3.93	-1.04	Inf	4.96	5.00
6885MHz Straddle 6.875-7.125GHz								
6925MHz	Pass	6.00	-4.47	-3.94	-1.22	Inf	4.78	5.00
7005MHz	Pass	6.00	-4.32	-3.84	-1.09	Inf	4.91	5.00
7085MHz	Pass	6.00	-4.42	-3.66	-1.06	Inf	4.94	5.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00	-4.29	-4.09	-1.24	Inf	4.76	5.00
6145MHz	Pass	6.00	-4.11	-3.92	-1.11	Inf	4.89	5.00
6385MHz	Pass	6.00	-4.20	-3.87	-1.11	Inf	4.89	5.00
6465MHz	Pass	6.00	-4.38	-3.88	-1.17	Inf	4.83	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	6.00	-4.36	-4.04	-1.19	Inf	4.81	5.00
6545MHz Straddle 6.525-6.875GHz								
6625MHz	Pass	6.00	-4.01	-3.70	-1.02	Inf	4.98	5.00
6705MHz	Pass	6.00	-4.14	-3.92	-1.08	Inf	4.92	5.00
6785MHz	Pass	6.00	-4.03	-3.95	-1.15	Inf	4.85	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	6.00	-4.12	-4.02	-1.06	Inf	4.94	5.00
6865MHz Straddle 6.875-7.125GHz								
6945MHz	Pass	6.00	-4.18	-3.79	-1.04	Inf	4.96	5.00
7025MHz	Pass	6.00	-4.17	-3.79	-1.11	Inf	4.89	5.00
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00	-4.10	-3.93	-1.12	Inf	4.88	5.00
6185MHz	Pass	6.00	-4.24	-3.76	-1.09	Inf	4.91	5.00
6345MHz	Pass	6.00	-4.27	-3.86	-1.23	Inf	4.77	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	6.00	-4.26	-3.63	-1.13	Inf	4.87	5.00
6505MHz Straddle 6.525-6.875GHz								
6665MHz	Pass	6.00	-4.02	-3.72	-1.10	Inf	4.90	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	6.00	-4.41	-3.57	-1.08	Inf	4.92	5.00
6825MHz Straddle 6.875-7.125GHz								
6985MHz	Pass	6.00	-4.70	-3.68	-1.16	Inf	4.84	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5955MHz

23/04/2022

CF
5.955GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.23	-1.23	-4.57	-3.88

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6175MHz

23/04/2022

CF
6.175GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.12	-1.12	-4.31	-3.88




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6415MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-4.08	-4.25

802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

6435MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.47	-1.47	-4.41	-4.36



802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6475MHz

23/04/2022

CF
6.475GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.36	-1.36	-4.03	-4.63

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6515MHz

23/04/2022

CF
6.515GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.14	-1.14	-3.72	-4.54




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6535MHz

23/04/2022

CF
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.29	-1.29	-4.05	-4.45


802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6695MHz

23/04/2022

CF
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.41	-1.41	-4.22	-4.52




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6855MHz

23/04/2022

CF
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.30	-1.30	-4.16	-4.31


802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6875MHz Straddle 6.525-6.875GHz


23/04/2022

CF
6.875GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-4.03	-4.17



802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6895MHz

23/04/2022

CF
6.895GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.37	-1.37	-4.18	-4.55

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

6995MHz

23/04/2022

CF
6.995GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.21	-1.21	-4.31	-4.05




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

7095MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-4.42	-3.65

802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

5965MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-4.23	-3.74




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6165MHz

23/04/2022

CF
6.165GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-4.31	-3.87


802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6405MHz


23/04/2022

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-4.27	-3.95




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6445MHz

23/04/2022

CF
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.24	-1.24	-4.25	-4.05


802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6485MHz


23/04/2022

CF
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.12	-1.12	-4.01	-4.09




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6525MHz Straddle 6.425-6.525GHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-4.21	-3.95

802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

6565MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-4.21	-3.80




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6685MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.22	-1.22	-4.19	-4.07

802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

6845MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.10	-1.10	-4.02	-3.91




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6885MHz Straddle 6.525-6.875GHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.04	-1.04	-4.04	-3.93

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

6925MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.22	-1.22	-4.47	-3.94




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

7005MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.09	-1.09	-4.32	-3.84

802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

7085MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-4.42	-3.66



802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5985MHz

23/04/2022

CF
5.985GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.24	-1.24	-4.29	-4.09

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6145MHz

23/04/2022

CF
6.145GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-4.11	-3.92




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6385MHz

23/04/2022

CF
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-4.20	-3.87


802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6465MHz


23/04/2022

CF
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.17	-1.17	-4.38	-3.88




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6545MHz Straddle 6.425-6.525GHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.19	-1.19	-4.36	-4.04

802.11ax HEW80_Nss2,(MCS0)_2TX


PSD

6625MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.02	-1.02	-4.01	-3.70



802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6705MHz

23/04/2022

CF
6.705GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.08	-1.08	-4.14	-3.92

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6785MHz

23/04/2022

CF
6.785GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-4.03	-3.95




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

6865MHz Straddle 6.525-6.875GHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-4.12	-4.02

802.11ax HEW80_Nss2,(MCS0)_2TX


PSD

6945MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.04	-1.04	-4.18	-3.79




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

7025MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-4.17	-3.79

802.11ax HEW160_Nss2,(MCS0)_2TX


PSD

6025MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.12	-1.12	-4.10	-3.93




802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

6185MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.09	-1.09	-4.24	-3.76

802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

6345MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.23	-1.23	-4.27	-3.86




802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

6505MHz Straddle 6.425-6.525GHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-4.26	-3.63

802.11ax HEW160_Nss2,(MCS0)_2TX


PSD

6665MHz

23/04/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.10	-1.10	-4.02	-3.72




802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

6825MHz Straddle 6.525-6.875GHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.08	-1.08	-4.41	-3.57

802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

6985MHz

23/04/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-4.70	-3.68



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	PK	53.28M	35.16	40.00	-4.84	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	40.67M	32.91	40.00	-7.09	-12.32	3	Vertical	227	1.25	-	45.23	18.44	0.91	31.67
PK	53.28M	35.16	40.00	-4.84	-17.82	3	Vertical	244	1.25	"Worst"	52.98	12.87	1.10	31.79
PK	94.99M	34.40	43.50	-9.10	-14.70	3	Vertical	360	1.25	-	49.10	15.79	1.40	31.89
PK	152.22M	32.07	43.50	-11.43	-13.92	3	Vertical	204	1.00	-	45.99	16.12	1.92	31.96
PK	264.74M	37.19	46.00	-8.81	-10.40	3	Vertical	21	1.00	-	47.59	19.07	2.56	32.03
PK	350.1M	31.15	46.00	-14.85	-8.83	3	Vertical	180	1.50	-	39.98	20.28	3.00	32.11

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	53.28M	28.83	40.00	-11.17	-17.82	3	Horizontal	5	1.50	-	46.65	12.87	1.10	31.79
PK	62.98M	27.78	40.00	-12.22	-18.53	3	Horizontal	296	2.00	-	46.31	12.13	1.20	31.86
PK	134.76M	26.57	43.50	-16.93	-12.87	3	Horizontal	182	2.00	-	39.44	17.33	1.75	31.95
PK	161.92M	26.85	43.50	-16.65	-14.35	3	Horizontal	191	1.25	-	41.20	15.60	2.01	31.96
PK	268.62M	36.24	46.00	-9.76	-10.76	3	Horizontal	188	1.00	"Worst"	47.00	18.71	2.57	32.04
PK	957.32M	34.37	46.00	-11.63	-0.41	3	Horizontal	360	2.00	-	34.78	26.56	5.60	32.57




For Radio 3 / non beamforming mode / 1T1S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	RMS	5.919G	68.14	68.20	-0.06	3	Horizontal	54	2.63	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 65
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	58.76	88.20	-29.44	51.86	3	Vertical	256	2.49	-	34.89	5.35	33.34
RMS	5.925G	46.46	68.20	-21.74	39.40	3	Vertical	256	2.49	-	35.05	5.36	33.35
PK	5.9622G	102.94	Inf	-Inf	95.67	3	Vertical	256	2.49	-	35.25	5.38	33.36
RMS	5.9622G	89.66	Inf	-Inf	82.39	3	Vertical	256	2.49	-	35.25	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 65
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	62.01	88.20	-26.19	54.95	3	Horizontal	301	2.68	-	35.05	5.36	33.35
RMS	5.9246G	48.71	68.20	-19.49	41.65	3	Horizontal	301	2.68	-	35.05	5.36	33.35
PK	5.9518G	108.85	Inf	-Inf	101.62	3	Horizontal	301	2.68	-	35.21	5.38	33.36
RMS	5.9522G	95.61	Inf	-Inf	88.38	3	Horizontal	301	2.68	-	35.21	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91484G	56.49	74.00	-17.51	43.31	3	Vertical	78	1.32	-	39.16	8.94	34.92
AV	11.90894G	42.24	54.00	-11.76	29.05	3	Vertical	78	1.32	-	39.17	8.94	34.92

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90592G	56.31	74.00	-17.69	43.11	3	Horizontal	276	1.54	-	39.18	8.93	34.91
AV	11.91214G	42.24	54.00	-11.76	29.06	3	Horizontal	276	1.54	-	39.16	8.94	34.92

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 55
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8278G	58.87	88.20	-29.33	52.20	3	Vertical	16	3.00	-	34.67	5.31	33.31
RMS	5.8726G	46.26	68.20	-21.94	39.40	3	Vertical	16	3.00	-	34.85	5.34	33.33
PK	6.1782G	103.09	Inf	-Inf	95.20	3	Vertical	16	3.00	-	35.57	5.58	33.26
RMS	6.1814G	89.99	Inf	-Inf	82.08	3	Vertical	16	3.00	-	35.59	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 55
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8998G	58.81	88.20	-29.39	51.90	3	Horizontal	57	1.86	-	34.90	5.35	33.34
RMS	5.8726G	46.28	68.20	-21.92	39.42	3	Horizontal	57	1.86	-	34.85	5.34	33.33
PK	6.1766G	105.82	Inf	-Inf	97.94	3	Horizontal	57	1.86	-	35.56	5.58	33.26
RMS	6.1782G	92.93	Inf	-Inf	85.04	3	Horizontal	57	1.86	-	35.57	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35478G	55.49	74.00	-18.51	42.54	3	Vertical	318	1.98	-	38.86	8.93	34.84
AV	12.35364G	41.51	54.00	-12.49	28.56	3	Vertical	318	1.98	-	38.86	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.355G	56.28	74.00	-17.72	43.32	3	Horizontal	212	2.11	-	38.87	8.93	34.84
AV	12.34838G	41.51	54.00	-12.49	28.58	3	Horizontal	212	2.11	-	38.85	8.93	34.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT X_1TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52966G	47.97	83.54	-35.57	45.34	1	Vertical	180	1.54	-	37.79	14.91	50.07
AV	18.5202G	34.48	63.54	-29.06	31.86	1	Vertical	180	1.54	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT X_1TX
Setting 55
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52428G	48.24	83.54	-35.30	45.62	1	Horizontal	126	1.51	-	37.79	14.91	50.08
AV	18.52646G	34.46	63.54	-29.08	31.83	1	Horizontal	126	1.51	-	37.79	14.91	50.07

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 60
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.13	88.20	-29.07	52.07	3	Vertical	244	1.06	-	35.05	5.36	33.35
RMS	5.8662G	46.14	68.20	-22.06	39.31	3	Vertical	244	1.06	-	34.83	5.33	33.33
PK	6.4122G	101.98	Inf	-Inf	93.70	3	Vertical	244	1.06	-	35.68	5.70	33.10
RMS	6.4122G	89.35	Inf	-Inf	81.07	3	Vertical	244	1.06	-	35.68	5.70	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 60
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7934G	59.33	88.20	-28.87	52.84	3	Horizontal	334	2.58	-	34.49	5.30	33.30
RMS	5.8746G	46.18	68.20	-22.02	39.32	3	Horizontal	334	2.58	-	34.85	5.34	33.33
PK	6.4178G	105.85	Inf	-Inf	97.59	3	Horizontal	334	2.58	-	35.66	5.70	33.10
RMS	6.4178G	94.30	Inf	-Inf	86.04	3	Horizontal	334	2.58	-	35.66	5.70	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83488G	56.52	88.20	-31.68	42.99	3	Vertical	211	1.50	-	39.43	8.83	34.73
RMS	12.82546G	42.32	68.20	-25.88	28.79	3	Vertical	211	1.50	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83416G	56.58	88.20	-31.62	43.05	3	Horizontal	348	1.02	-	39.43	8.83	34.73
RMS	12.82788G	42.27	68.20	-25.93	28.74	3	Horizontal	348	1.02	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24106G	48.22	83.54	-35.32	44.96	1	Vertical	149	1.52	-	37.71	15.20	49.65
AV	19.2412G	34.41	63.54	-29.13	31.15	1	Vertical	149	1.52	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2476G	47.99	83.54	-35.55	44.74	1	Horizontal	164	1.57	-	37.70	15.20	49.65
AV	19.24368G	34.42	63.54	-29.12	31.16	1	Horizontal	164	1.57	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 60
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	58.97	88.20	-29.23	52.19	3	Vertical	246	1.02	-	34.78	5.32	33.32
RMS	5.876G	46.17	68.20	-22.03	39.31	3	Vertical	246	1.02	-	34.85	5.34	33.33
PK	6.4324G	102.76	Inf	-Inf	94.51	3	Vertical	246	1.02	-	35.64	5.70	33.09
RMS	6.4376G	89.69	Inf	-Inf	81.45	3	Vertical	246	1.02	-	35.62	5.70	33.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 60
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8162G	58.61	88.20	-29.59	52.01	3	Horizontal	58	1.97	-	34.60	5.31	33.31
RMS	5.8708G	46.18	68.20	-22.02	39.33	3	Horizontal	58	1.97	-	34.84	5.34	33.33
PK	6.4298G	104.63	Inf	-Inf	96.38	3	Horizontal	58	1.97	-	35.64	5.70	33.09
RMS	6.4376G	92.68	Inf	-Inf	84.44	3	Horizontal	58	1.97	-	35.62	5.70	33.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8666G	56.82	88.20	-31.38	43.25	3	Vertical	272	2.26	-	39.47	8.83	34.73
RMS	12.8735G	42.17	68.20	-26.03	28.60	3	Vertical	272	2.26	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




16/01/2022

EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87316G	55.92	88.20	-32.28	42.35	3	Horizontal	332	1.14	-	39.47	8.83	34.73
RMS	12.86802G	42.14	68.20	-26.06	28.57	3	Horizontal	332	1.14	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30892G	49.11	83.54	-34.43	45.80	1	Vertical	215	1.56	-	37.75	15.22	49.66
AV	19.3023G	34.71	63.54	-28.83	31.41	1	Vertical	215	1.56	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30636G	49.11	83.54	-34.43	45.80	1	Horizontal	299	1.52	-	37.75	15.22	49.66
AV	19.3086G	34.74	63.54	-28.80	31.43	1	Horizontal	299	1.52	-	37.75	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 60
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.767G	58.67	88.20	-29.53	52.23	3	Vertical	93	1.08	-	34.43	5.30	33.29
RMS	5.866G	46.14	68.20	-22.06	39.31	3	Vertical	93	1.08	-	34.83	5.33	33.33
PK	6.478G	101.57	Inf	-Inf	93.21	3	Vertical	93	1.08	-	35.71	5.70	33.05
RMS	6.478G	89.58	Inf	-Inf	81.22	3	Vertical	93	1.08	-	35.71	5.70	33.05
PK	7.138G	62.01	88.20	-26.19	52.50	3	Vertical	93	1.08	-	37.00	5.97	33.46
RMS	7.219G	49.60	68.20	-18.60	39.80	3	Vertical	93	1.08	-	37.34	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 60
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	58.92	88.20	-29.28	52.09	3	Horizontal	56	1.98	-	34.83	5.33	33.33
RMS	5.863G	46.22	68.20	-21.98	39.39	3	Horizontal	56	1.98	-	34.83	5.33	33.33
PK	6.472G	105.89	Inf	-Inf	97.56	3	Horizontal	56	1.98	-	35.69	5.70	33.06
RMS	6.472G	93.50	Inf	-Inf	85.17	3	Horizontal	56	1.98	-	35.69	5.70	33.06
PK	7.207G	62.16	88.20	-26.04	52.39	3	Horizontal	56	1.98	-	37.31	6.00	33.54
RMS	7.219G	49.58	68.20	-18.62	39.78	3	Horizontal	56	1.98	-	37.34	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95392G	57.49	88.20	-30.71	43.78	3	Vertical	309	2.60	-	39.61	8.81	34.71
RMS	12.95424G	42.55	68.20	-25.65	28.84	3	Vertical	309	2.60	-	39.61	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95154G	56.45	88.20	-31.75	42.75	3	Horizontal	251	2.12	-	39.60	8.81	34.71
RMS	12.95084G	42.50	68.20	-25.70	28.80	3	Horizontal	251	2.12	-	39.60	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUTX_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42636G	49.30	83.54	-34.24	45.88	1	Vertical	144	1.54	-	37.84	15.27	49.69
AV	19.42104G	35.29	63.54	-28.25	31.86	1	Vertical	144	1.54	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4255G	48.99	83.54	-34.55	45.57	1	Horizontal	245	1.53	-	37.84	15.27	49.69
AV	19.42964G	35.31	63.54	-28.23	31.89	1	Horizontal	245	1.53	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 61
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8598G	58.53	88.20	-29.67	51.70	3	Vertical	92	1.07	-	34.82	5.33	33.32
RMS	5.8542G	46.33	68.20	-21.87	39.51	3	Vertical	92	1.07	-	34.81	5.33	33.32
PK	6.5094G	103.17	Inf	-Inf	94.67	3	Vertical	92	1.07	-	35.84	5.70	33.04
RMS	6.5122G	91.24	Inf	-Inf	82.74	3	Vertical	92	1.07	-	35.85	5.70	33.05
PK	7.1898G	61.57	88.20	-26.63	51.84	3	Vertical	92	1.07	-	37.26	5.99	33.52
RMS	7.201G	49.63	68.20	-18.57	39.86	3	Vertical	92	1.07	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 61
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	58.35	88.20	-29.85	51.35	3	Horizontal	55	1.80	-	34.99	5.36	33.35
RMS	5.8766G	46.33	68.20	-21.87	39.47	3	Horizontal	55	1.80	-	34.85	5.34	33.33
PK	6.5122G	107.68	Inf	-Inf	99.18	3	Horizontal	55	1.80	-	35.85	5.70	33.05
RMS	6.5122G	94.60	Inf	-Inf	86.10	3	Horizontal	55	1.80	-	35.85	5.70	33.05
PK	7.1898G	62.10	88.20	-26.10	52.37	3	Horizontal	55	1.80	-	37.26	5.99	33.52
RMS	7.2094G	49.76	68.20	-18.44	39.98	3	Horizontal	55	1.80	-	37.32	6.00	33.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUTX_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02604G	57.12	88.20	-31.08	43.33	3	Vertical	316	1.30	-	39.70	8.79	34.70
RMS	13.03192G	42.67	68.20	-25.53	28.88	3	Vertical	316	1.30	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03186G	56.71	88.20	-31.49	42.92	3	Horizontal	266	1.17	-	39.70	8.79	34.70
RMS	13.03458G	42.70	68.20	-25.50	28.91	3	Horizontal	266	1.17	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUTX_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54616G	48.89	83.54	-34.65	45.39	1	Vertical	164	1.54	-	37.88	15.32	49.70
AV	19.54158G	35.30	63.54	-28.24	31.80	1	Vertical	164	1.54	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT X_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54202G	49.31	83.54	-34.23	45.81	1	Horizontal	237	1.58	-	37.88	15.32	49.70
AV	19.54708G	35.26	63.54	-28.28	31.76	1	Horizontal	237	1.58	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 61
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	58.84	88.20	-29.36	51.94	3	Vertical	119	1.00	-	34.89	5.35	33.34
RMS	5.8798G	46.32	68.20	-21.88	39.45	3	Vertical	119	1.00	-	34.86	5.34	33.33
PK	6.5378G	104.84	Inf	-Inf	96.25	3	Vertical	119	1.00	-	35.95	5.70	33.06
RMS	6.5322G	92.17	Inf	-Inf	83.60	3	Vertical	119	1.00	-	35.93	5.70	33.06
PK	7.165G	63.22	88.20	-24.98	53.57	3	Vertical	119	1.00	-	37.16	5.98	33.49
RMS	7.2098G	49.88	68.20	-18.32	40.10	3	Vertical	119	1.00	-	37.32	6.00	33.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 61
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8434G	58.94	88.20	-29.26	52.18	3	Horizontal	59	1.94	-	34.76	5.32	33.32
RMS	5.877G	46.40	68.20	-21.80	39.54	3	Horizontal	59	1.94	-	34.85	5.34	33.33
PK	6.5378G	106.23	Inf	-Inf	97.64	3	Horizontal	59	1.94	-	35.95	5.70	33.06
RMS	6.5322G	94.36	Inf	-Inf	85.79	3	Horizontal	59	1.94	-	35.93	5.70	33.06
PK	7.1958G	62.04	88.20	-26.16	52.28	3	Horizontal	59	1.94	-	37.28	6.00	33.52
RMS	7.2238G	49.76	68.20	-18.44	39.96	3	Horizontal	59	1.94	-	37.35	6.01	33.56

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUTX_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07324G	56.71	88.20	-31.49	42.92	3	Vertical	194	1.26	-	39.70	8.79	34.70
RMS	13.07126G	42.76	68.20	-25.44	28.97	3	Vertical	194	1.26	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06588G	57.12	88.20	-31.08	43.33	3	Horizontal	189	2.77	-	39.70	8.79	34.70
RMS	13.07146G	42.68	68.20	-25.52	28.89	3	Horizontal	189	2.77	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60854G	49.36	83.54	-34.18	45.86	1	Vertical	231	1.58	-	37.86	15.34	49.70
AV	19.60458G	35.91	63.54	-27.63	32.41	1	Vertical	231	1.58	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUTX_1TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60696G	49.64	83.54	-33.90	46.14	1	Horizontal	186	1.54	-	37.86	15.34	49.70
AV	19.60218G	35.85	63.54	-27.69	32.35	1	Horizontal	186	1.54	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 68
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	105.65	Inf	-Inf	96.89	3	Vertical	120	1.00	-	36.20	5.70	33.14
RMS	6.6906G	93.31	Inf	-Inf	84.55	3	Vertical	120	1.00	-	36.20	5.70	33.14
PK	7.2274G	62.41	88.20	-25.79	52.61	3	Vertical	120	1.00	-	37.35	6.01	33.56
RMS	7.2208G	49.78	68.20	-18.42	39.98	3	Vertical	120	1.00	-	37.34	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 68
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	110.50	Inf	-Inf	101.74	3	Horizontal	303	2.50	-	36.20	5.70	33.14
RMS	6.6906G	97.88	Inf	-Inf	89.12	3	Horizontal	303	2.50	-	36.20	5.70	33.14
PK	7.2208G	62.30	88.20	-25.90	52.50	3	Horizontal	303	2.50	-	37.34	6.01	33.55
RMS	7.2252G	49.71	68.20	-18.49	39.91	3	Horizontal	303	2.50	-	37.35	6.01	33.56

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3858G	58.27	74.00	-15.73	44.10	3	Vertical	121	2.21	-	40.17	8.72	34.72
AV	13.38568G	43.51	54.00	-10.49	29.34	3	Vertical	121	2.21	-	40.17	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39012G	57.31	74.00	-16.69	43.13	3	Horizontal	16	1.71	-	40.18	8.72	34.72
AV	13.39116G	43.46	54.00	-10.54	29.28	3	Horizontal	16	1.71	-	40.18	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08746G	47.96	83.54	-35.58	44.68	1	Vertical	82	1.57	-	37.47	15.54	49.73
AV	20.08584G	34.25	63.54	-29.29	30.97	1	Vertical	82	1.57	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08578G	47.52	83.54	-36.02	44.24	1	Horizontal	79	1.51	-	37.47	15.54	49.73
AV	20.08318G	34.46	63.54	-29.08	31.18	1	Horizontal	79	1.51	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUTX_1TX
Setting 65
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	105.13	Inf	-Inf	96.01	3	Vertical	121	1.00	-	36.58	5.75	33.21
RMS	6.8494G	92.21	Inf	-Inf	83.07	3	Vertical	121	1.00	-	36.60	5.75	33.21
PK	7.1966G	62.37	88.20	-25.83	52.61	3	Vertical	121	1.00	-	37.29	6.00	33.53
RMS	7.1994G	49.43	68.20	-18.77	39.66	3	Vertical	121	1.00	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUTX_1TX
Setting 65
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	110.96	Inf	-Inf	101.83	3	Horizontal	310	2.48	-	36.59	5.75	33.21
RMS	6.8592G	97.37	Inf	-Inf	88.27	3	Horizontal	310	2.48	-	36.56	5.76	33.22
PK	7.1938G	62.14	88.20	-26.06	52.38	3	Horizontal	310	2.48	-	37.28	6.00	33.52
RMS	7.1938G	49.49	68.20	-18.71	39.73	3	Horizontal	310	2.48	-	37.28	6.00	33.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUTX_1TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70766G	59.41	88.20	-28.79	45.15	3	Vertical	330	2.35	-	40.41	8.66	34.81
RMS	13.71458G	44.61	68.20	-23.59	30.35	3	Vertical	330	2.35	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70704G	58.39	88.20	-29.81	44.13	3	Horizontal	243	2.64	-	40.41	8.66	34.81
RMS	13.7129G	44.60	68.20	-23.60	30.34	3	Horizontal	243	2.64	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_X_1TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56498G	50.26	83.54	-33.28	46.60	1	Vertical	165	1.55	-	37.78	15.75	49.87
AV	20.56988G	35.99	63.54	-27.55	32.32	1	Vertical	165	1.55	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TnomVnom



EUT X_1TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5613G	49.63	83.54	-33.91	45.99	1	Horizontal	266	1.57	-	37.77	15.75	49.88
AV	20.56684G	35.97	63.54	-27.57	32.30	1	Horizontal	266	1.57	-	37.78	15.76	49.87


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 66
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8764G	105.73	Inf	-Inf	96.69	3	Vertical	122	1.00	-	36.49	5.78	33.23
RMS	6.8778G	92.18	Inf	-Inf	83.14	3	Vertical	122	1.00	-	36.49	5.78	33.23
PK	7.19G	62.25	88.20	-25.95	52.51	3	Vertical	122	1.00	-	37.26	6.00	33.52
RMS	7.2096G	49.54	68.20	-18.66	39.76	3	Vertical	122	1.00	-	37.32	6.00	33.54


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 66
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	108.04	Inf	-Inf	98.97	3	Horizontal	49	2.39	-	36.52	5.77	33.22
RMS	6.8778G	95.17	Inf	-Inf	86.13	3	Horizontal	49	2.39	-	36.49	5.78	33.23
PK	7.155G	62.54	88.20	-25.66	52.92	3	Horizontal	49	2.39	-	37.12	5.98	33.48
RMS	7.2096G	49.60	68.20	-18.60	39.82	3	Horizontal	49	2.39	-	37.32	6.00	33.54

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUTX_1TX
 Setting 66
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74896G	59.38	88.20	-28.82	45.10	3	Vertical	98	1.36	-	40.45	8.65	34.82
RMS	13.74896G	45.33	68.20	-22.87	31.05	3	Vertical	98	1.36	-	40.45	8.65	34.82

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75312G	59.53	88.20	-28.67	45.26	3	Horizontal	134	1.17	-	40.45	8.65	34.83
RMS	13.753G	45.35	68.20	-22.85	31.08	3	Horizontal	134	1.17	-	40.45	8.65	34.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz_TnomVnom




EUT_X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62498G	48.63	83.54	-34.91	44.85	1	Vertical	244	1.54	-	37.85	15.78	49.85
AV	20.6219G	35.73	63.54	-27.81	31.95	1	Vertical	244	1.54	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz_TnomVnom




EUT_X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62514G	49.59	83.54	-33.95	45.81	1	Horizontal	341	1.58	-	37.85	15.78	49.85
AV	20.6247G	35.61	63.54	-27.93	31.83	1	Horizontal	341	1.58	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUTX_1TX
Setting 66
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.888G	105.45	Inf	-Inf	96.44	3	Vertical	122	1.02	-	36.45	5.79	33.23
RMS	6.888G	92.27	Inf	-Inf	83.26	3	Vertical	122	1.02	-	36.45	5.79	33.23
PK	7.2324G	62.38	88.20	-25.82	52.57	3	Vertical	122	1.02	-	37.36	6.02	33.57
RMS	7.2296G	49.54	68.20	-18.66	39.74	3	Vertical	122	1.02	-	37.36	6.01	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUTX_1TX
Setting 66
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.888G	107.51	Inf	-Inf	98.50	3	Horizontal	49	2.36	-	36.45	5.79	33.23
RMS	6.8894G	94.90	Inf	-Inf	85.90	3	Horizontal	49	2.36	-	36.44	5.79	33.23
PK	7.2226G	62.74	88.20	-25.46	52.94	3	Horizontal	49	2.36	-	37.35	6.01	33.56
RMS	7.224G	49.64	68.20	-18.56	39.84	3	Horizontal	49	2.36	-	37.35	6.01	33.56

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7906G	59.50	88.20	-28.70	45.21	3	Vertical	180	1.06	-	40.49	8.64	34.84
RMS	13.79358G	45.65	68.20	-22.55	31.36	3	Vertical	180	1.06	-	40.49	8.64	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78634G	59.85	88.20	-28.35	45.56	3	Horizontal	147	2.34	-	40.49	8.64	34.84
RMS	13.79386G	45.61	68.20	-22.59	31.32	3	Horizontal	147	2.34	-	40.49	8.64	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68762G	49.44	83.54	-34.10	45.52	1	Vertical	143	1.54	-	37.93	15.81	49.82
AV	20.68538G	35.67	63.54	-27.87	31.77	1	Vertical	143	1.54	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68902G	49.30	83.54	-34.24	45.38	1	Horizontal	42	1.58	-	37.93	15.81	49.82
AV	20.68504G	35.62	63.54	-27.92	31.72	1	Horizontal	42	1.58	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUTX_1TX
Setting 58
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	107.36	Inf	-Inf	98.13	3	Vertical	27	2.52	-	36.63	5.89	33.29
RMS	6.993G	93.69	Inf	-Inf	84.46	3	Vertical	27	2.52	-	36.63	5.89	33.29
PK	7.185G	62.33	88.20	-25.87	52.61	3	Vertical	27	2.52	-	37.24	5.99	33.51
RMS	7.203G	49.60	68.20	-18.60	39.82	3	Vertical	27	2.52	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_X_1TX
Setting 58
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	108.57	Inf	-Inf	99.32	3	Horizontal	287	2.92	-	36.64	5.89	33.28
RMS	6.993G	95.76	Inf	-Inf	86.53	3	Horizontal	287	2.92	-	36.63	5.89	33.29
PK	7.213G	62.64	88.20	-25.56	52.85	3	Horizontal	287	2.92	-	37.33	6.01	33.55
RMS	7.218G	49.57	68.20	-18.63	39.77	3	Horizontal	287	2.92	-	37.34	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_X_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98814G	59.40	88.20	-28.80	44.87	3	Vertical	234	1.35	-	40.86	8.60	34.93
RMS	13.99018G	45.53	68.20	-22.67	30.99	3	Vertical	234	1.35	-	40.87	8.60	34.93

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_X_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99198G	60.23	88.20	-27.97	45.68	3	Horizontal	267	1.12	-	40.88	8.60	34.93
RMS	13.98906G	45.51	68.20	-22.69	30.97	3	Horizontal	267	1.12	-	40.87	8.60	34.93

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUTX_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98228G	49.24	83.54	-34.30	45.38	1	Vertical	134	1.54	-	37.63	15.94	49.71
AV	20.98494G	34.70	63.54	-28.84	30.85	1	Vertical	134	1.54	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUTX_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9831G	48.35	83.54	-35.19	44.49	1	Horizontal	324	1.55	-	37.63	15.94	49.71
AV	20.98508G	34.69	63.54	-28.85	30.84	1	Horizontal	324	1.55	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUTX_1TX
Setting 58
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0958G	103.84	Inf	-Inf	94.58	3	Vertical	18	1.96	-	36.71	5.95	33.40
RMS	7.0978G	90.04	Inf	-Inf	80.80	3	Vertical	18	1.96	-	36.70	5.95	33.41
PK	7.1862G	62.72	88.20	-25.48	53.00	3	Vertical	18	1.96	-	37.24	5.99	33.51
RMS	7.125G	49.50	68.20	-18.70	40.08	3	Vertical	18	1.96	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUTX_1TX
Setting 58
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0898G	108.60	Inf	-Inf	99.34	3	Horizontal	285	1.80	-	36.72	5.94	33.40
RMS	7.087G	95.36	Inf	-Inf	86.08	3	Horizontal	285	1.80	-	36.73	5.94	33.39
PK	7.151G	62.68	88.20	-25.52	53.07	3	Horizontal	285	1.80	-	37.10	5.98	33.47
RMS	7.125G	50.17	68.20	-18.03	40.75	3	Horizontal	285	1.80	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT X_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18694G	58.79	88.20	-29.41	44.23	3	Vertical	297	1.14	-	40.81	8.65	34.90
RMS	14.18552G	44.63	68.20	-23.57	30.07	3	Vertical	297	1.14	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT X_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19094G	58.51	88.20	-29.69	43.95	3	Horizontal	282	1.90	-	40.81	8.65	34.90
RMS	14.18616G	44.68	68.20	-23.52	30.12	3	Horizontal	282	1.90	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUTX_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2862G	50.04	83.54	-33.50	45.96	1	Vertical	190	1.54	-	37.64	16.08	49.64
AV	21.28798G	36.62	63.54	-26.92	32.53	1	Vertical	190	1.54	-	37.65	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUTX_1TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.283G	50.60	83.54	-32.94	46.52	1	Horizontal	324	1.52	-	37.64	16.08	49.64
AV	21.28488G	36.57	63.54	-26.97	32.49	1	Horizontal	324	1.52	-	37.64	16.08	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUTX_1TX
Setting 76
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	68.76	88.20	-19.44	61.70	3	Vertical	245	2.61	-	35.05	5.36	33.35
RMS	5.925G	53.42	68.20	-14.78	46.36	3	Vertical	245	2.61	-	35.05	5.36	33.35
PK	5.981G	103.49	Inf	-Inf	96.15	3	Vertical	245	2.61	-	35.32	5.39	33.37
RMS	5.9794G	91.29	Inf	-Inf	83.95	3	Vertical	245	2.61	-	35.32	5.39	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUTX_1TX
Setting 76
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	74.16	88.20	-14.04	67.11	3	Horizontal	303	2.68	-	35.04	5.36	33.35
RMS	5.9246G	58.25	68.20	-9.95	51.19	3	Horizontal	303	2.68	-	35.05	5.36	33.35
PK	5.9678G	109.54	Inf	-Inf	102.26	3	Horizontal	303	2.68	-	35.27	5.38	33.37
RMS	5.9698G	97.50	Inf	-Inf	90.21	3	Horizontal	303	2.68	-	35.28	5.38	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT X_1TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9346G	56.37	74.00	-17.63	43.25	3	Vertical	241	2.95	-	39.10	8.95	34.93
AV	11.92716G	43.89	54.00	-10.11	30.74	3	Vertical	241	2.95	-	39.12	8.95	34.92

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT X_1TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93214G	56.08	74.00	-17.92	42.95	3	Horizontal	330	1.97	-	39.10	8.95	34.92
AV	11.93034G	44.12	54.00	-9.88	30.98	3	Horizontal	330	1.97	-	39.11	8.95	34.92

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT_X_1TX
Setting 66
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8594G	60.30	88.20	-27.90	53.47	3	Vertical	5	1.79	-	34.82	5.33	33.32
RMS	5.8674G	47.38	68.20	-20.82	40.55	3	Vertical	5	1.79	-	34.83	5.33	33.33
PK	6.1554G	100.45	Inf	-Inf	92.73	3	Vertical	5	1.79	-	35.43	5.56	33.27
RMS	6.157G	88.05	Inf	-Inf	80.32	3	Vertical	5	1.79	-	35.44	5.56	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT_X_1TX
Setting 66
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7842G	59.77	88.20	-28.43	53.29	3	Horizontal	56	1.85	-	34.47	5.30	33.29
RMS	5.9218G	47.52	68.20	-20.68	40.48	3	Horizontal	56	1.85	-	35.03	5.36	33.35
PK	6.1794G	106.17	Inf	-Inf	98.27	3	Horizontal	56	1.85	-	35.58	5.58	33.26
RMS	6.181G	94.27	Inf	-Inf	86.36	3	Horizontal	56	1.85	-	35.59	5.58	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT_X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33172G	55.42	74.00	-18.58	42.54	3	Vertical	22	1.74	-	38.80	8.93	34.85
AV	12.32524G	43.25	54.00	-10.75	30.39	3	Vertical	22	1.74	-	38.78	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUTX_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32736G	55.91	74.00	-18.09	43.05	3	Horizontal	83	2.56	-	38.78	8.93	34.85
AV	12.32504G	43.21	54.00	-10.79	30.35	3	Horizontal	83	2.56	-	38.78	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5G	47.79	83.54	-35.75	45.19	1	Vertical	51	1.53	-	37.80	14.90	50.10
AV	18.4927G	35.80	63.54	-27.74	33.21	1	Vertical	51	1.53	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.498G	48.76	83.54	-34.78	46.16	1	Horizontal	17	1.50	-	37.80	14.90	50.10
AV	18.49782G	35.80	63.54	-27.74	33.20	1	Horizontal	17	1.50	-	37.80	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_X_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7274G	58.41	88.20	-29.79	52.07	3	Vertical	253	1.00	-	34.31	5.30	33.27
RMS	5.8422G	47.51	68.20	-20.69	40.76	3	Vertical	253	1.00	-	34.75	5.32	33.32
PK	6.3882G	102.42	Inf	-Inf	94.17	3	Vertical	253	1.00	-	35.68	5.69	33.12
RMS	6.3966G	90.61	Inf	-Inf	82.33	3	Vertical	253	1.00	-	35.69	5.70	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUTX_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7414G	59.26	88.20	-28.94	52.87	3	Horizontal	340	2.57	-	34.37	5.30	33.28
RMS	5.873G	47.40	68.20	-20.80	40.54	3	Horizontal	340	2.57	-	34.85	5.34	33.33
PK	6.4106G	106.51	Inf	-Inf	98.23	3	Horizontal	340	2.57	-	35.68	5.70	33.10
RMS	6.4078G	95.81	Inf	-Inf	87.53	3	Horizontal	340	2.57	-	35.68	5.70	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8067G	56.82	88.20	-31.38	43.31	3	Vertical	349	2.89	-	39.41	8.84	34.74
RMS	12.80514G	44.18	68.20	-24.02	30.67	3	Vertical	349	2.89	-	39.41	8.84	34.74

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81004G	56.86	88.20	-31.34	43.35	3	Horizontal	317	1.28	-	39.41	8.84	34.74
RMS	12.80546G	44.10	68.20	-24.10	30.59	3	Horizontal	317	1.28	-	39.41	8.84	34.74

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUTX_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21406G	48.21	83.54	-35.33	44.92	1	Vertical	268	1.51	-	37.74	15.19	49.64
AV	19.21936G	35.88	63.54	-27.66	32.59	1	Vertical	268	1.51	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUTX_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21692G	48.72	83.54	-34.82	45.43	1	Horizontal	179	1.54	-	37.74	15.19	49.64
AV	19.21926G	35.64	63.54	-27.90	32.35	1	Horizontal	179	1.54	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_X_1TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7922G	58.70	88.20	-29.50	52.22	3	Vertical	110	1.02	-	34.48	5.30	33.30
RMS	5.7698G	47.37	68.20	-20.83	40.92	3	Vertical	110	1.02	-	34.44	5.30	33.29
PK	6.429G	102.21	Inf	-Inf	93.96	3	Vertical	110	1.02	-	35.64	5.70	33.09
RMS	6.4418G	91.58	Inf	-Inf	83.34	3	Vertical	110	1.02	-	35.62	5.70	33.08
PK	7.2322G	61.89	88.20	-26.31	52.08	3	Vertical	110	1.02	-	37.36	6.02	33.57
RMS	7.2322G	50.75	68.20	-17.45	40.94	3	Vertical	110	1.02	-	37.36	6.02	33.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_X_1TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.677G	58.86	88.20	-29.34	52.56	3	Horizontal	54	2.02	-	34.25	5.30	33.25
RMS	5.792G	47.84	68.20	-20.36	41.36	3	Horizontal	54	2.02	-	34.48	5.30	33.30
PK	6.448G	105.61	Inf	-Inf	97.39	3	Horizontal	54	2.02	-	35.60	5.70	33.08
RMS	6.438G	94.39	Inf	-Inf	86.15	3	Horizontal	54	2.02	-	35.62	5.70	33.08
PK	7.213G	62.27	88.20	-25.93	52.48	3	Horizontal	54	2.02	-	37.33	6.01	33.55
RMS	7.222G	50.72	68.20	-17.48	40.92	3	Horizontal	54	2.02	-	37.35	6.01	33.56

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89466G	56.24	88.20	-31.96	42.65	3	Vertical	25	1.48	-	39.49	8.82	34.72
RMS	12.89282G	43.81	68.20	-24.39	30.22	3	Vertical	25	1.48	-	39.49	8.82	34.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89314G	56.21	88.20	-31.99	42.62	3	Horizontal	139	2.01	-	39.49	8.82	34.72
RMS	12.89118G	44.04	68.20	-24.16	30.45	3	Horizontal	139	2.01	-	39.49	8.82	34.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3338G	48.39	83.54	-35.15	45.06	1	Vertical	257	1.57	-	37.77	15.23	49.67
AV	19.3332G	36.07	63.54	-27.47	32.74	1	Vertical	257	1.57	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33526G	49.06	83.54	-34.48	45.73	1	Horizontal	40	1.57	-	37.77	15.23	49.67
AV	19.33888G	35.99	63.54	-27.55	32.65	1	Horizontal	40	1.57	-	37.77	15.24	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_X_1TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.783G	58.85	88.20	-29.35	52.37	3	Vertical	113	1.05	-	34.47	5.30	33.29
RMS	5.873G	47.74	68.20	-20.46	40.88	3	Vertical	113	1.05	-	34.85	5.34	33.33
PK	6.5G	103.93	Inf	-Inf	95.47	3	Vertical	113	1.05	-	35.80	5.70	33.04
RMS	6.494G	92.37	Inf	-Inf	83.93	3	Vertical	113	1.05	-	35.78	5.70	33.04
PK	7.22G	61.78	88.20	-26.42	51.98	3	Vertical	113	1.05	-	37.34	6.01	33.55
RMS	7.205G	51.14	68.20	-17.06	41.37	3	Vertical	113	1.05	-	37.31	6.00	33.54

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_X_1TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	59.45	88.20	-28.75	52.43	3	Horizontal	56	1.98	-	35.01	5.36	33.35
RMS	5.798G	47.73	68.20	-20.47	41.23	3	Horizontal	56	1.98	-	34.50	5.30	33.30
PK	6.491G	106.94	Inf	-Inf	98.53	3	Horizontal	56	1.98	-	35.76	5.70	33.05
RMS	6.479G	95.57	Inf	-Inf	87.20	3	Horizontal	56	1.98	-	35.72	5.70	33.05
PK	7.223G	62.11	88.20	-26.09	52.31	3	Horizontal	56	1.98	-	37.35	6.01	33.56
RMS	7.226G	51.25	68.20	-16.95	41.45	3	Horizontal	56	1.98	-	37.35	6.01	33.56

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96912G	56.54	88.20	-31.66	42.80	3	Vertical	266	2.95	-	39.64	8.81	34.71
RMS	12.97136G	44.16	68.20	-24.04	30.42	3	Vertical	266	2.95	-	39.64	8.81	34.71

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9701G	56.65	88.20	-31.55	42.91	3	Horizontal	254	1.14	-	39.64	8.81	34.71
RMS	12.97454G	44.42	68.20	-23.78	30.67	3	Horizontal	254	1.14	-	39.65	8.81	34.71

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUTX_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45258G	48.88	83.54	-34.66	45.43	1	Vertical	131	1.57	-	37.86	15.28	49.69
AV	19.4575G	36.57	63.54	-26.97	33.11	1	Vertical	131	1.57	-	37.87	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TnomVnom



EUT X_1TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4558G	49.26	83.54	-34.28	45.81	1	Horizontal	16	1.55	-	37.86	15.28	49.69
AV	19.45356G	36.62	63.54	-26.92	33.17	1	Horizontal	16	1.55	-	37.86	15.28	49.69


802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 70
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.15	88.20	-29.05	52.10	3	Vertical	113	1.04	-	35.04	5.36	33.35
RMS	5.8446G	47.62	68.20	-20.58	40.85	3	Vertical	113	1.04	-	34.77	5.32	33.32
PK	6.5194G	104.83	Inf	-Inf	96.30	3	Vertical	113	1.04	-	35.88	5.70	33.05
RMS	6.5222G	92.77	Inf	-Inf	84.23	3	Vertical	113	1.04	-	35.89	5.70	33.05
PK	7.2082G	61.93	88.20	-26.27	52.15	3	Vertical	113	1.04	-	37.32	6.00	33.54
RMS	7.2082G	51.19	68.20	-17.01	41.41	3	Vertical	113	1.04	-	37.32	6.00	33.54

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom








EUT_X_1TX
 Setting 70
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8614G	58.91	88.20	-29.29	52.08	3	Horizontal	56	1.78	-	34.82	5.33	33.32
RMS	5.8698G	47.54	68.20	-20.66	40.70	3	Horizontal	56	1.78	-	34.84	5.33	33.33
PK	6.5418G	106.27	Inf	-Inf	97.66	3	Horizontal	56	1.78	-	35.97	5.70	33.06
RMS	6.5306G	95.33	Inf	-Inf	86.77	3	Horizontal	56	1.78	-	35.92	5.70	33.06
PK	7.2166G	62.86	88.20	-25.34	53.07	3	Horizontal	56	1.78	-	37.33	6.01	33.55
RMS	7.1998G	51.01	68.20	-17.19	41.24	3	Horizontal	56	1.78	-	37.30	6.00	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




Lim.PK 
 PK 
 Lim.AV 
 AV 

16/01/2022

EUT X_1TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05072G	56.48	88.20	-31.72	42.69	3	Vertical	239	1.75	-	39.70	8.79	34.70
RMS	13.0463G	44.33	68.20	-23.87	30.54	3	Vertical	239	1.75	-	39.70	8.79	34.70

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_1TX
 Setting 70
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05218G	56.42	88.20	-31.78	42.63	3	Horizontal	341	1.03	-	39.70	8.79	34.70
RMS	13.0482G	44.22	68.20	-23.98	30.43	3	Horizontal	341	1.03	-	39.70	8.79	34.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TnomVnom




EUT_X_1TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57712G	48.52	83.54	-35.02	45.02	1	Vertical	106	1.53	-	37.87	15.33	49.70
AV	19.57664G	36.32	63.54	-27.22	32.82	1	Vertical	106	1.53	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TnomVnom




EUT_X_1TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57276G	48.28	83.54	-35.26	44.78	1	Horizontal	314	1.52	-	37.87	15.33	49.70
AV	19.57552G	36.39	63.54	-27.15	32.89	1	Horizontal	314	1.52	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_X_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	102.36	Inf	-Inf	93.71	3	Vertical	110	1.10	-	36.02	5.70	33.07
RMS	6.553G	91.25	Inf	-Inf	82.61	3	Vertical	110	1.10	-	36.01	5.70	33.07
PK	7.1434G	61.17	88.20	-27.03	51.61	3	Vertical	110	1.10	-	37.05	5.97	33.46
RMS	7.1458G	50.62	68.20	-17.58	41.04	3	Vertical	110	1.10	-	37.07	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_X_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	107.55	Inf	-Inf	98.88	3	Horizontal	57	1.94	-	36.04	5.70	33.07
RMS	6.5626G	95.73	Inf	-Inf	87.07	3	Horizontal	57	1.94	-	36.03	5.70	33.07
PK	7.1338G	61.94	88.20	-26.26	52.45	3	Horizontal	57	1.94	-	36.97	5.97	33.45
RMS	7.1458G	50.68	68.20	-17.52	41.10	3	Horizontal	57	1.94	-	37.07	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13198G	56.85	88.20	-31.35	43.03	3	Vertical	226	2.59	-	39.76	8.77	34.71
RMS	13.12534G	44.37	68.20	-23.83	30.56	3	Vertical	226	2.59	-	39.75	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13162G	57.64	88.20	-30.56	43.82	3	Horizontal	57	2.73	-	39.76	8.77	34.71
RMS	13.13232G	44.30	68.20	-23.90	30.48	3	Horizontal	57	2.73	-	39.76	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUTX_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69582G	50.14	83.54	-33.40	46.64	1	Vertical	211	1.50	-	37.82	15.38	49.70
AV	19.6963G	36.66	63.54	-26.88	33.16	1	Vertical	211	1.50	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom



EUTX_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69382G	49.78	83.54	-33.76	46.28	1	Horizontal	318	1.57	-	37.82	15.38	49.70
AV	19.69676G	36.54	63.54	-27.00	33.04	1	Horizontal	318	1.57	-	37.82	15.38	49.70