


802.11ax HEW40\_Nss2,(MCS0)\_2TX

5510MHz\_TnomVnom




EUT X\_2TX  
SET 70  
70  
3.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53672G	65.03	68.20	-3.17	46.48	3	Horizontal	284	2.92	-	40.30	10.66	32.41

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
 SET 92  
 80/100/90/95/93/94/93/92  
 4.42/-7.42/0.39/-3.21/0.30/-1.38/-0.54/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.98	74.00	-16.02	51.50	3	Vertical	0	1.72	-	33.00	6.40	32.92
AV	5.35G	47.66	54.00	-6.34	41.18	3	Vertical	0	1.72	-	33.00	6.40	32.92
PK	5.4572G	65.38	74.00	-8.62	58.13	3	Vertical	0	1.72	-	33.70	6.46	32.91
AV	5.458G	53.58	54.00	-0.42	46.33	3	Vertical	0	1.72	-	33.70	6.46	32.91
PK	5.4668G	67.09	68.20	-1.11	59.82	3	Vertical	0	1.72	-	33.70	6.47	32.90
PK	5.5332G	110.91	Inf	-Inf	103.45	3	Vertical	0	1.72	-	33.83	6.53	32.90
AV	5.534G	99.71	Inf	-Inf	92.24	3	Vertical	0	1.72	-	33.84	6.53	32.90
PK	5.7412G	60.45	68.20	-7.75	52.44	3	Vertical	0	1.72	-	34.33	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 92/72/82/77/79/80  
 -7.42/3.68/-1.20/2.22/1.25/0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.81	74.00	-14.19	53.33	3	Horizontal	291	1.65	-	33.00	6.40	32.92
AV	5.35G	48.92	54.00	-5.08	42.44	3	Horizontal	291	1.65	-	33.00	6.40	32.92
PK	5.4588G	66.20	74.00	-7.80	58.94	3	Horizontal	291	1.65	-	33.70	6.46	32.90
AV	5.4588G	53.29	54.00	-0.71	46.03	3	Horizontal	291	1.65	-	33.70	6.46	32.90
PK	5.4676G	67.60	68.20	-0.60	60.33	3	Horizontal	291	1.65	-	33.70	6.47	32.90
PK	5.5364G	116.28	Inf	-Inf	108.79	3	Horizontal	291	1.65	-	33.85	6.54	32.90
AV	5.5364G	103.50	Inf	-Inf	96.01	3	Horizontal	291	1.65	-	33.85	6.54	32.90
PK	5.7356G	62.51	68.20	-5.69	54.55	3	Horizontal	291	1.65	-	34.28	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -1.14/3.81/2.61/-0.13/0.47/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.64166G	67.76	68.20	-0.44	49.08	3	Vertical	343	2.08	-	40.34	10.69	32.35

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5550MHz\_TnomVnom




EUT X\_2TX  
SET 74  
74  
1.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.6405G	67.08	68.20	-1.12	48.40	3	Horizontal	18	1.77	-	40.34	10.69	32.35

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 80/100/90/85/83/82/80  
 1.55/-17.01/-7.10/-3.61/-3.32/-1.46/0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66072G	110.04	Inf	-Inf	102.28	3	Vertical	15	2.20	-	34.08	6.60	32.92
AV	5.6636G	97.39	Inf	-Inf	89.64	3	Vertical	15	2.20	-	34.07	6.60	32.92
PK	5.73592G	67.31	68.20	-0.89	59.34	3	Vertical	15	2.20	-	34.29	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 80/60/70/75/73/72  
 -3.66/5.66/2.07/-1.60/-0.03/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66872G	112.54	Inf	-Inf	104.80	3	Horizontal	303	1.34	-	34.06	6.60	32.92
AV	5.66392G	99.76	Inf	-Inf	92.01	3	Horizontal	303	1.34	-	34.07	6.60	32.92
PK	5.73368G	67.20	68.20	-1.00	59.25	3	Horizontal	303	1.34	-	34.27	6.60	32.92

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5670MHz\_TnomVnom




EUT X\_2TX  
SET 72  
72  
2.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.0135G	65.34	68.20	-2.86	45.52	3	Vertical	50	1.80	-	41.14	10.80	32.12



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX


### 5670MHz\_TnomVnom



EUT X\_2TX  
 SET 72  
 72  
 2.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.00662G	65.42	68.20	-2.78	45.63	3	Horizontal	104	1.80	-	41.12	10.80	32.13


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.67/4.41/3.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	60.13	74.00	-13.87	52.88	3	Vertical	14	2.27	-	33.70	6.46	32.91
AV	5.45832G	48.65	54.00	-5.35	41.40	3	Vertical	14	2.27	-	33.70	6.46	32.91
PK	5.46144G	60.21	68.20	-7.99	52.95	3	Vertical	14	2.27	-	33.70	6.46	32.90
PK	5.70168G	112.86	Inf	-Inf	105.17	3	Vertical	14	2.27	-	34.01	6.60	32.92
AV	5.7152G	100.81	Inf	-Inf	93.01	3	Vertical	14	2.27	-	34.12	6.60	32.92
PK	5.85G	64.28	68.20	-3.92	55.82	3	Vertical	14	2.27	-	34.80	6.60	32.94


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 102  
 102  
 1.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	60.60	74.00	-13.40	53.36	3	Horizontal	297	1.80	-	33.70	6.45	32.91
AV	5.45728G	49.82	54.00	-4.18	42.57	3	Horizontal	297	1.80	-	33.70	6.46	32.91
PK	5.46664G	60.54	68.20	-7.66	53.27	3	Horizontal	297	1.80	-	33.70	6.47	32.90
PK	5.7048G	117.22	Inf	-Inf	109.50	3	Horizontal	297	1.80	-	34.04	6.60	32.92
AV	5.71832G	105.64	Inf	-Inf	97.81	3	Horizontal	297	1.80	-	34.15	6.60	32.92
PK	5.85144G	66.45	68.20	-1.75	57.99	3	Horizontal	297	1.80	-	34.80	6.60	32.94


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 77  
 102/82/72/77/79/78/77  
 -5.75/-1.63/1.89/0.86/-0.07/-0.21/0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12512G	67.88	68.20	-0.32	47.65	3	Vertical	31	1.34	-	41.45	10.84	32.06

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT X\_2TX  
 SET 77  
 77  
 0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1324G	67.55	68.20	-0.65	47.31	3	Horizontal	30	1.79	-	41.46	10.84	32.06

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
 SET 72  
 80/60/70/75/73/72  
 -2.13/3.94/1.77/-0.47/-0.19/0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	58.51	74.00	-15.49	52.36	3	Vertical	10	2.95	-	32.72	6.37	32.94
AV	5.14792G	48.26	54.00	-5.74	42.13	3	Vertical	10	2.95	-	32.70	6.37	32.94
PK	5.27336G	104.45	Inf	-Inf	98.13	3	Vertical	10	2.95	-	32.85	6.40	32.93
AV	5.27272G	94.17	Inf	-Inf	87.85	3	Vertical	10	2.95	-	32.85	6.40	32.93
PK	5.36296G	63.43	74.00	-10.57	56.90	3	Vertical	10	2.95	-	33.05	6.40	32.92
AV	5.3636G	53.40	54.00	-0.60	46.87	3	Vertical	10	2.95	-	33.05	6.40	32.92

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT X\_2TX  
 SET 66  
 72/52/62/67/65/66  
 -1.69/3.54/2.40/-0.16/0.57/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14024G	59.25	74.00	-14.75	53.10	3	Horizontal	62	1.96	-	32.72	6.37	32.94
AV	5.14856G	49.02	54.00	-4.98	42.89	3	Horizontal	62	1.96	-	32.70	6.37	32.94
PK	5.27848G	108.45	Inf	-Inf	102.12	3	Horizontal	62	1.96	-	32.86	6.40	32.93
AV	5.27592G	97.80	Inf	-Inf	91.48	3	Horizontal	62	1.96	-	32.85	6.40	32.93
PK	5.35464G	63.58	74.00	-10.42	57.08	3	Horizontal	62	1.96	-	33.02	6.40	32.92
AV	5.35G	53.81	54.00	-0.19	47.33	3	Horizontal	62	1.96	-	33.00	6.40	32.92

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT X\_2TX  
SET 66  
66  
4.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87696G	60.12	74.00	-13.88	44.04	3	Vertical	275	2.77	-	38.38	10.46	32.76
AV	15.88392G	49.01	54.00	-4.99	32.92	3	Vertical	275	2.77	-	38.38	10.47	32.76



802.11ax HEW80\_Nss2,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT X\_2TX  
SET 66  
66  
4.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88748G	60.76	74.00	-13.24	44.66	3	Horizontal	360	2.60	-	38.39	10.47	32.76
AV	15.87612G	49.29	54.00	-4.71	33.21	3	Horizontal	360	2.60	-	38.38	10.46	32.76

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -8.26/3.71/2.12/-1.77/0.54/0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	64.34	74.00	-9.66	57.08	3	Vertical	12	2.20	-	33.70	6.46	32.90
AV	5.45992G	53.93	54.00	-0.07	46.67	3	Vertical	12	2.20	-	33.70	6.46	32.90
PK	5.46248G	66.14	68.20	-2.06	58.88	3	Vertical	12	2.20	-	33.70	6.46	32.90
PK	5.49992G	107.06	Inf	-Inf	99.76	3	Vertical	12	2.20	-	33.70	6.50	32.90
AV	5.52008G	95.79	Inf	-Inf	88.39	3	Vertical	12	2.20	-	33.78	6.52	32.90

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
 SET 67  
 74/54/64/69/67  
 -4.34/2.69/0.49/-0.65/0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	64.35	74.00	-9.65	57.10	3	Horizontal	290	1.65	-	33.70	6.46	32.91
AV	5.45864G	53.85	54.00	-0.15	46.59	3	Horizontal	290	1.65	-	33.70	6.46	32.90
PK	5.4692G	65.18	68.20	-3.02	57.91	3	Horizontal	290	1.65	-	33.70	6.47	32.90
PK	5.54344G	108.75	Inf	-Inf	101.24	3	Horizontal	290	1.65	-	33.87	6.54	32.90
AV	5.53224G	98.22	Inf	-Inf	90.76	3	Horizontal	290	1.65	-	33.83	6.53	32.90

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT X\_2TX  
SET 67  
67  
3.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.60044G	64.98	68.20	-3.22	46.37	3	Vertical	76	1.80	-	40.30	10.68	32.37

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT X\_2TX  
 SET 67  
 67  
 2.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.57724G	65.42	68.20	-2.78	46.83	3	Horizontal	191	1.80	-	40.30	10.67	32.38

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
 SET 90  
 80/100/90  
 3.02/-10.07/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	63.81	74.00	-10.19	56.56	3	Vertical	3	1.80	-	33.70	6.46	32.91
AV	5.45896G	53.72	54.00	-0.28	46.46	3	Vertical	3	1.80	-	33.70	6.46	32.90
PK	5.46088G	66.35	68.20	-1.85	59.09	3	Vertical	3	1.80	-	33.70	6.46	32.90
PK	5.57672G	107.23	Inf	-Inf	99.71	3	Vertical	3	1.80	-	33.85	6.58	32.91
AV	5.58056G	96.51	Inf	-Inf	89.00	3	Vertical	3	1.80	-	33.84	6.58	32.91
PK	5.72968G	68.16	68.20	-0.04	60.24	3	Vertical	3	1.80	-	34.24	6.60	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
 SET 76  
 90/70/80/75/77/78/77/76  
 -8.37/3.22/-1.46/1.60/0.34/-1.25/-0.52/0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	62.75	74.00	-11.25	55.50	3	Horizontal	295	1.80	-	33.70	6.46	32.91
AV	5.45704G	52.01	54.00	-1.99	44.76	3	Horizontal	295	1.80	-	33.70	6.46	32.91
PK	5.46216G	63.24	68.20	-4.96	55.98	3	Horizontal	295	1.80	-	33.70	6.46	32.90
PK	5.61192G	110.08	Inf	-Inf	102.52	3	Horizontal	295	1.80	-	33.87	6.60	32.91
AV	5.57416G	99.35	Inf	-Inf	91.84	3	Horizontal	295	1.80	-	33.85	6.57	32.91
PK	5.72648G	67.62	68.20	-0.58	59.73	3	Horizontal	295	1.80	-	34.21	6.60	32.92

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5610MHz\_TnomVnom




EUT X\_2TX  
 SET 76  
 76  
 4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.81676G	63.80	68.20	-4.40	44.71	3	Vertical	15	1.15	-	40.58	10.75	32.24



802.11ax HEW80\_Nss2,(MCS0)\_2TX


5610MHz\_TnomVnom



EUT X\_2TX  
SET 76  
76  
5.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.84484G	62.99	68.20	-5.21	43.74	3	Horizontal	119	1.80	-	40.72	10.75	32.22


**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 97  
 80/100/90/95/97/98/97  
 4.07/-1.64/3.97/2.28/1.86/-0.12/1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	61.97	74.00	-12.03	54.73	3	Vertical	12	2.19	-	33.70	6.45	32.91
PK	5.46152G	63.35	68.20	-4.85	56.09	3	Vertical	12	2.19	-	33.70	6.46	32.90
AV	5.45768G	52.17	54.00	-1.83	44.92	3	Vertical	12	2.19	-	33.70	6.46	32.91
PK	5.6612G	110.48	Inf	-Inf	102.72	3	Vertical	12	2.19	-	34.08	6.60	32.92
AV	5.65928G	99.23	Inf	-Inf	91.47	3	Vertical	12	2.19	-	34.08	6.60	32.92
PK	5.85G	66.78	68.20	-1.42	58.32	3	Vertical	12	2.19	-	34.80	6.60	32.94


**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT X\_2TX  
 SET 94  
 97/77/87/92/94  
 -2.29/3.42/2.55/1.50/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	64.87	74.00	-9.13	57.63	3	Horizontal	303	1.38	-	33.70	6.45	32.91
AV	5.4548G	53.33	54.00	-0.67	46.09	3	Horizontal	303	1.38	-	33.70	6.45	32.91
PK	5.47G	64.02	68.20	-4.18	56.75	3	Horizontal	303	1.38	-	33.70	6.47	32.90
PK	5.67848G	113.02	Inf	-Inf	105.30	3	Horizontal	303	1.38	-	34.04	6.60	32.92
AV	5.6612G	102.45	Inf	-Inf	94.69	3	Horizontal	303	1.38	-	34.08	6.60	32.92
PK	5.85128G	67.95	68.20	-0.25	59.49	3	Horizontal	303	1.38	-	34.80	6.60	32.94

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 89  
 94/74/84/89/91/90/89  
 -0.79/2.09/1.43/0.42/-0.07/-0.13/0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.06848G	67.38	68.20	-0.82	47.34	3	Vertical	3	1.87	-	41.31	10.82	32.09

802.11ax HEW80\_Nss2,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
SET 89  
89  
1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.06628G	67.02	68.20	-1.18	47.00	3	Horizontal	30	1.80	-	41.30	10.82	32.10

802.11ax HEW160\_Nss2,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0964G	58.36	74.00	-15.64	52.16	3	Vertical	0	1.76	-	32.80	6.35	32.95
AV	5.018G	49.06	54.00	-4.94	42.78	3	Vertical	0	1.76	-	32.93	6.31	32.96
PK	5.2836G	94.33	Inf	-Inf	87.99	3	Vertical	0	1.76	-	32.87	6.40	32.93
AV	5.282G	84.78	Inf	-Inf	78.45	3	Vertical	0	1.76	-	32.86	6.40	32.93
PK	5.4292G	59.82	74.00	-14.18	52.81	3	Vertical	0	1.76	-	33.49	6.43	32.91
AV	5.4468G	49.65	54.00	-4.35	42.44	3	Vertical	0	1.76	-	33.67	6.45	32.91
PK	5.5812G	60.62	68.20	-7.58	53.11	3	Vertical	0	1.76	-	33.84	6.58	32.91

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.002G	58.83	74.00	-15.17	52.50	3	Horizontal	286	1.74	-	32.99	6.30	32.96
AV	5.0116G	48.47	54.00	-5.53	42.17	3	Horizontal	286	1.74	-	32.95	6.31	32.96
PK	5.314G	101.11	Inf	-Inf	94.70	3	Horizontal	286	1.74	-	32.93	6.40	32.92
AV	5.2692G	90.46	Inf	-Inf	84.15	3	Horizontal	286	1.74	-	32.84	6.40	32.93
PK	5.394G	62.64	74.00	-11.36	55.97	3	Horizontal	286	1.74	-	33.18	6.40	32.91
AV	5.3732G	53.87	54.00	-0.13	47.30	3	Horizontal	286	1.74	-	33.09	6.40	32.92
PK	5.5796G	60.40	68.20	-7.80	52.89	3	Horizontal	286	1.74	-	33.84	6.58	32.91

802.11ax HEW160\_Nss2,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75276G	58.68	74.00	-15.32	43.01	3	Vertical	344	1.83	-	38.02	10.43	32.78
AV	15.74672G	48.25	54.00	-5.75	32.63	3	Vertical	344	1.83	-	37.98	10.42	32.78



**802.11ax HEW160\_Nss2,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75388G	58.77	74.00	-15.23	43.10	3	Horizontal	34	2.38	-	38.02	10.43	32.78
AV	15.74778G	48.28	54.00	-5.72	32.65	3	Horizontal	34	2.38	-	37.99	10.42	32.78

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2804G	59.85	68.20	-8.35	53.52	3	Vertical	18	1.80	-	32.86	6.40	32.93
PK	5.4388G	60.45	74.00	-13.55	53.33	3	Vertical	18	1.80	-	33.59	6.44	32.91
PK	5.466G	59.12	68.20	-9.08	51.85	3	Vertical	18	1.80	-	33.70	6.47	32.90
AV	5.4564G	49.74	54.00	-4.26	42.49	3	Vertical	18	1.80	-	33.70	6.46	32.91
PK	5.5412G	94.16	Inf	-Inf	86.66	3	Vertical	18	1.80	-	33.86	6.54	32.90
AV	5.5956G	83.79	Inf	-Inf	76.29	3	Vertical	18	1.80	-	33.81	6.60	32.91
PK	5.8932G	60.62	68.20	-7.58	52.07	3	Vertical	18	1.80	-	34.89	6.60	32.94

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3364G	59.94	68.20	-8.26	53.49	3	Horizontal	292	1.67	-	32.97	6.40	32.92
PK	5.4532G	63.54	74.00	-10.46	56.30	3	Horizontal	292	1.67	-	33.70	6.45	32.91
AV	5.4516G	53.84	54.00	-0.26	46.50	3	Horizontal	292	1.67	-	33.70	6.45	32.91
PK	5.4692G	62.07	68.20	-6.13	54.80	3	Horizontal	292	1.67	-	33.70	6.47	32.90
PK	5.5428G	100.45	Inf	-Inf	92.94	3	Horizontal	292	1.67	-	33.87	6.54	32.90
AV	5.538G	90.14	Inf	-Inf	82.65	3	Horizontal	292	1.67	-	33.85	6.54	32.90
PK	5.7476G	60.67	68.20	-7.53	52.61	3	Horizontal	292	1.67	-	34.38	6.60	32.92

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13786G	54.83	74.00	-19.17	40.46	3	Vertical	330	1.52	-	38.36	8.78	32.77
AV	11.14058G	44.26	54.00	-9.74	29.88	3	Vertical	330	1.52	-	38.36	8.79	32.77

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

### 5570MHz\_TnomVnom



EUT X\_2TX  
Setting 50  
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14236G	55.80	74.00	-18.20	41.42	3	Horizontal	101	2.90	-	38.36	8.79	32.77
AV	11.14338G	44.55	54.00	-9.45	30.17	3	Horizontal	101	2.90	-	38.36	8.79	32.77




For 4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.1542G	68.16	68.20	-0.04	3	Vertical	347	1.78	-

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5260MHz\_TnomVnom




Worst 81 [Horizontal]  
All 98 [Vertical]/84 [Vertical]/84 [Horizontal]/81 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5198G	55.94	68.20	-12.26	41.79	3	Vertical	360	1.80	-	38.52	8.63	33.00
PK	15.79036G	71.35	74.00	-2.65	55.44	3	Vertical	3	1.80	-	38.24	10.44	32.77
AV	15.77172G	53.14	54.00	-0.86	37.36	3	Vertical	3	1.80	-	38.13	10.43	32.78
PK	10.52316G	56.42	68.20	-11.78	42.27	3	Horizontal	94	1.77	-	38.52	8.63	33.00
PK	15.79004G	72.12	74.00	-1.88	56.21	3	Horizontal	360	1.80	-	38.24	10.44	32.77
AV	15.78676G	53.95	54.00	-0.05	38.06	3	Horizontal	360	1.80	-	38.22	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 98  
 80/100/90/95/97/98  
 4.75/-0.78/3.81/3.79/2.90/2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	61.40	74.00	-12.60	55.26	3	Vertical	143	2.22	-	32.71	6.37	32.94
AV	5.14508G	48.55	54.00	-5.45	42.41	3	Vertical	143	2.22	-	32.71	6.37	32.94
PK	5.25584G	125.31	Inf	-Inf	119.03	3	Vertical	143	2.22	-	32.81	6.40	32.93
AV	5.25636G	115.45	Inf	-Inf	109.17	3	Vertical	143	2.22	-	32.81	6.40	32.93
PK	5.3536G	67.86	74.00	-6.14	61.37	3	Vertical	143	2.22	-	33.01	6.40	32.92
AV	5.35464G	51.51	54.00	-2.49	45.01	3	Vertical	143	2.22	-	33.02	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
SET 98  
98  
6.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	58.38	74.00	-15.62	52.25	3	Horizontal	84	1.13	-	32.70	6.37	32.94
AV	5.14508G	46.34	54.00	-7.66	40.20	3	Horizontal	84	1.13	-	32.71	6.37	32.94
PK	5.26104G	117.85	Inf	-Inf	111.56	3	Horizontal	84	1.13	-	32.82	6.40	32.93
AV	5.26156G	107.89	Inf	-Inf	101.60	3	Horizontal	84	1.13	-	32.82	6.40	32.93
PK	5.36868G	59.94	74.00	-14.06	53.39	3	Horizontal	84	1.13	-	33.07	6.40	32.92
AV	5.35G	47.64	54.00	-6.36	41.16	3	Horizontal	84	1.13	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5300MHz\_TnomVnom




Worst 83 [Horizontal]  
All 90 [Vertical]/85 [Vertical]/85 [Horizontal]/83 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60688G	57.38	74.00	-16.62	43.08	3	Vertical	12	1.58	-	38.60	8.65	32.95
PK	15.911G	70.53	74.00	-3.47	54.41	3	Vertical	4	1.83	-	38.40	10.47	32.75
AV	15.89256G	53.82	54.00	-0.18	37.72	3	Vertical	4	1.83	-	38.39	10.47	32.76
PK	10.61764G	56.38	74.00	-17.62	42.08	3	Horizontal	331	1.80	-	38.60	8.65	32.95
PK	15.88908G	72.22	74.00	-1.78	56.12	3	Horizontal	358	1.80	-	38.39	10.47	32.76
AV	15.89048G	53.87	54.00	-0.13	37.77	3	Horizontal	358	1.80	-	38.39	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
 SET 90  
 80/100/90/95/93/92/90  
 4.16/-8.60/1.31/-1.87/-0.32/-0.70/1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29664G	122.58	Inf	-Inf	116.21	3	Vertical	142	2.15	-	32.89	6.40	32.92
AV	5.2958G	112.84	Inf	-Inf	106.47	3	Vertical	142	2.15	-	32.89	6.40	32.92
PK	5.3546G	68.66	74.00	-5.34	62.16	3	Vertical	142	2.15	-	33.02	6.40	32.92
AV	5.35488G	52.28	54.00	-1.72	45.78	3	Vertical	142	2.15	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
SET 90  
90  
5.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30168G	114.89	Inf	-Inf	108.51	3	Horizontal	83	2.54	-	32.90	6.40	32.92
AV	5.30168G	105.46	Inf	-Inf	99.08	3	Horizontal	83	2.54	-	32.90	6.40	32.92
PK	5.35488G	62.62	74.00	-11.38	56.12	3	Horizontal	83	2.54	-	33.02	6.40	32.92
AV	5.3546G	48.53	54.00	-5.47	42.03	3	Horizontal	83	2.54	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5320MHz\_TnomVnom




Worst 86 [Horizontal]  
All 86 [Vertical]/86 [Vertical]/86 [Horizontal]/86 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6238G	57.03	74.00	-16.97	42.72	3	Vertical	73	1.80	-	38.60	8.66	32.95
AV	10.6308G	43.15	54.00	-10.85	28.83	3	Vertical	73	1.80	-	38.60	8.66	32.94
PK	15.95384G	65.04	74.00	-8.96	48.90	3	Vertical	3	1.79	-	38.40	10.49	32.75
AV	15.9512G	50.61	54.00	-3.39	34.47	3	Vertical	3	1.79	-	38.40	10.49	32.75
PK	10.62524G	56.62	74.00	-17.38	42.30	3	Horizontal	304	1.71	-	38.60	8.66	32.94
AV	10.63528G	43.14	54.00	-10.86	28.82	3	Horizontal	304	1.71	-	38.60	8.66	32.94
PK	15.95012G	65.73	74.00	-8.27	49.59	3	Horizontal	348	1.80	-	38.40	10.49	32.75
AV	15.95088G	51.66	54.00	-2.34	35.52	3	Horizontal	348	1.80	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
 SET 86  
 80/100/90/85/87/86  
 2.33/-17.90/-2.33/0.96/-0.18/0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	121.35	Inf	-Inf	114.93	3	Vertical	220	2.32	-	32.94	6.40	32.92
AV	5.3178G	111.60	Inf	-Inf	105.18	3	Vertical	220	2.32	-	32.94	6.40	32.92
PK	5.3516G	69.48	74.00	-4.52	62.99	3	Vertical	220	2.32	-	33.01	6.40	32.92
AV	5.351G	53.61	54.00	-0.39	47.13	3	Vertical	220	2.32	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
SET 86  
86  
4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	114.44	Inf	-Inf	108.02	3	Horizontal	82	2.77	-	32.94	6.40	32.92
AV	5.3212G	104.89	Inf	-Inf	98.47	3	Horizontal	82	2.77	-	32.94	6.40	32.92
PK	5.3544G	63.73	74.00	-10.27	57.23	3	Horizontal	82	2.77	-	33.02	6.40	32.92
AV	5.3546G	49.78	54.00	-4.22	43.28	3	Horizontal	82	2.77	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5500MHz\_TnomVnom




Worst 76 [Vertical]  
All 78 [Vertical]/76 [Vertical]/76 [Horizontal]/76 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01944G	55.36	74.00	-18.64	40.88	3	Vertical	132	2.64	-	38.48	8.75	32.75
AV	11.01848G	41.93	54.00	-12.07	27.45	3	Vertical	132	2.64	-	38.48	8.75	32.75
PK	16.50328G	66.38	68.20	-1.82	47.86	3	Vertical	353	1.80	-	40.30	10.65	32.43
PK	10.99884G	55.27	74.00	-18.73	40.77	3	Horizontal	76	1.69	-	38.50	8.75	32.75
AV	10.9942G	41.90	54.00	-12.10	27.40	3	Horizontal	76	1.69	-	38.50	8.75	32.75
PK	16.50308G	68.06	68.20	-0.14	49.54	3	Horizontal	32	1.80	-	40.30	10.65	32.43



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -2.41/4.36/3.25/2.54/0.34/0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	66.02	74.00	-7.98	58.77	3	Vertical	103.9	2.43	-	33.70	6.46	32.91
AV	5.457G	52.14	54.00	-1.86	44.89	3	Vertical	103.9	2.43	-	33.70	6.46	32.91
PK	5.4646G	67.90	68.20	-0.30	60.64	3	Vertical	103.9	2.43	-	33.70	6.46	32.90
PK	5.4962G	121.35	Inf	-Inf	114.05	3	Vertical	103.9	2.43	-	33.70	6.50	32.90
AV	5.496G	111.31	Inf	-Inf	104.01	3	Vertical	103.9	2.43	-	33.70	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
SET 78  
78  
5.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.63	74.00	-12.37	54.37	3	Horizontal	294	1.08	-	33.70	6.46	32.90
AV	5.458G	48.59	54.00	-5.41	41.34	3	Horizontal	294	1.08	-	33.70	6.46	32.91
PK	5.4658G	62.05	68.20	-6.15	54.78	3	Horizontal	294	1.08	-	33.70	6.47	32.90
PK	5.5048G	113.96	Inf	-Inf	106.64	3	Horizontal	294	1.08	-	33.72	6.50	32.90
AV	5.5042G	104.38	Inf	-Inf	97.06	3	Horizontal	294	1.08	-	33.72	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5580MHz\_TnomVnom




Worst 68 [Horizontal]  
All 100 [Vertical]/76 [Vertical]/76 [Horizontal]/68 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1468G	56.54	74.00	-17.46	42.17	3	Vertical	360	2.38	-	38.35	8.79	32.77
AV	11.14052G	42.61	54.00	-11.39	28.23	3	Vertical	360	2.38	-	38.36	8.79	32.77
PK	16.74132G	67.39	68.20	-0.81	48.52	3	Vertical	317	1.80	-	40.44	10.72	32.29
PK	11.17088G	55.89	74.00	-18.11	41.54	3	Horizontal	167	3.00	-	38.33	8.79	32.77
AV	11.14296G	42.58	54.00	-11.42	28.20	3	Horizontal	167	3.00	-	38.36	8.79	32.77
PK	16.74108G	67.87	68.20	-0.33	49.00	3	Horizontal	324	1.86	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 100  
 80/100/102/101/100  
 4.09/0.83/-0.14/-0.53/1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	64.99	74.00	-9.01	57.74	3	Vertical	102	2.28	-	33.70	6.46	32.91
AV	5.45776G	51.76	54.00	-2.24	44.51	3	Vertical	102	2.28	-	33.70	6.46	32.91
PK	5.46416G	67.11	68.20	-1.09	59.85	3	Vertical	102	2.28	-	33.70	6.46	32.90
PK	5.57744G	127.26	Inf	-Inf	119.74	3	Vertical	102	2.28	-	33.85	6.58	32.91
AV	5.57744G	116.25	Inf	-Inf	108.73	3	Vertical	102	2.28	-	33.85	6.58	32.91
PK	5.72656G	64.38	68.20	-3.82	56.49	3	Vertical	102	2.28	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
SET 100  
100  
5.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44944G	61.93	74.00	-12.07	54.70	3	Horizontal	237	1.00	-	33.69	6.45	32.91
PK	5.46288G	62.57	68.20	-5.63	55.31	3	Horizontal	237	1.00	-	33.70	6.46	32.90
AV	5.45648G	48.80	54.00	-5.20	41.55	3	Horizontal	237	1.00	-	33.70	6.46	32.91
PK	5.5768G	119.74	Inf	-Inf	112.22	3	Horizontal	237	1.00	-	33.85	6.58	32.91
AV	5.57552G	109.40	Inf	-Inf	101.88	3	Horizontal	237	1.00	-	33.85	6.58	32.91
PK	5.73744G	60.90	68.20	-7.30	52.92	3	Horizontal	237	1.00	-	34.30	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5700MHz\_TnomVnom




Worst 60 [Vertical]  
All 60 [Vertical]/60 [Vertical]/60 [Horizontal]/60 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38292G	55.72	74.00	-18.28	41.27	3	Vertical	298	1.80	-	38.40	8.85	32.80
AV	11.40556G	42.05	54.00	-11.95	27.60	3	Vertical	298	1.80	-	38.40	8.85	32.80
PK	17.10556G	65.13	68.20	-3.07	44.97	3	Vertical	252	2.92	-	41.41	10.83	32.08
PK	11.38696G	55.42	74.00	-18.58	40.97	3	Horizontal	74	2.50	-	38.40	8.85	32.80
AV	11.40008G	42.22	54.00	-11.78	27.77	3	Horizontal	74	2.50	-	38.40	8.85	32.80
PK	17.09592G	64.92	68.20	-3.28	44.78	3	Horizontal	344	2.95	-	41.39	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 80/60/70/65/63/62/60  
 -12.40/0.35/-5.72/-2.57/-1.02/-1.43/0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	115.37	Inf	-Inf	107.68	3	Vertical	91	2.31	-	34.01	6.60	32.92
AV	5.7016G	105.54	Inf	-Inf	97.85	3	Vertical	91	2.31	-	34.01	6.60	32.92
PK	5.7252G	67.23	68.20	-0.97	59.35	3	Vertical	91	2.31	-	34.20	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom



EUTZ\_4TX  
SET 60  
60  
4.68


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	107.87	Inf	-Inf	100.15	3	Horizontal	297	1.01	-	34.04	6.60	32.92
AV	5.705G	98.15	Inf	-Inf	90.43	3	Horizontal	297	1.01	-	34.04	6.60	32.92
PK	5.726G	63.52	68.20	-4.68	55.63	3	Horizontal	297	1.01	-	34.21	6.60	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

22/12/2021

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




Worst 75 [Horizontal]  
All 102 [Vertical]/79 [Vertical]/79 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43924G	55.84	74.00	-18.16	41.38	3	Vertical	360	1.42	-	38.40	8.86	32.80
AV	11.44648G	42.21	54.00	-11.79	27.75	3	Vertical	360	1.42	-	38.40	8.86	32.80
PK	17.1542G	68.16	68.20	-0.04	47.85	3	Vertical	347	1.78	-	41.51	10.85	32.05
PK	11.45872G	55.57	74.00	-18.43	41.12	3	Horizontal	293	1.60	-	38.40	8.86	32.81
AV	11.42444G	42.07	54.00	-11.93	27.61	3	Horizontal	293	1.60	-	38.40	8.86	32.80
PK	17.15412G	67.93	68.20	-0.27	47.62	3	Horizontal	354	1.80	-	41.51	10.85	32.05

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 4.71/4.50/4.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	61.16	74.00	-12.84	53.92	3	Vertical	92	2.38	-	33.70	6.45	32.91
AV	5.45108G	49.37	54.00	-4.63	42.13	3	Vertical	92	2.38	-	33.70	6.45	32.91
PK	5.4608G	61.88	68.20	-6.32	54.62	3	Vertical	92	2.38	-	33.70	6.46	32.90
PK	5.72216G	124.87	Inf	-Inf	117.01	3	Vertical	92	2.38	-	34.18	6.60	32.92
AV	5.72108G	115.04	Inf	-Inf	107.19	3	Vertical	92	2.38	-	34.17	6.60	32.92
PK	5.85284G	61.36	68.20	-6.84	52.89	3	Vertical	92	2.38	-	34.81	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX  
SET 102  
102  
6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	59.73	74.00	-14.27	52.49	3	Horizontal	298	2.67	-	33.70	6.45	32.91
AV	5.45108G	47.76	54.00	-6.24	40.52	3	Horizontal	298	2.67	-	33.70	6.45	32.91
PK	5.47G	59.39	68.20	-8.81	52.12	3	Horizontal	298	2.67	-	33.70	6.47	32.90
PK	5.7254G	118.76	Inf	-Inf	110.88	3	Horizontal	298	2.67	-	34.20	6.60	32.92
AV	5.7254G	108.41	Inf	-Inf	100.53	3	Horizontal	298	2.67	-	34.20	6.60	32.92
PK	5.9846G	61.73	68.20	-6.47	52.84	3	Horizontal	298	2.67	-	35.24	6.60	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5260MHz\_TnomVnom




Worst 80 [Horizontal]  
All 97 [Vertical]/85 [Vertical]/85 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53244G	56.44	68.20	-11.76	42.27	3	Vertical	164	2.84	-	38.53	8.63	32.99
PK	15.78544G	69.44	74.00	-4.56	53.56	3	Vertical	0	1.80	-	38.21	10.44	32.77
AV	15.78112G	53.42	54.00	-0.58	37.58	3	Vertical	0	1.80	-	38.19	10.43	32.78
PK	10.52944G	55.88	68.20	-12.32	41.71	3	Horizontal	124	1.30	-	38.53	8.63	32.99
PK	15.77896G	71.78	74.00	-2.22	55.96	3	Horizontal	0	1.83	-	38.17	10.43	32.78
AV	15.78352G	53.96	54.00	-0.04	38.09	3	Horizontal	0	1.83	-	38.20	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 97  
 80/100/90/95/97/98/97  
 4.75/-3.98/3.51/2.37/0.74/-0.39/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13728G	62.68	74.00	-11.32	56.52	3	Vertical	105	2.41	-	32.73	6.37	32.94
AV	5.14976G	48.84	54.00	-5.16	42.71	3	Vertical	105	2.41	-	32.70	6.37	32.94
PK	5.2574G	128.23	Inf	-Inf	121.95	3	Vertical	105	2.41	-	32.81	6.40	32.93
AV	5.2574G	113.38	Inf	-Inf	107.10	3	Vertical	105	2.41	-	32.81	6.40	32.93
PK	5.35776G	70.23	74.00	-3.77	63.72	3	Vertical	105	2.41	-	33.03	6.40	32.92
AV	5.35048G	53.58	54.00	-0.42	47.10	3	Vertical	105	2.41	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
SET 97  
97  
6.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	58.20	74.00	-15.80	52.07	3	Horizontal	70	1.00	-	32.70	6.37	32.94
AV	5.14768G	45.80	54.00	-8.20	39.67	3	Horizontal	70	1.00	-	32.70	6.37	32.94
PK	5.26624G	118.55	Inf	-Inf	112.25	3	Horizontal	70	1.00	-	32.83	6.40	32.93
AV	5.25636G	105.52	Inf	-Inf	99.24	3	Horizontal	70	1.00	-	32.81	6.40	32.93
PK	5.35204G	63.07	74.00	-10.93	56.58	3	Horizontal	70	1.00	-	33.01	6.40	32.92
AV	5.35G	47.79	54.00	-6.21	41.31	3	Horizontal	70	1.00	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5300MHz\_TnomVnom




Worst 84 [Horizontal]  
All 84 [Vertical]/84 [Vertical]/84 [Horizontal]/84 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61176G	56.65	74.00	-17.35	42.35	3	Vertical	339	1.64	-	38.60	8.65	32.95
AV	10.60252G	42.47	54.00	-11.53	28.18	3	Vertical	339	1.64	-	38.60	8.65	32.96
PK	15.90636G	68.82	74.00	-5.18	52.70	3	Vertical	3	1.80	-	38.40	10.47	32.75
AV	15.90136G	52.32	54.00	-1.68	36.21	3	Vertical	3	1.80	-	38.40	10.47	32.76
PK	10.59936G	56.26	68.20	-11.94	41.97	3	Horizontal	179	1.80	-	38.60	8.65	32.96
AV	10.61652G	42.48	54.00	-11.52	28.18	3	Horizontal	179	1.80	-	38.60	8.65	32.95
PK	15.9036G	70.40	74.00	-3.60	54.29	3	Horizontal	360	1.80	-	38.40	10.47	32.76
AV	15.89844G	52.98	54.00	-1.02	36.87	3	Horizontal	360	1.80	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
 SET 84  
 80/100/90/85/83/84  
 2.59/-13.13/-2.26/-0.63/1.53/1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	124.22	Inf	-Inf	117.83	3	Vertical	104	2.25	-	32.91	6.40	32.92
AV	5.29748G	110.62	Inf	-Inf	104.25	3	Vertical	104	2.25	-	32.89	6.40	32.92
PK	5.36188G	71.27	74.00	-2.73	64.74	3	Vertical	104	2.25	-	33.05	6.40	32.92
AV	5.35236G	52.86	54.00	-1.14	46.37	3	Vertical	104	2.25	-	33.01	6.40	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
SET 84  
84  
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30476G	114.39	Inf	-Inf	108.00	3	Horizontal	202	1.00	-	32.91	6.40	32.92
AV	5.29496G	101.59	Inf	-Inf	95.22	3	Horizontal	202	1.00	-	32.89	6.40	32.92
PK	5.35992G	65.32	74.00	-8.68	58.80	3	Horizontal	202	1.00	-	33.04	6.40	32.92
AV	5.35G	47.86	54.00	-6.14	41.38	3	Horizontal	202	1.00	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5320MHz\_TnomVnom




Worst 80 [Horizontal]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64288G	56.62	74.00	-17.38	42.30	3	Vertical	119	2.88	-	38.60	8.66	32.94
AV	10.63G	42.54	54.00	-11.46	28.22	3	Vertical	119	2.88	-	38.60	8.66	32.94
PK	15.95164G	61.95	74.00	-12.05	45.81	3	Vertical	3	1.79	-	38.40	10.49	32.75
AV	15.95636G	48.70	54.00	-5.30	32.56	3	Vertical	3	1.79	-	38.40	10.49	32.75
PK	10.62416G	56.30	74.00	-17.70	41.99	3	Horizontal	315	1.57	-	38.60	8.66	32.95
AV	10.62244G	42.58	54.00	-11.42	28.27	3	Horizontal	315	1.57	-	38.60	8.66	32.95
PK	15.95636G	62.91	74.00	-11.09	46.77	3	Horizontal	348	1.80	-	38.40	10.49	32.75
AV	15.95576G	49.40	54.00	-4.60	33.26	3	Horizontal	348	1.80	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
 SET 80  
 80/100/90/85/83/82/80  
 0.60/-21.36/-6.56/-2.29/-0.86/-0.32/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	122.00	Inf	-Inf	115.59	3	Vertical	104	2.37	-	32.93	6.40	32.92
AV	5.3174G	109.14	Inf	-Inf	102.73	3	Vertical	104	2.37	-	32.93	6.40	32.92
PK	5.3622G	66.90	74.00	-7.10	60.37	3	Vertical	104	2.37	-	33.05	6.40	32.92
AV	5.3522G	53.48	54.00	-0.52	46.99	3	Vertical	104	2.37	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
SET 80  
80  
5.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	112.90	Inf	-Inf	106.47	3	Horizontal	202	1.02	-	32.95	6.40	32.92
AV	5.325G	100.23	Inf	-Inf	93.80	3	Horizontal	202	1.02	-	32.95	6.40	32.92
PK	5.3528G	61.37	74.00	-12.63	54.88	3	Horizontal	202	1.02	-	33.01	6.40	32.92
AV	5.35G	48.04	54.00	-5.96	41.56	3	Horizontal	202	1.02	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5500MHz\_TnomVnom




Worst 75 [Horizontal]  
All 77 [Vertical]/77 [Vertical]/77 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00044G	55.35	74.00	-18.65	40.85	3	Vertical	234	1.80	-	38.50	8.75	32.75
AV	10.98192G	41.28	54.00	-12.72	26.79	3	Vertical	234	1.80	-	38.50	8.75	32.76
PK	16.50948G	65.54	68.20	-2.66	47.01	3	Vertical	353	1.80	-	40.30	10.65	32.42
PK	10.99432G	55.66	74.00	-18.34	41.16	3	Horizontal	112	2.25	-	38.50	8.75	32.75
AV	10.98212G	41.29	54.00	-12.71	26.80	3	Horizontal	112	2.25	-	38.50	8.75	32.76
PK	16.5042G	67.44	68.20	-0.76	48.92	3	Horizontal	31	1.84	-	40.30	10.65	32.43

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77/78/77  
 -2.60/4.18/3.38/2.15/0.94/-0.92/0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	67.03	74.00	-6.97	59.78	3	Vertical	105	2.41	-	33.70	6.46	32.91
AV	5.457G	52.40	54.00	-1.60	45.15	3	Vertical	105	2.41	-	33.70	6.46	32.91
PK	5.4674G	67.46	68.20	-0.74	60.19	3	Vertical	105	2.41	-	33.70	6.47	32.90
PK	5.497G	122.14	Inf	-Inf	114.84	3	Vertical	105	2.41	-	33.70	6.50	32.90
AV	5.5022G	108.53	Inf	-Inf	101.22	3	Vertical	105	2.41	-	33.71	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
SET 77  
77  
6.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	60.76	74.00	-13.24	53.52	3	Horizontal	296	2.58	-	33.70	6.45	32.91
AV	5.4598G	47.95	54.00	-6.05	40.69	3	Horizontal	296	2.58	-	33.70	6.46	32.90
PK	5.4688G	60.92	68.20	-7.28	53.65	3	Horizontal	296	2.58	-	33.70	6.47	32.90
PK	5.5064G	114.16	Inf	-Inf	106.82	3	Horizontal	296	2.58	-	33.73	6.51	32.90
AV	5.5012G	100.61	Inf	-Inf	93.31	3	Horizontal	296	2.58	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5580MHz\_TnomVnom




Worst 67 [Horizontal]  
All 98 [Vertical]/74 [Vertical]/74 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16316G	55.94	74.00	-18.06	41.58	3	Vertical	264	1.59	-	38.34	8.79	32.77
AV	11.14124G	42.18	54.00	-11.82	27.80	3	Vertical	264	1.59	-	38.36	8.79	32.77
PK	16.738G	66.89	68.20	-1.31	48.02	3	Vertical	351	1.80	-	40.44	10.72	32.29
PK	11.17648G	56.22	74.00	-17.78	41.88	3	Horizontal	214	1.80	-	38.32	8.79	32.77
AV	11.14492G	42.06	54.00	-11.94	27.68	3	Horizontal	214	1.80	-	38.36	8.79	32.77
PK	16.73112G	66.08	68.20	-2.12	47.22	3	Horizontal	324	1.80	-	40.43	10.72	32.29



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 98  
 80/100/90/95/97/98  
 4.92/-6.49/4.32/0.29/1.22/2.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44752G	65.69	74.00	-8.31	58.47	3	Vertical	106	2.25	-	33.68	6.45	32.91
AV	5.45776G	51.45	54.00	-2.55	44.20	3	Vertical	106	2.25	-	33.70	6.46	32.91
PK	5.468G	65.85	68.20	-2.35	58.58	3	Vertical	106	2.25	-	33.70	6.47	32.90
PK	5.58704G	126.68	Inf	-Inf	119.17	3	Vertical	106	2.25	-	33.83	6.59	32.91
AV	5.57744G	113.33	Inf	-Inf	105.81	3	Vertical	106	2.25	-	33.85	6.58	32.91
PK	5.73104G	62.53	68.20	-5.67	54.60	3	Vertical	106	2.25	-	34.25	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
SET 98  
98  
5.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45968G	62.28	74.00	-11.72	55.02	3	Horizontal	238	1.05	-	33.70	6.46	32.90
AV	5.45968G	48.25	54.00	-5.75	40.99	3	Horizontal	238	1.05	-	33.70	6.46	32.90
PK	5.46672G	61.32	68.20	-6.88	54.05	3	Horizontal	238	1.05	-	33.70	6.47	32.90
PK	5.58384G	118.20	Inf	-Inf	110.70	3	Horizontal	238	1.05	-	33.83	6.58	32.91
AV	5.57424G	105.78	Inf	-Inf	98.27	3	Horizontal	238	1.05	-	33.85	6.57	32.91
PK	5.72528G	60.97	68.20	-7.23	53.09	3	Horizontal	238	1.05	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021

### 5700MHz\_TnomVnom




Worst 54 [Vertical]  
All 54 [Vertical]/54 [Vertical]/54 [Horizontal]/54 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40972G	55.14	74.00	-18.86	40.69	3	Vertical	218	2.03	-	38.40	8.85	32.80
AV	11.40276G	41.46	54.00	-12.54	27.01	3	Vertical	218	2.03	-	38.40	8.85	32.80
PK	17.08416G	65.35	68.20	-2.85	45.26	3	Vertical	241	1.80	-	41.35	10.83	32.09
PK	11.39804G	55.79	74.00	-18.21	41.34	3	Horizontal	33	1.80	-	38.40	8.85	32.80
AV	11.40872G	41.48	54.00	-12.52	27.03	3	Horizontal	33	1.80	-	38.40	8.85	32.80
PK	17.10016G	64.89	68.20	-3.31	44.74	3	Horizontal	114	2.96	-	41.40	10.83	32.08

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 54  
 80/60/50/55/53/54  
 -21.66/-3.69/4.55/-1.82/4.01/1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	115.28	Inf	-Inf	107.56	3	Vertical	94	2.49	-	34.04	6.60	32.92
AV	5.695G	101.72	Inf	-Inf	94.03	3	Vertical	94	2.49	-	34.01	6.60	32.92
PK	5.7254G	66.48	68.20	-1.72	58.60	3	Vertical	94	2.49	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUTZ\_4TX  
SET 54  
54  
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	107.90	Inf	-Inf	100.20	3	Horizontal	292	1.01	-	34.02	6.60	32.92
AV	5.7022G	95.20	Inf	-Inf	87.50	3	Horizontal	292	1.01	-	34.02	6.60	32.92
PK	5.7256G	62.06	68.20	-6.14	54.18	3	Horizontal	292	1.01	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

22/12/2021


### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 70 [Horizontal]  
All 102 [Vertical]/77 [Vertical]/77 [Horizontal]/70 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44848G	56.09	74.00	-17.91	41.63	3	Vertical	26	2.28	-	38.40	8.86	32.80
AV	11.44244G	41.60	54.00	-12.40	27.14	3	Vertical	26	2.28	-	38.40	8.86	32.80
PK	17.1756G	68.00	68.20	-0.20	47.64	3	Vertical	347	1.80	-	41.55	10.85	32.04
PK	11.42044G	55.99	74.00	-18.01	41.53	3	Horizontal	5	2.97	-	38.40	8.86	32.80
AV	11.44728G	41.56	54.00	-12.44	27.10	3	Horizontal	5	2.97	-	38.40	8.86	32.80
PK	17.1562G	68.05	68.20	-0.15	47.74	3	Horizontal	353	1.80	-	41.51	10.85	32.05


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 5.29/5.16/4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	61.32	74.00	-12.68	54.08	3	Vertical	94	2.38	-	33.70	6.45	32.91
AV	5.4554G	48.63	54.00	-5.37	41.38	3	Vertical	94	2.38	-	33.70	6.46	32.91
PK	5.47G	62.01	68.20	-6.19	54.74	3	Vertical	94	2.38	-	33.70	6.47	32.90
PK	5.7146G	123.37	Inf	-Inf	115.57	3	Vertical	94	2.38	-	34.12	6.60	32.92
AV	5.7254G	111.90	Inf	-Inf	104.02	3	Vertical	94	2.38	-	34.20	6.60	32.92
PK	5.85068G	63.36	68.20	-4.84	54.90	3	Vertical	94	2.38	-	34.80	6.60	32.94

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 102  
 102  
 6.27


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	60.74	74.00	-13.26	53.50	3	Horizontal	294	2.68	-	33.70	6.45	32.91
AV	5.4554G	47.17	54.00	-6.83	39.92	3	Horizontal	294	2.68	-	33.70	6.46	32.91
PK	5.46296G	59.62	68.20	-8.58	52.36	3	Horizontal	294	2.68	-	33.70	6.46	32.90
PK	5.71244G	117.79	Inf	-Inf	110.01	3	Horizontal	294	2.68	-	34.10	6.60	32.92
AV	5.71784G	105.59	Inf	-Inf	97.77	3	Horizontal	294	2.68	-	34.14	6.60	32.92
PK	5.936G	61.93	68.20	-6.27	53.23	3	Horizontal	294	2.68	-	35.04	6.60	32.94



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5270MHz\_TnomVnom




Worst 77 [Horizontal]  
All 77 [Vertical]/77 [Vertical]/77 [Horizontal]/77 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5196G	56.75	68.20	-11.45	42.60	3	Vertical	54	1.80	-	38.52	8.63	33.00
PK	15.82192G	63.18	74.00	-10.82	47.18	3	Vertical	360	1.78	-	38.32	10.45	32.77
AV	15.80592G	49.91	54.00	-4.09	33.93	3	Vertical	360	1.78	-	38.31	10.44	32.77
PK	10.55904G	56.05	68.20	-12.15	41.83	3	Horizontal	338	1.33	-	38.56	8.64	32.98
PK	15.81376G	67.53	74.00	-6.47	51.55	3	Horizontal	0	1.84	-	38.31	10.44	32.77
AV	15.80848G	52.68	54.00	-1.32	36.70	3	Horizontal	0	1.84	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77  
 -2.11/4.23/2.62/0.74/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	60.69	74.00	-13.31	54.54	3	Vertical	106	2.42	-	32.72	6.37	32.94
AV	5.14512G	49.19	54.00	-4.81	43.05	3	Vertical	106	2.42	-	32.71	6.37	32.94
PK	5.25712G	118.72	Inf	-Inf	112.44	3	Vertical	106	2.42	-	32.81	6.40	32.93
AV	5.27728G	107.88	Inf	-Inf	101.56	3	Vertical	106	2.42	-	32.85	6.40	32.93
PK	5.35288G	69.42	74.00	-4.58	62.93	3	Vertical	106	2.42	-	33.01	6.40	32.92
AV	5.35232G	53.91	54.00	-0.09	47.42	3	Vertical	106	2.42	-	33.01	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUTZ\_4TX  
SET 77  
77  
4.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	58.94	74.00	-15.06	52.78	3	Horizontal	71	1.14	-	32.73	6.37	32.94
AV	5.14736G	47.03	54.00	-6.97	40.89	3	Horizontal	71	1.14	-	32.71	6.37	32.94
PK	5.26664G	110.78	Inf	-Inf	104.48	3	Horizontal	71	1.14	-	32.83	6.40	32.93
AV	5.26608G	99.88	Inf	-Inf	93.58	3	Horizontal	71	1.14	-	32.83	6.40	32.93
PK	5.3512G	63.42	74.00	-10.58	56.94	3	Horizontal	71	1.14	-	33.00	6.40	32.92
AV	5.35064G	49.29	54.00	-4.71	42.81	3	Horizontal	71	1.14	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5310MHz\_TnomVnom




Worst 67 [Vertical]  
All 67 [Vertical]/67 [Vertical]/67 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58584G	56.45	68.20	-11.75	42.18	3	Vertical	282	1.80	-	38.59	8.65	32.97
PK	15.9372G	61.32	74.00	-12.68	45.19	3	Vertical	3	1.77	-	38.40	10.48	32.75
AV	15.93832G	48.45	54.00	-5.55	32.32	3	Vertical	3	1.77	-	38.40	10.48	32.75
PK	10.63264G	56.46	74.00	-17.54	42.14	3	Horizontal	201	2.65	-	38.60	8.66	32.94
AV	10.60744G	44.14	54.00	-9.86	29.84	3	Horizontal	201	2.65	-	38.60	8.65	32.95
PK	15.92352G	60.23	74.00	-13.77	44.10	3	Horizontal	15	1.22	-	38.40	10.48	32.75
AV	15.91624G	48.17	54.00	-5.83	32.05	3	Horizontal	15	1.22	-	38.40	10.47	32.75

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUTZ\_4TX  
 SET 67  
 80/60/70/65/67  
 -4.57/2.67/-0.69/0.99/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31696G	116.48	Inf	-Inf	110.07	3	Vertical	105	2.35	-	32.93	6.40	32.92
AV	5.31744G	105.46	Inf	-Inf	99.05	3	Vertical	105	2.35	-	32.93	6.40	32.92
PK	5.35608G	65.63	74.00	-8.37	59.13	3	Vertical	105	2.35	-	33.02	6.40	32.92
AV	5.35224G	53.90	54.00	-0.10	47.41	3	Vertical	105	2.35	-	33.01	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUTZ\_4TX  
SET 67  
67  
4.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32008G	107.86	Inf	-Inf	101.44	3	Horizontal	201	1.16	-	32.94	6.40	32.92
AV	5.31504G	96.11	Inf	-Inf	89.70	3	Horizontal	201	1.16	-	32.93	6.40	32.92
PK	5.3556G	60.80	74.00	-13.20	54.30	3	Horizontal	201	1.16	-	33.02	6.40	32.92
AV	5.35032G	49.38	54.00	-4.62	42.90	3	Horizontal	201	1.16	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

22/12/2021

### 5510MHz\_TnomVnom




Worst 54 [Horizontal]  
All 54 [Vertical]/54 [Vertical]/54 [Horizontal]/54 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00968G	55.48	74.00	-18.52	40.99	3	Vertical	93	1.80	-	38.49	8.75	32.75
AV	11.05416G	42.84	54.00	-11.16	28.39	3	Vertical	93	1.80	-	38.45	8.76	32.76
PK	16.54552G	63.40	68.20	-4.80	44.84	3	Vertical	165	2.90	-	40.30	10.66	32.40
PK	11.05512G	55.37	74.00	-18.63	40.93	3	Horizontal	243	1.79	-	38.44	8.76	32.76
AV	11.03736G	42.87	54.00	-11.13	28.40	3	Horizontal	243	1.79	-	38.46	8.76	32.75
PK	16.55688G	64.69	68.20	-3.51	46.12	3	Horizontal	73	1.66	-	40.30	10.67	32.40

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 54  
 80/60/50/55/53/54  
 -17.32/-0.71/3.95/-0.72/2.90/2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	61.71	74.00	-12.29	54.47	3	Vertical	105	2.46	-	33.70	6.45	32.91
AV	5.45696G	50.72	54.00	-3.28	43.47	3	Vertical	105	2.46	-	33.70	6.46	32.91
PK	5.46728G	65.71	68.20	-2.49	58.44	3	Vertical	105	2.46	-	33.70	6.47	32.90
PK	5.49704G	113.82	Inf	-Inf	106.52	3	Vertical	105	2.46	-	33.70	6.50	32.90
AV	5.51216G	101.83	Inf	-Inf	94.47	3	Vertical	105	2.46	-	33.75	6.51	32.90



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUTZ\_4TX  
SET 54  
54  
5.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	60.55	74.00	-13.45	53.29	3	Horizontal	325	1.04	-	33.70	6.46	32.90
AV	5.4548G	48.65	54.00	-5.35	41.41	3	Horizontal	325	1.04	-	33.70	6.45	32.91
PK	5.46992G	60.79	68.20	-7.41	53.52	3	Horizontal	325	1.04	-	33.70	6.47	32.90
PK	5.50688G	107.35	Inf	-Inf	100.01	3	Horizontal	325	1.04	-	33.73	6.51	32.90
AV	5.50184G	95.05	Inf	-Inf	87.74	3	Horizontal	325	1.04	-	33.71	6.50	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5550MHz\_TnomVnom




Worst 69 [Horizontal]  
All 74 [Vertical]/72 [Vertical]/72 [Horizontal]/69 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06056G	56.41	74.00	-17.59	41.96	3	Vertical	360	1.01	-	38.44	8.77	32.76
AV	11.07816G	43.60	54.00	-10.40	29.17	3	Vertical	360	1.01	-	38.42	8.77	32.76
PK	16.64344G	67.95	68.20	-0.25	49.26	3	Vertical	351	1.78	-	40.34	10.69	32.34
PK	11.10264G	56.66	74.00	-17.34	42.24	3	Horizontal	333	1.80	-	38.40	8.78	32.76
AV	11.11472G	43.67	54.00	-10.33	29.26	3	Horizontal	333	1.80	-	38.39	8.78	32.76
PK	16.64936G	68.04	68.20	-0.16	49.34	3	Horizontal	23	1.73	-	40.35	10.69	32.34

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 74  
 80/60/70/75/77/76/75/74  
 -4.83/4.10/2.64/0.43/-0.98/-0.65/-0.56/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	60.22	74.00	-13.78	53.74	3	Vertical	108	2.40	-	33.00	6.40	32.92
AV	5.35G	49.31	54.00	-4.69	42.83	3	Vertical	108	2.40	-	33.00	6.40	32.92
PK	5.4564G	66.32	74.00	-7.68	59.07	3	Vertical	108	2.40	-	33.70	6.46	32.91
AV	5.4572G	52.81	54.00	-1.19	45.56	3	Vertical	108	2.40	-	33.70	6.46	32.91
PK	5.462G	67.12	68.20	-1.08	59.86	3	Vertical	108	2.40	-	33.70	6.46	32.90
PK	5.5468G	118.66	Inf	-Inf	111.12	3	Vertical	108	2.40	-	33.89	6.55	32.90
AV	5.542G	107.46	Inf	-Inf	99.95	3	Vertical	108	2.40	-	33.87	6.54	32.90
PK	5.7468G	61.98	68.20	-6.22	53.93	3	Vertical	108	2.40	-	34.37	6.60	32.92

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT\_Z\_4TX  
SET 74  
74  
5.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.65	74.00	-16.35	51.17	3	Horizontal	84	1.00	-	33.00	6.40	32.92
AV	5.35G	47.66	54.00	-6.34	41.18	3	Horizontal	84	1.00	-	33.00	6.40	32.92
PK	5.4452G	60.68	74.00	-13.32	53.49	3	Horizontal	84	1.00	-	33.65	6.45	32.91
PK	5.4604G	61.56	68.20	-6.64	54.30	3	Horizontal	84	1.00	-	33.70	6.46	32.90
AV	5.4572G	48.89	54.00	-5.11	41.64	3	Horizontal	84	1.00	-	33.70	6.46	32.91
PK	5.5604G	109.05	Inf	-Inf	101.52	3	Horizontal	84	1.00	-	33.88	6.56	32.91
AV	5.5356G	99.16	Inf	-Inf	91.68	3	Horizontal	84	1.00	-	33.84	6.54	32.90
PK	5.7324G	60.04	68.20	-8.16	52.10	3	Horizontal	84	1.00	-	34.26	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5670MHz\_TnomVnom




Worst 62 [Vertical]  
All 62 [Vertical]/62 [Vertical]/62 [Horizontal]/62 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30392G	55.37	74.00	-18.63	40.93	3	Vertical	240	1.80	-	38.40	8.83	32.79
AV	11.31632G	43.00	54.00	-11.00	28.56	3	Vertical	240	1.80	-	38.40	8.83	32.79
PK	17.04192G	65.09	68.20	-3.11	45.16	3	Vertical	179	1.74	-	41.23	10.81	32.11
PK	11.36888G	55.75	74.00	-18.25	41.30	3	Horizontal	337	1.34	-	38.40	8.84	32.79
AV	11.30856G	43.21	54.00	-10.79	28.77	3	Horizontal	337	1.34	-	38.40	8.83	32.79
PK	17.00104G	64.57	68.20	-3.63	44.80	3	Horizontal	15	1.80	-	41.10	10.80	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 62  
 80/60/70/65/63/62  
 -8.87/1.39/-3.37/-0.95/-1.03/0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	114.62	Inf	-Inf	106.87	3	Vertical	94	2.37	-	34.07	6.60	32.92
AV	5.66008G	102.94	Inf	-Inf	95.18	3	Vertical	94	2.37	-	34.08	6.60	32.92
PK	5.72664G	67.63	68.20	-0.57	59.74	3	Vertical	94	2.37	-	34.21	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUTZ\_4TX  
SET 62  
62  
6.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	106.41	Inf	-Inf	98.68	3	Horizontal	299	1.00	-	34.05	6.60	32.92
AV	5.66296G	94.91	Inf	-Inf	87.16	3	Horizontal	299	1.00	-	34.07	6.60	32.92
PK	5.73752G	61.41	68.20	-6.79	53.43	3	Horizontal	299	1.00	-	34.30	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

23/12/2021

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




Worst 81 [Horizontal]  
All 101 [Vertical]/91 [Vertical]/91 [Horizontal]/81 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45224G	55.50	74.00	-18.50	41.04	3	Vertical	215	1.80	-	38.40	8.86	32.80
AV	11.458G	43.07	54.00	-10.93	28.61	3	Vertical	215	1.80	-	38.40	8.86	32.80
PK	17.13168G	67.96	68.20	-0.24	47.72	3	Vertical	349	1.80	-	41.46	10.84	32.06
PK	11.41848G	55.07	74.00	-18.93	40.62	3	Horizontal	56	1.80	-	38.40	8.85	32.80
AV	11.4268G	42.91	54.00	-11.09	28.45	3	Horizontal	56	1.80	-	38.40	8.86	32.80
PK	17.13032G	67.99	68.20	-0.21	47.75	3	Horizontal	335	1.80	-	41.46	10.84	32.06




**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 101  
 80/100/102/101  
 3.99/1.31/-0.54/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45208G	64.12	74.00	-9.88	56.88	3	Vertical	94	2.28	-	33.70	6.45	32.91
AV	5.45416G	51.01	54.00	-2.99	43.77	3	Vertical	94	2.28	-	33.70	6.45	32.91
PK	5.46976G	62.96	68.20	-5.24	55.69	3	Vertical	94	2.28	-	33.70	6.47	32.90
PK	5.7048G	120.83	Inf	-Inf	113.11	3	Vertical	94	2.28	-	34.04	6.60	32.92
AV	5.7152G	110.18	Inf	-Inf	102.38	3	Vertical	94	2.28	-	34.12	6.60	32.92
PK	5.86288G	67.12	68.20	-1.08	58.63	3	Vertical	94	2.28	-	34.83	6.60	32.94

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 101  
 101  
 5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	60.38	74.00	-13.62	53.13	3	Horizontal	292	1.01	-	33.70	6.46	32.91
AV	5.45728G	48.66	54.00	-5.34	41.41	3	Horizontal	292	1.01	-	33.70	6.46	32.91
PK	5.4604G	60.28	68.20	-7.92	53.02	3	Horizontal	292	1.01	-	33.70	6.46	32.90
PK	5.71728G	114.53	Inf	-Inf	106.71	3	Horizontal	292	1.01	-	34.14	6.60	32.92
AV	5.71208G	104.19	Inf	-Inf	96.41	3	Horizontal	292	1.01	-	34.10	6.60	32.92
PK	5.85768G	62.51	68.20	-5.69	54.03	3	Horizontal	292	1.01	-	34.82	6.60	32.94

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

22/12/2021

### 5290MHz\_TnomVnom




Worst 64 [Vertical]  
All 64 [Vertical]/64 [Vertical]/64 [Horizontal]/64 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5704G	56.27	68.20	-11.93	42.03	3	Vertical	224	1.80	-	38.57	8.64	32.97
AV	10.62816G	43.92	54.00	-10.08	29.60	3	Vertical	224	1.80	-	38.60	8.66	32.94
PK	15.91912G	61.32	74.00	-12.68	45.19	3	Vertical	5	1.83	-	38.40	10.48	32.75
AV	15.94776G	47.98	54.00	-6.02	31.85	3	Vertical	5	1.83	-	38.40	10.48	32.75
PK	10.548G	56.17	68.20	-12.03	41.97	3	Horizontal	45	1.80	-	38.55	8.64	32.99
PK	15.89128G	60.84	74.00	-13.16	44.74	3	Horizontal	335	1.80	-	38.39	10.47	32.76
AV	15.94104G	48.16	54.00	-5.84	32.03	3	Horizontal	335	1.80	-	38.40	10.48	32.75

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 64  
 80/60/70/65/63/64  
 -7.46/2.37/-2.41/-0.86/1.03/0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	59.46	74.00	-14.54	53.31	3	Vertical	106	2.36	-	32.72	6.37	32.94
AV	5.14792G	48.36	54.00	-5.64	42.23	3	Vertical	106	2.36	-	32.70	6.37	32.94
PK	5.25224G	112.72	Inf	-Inf	106.45	3	Vertical	106	2.36	-	32.80	6.40	32.93
AV	5.28232G	101.55	Inf	-Inf	95.22	3	Vertical	106	2.36	-	32.86	6.40	32.93
PK	5.3572G	64.83	74.00	-9.17	58.32	3	Vertical	106	2.36	-	33.03	6.40	32.92
AV	5.35784G	53.33	54.00	-0.67	46.82	3	Vertical	106	2.36	-	33.03	6.40	32.92

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT\_Z\_4TX  
SET 64  
64  
5.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	58.79	74.00	-15.21	52.66	3	Horizontal	202	1.05	-	32.70	6.37	32.94
AV	5.13384G	47.14	54.00	-6.86	40.98	3	Horizontal	202	1.05	-	32.73	6.37	32.94
PK	5.25992G	104.39	Inf	-Inf	98.10	3	Horizontal	202	1.05	-	32.82	6.40	32.93
AV	5.27528G	93.00	Inf	-Inf	86.68	3	Horizontal	202	1.05	-	32.85	6.40	32.93
PK	5.42952G	60.22	74.00	-13.78	53.20	3	Horizontal	202	1.05	-	33.50	6.43	32.91
AV	5.35G	48.99	54.00	-5.01	42.51	3	Horizontal	202	1.05	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021

### 5530MHz\_TnomVnom




Worst 64 [Horizontal]  
All 64 [Vertical]/64 [Vertical]/64 [Horizontal]/64 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10384G	55.60	74.00	-18.40	41.18	3	Vertical	2	1.80	-	38.40	8.78	32.76
AV	11.08176G	43.60	54.00	-10.40	29.17	3	Vertical	2	1.80	-	38.42	8.77	32.76
PK	16.5468G	63.74	68.20	-4.46	45.18	3	Vertical	88	2.53	-	40.30	10.66	32.40
PK	11.088G	56.34	74.00	-17.66	41.92	3	Horizontal	284	2.74	-	38.41	8.77	32.76
AV	11.13296G	43.46	54.00	-10.54	29.08	3	Horizontal	284	2.74	-	38.37	8.78	32.77
PK	16.58264G	64.46	68.20	-3.74	45.87	3	Horizontal	61	1.00	-	40.30	10.67	32.38

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 64  
 80/60/70/65/63/64  
 -16.35/1.29/-1.93/-0.20/0.46/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	65.78	74.00	-8.22	58.53	3	Vertical	105	2.17	-	33.70	6.46	32.91
AV	5.45736G	53.88	54.00	-0.12	46.63	3	Vertical	105	2.17	-	33.70	6.46	32.91
PK	5.46248G	66.14	68.20	-2.06	58.88	3	Vertical	105	2.17	-	33.70	6.46	32.90
PK	5.53256G	113.03	Inf	-Inf	105.57	3	Vertical	105	2.17	-	33.83	6.53	32.90
AV	5.5172G	100.56	Inf	-Inf	93.17	3	Vertical	105	2.17	-	33.77	6.52	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom



EUT\_Z\_4TX  
SET 64  
64  
4.89


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	60.99	74.00	-13.01	53.75	3	Horizontal	299	1.02	-	33.70	6.45	32.91
AV	5.4564G	49.11	54.00	-4.89	41.86	3	Horizontal	299	1.02	-	33.70	6.46	32.91
PK	5.46408G	60.88	68.20	-7.32	53.62	3	Horizontal	299	1.02	-	33.70	6.46	32.90
PK	5.53352G	104.41	Inf	-Inf	96.95	3	Horizontal	299	1.02	-	33.83	6.53	32.90
AV	5.51656G	92.60	Inf	-Inf	85.21	3	Horizontal	299	1.02	-	33.77	6.52	32.90



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021

### 5610MHz\_TnomVnom




Worst 70 [Vertical]  
All 70 [Vertical]/70 [Vertical]/70 [Horizontal]/70 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14832G	55.70	74.00	-18.30	41.33	3	Vertical	87	1.40	-	38.35	8.79	32.77
AV	11.21856G	43.80	54.00	-10.20	29.46	3	Vertical	87	1.40	-	38.32	8.80	32.78
PK	16.9068G	63.58	68.20	-4.62	43.99	3	Vertical	286	1.26	-	41.01	10.77	32.19
PK	11.1552G	55.78	74.00	-18.22	41.42	3	Horizontal	46	1.17	-	38.34	8.79	32.77
AV	11.1448G	43.14	54.00	-10.86	28.76	3	Horizontal	46	1.17	-	38.36	8.79	32.77
PK	16.8628G	63.28	68.20	-4.92	43.92	3	Horizontal	321	1.40	-	40.81	10.76	32.21

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 70  
 80/60/70/75/73/72/70  
 -5.30/4.01/1.34/-1.97/-0.26/-0.53/1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	62.46	74.00	-11.54	55.21	3	Vertical	93	2.34	-	33.70	6.46	32.91
AV	5.45448G	51.06	54.00	-2.94	43.82	3	Vertical	93	2.34	-	33.70	6.45	32.91
PK	5.46984G	64.50	68.20	-3.70	57.23	3	Vertical	93	2.34	-	33.70	6.47	32.90
PK	5.61512G	113.69	Inf	-Inf	106.11	3	Vertical	93	2.34	-	33.89	6.60	32.91
AV	5.62024G	102.33	Inf	-Inf	94.72	3	Vertical	93	2.34	-	33.92	6.60	32.91
PK	5.7284G	66.81	68.20	-1.39	58.90	3	Vertical	93	2.34	-	34.23	6.60	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
SET 70  
70  
4.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	60.87	74.00	-13.13	53.63	3	Horizontal	320	1.00	-	33.70	6.45	32.91
AV	5.45128G	49.07	54.00	-4.93	41.83	3	Horizontal	320	1.00	-	33.70	6.45	32.91
PK	5.46984G	60.70	68.20	-7.50	53.43	3	Horizontal	320	1.00	-	33.70	6.47	32.90
PK	5.59592G	106.37	Inf	-Inf	98.87	3	Horizontal	320	1.00	-	33.81	6.60	32.91
AV	5.5812G	95.13	Inf	-Inf	87.62	3	Horizontal	320	1.00	-	33.84	6.58	32.91
PK	5.73416G	62.27	68.20	-5.93	54.32	3	Horizontal	320	1.00	-	34.27	6.60	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

23/12/2021


### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 87 [Horizontal]  
All 87 [Vertical]/87 [Vertical]/87 [Horizontal]/87 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42208G	55.21	74.00	-18.79	40.75	3	Vertical	187	2.02	-	38.40	8.86	32.80
AV	11.43184G	43.09	54.00	-10.91	28.63	3	Vertical	187	2.02	-	38.40	8.86	32.80
PK	17.12216G	65.21	68.20	-2.99	45.00	3	Vertical	351	1.97	-	41.44	10.84	32.07
PK	11.40336G	55.12	74.00	-18.88	40.67	3	Horizontal	360	1.03	-	38.40	8.85	32.80
AV	11.45792G	42.95	54.00	-11.05	28.49	3	Horizontal	360	1.03	-	38.40	8.86	32.80
PK	17.06392G	67.36	68.20	-0.84	47.35	3	Horizontal	353	1.78	-	41.29	10.82	32.10


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 87  
 80/100/90/85/87/88/87  
 2.48/-9.73/-2.18/1.31/0.29/-0.33/0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	64.40	74.00	-9.60	57.16	3	Vertical	92	2.34	-	33.70	6.45	32.91
AV	5.4596G	53.37	54.00	-0.63	46.11	3	Vertical	92	2.34	-	33.70	6.46	32.90
PK	5.47G	65.45	68.20	-2.75	58.18	3	Vertical	92	2.34	-	33.70	6.47	32.90
PK	5.6804G	116.73	Inf	-Inf	109.01	3	Vertical	92	2.34	-	34.04	6.60	32.92
AV	5.66024G	105.32	Inf	-Inf	97.56	3	Vertical	92	2.34	-	34.08	6.60	32.92
PK	5.85G	67.33	68.20	-0.87	58.87	3	Vertical	92	2.34	-	34.80	6.60	32.94

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 87  
 87  
 4.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45096G	61.49	74.00	-12.51	54.25	3	Horizontal	292	1.00	-	33.70	6.45	32.91
AV	5.45096G	49.08	54.00	-4.92	41.84	3	Horizontal	292	1.00	-	33.70	6.45	32.91
PK	5.4644G	60.62	68.20	-7.58	53.36	3	Horizontal	292	1.00	-	33.70	6.46	32.90
PK	5.66216G	108.64	Inf	-Inf	100.88	3	Horizontal	292	1.00	-	34.08	6.60	32.92
AV	5.68232G	98.07	Inf	-Inf	90.35	3	Horizontal	292	1.00	-	34.04	6.60	32.92
PK	5.85224G	61.79	68.20	-6.41	53.33	3	Horizontal	292	1.00	-	34.80	6.60	32.94

802.11ax HEW160\_Nss1,(MCS0)\_4TX

20/01/2022


5250MHz Straddle 5.25-5.35GHz\_TnomVnom



Worst 41 [Horizontal]  
All 41 [Vertical]/41 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.746G	58.87	74.00	-15.13	43.25	3	Vertical	172	2.31	-	37.98	10.42	32.78
AV	15.74746G	48.48	54.00	-5.52	32.86	3	Vertical	172	2.31	-	37.98	10.42	32.78
PK	15.74614G	59.15	74.00	-14.85	43.53	3	Horizontal	201	1.78	-	37.98	10.42	32.78
AV	15.75384G	48.54	54.00	-5.46	32.87	3	Horizontal	201	1.78	-	38.02	10.43	32.78

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 41  
 01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0628G	58.75	74.00	-15.25	52.57	3	Vertical	101	2.41	-	32.80	6.33	32.95
AV	5.138G	48.84	54.00	-5.16	42.69	3	Vertical	101	2.41	-	32.72	6.37	32.94
PK	5.282G	104.20	Inf	-Inf	97.87	3	Vertical	101	2.41	-	32.86	6.40	32.93
AV	5.2724G	94.34	Inf	-Inf	88.03	3	Vertical	101	2.41	-	32.84	6.40	32.93
PK	5.386G	64.27	74.00	-9.73	57.64	3	Vertical	101	2.41	-	33.14	6.40	32.91
AV	5.3844G	53.87	54.00	-0.13	47.24	3	Vertical	101	2.41	-	33.14	6.40	32.91
PK	5.5972G	60.97	68.20	-7.23	53.47	3	Vertical	101	2.41	-	33.81	6.60	32.91



802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0788G	58.63	74.00	-15.37	52.44	3	Horizontal	198	2.94	-	32.80	6.34	32.95
AV	5.0436G	48.36	54.00	-5.64	42.16	3	Horizontal	198	2.94	-	32.83	6.32	32.95
PK	5.2452G	96.87	Inf	-Inf	90.61	3	Horizontal	198	2.94	-	32.79	6.40	32.93
AV	5.2756G	87.11	Inf	-Inf	80.79	3	Horizontal	198	2.94	-	32.85	6.40	32.93
PK	5.4292G	59.37	74.00	-14.63	52.36	3	Horizontal	198	2.94	-	33.49	6.43	32.91
AV	5.426G	49.56	54.00	-4.44	42.58	3	Horizontal	198	2.94	-	33.46	6.43	32.91
PK	5.5476G	60.54	68.20	-7.66	53.00	3	Horizontal	198	2.94	-	33.89	6.55	32.90

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




Worst 48 [Horizontal]  
All 48 [Vertical]/48 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14236G	54.98	74.00	-19.02	40.60	3	Vertical	252	1.83	-	38.36	8.79	32.77
AV	11.14034G	44.47	54.00	-9.53	30.09	3	Vertical	252	1.83	-	38.36	8.79	32.77
PK	11.13792G	55.35	74.00	-18.65	40.98	3	Horizontal	175	1.86	-	38.36	8.78	32.77
AV	11.14444G	44.50	54.00	-9.50	30.12	3	Horizontal	175	1.86	-	38.36	8.79	32.77

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 48  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2612G	60.05	68.20	-8.15	53.76	3	Vertical	102	2.58	-	32.82	6.40	32.93
PK	5.4532G	61.90	74.00	-12.10	54.66	3	Vertical	102	2.58	-	33.70	6.45	32.91
AV	5.4516G	53.77	54.00	-0.23	46.53	3	Vertical	102	2.58	-	33.70	6.45	32.91
PK	5.4676G	64.07	68.20	-4.13	56.80	3	Vertical	102	2.58	-	33.70	6.47	32.90
AV	5.5124G	94.34	Inf	-Inf	86.98	3	Vertical	102	2.58	-	33.75	6.51	32.90
PK	5.6228G	104.50	Inf	-Inf	96.87	3	Vertical	102	2.58	-	33.94	6.60	32.91
PK	5.9588G	61.11	68.20	-7.09	52.32	3	Vertical	102	2.58	-	35.14	6.60	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 48  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2196G	58.88	68.20	-9.32	52.67	3	Horizontal	102	1.00	-	32.74	6.40	32.93
PK	5.458G	59.82	74.00	-14.18	52.57	3	Horizontal	102	1.00	-	33.70	6.46	32.91
AV	5.4516G	50.05	54.00	-3.95	42.81	3	Horizontal	102	1.00	-	33.70	6.45	32.91
PK	5.4628G	60.00	68.20	-8.20	52.74	3	Horizontal	102	1.00	-	33.70	6.46	32.90
PK	5.5956G	98.36	Inf	-Inf	90.86	3	Horizontal	102	1.00	-	33.81	6.60	32.91
AV	5.5956G	88.13	Inf	-Inf	80.63	3	Horizontal	102	1.00	-	33.81	6.60	32.91
PK	5.9524G	60.83	68.20	-7.37	52.07	3	Horizontal	102	1.00	-	35.11	6.60	32.95




For 4T4S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.45544G	53.98	54.00	-0.02	3	Vertical	94	2.50	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5260MHz\_TnomVnom




Worst 91 [Horizontal]  
All 97 [Vertical]/93 [Vertical]/93 [Horizontal]/91 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53952G	55.28	68.20	-12.92	41.10	3	Vertical	127	1.80	-	38.54	8.63	32.99
PK	15.77788G	67.36	74.00	-6.64	51.54	3	Vertical	333	1.80	-	38.17	10.43	32.78
AV	15.78032G	53.89	54.00	-0.11	38.06	3	Vertical	333	1.80	-	38.18	10.43	32.78
PK	10.5166G	55.36	68.20	-12.84	41.21	3	Horizontal	128	2.70	-	38.52	8.63	33.00
PK	15.78068G	67.02	74.00	-6.98	51.19	3	Horizontal	339	1.80	-	38.18	10.43	32.78
AV	15.78068G	53.96	54.00	-0.04	38.13	3	Horizontal	339	1.80	-	38.18	10.43	32.78

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 97  
 80/100/90/95/97  
 3.71/-3.97/2.58/1.49/0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	63.06	74.00	-10.94	56.92	3	Vertical	92	2.62	-	32.71	6.37	32.94
AV	5.14456G	49.69	54.00	-4.31	43.55	3	Vertical	92	2.62	-	32.71	6.37	32.94
PK	5.25896G	124.33	Inf	-Inf	118.04	3	Vertical	92	2.62	-	32.82	6.40	32.93
AV	5.26572G	111.88	Inf	-Inf	105.58	3	Vertical	92	2.62	-	32.83	6.40	32.93
PK	5.35152G	65.58	74.00	-8.42	59.09	3	Vertical	92	2.62	-	33.01	6.40	32.92
AV	5.351G	53.83	54.00	-0.17	47.35	3	Vertical	92	2.62	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5260MHz\_TnomVnom



EUTZ\_4TX  
SET 97  
97  
5.11


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13676G	59.02	74.00	-14.98	52.86	3	Horizontal	79	2.65	-	32.73	6.37	32.94
AV	5.1352G	46.95	54.00	-7.05	40.79	3	Horizontal	79	2.65	-	32.73	6.37	32.94
PK	5.2574G	115.93	Inf	-Inf	109.65	3	Horizontal	79	2.65	-	32.81	6.40	32.93
AV	5.26208G	103.82	Inf	-Inf	97.53	3	Horizontal	79	2.65	-	32.82	6.40	32.93
PK	5.3536G	60.73	74.00	-13.27	54.24	3	Horizontal	79	2.65	-	33.01	6.40	32.92
AV	5.35G	48.89	54.00	-5.11	42.41	3	Horizontal	79	2.65	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5300MHz\_TnomVnom




Worst 82 [Horizontal]  
All 84 [Vertical]/84 [Vertical]/84 [Horizontal]/82 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58136G	55.34	68.20	-12.86	41.08	3	Vertical	210	1.63	-	38.58	8.65	32.97
PK	15.90548G	67.26	74.00	-6.74	51.15	3	Vertical	342	1.77	-	38.40	10.47	32.76
AV	15.89776G	52.72	54.00	-1.28	36.61	3	Vertical	342	1.77	-	38.40	10.47	32.76
PK	10.5978G	55.30	68.20	-12.90	41.01	3	Horizontal	193	2.18	-	38.60	8.65	32.96
PK	15.90864G	70.10	74.00	-3.90	53.98	3	Horizontal	350	1.80	-	38.40	10.47	32.75
AV	15.89856G	52.97	54.00	-1.03	36.86	3	Horizontal	350	1.80	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
 SET 84  
 80/100/90/85/83/84  
 1.60/-13.50/-2.91/-0.22/0.27/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	121.75	Inf	-Inf	115.36	3	Vertical	95	2.54	-	32.91	6.40	32.92
AV	5.30224G	109.13	Inf	-Inf	102.75	3	Vertical	95	2.54	-	32.90	6.40	32.92
PK	5.35348G	68.14	74.00	-5.86	61.65	3	Vertical	95	2.54	-	33.01	6.40	32.92
AV	5.35G	53.56	54.00	-0.44	47.08	3	Vertical	95	2.54	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUTZ\_4TX  
SET 84  
84  
5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30364G	114.00	Inf	-Inf	107.61	3	Horizontal	201	2.94	-	32.91	6.40	32.92
AV	5.29888G	101.48	Inf	-Inf	95.10	3	Horizontal	201	2.94	-	32.90	6.40	32.92
PK	5.35152G	61.32	74.00	-12.68	54.83	3	Horizontal	201	2.94	-	33.01	6.40	32.92
AV	5.35236G	48.88	54.00	-5.12	42.39	3	Horizontal	201	2.94	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5320MHz\_TnomVnom




Worst 78 [Horizontal]  
All 78 [Vertical]/78 [Vertical]/78 [Horizontal]/78 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.633G	55.48	74.00	-18.52	41.16	3	Vertical	72	1.49	-	38.60	8.66	32.94
AV	10.65G	42.92	54.00	-11.08	28.59	3	Vertical	72	1.49	-	38.60	8.66	32.93
PK	15.96724G	62.98	74.00	-11.02	46.84	3	Vertical	0	1.64	-	38.40	10.49	32.75
AV	15.96324G	50.10	54.00	-3.90	33.96	3	Vertical	0	1.64	-	38.40	10.49	32.75
PK	10.64448G	55.08	74.00	-18.92	40.75	3	Horizontal	37	2.35	-	38.60	8.66	32.93
AV	10.64132G	43.15	54.00	-10.85	28.83	3	Horizontal	37	2.35	-	38.60	8.66	32.94
PK	15.9598G	63.35	74.00	-10.65	47.21	3	Horizontal	350	1.85	-	38.40	10.49	32.75
AV	15.96088G	50.71	54.00	-3.29	34.57	3	Horizontal	350	1.85	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -0.09/3.83/1.68/0.51/0.56/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	119.54	Inf	-Inf	113.13	3	Vertical	96	2.51	-	32.93	6.40	32.92
AV	5.3172G	107.10	Inf	-Inf	100.69	3	Vertical	96	2.51	-	32.93	6.40	32.92
PK	5.3502G	66.16	74.00	-7.84	59.68	3	Vertical	96	2.51	-	33.00	6.40	32.92
AV	5.35G	53.81	54.00	-0.19	47.33	3	Vertical	96	2.51	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUTZ\_4TX  
SET 78  
78  
5.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	111.49	Inf	-Inf	105.08	3	Horizontal	78	2.97	-	32.93	6.40	32.92
AV	5.3168G	98.89	Inf	-Inf	92.48	3	Horizontal	78	2.97	-	32.93	6.40	32.92
PK	5.3616G	60.76	74.00	-13.24	54.23	3	Horizontal	78	2.97	-	33.05	6.40	32.92
AV	5.3602G	48.90	54.00	-5.10	42.38	3	Horizontal	78	2.97	-	33.04	6.40	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5500MHz\_TnomVnom




Worst 75 [Horizontal]  
All 77 [Vertical]/77 [Vertical]/77 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.991G	55.03	74.00	-18.97	40.53	3	Vertical	16	1.80	-	38.50	8.75	32.75
AV	10.98308G	42.51	54.00	-11.49	28.02	3	Vertical	16	1.80	-	38.50	8.75	32.76
PK	16.49996G	65.77	68.20	-2.43	47.25	3	Vertical	325	1.76	-	40.30	10.65	32.43
PK	10.98332G	55.26	74.00	-18.74	40.77	3	Horizontal	93	1.80	-	38.50	8.75	32.76
AV	10.98176G	42.73	54.00	-11.27	28.24	3	Horizontal	93	1.80	-	38.50	8.75	32.76
PK	16.50548G	67.35	68.20	-0.85	48.83	3	Horizontal	302	1.84	-	40.30	10.65	32.43

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77/78/77  
 -1.76/3.71/1.95/0.95/0.47/-0.54/0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	66.16	74.00	-7.84	58.90	3	Vertical	94	2.42	-	33.70	6.46	32.90
AV	5.4594G	53.62	54.00	-0.38	46.36	3	Vertical	94	2.42	-	33.70	6.46	32.90
PK	5.4612G	65.87	68.20	-2.33	58.61	3	Vertical	94	2.42	-	33.70	6.46	32.90
PK	5.4988G	120.05	Inf	-Inf	112.75	3	Vertical	94	2.42	-	33.70	6.50	32.90
AV	5.4952G	107.81	Inf	-Inf	100.51	3	Vertical	94	2.42	-	33.70	6.50	32.90



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
SET 77  
77  
4.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	61.41	74.00	-12.59	54.15	3	Horizontal	295	1.00	-	33.70	6.46	32.90
AV	5.4594G	49.39	54.00	-4.61	42.13	3	Horizontal	295	1.00	-	33.70	6.46	32.90
PK	5.4678G	61.28	68.20	-6.92	54.01	3	Horizontal	295	1.00	-	33.70	6.47	32.90
PK	5.4934G	111.89	Inf	-Inf	104.60	3	Horizontal	295	1.00	-	33.70	6.49	32.90
AV	5.5016G	100.11	Inf	-Inf	92.80	3	Horizontal	295	1.00	-	33.71	6.50	32.90

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5580MHz\_TnomVnom




Worst 72 [Horizontal]  
All 98 [Vertical]/84 [Vertical]/84 [Horizontal]/72 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	55.14	74.00	-18.86	40.78	3	Vertical	204	3.00	-	38.34	8.79	32.77
AV	11.17944G	42.31	54.00	-11.69	27.97	3	Vertical	204	3.00	-	38.32	8.79	32.77
PK	16.73948G	67.32	68.20	-0.88	48.45	3	Vertical	7	2.62	-	40.44	10.72	32.29
PK	11.152G	54.71	74.00	-19.29	40.34	3	Horizontal	0	2.59	-	38.35	8.79	32.77
AV	11.15084G	42.35	54.00	-11.65	27.98	3	Horizontal	0	2.59	-	38.35	8.79	32.77
PK	16.7364G	67.05	68.20	-1.15	48.18	3	Horizontal	40	2.64	-	40.44	10.72	32.29

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 98  
 80/100/90/95/97/98  
 3.04/-0.09/2.81/2.29/1.39/1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45712G	64.37	74.00	-9.63	57.12	3	Vertical	94	2.36	-	33.70	6.46	32.91
AV	5.45968G	52.84	54.00	-1.16	45.58	3	Vertical	94	2.36	-	33.70	6.46	32.90
PK	5.46928G	66.88	68.20	-1.32	59.61	3	Vertical	94	2.36	-	33.70	6.47	32.90
PK	5.57872G	125.22	Inf	-Inf	117.71	3	Vertical	94	2.36	-	33.84	6.58	32.91
AV	5.57552G	112.63	Inf	-Inf	105.11	3	Vertical	94	2.36	-	33.85	6.58	32.91
PK	5.73104G	63.39	68.20	-4.81	55.46	3	Vertical	94	2.36	-	34.25	6.60	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
SET 98  
98  
4.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45776G	61.05	74.00	-12.95	53.80	3	Horizontal	290	2.87	-	33.70	6.46	32.91
AV	5.45072G	49.29	54.00	-4.71	42.05	3	Horizontal	290	2.87	-	33.70	6.45	32.91
PK	5.46224G	61.84	68.20	-6.36	54.58	3	Horizontal	290	2.87	-	33.70	6.46	32.90
PK	5.57616G	115.59	Inf	-Inf	108.07	3	Horizontal	290	2.87	-	33.85	6.58	32.91
AV	5.57744G	104.25	Inf	-Inf	96.73	3	Horizontal	290	2.87	-	33.85	6.58	32.91
PK	5.7336G	60.84	68.20	-7.36	52.89	3	Horizontal	290	2.87	-	34.27	6.60	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5700MHz\_TnomVnom




Worst 56 [Horizontal]  
All 56 [Vertical]/56 [Vertical]/56 [Horizontal]/56 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40912G	55.73	74.00	-18.27	41.28	3	Vertical	0	2.64	-	38.40	8.85	32.80
AV	11.38844G	43.34	54.00	-10.66	28.89	3	Vertical	0	2.64	-	38.40	8.85	32.80
PK	17.09756G	66.02	68.20	-2.18	45.88	3	Vertical	282	1.80	-	41.39	10.83	32.08
PK	11.40136G	55.55	74.00	-18.45	41.10	3	Horizontal	178	1.80	-	38.40	8.85	32.80
AV	11.41304G	43.08	54.00	-10.92	28.63	3	Horizontal	178	1.80	-	38.40	8.85	32.80
PK	17.09752G	66.22	68.20	-1.98	46.08	3	Horizontal	0	2.89	-	41.39	10.83	32.08

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUTZ\_4TX  
 SET 56  
 80/60/50/55/57/56  
 -16.77/-2.31/5.52/1.60/-0.61/1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	113.54	Inf	-Inf	105.86	3	Vertical	91	2.44	-	34.00	6.60	32.92
AV	5.7008G	101.59	Inf	-Inf	93.90	3	Vertical	91	2.44	-	34.01	6.60	32.92
PK	5.7254G	66.90	68.20	-1.30	59.02	3	Vertical	91	2.44	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUTZ\_4TX  
SET 56  
56  
2.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.703G	105.26	Inf	-Inf	97.56	3	Horizontal	294	1.02	-	34.02	6.60	32.92
AV	5.6984G	93.24	Inf	-Inf	85.56	3	Horizontal	294	1.02	-	34.00	6.60	32.92
PK	5.725G	65.28	68.20	-2.92	57.40	3	Horizontal	294	1.02	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/01/2022

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




Worst 78 [Horizontal]  
All 102 [Vertical]/85 [Vertical]/85 [Horizontal]/78 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.453G	55.98	74.00	-18.02	41.52	3	Vertical	0	2.89	-	38.40	8.86	32.80
AV	11.42984G	43.38	54.00	-10.62	28.92	3	Vertical	0	2.89	-	38.40	8.86	32.80
PK	17.15892G	68.04	68.20	-0.16	47.72	3	Vertical	360	1.80	-	41.52	10.85	32.05
PK	11.45796G	56.27	74.00	-17.73	41.81	3	Horizontal	360	1.80	-	38.40	8.86	32.80
AV	11.44496G	43.19	54.00	-10.81	28.73	3	Horizontal	360	1.80	-	38.40	8.86	32.80
PK	17.157G	67.76	68.20	-0.44	47.45	3	Horizontal	328	1.80	-	41.51	10.85	32.05




**802.11ax HEW20\_Nss4,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 102  
 80/100/102  
 4.13/4.00/4.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	61.59	74.00	-12.41	54.35	3	Vertical	90	2.35	-	33.70	6.45	32.91
AV	5.4554G	49.69	54.00	-4.31	42.44	3	Vertical	90	2.35	-	33.70	6.46	32.91
PK	5.46512G	61.33	68.20	-6.87	54.06	3	Vertical	90	2.35	-	33.70	6.47	32.90
PK	5.71676G	124.06	Inf	-Inf	116.25	3	Vertical	90	2.35	-	34.13	6.60	32.92
AV	5.71784G	111.31	Inf	-Inf	103.49	3	Vertical	90	2.35	-	34.14	6.60	32.92
PK	5.85716G	62.85	68.20	-5.35	54.38	3	Vertical	90	2.35	-	34.81	6.60	32.94

**802.11ax HEW20\_Nss4,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 102  
 102  
 5.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	59.36	74.00	-14.64	52.12	3	Horizontal	284	2.76	-	33.70	6.45	32.91
AV	5.45216G	48.19	54.00	-5.81	40.95	3	Horizontal	284	2.76	-	33.70	6.45	32.91
PK	5.4662G	59.38	68.20	-8.82	52.11	3	Horizontal	284	2.76	-	33.70	6.47	32.90
PK	5.72108G	117.58	Inf	-Inf	109.73	3	Horizontal	284	2.76	-	34.17	6.60	32.92
AV	5.72648G	104.14	Inf	-Inf	96.25	3	Horizontal	284	2.76	-	34.21	6.60	32.92
PK	5.85G	61.20	68.20	-7.00	52.74	3	Horizontal	284	2.76	-	34.80	6.60	32.94

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5270MHz\_TnomVnom




Worst 77 [Horizontal]  
All 77 [Vertical]/77 [Vertical]/77 [Horizontal]/77 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53832G	55.43	68.20	-12.77	41.25	3	Vertical	82	1.15	-	38.54	8.63	32.99
PK	15.81736G	60.34	74.00	-13.66	44.34	3	Vertical	344	1.80	-	38.32	10.45	32.77
AV	15.82872G	48.96	54.00	-5.04	32.95	3	Vertical	344	1.80	-	38.33	10.45	32.77
PK	10.53112G	55.26	68.20	-12.94	41.09	3	Horizontal	123	2.03	-	38.53	8.63	32.99
PK	15.80744G	60.84	74.00	-13.16	44.86	3	Horizontal	8	1.80	-	38.31	10.44	32.77
AV	15.81464G	49.43	54.00	-4.57	33.45	3	Horizontal	8	1.80	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77  
 -1.00/3.39/1.43/0.66/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14792G	60.35	74.00	-13.65	54.22	3	Vertical	102	2.61	-	32.70	6.37	32.94
AV	5.14568G	50.16	54.00	-3.84	44.02	3	Vertical	102	2.61	-	32.71	6.37	32.94
PK	5.26048G	117.19	Inf	-Inf	110.90	3	Vertical	102	2.61	-	32.82	6.40	32.93
AV	5.2672G	106.11	Inf	-Inf	99.81	3	Vertical	102	2.61	-	32.83	6.40	32.93
PK	5.36296G	65.55	74.00	-8.45	59.02	3	Vertical	102	2.61	-	33.05	6.40	32.92
AV	5.35G	53.90	54.00	-0.10	47.42	3	Vertical	102	2.61	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
SET 77  
77  
3.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13392G	58.51	74.00	-15.49	52.35	3	Horizontal	80	2.47	-	32.73	6.37	32.94
AV	5.13952G	48.58	54.00	-5.42	42.43	3	Horizontal	80	2.47	-	32.72	6.37	32.94
PK	5.27448G	108.88	Inf	-Inf	102.56	3	Horizontal	80	2.47	-	32.85	6.40	32.93
AV	5.2672G	97.64	Inf	-Inf	91.34	3	Horizontal	80	2.47	-	32.83	6.40	32.93
PK	5.35064G	61.27	74.00	-12.73	54.79	3	Horizontal	80	2.47	-	33.00	6.40	32.92
AV	5.36912G	50.07	54.00	-3.93	43.51	3	Horizontal	80	2.47	-	33.08	6.40	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5310MHz\_TnomVnom




Worst 65 [Vertical]  
All 65 [Vertical]/65 [Vertical]/65 [Horizontal]/65 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59232G	55.61	68.20	-12.59	41.33	3	Vertical	252	2.48	-	38.59	8.65	32.96
PK	15.93848G	61.75	74.00	-12.25	45.62	3	Vertical	93	2.34	-	38.40	10.48	32.75
AV	15.94208G	50.85	54.00	-3.15	34.72	3	Vertical	93	2.34	-	38.40	10.48	32.75
PK	10.58656G	55.39	68.20	-12.81	41.11	3	Horizontal	142	1.80	-	38.59	8.65	32.96
PK	15.95104G	61.59	74.00	-12.41	45.45	3	Horizontal	356	1.80	-	38.40	10.49	32.75
AV	15.94944G	50.37	54.00	-3.63	34.24	3	Horizontal	356	1.80	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 65  
 80/60/70/65/67/66/65  
 -4.85/1.75/-0.94/0.50/-0.48/-0.20/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30112G	113.75	Inf	-Inf	107.37	3	Vertical	101	2.45	-	32.90	6.40	32.92
AV	5.31912G	102.85	Inf	-Inf	96.43	3	Vertical	101	2.45	-	32.94	6.40	32.92
PK	5.35G	63.97	74.00	-10.03	57.49	3	Vertical	101	2.45	-	33.00	6.40	32.92
AV	5.35032G	53.94	54.00	-0.06	47.46	3	Vertical	101	2.45	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5310MHz\_TnomVnom



EUT\_Z\_4TX  
SET 65  
65  
4.20


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30712G	105.29	Inf	-Inf	98.90	3	Horizontal	78	3.00	-	32.91	6.40	32.92
AV	5.31192G	94.51	Inf	-Inf	88.11	3	Horizontal	78	3.00	-	32.92	6.40	32.92
PK	5.35608G	59.98	74.00	-14.02	53.48	3	Horizontal	78	3.00	-	33.02	6.40	32.92
AV	5.35272G	49.80	54.00	-4.20	43.31	3	Horizontal	78	3.00	-	33.01	6.40	32.92



### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5510MHz\_TnomVnom




Worst 60 [Horizontal]  
All 60 [Vertical]/60 [Vertical]/60 [Horizontal]/60 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03232G	55.63	74.00	-18.37	41.15	3	Vertical	360	1.80	-	38.47	8.76	32.75
AV	10.9904G	44.05	54.00	-9.95	29.55	3	Vertical	360	1.80	-	38.50	8.75	32.75
PK	16.53816G	64.36	68.20	-3.84	45.81	3	Vertical	332	1.03	-	40.30	10.66	32.41
PK	11.01656G	54.92	74.00	-19.08	40.44	3	Horizontal	148	1.80	-	38.48	8.75	32.75
AV	11.01464G	44.12	54.00	-9.88	29.63	3	Horizontal	148	1.80	-	38.49	8.75	32.75
PK	16.56G	65.84	68.20	-2.36	47.26	3	Horizontal	117	1.80	-	40.30	10.67	32.39

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 80/60/70/65/63/62/60  
 -15.87/1.10/-3.60/-1.54/-0.75/-0.78/0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	63.82	74.00	-10.18	56.56	3	Vertical	94	2.59	-	33.70	6.46	32.90
AV	5.45936G	52.75	54.00	-1.25	45.49	3	Vertical	94	2.59	-	33.70	6.46	32.90
PK	5.46992G	67.98	68.20	-0.22	60.71	3	Vertical	94	2.59	-	33.70	6.47	32.90
PK	5.51264G	112.51	Inf	-Inf	105.15	3	Vertical	94	2.59	-	33.75	6.51	32.90
AV	5.51264G	102.31	Inf	-Inf	94.95	3	Vertical	94	2.59	-	33.75	6.51	32.90

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
SET 60  
60  
4.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.90	74.00	-13.10	53.66	3	Horizontal	288	1.01	-	33.70	6.45	32.91
AV	5.45792G	49.84	54.00	-4.16	42.59	3	Horizontal	288	1.01	-	33.70	6.46	32.91
PK	5.4692G	60.89	68.20	-7.31	53.62	3	Horizontal	288	1.01	-	33.70	6.47	32.90
PK	5.5148G	104.96	Inf	-Inf	97.59	3	Horizontal	288	1.01	-	33.76	6.51	32.90
AV	5.51288G	93.96	Inf	-Inf	86.60	3	Horizontal	288	1.01	-	33.75	6.51	32.90

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5550MHz\_TnomVnom




Worst 68 [Vertical]  
All 68 [Vertical]/68 [Vertical]/68 [Horizontal]/68 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13152G	55.03	74.00	-18.97	40.65	3	Vertical	16	1.80	-	38.37	8.78	32.77
AV	11.11248G	43.83	54.00	-10.17	29.42	3	Vertical	16	1.80	-	38.39	8.78	32.76
PK	16.6456G	65.71	68.20	-2.49	47.01	3	Vertical	352	1.80	-	40.35	10.69	32.34
PK	11.07192G	54.94	74.00	-19.06	40.50	3	Horizontal	353	1.80	-	38.43	8.77	32.76
AV	11.0944G	44.03	54.00	-9.97	29.61	3	Horizontal	353	1.80	-	38.41	8.77	32.76
PK	16.63032G	65.33	68.20	-2.87	46.66	3	Horizontal	19	1.84	-	40.33	10.69	32.35

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -2.47/2.36/-2.20/1.65/0.79/0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.21	74.00	-14.79	52.73	3	Vertical	94	2.61	-	33.00	6.40	32.92
AV	5.35G	49.67	54.00	-4.33	43.19	3	Vertical	94	2.61	-	33.00	6.40	32.92
PK	5.4564G	62.35	74.00	-11.65	55.10	3	Vertical	94	2.61	-	33.70	6.46	32.91
AV	5.4524G	52.41	54.00	-1.59	45.17	3	Vertical	94	2.61	-	33.70	6.45	32.91
PK	5.4692G	67.47	68.20	-0.73	60.20	3	Vertical	94	2.61	-	33.70	6.47	32.90
PK	5.5604G	115.85	Inf	-Inf	108.32	3	Vertical	94	2.61	-	33.88	6.56	32.91
AV	5.5388G	104.70	Inf	-Inf	97.20	3	Vertical	94	2.61	-	33.86	6.54	32.90
PK	5.75G	60.51	68.20	-7.69	52.43	3	Vertical	94	2.61	-	34.40	6.60	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
SET 68  
68  
4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.69	74.00	-16.31	51.21	3	Horizontal	293	1.00	-	33.00	6.40	32.92
AV	5.35G	48.07	54.00	-5.93	41.59	3	Horizontal	293	1.00	-	33.00	6.40	32.92
PK	5.458G	60.43	74.00	-13.57	53.18	3	Horizontal	293	1.00	-	33.70	6.46	32.91
AV	5.4484G	49.83	54.00	-4.17	42.61	3	Horizontal	293	1.00	-	33.68	6.45	32.91
PK	5.47G	59.31	68.20	-8.89	52.04	3	Horizontal	293	1.00	-	33.70	6.47	32.90
PK	5.5356G	107.00	Inf	-Inf	99.52	3	Horizontal	293	1.00	-	33.84	6.54	32.90
AV	5.5324G	96.01	Inf	-Inf	88.55	3	Horizontal	293	1.00	-	33.83	6.53	32.90
PK	5.7364G	60.36	68.20	-7.84	52.39	3	Horizontal	293	1.00	-	34.29	6.60	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022

### 5670MHz\_TnomVnom




Worst 63 [Horizontal]  
All 63 [Vertical]/63 [Vertical]/63 [Horizontal]/63 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.358G	55.20	74.00	-18.80	40.75	3	Vertical	106	1.80	-	38.40	8.84	32.79
AV	11.35832G	44.14	54.00	-9.86	29.69	3	Vertical	106	1.80	-	38.40	8.84	32.79
PK	17.024G	65.92	68.20	-2.28	46.06	3	Vertical	38	1.25	-	41.17	10.81	32.12
PK	11.32752G	55.06	74.00	-18.94	40.62	3	Horizontal	91	1.80	-	38.40	8.83	32.79
AV	11.36104G	44.26	54.00	-9.74	29.81	3	Horizontal	91	1.80	-	38.40	8.84	32.79
PK	17.0436G	65.98	68.20	-2.22	46.05	3	Horizontal	104	1.80	-	41.23	10.81	32.11

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 63  
 80/60/70/65/63  
 -9.31/2.23/-1.17/-1.01/0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66584G	112.43	Inf	-Inf	104.68	3	Vertical	96	2.49	-	34.07	6.60	32.92
AV	5.66296G	101.71	Inf	-Inf	93.96	3	Vertical	96	2.49	-	34.07	6.60	32.92
PK	5.72696G	68.15	68.20	-0.05	60.25	3	Vertical	96	2.49	-	34.22	6.60	32.92



### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
SET 63  
63  
6.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66648G	103.68	Inf	-Inf	95.93	3	Horizontal	219	2.91	-	34.07	6.60	32.92
AV	5.6652G	92.79	Inf	-Inf	85.04	3	Horizontal	219	2.91	-	34.07	6.60	32.92
PK	5.72696G	61.76	68.20	-6.44	53.86	3	Horizontal	219	2.91	-	34.22	6.60	32.92

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/01/2022


### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 80 [Horizontal]  
All 99 [Vertical]/83 [Vertical]/83 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4592G	56.25	74.00	-17.75	41.80	3	Vertical	350	1.80	-	38.40	8.86	32.81
AV	11.44696G	44.44	54.00	-9.56	29.98	3	Vertical	350	1.80	-	38.40	8.86	32.80
PK	17.12272G	67.82	68.20	-0.38	47.60	3	Vertical	358	1.80	-	41.45	10.84	32.07
PK	11.4244G	56.09	74.00	-17.91	41.63	3	Horizontal	248	1.80	-	38.40	8.86	32.80
AV	11.44408G	45.03	54.00	-8.97	30.57	3	Horizontal	248	1.80	-	38.40	8.86	32.80
PK	17.11488G	68.02	68.20	-0.18	47.83	3	Horizontal	315	1.80	-	41.43	10.83	32.07


**802.11ax HEW40\_Nss4,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 99  
 80/100/102/101/100/99  
 2.56/0.42/-0.59/-1.07/-0.78/1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.49	74.00	-11.51	55.23	3	Vertical	90	2.50	-	33.70	6.46	32.90
AV	5.45208G	52.82	54.00	-1.18	45.58	3	Vertical	90	2.50	-	33.70	6.45	32.91
PK	5.46768G	62.93	68.20	-5.27	55.66	3	Vertical	90	2.50	-	33.70	6.47	32.90
PK	5.70688G	119.03	Inf	-Inf	111.29	3	Vertical	90	2.50	-	34.06	6.60	32.92
AV	5.71104G	109.00	Inf	-Inf	101.23	3	Vertical	90	2.50	-	34.09	6.60	32.92
PK	5.85G	66.93	68.20	-1.27	58.47	3	Vertical	90	2.50	-	34.80	6.60	32.94

**802.11ax HEW40\_Nss4,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 99  
 99  
 4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	60.94	74.00	-13.06	53.68	3	Horizontal	290	1.00	-	33.70	6.46	32.90
AV	5.45208G	49.78	54.00	-4.22	42.54	3	Horizontal	290	1.00	-	33.70	6.45	32.91
PK	5.4656G	59.07	68.20	-9.13	51.80	3	Horizontal	290	1.00	-	33.70	6.47	32.90
PK	5.69544G	111.51	Inf	-Inf	103.82	3	Horizontal	290	1.00	-	34.01	6.60	32.92
AV	5.71624G	101.44	Inf	-Inf	93.63	3	Horizontal	290	1.00	-	34.13	6.60	32.92
PK	5.85144G	61.81	68.20	-6.39	53.35	3	Horizontal	290	1.00	-	34.80	6.60	32.94

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/01/2022

### 5290MHz\_TnomVnom




Worst 66 [Horizontal]  
All 66 [Vertical]/66 [Vertical]/66 [Horizontal]/66 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61296G	54.92	74.00	-19.08	40.62	3	Vertical	232	1.80	-	38.60	8.65	32.95
AV	10.64256G	44.40	54.00	-9.60	30.08	3	Vertical	232	1.80	-	38.60	8.66	32.94
PK	15.92968G	60.88	74.00	-13.12	44.75	3	Vertical	49	1.80	-	38.40	10.48	32.75
AV	15.9292G	50.21	54.00	-3.79	34.08	3	Vertical	49	1.80	-	38.40	10.48	32.75
PK	10.55264G	55.28	68.20	-12.92	41.07	3	Horizontal	160	1.80	-	38.55	8.64	32.98
PK	15.94424G	60.89	74.00	-13.11	44.76	3	Horizontal	81	1.80	-	38.40	10.48	32.75
AV	15.9484G	50.27	54.00	-3.73	34.14	3	Horizontal	81	1.80	-	38.40	10.48	32.75

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 66  
 80/60/70/65/67/66  
 -5.96/1.30/-1.99/0.63/-0.59/0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13128G	60.39	74.00	-13.61	54.22	3	Vertical	129	2.40	-	32.74	6.37	32.94
AV	5.14792G	50.06	54.00	-3.94	43.93	3	Vertical	129	2.40	-	32.70	6.37	32.94
PK	5.27784G	110.12	Inf	-Inf	103.79	3	Vertical	129	2.40	-	32.86	6.40	32.93
AV	5.27912G	99.34	Inf	-Inf	93.01	3	Vertical	129	2.40	-	32.86	6.40	32.93
PK	5.37G	64.08	74.00	-9.92	57.52	3	Vertical	129	2.40	-	33.08	6.40	32.92
AV	5.35G	53.78	54.00	-0.22	47.30	3	Vertical	129	2.40	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
SET 66  
66  
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	58.95	74.00	-15.05	52.82	3	Horizontal	204	2.50	-	32.70	6.37	32.94
AV	5.14984G	47.88	54.00	-6.12	41.75	3	Horizontal	204	2.50	-	32.70	6.37	32.94
PK	5.274G	104.12	Inf	-Inf	97.80	3	Horizontal	204	2.50	-	32.85	6.40	32.93
AV	5.27784G	93.15	Inf	-Inf	86.82	3	Horizontal	204	2.50	-	32.86	6.40	32.93
PK	5.35528G	61.02	74.00	-12.98	54.52	3	Horizontal	204	2.50	-	33.02	6.40	32.92
AV	5.44744G	50.38	54.00	-3.62	43.17	3	Horizontal	204	2.50	-	33.67	6.45	32.91

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/01/2022

### 5530MHz\_TnomVnom




Worst 63 [Vertical]  
All 63 [Vertical]/63 [Vertical]/63 [Horizontal]/63 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09408G	55.26	74.00	-18.74	40.84	3	Vertical	360	1.80	-	38.41	8.77	32.76
AV	11.0624G	44.50	54.00	-9.50	30.05	3	Vertical	360	1.80	-	38.44	8.77	32.76
PK	16.5852G	65.55	68.20	-2.65	46.95	3	Vertical	316	2.56	-	40.30	10.68	32.38
PK	11.104G	55.42	74.00	-18.58	41.00	3	Horizontal	360	2.56	-	38.40	8.78	32.76
AV	11.02704G	44.48	54.00	-9.52	30.00	3	Horizontal	360	2.56	-	38.47	8.76	32.75
PK	16.56232G	64.92	68.20	-3.28	46.34	3	Horizontal	69	1.80	-	40.30	10.67	32.39



### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 63  
 80/60/70/65/63  
 -15.46/0.33/-3.15/-1.14/0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	64.77	74.00	-9.23	57.51	3	Vertical	94	2.50	-	33.70	6.46	32.90
AV	5.45544G	53.98	54.00	-0.02	46.73	3	Vertical	94	2.50	-	33.70	6.46	32.91
PK	5.46792G	65.44	68.20	-2.76	58.17	3	Vertical	94	2.50	-	33.70	6.47	32.90
PK	5.5412G	111.10	Inf	-Inf	103.60	3	Vertical	94	2.50	-	33.86	6.54	32.90
AV	5.52776G	100.27	Inf	-Inf	92.83	3	Vertical	94	2.50	-	33.81	6.53	32.90

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
SET 63  
63  
3.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45448G	60.26	74.00	-13.74	53.02	3	Horizontal	290	1.00	-	33.70	6.45	32.91
AV	5.4548G	50.18	54.00	-3.82	42.94	3	Horizontal	290	1.00	-	33.70	6.45	32.91
PK	5.466G	60.61	68.20	-7.59	53.34	3	Horizontal	290	1.00	-	33.70	6.47	32.90
PK	5.51528G	102.63	Inf	-Inf	95.25	3	Horizontal	290	1.00	-	33.76	6.52	32.90
AV	5.5172G	91.35	Inf	-Inf	83.96	3	Horizontal	290	1.00	-	33.77	6.52	32.90

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/01/2022

### 5610MHz\_TnomVnom




Worst 72 [Vertical]  
All 72 [Vertical]/72 [Vertical]/72 [Horizontal]/72 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27824G	55.37	74.00	-18.63	40.95	3	Vertical	338	1.80	-	38.38	8.82	32.78
AV	11.26096G	45.08	54.00	-8.92	30.68	3	Vertical	338	1.80	-	38.36	8.82	32.78
PK	16.82648G	63.63	68.20	-4.57	44.48	3	Vertical	109	2.96	-	40.63	10.75	32.23
PK	11.28624G	54.97	74.00	-19.03	40.54	3	Horizontal	0	2.30	-	38.39	8.82	32.78
AV	11.2104G	44.27	54.00	-9.73	29.94	3	Horizontal	0	2.30	-	38.31	8.80	32.78
PK	16.84664G	63.00	68.20	-5.20	43.74	3	Horizontal	38	1.28	-	40.73	10.75	32.22

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 72  
 80/60/70/75/73/72  
 -3.72/2.95/0.98/-1.52/-0.32/0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	64.97	74.00	-9.03	57.73	3	Vertical	96	2.48	-	33.70	6.45	32.91
AV	5.4532G	53.14	54.00	-0.86	45.90	3	Vertical	96	2.48	-	33.70	6.45	32.91
PK	5.4628G	64.40	68.20	-3.80	57.14	3	Vertical	96	2.48	-	33.70	6.46	32.90
PK	5.61832G	113.07	Inf	-Inf	105.47	3	Vertical	96	2.48	-	33.91	6.60	32.91
AV	5.5972G	102.05	Inf	-Inf	94.55	3	Vertical	96	2.48	-	33.81	6.60	32.91
PK	5.7284G	67.81	68.20	-0.39	59.90	3	Vertical	96	2.48	-	34.23	6.60	32.92

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
SET 72  
72  
3.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45512G	60.76	74.00	-13.24	53.51	3	Horizontal	291	1.00	-	33.70	6.46	32.91
AV	5.4532G	50.13	54.00	-3.87	42.89	3	Horizontal	291	1.00	-	33.70	6.45	32.91
PK	5.4628G	60.56	68.20	-7.64	53.30	3	Horizontal	291	1.00	-	33.70	6.46	32.90
PK	5.57544G	104.16	Inf	-Inf	96.64	3	Horizontal	291	1.00	-	33.85	6.58	32.91
AV	5.58184G	93.15	Inf	-Inf	85.64	3	Horizontal	291	1.00	-	33.84	6.58	32.91
PK	5.73416G	63.97	68.20	-4.23	56.02	3	Horizontal	291	1.00	-	34.27	6.60	32.92

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/01/2022


### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 84 [Horizontal]  
All 84 [Vertical]/84 [Vertical]/84 [Horizontal]/84 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.404G	55.97	74.00	-18.03	41.52	3	Vertical	136	1.80	-	38.40	8.85	32.80
AV	11.32448G	45.48	54.00	-8.52	31.04	3	Vertical	136	1.80	-	38.40	8.83	32.79
PK	17.04744G	66.15	68.20	-2.05	46.21	3	Vertical	360	1.80	-	41.24	10.81	32.11
PK	11.45408G	56.41	74.00	-17.59	41.95	3	Horizontal	236	1.80	-	38.40	8.86	32.80
AV	11.336G	45.39	54.00	-8.61	30.95	3	Horizontal	236	1.80	-	38.40	8.83	32.79
PK	17.12536G	67.54	68.20	-0.66	47.31	3	Horizontal	355	1.79	-	41.45	10.84	32.06


**802.11ax HEW80\_Nss4,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 84  
 80/100/90/85/83/84  
 1.30/-10.75/-1.09/-0.02/0.81/1.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.00	74.00	-10.00	56.74	3	Vertical	92	2.47	-	33.70	6.46	32.90
AV	5.45192G	52.96	54.00	-1.04	45.72	3	Vertical	92	2.47	-	33.70	6.45	32.91
PK	5.46824G	63.55	68.20	-4.65	56.28	3	Vertical	92	2.47	-	33.70	6.47	32.90
PK	5.68328G	113.60	Inf	-Inf	105.89	3	Vertical	92	2.47	-	34.03	6.60	32.92
AV	5.68328G	103.94	Inf	-Inf	96.23	3	Vertical	92	2.47	-	34.03	6.60	32.92
PK	5.85416G	65.33	68.20	-2.87	56.86	3	Vertical	92	2.47	-	34.81	6.60	32.94

**802.11ax HEW80\_Nss4,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 84  
 84  
 3.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	59.78	74.00	-14.22	52.53	3	Horizontal	292	1.02	-	33.70	6.46	32.91
AV	5.4548G	50.54	54.00	-3.46	43.30	3	Horizontal	292	1.02	-	33.70	6.45	32.91
PK	5.46248G	60.59	68.20	-7.61	53.33	3	Horizontal	292	1.02	-	33.70	6.46	32.90
PK	5.69672G	106.82	Inf	-Inf	99.13	3	Horizontal	292	1.02	-	34.01	6.60	32.92
AV	5.68232G	95.92	Inf	-Inf	88.20	3	Horizontal	292	1.02	-	34.04	6.60	32.92
PK	5.89448G	60.98	68.20	-7.22	52.43	3	Horizontal	292	1.02	-	34.89	6.60	32.94



### 802.11ax HEW160\_Nss4,(MCS0)\_4TX


### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom



Worst 45 [Vertical]  
All 45 [Vertical]/45 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74952G	59.26	74.00	-14.74	43.62	3	Vertical	149	2.57	-	38.00	10.42	32.78
AV	15.75392G	48.49	54.00	-5.51	32.82	3	Vertical	149	2.57	-	38.02	10.43	32.78
PK	15.74976G	59.34	74.00	-14.66	43.70	3	Horizontal	212	1.17	-	38.00	10.42	32.78
AV	15.75002G	48.11	54.00	-5.89	32.46	3	Horizontal	212	1.17	-	38.00	10.43	32.78


**802.11ax HEW160\_Nss4,(MCS0)\_4TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 45  
 01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0228G	58.86	74.00	-15.14	52.60	3	Vertical	101	2.67	-	32.91	6.31	32.96
AV	5.146G	49.17	54.00	-4.83	43.03	3	Vertical	101	2.67	-	32.71	6.37	32.94
PK	5.2852G	103.11	Inf	-Inf	96.77	3	Vertical	101	2.67	-	32.87	6.40	32.93
AV	5.2756G	92.59	Inf	-Inf	86.27	3	Vertical	101	2.67	-	32.85	6.40	32.93
PK	5.3876G	63.88	74.00	-10.12	57.24	3	Vertical	101	2.67	-	33.15	6.40	32.91
AV	5.386G	53.76	54.00	-0.24	47.13	3	Vertical	101	2.67	-	33.14	6.40	32.91
PK	5.5956G	60.65	68.20	-7.55	53.15	3	Vertical	101	2.67	-	33.81	6.60	32.91

**802.11ax HEW160\_Nss4,(MCS0)\_4TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 45  
 01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.034G	58.56	74.00	-15.44	52.34	3	Horizontal	307	1.02	-	32.86	6.32	32.96
AV	5.0964G	48.57	54.00	-5.43	42.37	3	Horizontal	307	1.02	-	32.80	6.35	32.95
PK	5.2244G	96.34	Inf	-Inf	90.12	3	Horizontal	307	1.02	-	32.75	6.40	32.93
AV	5.226G	85.36	Inf	-Inf	79.14	3	Horizontal	307	1.02	-	32.75	6.40	32.93
PK	5.3764G	59.36	74.00	-14.64	52.76	3	Horizontal	307	1.02	-	33.11	6.40	32.91
AV	5.4372G	49.70	54.00	-4.30	42.60	3	Horizontal	307	1.02	-	33.57	6.44	32.91
PK	5.5252G	60.40	68.20	-7.80	52.97	3	Horizontal	307	1.02	-	33.80	6.53	32.90

### 802.11ax HEW160\_Nss4,(MCS0)\_4TX

### 5570MHz\_TnomVnom




Worst 51 [Vertical]  
All 51 [Vertical]/51 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13794G	55.13	74.00	-18.87	40.76	3	Vertical	333	2.02	-	38.36	8.78	32.77
AV	11.13916G	44.80	54.00	-9.20	30.43	3	Vertical	333	2.02	-	38.36	8.78	32.77
PK	11.1375G	55.51	74.00	-18.49	41.14	3	Horizontal	187	1.94	-	38.36	8.78	32.77
AV	11.14102G	44.22	54.00	-9.78	29.84	3	Horizontal	187	1.94	-	38.36	8.79	32.77

### 802.11ax HEW160\_Nss4,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.84	68.20	-8.36	53.37	3	Vertical	98	2.56	-	32.99	6.40	32.92
PK	5.4548G	63.11	74.00	-10.89	55.87	3	Vertical	98	2.56	-	33.70	6.45	32.91
AV	5.4564G	53.77	54.00	-0.23	46.52	3	Vertical	98	2.56	-	33.70	6.46	32.91
PK	5.466G	64.87	68.20	-3.33	57.60	3	Vertical	98	2.56	-	33.70	6.47	32.90
PK	5.5876G	104.52	Inf	-Inf	97.02	3	Vertical	98	2.56	-	33.82	6.59	32.91
AV	5.5476G	93.68	Inf	-Inf	86.14	3	Vertical	98	2.56	-	33.89	6.55	32.90
PK	5.7604G	61.86	68.20	-6.34	53.79	3	Vertical	98	2.56	-	34.40	6.60	32.93

### 802.11ax HEW160\_Nss4,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 51  
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	59.19	68.20	-9.01	52.71	3	Horizontal	102	1.00	-	33.00	6.40	32.92
PK	5.3796G	59.90	74.00	-14.10	53.29	3	Horizontal	102	1.00	-	33.12	6.40	32.91
PK	5.4628G	60.24	68.20	-7.96	52.98	3	Horizontal	102	1.00	-	33.70	6.46	32.90
AV	5.4564G	50.22	54.00	-3.78	42.97	3	Horizontal	102	1.00	-	33.70	6.46	32.91
PK	5.602G	97.56	Inf	-Inf	90.06	3	Horizontal	102	1.00	-	33.81	6.60	32.91
AV	5.602G	86.76	Inf	-Inf	79.26	3	Horizontal	102	1.00	-	33.81	6.60	32.91
PK	5.7684G	62.70	68.20	-5.50	54.63	3	Horizontal	102	1.00	-	34.40	6.60	32.93



For Scanning radio 1 / 2T1S and 2T2S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	17.16008G	68.19	68.20	-0.01	3	Vertical	22	2.32	-

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5260MHz\_TnomVnom




Worst 73 [Vertical]  
All 98 [Vertical]/73 [Vertical]/73 [Horizontal]/73 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51904G	58.04	68.20	-10.16	43.89	3	Vertical	6	1.80	-	38.52	8.63	33.00
PK	15.7906G	72.41	74.00	-1.59	56.50	3	Vertical	23	1.72	-	38.24	10.44	32.77
AV	15.78188G	53.93	54.00	-0.07	38.08	3	Vertical	23	1.72	-	38.19	10.43	32.77
PK	10.52432G	59.15	68.20	-9.05	45.00	3	Horizontal	278	1.29	-	38.52	8.63	33.00
PK	15.78356G	67.02	74.00	-6.98	51.15	3	Horizontal	330	1.87	-	38.20	10.44	32.77
AV	15.7776G	50.19	54.00	-3.81	34.37	3	Horizontal	330	1.87	-	38.17	10.43	32.78



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.55/2.31/1.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	63.66	74.00	-10.34	57.52	3	Vertical	27	2.94	-	32.71	6.37	32.94
AV	5.14976G	48.60	54.00	-5.40	42.47	3	Vertical	27	2.94	-	32.70	6.37	32.94
PK	5.26624G	120.72	Inf	-Inf	114.42	3	Vertical	27	2.94	-	32.83	6.40	32.93
AV	5.25636G	109.69	Inf	-Inf	103.41	3	Vertical	27	2.94	-	32.81	6.40	32.93
PK	5.351G	66.91	74.00	-7.09	60.43	3	Vertical	27	2.94	-	33.00	6.40	32.92
AV	5.35204G	52.34	54.00	-1.66	45.85	3	Vertical	27	2.94	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
 SET 98  
 102/82/92/97/99/98  
 -3.62/4.63/3.27/2.12/-1.37/0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14716G	64.52	74.00	-9.48	58.38	3	Horizontal	69	1.80	-	32.71	6.37	32.94
AV	5.14664G	49.49	54.00	-4.51	43.35	3	Horizontal	69	1.80	-	32.71	6.37	32.94
PK	5.26208G	124.45	Inf	-Inf	118.16	3	Horizontal	69	1.80	-	32.82	6.40	32.93
AV	5.26208G	114.19	Inf	-Inf	107.90	3	Horizontal	69	1.80	-	32.82	6.40	32.93
PK	5.35204G	71.42	74.00	-2.58	64.93	3	Horizontal	69	1.80	-	33.01	6.40	32.92
AV	5.35204G	53.85	54.00	-0.15	47.36	3	Horizontal	69	1.80	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5300MHz\_TnomVnom




Worst 67 [Vertical]  
All 87 [Vertical]/67 [Vertical]/67 [Horizontal]/67 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60728G	58.95	74.00	-15.05	44.65	3	Vertical	3	2.18	-	38.60	8.65	32.95
AV	10.60208G	44.99	54.00	-9.01	30.70	3	Vertical	3	2.18	-	38.60	8.65	32.96
PK	15.8994G	73.92	74.00	-0.08	57.81	3	Vertical	24	1.68	-	38.40	10.47	32.76
AV	15.89724G	53.42	54.00	-0.58	37.31	3	Vertical	24	1.68	-	38.40	10.47	32.76
PK	10.59496G	58.88	68.20	-9.32	44.60	3	Horizontal	57	1.80	-	38.59	8.65	32.96
PK	15.90112G	68.71	74.00	-5.29	52.60	3	Horizontal	314	1.89	-	38.40	10.47	32.76
AV	15.90304G	49.87	54.00	-4.13	33.76	3	Horizontal	314	1.89	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 94  
 80/100/90/95/93/94  
 5.70/-6.44/3.19/-0.41/0.77/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29328G	117.75	Inf	-Inf	111.38	3	Vertical	336	1.62	-	32.89	6.40	32.92
AV	5.29832G	107.08	Inf	-Inf	100.70	3	Vertical	336	1.62	-	32.90	6.40	32.92
PK	5.35404G	69.11	74.00	-4.89	62.61	3	Vertical	336	1.62	-	33.02	6.40	32.92
AV	5.35G	53.56	54.00	-0.44	47.08	3	Vertical	336	1.62	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 87  
 94/74/84/89/87/88/87  
 -4.73/4.23/1.54/-1.17/0.38/-0.35/0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	121.24	Inf	-Inf	114.87	3	Horizontal	65	1.80	-	32.89	6.40	32.92
AV	5.30224G	111.62	Inf	-Inf	105.24	3	Horizontal	65	1.80	-	32.90	6.40	32.92
PK	5.3574G	70.75	74.00	-3.25	64.24	3	Horizontal	65	1.80	-	33.03	6.40	32.92
AV	5.35292G	53.79	54.00	-0.21	47.30	3	Horizontal	65	1.80	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

26/01/2022

### 5320MHz\_TnomVnom




Worst 80 [Vertical]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6412G	57.79	74.00	-16.21	43.47	3	Vertical	354	2.90	-	38.60	8.66	32.94
AV	10.6414G	43.91	54.00	-10.09	29.59	3	Vertical	354	2.90	-	38.60	8.66	32.94
PK	15.95634G	67.83	74.00	-6.17	51.69	3	Vertical	346	1.79	-	38.40	10.49	32.75
AV	15.9579G	53.25	54.00	-0.75	37.11	3	Vertical	346	1.79	-	38.40	10.49	32.75
PK	10.63392G	57.67	74.00	-16.33	43.35	3	Horizontal	279	1.80	-	38.60	8.66	32.94
AV	10.63372G	44.81	54.00	-9.19	30.49	3	Horizontal	279	1.80	-	38.60	8.66	32.94
PK	15.95796G	63.77	74.00	-10.23	47.63	3	Horizontal	316	1.90	-	38.40	10.49	32.75
AV	15.95728G	50.86	54.00	-3.14	34.72	3	Horizontal	316	1.90	-	38.40	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 86  
 80/100/90/85/87/86  
 4.75/-19.16/-3.24/1.70/-0.49/0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	115.50	Inf	-Inf	109.08	3	Vertical	334	1.52	-	32.94	6.40	32.92
AV	5.3236G	105.45	Inf	-Inf	99.02	3	Vertical	334	1.52	-	32.95	6.40	32.92
PK	5.3532G	68.01	74.00	-5.99	61.52	3	Vertical	334	1.52	-	33.01	6.40	32.92
AV	5.35G	53.17	54.00	-0.83	46.69	3	Vertical	334	1.52	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom



EUT\_X\_2TX  
 SET 80  
 86/66/76/81/79/80  
 -5.13/4.02/1.75/-0.71/0.59/0.04


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	119.63	Inf	-Inf	113.21	3	Horizontal	65	1.80	-	32.94	6.40	32.92
AV	5.322G	109.75	Inf	-Inf	103.33	3	Horizontal	65	1.80	-	32.94	6.40	32.92
PK	5.3622G	67.98	74.00	-6.02	61.45	3	Horizontal	65	1.80	-	33.05	6.40	32.92
AV	5.3528G	53.96	54.00	-0.04	47.47	3	Horizontal	65	1.80	-	33.01	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5500MHz\_TnomVnom




Worst 75 [Vertical]  
All 75 [Vertical]/75 [Vertical]/75 [Horizontal]/75 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00048G	55.88	74.00	-18.12	41.38	3	Vertical	355	1.80	-	38.50	8.75	32.75
AV	11.00092G	43.73	54.00	-10.27	29.23	3	Vertical	355	1.80	-	38.50	8.75	32.75
PK	16.50908G	65.46	68.20	-2.74	46.93	3	Vertical	8	1.11	-	40.30	10.65	32.42
PK	11.00612G	57.67	74.00	-16.33	43.18	3	Horizontal	99	1.80	-	38.49	8.75	32.75
AV	11.00164G	44.86	54.00	-9.14	30.36	3	Horizontal	99	1.80	-	38.50	8.75	32.75
PK	16.50096G	65.25	68.20	-2.95	46.73	3	Horizontal	274	2.94	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -3.24/5.54/4.85/4.24/3.73/0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.44	74.00	-10.56	56.18	3	Vertical	27	2.08	-	33.70	6.46	32.90
AV	5.4588G	50.32	54.00	-3.68	43.06	3	Vertical	27	2.08	-	33.70	6.46	32.90
PK	5.469G	67.43	68.20	-0.77	60.16	3	Vertical	27	2.08	-	33.70	6.47	32.90
PK	5.499G	115.51	Inf	-Inf	108.21	3	Vertical	27	2.08	-	33.70	6.50	32.90
AV	5.4992G	106.18	Inf	-Inf	98.88	3	Vertical	27	2.08	-	33.70	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 75  
 78/58/68/73/75/76/75  
 -2.97/4.08/3.07/2.18/0.66/-1.08/1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.03	74.00	-7.97	58.77	3	Horizontal	300	2.01	-	33.70	6.46	32.90
AV	5.4596G	52.37	54.00	-1.63	45.11	3	Horizontal	300	2.01	-	33.70	6.46	32.90
PK	5.469G	66.43	68.20	-1.77	59.16	3	Horizontal	300	2.01	-	33.70	6.47	32.90
PK	5.499G	120.16	Inf	-Inf	112.86	3	Horizontal	300	2.01	-	33.70	6.50	32.90
AV	5.494G	110.36	Inf	-Inf	103.07	3	Horizontal	300	2.01	-	33.70	6.49	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5580MHz\_TnomVnom




Worst 78 [Vertical]  
All 98 [Vertical]/78 [Vertical]/78 [Horizontal]/78 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16092G	57.88	74.00	-16.12	43.52	3	Vertical	357	2.60	-	38.34	8.79	32.77
AV	11.16128G	44.91	54.00	-9.09	30.55	3	Vertical	357	2.60	-	38.34	8.79	32.77
PK	16.74184G	68.18	68.20	-0.02	49.30	3	Vertical	41	1.80	-	40.44	10.72	32.28
PK	11.15968G	58.05	74.00	-15.95	43.69	3	Horizontal	63	1.80	-	38.34	8.79	32.77
AV	11.1592G	44.40	54.00	-9.60	30.04	3	Horizontal	63	1.80	-	38.34	8.79	32.77
PK	16.74352G	66.39	68.20	-1.81	47.51	3	Horizontal	345	1.80	-	40.44	10.72	32.28

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.37/1.72/2.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.63	74.00	-8.37	58.37	3	Vertical	25	2.00	-	33.70	6.46	32.90
AV	5.45968G	50.27	54.00	-3.73	43.01	3	Vertical	25	2.00	-	33.70	6.46	32.90
PK	5.468G	65.47	68.20	-2.73	58.20	3	Vertical	25	2.00	-	33.70	6.47	32.90
PK	5.57872G	121.72	Inf	-Inf	114.21	3	Vertical	25	2.00	-	33.84	6.58	32.91
AV	5.57424G	110.89	Inf	-Inf	103.38	3	Vertical	25	2.00	-	33.85	6.57	32.91
PK	5.72976G	61.57	68.20	-6.63	53.65	3	Vertical	25	2.00	-	34.24	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 98  
 102/82/92/97/99/98  
 -1.58/3.45/3.16/1.87/-2.53/1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45392G	67.11	74.00	-6.89	59.87	3	Horizontal	298	2.00	-	33.70	6.45	32.91
AV	5.45968G	51.76	54.00	-2.24	44.50	3	Horizontal	298	2.00	-	33.70	6.46	32.90
PK	5.46928G	66.96	68.20	-1.24	59.69	3	Horizontal	298	2.00	-	33.70	6.47	32.90
PK	5.5736G	126.97	Inf	-Inf	119.46	3	Horizontal	298	2.00	-	33.85	6.57	32.91
AV	5.57424G	116.21	Inf	-Inf	108.70	3	Horizontal	298	2.00	-	33.85	6.57	32.91
PK	5.72592G	64.61	68.20	-3.59	56.72	3	Horizontal	298	2.00	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5700MHz\_TnomVnom




Worst 54 [Horizontal]  
All 54 [Vertical]/54 [Vertical]/54 [Horizontal]/54 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4092G	55.52	74.00	-18.48	41.07	3	Vertical	52	1.80	-	38.40	8.85	32.80
AV	11.41552G	42.43	54.00	-11.57	27.98	3	Vertical	52	1.80	-	38.40	8.85	32.80
PK	17.0856G	66.01	68.20	-2.19	45.91	3	Vertical	358	1.80	-	41.36	10.83	32.09
PK	11.40552G	56.50	74.00	-17.50	42.05	3	Horizontal	339	1.80	-	38.40	8.85	32.80
AV	11.41156G	42.56	54.00	-11.44	28.11	3	Horizontal	339	1.80	-	38.40	8.85	32.80
PK	17.11008G	66.64	68.20	-1.56	46.46	3	Horizontal	16	1.80	-	41.42	10.83	32.07

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom



21/12/2021


EUT\_X\_2TX  
 SET 64  
 80/60/70/65/67/66/65/64  
 -6.41/5.04/-1.66/0.46/-2.57/-0.47/-1.28/2.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7042G	110.72	Inf	-Inf	103.01	3	Vertical	335	1.88	-	34.03	6.60	32.92
AV	5.7042G	100.62	Inf	-Inf	92.91	3	Vertical	335	1.88	-	34.03	6.60	32.92
PK	5.7258G	65.28	68.20	-2.92	57.39	3	Vertical	335	1.88	-	34.21	6.60	32.92



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
SET 54  
64/44/54  
-4.65/6.31/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	113.74	Inf	-Inf	106.06	3	Horizontal	298	1.98	-	34.00	6.60	32.92
AV	5.7046G	104.29	Inf	-Inf	96.57	3	Horizontal	298	1.98	-	34.04	6.60	32.92
PK	5.7256G	67.96	68.20	-0.24	60.08	3	Horizontal	298	1.98	-	34.20	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

27/12/2021

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




Worst 79 [Vertical]  
All 102 [Vertical]/79 [Vertical]/79 [Horizontal]/79 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44064G	58.58	74.00	-15.42	44.12	3	Vertical	8	1.18	-	38.40	8.86	32.80
AV	11.44088G	44.25	54.00	-9.75	29.79	3	Vertical	8	1.18	-	38.40	8.86	32.80
PK	17.15332G	67.95	68.20	-0.25	47.64	3	Vertical	22	2.30	-	41.51	10.85	32.05
PK	11.44996G	56.84	74.00	-17.16	42.38	3	Horizontal	62	1.80	-	38.40	8.86	32.80
AV	11.44436G	43.21	54.00	-10.79	28.75	3	Horizontal	62	1.80	-	38.40	8.86	32.80
PK	17.16156G	66.46	68.20	-1.74	46.14	3	Horizontal	340	1.80	-	41.52	10.85	32.05

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
80/100/102  
6.03/5.89/5.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	60.53	74.00	-13.47	53.27	3	Vertical	332	1.84	-	33.70	6.46	32.90
AV	5.45324G	48.01	54.00	-5.99	40.77	3	Vertical	332	1.84	-	33.70	6.45	32.91
PK	5.46836G	59.68	68.20	-8.52	52.41	3	Vertical	332	1.84	-	33.70	6.47	32.90
PK	5.71892G	118.76	Inf	-Inf	110.93	3	Vertical	332	1.84	-	34.15	6.60	32.92
AV	5.71892G	108.31	Inf	-Inf	100.48	3	Vertical	332	1.84	-	34.15	6.60	32.92
PK	5.85284G	62.00	68.20	-6.20	53.53	3	Vertical	332	1.84	-	34.81	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
SET 102  
102  
2.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	61.69	74.00	-12.31	54.45	3	Horizontal	298	1.92	-	33.70	6.45	32.91
AV	5.45756G	49.80	54.00	-4.20	42.55	3	Horizontal	298	1.92	-	33.70	6.46	32.91
PK	5.46296G	62.26	68.20	-5.94	55.00	3	Horizontal	298	1.92	-	33.70	6.46	32.90
PK	5.7146G	125.72	Inf	-Inf	117.92	3	Horizontal	298	1.92	-	34.12	6.60	32.92
AV	5.7146G	114.87	Inf	-Inf	107.07	3	Horizontal	298	1.92	-	34.12	6.60	32.92
PK	5.8604G	65.87	68.20	-2.33	57.39	3	Horizontal	298	1.92	-	34.82	6.60	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

27/12/2021

### 5260MHz\_TnomVnom




Worst 71 [Vertical]  
All 96 [Vertical]/71 [Vertical]/71 [Horizontal]/71 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5324G	58.02	68.20	-10.18	43.85	3	Vertical	2	2.16	-	38.53	8.63	32.99
PK	15.79172G	73.11	74.00	-0.89	57.19	3	Vertical	23	1.71	-	38.25	10.44	32.77
AV	15.78752G	53.19	54.00	-0.81	37.29	3	Vertical	23	1.71	-	38.23	10.44	32.77
PK	10.51884G	58.55	68.20	-9.65	44.40	3	Horizontal	56	1.48	-	38.52	8.63	33.00
PK	15.77456G	66.53	74.00	-7.47	50.73	3	Horizontal	331	1.87	-	38.15	10.43	32.78
AV	15.77832G	49.17	54.00	-4.83	33.35	3	Horizontal	331	1.87	-	38.17	10.43	32.78

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 98  
 80/100/90/95/97/98  
 5.82/-0.09/5.33/5.02/4.32/3.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1378G	59.33	74.00	-14.67	53.18	3	Vertical	27	2.94	-	32.72	6.37	32.94
AV	5.14768G	48.14	54.00	-5.86	42.01	3	Vertical	27	2.94	-	32.70	6.37	32.94
PK	5.25896G	118.56	Inf	-Inf	112.27	3	Vertical	27	2.94	-	32.82	6.40	32.93
AV	5.25844G	107.10	Inf	-Inf	100.81	3	Vertical	27	2.94	-	32.82	6.40	32.93
PK	5.35152G	64.28	74.00	-9.72	57.79	3	Vertical	27	2.94	-	33.01	6.40	32.92
AV	5.35152G	50.95	54.00	-3.05	44.46	3	Vertical	27	2.94	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
 SET 96  
 98/78/88/93/95/96  
 -1.92/4.07/2.93/1.87/1.35/0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	60.71	74.00	-13.29	54.56	3	Horizontal	64	1.81	-	32.72	6.37	32.94
AV	5.14924G	49.21	54.00	-4.79	43.08	3	Horizontal	64	1.81	-	32.70	6.37	32.94
PK	5.26364G	123.66	Inf	-Inf	117.36	3	Horizontal	64	1.81	-	32.83	6.40	32.93
AV	5.26364G	111.17	Inf	-Inf	104.87	3	Horizontal	64	1.81	-	32.83	6.40	32.93
PK	5.35048G	66.66	74.00	-7.34	60.18	3	Horizontal	64	1.81	-	33.00	6.40	32.92
AV	5.35048G	53.12	54.00	-0.88	46.64	3	Horizontal	64	1.81	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

27/12/2021

### 5300MHz\_TnomVnom




Worst 60 [Vertical]  
All 82 [Vertical]/60 [Vertical]/60 [Horizontal]/60 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59668G	56.90	68.20	-11.30	42.61	3	Vertical	356	3.00	-	38.60	8.65	32.96
PK	15.89024G	73.72	74.00	-0.28	57.62	3	Vertical	23	1.66	-	38.39	10.47	32.76
AV	15.8982G	51.65	54.00	-2.35	35.54	3	Vertical	23	1.66	-	38.40	10.47	32.76
PK	10.61156G	56.80	74.00	-17.20	42.50	3	Horizontal	80	1.21	-	38.60	8.65	32.95
AV	10.60292G	43.91	54.00	-10.09	29.62	3	Horizontal	80	1.21	-	38.60	8.65	32.96
PK	15.91968G	61.24	74.00	-12.76	45.11	3	Horizontal	28	2.33	-	38.40	10.48	32.75
AV	15.91668G	48.65	54.00	-5.35	32.52	3	Horizontal	28	2.33	-	38.40	10.48	32.75



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 90  
 80/100/90/95/93/92/90  
 4.77/-11.30/0.61/-2.78/-1.33/-0.72/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30056G	115.77	Inf	-Inf	109.39	3	Vertical	341	2.03	-	32.90	6.40	32.92
AV	5.30168G	104.28	Inf	-Inf	97.90	3	Vertical	341	2.03	-	32.90	6.40	32.92
PK	5.3518G	69.16	74.00	-4.84	62.67	3	Vertical	341	2.03	-	33.01	6.40	32.92
AV	5.35124G	53.30	54.00	-0.70	46.82	3	Vertical	341	2.03	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
 SET 82  
 90/70/80/85/83/82  
 -5.43/3.60/0.73/-1.93/-0.34/0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30616G	120.62	Inf	-Inf	114.23	3	Horizontal	65	1.80	-	32.91	6.40	32.92
AV	5.30084G	108.85	Inf	-Inf	102.47	3	Horizontal	65	1.80	-	32.90	6.40	32.92
PK	5.35G	68.82	74.00	-5.18	62.34	3	Horizontal	65	1.80	-	33.00	6.40	32.92
AV	5.3504G	53.55	54.00	-0.45	47.07	3	Horizontal	65	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

26/01/2022

### 5320MHz\_TnomVnom




Worst 78 [Vertical]  
All 78 [Vertical]/78 [Vertical]/78 [Horizontal]/78 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63688G	56.71	74.00	-17.29	42.39	3	Vertical	360	1.80	-	38.60	8.66	32.94
AV	10.6406G	43.76	54.00	-10.24	29.44	3	Vertical	360	1.80	-	38.60	8.66	32.94
PK	15.96678G	64.57	74.00	-9.43	48.43	3	Vertical	347	1.80	-	38.40	10.49	32.75
AV	15.96504G	51.26	54.00	-2.74	35.12	3	Vertical	347	1.80	-	38.40	10.49	32.75
PK	10.63284G	57.60	74.00	-16.40	43.28	3	Horizontal	60	1.03	-	38.60	8.66	32.94
AV	10.64008G	44.82	54.00	-9.18	30.50	3	Horizontal	60	1.03	-	38.60	8.66	32.94
PK	15.95814G	61.52	74.00	-12.48	45.38	3	Horizontal	52	1.76	-	38.40	10.49	32.75
AV	15.96492G	48.98	54.00	-5.02	32.84	3	Horizontal	52	1.76	-	38.40	10.49	32.75

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 84  
 80/100/90/85/83/84  
 3.48/-23.50/-6.01/-0.19/1.64/1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	114.49	Inf	-Inf	108.07	3	Vertical	338	1.87	-	32.94	6.40	32.92
AV	5.3218G	102.26	Inf	-Inf	95.84	3	Vertical	338	1.87	-	32.94	6.40	32.92
PK	5.35G	65.89	74.00	-8.11	59.41	3	Vertical	338	1.87	-	33.00	6.40	32.92
AV	5.3514G	52.38	54.00	-1.62	45.89	3	Vertical	338	1.87	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
 SET 78  
 84/64/74/79/81/80/79/78  
 -4.03/3.15/1.52/0.41/-0.93/-0.82/-0.12/0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	118.59	Inf	-Inf	112.18	3	Horizontal	65	1.80	-	32.93	6.40	32.92
AV	5.3184G	106.91	Inf	-Inf	100.49	3	Horizontal	65	1.80	-	32.94	6.40	32.92
PK	5.352G	67.25	74.00	-6.75	60.76	3	Horizontal	65	1.80	-	33.01	6.40	32.92
AV	5.3502G	53.48	54.00	-0.52	47.00	3	Horizontal	65	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

27/12/2021

### 5500MHz\_TnomVnom




Worst 76 [Vertical]  
All 76 [Vertical]/76 [Vertical]/76 [Horizontal]/76 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00116G	56.38	74.00	-17.62	41.88	3	Vertical	354	1.80	-	38.50	8.75	32.75
AV	10.99864G	43.26	54.00	-10.74	28.76	3	Vertical	354	1.80	-	38.50	8.75	32.75
PK	16.49532G	64.94	68.20	-3.26	46.44	3	Vertical	37	1.44	-	40.28	10.65	32.43
PK	11.01152G	57.92	74.00	-16.08	43.43	3	Horizontal	84	1.30	-	38.49	8.75	32.75
AV	11.00072G	45.30	54.00	-8.70	30.80	3	Horizontal	84	1.30	-	38.50	8.75	32.75
PK	16.51528G	64.66	68.20	-3.54	46.13	3	Horizontal	360	1.00	-	40.30	10.65	32.42

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -0.18/4.88/3.61/3.12/2.52/2.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	64.87	74.00	-9.13	57.61	3	Vertical	25	2.07	-	33.70	6.46	32.90
AV	5.4598G	51.61	54.00	-2.39	44.35	3	Vertical	25	2.07	-	33.70	6.46	32.90
PK	5.4626G	66.20	68.20	-2.00	58.94	3	Vertical	25	2.07	-	33.70	6.46	32.90
PK	5.4986G	115.84	Inf	-Inf	108.54	3	Vertical	25	2.07	-	33.70	6.50	32.90
AV	5.494G	104.03	Inf	-Inf	96.74	3	Vertical	25	2.07	-	33.70	6.49	32.90

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5500MHz\_TnomVnom



EUT\_X\_2TX  
 SET 76  
 78/58/68/73/75/76  
 -1.40/3.63/2.22/1.16/0.60/0.02


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	66.13	74.00	-7.87	58.88	3	Horizontal	299	2.02	-	33.70	6.46	32.91
AV	5.459G	53.98	54.00	-0.02	46.72	3	Horizontal	299	2.02	-	33.70	6.46	32.90
PK	5.466G	66.22	68.20	-1.98	58.95	3	Horizontal	299	2.02	-	33.70	6.47	32.90
PK	5.5008G	120.10	Inf	-Inf	112.80	3	Horizontal	299	2.02	-	33.70	6.50	32.90
AV	5.5018G	108.55	Inf	-Inf	101.24	3	Horizontal	299	2.02	-	33.71	6.50	32.90



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

28/12/2021

### 5580MHz\_TnomVnom




Worst 73 [Vertical]  
All 98 [Vertical]/73 [Vertical]/73 [Horizontal]/73 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15908G	56.68	74.00	-17.32	42.32	3	Vertical	357	2.69	-	38.34	8.79	32.77
AV	11.16004G	44.13	54.00	-9.87	29.77	3	Vertical	357	2.69	-	38.34	8.79	32.77
PK	16.7306G	67.77	68.20	-0.43	48.91	3	Vertical	40	1.77	-	40.43	10.72	32.29
PK	11.1656G	57.70	74.00	-16.30	43.35	3	Horizontal	66	1.31	-	38.33	8.79	32.77
AV	11.15864G	43.95	54.00	-10.05	29.59	3	Horizontal	66	1.31	-	38.34	8.79	32.77
PK	16.73176G	65.08	68.20	-3.12	46.22	3	Horizontal	326	2.68	-	40.43	10.72	32.29

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 4.72/1.83/2.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45456G	64.41	74.00	-9.59	57.17	3	Vertical	27	2.04	-	33.70	6.45	32.91
AV	5.45904G	51.89	54.00	-2.11	44.63	3	Vertical	27	2.04	-	33.70	6.46	32.90
PK	5.46736G	65.01	68.20	-3.19	57.74	3	Vertical	27	2.04	-	33.70	6.47	32.90
PK	5.58576G	120.37	Inf	-Inf	112.86	3	Vertical	27	2.04	-	33.83	6.59	32.91
AV	5.58192G	108.55	Inf	-Inf	101.04	3	Vertical	27	2.04	-	33.84	6.58	32.91
PK	5.7304G	61.96	68.20	-6.24	54.04	3	Vertical	27	2.04	-	34.24	6.60	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
 SET 98  
 102/82/92/97/99/98  
 -1.74/3.01/2.65/1.57/-0.28/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	65.24	74.00	-8.76	58.00	3	Horizontal	297	1.86	-	33.70	6.45	32.91
AV	5.45776G	53.12	54.00	-0.88	45.87	3	Horizontal	297	1.86	-	33.70	6.46	32.91
PK	5.46608G	67.80	68.20	-0.40	60.53	3	Horizontal	297	1.86	-	33.70	6.47	32.90
PK	5.58064G	125.47	Inf	-Inf	117.96	3	Horizontal	297	1.86	-	33.84	6.58	32.91
AV	5.57936G	113.75	Inf	-Inf	106.24	3	Horizontal	297	1.86	-	33.84	6.58	32.91
PK	5.7304G	64.27	68.20	-3.93	56.35	3	Horizontal	297	1.86	-	34.24	6.60	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

28/12/2021

### 5700MHz\_TnomVnom




Worst 55 [Horizontal]  
All 55 [Vertical]/55 [Vertical]/55 [Horizontal]/55 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40956G	55.82	74.00	-18.18	41.37	3	Vertical	238	1.80	-	38.40	8.85	32.80
AV	11.40064G	42.94	54.00	-11.06	28.49	3	Vertical	238	1.80	-	38.40	8.85	32.80
PK	17.11344G	65.97	68.20	-2.23	45.78	3	Vertical	65	1.80	-	41.43	10.83	32.07
PK	11.40676G	55.55	74.00	-18.45	41.10	3	Horizontal	30	1.78	-	38.40	8.85	32.80
AV	11.40888G	43.05	54.00	-10.95	28.60	3	Horizontal	30	1.78	-	38.40	8.85	32.80
PK	17.08184G	66.62	68.20	-1.58	46.54	3	Horizontal	91	1.80	-	41.35	10.82	32.09

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5700MHz\_TnomVnom




22/12/2021

EUT\_X\_2TX  
 SET 65  
 80/60/70/65  
 -12.36/5.28/-5.31/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	111.02	Inf	-Inf	103.30	3	Vertical	333	1.82	-	34.04	6.60	32.92
AV	5.702G	98.93	Inf	-Inf	91.23	3	Vertical	333	1.82	-	34.02	6.60	32.92
PK	5.725G	67.95	68.20	-0.25	60.07	3	Vertical	333	1.82	-	34.20	6.60	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
 SET 55  
 65/45/55/60/58/57/55  
 -7.33/6.68/0.78/-2.37/-1.39/-0.82/1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	115.01	Inf	-Inf	107.32	3	Horizontal	300	1.95	-	34.01	6.60	32.92
AV	5.702G	102.63	Inf	-Inf	94.93	3	Horizontal	300	1.95	-	34.02	6.60	32.92
PK	5.7298G	66.94	68.20	-1.26	59.02	3	Horizontal	300	1.95	-	34.24	6.60	32.92

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

28/12/2021


### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 78 [Vertical]  
All 102 [Vertical]/78 [Vertical]/78 [Horizontal]/78 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44304G	56.88	74.00	-17.12	42.42	3	Vertical	6	1.04	-	38.40	8.86	32.80
AV	11.43716G	44.09	54.00	-9.91	29.63	3	Vertical	6	1.04	-	38.40	8.86	32.80
PK	17.16008G	68.19	68.20	-0.01	47.87	3	Vertical	22	2.32	-	41.52	10.85	32.05
PK	11.43364G	56.01	74.00	-17.99	41.55	3	Horizontal	62	1.35	-	38.40	8.86	32.80
AV	11.44152G	43.79	54.00	-10.21	29.33	3	Horizontal	62	1.35	-	38.40	8.86	32.80
PK	17.14932G	67.24	68.20	-0.96	46.95	3	Horizontal	328	1.79	-	41.50	10.84	32.05

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 102  
 80/100/102  
 5.31/5.15/5.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.24	74.00	-13.76	53.00	3	Vertical	332	1.85	-	33.70	6.45	32.91
AV	5.45216G	48.86	54.00	-5.14	41.62	3	Vertical	332	1.85	-	33.70	6.45	32.91
PK	5.46512G	59.57	68.20	-8.63	52.30	3	Vertical	332	1.85	-	33.70	6.47	32.90
PK	5.72756G	117.15	Inf	-Inf	109.25	3	Vertical	332	1.85	-	34.22	6.60	32.92
AV	5.71676G	106.14	Inf	-Inf	98.33	3	Vertical	332	1.85	-	34.13	6.60	32.92
PK	5.8604G	62.14	68.20	-6.06	53.66	3	Vertical	332	1.85	-	34.82	6.60	32.94



**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 102  
 102  
 1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	61.61	74.00	-12.39	54.36	3	Horizontal	300	1.86	-	33.70	6.46	32.91
AV	5.45216G	50.63	54.00	-3.37	43.39	3	Horizontal	300	1.86	-	33.70	6.45	32.91
PK	5.47G	61.84	68.20	-6.36	54.57	3	Horizontal	300	1.86	-	33.70	6.47	32.90
PK	5.71892G	124.05	Inf	-Inf	116.22	3	Horizontal	300	1.86	-	34.15	6.60	32.92
AV	5.71784G	112.14	Inf	-Inf	104.32	3	Horizontal	300	1.86	-	34.14	6.60	32.92
PK	5.85G	66.40	68.20	-1.80	57.94	3	Horizontal	300	1.86	-	34.80	6.60	32.94

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

27/12/2021

### 5270MHz\_TnomVnom




Worst 73 [Vertical]  
All 77 [Vertical]/73 [Vertical]/73 [Horizontal]/73 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55408G	55.65	68.20	-12.55	41.44	3	Vertical	323	1.80	-	38.55	8.64	32.98
PK	15.80336G	70.05	74.00	-3.95	54.08	3	Vertical	9	1.14	-	38.30	10.44	32.77
AV	15.81408G	53.70	54.00	-0.30	37.72	3	Vertical	9	1.14	-	38.31	10.44	32.77
PK	10.54456G	57.39	68.20	-10.81	43.20	3	Horizontal	60	1.00	-	38.54	8.64	32.99
PK	15.81352G	65.72	74.00	-8.28	49.74	3	Horizontal	330	1.83	-	38.31	10.44	32.77
AV	15.82192G	50.46	54.00	-3.54	34.46	3	Horizontal	330	1.83	-	38.32	10.45	32.77

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
 SET 84  
 80/100/90/85/83/84  
 2.78/-13.44/-3.27/-0.10/1.16/0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14568G	59.12	74.00	-14.88	52.98	3	Vertical	26	2.14	-	32.71	6.37	32.94
AV	5.1496G	47.84	54.00	-6.16	41.71	3	Vertical	26	2.14	-	32.70	6.37	32.94
PK	5.256G	112.70	Inf	-Inf	106.42	3	Vertical	26	2.14	-	32.81	6.40	32.93
AV	5.27728G	100.76	Inf	-Inf	94.44	3	Vertical	26	2.14	-	32.85	6.40	32.93
PK	5.35064G	67.13	74.00	-6.87	60.65	3	Vertical	26	2.14	-	33.00	6.40	32.92
AV	5.35064G	53.16	54.00	-0.84	46.68	3	Vertical	26	2.14	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
 SET 77  
 84/64/74/79/77/78/77  
 -4.13/4.09/1.83/-0.98/0.41/-0.84/0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14736G	60.48	74.00	-13.52	54.34	3	Horizontal	66	1.80	-	32.71	6.37	32.94
AV	5.1496G	48.87	54.00	-5.13	42.74	3	Horizontal	66	1.80	-	32.70	6.37	32.94
PK	5.27728G	116.04	Inf	-Inf	109.72	3	Horizontal	66	1.80	-	32.85	6.40	32.93
AV	5.27616G	104.07	Inf	-Inf	97.75	3	Horizontal	66	1.80	-	32.85	6.40	32.93
PK	5.35232G	66.65	74.00	-7.35	60.16	3	Horizontal	66	1.80	-	33.01	6.40	32.92
AV	5.35G	53.52	54.00	-0.48	47.04	3	Horizontal	66	1.80	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

27/12/2021

### 5310MHz\_TnomVnom




Worst 64 [Vertical]  
All 64 [Vertical]/64 [Vertical]/64 [Horizontal]/64 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6512G	55.44	74.00	-18.56	41.11	3	Vertical	61	1.80	-	38.60	8.66	32.93
PK	15.92352G	63.05	74.00	-10.95	46.92	3	Vertical	25	1.12	-	38.40	10.48	32.75
AV	15.94224G	50.77	54.00	-3.23	34.64	3	Vertical	25	1.12	-	38.40	10.48	32.75
PK	10.65328G	55.89	74.00	-18.11	41.56	3	Horizontal	57	1.80	-	38.60	8.66	32.93
AV	10.62192G	43.50	54.00	-10.50	29.19	3	Horizontal	57	1.80	-	38.60	8.66	32.95
PK	15.96816G	61.64	74.00	-12.36	45.50	3	Horizontal	80	1.80	-	38.40	10.49	32.75
AV	15.94824G	49.27	54.00	-4.73	33.14	3	Horizontal	80	1.80	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUTX\_2TX  
 SET 76  
 80/60/70/75/77/76  
 -5.97/4.94/3.20/0.84/-0.67/0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30184G	109.86	Inf	-Inf	103.48	3	Vertical	336	1.64	-	32.90	6.40	32.92
AV	5.31432G	97.66	Inf	-Inf	91.25	3	Vertical	336	1.64	-	32.93	6.40	32.92
PK	5.35152G	66.32	74.00	-7.68	59.83	3	Vertical	336	1.64	-	33.01	6.40	32.92
AV	5.35G	53.27	54.00	-0.73	46.79	3	Vertical	336	1.64	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
 SET 64  
 76/56/66/61/63/64  
 -5.26/2.49/-0.01/1.11/0.72/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31936G	113.83	Inf	-Inf	107.41	3	Horizontal	70	1.80	-	32.94	6.40	32.92
AV	5.32368G	100.96	Inf	-Inf	94.53	3	Horizontal	70	1.80	-	32.95	6.40	32.92
PK	5.35G	65.36	74.00	-8.64	58.88	3	Horizontal	70	1.80	-	33.00	6.40	32.92
AV	5.35056G	53.81	54.00	-0.19	47.33	3	Horizontal	70	1.80	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

28/12/2021

### 5510MHz\_TnomVnom




Worst 69 [Horizontal]  
All 69 [Vertical]/69 [Vertical]/69 [Horizontal]/69 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0044G	56.09	74.00	-17.91	41.59	3	Vertical	357	1.80	-	38.50	8.75	32.75
AV	11.01248G	42.98	54.00	-11.02	28.49	3	Vertical	357	1.80	-	38.49	8.75	32.75
PK	16.55016G	65.06	68.20	-3.14	46.49	3	Vertical	360	2.93	-	40.30	10.67	32.40
PK	11.00224G	55.90	74.00	-18.10	41.40	3	Horizontal	101	1.18	-	38.50	8.75	32.75
AV	11.02104G	43.58	54.00	-10.42	29.09	3	Horizontal	101	1.18	-	38.48	8.76	32.75
PK	16.55152G	65.63	68.20	-2.57	47.06	3	Horizontal	0	1.80	-	40.30	10.67	32.40



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
 SET 73  
 80/60/70/75/73/74/73  
 -9.72/4.42/2.71/-0.61/1.98/-0.45/2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45552G	63.32	74.00	-10.68	56.07	3	Vertical	27	2.13	-	33.70	6.46	32.91
AV	5.4596G	51.73	54.00	-2.27	44.47	3	Vertical	27	2.13	-	33.70	6.46	32.90
PK	5.46944G	65.86	68.20	-2.34	58.59	3	Vertical	27	2.13	-	33.70	6.47	32.90
PK	5.50088G	111.67	Inf	-Inf	104.37	3	Vertical	27	2.13	-	33.70	6.50	32.90
AV	5.49464G	99.63	Inf	-Inf	92.34	3	Vertical	27	2.13	-	33.70	6.49	32.90

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
 SET 69  
 73/53/63/68/70/69  
 -1.72/3.91/2.18/0.72/-0.32/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	64.99	74.00	-9.01	57.73	3	Horizontal	301	1.86	-	33.70	6.46	32.90
AV	5.45984G	53.09	54.00	-0.91	45.83	3	Horizontal	301	1.86	-	33.70	6.46	32.90
PK	5.46992G	67.94	68.20	-0.26	60.67	3	Horizontal	301	1.86	-	33.70	6.47	32.90
PK	5.51456G	116.68	Inf	-Inf	109.31	3	Horizontal	301	1.86	-	33.76	6.51	32.90
AV	5.51552G	104.45	Inf	-Inf	97.07	3	Horizontal	301	1.86	-	33.76	6.52	32.90

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

28/12/2021

### 5550MHz\_TnomVnom




Worst 74 [Vertical]  
All 74 [Vertical]/74 [Vertical]/74 [Horizontal]/74 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06712G	55.18	74.00	-18.82	40.74	3	Vertical	351	1.80	-	38.43	8.77	32.76
AV	11.11744G	43.01	54.00	-10.99	28.61	3	Vertical	351	1.80	-	38.38	8.78	32.76
PK	16.65056G	66.31	68.20	-1.89	47.60	3	Vertical	28	1.42	-	40.35	10.70	32.34
PK	11.09992G	57.29	74.00	-16.71	42.88	3	Horizontal	70	1.33	-	38.40	8.77	32.76
AV	11.09976G	44.00	54.00	-10.00	29.59	3	Horizontal	70	1.33	-	38.40	8.77	32.76
PK	16.62416G	64.57	68.20	-3.63	45.92	3	Horizontal	342	1.80	-	40.32	10.69	32.36

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
 SET 80  
 80/100/90/85/83/82/80  
 0.60/-15.07/-5.24/-1.51/-0.48/-0.28/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.09	74.00	-15.91	51.61	3	Vertical	24	2.22	-	33.00	6.40	32.92
AV	5.35G	48.24	54.00	-5.76	41.76	3	Vertical	24	2.22	-	33.00	6.40	32.92
PK	5.4588G	65.49	74.00	-8.51	58.23	3	Vertical	24	2.22	-	33.70	6.46	32.90
AV	5.4588G	52.73	54.00	-1.27	45.47	3	Vertical	24	2.22	-	33.70	6.46	32.90
PK	5.4684G	68.08	68.20	-0.12	60.81	3	Vertical	24	2.22	-	33.70	6.47	32.90
PK	5.5364G	113.84	Inf	-Inf	106.35	3	Vertical	24	2.22	-	33.85	6.54	32.90
AV	5.5364G	101.48	Inf	-Inf	93.99	3	Vertical	24	2.22	-	33.85	6.54	32.90
PK	5.7404G	60.52	68.20	-7.68	52.52	3	Vertical	24	2.22	-	34.32	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -5.22/3.91/2.51/-0.53/0.37/0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	60.04	74.00	-13.96	53.56	3	Horizontal	295	1.80	-	33.00	6.40	32.92
AV	5.35G	49.85	54.00	-4.15	43.37	3	Horizontal	295	1.80	-	33.00	6.40	32.92
PK	5.4588G	65.04	74.00	-8.96	57.78	3	Horizontal	295	1.80	-	33.70	6.46	32.90
AV	5.4564G	52.72	54.00	-1.28	45.47	3	Horizontal	295	1.80	-	33.70	6.46	32.91
PK	5.47G	67.98	68.20	-0.22	60.71	3	Horizontal	295	1.80	-	33.70	6.47	32.90
PK	5.5372G	116.84	Inf	-Inf	109.35	3	Horizontal	295	1.80	-	33.85	6.54	32.90
AV	5.5468G	105.48	Inf	-Inf	97.94	3	Horizontal	295	1.80	-	33.89	6.55	32.90
PK	5.7444G	63.12	68.20	-5.08	55.08	3	Horizontal	295	1.80	-	34.36	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

28/12/2021

### 5670MHz\_TnomVnom




Worst 64 [Vertical]  
All 64 [Vertical]/64 [Vertical]/64 [Horizontal]/64 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34064G	55.18	74.00	-18.82	40.73	3	Vertical	169	1.80	-	38.40	8.84	32.79
AV	11.3776G	43.08	54.00	-10.92	28.64	3	Vertical	169	1.80	-	38.40	8.84	32.80
PK	17.04896G	65.29	68.20	-2.91	45.33	3	Vertical	97	1.80	-	41.25	10.81	32.10
PK	11.30616G	55.15	74.00	-18.85	40.71	3	Horizontal	3	1.80	-	38.40	8.83	32.79
AV	11.37752G	42.91	54.00	-11.09	28.47	3	Horizontal	3	1.80	-	38.40	8.84	32.80
PK	17.04024G	65.29	68.20	-2.91	45.37	3	Horizontal	270	2.50	-	41.22	10.81	32.11

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_X\_2TX  
 SET 76  
 80/60/70/75/77/76  
 -3.86/7.19/1.70/0.87/-0.72/0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66872G	110.30	Inf	-Inf	102.56	3	Vertical	333	1.83	-	34.06	6.60	32.92
AV	5.66456G	98.51	Inf	-Inf	90.76	3	Vertical	333	1.83	-	34.07	6.60	32.92
PK	5.7292G	67.52	68.20	-0.68	59.61	3	Vertical	333	1.83	-	34.23	6.60	32.92

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

### 5670MHz\_TnomVnom



EUT\_X\_2TX  
 SET 64  
 76/56/66/61/63/64  
 -5.88/6.36/-0.29/4.01/2.00/0.35


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65208G	114.07	Inf	-Inf	106.29	3	Horizontal	298	1.96	-	34.10	6.60	32.92
AV	5.66456G	101.96	Inf	-Inf	94.21	3	Horizontal	298	1.96	-	34.07	6.60	32.92
PK	5.72952G	67.85	68.20	-0.35	59.93	3	Horizontal	298	1.96	-	34.24	6.60	32.92



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

28/12/2021


### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 85 [Horizontal]  
All 94 [Vertical]/87 [Vertical]/87 [Horizontal]/85 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41352G	56.88	74.00	-17.12	42.43	3	Vertical	360	2.50	-	38.40	8.85	32.80
AV	11.4468G	43.60	54.00	-10.40	29.14	3	Vertical	360	2.50	-	38.40	8.86	32.80
PK	17.12536G	68.11	68.20	-0.09	47.88	3	Vertical	44	1.80	-	41.45	10.84	32.06
PK	11.41808G	57.37	74.00	-16.63	42.92	3	Horizontal	61	1.80	-	38.40	8.85	32.80
AV	11.41168G	43.70	54.00	-10.30	29.25	3	Horizontal	61	1.80	-	38.40	8.85	32.80
PK	17.13192G	67.45	68.20	-0.75	47.21	3	Horizontal	329	1.76	-	41.46	10.84	32.06


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 101  
 80/100/102/101  
 5.43/0.84/-0.42/0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45312G	59.72	74.00	-14.28	52.48	3	Vertical	333	1.83	-	33.70	6.45	32.91
AV	5.45312G	49.31	54.00	-4.69	42.07	3	Vertical	333	1.83	-	33.70	6.45	32.91
PK	5.4656G	60.34	68.20	-7.86	53.07	3	Vertical	333	1.83	-	33.70	6.47	32.90
PK	5.7152G	114.94	Inf	-Inf	107.14	3	Vertical	333	1.83	-	34.12	6.60	32.92
AV	5.70272G	102.84	Inf	-Inf	95.14	3	Vertical	333	1.83	-	34.02	6.60	32.92
PK	5.85G	67.72	68.20	-0.48	59.26	3	Vertical	333	1.83	-	34.80	6.60	32.94

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_X\_2TX  
 SET 94  
 101/81/91/96/94  
 -4.46/3.30/2.31/-2.37/0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	63.62	74.00	-10.38	56.38	3	Horizontal	301	1.98	-	33.70	6.45	32.91
AV	5.45104G	51.64	54.00	-2.36	44.40	3	Horizontal	301	1.98	-	33.70	6.45	32.91
PK	5.46456G	62.97	68.20	-5.23	55.71	3	Horizontal	301	1.98	-	33.70	6.46	32.90
PK	5.70376G	119.68	Inf	-Inf	111.97	3	Horizontal	301	1.98	-	34.03	6.60	32.92
AV	5.70376G	108.42	Inf	-Inf	100.71	3	Horizontal	301	1.98	-	34.03	6.60	32.92
PK	5.85456G	68.05	68.20	-0.15	59.58	3	Horizontal	301	1.98	-	34.81	6.60	32.94

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

27/12/2021

### 5290MHz\_TnomVnom




Worst 59 [Horizontal]  
All 59 [Vertical]/59 [Vertical]/59 [Horizontal]/59 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55904G	56.16	68.20	-12.04	41.94	3	Vertical	52	1.80	-	38.56	8.64	32.98
PK	15.92744G	60.79	74.00	-13.21	44.66	3	Vertical	316	1.01	-	38.40	10.48	32.75
AV	15.92568G	50.33	54.00	-3.67	34.20	3	Vertical	316	1.01	-	38.40	10.48	32.75
PK	10.62416G	55.09	74.00	-18.91	40.78	3	Horizontal	103	1.80	-	38.60	8.66	32.95
AV	10.64432G	44.32	54.00	-9.68	29.99	3	Horizontal	103	1.80	-	38.60	8.66	32.93
PK	15.93752G	62.01	74.00	-11.99	45.88	3	Horizontal	221	3.00	-	38.40	10.48	32.75
AV	15.93368G	50.74	54.00	-3.26	34.61	3	Horizontal	221	3.00	-	38.40	10.48	32.75

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -6.35/3.27/1.49/-1.02/0.47/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	58.71	74.00	-15.29	52.54	3	Vertical	338	1.80	-	32.74	6.37	32.94
AV	5.14856G	49.15	54.00	-4.85	43.02	3	Vertical	338	1.80	-	32.70	6.37	32.94
PK	5.2996G	105.18	Inf	-Inf	98.80	3	Vertical	338	1.80	-	32.90	6.40	32.92
AV	5.30024G	94.84	Inf	-Inf	88.46	3	Vertical	338	1.80	-	32.90	6.40	32.92
PK	5.36168G	64.55	74.00	-9.45	58.02	3	Vertical	338	1.80	-	33.05	6.40	32.92
AV	5.3572G	53.60	54.00	-0.40	47.09	3	Vertical	338	1.80	-	33.03	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
 SET 59  
 74/54/64/59/61/60/59  
 -5.12/0.91/-1.24/0.44/-0.23/-0.20/0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13384G	59.02	74.00	-14.98	52.86	3	Horizontal	62	1.80	-	32.73	6.37	32.94
AV	5.14856G	48.72	54.00	-5.28	42.59	3	Horizontal	62	1.80	-	32.70	6.37	32.94
PK	5.32776G	108.29	Inf	-Inf	101.85	3	Horizontal	62	1.80	-	32.96	6.40	32.92
AV	5.30024G	97.51	Inf	-Inf	91.13	3	Horizontal	62	1.80	-	32.90	6.40	32.92
PK	5.35G	63.78	74.00	-10.22	57.30	3	Horizontal	62	1.80	-	33.00	6.40	32.92
AV	5.35G	53.65	54.00	-0.35	47.17	3	Horizontal	62	1.80	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

28/12/2021

### 5530MHz\_TnomVnom




Worst 66 [Vertical]  
All 66 [Vertical]/66 [Vertical]/66 [Horizontal]/66 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11104G	55.69	74.00	-18.31	41.28	3	Vertical	360	1.76	-	38.39	8.78	32.76
AV	11.06672G	44.68	54.00	-9.32	30.24	3	Vertical	360	1.76	-	38.43	8.77	32.76
PK	16.55224G	64.94	68.20	-3.26	46.37	3	Vertical	296	1.96	-	40.30	10.67	32.40
PK	11.07792G	54.95	74.00	-19.05	40.52	3	Horizontal	360	1.78	-	38.42	8.77	32.76
AV	11.00208G	44.41	54.00	-9.59	29.91	3	Horizontal	360	1.78	-	38.50	8.75	32.75
PK	16.53976G	64.73	68.20	-3.47	46.18	3	Horizontal	63	1.80	-	40.30	10.66	32.41

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
 SET 74  
 80/60/70/75/73/74  
 -9.02/2.69/1.84/-1.13/1.04/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45928G	63.99	74.00	-10.01	56.73	3	Vertical	26	2.32	-	33.70	6.46	32.90
AV	5.45928G	53.60	54.00	-0.40	46.34	3	Vertical	26	2.32	-	33.70	6.46	32.90
PK	5.46216G	66.35	68.20	-1.85	59.09	3	Vertical	26	2.32	-	33.70	6.46	32.90
PK	5.51432G	107.78	Inf	-Inf	100.41	3	Vertical	26	2.32	-	33.76	6.51	32.90
AV	5.51752G	98.20	Inf	-Inf	90.81	3	Vertical	26	2.32	-	33.77	6.52	32.90



802.11ax HEW80\_Nss2,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT X\_2TX  
 SET 66  
 74/54/64/69/67/66  
 -2.87/2.41/1.01/-0.26/-0.39/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	64.22	74.00	-9.78	56.96	3	Horizontal	302	1.82	-	33.70	6.46	32.90
AV	5.4596G	53.74	54.00	-0.26	46.48	3	Horizontal	302	1.82	-	33.70	6.46	32.90
PK	5.4692G	64.85	68.20	-3.35	57.58	3	Horizontal	302	1.82	-	33.70	6.47	32.90
PK	5.53704G	112.84	Inf	-Inf	105.35	3	Horizontal	302	1.82	-	33.85	6.54	32.90
AV	5.53192G	101.55	Inf	-Inf	94.09	3	Horizontal	302	1.82	-	33.83	6.53	32.90

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

28/12/2021

### 5610MHz\_TnomVnom




Worst 72 [Horizontal]  
All 72 [Vertical]/72 [Vertical]/72 [Horizontal]/72 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.25664G	55.29	74.00	-18.71	40.90	3	Vertical	331	2.50	-	38.36	8.81	32.78
AV	11.16912G	45.08	54.00	-8.92	30.73	3	Vertical	331	2.50	-	38.33	8.79	32.77
PK	16.77736G	63.44	68.20	-4.76	44.49	3	Vertical	303	1.80	-	40.48	10.73	32.26
PK	11.25424G	55.69	74.00	-18.31	41.31	3	Horizontal	65	1.80	-	38.35	8.81	32.78
AV	11.18528G	44.80	54.00	-9.20	30.46	3	Horizontal	65	1.80	-	38.31	8.80	32.77
PK	16.81496G	63.47	68.20	-4.73	44.40	3	Horizontal	326	1.80	-	40.57	10.74	32.24

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
 SET 78  
 80/60/70/75/77/78  
 -0.08/3.48/3.15/2.14/1.33/0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45384G	64.48	74.00	-9.52	57.24	3	Vertical	25	2.04	-	33.70	6.45	32.91
AV	5.45896G	53.19	54.00	-0.81	45.93	3	Vertical	25	2.04	-	33.70	6.46	32.90
PK	5.46792G	66.94	68.20	-1.26	59.67	3	Vertical	25	2.04	-	33.70	6.47	32.90
PK	5.58568G	108.91	Inf	-Inf	101.40	3	Vertical	25	2.04	-	33.83	6.59	32.91
AV	5.5716G	98.01	Inf	-Inf	90.49	3	Vertical	25	2.04	-	33.86	6.57	32.91
PK	5.7252G	64.84	68.20	-3.36	56.96	3	Vertical	25	2.04	-	34.20	6.60	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

#### 5610MHz\_TnomVnom




EUTX\_2TX  
 SET 72  
 78/58/68/73/71/72  
 -3.66/2.89/1.77/-0.14/0.32/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45448G	62.87	74.00	-11.13	55.63	3	Horizontal	300	1.98	-	33.70	6.45	32.91
AV	5.45768G	53.15	54.00	-0.85	45.90	3	Horizontal	300	1.98	-	33.70	6.46	32.91
PK	5.46472G	66.16	68.20	-2.04	58.90	3	Horizontal	300	1.98	-	33.70	6.46	32.90
PK	5.57544G	113.49	Inf	-Inf	105.97	3	Horizontal	300	1.98	-	33.85	6.58	32.91
AV	5.59976G	102.93	Inf	-Inf	95.44	3	Horizontal	300	1.98	-	33.80	6.60	32.91
PK	5.72968G	68.01	68.20	-0.19	60.09	3	Horizontal	300	1.98	-	34.24	6.60	32.92

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

28/12/2021


### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



Worst 80 [Horizontal]  
All 80 [Vertical]/80 [Vertical]/80 [Horizontal]/80 [Horizontal]

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34272G	55.91	74.00	-18.09	41.46	3	Vertical	236	1.80	-	38.40	8.84	32.79
AV	11.4344G	45.18	54.00	-8.82	30.72	3	Vertical	236	1.80	-	38.40	8.86	32.80
PK	17.1036G	66.52	68.20	-1.68	46.36	3	Vertical	14	1.80	-	41.41	10.83	32.08
PK	11.43696G	57.10	74.00	-16.90	42.64	3	Horizontal	257	1.80	-	38.40	8.86	32.80
AV	11.44464G	45.43	54.00	-8.57	30.97	3	Horizontal	257	1.80	-	38.40	8.86	32.80
PK	17.1228G	66.55	68.20	-1.65	46.33	3	Horizontal	18	1.85	-	41.45	10.84	32.07


**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 88  
 80/100/90/85/87/88  
 3.04/-7.61/-1.63/2.36/0.42/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	61.63	74.00	-12.37	54.37	3	Vertical	332	1.86	-	33.70	6.46	32.90
AV	5.45768G	51.26	54.00	-2.74	44.01	3	Vertical	332	1.86	-	33.70	6.46	32.91
PK	5.4644G	63.15	68.20	-5.05	55.89	3	Vertical	332	1.86	-	33.70	6.46	32.90
PK	5.6516G	109.67	Inf	-Inf	101.89	3	Vertical	332	1.86	-	34.10	6.60	32.92
AV	5.66216G	99.21	Inf	-Inf	91.45	3	Vertical	332	1.86	-	34.08	6.60	32.92
PK	5.85G	68.01	68.20	-0.19	59.55	3	Vertical	332	1.86	-	34.80	6.60	32.94

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
 SET 80  
 88/68/78/83/81/80  
 -4.59/2.41/0.99/-1.04/-0.50/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	63.06	74.00	-10.94	55.81	3	Horizontal	300	1.95	-	33.70	6.46	32.91
AV	5.45864G	53.00	54.00	-1.00	45.74	3	Horizontal	300	1.95	-	33.70	6.46	32.90
PK	5.4644G	62.79	68.20	-5.41	55.53	3	Horizontal	300	1.95	-	33.70	6.46	32.90
PK	5.65544G	114.36	Inf	-Inf	106.59	3	Horizontal	300	1.95	-	34.09	6.60	32.92
AV	5.66312G	103.99	Inf	-Inf	96.24	3	Horizontal	300	1.95	-	34.07	6.60	32.92
PK	5.85512G	66.79	68.20	-1.41	58.32	3	Horizontal	300	1.95	-	34.81	6.60	32.94