



**Summary**



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.73	0.09397
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.47	0.22233
802.11be EHT80-BF_Nss1,(MCS0)_4TX	25.86	0.38548
802.11be EHT160-BF_Nss1,(MCS0)_4TX	29.57	0.90573
802.11be EHT320-BF_Nss1,(MCS0)_4TX	29.95	0.98855
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.17	0.13092
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.02	0.20045
802.11be EHT80-BF_Nss1,(MCS0)_4TX	24.26	0.26669
802.11be EHT160-BF_Nss1,(MCS0)_4TX	28.20	0.66069
802.11be EHT320-BF_Nss1,(MCS0)_4TX	29.80	0.95499
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	20.12	0.10280
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.57	0.18072
802.11be EHT80-BF_Nss1,(MCS0)_4TX	25.38	0.34514
802.11be EHT160-BF_Nss1,(MCS0)_4TX	28.27	0.67143
802.11be EHT320-BF_Nss1,(MCS0)_4TX	29.83	0.96161
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	20.34	0.10814
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.21	0.20941
802.11be EHT80-BF_Nss1,(MCS0)_4TX	25.04	0.31915
802.11be EHT160-BF_Nss1,(MCS0)_4TX	27.57	0.57148



**Result**



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	18.89	30.00
6195MHz	Pass	19.73	30.00
6415MHz	Pass	19.26	30.00
6435MHz	Pass	18.36	30.00
6475MHz	Pass	21.17	30.00
6515MHz	Pass	19.64	30.00
6535MHz	Pass	19.66	30.00
6695MHz	Pass	20.12	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	18.99	30.00
6895MHz	Pass	18.48	30.00
6995MHz	Pass	20.34	30.00
7095MHz	Pass	19.12	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	21.45	30.00
6205MHz	Pass	18.89	30.00
6405MHz	Pass	23.47	30.00
6445MHz	Pass	23.02	30.00
6485MHz	Pass	22.79	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	21.95	30.00
6565MHz	Pass	22.57	30.00
6685MHz	Pass	21.74	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	21.54	30.00
6925MHz	Pass	23.21	30.00
7005MHz	Pass	22.65	30.00
7085MHz	Pass	20.94	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	25.86	30.00
6225MHz	Pass	25.16	30.00
6385MHz	Pass	24.81	30.00
6465MHz	Pass	24.26	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	24.19	30.00
6625MHz	Pass	22.93	30.00
6705MHz	Pass	25.38	30.00
6785MHz	Pass	24.63	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	25.06	30.00
6945MHz	Pass	25.04	30.00
7025MHz	Pass	23.94	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	29.57	30.00
6185MHz	Pass	28.54	30.00
6345MHz	Pass	27.19	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	28.20	30.00
6665MHz	Pass	28.27	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	27.18	30.00
6985MHz	Pass	27.57	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	29.95	30.00
6265MHz	Pass	29.81	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	29.94	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	29.80	30.00
6745MHz Straddle 6.525-6.875GHz	Pass	29.83	30.00
6905MHz Straddle 6.525-6.875GHz	Pass	29.79	30.00

DG = Directional Gain; Port X = Port X output power

































































































**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.94
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.79
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.89
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.81
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.80



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





**Result**



Mode	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-
5955MHz	4.93	5.00
6195MHz	4.94	5.00
6415MHz	4.88	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-
5965MHz	4.79	5.00
6205MHz	4.89	5.00
6405MHz	4.81	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-
5985MHz	4.98	5.00
6225MHz	4.80	5.00
6385MHz	4.99	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-
6025MHz	4.90	5.00
6185MHz	4.91	5.00
6345MHz	4.80	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.85
802.11be EHT40_Nss2,(MCS0)_2TX	4.93
802.11be EHT80_Nss2,(MCS0)_2TX	4.96
802.11be EHT160_Nss2,(MCS0)_2TX	4.89



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





**Result**



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.81	5.00
6195MHz	Pass	4.85	5.00
6415MHz	Pass	4.83	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.93	5.00
6205MHz	Pass	4.76	5.00
6405MHz	Pass	4.90	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.81	5.00
6225MHz	Pass	4.96	5.00
6385MHz	Pass	4.86	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.89	5.00
6185MHz	Pass	4.89	5.00
6345MHz	Pass	4.82	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.97
802.11be EHT40_Nss1,(MCS0)_2TX	4.97
802.11be EHT80_Nss1,(MCS15)_2TX	4.95
802.11be EHT160_Nss1,(MCS15)_2TX	4.95
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.78
802.11be EHT40_Nss1,(MCS0)_2TX	4.87
802.11be EHT80_Nss1,(MCS15)_2TX	4.90
802.11be EHT160_Nss1,(MCS15)_2TX	4.89
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.79
802.11be EHT40_Nss1,(MCS0)_2TX	4.94
802.11be EHT80_Nss1,(MCS15)_2TX	4.98
802.11be EHT160_Nss1,(MCS15)_2TX	4.68
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.95
802.11be EHT40_Nss1,(MCS0)_2TX	4.72
802.11be EHT80_Nss1,(MCS15)_2TX	4.99
802.11be EHT160_Nss1,(MCS15)_2TX	4.42



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.97	5.00
6195MHz	Pass	4.97	5.00
6415MHz	Pass	4.76	5.00
6435MHz	Pass	4.78	5.00
6475MHz	Pass	4.75	5.00
6515MHz	Pass	4.74	5.00
6535MHz	Pass	4.54	5.00
6695MHz	Pass	4.53	5.00
6875MHz	Pass	4.79	5.00
6895MHz	Pass	4.95	5.00
6995MHz	Pass	4.85	5.00
7095MHz	Pass	4.90	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.52	5.00
6205MHz	Pass	4.50	5.00
6405MHz	Pass	4.97	5.00
6445MHz	Pass	4.64	5.00
6485MHz	Pass	4.63	5.00
6525MHz	Pass	4.87	5.00
6565MHz	Pass	4.94	5.00
6685MHz	Pass	4.74	5.00
6885MHz	Pass	4.63	5.00
6925MHz	Pass	4.56	5.00
7005MHz	Pass	4.72	5.00
7085MHz	Pass	4.56	5.00
802.11be EHT80_Nss1,(MCS15)_2TX	-	-	-
5985MHz	Pass	4.62	5.00
6225MHz	Pass	4.66	5.00
6385MHz	Pass	4.95	5.00
6465MHz	Pass	4.89	5.00
6545MHz	Pass	4.90	5.00
6625MHz	Pass	4.95	5.00
6705MHz	Pass	4.92	5.00
6785MHz	Pass	4.98	5.00
6865MHz	Pass	4.59	5.00
6945MHz	Pass	4.59	5.00
7025MHz	Pass	4.99	5.00
802.11be EHT160_Nss1,(MCS15)_2TX	-	-	-
6025MHz	Pass	3.51	5.00
6185MHz	Pass	4.95	5.00
6345MHz	Pass	4.75	5.00
6505MHz	Pass	4.89	5.00
6665MHz	Pass	4.68	5.00
6825MHz	Pass	4.30	5.00
6985MHz	Pass	4.42	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















































































**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.96
802.11be EHT20_Nss2,(MCS0)_2TX	4.81
802.11be EHT40_Nss1,(MCS0)_2TX	4.94
802.11be EHT40_Nss2,(MCS0)_2TX	4.91
802.11be EHT80_Nss1,(MCS0)_2TX	4.85
802.11be EHT80_Nss2,(MCS0)_2TX	4.93
802.11be EHT160_Nss1,(MCS0)_2TX	4.89
802.11be EHT160_Nss2,(MCS0)_2TX	4.92
802.11be EHT320_Nss1,(MCS0)_2TX	4.32
802.11be EHT320_Nss2,(MCS0)_2TX	3.15
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.98
802.11be EHT20_Nss2,(MCS0)_2TX	4.96
802.11be EHT40_Nss1,(MCS0)_2TX	4.97
802.11be EHT40_Nss2,(MCS0)_2TX	4.87
802.11be EHT80_Nss1,(MCS0)_2TX	4.86
802.11be EHT80_Nss2,(MCS0)_2TX	4.73
802.11be EHT160_Nss1,(MCS0)_2TX	4.64
802.11be EHT160_Nss2,(MCS0)_2TX	4.72
802.11be EHT320_Nss1,(MCS0)_2TX	1.64
802.11be EHT320_Nss2,(MCS0)_2TX	1.11
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.89
802.11be EHT20_Nss2,(MCS0)_2TX	4.98
802.11be EHT40_Nss1,(MCS0)_2TX	4.91
802.11be EHT40_Nss2,(MCS0)_2TX	4.96
802.11be EHT80_Nss1,(MCS0)_2TX	4.94
802.11be EHT80_Nss2,(MCS0)_2TX	4.88
802.11be EHT160_Nss1,(MCS0)_2TX	4.81
802.11be EHT160_Nss2,(MCS0)_2TX	4.86
802.11be EHT320_Nss1,(MCS0)_2TX	0.12
802.11be EHT320_Nss2,(MCS0)_2TX	-10.40
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.90
802.11be EHT20_Nss2,(MCS0)_2TX	4.98
802.11be EHT40_Nss1,(MCS0)_2TX	4.78
802.11be EHT40_Nss2,(MCS0)_2TX	4.98
802.11be EHT80_Nss1,(MCS0)_2TX	4.66
802.11be EHT80_Nss2,(MCS0)_2TX	4.76
802.11be EHT160_Nss1,(MCS0)_2TX	4.87
802.11be EHT160_Nss2,(MCS0)_2TX	3.66

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.89	5.00
6195MHz	Pass	4.96	5.00
6415MHz	Pass	4.88	5.00
6435MHz	Pass	4.98	5.00
6475MHz	Pass	4.51	5.00
6515MHz	Pass	4.97	5.00
6535MHz	Pass	4.89	5.00
6695MHz	Pass	4.69	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.65	5.00
6895MHz	Pass	4.82	5.00
6995MHz	Pass	4.54	5.00
7095MHz	Pass	4.90	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.91	5.00
6205MHz	Pass	4.78	5.00
6405MHz	Pass	4.94	5.00
6445MHz	Pass	4.86	5.00
6485MHz	Pass	4.72	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.97	5.00
6565MHz	Pass	4.76	5.00
6685MHz	Pass	4.91	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.50	5.00
6925MHz	Pass	4.78	5.00
7005MHz	Pass	4.74	5.00
7085MHz	Pass	4.71	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.85	5.00
6225MHz	Pass	4.65	5.00
6385MHz	Pass	4.71	5.00
6465MHz	Pass	4.85	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.86	5.00
6625MHz	Pass	4.94	5.00
6705MHz	Pass	4.51	5.00
6785MHz	Pass	4.52	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.64	5.00
6945MHz	Pass	4.66	5.00
7025MHz	Pass	4.54	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.89	5.00
6185MHz	Pass	4.56	5.00
6345MHz	Pass	4.86	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.64	5.00
6665MHz	Pass	4.79	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6985MHz	Pass	4.87	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	-2.92	5.00
6265MHz	Pass	4.32	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	3.33	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	1.64	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	0.12	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	-10.51	5.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.61	5.00







## Radiated PSD\_Mode 4

## Appendix D.4



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6195MHz	Pass	4.81	5.00
6415MHz	Pass	4.62	5.00
6435MHz	Pass	4.96	5.00
6475MHz	Pass	4.80	5.00
6515MHz	Pass	4.92	5.00
6535MHz	Pass	4.94	5.00
6695MHz	Pass	4.89	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6895MHz	Pass	4.90	5.00
6995MHz	Pass	4.96	5.00
7095MHz	Pass	4.98	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.91	5.00
6205MHz	Pass	4.79	5.00
6405MHz	Pass	4.85	5.00
6445MHz	Pass	4.73	5.00
6485MHz	Pass	4.87	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.66	5.00
6565MHz	Pass	4.71	5.00
6685MHz	Pass	4.96	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.59	5.00
6925MHz	Pass	4.98	5.00
7005MHz	Pass	4.79	5.00
7085MHz	Pass	4.58	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.04	5.00
6225MHz	Pass	4.93	5.00
6385MHz	Pass	4.84	5.00
6465MHz	Pass	4.61	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.73	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.88	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.74	5.00
6945MHz	Pass	4.68	5.00
7025MHz	Pass	4.76	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	1.87	5.00
6185MHz	Pass	4.77	5.00
6345MHz	Pass	4.92	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.72	5.00
6665MHz	Pass	4.61	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6985MHz	Pass	3.66	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	-1.06	5.00
6265MHz	Pass	3.15	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	2.76	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	1.11	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	0.29	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	-10.40	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;







































































































































































































**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.95
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.87
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.93
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.83
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.34

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.98	5.00
6195MHz	Pass	4.83	5.00
6415MHz	Pass	4.95	5.00
6435MHz	Pass	4.91	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.99	5.00
6535MHz	Pass	4.72	5.00
6695MHz	Pass	4.76	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6895MHz	Pass	4.80	5.00
6995MHz	Pass	4.98	5.00
7095MHz	Pass	4.96	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.76	5.00
6205MHz	Pass	4.83	5.00
6405MHz	Pass	4.78	5.00
6445MHz	Pass	4.80	5.00
6485MHz	Pass	4.77	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6565MHz	Pass	4.93	5.00
6685MHz	Pass	4.93	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6925MHz	Pass	4.90	5.00
7005MHz	Pass	4.87	5.00
7085MHz	Pass	4.81	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.94	5.00
6225MHz	Pass	4.94	5.00
6385MHz	Pass	4.96	5.00
6465MHz	Pass	4.87	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.86	5.00
6625MHz	Pass	4.93	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.90	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
6945MHz	Pass	4.83	5.00
7025MHz	Pass	4.88	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.12	5.00
6185MHz	Pass	4.84	5.00
6345MHz	Pass	4.82	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.93	5.00
6665MHz	Pass	4.86	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6985MHz	Pass	4.34	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	2.01	5.00
6265MHz	Pass	4.90	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.95	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.93	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.83	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	-1.52	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.91
802.11be EHT20_Nss4,(MCS0)_4TX	4.95
802.11be EHT40_Nss1,(MCS0)_4TX	4.99
802.11be EHT40_Nss4,(MCS0)_4TX	4.88
802.11be EHT80_Nss1,(MCS0)_4TX	4.95
802.11be EHT80_Nss4,(MCS0)_4TX	4.77
802.11be EHT160_Nss1,(MCS0)_4TX	4.97
802.11be EHT160_Nss4,(MCS0)_4TX	4.88
802.11be EHT320_Nss1,(MCS0)_4TX	4.80
802.11be EHT320_Nss4,(MCS0)_4TX	4.96
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.97
802.11be EHT20_Nss4,(MCS0)_4TX	4.75
802.11be EHT40_Nss1,(MCS0)_4TX	4.92
802.11be EHT40_Nss4,(MCS0)_4TX	4.74
802.11be EHT80_Nss1,(MCS0)_4TX	4.55
802.11be EHT80_Nss4,(MCS0)_4TX	4.81
802.11be EHT160_Nss1,(MCS0)_4TX	4.85
802.11be EHT160_Nss4,(MCS0)_4TX	4.66
802.11be EHT320_Nss1,(MCS0)_4TX	4.95
802.11be EHT320_Nss4,(MCS0)_4TX	4.96
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.98
802.11be EHT20_Nss4,(MCS0)_4TX	4.74
802.11be EHT40_Nss1,(MCS0)_4TX	4.98
802.11be EHT40_Nss4,(MCS0)_4TX	4.80
802.11be EHT80_Nss1,(MCS0)_4TX	4.92
802.11be EHT80_Nss4,(MCS0)_4TX	4.69
802.11be EHT160_Nss1,(MCS0)_4TX	4.88
802.11be EHT160_Nss4,(MCS0)_4TX	4.87
802.11be EHT320_Nss1,(MCS0)_4TX	4.97
802.11be EHT320_Nss4,(MCS0)_4TX	4.88
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.99
802.11be EHT20_Nss4,(MCS0)_4TX	4.98
802.11be EHT40_Nss1,(MCS0)_4TX	4.99
802.11be EHT40_Nss4,(MCS0)_4TX	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	4.69
802.11be EHT80_Nss4,(MCS0)_4TX	4.93
802.11be EHT160_Nss1,(MCS0)_4TX	4.78
802.11be EHT160_Nss4,(MCS0)_4TX	4.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.90	5.00
6195MHz	Pass	4.88	5.00
6415MHz	Pass	4.91	5.00
6435MHz	Pass	4.95	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.97	5.00
6535MHz	Pass	4.97	5.00
6695MHz	Pass	4.98	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
6895MHz	Pass	4.97	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.84	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.99	5.00
6205MHz	Pass	4.85	5.00
6405MHz	Pass	4.89	5.00
6445MHz	Pass	4.84	5.00
6485MHz	Pass	4.60	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.92	5.00
6565MHz	Pass	4.60	5.00
6685MHz	Pass	4.65	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6925MHz	Pass	4.58	5.00
7005MHz	Pass	4.82	5.00
7085MHz	Pass	4.99	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.73	5.00
6225MHz	Pass	4.95	5.00
6385MHz	Pass	4.57	5.00
6465MHz	Pass	4.55	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.53	5.00
6625MHz	Pass	4.84	5.00
6705MHz	Pass	4.66	5.00
6785MHz	Pass	4.92	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.70	5.00
6945MHz	Pass	4.69	5.00
7025MHz	Pass	4.64	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.71	5.00
6185MHz	Pass	4.97	5.00
6345MHz	Pass	4.52	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.85	5.00
6665MHz	Pass	4.54	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6985MHz	Pass	4.78	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.80	5.00
6265MHz	Pass	4.77	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.60	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.95	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.89	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.77	5.00



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6195MHz	Pass	4.95	5.00
6415MHz	Pass	4.66	5.00
6435MHz	Pass	4.69	5.00
6475MHz	Pass	4.75	5.00
6515MHz	Pass	4.74	5.00
6535MHz	Pass	4.74	5.00
6695MHz	Pass	4.74	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.69	5.00
6895MHz	Pass	4.79	5.00
6995MHz	Pass	4.98	5.00
7095MHz	Pass	4.81	5.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.88	5.00
6205MHz	Pass	4.77	5.00
6405MHz	Pass	4.75	5.00
6445MHz	Pass	4.67	5.00
6485MHz	Pass	4.51	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.74	5.00
6565MHz	Pass	4.54	5.00
6685MHz	Pass	4.80	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.60	5.00
6925MHz	Pass	4.93	5.00
7005MHz	Pass	4.98	5.00
7085MHz	Pass	4.57	5.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.77	5.00
6225MHz	Pass	4.70	5.00
6385MHz	Pass	4.72	5.00
6465MHz	Pass	4.81	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.73	5.00
6625MHz	Pass	4.54	5.00
6705MHz	Pass	4.63	5.00
6785MHz	Pass	4.57	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.69	5.00
6945MHz	Pass	4.42	5.00
7025MHz	Pass	4.93	5.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.57	5.00
6185MHz	Pass	4.88	5.00
6345MHz	Pass	4.54	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.66	5.00
6665MHz	Pass	4.87	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.61	5.00
6985MHz	Pass	4.64	5.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.89	5.00
6265MHz	Pass	4.96	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.86	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	4.57	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

