


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96956G	49.18	88.20	-39.02	40.99	3	Horizontal	137	1.72	-	39.30	11.57	42.68
RMS	12.96953G	36.14	68.20	-32.06	27.95	3	Horizontal	137	1.72	-	39.30	11.57	42.68

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45458G	59.05	83.54	-24.49	57.55	1	Vertical	122	2.13	-	37.82	15.23	51.55
AV	19.4545G	48.31	63.54	-15.23	46.81	1	Vertical	122	2.13	-	37.82	15.23	51.55

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45458G	58.08	83.54	-25.46	56.58	1	Horizontal	162	1.80	-	37.82	15.23	51.55
AV	19.4545G	48.14	63.54	-15.40	46.64	1	Horizontal	162	1.80	-	37.82	15.23	51.55

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05049G	49.58	88.20	-38.62	41.19	3	Vertical	244	1.63	-	39.40	11.65	42.66
RMS	13.04997G	37.75	68.20	-30.45	29.36	3	Vertical	244	1.63	-	39.40	11.65	42.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 SET 55
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04981G	49.63	88.20	-38.57	41.24	3	Horizontal	169	1.53	-	39.40	11.65	42.66
RMS	13.04997G	37.27	68.20	-30.93	28.88	3	Horizontal	169	1.53	-	39.40	11.65	42.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57516G	59.58	83.54	-23.96	58.07	1	Vertical	81	2.54	-	37.95	15.22	51.66
AV	19.57452G	48.58	63.54	-14.96	47.07	1	Vertical	81	2.54	-	37.95	15.22	51.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57462G	58.18	83.54	-25.36	56.67	1	Horizontal	14	2.66	-	37.95	15.22	51.66
AV	19.57458G	48.08	63.54	-15.46	46.57	1	Horizontal	14	2.66	-	37.95	15.22	51.66

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12979G	50.52	88.20	-37.68	41.88	3	Vertical	283	1.64	-	39.60	11.72	42.68
RMS	13.13025G	38.23	68.20	-29.97	29.59	3	Vertical	283	1.64	-	39.60	11.72	42.68

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12972G	50.23	88.20	-37.97	41.59	3	Horizontal	6	1.79	-	39.60	11.72	42.68
RMS	13.12961G	37.89	68.20	-30.31	29.25	3	Horizontal	6	1.79	-	39.60	11.72	42.68

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69494G	58.85	83.54	-24.69	57.56	1	Vertical	238	1.98	-	37.83	15.22	51.76
AV	19.6945G	49.60	63.54	-13.94	48.31	1	Vertical	238	1.98	-	37.83	15.22	51.76

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69529G	57.79	83.54	-25.75	56.50	1	Horizontal	297	1.31	-	37.83	15.22	51.76
AV	19.69451G	49.66	63.54	-13.88	48.37	1	Horizontal	297	1.31	-	37.83	15.22	51.76

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 52
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36991G	50.47	74.00	-23.53	41.22	3	Vertical	290	2.72	-	40.04	11.94	42.73
AV	13.36956G	37.92	54.00	-16.08	28.67	3	Vertical	290	2.72	-	40.04	11.94	42.73

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 52
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37022G	50.60	74.00	-23.40	41.35	3	Horizontal	267	2.00	-	40.04	11.94	42.73
AV	13.36952G	37.67	54.00	-16.33	28.42	3	Horizontal	267	2.00	-	40.04	11.94	42.73

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 52
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05461G	59.85	83.54	-23.69	58.89	1	Vertical	251	2.78	-	37.72	15.24	52.00
AV	20.0546G	49.13	63.54	-14.41	48.17	1	Vertical	251	2.78	-	37.72	15.24	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 52
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05448G	59.60	83.54	-23.94	58.64	1	Horizontal	174	1.58	-	37.72	15.24	52.00
AV	20.05458G	49.67	63.54	-13.87	48.71	1	Horizontal	174	1.58	-	37.72	15.24	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76972G	51.59	88.20	-36.61	41.25	3	Vertical	211	1.93	-	40.64	12.30	42.60
RMS	13.7695G	39.81	68.20	-28.39	29.47	3	Vertical	211	1.93	-	40.64	12.30	42.60

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77014G	51.39	88.20	-36.81	41.05	3	Horizontal	65	2.16	-	40.64	12.30	42.60
RMS	13.76955G	39.31	68.20	-28.89	28.97	3	Horizontal	65	2.16	-	40.64	12.30	42.60

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65537G	59.36	83.54	-24.18	57.80	1	Vertical	110	2.13	-	37.90	15.72	52.06
AV	20.6545G	49.28	63.54	-14.26	47.72	1	Vertical	110	2.13	-	37.90	15.72	52.06

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65475G	59.33	83.54	-24.21	57.77	1	Horizontal	141	1.07	-	37.90	15.72	52.06
AV	20.65481G	49.12	63.54	-14.42	47.56	1	Horizontal	141	1.07	-	37.90	15.72	52.06

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85011G	52.10	88.20	-36.10	41.48	3	Vertical	45	1.90	-	40.80	12.37	42.55
RMS	13.84959G	39.19	68.20	-29.01	28.57	3	Vertical	45	1.90	-	40.80	12.37	42.55

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84982G	51.35	88.20	-36.85	40.73	3	Horizontal	105	1.29	-	40.80	12.37	42.55
RMS	13.84989G	39.26	68.20	-28.94	28.64	3	Horizontal	105	1.29	-	40.80	12.37	42.55

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 55
03-H-5-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77547G	60.85	83.54	-22.69	59.14	1	Vertical	267	1.82	-	38.00	15.82	52.11			
AV	20.77452G	49.36	63.54	-14.18	47.65	1	Vertical	267	1.82	-	38.00	15.82	52.11			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 55
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77469G	60.42	83.54	-23.12	58.71	1	Horizontal	112	1.17	-	38.00	15.82	52.11
AV	20.7745G	49.99	63.54	-13.55	48.28	1	Horizontal	112	1.17	-	38.00	15.82	52.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00979G	52.92	88.20	-35.28	41.66	3	Vertical	27	2.61	-	41.20	12.52	42.46
RMS	14.00976G	40.41	68.20	-27.79	29.15	3	Vertical	27	2.61	-	41.20	12.52	42.46

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00982G	52.78	88.20	-35.42	41.52	3	Horizontal	124	2.45	-	41.20	12.52	42.46
RMS	14.00982G	40.11	68.20	-28.09	28.85	3	Horizontal	124	2.45	-	41.20	12.52	42.46

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01473G	59.40	83.54	-24.14	57.54	1	Vertical	41	2.92	-	38.05	16.01	52.20
AV	21.01453G	49.47	63.54	-14.07	47.61	1	Vertical	41	2.92	-	38.05	16.01	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01507G	59.17	83.54	-24.37	57.31	1	Horizontal	192	2.61	-	38.05	16.01	52.20
AV	21.01453G	49.12	63.54	-14.42	47.26	1	Horizontal	192	2.61	-	38.05	16.01	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 53
01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1028G	109.10	Inf	-Inf	98.00	3	Vertical	195	3.00	-	35.62	8.52	33.04
RMS	7.0702G	98.21	Inf	-Inf	87.28	3	Vertical	195	3.00	-	35.42	8.54	33.03
PK	7.1258G	65.95	88.20	-22.25	54.73	3	Vertical	195	3.00	-	35.75	8.52	33.05
RMS	7.1256G	54.21	68.20	-13.99	42.99	3	Vertical	195	3.00	-	35.75	8.52	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
 SET 53
 01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0746G	102.35	Inf	-Inf	91.40	3	Horizontal	146	1.05	44	35.45	8.53	33.03
RMS	7.0794G	88.95	Inf	-Inf	77.97	3	Horizontal	146	1.05	44	35.48	8.53	33.03
PK	7.1572G	63.27	88.20	-24.93	51.90	3	Horizontal	146	1.05	44	35.93	8.50	33.06
RMS	7.1474G	50.67	68.20	-17.53	39.33	3	Horizontal	146	1.05	44	35.88	8.51	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 53
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17216G	57.94	88.20	-30.26	46.96	3	Vertical	26	1.57	-	41.44	11.96	42.42
RMS	14.16913G	46.04	68.20	-22.16	35.06	3	Vertical	26	1.57	-	41.44	11.96	42.42

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 53
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1748G	57.81	88.20	-30.39	46.82	3	Horizontal	238	2.71	-	41.45	11.96	42.42
RMS	14.16925G	46.20	68.20	-22.00	35.22	3	Horizontal	238	2.71	-	41.44	11.96	42.42

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 53
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25543G	59.32	83.54	-24.22	57.28	1	Vertical	232	2.67	-	38.04	16.20	52.20
AV	21.25512G	49.37	63.54	-14.17	47.33	1	Vertical	232	2.67	-	38.04	16.20	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 53
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25521G	59.78	83.54	-23.76	57.74	1	Horizontal	137	2.65	-	38.04	16.20	52.20
AV	21.25512G	49.84	63.54	-13.70	47.80	1	Horizontal	137	2.65	-	38.04	16.20	52.20

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 64
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	78.19	88.20	-10.01	71.12	3	Vertical	128	2.35	64	32.40	7.64	32.97
RMS	5.9206G	58.01	68.20	-10.19	50.94	3	Vertical	128	2.35	64	32.40	7.64	32.97
PK	5.9602G	109.60	Inf	-Inf	102.51	3	Vertical	128	2.35	64	32.42	7.66	32.99
RMS	5.9978G	98.32	Inf	-Inf	91.14	3	Vertical	128	2.35	64	32.50	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
 SET 64
 01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	68.97	88.20	-19.23	61.90	3	Horizontal	115	1.05	64	32.40	7.64	32.97
RMS	5.9186G	51.80	68.20	-16.40	44.73	3	Horizontal	115	1.05	64	32.40	7.64	32.97
PK	5.9738G	102.52	Inf	-Inf	95.39	3	Horizontal	115	1.05	64	32.45	7.67	32.99
RMS	6.0138G	91.29	Inf	-Inf	84.08	3	Horizontal	115	1.05	64	32.53	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97002G	48.61	74.00	-25.39	41.99	3	Vertical	3	2.88	-	39.16	10.68	43.22
AV	11.97G	38.05	54.00	-15.95	31.43	3	Vertical	3	2.88	-	39.16	10.68	43.22
PK	17.95548G	61.74	74.00	-12.26	43.29	3	Vertical	302	1.96	-	44.73	14.98	41.26
AV	17.95518G	48.53	54.00	-5.47	30.08	3	Vertical	302	1.96	-	44.73	14.98	41.26

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97047G	48.73	74.00	-25.27	42.11	3	Horizontal	246	2.28	-	39.16	10.68	43.22
AV	11.96987G	37.77	54.00	-16.23	31.15	3	Horizontal	246	2.28	-	39.16	10.68	43.22
PK	17.95505G	61.56	74.00	-12.44	43.11	3	Horizontal	104	2.37	-	44.73	14.98	41.26
AV	17.95452G	48.82	54.00	-5.18	30.37	3	Horizontal	104	2.37	-	44.73	14.98	41.26

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94227G	59.74	83.54	-23.80	53.89	1	Vertical	124	1.57	-	38.88	17.38	50.41
AV	23.94115G	48.53	63.54	-15.01	42.68	1	Vertical	124	1.57	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94105G	59.56	83.54	-23.98	53.71	1	Horizontal	327	1.63	-	38.88	17.38	50.41
AV	23.94235G	48.82	63.54	-14.72	42.97	1	Horizontal	327	1.63	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 63
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45003G	48.91	74.00	-25.09	42.37	3	Vertical	185	2.17	-	38.60	11.10	43.16
AV	12.44957G	37.52	54.00	-16.48	30.98	3	Vertical	185	2.17	-	38.60	11.10	43.16

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 63
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45026G	48.94	74.00	-25.06	42.40	3	Horizontal	8	1.52	-	38.60	11.10	43.16
AV	12.44956G	37.46	54.00	-16.54	30.92	3	Horizontal	8	1.52	-	38.60	11.10	43.16

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 63
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67549G	58.48	83.54	-25.06	56.12	1	Vertical	143	2.06	-	37.70	15.27	50.61
AV	18.67499G	49.36	63.54	-14.18	47.00	1	Vertical	143	2.06	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 63
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67461G	59.73	83.54	-23.81	57.37	1	Horizontal	142	1.36	-	37.70	15.27	50.61
AV	18.67465G	49.84	63.54	-13.70	47.48	1	Horizontal	142	1.36	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
 SET 69
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77012G	49.58	88.20	-38.62	42.19	3	Vertical	246	2.72	-	38.88	11.39	42.88
RMS	12.76954G	38.78	68.20	-29.42	31.39	3	Vertical	246	2.72	-	38.88	11.39	42.88

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76977G	48.84	88.20	-39.36	41.45	3	Horizontal	16	2.88	-	38.88	11.39	42.88
RMS	12.77013G	38.18	68.20	-30.02	30.79	3	Horizontal	16	2.88	-	38.88	11.39	42.88

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15478G	61.75	83.54	-21.79	59.97	1	Vertical	85	1.88	-	37.73	15.24	51.19
AV	19.15548G	50.35	63.54	-13.19	48.57	1	Vertical	85	1.88	-	37.73	15.24	51.19

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15454G	60.88	83.54	-22.66	59.10	1	Horizontal	251	2.52	-	37.73	15.24	51.19
AV	19.15481G	50.25	63.54	-13.29	48.47	1	Horizontal	251	2.52	-	37.73	15.24	51.19

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6465MHz_TX




EUT_Z_2TX
SET 68
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92951G	48.93	88.20	-39.27	40.85	3	Vertical	19	1.21	-	39.26	11.54	42.72
RMS	12.92985G	38.67	68.20	-29.53	30.59	3	Vertical	19	1.21	-	39.26	11.54	42.72

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6465MHz_TX




EUT_Z_2TX
SET 68
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93001G	49.21	88.20	-38.99	41.13	3	Horizontal	42	2.49	-	39.26	11.54	42.72
RMS	12.93033G	38.10	68.20	-30.10	30.02	3	Horizontal	42	2.49	-	39.26	11.54	42.72

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6465MHz_TX




EUT_Z_2TX
SET 68
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39504G	61.29	83.54	-22.25	59.55	1	Vertical	237	1.72	-	37.98	15.23	51.47
AV	19.39533G	50.37	63.54	-13.17	48.63	1	Vertical	237	1.72	-	37.98	15.23	51.47

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6465MHz_TX




EUT_Z_2TX
SET 68
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39466G	61.05	83.54	-22.49	59.31	1	Horizontal	46	2.76	-	37.98	15.23	51.47
AV	19.39483G	50.68	63.54	-12.86	48.94	1	Horizontal	46	2.76	-	37.98	15.23	51.47

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08972G	50.21	88.20	-37.99	41.64	3	Vertical	311	1.58	-	39.56	11.68	42.67
RMS	13.08997G	38.78	68.20	-29.42	30.21	3	Vertical	311	1.58	-	39.56	11.68	42.67

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09022G	49.35	88.20	-38.85	40.78	3	Horizontal	230	2.25	-	39.56	11.68	42.67
RMS	13.08975G	39.10	68.20	-29.10	30.53	3	Horizontal	230	2.25	-	39.56	11.68	42.67

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63456G	61.32	83.54	-22.22	59.80	1	Vertical	125	1.02	-	38.01	15.22	51.71
AV	19.63492G	49.33	63.54	-14.21	47.81	1	Vertical	125	1.02	-	38.01	15.22	51.71

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 69
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63504G	60.43	83.54	-23.11	58.91	1	Horizontal	175	2.64	-	38.01	15.22	51.71
AV	19.63542G	49.22	63.54	-14.32	47.70	1	Horizontal	175	2.64	-	38.01	15.22	51.71

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.25046G	49.63	74.00	-24.37	40.61	3	Vertical	278	2.49	-	39.90	11.83	42.71
AV	13.25053G	38.93	54.00	-15.07	29.91	3	Vertical	278	2.49	-	39.90	11.83	42.71

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25011G	49.55	74.00	-24.45	40.53	3	Horizontal	253	1.52	-	39.90	11.83	42.71
AV	13.25055G	39.19	54.00	-14.81	30.17	3	Horizontal	253	1.52	-	39.90	11.83	42.71

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87451G	61.48	83.54	-22.06	60.42	1	Vertical	272	2.02	-	37.75	15.21	51.90
AV	19.87488G	50.31	63.54	-13.23	49.25	1	Vertical	272	2.02	-	37.75	15.21	51.90

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87478G	61.23	83.54	-22.31	60.17	1	Horizontal	112	2.65	-	37.75	15.21	51.90
AV	19.87543G	50.99	63.54	-12.55	49.93	1	Horizontal	112	2.65	-	37.75	15.21	51.90

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40998G	49.86	88.20	-38.34	40.51	3	Vertical	79	2.31	-	40.12	11.97	42.74
RMS	13.41041G	39.24	68.20	-28.96	29.89	3	Vertical	79	2.31	-	40.12	11.97	42.74

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41011G	49.73	88.20	-38.47	40.38	3	Horizontal	179	2.34	-	40.12	11.97	42.74
RMS	13.40967G	39.14	68.20	-29.06	29.79	3	Horizontal	179	2.34	-	40.12	11.97	42.74

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11529G	61.81	83.54	-21.73	60.71	1	Vertical	312	2.63	-	37.81	15.29	52.00
AV	20.11509G	50.38	63.54	-13.16	49.28	1	Vertical	312	2.63	-	37.81	15.29	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 64
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1151G	60.98	83.54	-22.56	59.88	1	Horizontal	46	2.78	-	37.81	15.29	52.00
AV	20.1146G	50.10	63.54	-13.44	49.00	1	Horizontal	46	2.78	-	37.81	15.29	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 70
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57006G	50.36	88.20	-37.84	40.56	3	Vertical	319	2.63	-	40.40	12.12	42.72
RMS	13.56961G	40.47	68.20	-27.73	30.67	3	Vertical	319	2.63	-	40.40	12.12	42.72

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 70
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5697G	51.18	88.20	-37.02	41.38	3	Horizontal	349	2.53	-	40.40	12.12	42.72
RMS	13.57034G	40.02	68.20	-28.18	30.22	3	Horizontal	349	2.53	-	40.40	12.12	42.72

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 70
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3549G	62.93	83.54	-20.61	61.36	1	Vertical	6	1.45	-	38.09	15.48	52.00
AV	20.35456G	51.31	63.54	-12.23	49.74	1	Vertical	6	1.45	-	38.09	15.48	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 70
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35511G	61.65	83.54	-21.89	60.08	1	Horizontal	92	2.38	-	38.09	15.48	52.00
AV	20.35546G	51.02	63.54	-12.52	49.45	1	Horizontal	92	2.38	-	38.09	15.48	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 68
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73041G	52.13	88.20	-36.07	41.97	3	Vertical	200	2.97	-	40.52	12.26	42.62
RMS	13.72967G	40.69	68.20	-27.51	30.53	3	Vertical	200	2.97	-	40.52	12.26	42.62

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 SET 68
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72981G	51.36	88.20	-36.84	41.20	3	Horizontal	178	1.82	-	40.52	12.26	42.62
RMS	13.73044G	40.75	68.20	-27.45	30.59	3	Horizontal	178	1.82	-	40.52	12.26	42.62

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 68
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59502G	61.16	83.54	-22.38	55.89	1	Vertical	77	2.29	-	37.99	19.32	52.04
AV	20.59499G	51.04	63.54	-12.50	45.77	1	Vertical	77	2.29	-	37.99	19.32	52.04

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 68
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59487G	62.25	83.54	-21.29	56.98	1	Horizontal	133	2.70	-	37.99	19.32	52.04
AV	20.59451G	51.09	63.54	-12.45	45.82	1	Horizontal	133	2.70	-	37.99	19.32	52.04

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6945MHz_TX




EUT_Z_2TX
SET 67
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88993G	51.23	88.20	-36.97	40.47	3	Vertical	117	2.07	-	40.88	12.41	42.53
RMS	13.88953G	40.65	68.20	-27.55	29.89	3	Vertical	117	2.07	-	40.88	12.41	42.53

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6945MHz_TX




EUT_Z_2TX
SET 67
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88953G	51.68	88.20	-36.52	40.92	3	Horizontal	155	2.98	-	40.88	12.41	42.53
RMS	13.89024G	40.72	68.20	-27.48	29.96	3	Horizontal	155	2.98	-	40.88	12.41	42.53

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6945MHz_TX




EUT_Z_2TX
SET 67
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83454G	62.16	83.54	-21.38	60.22	1	Vertical	297	1.65	-	38.20	15.87	52.13
AV	20.83523G	50.73	63.54	-12.81	48.79	1	Vertical	297	1.65	-	38.20	15.87	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6945MHz_TX




EUT_Z_2TX
SET 67
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83541G	62.18	83.54	-21.36	60.24	1	Horizontal	321	1.05	-	38.20	15.87	52.13
AV	20.83494G	50.24	63.54	-13.30	48.30	1	Horizontal	321	1.05	-	38.20	15.87	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 61
01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	110.28	Inf	-Inf	99.58	3	Vertical	109	2.30	-	35.17	8.55	33.02
RMS	7.0338G	101.11	Inf	-Inf	90.34	3	Vertical	109	2.30	-	35.24	8.55	33.02
PK	7.1282G	69.86	88.20	-18.34	58.62	3	Vertical	109	2.30	-	35.77	8.52	33.05
RMS	7.1266G	55.40	68.20	-12.80	44.17	3	Vertical	109	2.30	-	35.76	8.52	33.05

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

7025MHz_TX




EUT_Z_2TX
 Setting 61
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0182G	95.83	Inf	-Inf	85.13	3	Horizontal	158	2.32	-	35.17	8.55	33.02
RMS	7.0358G	86.78	Inf	-Inf	76.01	3	Horizontal	158	2.32	-	35.24	8.55	33.02
PK	7.1778G	63.79	88.20	-24.41	52.34	3	Horizontal	158	2.32	-	36.01	8.50	33.06
RMS	7.1378G	53.08	68.20	-15.12	41.79	3	Horizontal	158	2.32	-	35.83	8.51	33.05

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

7025MHz_TX




EUT_Z_2TX
SET 61
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05036G	53.08	88.20	-35.12	41.79	3	Vertical	245	1.00	-	41.20	12.54	42.45
RMS	14.04983G	41.96	68.20	-26.24	30.67	3	Vertical	245	1.00	-	41.20	12.54	42.45

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

7025MHz_TX




EUT_Z_2TX
SET 61
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05032G	52.74	88.20	-35.46	41.45	3	Horizontal	252	1.14	-	41.20	12.54	42.45
RMS	14.0497G	42.02	68.20	-26.18	30.73	3	Horizontal	252	1.14	-	41.20	12.54	42.45

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

7025MHz_TX




EUT_Z_2TX
SET 61
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0752G	61.78	83.54	-21.76	59.67	1	Vertical	237	2.13	-	38.25	16.06	52.20
AV	21.07507G	49.77	63.54	-13.77	47.66	1	Vertical	237	2.13	-	38.25	16.06	52.20

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

7025MHz_TX




EUT_Z_2TX
SET 61
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07538G	60.66	83.54	-22.88	58.55	1	Horizontal	146	2.55	-	38.25	16.06	52.20
AV	21.07531G	50.66	63.54	-12.88	48.55	1	Horizontal	146	2.55	-	38.25	16.06	52.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9185G	79.71	88.20	-8.49	72.64	3	Vertical	121.3	2.46	-	32.40	7.64	32.97
RMS	5.916G	67.54	68.20	-0.66	60.47	3	Vertical	121.3	2.46	-	32.40	7.64	32.97
PK	6.006G	107.15	Inf	-Inf	99.96	3	Vertical	121.3	2.46	-	32.51	7.68	33.00
RMS	5.996G	97.46	Inf	-Inf	90.29	3	Vertical	121.3	2.46	-	32.49	7.68	33.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9115G	70.77	88.20	-17.43	63.70	3	Horizontal	253	2.60	70	32.40	7.64	32.97
RMS	5.925G	58.17	68.20	-10.03	51.10	3	Horizontal	253	2.60	70	32.40	7.64	32.97
PK	6.0575G	99.56	Inf	-Inf	92.29	3	Horizontal	253	2.60	70	32.59	7.69	33.01
RMS	6.048G	89.15	Inf	-Inf	81.86	3	Horizontal	253	2.60	70	32.60	7.69	33.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.04977G	48.39	74.00	-25.61	41.86	3	Vertical	32	2.94	-	39.00	10.74	43.21
AV	12.04954G	37.95	54.00	-16.05	31.42	3	Vertical	32	2.94	-	39.00	10.74	43.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04975G	48.97	74.00	-25.03	42.44	3	Horizontal	324	1.76	-	39.00	10.74	43.21
AV	12.04983G	38.09	54.00	-15.91	31.56	3	Horizontal	324	1.76	-	39.00	10.74	43.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07454G	60.40	83.54	-23.14	57.32	1	Vertical	296	2.80	-	37.50	15.30	49.72
AV	18.0749G	48.64	63.54	-14.90	45.56	1	Vertical	296	2.80	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07489G	61.68	83.54	-21.86	58.60	1	Horizontal	199	1.89	-	37.50	15.30	49.72
AV	18.0754G	49.52	63.54	-14.02	46.44	1	Horizontal	199	1.89	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37021G	49.05	74.00	-24.95	42.53	3	Vertical	129	1.41	-	38.66	11.03	43.17
AV	12.37028G	37.97	54.00	-16.03	31.45	3	Vertical	129	1.41	-	38.66	11.03	43.17

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37018G	48.89	74.00	-25.11	42.37	3	Horizontal	193	1.20	-	38.66	11.03	43.17
AV	12.37008G	37.62	54.00	-16.38	31.10	3	Horizontal	193	1.20	-	38.66	11.03	43.17

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55531G	60.92	83.54	-22.62	58.42	1	Vertical	190	1.74	-	37.70	15.27	50.47
AV	18.5548G	49.50	63.54	-14.04	47.00	1	Vertical	190	1.74	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55518G	61.18	83.54	-22.36	58.68	1	Horizontal	123	2.95	-	37.70	15.27	50.47
AV	18.55464G	49.55	63.54	-13.99	47.05	1	Horizontal	123	2.95	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 76
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68971G	49.14	74.00	-24.86	41.90	3	Vertical	4	2.65	-	38.88	11.32	42.96
AV	12.6898G	37.70	54.00	-16.30	30.46	3	Vertical	4	2.65	-	38.88	11.32	42.96

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 76
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69014G	48.73	74.00	-25.27	41.49	3	Horizontal	270	2.03	-	38.88	11.32	42.96
AV	12.68992G	37.82	54.00	-16.18	30.58	3	Horizontal	270	2.03	-	38.88	11.32	42.96

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 76
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03468G	61.10	83.54	-22.44	58.99	1	Vertical	197	1.21	-	37.90	15.25	51.04
AV	19.03535G	50.20	63.54	-13.34	48.09	1	Vertical	197	1.21	-	37.90	15.25	51.04

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 76
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03458G	61.15	83.54	-22.39	59.04	1	Horizontal	79	2.39	-	37.90	15.25	51.04
AV	19.03481G	50.03	63.54	-13.51	47.92	1	Horizontal	79	2.39	-	37.90	15.25	51.04

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01G	50.22	88.20	-37.98	41.94	3	Vertical	13	2.00	-	39.32	11.61	42.65
RMS	13.01045G	38.46	68.20	-29.74	30.18	3	Vertical	13	2.00	-	39.32	11.61	42.65

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00984G	50.13	88.20	-38.07	41.85	3	Horizontal	199	2.30	-	39.32	11.61	42.65
RMS	13.00955G	38.68	68.20	-29.52	30.40	3	Horizontal	199	2.30	-	39.32	11.61	42.65

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51491G	61.24	83.54	-22.30	59.60	1	Vertical	67	1.46	-	38.03	15.22	51.61
AV	19.51519G	50.99	63.54	-12.55	49.35	1	Vertical	67	1.46	-	38.03	15.22	51.61

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5148G	61.76	83.54	-21.78	60.12	1	Horizontal	230	1.88	-	38.03	15.22	51.61
AV	19.51456G	50.89	63.54	-12.65	49.25	1	Horizontal	230	1.88	-	38.03	15.22	51.61

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 74
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32996G	50.38	74.00	-23.62	41.20	3	Vertical	59	1.60	-	40.00	11.90	42.72
AV	13.3297G	39.52	54.00	-14.48	30.34	3	Vertical	59	1.60	-	40.00	11.90	42.72

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 74
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32969G	50.39	74.00	-23.61	41.21	3	Horizontal	177	1.32	-	40.00	11.90	42.72
AV	13.3298G	39.36	54.00	-14.64	30.18	3	Horizontal	177	1.32	-	40.00	11.90	42.72

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 74
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99483G	62.39	83.54	-21.15	61.39	1	Vertical	102	2.48	-	37.80	15.20	52.00
AV	19.99461G	51.37	63.54	-12.17	50.37	1	Vertical	102	2.48	-	37.80	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 74
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99531G	62.37	83.54	-21.17	61.37	1	Horizontal	33	2.88	-	37.80	15.20	52.00
AV	19.9946G	51.42	63.54	-12.12	50.42	1	Horizontal	33	2.88	-	37.80	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65019G	51.19	88.20	-37.01	41.27	3	Vertical	51	2.97	-	40.40	12.19	42.67
RMS	13.65026G	40.42	68.20	-27.78	30.50	3	Vertical	51	2.97	-	40.40	12.19	42.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 SET 80
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64991G	52.11	88.20	-36.09	42.19	3	Horizontal	248	1.88	-	40.40	12.19	42.67
RMS	13.6498G	40.23	68.20	-27.97	30.31	3	Horizontal	248	1.88	-	40.40	12.19	42.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47519G	64.29	83.54	-19.25	62.91	1	Vertical	132	2.80	-	37.80	15.58	52.00
AV	20.47498G	52.81	63.54	-10.73	51.43	1	Vertical	132	2.80	-	37.80	15.58	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 80
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47505G	61.47	83.54	-22.07	60.09	1	Horizontal	340	2.16	-	37.80	15.58	52.00
AV	20.47493G	51.60	63.54	-11.94	50.22	1	Horizontal	340	2.16	-	37.80	15.58	52.00

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6985MHz_TX




EUT_Z_2TX
SET 73
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9225G	110.18	Inf	-Inf	99.88	3	Vertical	191	2.20	73	34.84	8.48	33.02
RMS	6.9225G	99.29	Inf	-Inf	88.99	3	Vertical	191	2.20	73	34.84	8.48	33.02
PK	7.145G	79.23	88.20	-8.97	67.90	3	Vertical	191	2.20	73	35.87	8.51	33.05
RMS	7.125G	68.09	68.20	-0.11	56.87	3	Vertical	191	2.20	73	35.75	8.52	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6985MHz_TX




EUT_Z_2TX
 SET 73
 01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0175G	101.93	Inf	-Inf	91.23	3	Horizontal	159	2.18	73	35.17	8.55	33.02
RMS	7.0475G	89.91	Inf	-Inf	79.10	3	Horizontal	159	2.18	73	35.29	8.54	33.02
PK	7.138G	69.79	88.20	-18.41	58.50	3	Horizontal	159	2.18	73	35.83	8.51	33.05
RMS	7.1305G	58.70	68.20	-9.50	47.46	3	Horizontal	159	2.18	73	35.78	8.51	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6985MHz_TX




EUT_Z_2TX
SET 73
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96997G	52.57	88.20	-35.63	41.49	3	Vertical	204	3.00	-	41.08	12.48	42.48
RMS	13.9705G	41.09	68.20	-27.11	30.01	3	Vertical	204	3.00	-	41.08	12.48	42.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6985MHz_TX




EUT_Z_2TX
SET 73
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9698G	52.47	88.20	-35.73	41.39	3	Horizontal	63	1.22	-	41.08	12.48	42.48
RMS	13.97025G	40.89	68.20	-27.31	29.81	3	Horizontal	63	1.22	-	41.08	12.48	42.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6985MHz_TX




EUT_Z_2TX
SET 73
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95481G	62.70	83.54	-20.84	60.84	1	Vertical	336	1.55	-	38.08	15.96	52.18
AV	20.9549G	51.22	63.54	-12.32	49.36	1	Vertical	336	1.55	-	38.08	15.96	52.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6985MHz_TX



EUT_Z_2TX
SET 73
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95461G	61.43	83.54	-22.11	59.57	1	Horizontal	35	2.29	-	38.08	15.96	52.18
AV	20.95492G	51.03	63.54	-12.51	49.17	1	Horizontal	35	2.29	-	38.08	15.96	52.18




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.2586G	53.87	54.00	-0.13	3	Vertical	261	2.95	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8642G	61.53	88.20	-26.67	54.61	3	Vertical	267	2.95	46	32.26	7.61	32.95
RMS	5.9238G	49.76	68.20	-18.44	42.69	3	Vertical	267	2.95	46	32.40	7.64	32.97
PK	5.9512G	110.32	Inf	-Inf	103.24	3	Vertical	267	2.95	46	32.40	7.66	32.98
RMS	5.9538G	98.83	Inf	-Inf	91.74	3	Vertical	267	2.95	46	32.41	7.66	32.98

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




07/02/2024

EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8874G	61.33	88.20	-26.87	54.32	3	Horizontal	163	2.74	46	32.35	7.62	32.96
RMS	5.8854G	49.57	68.20	-18.63	42.57	3	Horizontal	163	2.74	46	32.34	7.62	32.96
PK	5.96G	100.14	Inf	-Inf	93.05	3	Horizontal	163	2.74	46	32.42	7.66	32.99
RMS	5.96G	88.54	Inf	-Inf	81.45	3	Horizontal	163	2.74	46	32.42	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90325G	59.07	74.00	-14.93	41.55	3	Vertical	158	1.80	46	38.91	11.07	32.46
AV	11.90419G	46.02	54.00	-7.98	28.50	3	Vertical	158	1.80	46	38.91	11.07	32.46
PK	17.86821G	64.90	74.00	-9.10	35.65	3	Vertical	148	2.31	-	46.14	13.41	30.30
AV	17.87874G	52.95	54.00	-1.05	23.43	3	Vertical	148	2.31	-	46.39	13.41	30.28

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90469G	58.45	74.00	-15.55	40.93	3	Horizontal	11	1.80	46	38.91	11.07	32.46
AV	11.90111G	46.16	54.00	-7.84	28.65	3	Horizontal	11	1.80	46	38.90	11.07	32.46
PK	17.8575G	65.27	74.00	-8.73	36.31	3	Horizontal	274	1.42	-	45.88	13.40	30.32
AV	17.87661G	50.90	54.00	-3.10	21.43	3	Horizontal	274	1.42	-	46.34	13.41	30.28

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82666G	54.65	83.54	-28.89	48.79	1	Vertical	351	2.92	-	38.94	17.35	50.43
AV	23.83359G	43.19	63.54	-20.35	37.37	1	Vertical	132	2.24	-	38.90	17.35	50.43

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81868G	53.66	83.54	-29.88	47.76	1	Horizontal	195	1.47	-	38.99	17.35	50.44
AV	23.82945G	43.38	63.54	-20.16	37.54	1	Horizontal	195	1.47	-	38.92	17.35	50.43

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39711G	58.99	74.00	-15.01	40.98	3	Vertical	212	1.41	36	38.81	11.27	32.07
AV	12.38057G	46.18	54.00	-7.82	28.16	3	Vertical	212	1.41	36	38.84	11.26	32.08

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37793G	58.91	74.00	-15.09	40.90	3	Horizontal	360	1.80	36	38.84	11.26	32.09
AV	12.38349G	46.19	54.00	-7.81	28.17	3	Horizontal	360	1.80	36	38.83	11.27	32.08

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57252G	55.67	83.54	-27.87	53.19	1	Vertical	164	1.59	-	37.70	15.27	50.49
AV	18.57G	44.28	63.54	-19.26	41.79	1	Vertical	164	1.59	-	37.70	15.27	50.48

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58353G	55.72	83.54	-27.82	53.25	1	Horizontal	129	1.31	-	37.70	15.27	50.50
AV	18.57G	44.28	63.54	-19.26	41.79	1	Horizontal	129	1.31	-	37.70	15.27	50.48

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84722G	59.94	88.20	-28.26	40.58	3	Vertical	314	1.79	36	39.29	11.44	31.37
RMS	12.8107G	47.00	68.20	-21.20	27.79	3	Vertical	314	1.79	36	39.22	11.43	31.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8308G	59.64	88.20	-28.56	40.34	3	Horizontal	2	2.20	36	39.26	11.44	31.40
RMS	12.81098G	47.00	68.20	-21.20	27.79	3	Horizontal	2	2.20	36	39.22	11.43	31.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2546G	56.99	83.54	-26.55	55.15	1	Vertical	0	1.50	-	37.91	15.24	51.31
AV	19.23003G	44.84	63.54	-18.70	42.94	1	Vertical	0	1.50	-	37.94	15.24	51.28

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25166G	55.60	83.54	-27.94	53.76	1	Horizontal	73	1.36	-	37.90	15.24	51.30
AV	19.23021G	44.93	63.54	-18.61	43.03	1	Horizontal	73	1.36	-	37.94	15.24	51.28

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85254G	59.89	88.20	-28.31	40.51	3	Vertical	92	1.80	37	39.30	11.44	31.36
RMS	12.85026G	47.17	68.20	-21.03	27.80	3	Vertical	92	1.80	37	39.30	11.44	31.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88279G	59.69	88.20	-28.51	40.24	3	Horizontal	57	1.80	37	39.30	11.46	31.31
RMS	12.87106G	47.17	68.20	-21.03	27.75	3	Horizontal	57	1.80	37	39.30	11.45	31.33

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29741G	55.57	83.54	-27.97	53.70	1	Vertical	228	2.27	-	37.99	15.24	51.36
AV	19.29633G	44.57	63.54	-18.97	42.70	1	Vertical	228	2.27	-	37.99	15.24	51.36

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29948G	55.96	83.54	-27.58	54.08	1	Horizontal	32	2.42	-	38.00	15.24	51.36
AV	19.30533G	43.48	63.54	-20.06	41.64	1	Horizontal	32	2.42	-	37.98	15.23	51.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.933322G	59.17	88.20	-29.03	39.55	3	Vertical	224	1.16	33	39.37	11.47	31.22
RMS	12.93334G	46.83	68.20	-21.37	27.21	3	Vertical	224	1.16	33	39.37	11.47	31.22

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95839G	59.22	88.20	-28.98	39.55	3	Horizontal	88	1.96	33	39.37	11.48	31.18
RMS	12.93254G	46.84	68.20	-21.36	27.23	3	Horizontal	88	1.96	33	39.37	11.47	31.23

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41294G	55.01	83.54	-28.53	53.33	1	Vertical	288	2.05	-	37.95	15.23	51.50
AV	19.41063G	43.78	63.54	-19.76	42.08	1	Vertical	288	2.05	-	37.96	15.23	51.49

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41066G	54.08	83.54	-29.46	52.38	1	Horizontal	92	2.18	-	37.96	15.23	51.49
AV	19.41525G	42.55	63.54	-20.99	40.88	1	Horizontal	92	2.18	-	37.94	15.23	51.50

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03124G	59.84	88.20	-28.36	40.31	3	Vertical	187	1.80	37	39.08	11.51	31.06
RMS	13.01002G	47.32	68.20	-20.88	27.76	3	Vertical	187	1.80	37	39.16	11.50	31.10

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02864G	60.34	88.20	-27.86	40.81	3	Horizontal	321	2.70	37	39.09	11.51	31.07
RMS	13.0119G	47.31	68.20	-20.89	27.75	3	Horizontal	321	2.70	37	39.15	11.50	31.09

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54665G	54.98	83.54	-28.56	53.31	1	Vertical	75	1.41	-	38.09	15.22	51.64
AV	19.55112G	43.66	63.54	-19.88	41.99	1	Vertical	75	1.41	-	38.09	15.22	51.64

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55888G	54.13	83.54	-29.41	52.51	1	Horizontal	20	2.81	-	38.05	15.22	51.65
AV	19.55094G	42.66	63.54	-20.88	40.99	1	Horizontal	20	2.81	-	38.09	15.22	51.64

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0511G	58.16	88.20	-30.04	38.67	3	Vertical	256	1.80	36	39.00	11.52	31.03
RMS	13.06578G	46.33	68.20	-21.87	26.76	3	Vertical	256	1.80	36	39.06	11.52	31.01

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06061G	58.27	88.20	-29.93	38.73	3	Horizontal	124	1.50	36	39.04	11.52	31.02
RMS	13.07995G	46.20	68.20	-22.00	26.54	3	Horizontal	124	1.50	36	39.12	11.53	30.99

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60945G	55.19	83.54	-28.35	53.80	1	Vertical	0	2.12	-	37.86	15.22	51.69
AV	19.60956G	44.68	63.54	-18.86	43.29	1	Vertical	0	2.12	-	37.86	15.22	51.69

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60662G	55.60	83.54	-27.94	54.23	1	Horizontal	171	2.82	-	37.84	15.22	51.69
AV	19.6088G	43.70	63.54	-19.84	42.32	1	Horizontal	171	2.82	-	37.85	15.22	51.69

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40893G	59.97	88.20	-28.23	38.97	3	Vertical	330	1.05	40	39.84	11.66	30.50
RMS	13.40388G	47.41	68.20	-20.79	26.45	3	Vertical	330	1.05	40	39.82	11.65	30.51

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38469G	59.76	74.00	-14.24	38.88	3	Horizontal	6	1.06	40	39.77	11.65	30.54
RMS	13.40678G	47.47	68.20	-20.73	26.50	3	Horizontal	6	1.06	40	39.83	11.65	30.51

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08507G	54.32	83.54	-29.22	53.21	1	Vertical	304	1.74	-	37.84	15.27	52.00
AV	20.09607G	43.71	63.54	-19.83	42.55	1	Vertical	304	1.74	-	37.88	15.28	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09244G	54.75	83.54	-28.79	53.61	1	Horizontal	31	1.56	-	37.87	15.27	52.00
AV	20.09388G	42.65	63.54	-20.89	41.49	1	Horizontal	31	1.56	-	37.88	15.28	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76439G	59.53	88.20	-28.67	37.97	3	Vertical	1	1.56	37	40.20	11.79	30.43
RMS	13.76918G	47.33	68.20	-20.87	25.77	3	Vertical	1	1.56	37	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73342G	60.24	88.20	-27.96	38.71	3	Horizontal	172	1.80	37	40.17	11.78	30.42
RMS	13.73298G	47.26	68.20	-20.94	25.73	3	Horizontal	172	1.80	37	40.17	11.78	30.42

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61869G	55.40	83.54	-28.14	53.80	1	Vertical	42	1.73	-	37.96	15.69	52.05
AV	20.61141G	43.27	63.54	-20.27	41.64	1	Vertical	42	1.73	-	37.98	15.69	52.04

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61105G	54.46	83.54	-29.08	52.83	1	Horizontal	355	1.74	-	37.98	15.69	52.04
AV	20.61603G	43.27	63.54	-20.27	41.66	1	Horizontal	355	1.74	-	37.97	15.69	52.05

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77989G	60.13	88.20	-28.07	38.56	3	Vertical	103	1.80	40	40.20	11.80	30.43
RMS	13.78269G	47.78	68.20	-20.42	26.21	3	Vertical	103	1.80	40	40.20	11.80	30.43

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78748G	60.37	88.20	-27.83	38.80	3	Horizontal	160	1.80	40	40.20	11.80	30.43
RMS	13.78904G	47.58	68.20	-20.62	26.01	3	Horizontal	160	1.80	40	40.20	11.80	30.43

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6778G	53.50	83.54	-30.04	51.93	1	Vertical	225	1.97	-	37.90	15.74	52.07
AV	20.68872G	42.88	63.54	-20.66	41.31	1	Vertical	225	1.97	-	37.90	15.75	52.08

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69628G	54.62	83.54	-28.92	53.04	1	Horizontal	272	1.86	-	37.90	15.76	52.08
AV	20.69505G	42.90	63.54	-20.64	41.32	1	Horizontal	272	1.86	-	37.90	15.76	52.08

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98944G	62.46	88.20	-25.74	40.18	3	Vertical	18	1.80	36	40.88	11.88	30.48
RMS	13.97242G	48.94	68.20	-19.26	26.70	3	Vertical	18	1.80	36	40.84	11.87	30.47

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98253G	61.81	88.20	-26.39	39.55	3	Horizontal	355	1.80	36	40.87	11.87	30.48
RMS	13.97226G	48.94	68.20	-19.26	26.70	3	Horizontal	355	1.80	36	40.84	11.87	30.47

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98365G	53.90	83.54	-29.64	52.13	1	Vertical	340	2.53	-	37.97	15.99	52.19
AV	20.97G	42.13	63.54	-21.41	40.32	1	Vertical	340	2.53	-	38.02	15.98	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98191G	53.66	83.54	-29.88	51.89	1	Horizontal	33	2.32	-	37.97	15.99	52.19
AV	20.97123G	42.24	63.54	-21.30	40.43	1	Horizontal	33	2.32	-	38.02	15.98	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0908G	109.30	Inf	-Inf	98.27	3	Vertical	224	2.95	48	35.54	8.53	33.04
RMS	7.0908G	99.71	Inf	-Inf	88.68	3	Vertical	224	2.95	48	35.54	8.53	33.04
PK	7.188G	63.75	88.20	-24.45	52.28	3	Vertical	224	2.95	48	36.05	8.49	33.07
RMS	7.1258G	52.24	68.20	-15.96	41.02	3	Vertical	224	2.95	48	35.75	8.52	33.05

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0992G	98.24	Inf	-Inf	87.15	3	Horizontal	151	1.05	48	35.60	8.53	33.04
RMS	7.089G	88.82	Inf	-Inf	77.80	3	Horizontal	151	1.05	48	35.53	8.53	33.04
PK	7.1732G	63.71	88.20	-24.49	52.28	3	Horizontal	151	1.05	48	35.99	8.50	33.06
RMS	7.194G	52.14	68.20	-16.06	40.64	3	Horizontal	151	1.05	48	36.08	8.49	33.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18944G	63.40	88.20	-24.80	40.60	3	Vertical	168	1.80	48	41.48	11.97	30.65
RMS	14.18984G	51.41	68.20	-16.79	28.61	3	Vertical	168	1.80	48	41.48	11.97	30.65

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20662G	62.61	88.20	-25.59	39.81	3	Horizontal	106	1.80	48	41.49	11.98	30.67
RMS	14.19212G	50.34	68.20	-17.86	27.55	3	Horizontal	106	1.80	48	41.48	11.97	30.66

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27492G	54.66	83.54	-28.88	52.44	1	Vertical	297	2.51	-	38.20	16.22	52.20
AV	21.27576G	43.69	63.54	-19.85	41.46	1	Vertical	297	2.51	-	38.21	16.22	52.20

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2976G	55.49	83.54	-28.05	53.07	1	Horizontal	67	2.50	-	38.38	16.24	52.20
AV	21.27234G	44.68	63.54	-18.86	42.48	1	Horizontal	67	2.50	-	38.18	16.22	52.20

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	70.80	88.20	-17.40	63.73	3	Vertical	289	2.95	53	32.40	7.64	32.97
RMS	5.925G	52.74	68.20	-15.46	45.67	3	Vertical	289	2.95	53	32.40	7.64	32.97
PK	5.9802G	110.27	Inf	-Inf	103.13	3	Vertical	289	2.95	53	32.46	7.67	32.99
RMS	5.9722G	99.27	Inf	-Inf	92.15	3	Vertical	289	2.95	53	32.44	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	61.62	88.20	-26.58	54.55	3	Horizontal	123	2.95	53	32.40	7.64	32.97
RMS	5.8856G	51.07	68.20	-17.13	44.07	3	Horizontal	123	2.95	53	32.34	7.62	32.96
PK	5.9712G	99.50	Inf	-Inf	92.38	3	Horizontal	123	2.95	53	32.44	7.67	32.99
RMS	5.9736G	88.05	Inf	-Inf	80.92	3	Horizontal	123	2.95	53	32.45	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89819G	58.41	74.00	-15.59	40.91	3	Vertical	291	1.80	53	38.90	11.06	32.46
AV	11.91106G	47.44	54.00	-6.56	29.91	3	Vertical	291	1.80	53	38.92	11.07	32.46
PK	17.90568G	61.51	74.00	-12.49	31.29	3	Vertical	355	2.03	-	47.02	13.42	30.22
AV	17.90457G	49.03	54.00	-4.97	18.83	3	Vertical	355	2.03	-	47.00	13.42	30.22

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91841G	57.89	74.00	-16.11	40.33	3	Horizontal	69	1.80	53	38.94	11.08	32.46
AV	11.92233G	47.12	54.00	-6.88	29.56	3	Horizontal	69	1.80	53	38.94	11.08	32.46
PK	17.88147G	61.00	74.00	-13.00	31.40	3	Horizontal	205	2.49	-	46.46	13.41	30.27
AV	17.90133G	48.78	54.00	-5.22	18.65	3	Horizontal	205	2.49	-	46.93	13.42	30.22

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8537G	58.66	83.54	-24.88	52.93	1	Vertical	157	1.55	-	38.80	17.36	50.43
AV	23.8507G	46.82	63.54	-16.72	41.09	1	Vertical	157	1.55	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85589G	57.42	83.54	-26.12	51.69	1	Horizontal	127	1.59	-	38.80	17.36	50.43
AV	23.85943G	46.44	63.54	-17.10	40.71	1	Horizontal	127	1.59	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37224G	58.28	74.00	-15.72	40.25	3	Vertical	279	1.80	46	38.86	11.26	32.09
AV	12.37947G	48.01	54.00	-5.99	30.00	3	Vertical	279	1.80	46	38.84	11.26	32.09

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37661G	58.73	74.00	-15.27	40.71	3	Horizontal	117	1.80	46	38.85	11.26	32.09
AV	12.37619G	47.69	54.00	-6.31	29.67	3	Horizontal	117	1.80	46	38.85	11.26	32.09

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60594G	57.61	83.54	-25.93	55.16	1	Vertical	67	1.63	-	37.71	15.27	50.53
AV	18.61317G	46.60	63.54	-16.94	44.14	1	Vertical	67	1.63	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61803G	58.27	83.54	-25.27	55.80	1	Horizontal	22	1.48	-	37.74	15.27	50.54
AV	18.61143G	46.39	63.54	-17.15	43.93	1	Horizontal	22	1.48	-	37.72	15.27	50.53

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79402G	59.28	88.20	-28.92	40.16	3	Vertical	360	2.34	48	39.16	11.42	31.46
RMS	12.78906G	48.74	68.20	-19.46	29.66	3	Vertical	360	2.34	48	39.13	11.42	31.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77971G	59.59	88.20	-28.61	40.58	3	Horizontal	2	1.80	48	39.08	11.42	31.49
RMS	12.7913G	48.50	68.20	-19.70	29.40	3	Horizontal	2	1.80	48	39.15	11.42	31.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21425G	58.06	83.54	-25.48	56.11	1	Vertical	209	1.63	-	37.97	15.24	51.26
AV	19.21041G	46.55	63.54	-16.99	44.58	1	Vertical	209	1.63	-	37.98	15.24	51.25

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20468G	59.75	83.54	-23.79	57.77	1	Horizontal	238	1.62	-	37.99	15.24	51.25
AV	19.21164G	47.62	63.54	-15.92	45.65	1	Horizontal	238	1.62	-	37.98	15.24	51.25

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86635G	59.49	88.20	-28.71	40.08	3	Vertical	289	1.80	48	39.30	11.45	31.34
RMS	12.87561G	48.59	68.20	-19.61	29.16	3	Vertical	289	1.80	48	39.30	11.45	31.32

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8912G	60.12	88.20	-28.08	40.66	3	Horizontal	248	1.80	48	39.30	11.46	31.30
RMS	12.87657G	48.75	68.20	-19.45	29.32	3	Horizontal	248	1.80	48	39.30	11.45	31.32

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34046G	59.48	83.54	-24.06	57.82	1	Vertical	310	1.46	-	37.84	15.23	51.41
AV	19.33584G	47.83	63.54	-15.71	46.14	1	Vertical	310	1.46	-	37.86	15.23	51.40

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32666G	59.91	83.54	-23.63	58.18	1	Horizontal	67	1.86	-	37.89	15.23	51.39
AV	19.33776G	47.55	63.54	-15.99	45.88	1	Horizontal	67	1.86	-	37.85	15.23	51.41

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95897G	60.24	88.20	-27.96	40.58	3	Vertical	14	1.80	49	39.36	11.48	31.18
RMS	12.9659G	48.76	68.20	-19.44	29.14	3	Vertical	14	1.80	49	39.26	11.49	31.13

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9951G	60.85	88.20	-27.35	41.25	3	Horizontal	86	2.94	49	39.22	11.50	31.12
RMS	13.00748G	48.83	68.20	-19.37	29.26	3	Horizontal	86	2.94	49	39.17	11.50	31.10

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45002G	59.55	83.54	-23.99	58.06	1	Vertical	157	1.84	-	37.80	15.23	51.54
AV	19.44564G	46.91	63.54	-16.63	45.39	1	Vertical	157	1.84	-	37.82	15.23	51.53

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45182G	60.25	83.54	-23.29	58.75	1	Horizontal	236	1.78	-	37.81	15.23	51.54
AV	19.44543G	47.45	63.54	-16.09	45.93	1	Horizontal	236	1.78	-	37.82	15.23	51.53

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03474G	59.95	88.20	-28.25	40.44	3	Vertical	222	1.59	49	39.06	11.51	31.06
RMS	13.02059G	48.58	68.20	-19.62	29.03	3	Vertical	222	1.59	49	39.12	11.51	31.08

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02323G	60.17	88.20	-28.03	40.63	3	Horizontal	1	2.95	49	39.11	11.51	31.08
RMS	13.03258G	48.85	68.20	-19.35	29.33	3	Horizontal	1	2.95	49	39.07	11.51	31.06

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57638G	60.27	83.54	-23.27	58.77	1	Vertical	289	1.78	-	37.94	15.22	51.66
AV	19.56648G	49.21	63.54	-14.33	47.64	1	Vertical	289	1.78	-	38.00	15.22	51.65

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58766G	60.94	83.54	-22.60	59.52	1	Horizontal	231	1.62	-	37.87	15.22	51.67
AV	19.56993G	46.99	63.54	-16.55	45.45	1	Horizontal	231	1.62	-	37.98	15.22	51.66

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11282G	58.83	88.20	-29.37	38.98	3	Vertical	126	1.80	48	39.25	11.54	30.94
RMS	13.10003G	47.72	68.20	-20.48	27.94	3	Vertical	126	1.80	48	39.20	11.54	30.96

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09316G	58.81	88.20	-29.39	39.07	3	Horizontal	213	1.80	48	39.17	11.54	30.97
RMS	13.09955G	47.65	68.20	-20.55	27.87	3	Horizontal	213	1.80	48	39.20	11.54	30.96

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70868G	60.36	83.54	-23.18	59.10	1	Vertical	283	1.58	-	37.82	15.21	51.77
AV	19.69833G	47.19	63.54	-16.35	45.92	1	Vertical	283	1.58	-	37.81	15.22	51.76

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68444G	60.06	83.54	-23.48	58.70	1	Horizontal	289	1.77	-	37.89	15.22	51.75
AV	19.68273G	47.16	63.54	-16.38	45.79	1	Horizontal	289	1.77	-	37.90	15.22	51.75

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38271G	59.60	74.00	-14.40	38.72	3	Vertical	312	1.36	50	39.77	11.65	30.54
AV	13.37731G	48.50	54.00	-5.50	27.66	3	Vertical	312	1.36	50	39.75	11.64	30.55

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39462G	60.37	74.00	-13.63	39.46	3	Horizontal	100	2.84	50	39.79	11.65	30.53
AV	13.38944G	48.65	54.00	-5.35	27.75	3	Horizontal	100	2.84	50	39.78	11.65	30.53

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04315G	59.99	83.54	-23.55	59.05	1	Vertical	80	1.82	-	37.71	15.23	52.00
AV	20.04012G	49.03	63.54	-14.51	48.08	1	Vertical	80	1.82	-	37.72	15.23	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05262G	62.13	83.54	-21.41	61.18	1	Horizontal	1	1.58	-	37.71	15.24	52.00
AV	20.04798G	50.10	63.54	-13.44	49.16	1	Horizontal	1	1.58	-	37.70	15.24	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73116G	59.77	88.20	-28.43	38.25	3	Vertical	357	1.80	51	40.16	11.78	30.42
RMS	13.74339G	48.55	68.20	-19.65	27.00	3	Vertical	357	1.80	51	40.19	11.78	30.42

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77647G	59.91	88.20	-28.29	38.34	3	Horizontal	360	1.98	51	40.20	11.80	30.43
RMS	13.76906G	48.64	68.20	-19.56	27.08	3	Horizontal	360	1.98	51	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65074G	60.46	83.54	-23.08	58.90	1	Vertical	14	1.70	-	37.90	15.72	52.06
AV	20.65908G	49.40	63.54	-14.14	47.83	1	Vertical	14	1.70	-	37.90	15.73	52.06

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65773G	59.82	83.54	-23.72	58.25	1	Horizontal	163	1.53	-	37.90	15.73	52.06
AV	20.66016G	48.95	63.54	-14.59	47.38	1	Horizontal	163	1.53	-	37.90	15.73	52.06

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88901G	61.09	88.20	-27.11	39.10	3	Vertical	145	2.12	48	40.61	11.84	30.46
RMS	13.88876G	50.49	68.20	-17.71	28.50	3	Vertical	145	2.12	48	40.61	11.84	30.46

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8762G	61.74	88.20	-26.46	39.85	3	Horizontal	118	2.06	48	40.51	11.83	30.45
RMS	13.86646G	50.20	68.20	-18.00	28.39	3	Horizontal	118	2.06	48	40.43	11.83	30.45

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76885G	58.42	83.54	-25.12	56.76	1	Vertical	184	1.45	-	37.95	15.82	52.11
AV	20.76711G	47.51	63.54	-16.03	45.87	1	Vertical	184	1.45	-	37.94	15.81	52.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77494G	59.49	83.54	-24.05	57.78	1	Horizontal	242	1.60	-	38.00	15.82	52.11
AV	20.77368G	48.14	63.54	-15.40	46.44	1	Horizontal	242	1.60	-	37.99	15.82	52.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97476G	61.35	88.20	-26.85	39.10	3	Vertical	140	1.80	51	40.85	11.87	30.47
RMS	13.99897G	50.34	68.20	-17.86	28.04	3	Vertical	140	1.80	51	40.90	11.88	30.48

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97795G	61.27	88.20	-26.93	39.02	3	Horizontal	1	1.80	51	40.86	11.87	30.48
RMS	13.97308G	50.37	68.20	-17.83	28.12	3	Horizontal	1	1.80	51	40.85	11.87	30.47

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00095G	60.77	83.54	-22.77	59.06	1	Vertical	330	1.82	-	37.91	16.00	52.20
AV	21.00429G	49.64	63.54	-13.90	47.90	1	Vertical	330	1.82	-	37.94	16.00	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02154G	60.82	83.54	-22.72	58.88	1	Horizontal	89	1.50	-	38.12	16.02	52.20
AV	21.02793G	49.48	63.54	-14.06	47.48	1	Horizontal	89	1.50	-	38.18	16.02	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0686G	108.86	Inf	-Inf	97.94	3	Vertical	226	2.95	60	35.41	8.54	33.03
AV	7.0782G	100.46	Inf	-Inf	89.49	3	Vertical	226	2.95	60	35.47	8.53	33.03
PK	7.1258G	76.81	88.20	-11.39	65.59	3	Vertical	226	2.95	60	35.75	8.52	33.05
AV	7.1256G	57.89	68.20	-10.31	46.67	3	Vertical	226	2.95	60	35.75	8.52	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0864G	99.28	Inf	-Inf	88.27	3	Horizontal	160	1.80	60	35.52	8.53	33.04
AV	7.099G	88.55	Inf	-Inf	77.47	3	Horizontal	160	1.80	60	35.59	8.53	33.04
PK	7.1446G	64.02	88.20	-24.18	52.69	3	Horizontal	160	1.80	60	35.87	8.51	33.05
AV	7.1444G	53.65	68.20	-14.55	42.32	3	Horizontal	160	1.80	60	35.87	8.51	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1688G	66.02	88.20	-22.18	43.26	3	Vertical	176	1.80	60	41.44	11.96	30.64
RMS	14.16672G	55.36	68.20	-12.84	32.60	3	Vertical	176	1.80	60	41.43	11.96	30.63

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15569G	62.27	88.20	-25.93	39.53	3	Horizontal	243	1.80	60	41.41	11.95	30.62
RMS	14.18974G	51.56	68.20	-16.64	28.76	3	Horizontal	243	1.80	60	41.48	11.97	30.65

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2511G	61.19	83.54	-22.35	59.18	1	Vertical	351	1.80	-	38.01	16.20	52.20
AV	21.25592G	49.60	63.54	-13.94	47.55	1	Vertical	351	1.80	-	38.05	16.20	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2489G	60.18	83.54	-23.36	58.18	1	Horizontal	45	1.80	-	38.00	16.20	52.20
AV	21.26138G	49.08	63.54	-14.46	46.98	1	Horizontal	45	1.80	-	38.09	16.21	52.20

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	73.80	88.20	-14.40	66.73	3	Vertical	284	2.95	60	32.40	7.64	32.97
RMS	5.9246G	56.00	68.20	-12.20	48.93	3	Vertical	284	2.95	60	32.40	7.64	32.97
PK	5.9946G	108.78	Inf	-Inf	101.61	3	Vertical	284	2.95	60	32.49	7.68	33.00
RMS	5.9994G	98.75	Inf	-Inf	91.57	3	Vertical	284	2.95	60	32.50	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	61.83	88.20	-26.37	54.76	3	Horizontal	118	2.95	60	32.40	7.64	32.97
RMS	5.897G	51.04	68.20	-17.16	43.98	3	Horizontal	118	2.95	60	32.39	7.63	32.96
PK	6.0042G	97.88	Inf	-Inf	90.69	3	Horizontal	118	2.95	60	32.51	7.68	33.00
RMS	5.999G	86.94	Inf	-Inf	79.76	3	Horizontal	118	2.95	60	32.50	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00149G	58.73	74.00	-15.27	40.95	3	Vertical	128	2.95	60	39.11	11.12	32.45
AV	12.01012G	47.56	54.00	-6.44	29.74	3	Vertical	128	2.95	60	39.14	11.12	32.44
PK	17.9549G	63.30	74.00	-10.70	31.80	3	Vertical	305	1.45	-	48.16	13.44	30.10
AV	17.9513G	48.45	54.00	-5.55	17.09	3	Vertical	305	1.45	-	48.04	13.43	30.11

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91358G	58.55	74.00	-15.45	41.01	3	Horizontal	301	1.07	60	38.93	11.07	32.46
AV	11.94576G	47.83	54.00	-6.17	30.21	3	Horizontal	301	1.07	60	38.99	11.09	32.46
PK	17.95878G	63.32	74.00	-10.68	31.69	3	Horizontal	332	1.44	-	48.28	13.44	30.09
AV	17.96008G	48.34	54.00	-5.66	16.67	3	Horizontal	332	1.44	-	48.32	13.44	30.09

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94048G	62.37	83.54	-21.17	56.52	1	Vertical	348	1.83	-	38.88	17.38	50.41
AV	23.94754G	51.33	63.54	-12.21	45.46	1	Vertical	348	1.83	-	38.90	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.938G	61.99	83.54	-21.55	56.14	1	Horizontal	306	1.57	-	38.88	17.38	50.41
AV	23.94936G	51.19	63.54	-12.35	45.32	1	Horizontal	306	1.57	-	38.90	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40748G	58.97	74.00	-15.03	41.00	3	Vertical	357	2.94	58	38.76	11.27	32.06
AV	12.42538G	47.66	54.00	-6.34	29.77	3	Vertical	357	2.94	58	38.65	11.28	32.04

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4727G	59.02	74.00	-14.98	41.22	3	Horizontal	256	1.13	58	38.50	11.30	32.00
AV	12.39246G	47.57	54.00	-6.43	29.55	3	Horizontal	256	1.13	58	38.82	11.27	32.07

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6713G	60.61	83.54	-22.93	58.24	1	Vertical	256	1.43	-	37.71	15.27	50.61
AV	18.684G	49.96	63.54	-13.58	47.65	1	Vertical	256	1.43	-	37.66	15.27	50.62

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66834G	60.42	83.54	-23.12	58.02	1	Horizontal	126	1.81	-	37.73	15.27	50.60
AV	18.68148G	49.37	63.54	-14.17	47.05	1	Horizontal	126	1.81	-	37.67	15.27	50.62

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.75833G	59.03	88.20	-29.17	40.20	3	Vertical	189	2.24	57	38.95	11.41	31.53
RMS	12.76542G	47.98	68.20	-20.22	29.09	3	Vertical	189	2.24	57	38.99	11.41	31.51

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76339G	60.17	88.20	-28.03	41.30	3	Horizontal	99	1.05	57	38.98	11.41	31.52
RMS	12.7529G	48.51	68.20	-19.69	29.72	3	Horizontal	99	1.05	57	38.92	11.41	31.54

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15398G	61.48	83.54	-22.06	59.70	1	Vertical	160	1.66	-	37.72	15.24	51.18
AV	19.15818G	49.92	63.54	-13.62	48.12	1	Vertical	160	1.66	-	37.75	15.24	51.19

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1537G	61.10	83.54	-22.44	59.32	1	Horizontal	247	1.81	-	37.72	15.24	51.18
AV	19.15974G	49.04	63.54	-14.50	47.23	1	Horizontal	247	1.81	-	37.76	15.24	51.19

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86748G	59.13	88.20	-29.07	39.72	3	Vertical	360	2.95	59	39.30	11.45	31.34
RMS	12.86846G	47.88	68.20	-20.32	28.47	3	Vertical	360	2.95	59	39.30	11.45	31.34

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87193G	59.57	88.20	-28.63	40.15	3	Horizontal	10	1.80	59	39.30	11.45	31.33
RMS	12.87773G	48.03	68.20	-20.17	28.60	3	Horizontal	10	1.80	59	39.30	11.45	31.32

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39966G	62.50	83.54	-21.04	60.76	1	Vertical	231	1.51	-	37.99	15.23	51.48
AV	19.39968G	49.38	63.54	-14.16	47.63	1	Vertical	231	1.51	-	38.00	15.23	51.48

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39836G	61.92	83.54	-21.62	60.18	1	Horizontal	164	1.47	-	37.99	15.23	51.48
AV	19.40492G	49.81	63.54	-13.73	48.09	1	Horizontal	164	1.47	-	37.98	15.23	51.49

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01436G	58.75	88.20	-29.45	39.19	3	Vertical	171	1.69	60	39.14	11.51	31.09
RMS	13.0104G	47.42	68.20	-20.78	27.85	3	Vertical	171	1.69	60	39.16	11.50	31.09

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01881G	58.51	88.20	-29.69	38.96	3	Horizontal	355	1.80	60	39.12	11.51	31.08
RMS	13.01024G	47.49	68.20	-20.71	27.92	3	Horizontal	355	1.80	60	39.16	11.50	31.09

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6418G	62.07	83.54	-21.47	60.51	1	Vertical	93	1.53	-	38.05	15.22	51.71
AV	19.62562G	51.22	63.54	-12.32	49.75	1	Vertical	93	1.53	-	37.95	15.22	51.70

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63868G	63.78	83.54	-19.76	62.24	1	Horizontal	22	1.74	-	38.03	15.22	51.71			
AV	19.63036G	51.21	63.54	-12.33	49.71	1	Horizontal	22	1.74	-	37.98	15.22	51.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23767G	60.43	88.20	-27.77	40.40	3	Vertical	305	2.94	59	39.20	11.59	30.76
RMS	13.23769G	48.56	68.20	-19.64	28.53	3	Vertical	305	2.94	59	39.20	11.59	30.76

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24391G	59.46	88.20	-28.74	39.42	3	Horizontal	318	1.80	59	39.20	11.59	30.75
RMS	13.246G	48.60	68.20	-19.60	28.56	3	Horizontal	318	1.80	59	39.20	11.59	30.75

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87904G	61.66	83.54	-21.88	60.58	1	Vertical	141	1.68	-	37.77	15.21	51.90
AV	19.86648G	50.12	63.54	-13.42	49.10	1	Vertical	141	1.68	-	37.70	15.21	51.89

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87784G	60.94	83.54	-22.60	59.86	1	Horizontal	178	1.59	-	37.77	15.21	51.90
AV	19.87098G	49.19	63.54	-14.35	48.15	1	Horizontal	178	1.59	-	37.73	15.21	51.90

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40976G	61.30	88.20	-26.90	40.30	3	Vertical	192	1.80	-	39.84	11.66	30.50
RMS	13.40948G	50.28	68.20	-17.92	29.28	3	Vertical	192	1.80	-	39.84	11.66	30.50

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41966G	58.95	88.20	-29.25	37.90	3	Horizontal	272	1.59	-	39.88	11.66	30.49
RMS	13.40886G	49.96	68.20	-18.24	28.96	3	Horizontal	272	1.59	-	39.84	11.66	30.50

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1068G	62.76	83.54	-20.78	61.61	1	Vertical	317	1.54	-	37.86	15.29	52.00
AV	20.1115G	50.22	63.54	-13.32	49.10	1	Vertical	317	1.54	-	37.83	15.29	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11042G	61.35	83.54	-22.19	60.22	1	Horizontal	276	1.47	-	37.84	15.29	52.00
AV	20.11162G	50.36	63.54	-13.18	49.24	1	Horizontal	276	1.47	-	37.83	15.29	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.59893G	61.47	88.20	-26.73	40.03	3	Vertical	36	1.80	60	40.10	11.73	30.39
RMS	13.59573G	49.54	68.20	-18.66	28.08	3	Vertical	36	1.80	60	40.12	11.73	30.39

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.61492G	60.59	88.20	-27.61	39.16	3	Horizontal	333	2.77	60	40.10	11.73	30.40
RMS	13.58582G	49.60	68.20	-18.60	28.11	3	Horizontal	333	2.77	60	40.16	11.72	30.39

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
SET 60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3627G	62.60	83.54	-20.94	61.04	1	Vertical	8	1.77	-	38.07	15.49	52.00			
AV	20.3645G	50.42	63.54	-13.12	48.86	1	Vertical	8	1.77	-	38.07	15.49	52.00			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34572G	61.58	83.54	-21.96	59.99	1	Horizontal	277	1.64	-	38.11	15.48	52.00
AV	20.35024G	50.41	63.54	-13.13	48.83	1	Horizontal	277	1.64	-	38.10	15.48	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72856G	61.26	88.20	-26.94	39.74	3	Vertical	175	1.50	-	40.16	11.78	30.42
RMS	13.72598G	49.17	68.20	-19.03	27.66	3	Vertical	175	1.50	-	40.15	11.78	30.42

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73362G	60.91	88.20	-27.29	39.38	3	Horizontal	317	1.72	-	40.17	11.78	30.42
RMS	13.7382G	49.23	68.20	-18.97	27.69	3	Horizontal	317	1.72	-	40.18	11.78	30.42

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59428G	64.41	83.54	-19.13	62.78	1	Vertical	196	1.70	-	37.99	15.68	52.04
AV	20.60108G	51.69	63.54	-11.85	50.05	1	Vertical	196	1.70	-	38.00	15.68	52.04

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60218G	63.42	83.54	-20.12	61.78	1	Horizontal	78	1.69	-	38.00	15.68	52.04
AV	20.60024G	51.93	63.54	-11.61	50.29	1	Horizontal	78	1.69	-	38.00	15.68	52.04

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.90576G	62.88	88.20	-25.32	40.79	3	Vertical	1	1.37	60	40.71	11.84	30.46
RMS	13.90694G	51.22	68.20	-16.98	29.13	3	Vertical	1	1.37	60	40.71	11.84	30.46

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89016G	61.88	88.20	-26.32	39.88	3	Horizontal	1	1.94	60	40.62	11.84	30.46
RMS	13.89304G	50.91	68.20	-17.29	28.89	3	Horizontal	1	1.94	60	40.64	11.84	30.46

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82778G	62.34	83.54	-21.20	60.41	1	Vertical	27	1.42	-	38.20	15.86	52.13
AV	20.82902G	51.38	63.54	-12.16	49.45	1	Vertical	27	1.42	-	38.20	15.86	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8305G	63.71	83.54	-19.83	61.78	1	Horizontal	203	1.85	-	38.20	15.86	52.13
AV	20.82626G	51.42	63.54	-12.12	49.49	1	Horizontal	203	1.85	-	38.20	15.86	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9994G	108.24	Inf	-Inf	97.59	3	Vertical	266	2.95	60	35.10	8.56	33.01
AV	7.0342G	99.22	Inf	-Inf	88.45	3	Vertical	266	2.95	60	35.24	8.55	33.02
PK	7.1282G	67.85	88.20	-20.35	56.61	3	Vertical	266	2.95	60	35.77	8.52	33.05
AV	7.1266G	55.32	68.20	-12.88	44.09	3	Vertical	266	2.95	60	35.76	8.52	33.05

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.033G	99.19	Inf	-Inf	88.43	3	Horizontal	165	2.48	60	35.23	8.55	33.02
AV	7.033G	90.25	Inf	-Inf	79.49	3	Horizontal	165	2.48	60	35.23	8.55	33.02
PK	7.1982G	64.26	88.20	-23.94	52.75	3	Horizontal	165	2.48	60	36.09	8.49	33.07
AV	7.2178G	53.88	68.20	-14.32	42.31	3	Horizontal	165	2.48	60	36.14	8.51	33.08

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04618G	59.52	88.20	-28.68	37.15	3	Vertical	30	1.77	-	40.99	11.90	30.52
RMS	14.04522G	50.51	68.20	-17.69	28.14	3	Vertical	30	1.77	-	40.99	11.90	30.52

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0587G	60.81	88.20	-27.39	38.40	3	Horizontal	23	1.78	-	41.03	11.91	30.53
RMS	14.04552G	50.53	68.20	-17.67	28.16	3	Horizontal	23	1.78	-	40.99	11.90	30.52

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0687G	64.27	83.54	-19.27	62.13	1	Vertical	335	1.68	-	38.29	16.05	52.20
AV	21.06674G	51.90	63.54	-11.64	49.75	1	Vertical	335	1.68	-	38.30	16.05	52.20

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07634G	63.90	83.54	-19.64	61.80	1	Horizontal	156	1.66	-	38.24	16.06	52.20
AV	21.0744G	51.84	63.54	-11.70	49.73	1	Horizontal	156	1.66	-	38.25	16.06	52.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 SET 76
 84\52\68\76
 -8.39\15.16\7.55\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9245G	75.85	88.20	-12.35	68.78	3	Vertical	299	1.80	76	32.40	7.64	32.97
RMS	5.9245G	68.05	68.20	-0.15	60.98	3	Vertical	299	1.80	76	32.40	7.64	32.97
PK	6.055G	107.66	Inf	-Inf	100.39	3	Vertical	299	1.80	76	32.59	7.69	33.01
RMS	6.05G	98.59	Inf	-Inf	91.31	3	Vertical	299	1.80	76	32.60	7.69	33.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	66.93	88.20	-21.27	59.86	3	Horizontal	202	2.53	76	32.40	7.64	32.97
RMS	5.9225G	58.78	68.20	-9.42	51.71	3	Horizontal	202	2.53	76	32.40	7.64	32.97
PK	6.0805G	96.41	Inf	-Inf	89.18	3	Horizontal	202	2.53	76	32.54	7.70	33.01
RMS	6.1005G	88.51	Inf	-Inf	81.32	3	Horizontal	202	2.53	76	32.50	7.70	33.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04878G	49.28	74.00	-24.72	31.24	3	Vertical	351	1.53	-	39.30	11.14	32.40
AV	12.05474G	37.92	54.00	-16.08	19.88	3	Vertical	351	1.53	-	39.30	11.14	32.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05424G	50.32	74.00	-23.68	32.28	3	Horizontal	20	1.60	-	39.30	11.14	32.40
AV	12.0582G	38.10	54.00	-15.90	20.05	3	Horizontal	20	1.60	-	39.30	11.14	32.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07426G	68.04	83.54	-15.50	64.96	1	Vertical	65	1.80	-	37.50	15.30	49.72
AV	18.07046G	57.50	63.54	-6.04	54.43	1	Vertical	65	1.80	-	37.48	15.30	49.71

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07082G	68.78	83.54	-14.76	65.71	1	Horizontal	39	1.57	-	37.48	15.30	49.71
AV	18.0791G	57.59	63.54	-5.95	54.50	1	Horizontal	39	1.57	-	37.52	15.30	49.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36842G	44.63	74.00	-29.37	26.61	3	Vertical	327	1.46	-	38.86	11.26	32.10
AV	12.37414G	37.37	54.00	-16.63	19.35	3	Vertical	327	1.46	-	38.85	11.26	32.09

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36714G	45.47	74.00	-28.53	27.44	3	Horizontal	212	1.69	-	38.87	11.26	32.10
AV	12.37826G	37.08	54.00	-16.92	19.07	3	Horizontal	212	1.69	-	38.84	11.26	32.09

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54732G	67.18	83.54	-16.36	64.66	1	Vertical	310	1.71	-	37.71	15.27	50.46
AV	18.55212G	56.76	63.54	-6.78	54.25	1	Vertical	310	1.71	-	37.70	15.27	50.46

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54774G	68.06	83.54	-15.48	65.54	1	Horizontal	188	1.62	-	37.71	15.27	50.46
AV	18.56136G	57.88	63.54	-5.66	55.38	1	Horizontal	188	1.62	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68746G	47.77	74.00	-26.23	29.24	3	Vertical	306	1.57	-	38.80	11.38	31.65
AV	12.68346G	38.79	54.00	-15.21	20.26	3	Vertical	306	1.57	-	38.80	11.38	31.65

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68062G	48.29	74.00	-25.71	29.77	3	Horizontal	350	1.42	-	38.80	11.38	31.66
AV	12.6901G	38.76	54.00	-15.24	20.22	3	Horizontal	350	1.42	-	38.80	11.38	31.64

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04152G	68.15	83.54	-15.39	66.05	1	Vertical	257	1.54	-	37.90	15.25	51.05
AV	19.0431G	56.69	63.54	-6.85	54.59	1	Vertical	257	1.54	-	37.90	15.25	51.05

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02844G	68.83	83.54	-14.71	66.71	1	Horizontal	30	1.66	-	37.90	15.25	51.03
AV	19.02918G	56.47	63.54	-7.07	54.36	1	Horizontal	30	1.66	-	37.90	15.25	51.04

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01624G	59.48	88.20	-28.72	39.92	3	Vertical	345	1.72	-	39.14	11.51	31.09
RMS	13.0192G	49.98	68.20	-18.22	30.43	3	Vertical	345	1.72	-	39.12	11.51	31.08

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00376G	60.34	88.20	-27.86	40.76	3	Horizontal	128	1.59	-	39.18	11.50	31.10
RMS	13.01594G	49.14	68.20	-19.06	29.58	3	Horizontal	128	1.59	-	39.14	11.51	31.09

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51482G	68.02	83.54	-15.52	66.38	1	Vertical	307	1.78	-	38.03	15.22	51.61
AV	19.5079G	56.82	63.54	-6.72	55.19	1	Vertical	307	1.78	-	38.02	15.22	51.61

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5151G	67.35	83.54	-16.19	65.71	1	Horizontal	259	1.73	-	38.03	15.22	51.61
AV	19.51652G	56.79	63.54	-6.75	55.15	1	Horizontal	259	1.73	-	38.03	15.22	51.61

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32452G	50.28	74.00	-23.72	29.74	3	Vertical	43	1.45	-	39.55	11.62	30.63
AV	13.33862G	41.71	54.00	-12.29	21.06	3	Vertical	43	1.45	-	39.63	11.63	30.61

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3394G	50.30	74.00	-23.70	29.64	3	Horizontal	224	1.40	-	39.64	11.63	30.61
AV	13.3313G	41.17	54.00	-12.83	20.57	3	Horizontal	224	1.40	-	39.59	11.63	30.62

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00438G	68.15	83.54	-15.39	67.16	1	Vertical	265	1.43	-	37.79	15.20	52.00
AV	20.00402G	56.90	63.54	-6.64	55.91	1	Vertical	265	1.43	-	37.79	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99396G	68.41	83.54	-15.13	67.41	1	Horizontal	189	1.40	-	37.80	15.20	52.00
AV	20.00186G	56.05	63.54	-7.49	55.05	1	Horizontal	189	1.40	-	37.80	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64872G	61.44	88.20	-26.76	39.99	3	Vertical	163	1.44	-	40.10	11.75	30.40
RMS	13.64502G	52.21	68.20	-15.99	30.76	3	Vertical	163	1.44	-	40.10	11.75	30.40

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64804G	61.38	88.20	-26.82	39.93	3	Horizontal	8	1.65	-	40.10	11.75	30.40
RMS	13.65266G	52.38	68.20	-15.82	30.93	3	Horizontal	8	1.65	-	40.10	11.75	30.40

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47242G	68.49	83.54	-15.05	67.09	1	Vertical	270	1.69	-	37.82	15.58	52.00
AV	20.47346G	56.34	63.54	-7.20	54.95	1	Vertical	270	1.69	-	37.81	15.58	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47354G	68.67	83.54	-14.87	67.28	1	Horizontal	255	1.83	-	37.81	15.58	52.00
AV	20.4671G	56.19	63.54	-7.35	54.76	1	Horizontal	255	1.83	-	37.86	15.57	52.00

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
 SET 70
 73\65\69\71\70
 -1.89\5.25\1.44\0.38\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0595G	108.15	Inf	-Inf	97.28	3	Vertical	268	2.95	70	35.36	8.54	33.03
RMS	7.044G	100.14	Inf	-Inf	89.34	3	Vertical	268	2.95	70	35.28	8.54	33.02
PK	7.1395G	76.73	88.20	-11.47	65.43	3	Vertical	268	2.95	70	35.84	8.51	33.05
RMS	7.127G	67.49	68.20	-0.71	56.26	3	Vertical	268	2.95	70	35.76	8.52	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.923G	98.63	Inf	-Inf	88.33	3	Horizontal	44	2.40	70	34.84	8.48	33.02
RMS	6.908G	91.20	Inf	-Inf	81.01	3	Horizontal	44	2.40	70	34.75	8.46	33.02
PK	7.15G	65.83	88.20	-22.37	54.47	3	Horizontal	44	2.40	70	35.90	8.51	33.05
RMS	7.1255G	57.75	68.20	-10.45	46.53	3	Horizontal	44	2.40	70	35.75	8.52	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96072G	63.60	88.20	-24.60	41.38	3	Vertical	110	1.76	-	40.82	11.87	30.47
RMS	13.973G	53.23	68.20	-14.97	30.98	3	Vertical	110	1.76	-	40.85	11.87	30.47

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97592G	62.80	88.20	-25.40	40.55	3	Horizontal	226	1.79	-	40.85	11.87	30.47
RMS	13.97302G	53.06	68.20	-15.14	30.81	3	Horizontal	226	1.79	-	40.85	11.87	30.47

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94814G	66.20	83.54	-17.34	64.32	1	Vertical	6	1.67	-	38.10	15.96	52.18
AV	20.95874G	54.93	63.54	-8.61	53.07	1	Vertical	6	1.67	-	38.07	15.97	52.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95002G	66.15	83.54	-17.39	64.27	1	Horizontal	95	1.54	-	38.10	15.96	52.18
AV	20.94864G	54.10	63.54	-9.44	52.22	1	Horizontal	95	1.54	-	38.10	15.96	52.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
 SET 52
 60\52
 -1.80\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	77.13	88.20	-11.07	70.06	3	Vertical	283	2.95	52	32.40	7.64	32.97
RMS	5.9218G	68.03	68.20	-0.17	60.96	3	Vertical	283	2.95	52	32.40	7.64	32.97
PK	6.1322G	102.69	Inf	-Inf	95.36	3	Vertical	283	2.95	52	32.63	7.71	33.01
RMS	6.069G	93.53	Inf	-Inf	86.29	3	Vertical	283	2.95	52	32.56	7.69	33.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	65.36	88.20	-22.84	58.29	3	Horizontal	116	2.95	52	32.40	7.64	32.97
RMS	5.9234G	56.22	68.20	-11.98	49.15	3	Horizontal	116	2.95	52	32.40	7.64	32.97
PK	6.0746G	90.19	Inf	-Inf	82.96	3	Horizontal	116	2.95	52	32.55	7.69	33.01
RMS	6.149G	81.92	Inf	-Inf	74.52	3	Horizontal	116	2.95	52	32.70	7.71	33.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.11865G	58.95	74.00	-15.05	40.82	3	Vertical	360	1.80	52	39.30	11.17	32.34
AV	12.11624G	49.76	54.00	-4.24	31.64	3	Vertical	360	1.80	52	39.30	11.16	32.34

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.10703G	59.18	74.00	-14.82	41.07	3	Horizontal	334	1.37	52	39.30	11.16	32.35
AV	12.1078G	49.63	54.00	-4.37	31.52	3	Horizontal	334	1.37	52	39.30	11.16	32.35

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



EUT_Z_2TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31882G	59.47	83.54	-24.07	56.80	1	Vertical	279	1.50	-	37.50	15.28	50.11
AV	18.3188G	48.67	63.54	-14.87	46.00	1	Vertical	279	1.50	-	37.50	15.28	50.11