


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88571G	54.59	88.20	-33.61	46.33	3	Horizontal	282	2.00	-	39.20	11.82	42.76
RMS	12.8893G	41.41	68.20	-26.79	33.15	3	Horizontal	282	2.00	-	39.20	11.82	42.76

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33328G	39.91	83.54	-43.63	38.21	1	Vertical	233	1.58	-	37.87	15.23	51.40
AV	19.33864G	26.43	63.54	-37.11	24.76	1	Vertical	233	1.58	-	37.85	15.23	51.41

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33242G	39.39	83.54	-44.15	37.69	1	Horizontal	74	1.52	-	37.87	15.23	51.40
AV	19.33587G	26.33	63.54	-37.21	24.64	1	Horizontal	74	1.52	-	37.86	15.23	51.40

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 51
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96989G	54.57	88.20	-33.63	46.10	3	Vertical	29	2.19	-	39.30	11.85	42.68
RMS	12.96541G	41.93	68.20	-26.27	33.46	3	Vertical	29	2.19	-	39.30	11.85	42.68

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
 Setting 51
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96872G	55.19	88.20	-33.01	46.72	3	Horizontal	70	1.32	-	39.30	11.85	42.68
RMS	12.96578G	41.99	68.20	-26.21	33.52	3	Horizontal	70	1.32	-	39.30	11.85	42.68

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 51
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45536G	39.31	83.54	-44.23	37.81	1	Vertical	318	1.50	-	37.82	15.23	51.55
AV	19.45953G	26.15	63.54	-37.39	24.63	1	Vertical	318	1.50	-	37.84	15.23	51.55

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
 Setting 51
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45897G	38.75	83.54	-44.79	37.23	1	Horizontal	15	1.58	-	37.84	15.23	51.55
AV	19.4587G	26.05	63.54	-37.49	24.54	1	Horizontal	15	1.58	-	37.83	15.23	51.55

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.047G	54.65	88.20	-33.55	46.04	3	Vertical	78	2.91	-	39.39	11.88	42.66
RMS	13.04551G	42.23	68.20	-25.97	33.62	3	Vertical	78	2.91	-	39.39	11.88	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 50
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05059G	54.77	88.20	-33.43	46.15	3	Horizontal	191	2.87	-	39.40	11.88	42.66
RMS	13.04631G	42.27	68.20	-25.93	33.66	3	Horizontal	191	2.87	-	39.39	11.88	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57669G	38.54	83.54	-45.00	37.04	1	Vertical	97	1.52	-	37.94	15.22	51.66
AV	19.57299G	25.61	63.54	-37.93	24.09	1	Vertical	97	1.52	-	37.96	15.22	51.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.578G	38.51	83.54	-45.03	37.02	1	Horizontal	146	1.52	-	37.93	15.22	51.66
AV	19.57829G	25.63	63.54	-37.91	24.14	1	Horizontal	146	1.52	-	37.93	15.22	51.66

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13268G	55.42	88.20	-32.78	46.59	3	Vertical	351	2.99	-	39.60	11.91	42.68
RMS	13.13256G	42.57	68.20	-25.63	33.74	3	Vertical	351	2.99	-	39.60	11.91	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12759G	55.49	88.20	-32.71	46.67	3	Horizontal	215	1.40	-	39.60	11.90	42.68
RMS	13.13336G	42.46	68.20	-25.74	33.63	3	Horizontal	215	1.40	-	39.60	11.91	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69301G	37.14	83.54	-46.40	35.83	1	Vertical	78	1.54	-	37.84	15.22	51.75
AV	19.69012G	24.80	63.54	-38.74	23.47	1	Vertical	78	1.54	-	37.86	15.22	51.75

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69595G	38.04	83.54	-45.50	36.76	1	Horizontal	138	1.53	-	37.82	15.22	51.76
AV	19.69894G	24.89	63.54	-38.65	23.62	1	Horizontal	138	1.53	-	37.81	15.22	51.76

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36905G	58.30	74.00	-15.70	49.31	3	Vertical	274	1.82	-	40.18	11.54	42.73
AV	13.37385G	46.57	54.00	-7.43	37.56	3	Vertical	274	1.82	-	40.20	11.54	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36618G	55.68	74.00	-18.32	46.38	3	Horizontal	195	2.13	-	40.04	11.99	42.73
AV	13.36615G	42.72	54.00	-11.28	33.44	3	Horizontal	195	2.13	-	40.03	11.98	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
 Setting 52
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05309G	37.07	83.54	-46.47	36.12	1	Vertical	359	1.50	-	37.71	15.24	52.00
AV	20.05788G	24.34	63.54	-39.20	23.36	1	Vertical	359	1.50	-	37.73	15.25	52.00

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05133G	36.74	83.54	-46.80	35.79	1	Horizontal	313	1.56	-	37.71	15.24	52.00
AV	20.05957G	24.26	63.54	-39.28	23.27	1	Horizontal	313	1.56	-	37.74	15.25	52.00

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 54
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77433G	56.08	88.20	-32.12	45.91	3	Vertical	15	2.32	-	40.65	12.12	42.60
RMS	13.77386G	43.21	68.20	-24.99	33.04	3	Vertical	15	2.32	-	40.65	12.12	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 54
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76731G	55.66	88.20	-32.54	45.51	3	Horizontal	177	2.58	-	40.63	12.12	42.60
RMS	13.76742G	43.13	68.20	-25.07	32.98	3	Horizontal	177	2.58	-	40.63	12.12	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 54
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65542G	37.73	83.54	-45.81	36.17	1	Vertical	204	1.51	-	37.90	15.72	52.06
AV	20.65273G	24.27	63.54	-39.27	22.71	1	Vertical	204	1.51	-	37.90	15.72	52.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 54
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65572G	37.16	83.54	-46.38	35.60	1	Horizontal	36	1.56	-	37.90	15.72	52.06
AV	20.6567G	24.21	63.54	-39.33	22.64	1	Horizontal	36	1.56	-	37.90	15.73	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 48
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84681G	57.20	88.20	-31.00	46.81	3	Vertical	114	1.74	-	40.79	12.15	42.55
RMS	13.84784G	43.47	68.20	-24.73	33.07	3	Vertical	114	1.74	-	40.80	12.15	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 48
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84666G	57.09	88.20	-31.11	46.70	3	Horizontal	177	2.50	-	40.79	12.15	42.55
RMS	13.84636G	43.54	68.20	-24.66	33.15	3	Horizontal	177	2.50	-	40.79	12.15	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 48
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77477G	37.65	83.54	-45.89	35.94	1	Vertical	86	1.51	-	38.00	15.82	52.11			
AV	20.77707G	24.35	63.54	-39.19	22.62	1	Vertical	86	1.51	-	38.02	15.82	52.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 48
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77295G	38.20	83.54	-45.34	36.51	1	Horizontal	79	1.50	-	37.98	15.82	52.11
AV	20.77656G	24.63	63.54	-38.91	22.91	1	Horizontal	79	1.50	-	38.01	15.82	52.11

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01029G	56.22	88.20	-31.98	45.28	3	Vertical	13	2.77	-	41.20	12.20	42.46
RMS	14.00818G	43.82	68.20	-24.38	32.88	3	Vertical	13	2.77	-	41.20	12.20	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00768G	56.52	88.20	-31.68	45.58	3	Horizontal	159	1.87	-	41.20	12.20	42.46
RMS	14.0116G	43.68	68.20	-24.52	32.74	3	Horizontal	159	1.87	-	41.20	12.20	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01821G	37.69	83.54	-45.85	35.80	1	Vertical	7	1.56	-	38.08	16.01	52.20
AV	21.01729G	24.44	63.54	-39.10	22.56	1	Vertical	7	1.56	-	38.07	16.01	52.20

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 52
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01314G	37.12	83.54	-46.42	35.28	1	Horizontal	25	1.56	-	38.03	16.01	52.20
AV	21.01992G	24.62	63.54	-38.92	22.70	1	Horizontal	25	1.56	-	38.10	16.02	52.20

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 50
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0722G	110.38	Inf	-Inf	101.84	3	Vertical	221	2.33	-	35.64	8.42	35.52
RMS	7.0718G	99.69	Inf	-Inf	91.15	3	Vertical	221	2.33	-	35.64	8.42	35.52
PK	7.1256G	65.48	88.20	-22.72	56.74	3	Vertical	221	2.33	-	35.80	8.43	35.49
RMS	7.1252G	51.70	68.20	-16.50	42.96	3	Vertical	221	2.33	-	35.80	8.43	35.49

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 50
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0748G	99.46	Inf	-Inf	90.91	3	Horizontal	353	2.32	-	35.65	8.42	35.52
RMS	7.0708G	87.94	Inf	-Inf	79.40	3	Horizontal	353	2.32	-	35.64	8.42	35.52
PK	7.174G	62.60	88.20	-25.60	53.58	3	Horizontal	353	2.32	-	36.04	8.44	35.46
RMS	7.181G	51.11	68.20	-17.09	42.03	3	Horizontal	353	2.32	-	36.09	8.45	35.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17316G	58.21	88.20	-29.99	46.79	3	Vertical	108	2.72	-	41.59	12.25	42.42
RMS	14.17176G	44.38	68.20	-23.82	32.96	3	Vertical	108	2.72	-	41.59	12.25	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
 Setting 50
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16726G	57.69	88.20	-30.51	46.29	3	Horizontal	69	2.78	-	41.57	12.25	42.42
RMS	14.16619G	44.37	68.20	-23.83	32.98	3	Horizontal	69	2.78	-	41.56	12.25	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 50
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25914G	37.81	83.54	-45.73	35.73	1	Vertical	136	1.57	-	38.07	16.21	52.20
AV	21.25891G	24.29	63.54	-39.25	22.21	1	Vertical	136	1.57	-	38.07	16.21	52.20

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
 Setting 50
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25755G	38.17	83.54	-45.37	36.10	1	Horizontal	148	1.52	-	38.06	16.21	52.20
AV	21.25251G	24.70	63.54	-38.84	22.68	1	Horizontal	148	1.52	-	38.02	16.20	52.20

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 70
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	75.97	88.20	-12.23	68.90	3	Vertical	286	3.00	-	34.54	7.63	35.10
RMS	5.925G	61.79	68.20	-6.41	54.71	3	Vertical	286	3.00	-	34.55	7.63	35.10
PK	5.962G	113.06	Inf	-Inf	105.92	3	Vertical	286	3.00	-	34.60	7.66	35.12
RMS	5.996G	99.39	Inf	-Inf	92.24	3	Vertical	286	3.00	-	34.60	7.69	35.14

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 70
03-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	69.70	88.20	-18.50	62.66	3	Horizontal	152	1.80	-	34.52	7.62	35.10
RMS	5.921G	54.63	68.20	-13.57	47.56	3	Horizontal	152	1.80	-	34.54	7.63	35.10
PK	5.9595G	106.50	Inf	-Inf	99.36	3	Horizontal	152	1.80	-	34.60	7.66	35.12
RMS	5.96G	92.28	Inf	-Inf	85.14	3	Horizontal	152	1.80	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 70
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97311G	54.03	74.00	-19.97	46.59	3	Vertical	189	1.64	-	39.15	11.51	43.22
AV	11.96589G	41.06	54.00	-12.94	33.62	3	Vertical	189	1.64	-	39.17	11.50	43.23
PK	17.9558G	61.83	74.00	-12.17	44.48	3	Vertical	18	2.70	-	44.73	13.88	41.26
AV	17.9647G	49.76	54.00	-4.24	32.33	3	Vertical	18	2.70	-	44.79	13.89	41.25

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 70
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97047G	54.26	74.00	-19.74	46.82	3	Horizontal	39	2.38	-	39.16	11.50	43.22
AV	11.97495G	41.00	54.00	-13.00	33.56	3	Horizontal	39	2.38	-	39.15	11.51	43.22
PK	17.95558G	62.68	74.00	-11.32	45.33	3	Horizontal	154	2.40	-	44.73	13.88	41.26
AV	17.96434G	49.66	54.00	-4.34	32.23	3	Horizontal	154	2.40	-	44.79	13.89	41.25

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95238G	41.04	83.54	-42.50	37.74	1	Vertical	114	1.58	-	37.50	15.27	49.47
AV	17.95489G	28.15	63.54	-35.39	24.85	1	Vertical	114	1.58	-	37.51	15.27	49.48

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95743G	41.05	83.54	-42.49	37.75	1	Horizontal	291	1.57	-	37.51	15.27	49.48
AV	17.95974G	28.35	63.54	-35.19	25.05	1	Horizontal	291	1.57	-	37.52	15.27	49.49

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 59
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45066G	55.17	74.00	-18.83	48.06	3	Vertical	151	2.01	-	38.60	11.67	43.16
AV	12.45184G	41.09	54.00	-12.91	33.98	3	Vertical	151	2.01	-	38.60	11.67	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 59
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44541G	54.27	74.00	-19.73	47.16	3	Horizontal	240	1.92	-	38.60	11.67	43.16
AV	12.44532G	41.07	54.00	-12.93	33.96	3	Horizontal	240	1.92	-	38.60	11.67	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 59
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67265G	40.37	83.54	-43.17	38.00	1	Vertical	73	1.58	-	37.71	15.27	50.61
AV	18.67515G	27.14	63.54	-36.40	24.78	1	Vertical	73	1.58	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 Setting 59
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67243G	40.72	83.54	-42.82	38.35	1	Horizontal	106	1.54	-	37.71	15.27	50.61
AV	18.67445G	27.23	63.54	-36.31	24.87	1	Horizontal	106	1.54	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 62
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76907G	53.82	88.20	-34.38	46.04	3	Vertical	234	1.43	-	38.88	11.78	42.88
RMS	12.76756G	40.65	68.20	-27.55	32.88	3	Vertical	234	1.43	-	38.87	11.78	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 62
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7688G	53.34	88.20	-34.86	45.56	3	Horizontal	295	2.12	-	38.88	11.78	42.88
RMS	12.76695G	40.79	68.20	-27.41	33.02	3	Horizontal	295	2.12	-	38.87	11.78	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 62
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15845G	40.63	83.54	-42.91	38.83	1	Vertical	180	1.55	-	37.75	15.24	51.19
AV	19.15828G	26.75	63.54	-36.79	24.95	1	Vertical	180	1.55	-	37.75	15.24	51.19

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 62
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15721G	39.38	83.54	-44.16	37.59	1	Horizontal	198	1.54	-	37.74	15.24	51.19
AV	19.15262G	26.63	63.54	-36.91	24.85	1	Horizontal	198	1.54	-	37.72	15.24	51.18

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 61
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93066G	55.13	88.20	-33.07	46.75	3	Vertical	314	1.08	-	39.26	11.84	42.72
AV	12.93275G	41.79	68.20	-26.41	33.40	3	Vertical	314	1.08	-	39.27	11.84	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
 Setting 61
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92632G	55.23	88.20	-32.97	46.87	3	Horizontal	69	1.86	-	39.25	11.83	42.72
AV	12.93129G	41.76	68.20	-26.44	33.38	3	Horizontal	69	1.86	-	39.26	11.84	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
 Setting 61
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3972G	39.67	83.54	-43.87	37.93	1	Vertical	249	1.53	-	37.99	15.23	51.48
AV	19.39789G	26.23	63.54	-37.31	24.49	1	Vertical	249	1.53	-	37.99	15.23	51.48

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
 Setting 61
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39636G	39.97	83.54	-43.57	38.23	1	Horizontal	280	1.54	-	37.99	15.23	51.48
AV	19.39703G	26.23	63.54	-37.31	24.49	1	Horizontal	280	1.54	-	37.99	15.23	51.48

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08724G	55.43	88.20	-32.77	46.66	3	Vertical	201	2.38	-	39.55	11.89	42.67
RMS	13.08625G	42.33	68.20	-25.87	33.56	3	Vertical	201	2.38	-	39.55	11.89	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09054G	55.43	88.20	-32.77	46.65	3	Horizontal	158	2.71	-	39.56	11.89	42.67
RMS	13.095G	42.29	68.20	-25.91	33.49	3	Horizontal	158	2.71	-	39.58	11.89	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63872G	37.96	83.54	-45.58	36.42	1	Vertical	298	1.53	-	38.03	15.22	51.71
AV	19.63608G	25.44	63.54	-38.10	23.91	1	Vertical	298	1.53	-	38.02	15.22	51.71

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 64
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63463G	37.92	83.54	-45.62	36.40	1	Horizontal	262	1.54	-	38.01	15.22	51.71
AV	19.63285G	25.54	63.54	-38.00	24.03	1	Horizontal	262	1.54	-	38.00	15.22	51.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24927G	55.81	88.20	-32.39	46.67	3	Vertical	90	1.25	-	39.90	11.94	42.70
RMS	13.24421G	42.64	68.20	-25.56	33.52	3	Vertical	90	1.25	-	39.88	11.94	42.70

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24889G	56.35	88.20	-31.85	47.21	3	Horizontal	58	1.82	-	39.90	11.94	42.70
RMS	13.2494G	42.63	68.20	-25.57	33.49	3	Horizontal	58	1.82	-	39.90	11.94	42.70

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87381G	36.98	83.54	-46.56	35.93	1	Vertical	243	1.56	-	37.74	15.21	51.90
AV	19.87395G	24.40	63.54	-39.14	23.35	1	Vertical	243	1.56	-	37.74	15.21	51.90

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Purple line)
- AV (Purple line)


24/03/2024

EUT_Z_2TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8775G	38.18	83.54	-45.36	37.10	1	Horizontal	198	1.56	-	37.77	15.21	51.90
AV	19.87209G	24.42	63.54	-39.12	23.38	1	Horizontal	198	1.56	-	37.73	15.21	51.90

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 65
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40968G	56.33	88.20	-31.87	46.95	3	Vertical	72	2.48	-	40.12	12.00	42.74
RMS	13.40983G	42.53	68.20	-25.67	33.15	3	Vertical	72	2.48	-	40.12	12.00	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 65
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4088G	57.35	88.20	-30.85	47.97	3	Horizontal	330	1.50	-	40.12	12.00	42.74
RMS	13.41287G	42.54	68.20	-25.66	33.15	3	Horizontal	330	1.50	-	40.13	12.00	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
 Setting 65
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11009G	37.51	83.54	-46.03	36.38	1	Vertical	333	1.57	-	37.84	15.29	52.00
AV	20.11545G	24.18	63.54	-39.36	23.08	1	Vertical	333	1.57	-	37.81	15.29	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 65
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11258G	37.59	83.54	-45.95	36.48	1	Horizontal	16	1.56	-	37.82	15.29	52.00
AV	20.11004G	24.01	63.54	-39.53	22.88	1	Horizontal	16	1.56	-	37.84	15.29	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56629G	55.21	88.20	-32.99	45.48	3	Vertical	82	2.58	-	40.40	12.05	42.72
RMS	13.57162G	42.98	68.20	-25.22	33.25	3	Vertical	82	2.58	-	40.40	12.05	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




23/03/2024

EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56776G	55.74	88.20	-32.46	46.01	3	Horizontal	58	2.63	-	40.40	12.05	42.72
RMS	13.57061G	42.94	68.20	-25.26	33.21	3	Horizontal	58	2.63	-	40.40	12.05	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35683G	37.16	83.54	-46.38	35.58	1	Vertical	8	1.50	-	38.09	15.49	52.00
AV	20.35847G	24.60	63.54	-38.94	23.03	1	Vertical	8	1.50	-	38.08	15.49	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 64
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35582G	37.31	83.54	-46.23	35.74	1	Horizontal	265	1.58	-	38.09	15.48	52.00
AV	20.35867G	24.36	63.54	-39.18	22.79	1	Horizontal	265	1.58	-	38.08	15.49	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72935G	56.17	88.20	-32.03	46.16	3	Vertical	237	2.81	-	40.52	12.11	42.62
RMS	13.72885G	43.20	68.20	-25.00	33.19	3	Vertical	237	2.81	-	40.52	12.11	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72577G	55.95	88.20	-32.25	45.96	3	Horizontal	98	2.07	-	40.50	12.11	42.62
RMS	13.72639G	43.15	68.20	-25.05	33.15	3	Horizontal	98	2.07	-	40.51	12.11	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59963G	38.51	83.54	-45.03	36.87	1	Vertical	57	1.57	-	38.00	15.68	52.04
AV	20.59803G	24.01	63.54	-39.53	22.37	1	Vertical	57	1.57	-	38.00	15.68	52.04

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59826G	37.60	83.54	-45.94	35.96	1	Horizontal	87	1.53	-	38.00	15.68	52.04
AV	20.59827G	23.93	63.54	-39.61	22.29	1	Horizontal	87	1.53	-	38.00	15.68	52.04

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 58
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89155G	56.41	88.20	-31.79	45.90	3	Vertical	177	1.89	-	40.88	12.16	42.53
RMS	13.89146G	43.72	68.20	-24.48	33.21	3	Vertical	177	1.89	-	40.88	12.16	42.53

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 58
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89023G	56.28	88.20	-31.92	45.77	3	Horizontal	95	2.16	-	40.88	12.16	42.53
RMS	13.89084G	43.83	68.20	-24.37	33.32	3	Horizontal	95	2.16	-	40.88	12.16	42.53

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 58
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83305G	37.48	83.54	-46.06	35.54	1	Vertical	297	1.58	-	38.20	15.87	52.13
AV	20.83529G	24.72	63.54	-38.82	22.78	1	Vertical	297	1.58	-	38.20	15.87	52.13

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 58
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83042G	37.27	83.54	-46.27	35.34	1	Horizontal	80	1.57	-	38.20	15.86	52.13
AV	20.83945G	24.72	63.54	-38.82	22.79	1	Horizontal	80	1.57	-	38.20	15.87	52.14

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 59
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9998G	110.55	Inf	-Inf	102.11	3	Vertical	260	2.56	-	35.60	8.40	35.56
RMS	6.9954G	95.91	Inf	-Inf	87.46	3	Vertical	260	2.56	-	35.60	8.40	35.55
PK	7.1374G	63.26	88.20	-24.94	54.46	3	Vertical	260	2.56	-	35.85	8.43	35.48
RMS	7.1302G	49.71	68.20	-18.49	40.94	3	Vertical	260	2.56	-	35.82	8.43	35.48

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 59
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	100.19	Inf	-Inf	91.74	3	Horizontal	161	1.94	-	35.60	8.40	35.55
RMS	7.0302G	84.57	Inf	-Inf	76.10	3	Horizontal	161	1.94	-	35.60	8.41	35.54
PK	7.161G	62.51	88.20	-25.69	53.57	3	Horizontal	161	1.94	-	35.97	8.44	35.47
RMS	7.2114G	51.51	68.20	-16.69	42.23	3	Horizontal	161	1.94	-	36.27	8.45	35.44

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 59
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0489G	56.67	88.20	-31.53	45.70	3	Vertical	3	1.21	-	41.20	12.22	42.45
RMS	14.04716G	43.70	68.20	-24.50	32.74	3	Vertical	3	1.21	-	41.20	12.21	42.45

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
 Setting 59
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05201G	56.79	88.20	-31.41	45.82	3	Horizontal	266	1.19	-	41.20	12.22	42.45
RMS	14.0512G	43.67	68.20	-24.53	32.70	3	Horizontal	266	1.19	-	41.20	12.22	42.45

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 59
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07587G	37.81	83.54	-45.73	35.71	1	Vertical	139	1.56	-	38.24	16.06	52.20			
AV	21.07497G	24.45	63.54	-39.09	22.34	1	Vertical	139	1.56	-	38.25	16.06	52.20			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
 Setting 59
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07612G	37.94	83.54	-45.60	35.84	1	Horizontal	117	1.57	-	38.24	16.06	52.20
AV	21.0755G	24.33	63.54	-39.21	22.22	1	Horizontal	117	1.57	-	38.25	16.06	52.20

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 76
 05-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	79.37	88.20	-8.83	72.30	3	Vertical	287	2.51	-	34.54	7.63	35.10
RMS	5.9242G	67.52	68.20	-0.68	60.44	3	Vertical	287	2.51	-	34.55	7.63	35.10
PK	5.949G	113.41	Inf	-Inf	106.28	3	Vertical	287	2.51	-	34.60	7.65	35.12
RMS	6.1002G	99.17	Inf	-Inf	91.56	3	Vertical	287	2.51	-	34.90	7.81	35.10

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 76
 05-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	70.77	88.20	-17.43	63.72	3	Horizontal	224.8	2.74	-	34.53	7.62	35.10
RMS	5.925G	58.89	68.20	-9.31	51.81	3	Horizontal	224.8	2.74	-	34.55	7.63	35.10
PK	5.961G	104.26	Inf	-Inf	97.12	3	Horizontal	224.8	2.74	-	34.60	7.66	35.12
RMS	6.0346G	88.60	Inf	-Inf	81.40	3	Horizontal	224.8	2.74	-	34.60	7.73	35.13

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04847G	54.66	74.00	-19.34	47.33	3	Vertical	279	2.22	-	39.00	11.54	43.21
AV	12.05367G	41.14	54.00	-12.86	33.82	3	Vertical	279	2.22	-	38.99	11.54	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04936G	54.24	74.00	-19.76	46.91	3	Horizontal	264	1.73	-	39.00	11.54	43.21
AV	12.05333G	41.13	54.00	-12.87	33.81	3	Horizontal	264	1.73	-	38.99	11.54	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07327G	41.33	83.54	-42.21	38.26	1	Vertical	99	1.57	-	37.49	15.30	49.72
AV	18.07496G	29.07	63.54	-34.47	25.99	1	Vertical	99	1.57	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07686G	41.28	83.54	-42.26	38.19	1	Horizontal	336	1.51	-	37.51	15.30	49.72
AV	18.07862G	29.00	63.54	-34.54	25.92	1	Horizontal	336	1.51	-	37.51	15.30	49.73

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 72
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3691G	54.02	74.00	-19.98	46.88	3	Vertical	324	1.46	-	38.66	11.65	43.17
AV	12.37136G	40.73	54.00	-13.27	33.59	3	Vertical	324	1.46	-	38.66	11.65	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 72
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36943G	53.43	74.00	-20.57	46.29	3	Horizontal	89	2.12	-	38.66	11.65	43.17
AV	12.36637G	40.79	54.00	-13.21	33.65	3	Horizontal	89	2.12	-	38.67	11.64	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 72
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55559G	40.48	83.54	-43.06	37.98	1	Vertical	261	1.55	-	37.70	15.27	50.47
AV	18.55104G	27.30	63.54	-36.24	24.79	1	Vertical	261	1.55	-	37.70	15.27	50.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 72
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55197G	40.40	83.54	-43.14	37.89	1	Horizontal	237	1.51	-	37.70	15.27	50.46
AV	18.55955G	27.60	63.54	-35.94	25.10	1	Horizontal	237	1.51	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 Setting 70
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69128G	54.09	74.00	-19.91	46.41	3	Vertical	337	2.94	-	38.88	11.76	42.96
AV	12.6864G	40.87	54.00	-13.13	33.21	3	Vertical	337	2.94	-	38.87	11.75	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68831G	54.34	74.00	-19.66	46.67	3	Horizontal	204	2.16	-	38.88	11.75	42.96
AV	12.68594G	40.82	54.00	-13.18	33.16	3	Horizontal	204	2.16	-	38.87	11.75	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03018G	40.81	83.54	-42.73	38.70	1	Vertical	178	1.57	-	37.90	15.25	51.04
AV	19.03574G	27.31	63.54	-36.23	25.20	1	Vertical	178	1.57	-	37.90	15.25	51.04

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03193G	41.72	83.54	-41.82	39.61	1	Horizontal	104	1.55	-	37.90	15.25	51.04
AV	19.03181G	27.31	63.54	-36.23	25.20	1	Horizontal	104	1.55	-	37.90	15.25	51.04

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 75
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01245G	55.09	88.20	-33.11	46.56	3	Vertical	259	1.06	-	39.32	11.86	42.65
RMS	13.00722G	42.15	68.20	-26.05	33.63	3	Vertical	259	1.06	-	39.31	11.86	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00979G	55.58	88.20	-32.62	47.05	3	Horizontal	323	1.72	-	39.32	11.86	42.65
RMS	13.01339G	42.09	68.20	-26.11	33.55	3	Horizontal	323	1.72	-	39.33	11.86	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51684G	38.77	83.54	-44.77	37.13	1	Vertical	46	1.55	-	38.03	15.22	51.61
AV	19.5148G	25.65	63.54	-37.89	24.01	1	Vertical	46	1.55	-	38.03	15.22	51.61

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51025G	39.09	83.54	-44.45	37.46	1	Horizontal	312	1.56	-	38.02	15.22	51.61
AV	19.51792G	25.77	63.54	-37.77	24.12	1	Horizontal	312	1.56	-	38.04	15.22	51.61

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33483G	54.94	74.00	-19.06	45.69	3	Vertical	5	2.59	-	40.00	11.97	42.72
AV	13.32878G	42.56	54.00	-11.44	33.31	3	Vertical	5	2.59	-	40.00	11.97	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33165G	55.24	74.00	-18.76	45.99	3	Horizontal	252	1.97	-	40.00	11.97	42.72
AV	13.32806G	42.60	54.00	-11.40	33.35	3	Horizontal	252	1.97	-	40.00	11.97	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99749G	39.60	83.54	-43.94	38.60	1	Vertical	103	1.52	-	37.80	15.20	52.00
AV	19.99468G	25.19	63.54	-38.35	24.19	1	Vertical	103	1.52	-	37.80	15.20	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99139G	38.02	83.54	-45.52	37.01	1	Horizontal	113	1.56	-	37.80	15.20	51.99
AV	19.99486G	25.00	63.54	-38.54	24.00	1	Horizontal	113	1.56	-	37.80	15.20	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 77
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65353G	55.94	88.20	-32.26	46.13	3	Vertical	291	1.52	-	40.40	12.08	42.67
RMS	13.64778G	43.01	68.20	-25.19	33.20	3	Vertical	291	1.52	-	40.40	12.08	42.67

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 77
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6529G	56.01	88.20	-32.19	46.20	3	Horizontal	278	2.80	-	40.40	12.08	42.67
RMS	13.64827G	42.99	68.20	-25.21	33.18	3	Horizontal	278	2.80	-	40.40	12.08	42.67

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 77
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47813G	37.95	83.54	-45.59	36.60	1	Vertical	237	1.56	-	37.77	15.58	52.00
AV	20.47035G	25.39	63.54	-38.15	23.97	1	Vertical	237	1.56	-	37.84	15.58	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 77
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47032G	38.00	83.54	-45.54	36.58	1	Horizontal	175	1.51	-	37.84	15.58	52.00
AV	20.47748G	24.88	63.54	-38.66	23.52	1	Horizontal	175	1.51	-	37.78	15.58	52.00

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 70
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9538G	110.70	Inf	-Inf	102.22	3	Vertical	261	2.44	-	35.60	8.38	35.50
RMS	6.9562G	99.41	Inf	-Inf	90.94	3	Vertical	261	2.44	-	35.60	8.38	35.51
PK	7.1274G	75.78	88.20	-12.42	67.03	3	Vertical	261	2.44	-	35.81	8.43	35.49
RMS	7.1258G	63.28	68.20	-4.92	54.54	3	Vertical	261	2.44	-	35.80	8.43	35.49
PK	7.25G	65.73	74.00	-8.27	56.18	3	Vertical	261	2.44	-	36.50	8.46	35.41
AV	7.2538G	53.87	54.00	-0.13	44.30	3	Vertical	261	2.44	-	36.52	8.46	35.41

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
 Setting 70
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9098G	100.29	Inf	-Inf	91.78	3	Horizontal	13	2.71	-	35.60	8.36	35.45
RMS	6.957G	87.66	Inf	-Inf	79.19	3	Horizontal	13	2.71	-	35.60	8.38	35.51
PK	7.129G	65.80	88.20	-22.40	57.04	3	Horizontal	13	2.71	-	35.82	8.43	35.49
RMS	7.1266G	54.45	68.20	-13.75	45.70	3	Horizontal	13	2.71	-	35.81	8.43	35.49
PK	7.2754G	64.08	74.00	-9.92	54.41	3	Horizontal	13	2.71	-	36.60	8.47	35.40
AV	7.381G	52.50	54.00	-1.50	42.44	3	Horizontal	13	2.71	-	36.90	8.50	35.34

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96716G	56.80	88.20	-31.40	46.02	3	Vertical	353	1.07	-	41.07	12.19	42.48
RMS	13.9673G	43.43	68.20	-24.77	32.65	3	Vertical	353	1.07	-	41.07	12.19	42.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96541G	55.65	88.20	-32.55	44.88	3	Horizontal	193	1.34	-	41.06	12.19	42.48
RMS	13.96801G	43.39	68.20	-24.81	32.61	3	Horizontal	193	1.34	-	41.07	12.19	42.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95844G	37.38	83.54	-46.16	35.52	1	Vertical	12	1.55	-	38.07	15.97	52.18
AV	20.95658G	24.17	63.54	-39.37	22.31	1	Vertical	12	1.55	-	38.07	15.97	52.18

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 70
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95807G	37.21	83.54	-46.33	35.35	1	Horizontal	51	1.51	-	38.07	15.97	52.18
AV	20.95603G	24.00	63.54	-39.54	22.14	1	Horizontal	51	1.51	-	38.08	15.96	52.18

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 75
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	78.37	88.20	-9.83	71.32	3	Vertical	284	2.85	-	34.53	7.62	35.10
RMS	5.9238G	67.63	68.20	-0.57	60.55	3	Vertical	284	2.85	-	34.55	7.63	35.10
PK	5.9586G	115.55	Inf	-Inf	108.41	3	Vertical	284	2.85	-	34.60	7.66	35.12
RMS	6.063G	96.96	Inf	-Inf	89.64	3	Vertical	284	2.85	-	34.68	7.76	35.12

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 75
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	64.66	88.20	-23.54	57.58	3	Horizontal	0	3.00	-	34.55	7.63	35.10
RMS	5.925G	53.99	68.20	-14.21	46.91	3	Horizontal	0	3.00	-	34.55	7.63	35.10
PK	5.9622G	99.40	Inf	-Inf	92.26	3	Horizontal	0	3.00	-	34.60	7.66	35.12
RMS	6.2442G	86.21	Inf	-Inf	78.40	3	Horizontal	0	3.00	-	34.91	7.95	35.05

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21692G	52.47	74.00	-21.53	45.34	3	Vertical	179	2.80	-	38.73	11.59	43.19
AV	12.20148G	40.51	54.00	-13.49	33.41	3	Vertical	179	2.80	-	38.70	11.59	43.19

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20914G	52.38	74.00	-21.62	45.26	3	Horizontal	329	2.96	-	38.72	11.59	43.19
AV	12.21532G	40.53	54.00	-13.47	33.40	3	Horizontal	329	2.96	-	38.73	11.59	43.19

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31811G	56.45	83.54	-27.09	53.78	1	Vertical	285	1.41	-	37.50	15.28	50.11
AV	18.31822G	44.68	63.54	-18.86	42.01	1	Vertical	285	1.41	-	37.50	15.28	50.11

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 75
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32457G	56.52	83.54	-27.02	53.86	1	Horizontal	275	1.51	-	37.50	15.28	50.12
AV	18.32831G	44.53	63.54	-19.01	41.88	1	Horizontal	275	1.51	-	37.50	15.28	50.13

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 81
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52414G	58.68	74.00	-15.32	51.41	3	Vertical	300	2.14	-	38.70	11.70	43.13
AV	12.53492G	46.45	54.00	-7.55	39.17	3	Vertical	300	2.14	-	38.70	11.70	43.12

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
 Setting 81
 05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53872G	58.38	74.00	-15.62	51.09	3	Horizontal	227	2.62	-	38.70	11.70	43.11
AV	12.53184G	46.45	54.00	-7.55	39.17	3	Horizontal	227	2.62	-	38.70	11.70	43.12

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 81
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79717G	56.93	83.54	-26.61	54.63	1	Vertical	14	1.51	-	37.80	15.26	50.76
AV	18.79377G	44.28	63.54	-19.26	41.97	1	Vertical	14	1.51	-	37.80	15.26	50.75

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
 Setting 81
 05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79429G	56.15	83.54	-27.39	53.84	1	Horizontal	187	1.54	-	37.80	15.26	50.75
AV	18.7934G	44.18	63.54	-19.36	41.87	1	Horizontal	187	1.54	-	37.80	15.26	50.75

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
Setting 81
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84158G	59.38	97.74	-38.36	51.21	1	Vertical	321	1.41	-	39.17	11.81	42.81
RMS	12.84832G	47.59	77.74	-30.15	39.39	1	Vertical	321	1.41	-	39.19	11.81	42.80

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
Setting 81
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84118G	59.17	97.74	-38.57	51.01	1	Horizontal	255	1.48	-	39.16	11.81	42.81
RMS	12.84508G	47.61	77.74	-30.13	39.42	1	Horizontal	255	1.48	-	39.18	11.81	42.80

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
 Setting 81
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27066G	56.85	83.54	-26.69	54.99	1	Vertical	337	1.55	-	37.94	15.24	51.32
AV	19.27848G	44.74	63.54	-18.80	42.87	1	Vertical	337	1.55	-	37.96	15.24	51.33

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
 Setting 81
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27994G	56.36	83.54	-27.18	54.50	1	Horizontal	138	1.57	-	37.96	15.24	51.34
AV	19.27279G	44.46	63.54	-19.08	42.60	1	Horizontal	138	1.57	-	37.95	15.24	51.33

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 82
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1641G	55.97	88.20	-32.23	47.11	3	Vertical	25	1.55	-	39.63	11.92	42.69
RMS	13.1644G	42.45	68.20	-25.75	33.59	3	Vertical	25	1.55	-	39.63	11.92	42.69

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 82
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17221G	54.25	88.20	-33.95	45.38	3	Horizontal	128	2.74	-	39.64	11.92	42.69
RMS	13.17331G	42.45	68.20	-25.75	33.57	3	Horizontal	128	2.74	-	39.65	11.92	42.69

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 82
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75844G	38.65	83.54	-44.89	37.32	1	Vertical	285	1.65	-	37.93	15.21	51.81
AV	19.75244G	25.59	63.54	-37.95	24.27	1	Vertical	285	1.65	-	37.91	15.21	51.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 82
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75685G	39.11	83.54	-44.43	37.78	1	Horizontal	52	1.59	-	37.93	15.21	51.81
AV	19.75982G	25.45	63.54	-38.09	24.11	1	Horizontal	52	1.59	-	37.94	15.21	51.81

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 82
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.493777G	56.25	88.20	-31.95	46.69	3	Vertical	285	2.45	-	40.29	12.03	42.76
RMS	13.49437G	42.74	68.20	-25.46	33.18	3	Vertical	285	2.45	-	40.29	12.03	42.76

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 82
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49333G	56.42	88.20	-31.78	46.86	3	Horizontal	255	1.52	-	40.29	12.03	42.76
RMS	13.4828G	42.45	68.20	-25.75	32.92	3	Horizontal	255	1.52	-	40.27	12.02	42.76

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 82
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23611G	54.25	83.54	-29.29	52.89	1	Vertical	322	1.65	-	37.97	15.39	52.00
AV	20.23712G	43.28	63.54	-20.26	41.92	1	Vertical	322	1.65	-	37.97	15.39	52.00

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 82
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23985G	54.59	83.54	-28.95	53.22	1	Horizontal	33	1.77	-	37.98	15.39	52.00
AV	20.24G	43.07	63.54	-20.47	41.70	1	Horizontal	33	1.77	-	37.98	15.39	52.00

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 60
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9428G	105.89	Inf	-Inf	104.53	3	Vertical	263	2.37	-	35.60	8.38	42.62
RMS	6.9974G	94.76	Inf	-Inf	93.34	3	Vertical	263	2.37	-	35.60	8.40	42.58
PK	7.2886G	64.37	74.00	-9.63	61.81	3	Vertical	263	2.37	-	36.65	8.47	42.56
AV	7.255G	53.95	54.00	-0.05	51.53	3	Vertical	263	2.37	-	36.52	8.46	42.56
PK	7.2088G	65.39	88.20	-22.81	63.25	3	Vertical	263	2.37	-	36.25	8.45	42.56
RMS	7.2116G	54.76	68.20	-13.44	52.60	3	Vertical	263	2.37	-	36.27	8.45	42.56

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 60
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9134G	95.53	Inf	-Inf	94.21	3	Horizontal	160	2.36	-	35.60	8.37	42.65
RMS	6.9414G	85.70	Inf	-Inf	84.34	3	Horizontal	160	2.36	-	35.60	8.38	42.62
PK	7.4454G	61.83	74.00	-12.17	59.02	3	Horizontal	160	2.36	-	36.81	8.54	42.54
AV	7.402G	50.75	54.00	-3.25	47.90	3	Horizontal	160	2.36	-	36.90	8.50	42.55
RMS	7.2326G	50.15	68.20	-18.05	47.85	3	Horizontal	160	2.36	-	36.40	8.46	42.56
PK	7.2256G	59.83	88.20	-28.37	57.58	3	Horizontal	160	2.36	-	36.35	8.46	42.56

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 60
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81233G	56.11	88.20	-32.09	45.82	3	Vertical	185	1.52	-	40.72	12.14	42.57
RMS	13.80225G	42.94	68.20	-25.26	32.69	3	Vertical	185	1.52	-	40.70	12.13	42.58

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 60
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81227G	56.40	88.20	-31.80	46.11	3	Horizontal	112	2.44	-	40.72	12.14	42.57
RMS	13.81241G	42.90	68.20	-25.30	32.61	3	Horizontal	112	2.44	-	40.72	12.14	42.57

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 60
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71226G	53.95	83.54	-29.59	52.38	1	Vertical	263	1.66	-	37.88	15.77	52.08
AV	20.71229G	42.24	63.54	-21.30	40.67	1	Vertical	263	1.66	-	37.88	15.77	52.08

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_Z_2TX
Setting 60
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71299G	53.35	83.54	-30.19	51.80	1	Horizontal	147	1.85	-	37.87	15.77	52.09
AV	20.71299G	42.44	63.54	-21.10	40.89	1	Horizontal	147	1.85	-	37.87	15.77	52.09




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	RMS	5.908G	67.89	68.20	-0.31	3	Vertical	259	2.95	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 27
04-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9136G	60.97	88.20	-27.23	53.40	3	Vertical	83	2.44	-	34.78	6.30	33.51
RMS	5.924G	50.12	68.20	-18.08	42.48	3	Vertical	83	2.44	-	34.84	6.31	33.51
PK	5.951G	110.74	Inf	-Inf	102.92	3	Vertical	83	2.44	-	35.00	6.34	33.52
RMS	5.9608G	102.12	Inf	-Inf	94.30	3	Vertical	83	2.44	-	35.00	6.34	33.52

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 27
04-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	60.05	88.20	-28.15	52.42	3	Horizontal	157	2.43	-	34.83	6.31	33.51
RMS	5.9246G	49.92	68.20	-18.28	42.27	3	Horizontal	157	2.43	-	34.85	6.31	33.51
PK	5.9508G	98.64	Inf	-Inf	90.82	3	Horizontal	157	2.43	-	35.00	6.34	33.52
RMS	5.9608G	89.56	Inf	-Inf	81.74	3	Horizontal	157	2.43	-	35.00	6.34	33.52

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 27
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91272G	54.36	74.00	-19.64	71.22	3	Vertical	178	1.58	-	38.60	9.69	65.15
AV	11.90522G	39.88	54.00	-14.12	56.75	3	Vertical	178	1.58	-	38.60	9.68	65.15
PK	17.86697G	60.52	74.00	-13.48	68.98	3	Vertical	355	1.56	-	41.43	12.95	62.84
AV	17.86433G	46.67	54.00	-7.33	55.13	3	Vertical	355	1.56	-	41.43	12.95	62.84

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 27
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91114G	53.39	74.00	-20.61	70.26	3	Horizontal	-0	1.80	-	38.60	9.68	65.15
AV	11.9069G	39.37	54.00	-14.63	56.24	3	Horizontal	-0	1.80	-	38.60	9.68	65.15
PK	17.86985G	60.96	74.00	-13.04	69.40	3	Horizontal	360	3.00	-	41.44	12.96	62.84
AV	17.86446G	46.45	54.00	-7.55	54.91	3	Horizontal	360	3.00	-	41.43	12.95	62.84

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 27
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81655G	51.90	74.00	-22.10	46.00	1	Vertical	149	2.30	-	39.00	17.34	50.44
AV	23.81507G	38.53	54.00	-15.47	32.62	1	Vertical	149	2.30	-	39.01	17.34	50.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 27
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82417G	52.25	74.00	-21.75	46.39	1	Horizontal	167	2.09	-	38.95	17.35	50.44
AV	23.815G	38.50	54.00	-15.50	32.59	1	Horizontal	167	2.09	-	39.01	17.34	50.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUTZ_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39461G	56.82	74.00	-17.18	42.98	3	Vertical	24	1.80	-	38.49	9.88	34.53
AV	12.39029G	43.38	54.00	-10.62	29.55	3	Vertical	24	1.80	-	38.48	9.88	34.53

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39332G	57.53	74.00	-16.47	43.69	3	Horizontal	224	2.91	-	38.49	9.88	34.53
AV	12.39058G	43.67	54.00	-10.33	29.84	3	Horizontal	224	2.91	-	38.48	9.88	34.53

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.582333G	49.21	74.00	-24.79	46.74	1	Vertical	190	2.97	-	37.70	15.27	50.50
AV	18.58979G	35.01	54.00	-18.99	32.55	1	Vertical	190	2.97	-	37.70	15.27	50.51

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58339G	48.60	74.00	-25.40	46.13	1	Horizontal	342	1.95	-	37.70	15.27	50.50
AV	18.58534G	34.99	54.00	-19.01	32.52	1	Horizontal	342	1.95	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 22
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82868G	56.92	88.20	-31.28	42.28	3	Vertical	0	1.80	-	39.11	10.05	34.52
RMS	12.82609G	48.19	68.20	-20.01	33.56	3	Vertical	0	1.80	-	39.10	10.05	34.52

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 22
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83111G	56.71	88.20	-31.49	42.06	3	Horizontal	82	2.62	-	39.12	10.05	34.52
RMS	12.82629G	43.02	68.20	-25.18	28.38	3	Horizontal	82	2.62	-	39.11	10.05	34.52

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 22
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2477G	47.76	83.54	-35.78	45.92	1	Vertical	51	2.71	-	37.90	15.24	51.30
AV	19.24179G	34.22	63.54	-29.32	32.35	1	Vertical	51	2.71	-	37.92	15.24	51.29

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 22
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24206G	47.70	83.54	-35.84	45.83	1	Horizontal	97	2.90	-	37.92	15.24	51.29
AV	19.24157G	33.82	63.54	-29.72	31.95	1	Horizontal	97	2.90	-	37.92	15.24	51.29

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUTZ_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86883G	58.00	88.20	-30.20	43.26	3	Vertical	116	1.80	-	39.20	10.06	34.52
RMS	12.87397G	43.25	68.20	-24.95	28.50	3	Vertical	116	1.80	-	39.20	10.07	34.52

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8669G	56.62	88.20	-31.58	41.88	3	Horizontal	275	2.99	-	39.20	10.06	34.52
RMS	12.87354G	43.23	68.20	-24.97	28.48	3	Horizontal	275	2.99	-	39.20	10.07	34.52

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30931G	60.24	74.00	-13.76	58.42	1	Vertical	277	2.64	-	37.96	15.23	51.37
AV	19.3082G	46.26	54.00	-7.74	44.43	1	Vertical	277	2.64	-	37.97	15.23	51.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 21
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30469G	47.09	74.00	-26.91	45.25	1	Horizontal	32	1.27	-	37.98	15.23	51.37
AV	19.30837G	33.30	54.00	-20.70	31.47	1	Horizontal	32	1.27	-	37.97	15.23	51.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94629G	57.75	88.20	-30.45	42.88	3	Vertical	256	3.00	-	39.29	10.09	34.51
RMS	12.95494G	48.66	68.20	-19.54	33.76	3	Vertical	256	3.00	-	39.31	10.10	34.51

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94515G	56.97	88.20	-31.23	42.10	3	Horizontal	302	1.91	-	39.29	10.09	34.51
RMS	12.95479G	43.55	68.20	-24.65	28.65	3	Horizontal	302	1.91	-	39.31	10.10	34.51

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42136G	47.48	83.54	-36.06	45.85	1	Vertical	127	2.19	-	37.91	15.23	51.51
AV	19.42958G	33.92	63.54	-29.62	32.33	1	Vertical	127	2.19	-	37.88	15.23	51.52

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42965G	47.36	83.54	-36.18	45.77	1	Horizontal	276	1.42	-	37.88	15.23	51.52
AV	19.42954G	33.95	63.54	-29.59	32.36	1	Horizontal	276	1.42	-	37.88	15.23	51.52

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02956G	57.04	88.20	-31.16	42.04	3	Vertical	157	1.80	-	39.40	10.13	34.53
RMS	13.02747G	43.61	68.20	-24.59	28.61	3	Vertical	157	1.80	-	39.40	10.13	34.53

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03062G	56.71	88.20	-31.49	41.71	3	Horizontal	319	1.27	-	39.40	10.13	34.53
RMS	13.03293G	43.63	68.20	-24.57	28.63	3	Horizontal	319	1.27	-	39.40	10.13	34.53

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54384G	48.56	74.00	-25.44	46.89	1	Vertical	345	1.37	-	38.09	15.22	51.64
AV	19.54888G	34.55	54.00	-19.45	32.87	1	Vertical	345	1.37	-	38.10	15.22	51.64

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54507G	60.95	74.00	-13.05	59.28	1	Horizontal	110	1.62	-	38.09	15.22	51.64
AV	19.54903G	47.51	54.00	-6.49	45.83	1	Horizontal	110	1.62	-	38.10	15.22	51.64

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0564G	61.67	88.20	-26.53	43.61	3	Vertical	326	2.30	-	39.40	11.29	32.63
RMS	13.1154G	49.68	68.20	-18.52	31.56	3	Vertical	326	2.30	-	39.49	11.32	32.69

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06124G	61.37	88.20	-26.83	43.31	3	Horizontal	17	2.29	-	39.40	11.29	32.63
RMS	13.06838G	49.03	68.20	-19.17	30.97	3	Horizontal	17	2.29	-	39.40	11.30	32.64

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUTZ_4TX
Setting 22
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5912G	46.19	74.00	-27.81	44.79	3	Vertical	308	2.33	-	37.85	15.22	51.67
AV	19.59G	34.27	54.00	-19.73	32.86	3	Vertical	308	2.33	-	37.86	15.22	51.67

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 Setting 22
 06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5972G	46.63	74.00	-27.37	45.27	3	Horizontal	278	1.18	-	37.82	15.22	51.68
AV	19.5909G	34.76	54.00	-19.24	33.36	3	Horizontal	278	1.18	-	37.85	15.22	51.67

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38906G	56.96	74.00	-17.04	41.44	3	Vertical	9	1.80	-	40.00	10.26	34.74
AV	13.39236G	43.24	54.00	-10.76	27.71	3	Vertical	9	1.80	-	40.00	10.27	34.74

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38647G	56.82	74.00	-17.18	41.29	3	Horizontal	141	1.55	-	40.00	10.26	34.73
AV	13.39446G	43.24	54.00	-10.76	27.71	3	Horizontal	141	1.55	-	40.00	10.27	34.74

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08349G	48.79	74.00	-25.21	47.69	1	Vertical	197	1.91	-	37.83	15.27	52.00
AV	20.08779G	34.61	54.00	-19.39	33.49	1	Vertical	197	1.91	-	37.85	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 24
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08423G	48.44	74.00	-25.56	47.33	1	Horizontal	192	1.06	-	37.84	15.27	52.00
AV	20.08757G	34.67	54.00	-19.33	33.55	1	Horizontal	192	1.06	-	37.85	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75306G	62.61	88.20	-25.59	43.01	3	Vertical	196	2.74	-	40.69	11.61	32.70
RMS	13.75048G	49.67	68.20	-18.53	30.06	3	Vertical	196	2.74	-	40.70	11.61	32.70

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74016G	62.75	88.20	-25.45	43.22	3	Horizontal	269	2.22	-	40.64	11.60	32.71
RMS	13.74736G	49.85	68.20	-18.35	30.26	3	Horizontal	269	2.22	-	40.68	11.61	32.70

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61588G	48.28	74.00	-25.72	46.67	3	Vertical	62	1.33	-	37.97	15.69	52.05
AV	20.6148G	35.04	54.00	-18.96	33.43	3	Vertical	62	1.33	-	37.97	15.69	52.05

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61006G	47.75	74.00	-26.25	46.12	3	Horizontal	255	2.87	-	37.98	15.69	52.04
AV	20.62866G	34.95	54.00	-19.05	33.36	3	Horizontal	255	2.87	-	37.94	15.70	52.05

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79108G	63.14	88.20	-25.06	43.62	3	Vertical	329	1.57	-	40.54	11.62	32.64
RMS	13.80332G	49.68	68.20	-18.52	30.18	3	Vertical	329	1.57	-	40.49	11.63	32.62

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79372G	62.45	88.20	-25.75	42.93	3	Horizontal	102	2.10	-	40.53	11.63	32.64
RMS	13.80464G	49.82	68.20	-18.38	30.32	3	Horizontal	102	2.10	-	40.49	11.63	32.62

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6802G	47.63	74.00	-26.37	46.06	3	Vertical	121	2.18	-	37.90	15.74	52.07
AV	20.68506G	34.77	54.00	-19.23	33.19	3	Vertical	121	2.18	-	37.90	15.75	52.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67288G	48.05	74.00	-25.95	46.48	3	Horizontal	270	1.49	-	37.90	15.74	52.07
AV	20.69946G	34.82	54.00	-19.18	33.24	3	Horizontal	270	1.49	-	37.90	15.76	52.08

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 20
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99456G	63.38	88.20	-24.82	43.12	3	Vertical	168	1.50	-	40.88	11.72	32.34
RMS	13.9954G	50.60	68.20	-17.60	30.34	3	Vertical	168	1.50	-	40.88	11.72	32.34

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 20
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99342G	63.46	88.20	-24.74	43.21	3	Horizontal	121	2.01	-	40.87	11.72	32.34
RMS	13.99516G	50.87	68.20	-17.33	30.61	3	Horizontal	121	2.01	-	40.88	11.72	32.34

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 20
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99718G	47.43	74.00	-26.57	45.72	3	Vertical	194	1.86	-	37.91	16.00	52.20
AV	20.97516G	35.72	54.00	-18.28	33.93	3	Vertical	194	1.86	-	38.00	15.98	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
 Setting 20
 06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98626G	47.44	74.00	-26.56	45.69	3	Horizontal	127	1.76	-	37.95	15.99	52.19
AV	20.97012G	35.68	54.00	-18.32	33.87	3	Horizontal	127	1.76	-	38.02	15.98	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0866G	109.54	Inf	-Inf	100.08	3	Vertical	104	2.50	-	36.43	7.03	34.00
AV	7.0968G	100.98	Inf	-Inf	91.55	3	Vertical	104	2.50	-	36.41	7.03	34.01
PK	7.135G	62.70	88.20	-25.50	53.14	3	Vertical	104	2.50	-	36.54	7.04	34.02
AV	7.1828G	52.36	68.20	-15.84	42.55	3	Vertical	104	2.50	-	36.80	7.05	34.04

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.094G	98.56	Inf	-Inf	89.13	3	Horizontal	228	2.25	-	36.41	7.03	34.01
AV	7.0998G	90.05	Inf	-Inf	80.63	3	Horizontal	228	2.25	-	36.40	7.03	34.01
PK	7.1732G	63.10	88.20	-25.10	53.35	3	Horizontal	228	2.25	-	36.74	7.05	34.04
AV	7.1826G	52.40	68.20	-15.80	42.59	3	Horizontal	228	2.25	-	36.80	7.05	34.04

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1927G	60.86	88.20	-27.34	44.68	3	Vertical	235	1.80	-	40.70	10.59	35.11
RMS	14.18639G	46.83	68.20	-21.37	30.65	3	Vertical	235	1.80	-	40.70	10.59	35.11

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18545G	60.70	88.20	-27.50	44.52	3	Horizontal	43	2.77	-	40.70	10.59	35.11
RMS	14.18641G	46.90	68.20	-21.30	30.72	3	Horizontal	43	2.77	-	40.70	10.59	35.11

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2865G	49.57	74.00	-24.43	47.25	1	Vertical	139	1.90	-	38.29	16.23	52.20
AV	21.28752G	35.80	54.00	-18.20	33.47	1	Vertical	139	1.90	-	38.30	16.23	52.20

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 23
04-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28941G	49.67	74.00	-24.33	47.32	1	Horizontal	95	1.92	-	38.32	16.23	52.20
AV	21.28492G	35.91	54.00	-18.09	33.60	1	Horizontal	95	1.92	-	38.28	16.23	52.20

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9112G	59.78	88.20	-28.42	52.71	3	Vertical	88	2.53	30	32.40	7.64	32.97
RMS	5.889G	47.77	68.20	-20.43	40.75	3	Vertical	88	2.53	30	32.36	7.62	32.96
PK	5.9706G	109.37	Inf	-Inf	102.25	3	Vertical	88	2.53	30	32.44	7.67	32.99
RMS	5.976G	98.85	Inf	-Inf	91.72	3	Vertical	88	2.53	30	32.45	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9032G	59.39	88.20	-28.81	52.33	3	Horizontal	190	2.95	30	32.40	7.63	32.97
RMS	5.9048G	47.68	68.20	-20.52	40.62	3	Horizontal	190	2.95	30	32.40	7.63	32.97
PK	5.9706G	96.52	Inf	-Inf	89.40	3	Horizontal	190	2.95	30	32.44	7.67	32.99
RMS	5.9706G	85.18	Inf	-Inf	78.06	3	Horizontal	190	2.95	30	32.44	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96908G	59.49	74.00	-14.51	41.80	3	Vertical	173	1.80	60	39.04	11.10	32.45
AV	11.90539G	47.95	54.00	-6.05	30.43	3	Vertical	173	1.80	60	38.91	11.07	32.46
PK	17.90217G	62.31	74.00	-11.69	32.16	3	Vertical	64	2.77	60	46.95	13.42	30.22
AV	17.90925G	49.22	54.00	-4.78	18.91	3	Vertical	64	2.77	60	47.10	13.42	30.21

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92529G	58.58	74.00	-15.42	41.01	3	Horizontal	96	1.25	60	38.95	11.08	32.46
AV	11.92361G	47.93	54.00	-6.07	30.36	3	Horizontal	96	1.25	60	38.95	11.08	32.46
PK	17.90715G	61.33	74.00	-12.67	31.06	3	Horizontal	59	1.37	60	47.06	13.42	30.21
AV	17.89815G	48.22	54.00	-5.78	18.17	3	Horizontal	59	1.37	60	46.86	13.42	30.23

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83309G	54.51	83.54	-29.03	48.69	1	Vertical	118	2.02	-	38.90	17.35	50.43
AV	23.833G	42.07	63.54	-21.47	36.25	1	Vertical	118	2.02	-	38.90	17.35	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83309G	53.49	83.54	-30.05	47.67	1	Horizontal	303	2.91	-	38.90	17.35	50.43
AV	23.833G	41.70	63.54	-21.84	35.88	1	Horizontal	303	2.91	-	38.90	17.35	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43158G	59.94	74.00	-14.06	42.09	3	Vertical	150	1.05	60	38.61	11.28	32.04
AV	12.38059G	48.77	54.00	-5.23	30.75	3	Vertical	150	1.05	60	38.84	11.26	32.08

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37548G	60.03	74.00	-13.97	42.01	3	Horizontal	1	1.80	60	38.85	11.26	32.09
AV	12.43637G	48.35	54.00	-5.65	30.51	3	Horizontal	1	1.80	60	38.58	11.29	32.03

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62649G	55.05	83.54	-28.49	52.58	1	Vertical	8	2.38	-	37.75	15.27	50.55
AV	18.6111G	43.03	63.54	-20.51	40.57	1	Vertical	8	2.38	-	37.72	15.27	50.53

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62379G	54.27	83.54	-29.27	51.80	1	Horizontal	54	2.91	-	37.75	15.27	50.55
AV	18.62439G	42.16	63.54	-21.38	39.69	1	Horizontal	54	2.91	-	37.75	15.27	50.55

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7754G	59.80	88.20	-28.40	40.84	3	Vertical	159	1.80	60	39.05	11.41	31.50
RMS	12.77244G	49.06	68.20	-19.14	30.12	3	Vertical	159	1.80	60	39.03	11.41	31.50

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.773G	60.70	88.20	-27.50	41.75	3	Horizontal	341	1.80	60	39.04	11.41	31.50
RMS	12.77324G	49.01	68.20	-19.19	30.06	3	Horizontal	341	1.80	60	39.04	11.41	31.50

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21686G	54.14	83.54	-29.40	52.19	1	Vertical	222	2.38	-	37.97	15.24	51.26
AV	19.20033G	42.35	63.54	-21.19	40.35	1	Vertical	222	2.38	-	38.00	15.24	51.24

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22055G	54.09	83.54	-29.45	52.15	1	Horizontal	122	2.54	-	37.96	15.24	51.26
AV	19.21062G	42.37	63.54	-21.17	40.40	1	Horizontal	122	2.54	-	37.98	15.24	51.25

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87609G	60.15	88.20	-28.05	40.72	3	Vertical	92	1.80	60	39.30	11.45	31.32
RMS	12.86554G	49.77	68.20	-18.43	30.36	3	Vertical	92	1.80	60	39.30	11.45	31.34

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89639G	60.60	88.20	-27.60	41.13	3	Horizontal	333	1.34	60	39.30	11.46	31.29
RMS	12.88529G	49.66	68.20	-18.54	30.21	3	Horizontal	333	1.34	60	39.30	11.46	31.31

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3269G	53.00	83.54	-30.54	51.27	1	Vertical	188	1.11	-	37.89	15.23	51.39
AV	19.32426G	41.12	63.54	-22.42	39.38	1	Vertical	188	1.11	-	37.90	15.23	51.39

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32771G	53.70	83.54	-29.84	51.97	1	Horizontal	51	3.00	-	37.89	15.23	51.39
AV	19.32435G	41.03	63.54	-22.51	39.29	1	Horizontal	51	3.00	-	37.90	15.23	51.39

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96984G	60.72	88.20	-27.48	41.07	3	Vertical	355	1.80	60	39.32	11.49	31.16
RMS	13.00652G	49.79	68.20	-18.41	30.22	3	Vertical	355	1.80	60	39.17	11.50	31.10

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99733G	61.13	88.20	-27.07	41.53	3	Horizontal	300	2.26	60	39.21	11.50	31.11
RMS	12.99733G	49.66	68.20	-18.54	30.06	3	Horizontal	300	2.26	60	39.21	11.50	31.11

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45134G	53.28	83.54	-30.26	51.78	1	Vertical	276	1.18	-	37.81	15.23	51.54
AV	19.4625G	42.41	63.54	-21.13	40.88	1	Vertical	276	1.18	-	37.85	15.23	51.55

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46208G	53.11	83.54	-30.43	51.58	1	Horizontal	29	2.92	-	37.85	15.23	51.55
AV	19.4424G	42.27	63.54	-21.27	40.74	1	Horizontal	29	2.92	-	37.83	15.23	51.53

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUTZ_4TX
SET 31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07486G	60.94	88.20	-27.26	41.31	3	Vertical	287	1.80	60	39.10	11.53	31.00
RMS	13.08005G	49.54	68.20	-18.66	29.88	3	Vertical	287	1.80	60	39.12	11.53	30.99

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0894G	61.71	88.20	-26.49	42.00	3	Horizontal	360	1.80	60	39.16	11.53	30.98
RMS	13.052G	49.58	68.20	-18.62	30.08	3	Horizontal	360	1.80	60	39.01	11.52	31.03

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57134G	54.50	83.54	-29.04	52.97	1	Vertical	32	1.83	-	37.97	15.22	51.66
AV	19.57764G	42.02	63.54	-21.52	40.53	1	Vertical	32	1.83	-	37.93	15.22	51.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57116G	54.14	83.54	-29.40	52.61	1	Horizontal	78	2.19	-	37.97	15.22	51.66
AV	19.57701G	41.69	63.54	-21.85	40.19	1	Horizontal	78	2.19	-	37.94	15.22	51.66

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09508G	60.77	88.20	-27.43	41.02	3	Vertical	134	2.78	60	39.18	11.54	30.97
RMS	13.0906G	49.93	68.20	-18.27	30.22	3	Vertical	134	2.78	60	39.16	11.53	30.98

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13935G	61.58	88.20	-26.62	41.57	3	Horizontal	266	1.76	60	39.36	11.55	30.90
RMS	13.12584G	50.10	68.20	-18.10	30.17	3	Horizontal	266	1.76	60	39.30	11.55	30.92

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68063G	54.46	83.54	-29.08	53.06	1	Vertical	236	2.99	-	37.92	15.22	51.74
AV	19.68819G	42.86	63.54	-20.68	41.52	1	Vertical	236	2.99	-	37.87	15.22	51.75

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7046G	54.76	83.54	-28.78	53.50	1	Horizontal	20	2.16	-	37.81	15.21	51.76
AV	19.70211G	42.88	63.54	-20.66	41.63	1	Horizontal	20	2.16	-	37.80	15.21	51.76

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37978G	62.26	74.00	-11.74	41.41	3	Vertical	6	1.78	-	39.76	11.64	30.55
AV	13.37116G	50.78	54.00	-3.22	29.96	3	Vertical	6	1.78	-	39.74	11.64	30.56

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37692G	62.40	74.00	-11.60	41.56	3	Horizontal	109	2.26	-	39.75	11.64	30.55
AV	13.37404G	50.66	54.00	-3.34	29.83	3	Horizontal	109	2.26	-	39.75	11.64	30.56

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05023G	55.35	83.54	-28.19	54.41	1	Vertical	313	1.86	-	37.70	15.24	52.00
AV	20.06358G	43.39	63.54	-20.15	42.39	1	Vertical	313	1.86	-	37.75	15.25	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04762G	55.44	83.54	-28.10	54.50	1	Horizontal	81	1.87	-	37.70	15.24	52.00
AV	20.04351G	43.46	63.54	-20.08	42.52	1	Horizontal	81	1.87	-	37.71	15.23	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76686G	62.15	88.20	-26.05	40.59	3	Vertical	236	1.59	-	40.20	11.79	30.43
RMS	13.7634G	51.55	68.20	-16.65	29.99	3	Vertical	236	1.59	-	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77296G	62.40	88.20	-25.80	40.84	3	Horizontal	177	2.72	-	40.20	11.79	30.43
RMS	13.76668G	51.40	68.20	-16.80	29.84	3	Horizontal	177	2.72	-	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6508G	55.30	83.54	-28.24	53.74	1	Vertical	165	2.05	-	37.90	15.72	52.06
AV	20.65647G	42.77	63.54	-20.77	41.20	1	Vertical	165	2.05	-	37.90	15.73	52.06

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65074G	54.63	83.54	-28.91	53.07	1	Horizontal	187	1.23	-	37.90	15.72	52.06
AV	20.64621G	43.44	63.54	-20.10	41.87	1	Horizontal	187	1.23	-	37.91	15.72	52.06

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8569G	62.81	88.20	-25.39	41.07	3	Vertical	152	2.30	-	40.36	11.83	30.45
RMS	13.85894G	52.28	68.20	-15.92	30.53	3	Vertical	152	2.30	-	40.37	11.83	30.45

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85576G	62.76	88.20	-25.44	41.03	3	Horizontal	342	2.48	-	40.35	11.83	30.45
RMS	13.84192G	51.98	68.20	-16.22	30.33	3	Horizontal	342	2.48	-	40.28	11.82	30.45

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78679G	54.45	83.54	-29.09	52.64	1	Vertical	28	2.08	-	38.09	15.83	52.11
AV	20.77686G	42.55	63.54	-20.99	40.83	1	Vertical	28	2.08	-	38.01	15.82	52.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7783G	53.66	83.54	-29.88	51.92	1	Horizontal	32	1.97	-	38.03	15.82	52.11
AV	20.787G	42.85	63.54	-20.69	41.03	1	Horizontal	32	1.97	-	38.10	15.83	52.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01698G	63.31	88.20	-24.89	40.99	3	Vertical	239	2.60	-	40.93	11.89	30.50
RMS	14.01502G	52.28	68.20	-15.92	29.95	3	Vertical	239	2.60	-	40.93	11.89	30.49

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01864G	63.38	88.20	-24.82	41.05	3	Horizontal	163	2.12	-	40.94	11.89	30.50
RMS	14.00126G	52.23	68.20	-15.97	29.93	3	Horizontal	163	2.12	-	40.90	11.88	30.48

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02856G	55.94	83.54	-27.60	53.93	1	Vertical	329	1.07	-	38.19	16.02	52.20
AV	21.02457G	43.97	63.54	-19.57	42.00	1	Vertical	329	1.07	-	38.15	16.02	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02487G	55.17	83.54	-28.37	53.20	1	Horizontal	117	2.99	-	38.15	16.02	52.20
AV	21.01536G	43.77	63.54	-19.77	41.91	1	Horizontal	117	2.99	-	38.05	16.01	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1006G	108.91	Inf	-Inf	97.83	3	Vertical	302	2.95	45	35.60	8.52	33.04
RMS	7.0806G	100.52	Inf	-Inf	89.54	3	Vertical	302	2.95	45	35.48	8.53	33.03
PK	7.127G	69.24	88.20	-18.96	58.01	3	Vertical	302	2.95	45	35.76	8.52	33.05
RMS	7.126G	54.39	68.20	-13.81	43.16	3	Vertical	302	2.95	45	35.76	8.52	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0742G	96.04	Inf	-Inf	85.09	3	Horizontal	20	2.95	45	35.45	8.53	33.03
RMS	7.0792G	86.41	Inf	-Inf	75.43	3	Horizontal	20	2.95	45	35.48	8.53	33.03
PK	7.161G	64.56	88.20	-23.64	53.18	3	Horizontal	20	2.95	45	35.94	8.50	33.06
RMS	7.1292G	54.03	68.20	-14.17	42.79	3	Horizontal	20	2.95	45	35.78	8.51	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16152G	63.72	88.20	-24.48	40.98	3	Vertical	282	1.88	-	41.42	11.95	30.63
RMS	14.16888G	52.89	68.20	-15.31	30.13	3	Vertical	282	1.88	-	41.44	11.96	30.64

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17586G	63.92	88.20	-24.28	41.15	3	Horizontal	132	1.04	-	41.45	11.96	30.64
RMS	14.1725G	52.97	68.20	-15.23	30.20	3	Horizontal	132	1.04	-	41.45	11.96	30.64

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25653G	53.47	83.54	-30.07	51.41	1	Vertical	204	2.20	-	38.05	16.21	52.20
AV	21.26352G	42.78	63.54	-20.76	40.66	1	Vertical	204	2.20	-	38.11	16.21	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24846G	53.36	83.54	-30.18	51.36	1	Horizontal	126	1.89	-	38.00	16.20	52.20
AV	21.26982G	42.55	63.54	-20.99	40.37	1	Horizontal	126	1.89	-	38.16	16.22	52.20

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	59.90	88.20	-28.30	52.92	3	Vertical	91	2.61	42	32.32	7.62	32.96
RMS	5.921G	48.57	68.20	-19.63	41.50	3	Vertical	91	2.61	42	32.40	7.64	32.97
PK	6.0058G	108.91	Inf	-Inf	101.72	3	Vertical	91	2.61	42	32.51	7.68	33.00
RMS	5.9758G	98.12	Inf	-Inf	90.99	3	Vertical	91	2.61	42	32.45	7.67	32.99

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	58.69	88.20	-29.51	51.80	3	Horizontal	17	2.95	42	32.23	7.61	32.95
RMS	5.9038G	47.51	68.20	-20.69	40.45	3	Horizontal	17	2.95	42	32.40	7.63	32.97
PK	6.0138G	96.77	Inf	-Inf	89.56	3	Horizontal	17	2.95	42	32.53	7.68	33.00
RMS	6.0086G	84.99	Inf	-Inf	77.79	3	Horizontal	17	2.95	42	32.52	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.02722G	59.25	74.00	-14.75	41.33	3	Vertical	51	1.80	60	39.21	11.13	32.42
AV	12.04401G	48.73	54.00	-5.27	30.72	3	Vertical	51	1.80	60	39.28	11.14	32.41
PK	17.9676G	60.33	74.00	-13.67	28.40	3	Vertical	66	2.13	60	48.56	13.44	30.07
AV	17.96991G	49.00	54.00	-5.00	16.99	3	Vertical	66	2.13	60	48.64	13.44	30.07

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00453G	59.04	74.00	-14.96	41.25	3	Horizontal	346	1.80	60	39.12	11.12	32.45
AV	12.03937G	48.60	54.00	-5.40	30.62	3	Horizontal	346	1.80	60	39.26	11.13	32.41
PK	17.95122G	60.31	74.00	-13.69	28.95	3	Horizontal	341	2.45	60	48.04	13.43	30.11
AV	17.96892G	48.22	54.00	-5.78	16.24	3	Horizontal	341	2.45	60	48.61	13.44	30.07

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94963G	54.29	83.54	-29.25	48.42	1	Vertical	262	2.87	-	38.90	17.38	50.41
AV	23.93055G	46.22	63.54	-17.32	40.39	1	Vertical	262	2.87	-	38.86	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93979G	54.26	83.54	-29.28	48.41	1	Horizontal	173	1.64	-	38.88	17.38	50.41
AV	23.95044G	43.57	63.54	-19.97	37.69	1	Horizontal	173	1.64	-	38.90	17.39	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45304G	59.20	74.00	-14.80	41.43	3	Vertical	318	1.90	60	38.50	11.29	32.02
AV	12.43929G	48.29	54.00	-5.71	30.47	3	Vertical	318	1.90	60	38.56	11.29	32.03

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41308G	59.56	74.00	-14.44	41.61	3	Horizontal	59	1.80	60	38.72	11.28	32.05
AV	12.39581G	48.53	54.00	-5.47	30.52	3	Horizontal	59	1.80	60	38.81	11.27	32.07

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68343G	54.69	83.54	-28.85	52.37	1	Vertical	137	1.16	-	37.67	15.27	50.62
AV	18.66963G	43.37	63.54	-20.17	40.98	1	Vertical	137	1.16	-	37.72	15.27	50.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67977G	53.11	83.54	-30.43	50.78	1	Horizontal	347	1.92	-	37.68	15.27	50.62
AV	18.66681G	42.57	63.54	-20.97	40.17	1	Horizontal	347	1.92	-	37.73	15.27	50.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.74602G	60.44	88.20	-27.76	41.70	3	Vertical	357	1.29	60	38.89	11.40	31.55
RMS	12.78039G	49.41	68.20	-18.79	30.40	3	Vertical	357	1.29	60	39.08	11.42	31.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81412G	60.97	88.20	-27.23	41.74	3	Horizontal	77	1.80	60	39.23	11.43	31.43
RMS	12.77256G	49.21	68.20	-18.99	30.26	3	Horizontal	77	1.80	60	39.04	11.41	31.50

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15929G	54.09	83.54	-29.45	52.28	1	Vertical	359	1.01	-	37.76	15.24	51.19
AV	19.16241G	42.27	63.54	-21.27	40.45	1	Vertical	359	1.01	-	37.77	15.24	51.19

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15284G	53.27	83.54	-30.27	51.49	1	Horizontal	319	1.16	-	37.72	15.24	51.18
AV	19.16466G	42.60	63.54	-20.94	40.77	1	Horizontal	319	1.16	-	37.79	15.24	51.20

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86862G	60.91	88.20	-27.29	41.50	3	Vertical	275	1.24	60	39.30	11.45	31.34
RMS	12.89052G	49.65	68.20	-18.55	30.19	3	Vertical	275	1.24	60	39.30	11.46	31.30

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88716G	60.37	88.20	-27.83	40.91	3	Horizontal	310	1.80	60	39.30	11.46	31.30
RMS	12.8651G	49.77	68.20	-18.43	30.36	3	Horizontal	310	1.80	60	39.30	11.45	31.34

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40223G	54.26	83.54	-29.28	52.52	1	Vertical	195	2.99	-	37.99	15.23	51.48
AV	19.38861G	43.11	63.54	-20.43	41.40	1	Vertical	195	2.99	-	37.95	15.23	51.47

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40562G	53.43	83.54	-30.11	51.71	1	Horizontal	329	2.58	-	37.98	15.23	51.49
AV	19.40946G	42.71	63.54	-20.83	41.01	1	Horizontal	329	2.58	-	37.96	15.23	51.49

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11925G	60.90	88.20	-27.30	41.00	3	Vertical	224	2.81	60	39.28	11.55	30.93
RMS	13.01631G	49.52	68.20	-18.68	29.97	3	Vertical	224	2.81	60	39.13	11.51	31.09

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02974G	61.50	88.20	-26.70	41.98	3	Horizontal	34	1.08	60	39.08	11.51	31.07
RMS	13.02574G	49.68	68.20	-18.52	30.14	3	Horizontal	34	1.08	60	39.10	11.51	31.07

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62171G	53.16	83.54	-30.38	51.71	1	Vertical	130	2.44	-	37.93	15.22	51.70
AV	19.63413G	42.37	63.54	-21.17	40.86	1	Vertical	130	2.44	-	38.00	15.22	51.71

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62126G	53.71	83.54	-29.83	52.26	1	Horizontal	181	2.29	-	37.93	15.22	51.70
AV	19.62039G	42.67	63.54	-20.87	41.23	1	Horizontal	181	2.29	-	37.92	15.22	51.70

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25902G	60.60	74.00	-13.40	40.49	3	Vertical	295	1.53	-	39.24	11.60	30.73
AV	13.25818G	49.48	54.00	-4.52	29.38	3	Vertical	295	1.53	-	39.23	11.60	30.73

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2529G	60.95	74.00	-13.05	40.88	3	Horizontal	61	2.13	-	39.21	11.60	30.74
AV	13.25364G	49.52	54.00	-4.48	29.44	3	Horizontal	61	2.13	-	39.21	11.60	30.73

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87278G	54.01	83.54	-29.53	52.96	1	Vertical	325	2.95	-	37.74	15.21	51.90
AV	19.88901G	42.67	63.54	-20.87	41.54	1	Vertical	325	2.95	-	37.83	15.21	51.91

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88307G	54.27	83.54	-29.27	53.17	1	Horizontal	350	1.69	-	37.80	15.21	51.91
AV	19.86114G	42.33	63.54	-21.21	41.34	1	Horizontal	350	1.69	-	37.67	15.21	51.89

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40478G	62.06	88.20	-26.14	41.10	3	Vertical	269	2.59	-	39.82	11.65	30.51
RMS	13.40394G	51.27	68.20	-16.93	30.31	3	Vertical	269	2.59	-	39.82	11.65	30.51

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40296G	61.93	88.20	-26.27	40.98	3	Horizontal	284	1.22	-	39.81	11.65	30.51
RMS	13.40024G	50.88	68.20	-17.32	29.95	3	Horizontal	284	1.22	-	39.80	11.65	30.52

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11827G	54.36	83.54	-29.18	53.28	1	Vertical	217	1.63	-	37.79	15.29	52.00
AV	20.12655G	42.19	63.54	-21.35	41.15	1	Vertical	217	1.63	-	37.74	15.30	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11899G	54.11	83.54	-29.43	53.02	1	Horizontal	115	2.05	-	37.79	15.30	52.00
AV	20.10552G	42.67	63.54	-20.87	41.52	1	Horizontal	115	2.05	-	37.87	15.28	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56068G	62.25	88.20	-25.95	40.66	3	Vertical	341	1.79	-	40.26	11.71	30.38
RMS	13.56322G	51.01	68.20	-17.19	29.43	3	Vertical	341	1.79	-	40.25	11.71	30.38

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57478G	62.05	88.20	-26.15	40.52	3	Horizontal	204	1.84	-	40.20	11.72	30.39
RMS	13.56148G	51.21	68.20	-16.99	29.63	3	Horizontal	204	1.84	-	40.25	11.71	30.38

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36181G	52.64	83.54	-30.90	51.07	1	Vertical	241	2.02	-	38.08	15.49	52.00
AV	20.3673G	42.55	63.54	-20.99	40.99	1	Vertical	241	2.02	-	38.07	15.49	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3598G	54.67	83.54	-28.87	53.10	1	Horizontal	23	2.45	-	38.08	15.49	52.00
AV	20.3658G	41.22	63.54	-22.32	39.66	1	Horizontal	23	2.45	-	38.07	15.49	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73872G	61.73	88.20	-26.47	40.19	3	Vertical	62	2.09	-	40.18	11.78	30.42
RMS	13.73472G	51.11	68.20	-17.09	29.58	3	Vertical	62	2.09	-	40.17	11.78	30.42

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73712G	61.87	88.20	-26.33	40.34	3	Horizontal	170	1.69	-	40.17	11.78	30.42
RMS	13.73298G	51.05	68.20	-17.15	29.52	3	Horizontal	170	1.69	-	40.17	11.78	30.42

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6055G	54.27	83.54	-29.27	52.64	1	Vertical	82	2.72	-	37.99	15.68	52.04
AV	20.60781G	43.88	63.54	-19.66	42.25	1	Vertical	82	2.72	-	37.98	15.69	52.04

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59038G	53.27	83.54	-30.27	51.66	1	Horizontal	133	2.40	-	37.98	15.67	52.04
AV	20.60301G	42.79	63.54	-20.75	41.16	1	Horizontal	133	2.40	-	37.99	15.68	52.04

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8974G	63.35	88.20	-24.85	41.29	3	Vertical	123	1.98	-	40.68	11.84	30.46
RMS	13.89636G	52.43	68.20	-15.77	30.38	3	Vertical	123	1.98	-	40.67	11.84	30.46

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89582G	64.16	88.20	-24.04	42.11	3	Horizontal	199	1.89	-	40.67	11.84	30.46
RMS	13.89644G	52.56	68.20	-15.64	30.51	3	Horizontal	199	1.89	-	40.67	11.84	30.46

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82363G	54.19	83.54	-29.35	52.26	1	Vertical	329	2.85	-	38.20	15.86	52.13
AV	20.82372G	42.57	63.54	-20.97	40.64	1	Vertical	329	2.85	-	38.20	15.86	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83725G	54.71	83.54	-28.83	52.77	1	Horizontal	316	2.95	-	38.20	15.87	52.13
AV	20.83968G	43.19	63.54	-20.35	41.26	1	Horizontal	316	2.95	-	38.20	15.87	52.14

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9966G	107.63	Inf	-Inf	96.99	3	Vertical	111	2.36	-	35.09	8.56	33.01
RMS	6.9966G	98.42	Inf	-Inf	87.78	3	Vertical	111	2.36	-	35.09	8.56	33.01
PK	7.2074G	64.13	88.20	-24.07	52.59	3	Vertical	111	2.36	-	36.11	8.50	33.07
RMS	7.2174G	54.14	68.20	-14.06	42.58	3	Vertical	111	2.36	-	36.13	8.51	33.08

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9994G	92.23	Inf	-Inf	81.58	3	Horizontal	66	2.32	-	35.10	8.56	33.01
RMS	6.9946G	83.75	Inf	-Inf	73.12	3	Horizontal	66	2.32	-	35.09	8.55	33.01
PK	7.2114G	63.98	88.20	-24.22	52.43	3	Horizontal	66	2.32	-	36.12	8.50	33.07
RMS	7.1754G	54.01	68.20	-14.19	42.57	3	Horizontal	66	2.32	-	36.00	8.50	33.06

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04326G	63.22	88.20	-24.98	40.85	3	Vertical	278	1.62	-	40.99	11.90	30.52
RMS	14.04098G	52.67	68.20	-15.53	30.31	3	Vertical	278	1.62	-	40.98	11.90	30.52

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0429G	62.95	88.20	-25.25	40.58	3	Horizontal	135	1.48	-	40.99	11.90	30.52
RMS	14.04644G	52.44	68.20	-15.76	30.07	3	Horizontal	135	1.48	-	40.99	11.90	30.52

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06936G	53.76	83.54	-29.78	51.62	1	Vertical	165	1.25	-	38.28	16.06	52.20
AV	21.08958G	42.16	63.54	-21.38	40.13	1	Vertical	165	1.25	-	38.16	16.07	52.20

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06969G	54.79	83.54	-28.75	52.65	1	Horizontal	36	2.19	-	38.28	16.06	52.20
AV	21.07044G	42.92	63.54	-20.62	40.78	1	Horizontal	36	2.19	-	38.28	16.06	52.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	67.18	88.20	-21.02	60.11	3	Vertical	87	2.51	53	32.40	7.64	32.97
RMS	5.9165G	51.94	68.20	-16.26	44.87	3	Vertical	87	2.51	53	32.40	7.64	32.97
PK	6.011G	110.55	Inf	-Inf	103.35	3	Vertical	87	2.51	53	32.52	7.68	33.00
RMS	6.101G	99.78	Inf	-Inf	92.59	3	Vertical	87	2.51	53	32.50	7.70	33.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9155G	59.80	88.20	-28.40	52.73	3	Horizontal	14	2.95	53	32.40	7.64	32.97
RMS	5.797G	48.96	68.20	-19.24	42.12	3	Horizontal	14	2.95	53	32.19	7.58	32.93
PK	6.101G	98.47	Inf	-Inf	91.28	3	Horizontal	14	2.95	53	32.50	7.70	33.01
RMS	6.101G	88.31	Inf	-Inf	81.12	3	Horizontal	14	2.95	53	32.50	7.70	33.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX



EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.19386G	59.67	74.00	-14.33	41.62	3	Vertical	262	1.80	60	39.12	11.19	32.26
AV	12.12704G	50.86	54.00	-3.14	32.72	3	Vertical	262	1.80	60	39.30	11.17	32.33