


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.12672G	59.98	74.00	-14.02	41.84	3	Horizontal	319	1.05	60	39.30	11.17	32.33
AV	12.14622G	50.42	54.00	-3.58	32.25	3	Horizontal	319	1.05	60	39.30	11.18	32.31

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX



EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08547G	57.92	83.54	-25.62	54.82	1	Vertical	212	2.99	-	37.54	15.30	49.74
AV	18.0831G	46.66	63.54	-16.88	43.56	1	Vertical	212	2.99	-	37.53	15.30	49.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08832G	57.17	83.54	-26.37	54.06	1	Horizontal	287	2.39	-	37.55	15.30	49.74
AV	18.07935G	46.97	63.54	-16.57	43.88	1	Horizontal	287	2.39	-	37.52	15.30	49.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35338G	59.85	74.00	-14.15	41.82	3	Vertical	13	1.80	60	38.89	11.25	32.11
AV	12.26419G	49.86	54.00	-4.14	31.77	3	Vertical	13	1.80	60	39.07	11.22	32.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22487G	59.65	74.00	-14.35	41.57	3	Horizontal	160	2.65	60	39.10	11.21	32.23
AV	12.22167G	50.22	54.00	-3.78	32.16	3	Horizontal	160	2.65	60	39.10	11.20	32.24

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55971G	54.92	83.54	-28.62	52.42	1	Vertical	132	2.87	-	37.70	15.27	50.47
AV	18.56724G	42.55	63.54	-20.99	40.06	1	Vertical	132	2.87	-	37.70	15.27	50.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54777G	54.77	83.54	-28.77	52.25	1	Horizontal	167	2.41	-	37.71	15.27	50.46
AV	18.54003G	42.61	63.54	-20.93	40.05	1	Horizontal	167	2.41	-	37.74	15.27	50.45

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82618G	60.49	88.20	-27.71	41.22	3	Vertical	154	1.80	60	39.25	11.43	31.41
RMS	12.79294G	50.64	68.20	-17.56	31.53	3	Vertical	154	1.80	60	39.16	11.42	31.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7875G	60.04	88.20	-28.16	40.98	3	Horizontal	151	1.05	60	39.12	11.42	31.48
RMS	12.75553G	50.48	68.20	-17.72	31.67	3	Horizontal	151	1.05	60	38.93	11.41	31.53

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03068G	55.22	83.54	-28.32	53.11	1	Vertical	238	1.13	-	37.90	15.25	51.04
AV	19.02894G	42.66	63.54	-20.88	40.54	1	Vertical	238	1.13	-	37.90	15.25	51.03

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04616G	54.87	83.54	-28.67	52.78	1	Horizontal	49	2.62	-	37.90	15.25	51.06
AV	19.02549G	45.11	63.54	-18.43	42.99	1	Horizontal	49	2.62	-	37.90	15.25	51.03

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89428G	60.44	88.20	-27.76	40.97	3	Vertical	168	1.66	60	39.30	11.46	31.29
RMS	12.89939G	51.16	68.20	-17.04	31.68	3	Vertical	168	1.66	60	39.30	11.46	31.28

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.048366G	61.00	88.20	-27.20	41.51	3	Horizontal	128	1.80	60	39.01	11.52	31.04
RMS	13.09727G	51.45	68.20	-16.75	31.69	3	Horizontal	128	1.80	60	39.19	11.54	30.97

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52523G	56.88	83.54	-26.66	55.23	1	Vertical	324	2.42	-	38.05	15.22	51.62
AV	19.50444G	43.67	63.54	-19.87	42.04	1	Vertical	324	2.42	-	38.01	15.22	51.60

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50354G	55.19	83.54	-28.35	53.56	1	Horizontal	42	2.99	-	38.01	15.22	51.60
AV	19.51632G	43.79	63.54	-19.75	42.15	1	Horizontal	42	2.99	-	38.03	15.22	51.61

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48158G	61.30	88.20	-26.90	39.96	3	Vertical	350	1.80	60	40.06	11.68	30.40
RMS	13.48792G	52.44	68.20	-15.76	31.06	3	Vertical	350	1.80	60	40.08	11.69	30.39

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48313G	61.95	88.20	-26.25	40.59	3	Horizontal	360	1.80	60	40.07	11.68	30.39
RMS	13.43613G	52.37	68.20	-15.83	31.22	3	Horizontal	360	1.80	60	39.94	11.67	30.46

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00478G	57.13	83.54	-26.41	56.14	1	Vertical	28	1.04	-	37.79	15.20	52.00
AV	19.9887G	46.66	63.54	-16.88	45.65	1	Vertical	28	1.04	-	37.80	15.20	51.99

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00133G	57.33	83.54	-26.21	56.33	1	Horizontal	200	2.95	-	37.80	15.20	52.00
AV	20.00412G	46.79	63.54	-16.75	45.80	1	Horizontal	200	2.95	-	37.79	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78267G	62.03	88.20	-26.17	40.46	3	Vertical	42	1.80	60	40.20	11.80	30.43
RMS	13.80632G	52.71	68.20	-15.49	31.13	3	Vertical	42	1.80	60	40.21	11.81	30.44

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80058G	62.67	88.20	-25.53	41.11	3	Horizontal	279	1.80	60	40.20	11.80	30.44
RMS	13.80089G	52.49	68.20	-15.71	30.93	3	Horizontal	279	1.80	60	40.20	11.80	30.44

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48508G	59.26	83.54	-24.28	57.95	1	Vertical	13	1.41	-	37.72	15.59	52.00
AV	20.46429G	48.72	63.54	-14.82	47.26	1	Vertical	13	1.41	-	37.89	15.57	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4654G	59.21	83.54	-24.33	57.76	1	Horizontal	357	1.19	-	37.88	15.57	52.00
AV	20.46378G	48.88	63.54	-14.66	47.42	1	Horizontal	357	1.19	-	37.89	15.57	52.00

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.962G	109.31	Inf	-Inf	98.78	3	Vertical	104	2.70	44	35.02	8.52	33.01
RMS	6.9215G	99.46	Inf	-Inf	89.17	3	Vertical	104	2.70	44	34.83	8.48	33.02
PK	7.1315G	64.17	88.20	-24.03	52.92	3	Vertical	104	2.70	44	35.79	8.51	33.05
RMS	7.1465G	55.18	68.20	-13.02	43.84	3	Vertical	104	2.70	44	35.88	8.51	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9195G	97.69	Inf	-Inf	87.41	3	Horizontal	360	2.95	44	34.82	8.48	33.02
RMS	6.9245G	87.44	Inf	-Inf	77.13	3	Horizontal	360	2.95	44	34.85	8.48	33.02
PK	7.1375G	64.11	88.20	-24.09	52.82	3	Horizontal	360	2.95	44	35.83	8.51	33.05
RMS	7.171G	54.24	68.20	-13.96	42.82	3	Horizontal	360	2.95	44	35.98	8.50	33.06

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97578G	62.75	88.20	-25.45	40.50	3	Vertical	247	2.26	-	40.85	11.87	30.47
RMS	13.96058G	53.99	68.20	-14.21	31.77	3	Vertical	247	2.26	-	40.82	11.87	30.47

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97406G	62.70	88.20	-25.50	40.45	3	Horizontal	225	1.90	-	40.85	11.87	30.47
RMS	13.9617G	53.99	68.20	-14.21	31.77	3	Horizontal	225	1.90	-	40.82	11.87	30.47

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96769G	59.99	83.54	-23.55	58.18	1	Vertical	201	1.92	-	38.03	15.97	52.19
AV	20.94609G	48.11	63.54	-15.43	46.23	1	Vertical	201	1.92	-	38.10	15.96	52.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95929G	59.10	83.54	-24.44	57.25	1	Horizontal	8	2.83	-	38.06	15.97	52.18
AV	20.96097G	48.30	63.54	-15.24	46.45	1	Horizontal	8	2.83	-	38.06	15.97	52.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	78.64	88.20	-9.56	71.57	3	Vertical	259	2.95	-	32.40	7.64	32.97
RMS	5.908G	67.89	68.20	-0.31	60.83	3	Vertical	259	2.95	-	32.40	7.63	32.97
PK	6.203G	111.45	Inf	-Inf	103.94	3	Vertical	259	2.95	-	32.81	7.72	33.02
RMS	6.248G	100.02	Inf	-Inf	92.27	3	Vertical	259	2.95	-	32.99	7.78	33.02

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	67.31	88.20	-20.89	60.25	3	Horizontal	223	2.48	-	32.40	7.63	32.97
RMS	5.923G	57.07	68.20	-11.13	50.00	3	Horizontal	223	2.48	-	32.40	7.64	32.97
PK	6.061G	96.83	Inf	-Inf	89.57	3	Horizontal	223	2.48	-	32.58	7.69	33.01
RMS	6.076G	86.74	Inf	-Inf	79.50	3	Horizontal	223	2.48	-	32.55	7.70	33.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20814G	56.06	74.00	-17.94	48.95	3	Vertical	298	1.80	-	39.10	11.20	43.19
AV	12.20982G	46.12	54.00	-7.88	39.01	3	Vertical	298	1.80	-	39.10	11.20	43.19

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20067G	55.86	74.00	-18.14	48.75	3	Horizontal	76	2.49	-	39.10	11.20	43.19
AV	12.20919G	45.95	54.00	-8.05	38.84	3	Horizontal	76	2.49	-	39.10	11.20	43.19

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32154G	54.62	83.54	-28.92	51.95	1	Vertical	13	1.97	-	37.50	15.28	50.11
AV	18.30216G	42.15	63.54	-21.39	39.45	1	Vertical	13	1.97	-	37.50	15.28	50.08

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32874G	53.97	83.54	-29.57	51.32	1	Horizontal	22	2.22	-	37.50	15.28	50.13
AV	18.31938G	43.22	63.54	-20.32	40.55	1	Horizontal	22	2.22	-	37.50	15.28	50.11

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.54449G	54.47	74.00	-19.53	47.75	3	Vertical	164	1.71	-	38.50	11.33	43.11
AV	12.52985G	45.11	54.00	-8.89	38.41	3	Vertical	164	1.71	-	38.50	11.32	43.12

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52127G	54.73	74.00	-19.27	48.04	3	Horizontal	357	1.20	-	38.50	11.32	43.13
AV	12.51965G	45.34	54.00	-8.66	38.65	3	Horizontal	357	1.20	-	38.50	11.32	43.13

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
 SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78609G	55.10	83.54	-28.44	52.78	1	Vertical	229	2.71	-	37.80	15.26	50.74
AV	18.7848G	43.61	63.54	-19.93	41.29	1	Vertical	229	2.71	-	37.80	15.26	50.74

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78555G	56.21	83.54	-27.33	53.89	1	Horizontal	224	1.17	-	37.80	15.26	50.74
AV	18.78021G	43.03	63.54	-20.51	40.71	1	Horizontal	224	1.17	-	37.80	15.26	50.74

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88005G	61.00	88.20	-27.20	41.57	3	Vertical	360	1.80	60	39.30	11.45	31.32
RMS	12.85624G	49.86	88.20	-38.34	30.47	3	Vertical	360	1.80	60	39.30	11.45	31.36

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85450G	59.21	88.20	-28.99	39.83	3	Horizontal	148	1.62	60	39.30	11.44	31.36
RMS	12.85321G	50.84	68.20	-17.36	31.46	3	Horizontal	148	1.62	60	39.30	11.44	31.36

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27635G	53.46	83.54	-30.08	51.60	1	Vertical	357	1.02	-	37.95	15.24	51.33
AV	19.2651G	42.51	63.54	-21.03	40.66	1	Vertical	357	1.02	-	37.93	15.24	51.32

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28493G	53.19	83.54	-30.35	51.32	1	Horizontal	126	2.35	-	37.97	15.24	51.34
AV	19.2693G	42.88	63.54	-20.66	41.02	1	Horizontal	126	2.35	-	37.94	15.24	51.32

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17006G	60.99	88.20	-27.21	40.97	3	Vertical	86	2.02	-	39.32	11.56	30.86
RMS	13.16978G	51.43	68.20	-16.77	31.41	3	Vertical	86	2.02	-	39.32	11.56	30.86

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.162G	60.70	88.20	-27.50	40.66	3	Horizontal	90	2.92	-	39.35	11.56	30.87
RMS	13.16906G	51.68	68.20	-16.52	31.66	3	Horizontal	90	2.92	-	39.32	11.56	30.86

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75818G	56.77	83.54	-26.77	55.44	1	Vertical	32	2.15	-	37.93	15.21	51.81
AV	19.76625G	43.61	63.54	-19.93	42.24	1	Vertical	32	2.15	-	37.97	15.21	51.81

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.74522G	54.66	83.54	-28.88	53.36	1	Horizontal	251	2.63	-	37.89	15.21	51.80
AV	19.75767G	43.19	63.54	-20.35	41.86	1	Horizontal	251	2.63	-	37.93	15.21	51.81

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9244G	59.18	88.20	-29.02	52.11	3	Vertical	260	2.88	35	32.40	7.64	32.97
RMS	5.8992G	47.76	68.20	-20.44	40.70	3	Vertical	260	2.88	35	32.40	7.63	32.97
PK	5.9612G	109.88	Inf	-Inf	102.79	3	Vertical	260	2.88	35	32.42	7.66	32.99
RMS	5.9462G	98.00	Inf	-Inf	90.93	3	Vertical	260	2.88	35	32.40	7.65	32.98

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	59.59	88.20	-28.61	52.52	3	Horizontal	160	2.52	35	32.40	7.64	32.97
RMS	5.9178G	47.59	68.20	-20.61	40.52	3	Horizontal	160	2.52	35	32.40	7.64	32.97
PK	5.9588G	98.76	Inf	-Inf	91.67	3	Horizontal	160	2.52	35	32.42	7.66	32.99
RMS	5.9562G	85.61	Inf	-Inf	78.53	3	Horizontal	160	2.52	35	32.41	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92874G	59.82	74.00	-14.18	42.24	3	Vertical	119	1.62	60	38.96	11.08	32.46
AV	11.91348G	47.76	54.00	-6.24	30.22	3	Vertical	119	1.62	60	38.93	11.07	32.46
PK	17.8569G	59.36	74.00	-14.64	30.42	3	Vertical	50	2.11	60	45.87	13.40	30.33
AV	17.8761G	48.77	54.00	-5.23	19.31	3	Vertical	50	2.11	60	46.33	13.41	30.28

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8943G	59.17	74.00	-14.83	41.67	3	Horizontal	185	1.80	60	38.90	11.06	32.46
AV	11.92383G	47.93	54.00	-6.07	30.36	3	Horizontal	185	1.80	60	38.95	11.08	32.46
PK	17.85777G	60.33	74.00	-13.67	31.36	3	Horizontal	131	1.50	-	45.89	13.40	30.32
AV	17.8632G	48.15	54.00	-5.85	19.03	3	Horizontal	131	1.50	-	46.02	13.41	30.31

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81109G	53.26	83.54	-30.28	47.33	1	Vertical	109	2.72	-	39.03	17.34	50.44
AV	23.80563G	44.44	63.54	-19.10	38.47	1	Vertical	109	2.72	-	39.07	17.34	50.44

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81106G	53.11	83.54	-30.43	47.18	1	Horizontal	59	1.13	-	39.03	17.34	50.44
AV	23.80743G	42.03	63.54	-21.51	36.07	1	Horizontal	59	1.13	-	39.06	17.34	50.44

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39116G	59.50	74.00	-14.50	41.48	3	Vertical	144	1.35	60	38.82	11.27	32.07
AV	12.37613G	48.52	54.00	-5.48	30.50	3	Vertical	144	1.35	60	38.85	11.26	32.09

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38932G	59.76	74.00	-14.24	41.75	3	Horizontal	349	1.80	60	38.82	11.27	32.08
AV	12.37026G	48.68	54.00	-5.32	30.65	3	Horizontal	349	1.80	60	38.86	11.26	32.09

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5835G	52.10	83.54	-31.44	49.63	1	Vertical	186	2.76	-	37.70	15.27	50.50
AV	18.57345G	42.56	63.54	-20.98	40.08	1	Vertical	186	2.76	-	37.70	15.27	50.49

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57417G	52.47	83.54	-31.07	49.99	1	Horizontal	259	1.81	-	37.70	15.27	50.49
AV	18.57303G	42.69	63.54	-20.85	40.21	1	Horizontal	259	1.81	-	37.70	15.27	50.49

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84491G	60.21	88.20	-27.99	40.86	3	Vertical	261	1.80	60	39.29	11.44	31.38
RMS	12.81202G	49.20	68.20	-19.00	29.98	3	Vertical	261	1.80	60	39.22	11.43	31.43

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83655G	60.56	88.20	-27.64	41.24	3	Horizontal	115	1.80	60	39.27	11.44	31.39
RMS	12.82748G	49.66	68.20	-18.54	30.39	3	Horizontal	115	1.80	60	39.25	11.43	31.41

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24864G	52.71	83.54	-30.83	50.87	1	Vertical	71	1.37	-	37.90	15.24	51.30
AV	19.24005G	42.17	63.54	-21.37	40.30	1	Vertical	71	1.37	-	37.92	15.24	51.29

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2414G	52.31	83.54	-31.23	50.44	1	Horizontal	24	2.73	-	37.92	15.24	51.29
AV	19.23366G	41.67	63.54	-21.87	39.78	1	Horizontal	24	2.73	-	37.93	15.24	51.28

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87611G	60.93	88.20	-27.27	41.50	3	Vertical	294	1.80	60	39.30	11.45	31.32
RMS	12.85645G	49.70	68.20	-18.50	30.31	3	Vertical	294	1.80	60	39.30	11.45	31.36

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86477G	61.15	88.20	-27.05	41.74	3	Horizontal	56	2.85	60	39.30	11.45	31.34
RMS	12.86193G	49.84	68.20	-18.36	30.44	3	Horizontal	56	2.85	60	39.30	11.45	31.35

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23309G	52.37	83.54	-31.17	50.48	1	Vertical	3	1.07	-	37.93	15.24	51.28
AV	19.24311G	41.96	63.54	-21.58	40.10	1	Vertical	3	1.07	-	37.91	15.24	51.29

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31157G	53.64	83.54	-29.90	51.83	1	Horizontal	351	2.07	-	37.95	15.23	51.37
AV	19.31346G	43.33	63.54	-20.21	41.53	1	Horizontal	351	2.07	-	37.95	15.23	51.38

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94413G	60.98	88.20	-27.22	41.32	3	Vertical	344	1.80	60	39.39	11.48	31.21
RMS	12.93793G	49.18	68.20	-19.02	29.54	3	Vertical	344	1.80	60	39.38	11.48	31.22

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96558G	60.39	88.20	-27.81	40.73	3	Horizontal	318	1.80	60	39.34	11.49	31.17
RMS	12.9335G	48.94	68.20	-19.26	29.32	3	Horizontal	318	1.80	60	39.37	11.47	31.22

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29645G	53.17	83.54	-30.37	51.30	1	Vertical	140	1.14	-	37.99	15.24	51.36
AV	19.29291G	42.62	63.54	-20.92	40.74	1	Vertical	140	1.14	-	37.99	15.24	51.35

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29801G	53.37	83.54	-30.17	51.49	1	Horizontal	229	3.00	-	38.00	15.24	51.36
AV	19.30041G	42.33	63.54	-21.21	40.46	1	Horizontal	229	3.00	-	38.00	15.23	51.36

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01346G	60.98	88.20	-27.22	41.41	3	Vertical	239	1.80	60	39.15	11.51	31.09
RMS	13.0123G	49.50	68.20	-18.70	29.94	3	Vertical	239	1.80	60	39.15	11.50	31.09

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02485G	60.67	88.20	-27.53	41.13	3	Horizontal	358	1.80	60	39.10	11.51	31.07
RMS	13.03707G	49.49	68.20	-18.71	29.99	3	Horizontal	358	1.80	60	39.05	11.51	31.06

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30716G	52.73	83.54	-30.81	50.90	1	Vertical	139	2.60	-	37.97	15.23	51.37
AV	19.29384G	42.52	63.54	-21.02	40.64	1	Vertical	139	2.60	-	37.99	15.24	51.35

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
SET 35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31625G	51.41	83.54	-32.13	49.62	1	Horizontal	354	2.89	-	37.94	15.23	51.38
AV	19.29066G	42.07	63.54	-21.47	40.20	1	Horizontal	354	2.89	-	37.98	15.24	51.35

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0881G	60.79	88.20	-27.41	41.09	3	Vertical	1	1.80	60	39.15	11.53	30.98
RMS	13.06824G	49.78	68.20	-18.42	30.19	3	Vertical	1	1.80	60	39.07	11.53	31.01

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05062G	60.57	88.20	-27.63	41.09	3	Horizontal	345	1.80	60	39.00	11.52	31.04
RMS	13.07947G	50.12	68.20	-18.08	30.46	3	Horizontal	345	1.80	60	39.12	11.53	30.99

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29744G	54.34	83.54	-29.20	52.47	1	Vertical	15	2.17	-	37.99	15.24	51.36
AV	19.31256G	43.52	63.54	-20.02	41.72	1	Vertical	15	2.17	-	37.95	15.23	51.38

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31859G	54.74	83.54	-28.80	52.96	1	Horizontal	288	1.15	-	37.93	15.23	51.38
AV	19.30422G	43.35	63.54	-20.19	41.51	1	Horizontal	288	1.15	-	37.98	15.23	51.37

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38105G	62.96	74.00	-11.04	42.11	3	Vertical	143	1.80	60	39.76	11.64	30.55
RMS	13.39739G	50.87	54.00	-3.13	29.95	3	Vertical	143	1.80	60	39.79	11.65	30.52

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38692G	61.86	74.00	-12.14	40.98	3	Horizontal	92	1.35	60	39.77	11.65	30.54
RMS	13.37981G	50.93	54.00	-3.07	30.08	3	Horizontal	92	1.35	60	39.76	11.64	30.55

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08552G	54.97	83.54	-28.57	53.86	1	Vertical	108	1.61	-	37.84	15.27	52.00
AV	20.08592G	43.37	63.54	-20.17	42.26	1	Vertical	108	1.61	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08735G	54.16	83.54	-29.38	53.04	1	Horizontal	146	2.71	-	37.85	15.27	52.00
AV	20.08478G	43.55	63.54	-19.99	42.44	1	Horizontal	146	2.71	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73238G	62.32	88.20	-25.88	40.80	3	Vertical	114	1.80	60	40.16	11.78	30.42
RMS	13.76778G	51.35	68.20	-16.85	29.79	3	Vertical	114	1.80	60	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73629G	62.15	88.20	-26.05	40.62	3	Horizontal	63	1.80	60	40.17	11.78	30.42
RMS	13.76826G	51.22	68.20	-16.98	29.66	3	Horizontal	63	1.80	60	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62089G	53.19	83.54	-30.35	51.58	1	Vertical	253	2.35	-	37.96	15.70	52.05
AV	20.61192G	42.61	63.54	-20.93	40.98	1	Vertical	253	2.35	-	37.98	15.69	52.04

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63688G	53.31	83.54	-30.23	51.72	1	Horizontal	252	1.62	-	37.93	15.71	52.05
AV	20.62866G	42.27	63.54	-21.27	40.68	1	Horizontal	252	1.62	-	37.94	15.70	52.05

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78601G	61.86	88.20	-26.34	40.29	3	Vertical	235	2.08	-	40.20	11.80	30.43
RMS	13.80206G	50.80	68.20	-17.40	29.24	3	Vertical	235	2.08	-	40.20	11.80	30.44

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79225G	62.03	88.20	-26.17	40.46	3	Horizontal	214	2.88	-	40.20	11.80	30.43
RMS	13.8011G	51.00	68.20	-17.20	29.44	3	Horizontal	214	2.88	-	40.20	11.80	30.44

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67801G	52.27	83.54	-31.27	50.70	1	Vertical	348	2.30	-	37.90	15.74	52.07
AV	20.69151G	42.66	63.54	-20.88	41.09	1	Vertical	348	2.30	-	37.90	15.75	52.08

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
SET 36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69136G	52.42	83.54	-31.12	50.85	1	Horizontal	288	1.19	-	37.90	15.75	52.08
AV	20.68545G	42.67	63.54	-20.87	41.09	1	Horizontal	288	1.19	-	37.90	15.75	52.07

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97692G	63.16	88.20	-25.04	40.91	3	Vertical	35	2.18	-	40.85	11.87	30.47
RMS	14.00299G	51.64	68.20	-16.56	29.33	3	Vertical	35	2.18	-	40.91	11.88	30.48

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98016G	62.52	88.20	-25.68	40.27	3	Horizontal	160	1.20	-	40.86	11.87	30.48
RMS	13.9951G	51.63	68.20	-16.57	29.34	3	Horizontal	160	1.20	-	40.89	11.88	30.48

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97129G	52.13	83.54	-31.41	50.33	1	Vertical	258	2.65	-	38.01	15.98	52.19
AV	20.99976G	43.79	63.54	-19.75	42.09	1	Vertical	258	2.65	-	37.90	16.00	52.20

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97849G	51.64	83.54	-31.90	49.86	1	Horizontal	57	1.51	-	37.99	15.98	52.19
AV	20.98893G	42.79	63.54	-20.75	41.06	1	Horizontal	57	1.51	-	37.94	15.99	52.20

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	109.83	Inf	-Inf	98.76	3	Vertical	300	2.33	34	35.58	8.53	33.04
RMS	7.0976G	99.99	Inf	-Inf	88.91	3	Vertical	300	2.33	34	35.59	8.53	33.04
PK	7.1862G	63.69	88.20	-24.51	52.23	3	Vertical	300	2.33	34	36.04	8.49	33.07
RMS	7.184G	53.80	68.20	-14.40	42.33	3	Vertical	300	2.33	34	36.04	8.50	33.07

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.099G	97.19	Inf	-Inf	86.11	3	Horizontal	229	2.32	34	35.59	8.53	33.04
RMS	7.0936G	87.70	Inf	-Inf	76.65	3	Horizontal	229	2.32	34	35.56	8.53	33.04
PK	7.1904G	63.88	88.20	-24.32	52.40	3	Horizontal	229	2.32	34	36.06	8.49	33.07
RMS	7.1544G	53.76	68.20	-14.44	42.39	3	Horizontal	229	2.32	34	35.92	8.51	33.06

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17701G	63.90	88.20	-24.30	41.13	3	Vertical	287	1.57	-	41.45	11.96	30.64
RMS	14.19054G	52.43	68.20	-15.77	29.64	3	Vertical	287	1.57	-	41.48	11.97	30.66

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19987G	63.63	88.20	-24.57	40.82	3	Horizontal	34	2.13	-	41.50	11.97	30.66
RMS	14.19261G	52.66	68.20	-15.54	29.86	3	Horizontal	34	2.13	-	41.49	11.97	30.66

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28671G	53.33	83.54	-30.21	51.01	1	Vertical	325	2.56	-	38.29	16.23	52.20
AV	21.29478G	42.71	63.54	-20.83	40.31	1	Vertical	325	2.56	-	38.36	16.24	52.20

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29169G	53.57	83.54	-29.97	51.21	1	Horizontal	90	1.31	-	38.33	16.23	52.20
AV	21.29154G	42.20	63.54	-21.34	39.84	1	Horizontal	90	1.31	-	38.33	16.23	52.20

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	65.83	88.20	-22.37	58.76	3	Vertical	82	2.95	44	32.40	7.64	32.97
RMS	5.9246G	50.27	68.20	-17.93	43.20	3	Vertical	82	2.95	44	32.40	7.64	32.97
PK	5.9676G	110.05	Inf	-Inf	102.94	3	Vertical	82	2.95	44	32.44	7.66	32.99
RMS	5.9792G	98.73	Inf	-Inf	91.59	3	Vertical	82	2.95	44	32.46	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	58.89	88.20	-29.31	51.82	3	Horizontal	189	2.95	44	32.40	7.64	32.97
RMS	5.9236G	48.96	68.20	-19.24	41.89	3	Horizontal	189	2.95	44	32.40	7.64	32.97
PK	5.9538G	98.45	Inf	-Inf	91.36	3	Horizontal	189	2.95	44	32.41	7.66	32.98
RMS	5.9738G	87.66	Inf	-Inf	80.53	3	Horizontal	189	2.95	44	32.45	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94678G	59.47	74.00	-14.53	41.85	3	Vertical	360	1.34	60	38.99	11.09	32.46
AV	11.96149G	49.42	54.00	-4.58	31.76	3	Vertical	360	1.34	60	39.02	11.10	32.46
PK	17.90922G	60.54	74.00	-13.46	30.23	3	Vertical	252	1.98	60	47.10	13.42	30.21
AV	17.88105G	50.47	54.00	-3.53	20.88	3	Vertical	252	1.98	60	46.45	13.41	30.27

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9336G	58.61	74.00	-15.39	41.02	3	Horizontal	56	1.80	60	38.97	11.08	32.46
AV	11.92656G	49.24	54.00	-4.76	31.67	3	Horizontal	56	1.80	60	38.95	11.08	32.46
PK	17.89638G	60.23	74.00	-13.77	30.24	3	Horizontal	229	2.27	60	46.81	13.42	30.24
AV	17.89413G	49.33	54.00	-4.67	19.39	3	Horizontal	229	2.27	60	46.76	13.42	30.24

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.84644G	52.03	83.54	-31.51	46.29	1	Vertical	191	1.67	-	38.82	17.35	50.43
AV	23.84581G	42.17	63.54	-21.37	36.42	1	Vertical	191	1.67	-	38.83	17.35	50.43

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.87128G	51.43	83.54	-32.11	45.70	1	Horizontal	167	2.56	-	38.80	17.36	50.43
AV	23.87131G	42.79	63.54	-20.75	37.06	1	Horizontal	167	2.56	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38898G	59.59	74.00	-14.41	41.58	3	Vertical	20	2.30	60	38.82	11.27	32.08
AV	12.43645G	49.77	54.00	-4.23	31.93	3	Vertical	20	2.30	60	38.58	11.29	32.03

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42766G	59.03	74.00	-14.97	41.16	3	Horizontal	304	1.90	60	38.63	11.28	32.04
AV	12.38666G	50.48	54.00	-3.52	32.46	3	Horizontal	304	1.90	60	38.83	11.27	32.08

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62802G	52.43	83.54	-31.11	49.95	1	Vertical	158	1.09	-	37.76	15.27	50.55
AV	18.62841G	43.19	63.54	-20.35	40.71	1	Vertical	158	1.09	-	37.76	15.27	50.55

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61584G	52.73	83.54	-30.81	50.27	1	Horizontal	332	2.72	-	37.73	15.27	50.54
AV	18.62895G	43.22	63.54	-20.32	40.74	1	Horizontal	332	2.72	-	37.76	15.27	50.55

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78299G	60.73	88.20	-27.47	41.69	3	Vertical	213	1.80	60	39.10	11.42	31.48
RMS	12.78243G	50.92	68.20	-17.28	31.89	3	Vertical	213	1.80	60	39.09	11.42	31.48

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77939G	60.05	88.20	-28.15	41.04	3	Horizontal	191	1.80	60	39.08	11.42	31.49
RMS	12.79793G	50.91	68.20	-17.29	31.76	3	Horizontal	191	1.80	60	39.19	11.42	31.46

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2195G	51.26	83.54	-32.28	49.32	1	Vertical	220	2.81	-	37.96	15.24	51.26
AV	19.22676G	42.71	63.54	-20.83	40.79	1	Vertical	220	2.81	-	37.95	15.24	51.27

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20024G	51.71	83.54	-31.83	49.71	1	Horizontal	344	2.36	-	38.00	15.24	51.24
AV	19.20147G	42.03	63.54	-21.51	40.03	1	Horizontal	344	2.36	-	38.00	15.24	51.24

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88313G	60.50	88.20	-27.70	41.05	3	Vertical	1	1.90	60	39.30	11.46	31.31
RMS	12.86259G	51.34	68.20	-16.86	31.94	3	Vertical	1	1.90	60	39.30	11.45	31.35

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86706G	60.63	88.20	-27.57	41.22	3	Horizontal	179	1.05	60	39.30	11.45	31.34
RMS	12.85691G	51.65	68.20	-16.55	32.26	3	Horizontal	179	1.05	60	39.30	11.45	31.36

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34379G	53.72	83.54	-29.82	52.08	1	Vertical	105	2.38	-	37.82	15.23	51.41
AV	19.3437G	42.26	63.54	-21.28	40.61	1	Vertical	105	2.38	-	37.83	15.23	51.41

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33386G	53.44	83.54	-30.10	51.75	1	Horizontal	98	2.72	-	37.86	15.23	51.40
AV	19.3434G	41.72	63.54	-21.82	40.07	1	Horizontal	98	2.72	-	37.83	15.23	51.41

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.98295G	60.62	88.20	-27.58	41.00	3	Vertical	217	1.80	60	39.27	11.49	31.14
RMS	12.96513G	51.54	68.20	-16.66	31.88	3	Vertical	217	1.80	60	39.34	11.49	31.17

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96816G	60.50	88.20	-27.70	40.84	3	Horizontal	360	1.80	60	39.33	11.49	31.16
RMS	12.9955G	51.24	68.20	-16.96	31.64	3	Horizontal	360	1.80	60	39.22	11.50	31.12

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46064G	53.70	83.54	-29.84	52.18	1	Vertical	135	1.34	-	37.84	15.23	51.55
AV	19.4598G	42.13	63.54	-21.41	40.61	1	Vertical	135	1.34	-	37.84	15.23	51.55

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46031G	53.71	83.54	-29.83	52.19	1	Horizontal	101	1.63	-	37.84	15.23	51.55
AV	19.44867G	43.23	63.54	-20.31	41.73	1	Horizontal	101	1.63	-	37.81	15.23	51.54

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07957G	61.32	88.20	-26.88	41.66	3	Vertical	248	1.80	60	39.12	11.53	30.99
RMS	13.03697G	51.31	68.20	-16.89	31.81	3	Vertical	248	1.80	60	39.05	11.51	31.06

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04888G	61.61	88.20	-26.59	42.13	3	Horizontal	90	1.72	60	39.00	11.52	31.04
RMS	13.01555G	50.93	68.20	-17.27	31.37	3	Horizontal	90	1.72	60	39.14	11.51	31.09

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56294G	50.77	83.54	-32.77	49.18	1	Vertical	290	1.75	-	38.02	15.22	51.65
AV	19.56804G	42.61	63.54	-20.93	41.05	1	Vertical	290	1.75	-	37.99	15.22	51.65

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56801G	53.64	83.54	-29.90	52.08	1	Horizontal	214	1.76	-	37.99	15.22	51.65
AV	19.56825G	43.73	63.54	-19.81	42.17	1	Horizontal	214	1.76	-	37.99	15.22	51.65

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13471G	60.02	88.20	-28.18	40.04	3	Vertical	199	2.89	-	39.34	11.55	30.91
RMS	13.13564G	51.10	68.20	-17.10	31.12	3	Vertical	199	2.89	-	39.34	11.55	30.91

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14152G	59.81	88.20	-28.39	39.79	3	Horizontal	149	1.37	-	39.37	11.55	30.90
RMS	13.12178G	50.96	68.20	-17.24	31.05	3	Horizontal	149	1.37	-	39.29	11.55	30.93

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68906G	50.47	83.54	-33.07	49.13	1	Vertical	313	1.82	-	37.87	15.22	51.75
AV	19.70409G	41.95	63.54	-21.59	40.69	1	Vertical	313	1.82	-	37.81	15.21	51.76

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69347G	52.43	83.54	-31.11	51.12	1	Horizontal	131	2.29	-	37.84	15.22	51.75
AV	19.69191G	42.24	63.54	-21.30	40.92	1	Horizontal	131	2.29	-	37.85	15.22	51.75

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35662G	54.37	74.00	-19.63	33.60	3	Vertical	85	1.74	-	39.71	11.64	30.58
AV	13.37771G	45.39	54.00	-8.61	24.54	3	Vertical	85	1.74	-	39.76	11.64	30.55

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36415G	55.64	74.00	-18.36	34.84	3	Horizontal	34	1.75	-	39.73	11.64	30.57
AV	13.38374G	46.92	54.00	-7.08	26.04	3	Horizontal	34	1.75	-	39.77	11.65	30.54

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04057G	51.46	83.54	-32.08	50.51	1	Vertical	238	1.00	-	37.72	15.23	52.00
AV	20.06472G	41.77	63.54	-21.77	40.76	1	Vertical	238	1.00	-	37.76	15.25	52.00

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04621G	52.64	83.54	-30.90	51.69	1	Horizontal	43	2.93	-	37.71	15.24	52.00
AV	20.04129G	42.43	63.54	-21.11	41.48	1	Horizontal	43	2.93	-	37.72	15.23	52.00

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.779G	61.26	88.20	-26.94	39.69	3	Vertical	225	2.08	-	40.20	11.80	30.43
RMS	13.77048G	52.27	68.20	-15.93	30.71	3	Vertical	225	2.08	-	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78485G	61.18	88.20	-27.02	39.61	3	Horizontal	169	2.69	-	40.20	11.80	30.43
RMS	13.78278G	52.26	68.20	-15.94	30.69	3	Horizontal	169	2.69	-	40.20	11.80	30.43

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64495G	50.43	83.54	-33.11	48.86	1	Vertical	231	1.51	-	37.91	15.72	52.06
AV	20.64234G	41.82	63.54	-21.72	40.25	1	Vertical	231	1.51	-	37.92	15.71	52.06

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64471G	52.63	83.54	-30.91	51.06	1	Horizontal	253	1.79	-	37.91	15.72	52.06
AV	20.65431G	42.37	63.54	-21.17	40.81	1	Horizontal	253	1.79	-	37.90	15.72	52.06

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.86329G	62.74	88.20	-25.46	40.95	3	Vertical	15	1.19	-	40.41	11.83	30.45
RMS	13.86119G	53.13	68.20	-15.07	31.36	3	Vertical	15	1.19	-	40.39	11.83	30.45

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85966G	61.80	88.20	-26.40	40.04	3	Horizontal	233	1.09	-	40.38	11.83	30.45
RMS	13.86422G	53.05	68.20	-15.15	31.26	3	Horizontal	233	1.09	-	40.41	11.83	30.45

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77212G	50.34	83.54	-33.20	48.65	1	Vertical	317	2.84	-	37.98	15.82	52.11
AV	20.7615G	41.75	63.54	-21.79	40.15	1	Vertical	317	2.84	-	37.89	15.81	52.10

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78868G	51.66	83.54	-31.88	49.84	1	Horizontal	19	2.98	-	38.11	15.83	52.12
AV	20.78208G	41.67	63.54	-21.87	39.89	1	Horizontal	19	2.98	-	38.06	15.83	52.11

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99689G	62.29	88.20	-25.91	40.00	3	Vertical	28	2.52	-	40.89	11.88	30.48
RMS	14.02104G	53.18	68.20	-15.02	30.85	3	Vertical	28	2.52	-	40.94	11.89	30.50

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02362G	61.99	88.20	-26.21	39.65	3	Horizontal	170	2.06	-	40.95	11.89	30.50
RMS	14.01156G	53.32	68.20	-14.88	31.00	3	Horizontal	170	2.06	-	40.92	11.89	30.49

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00507G	46.40	74.00	-27.60	44.65	1	Vertical	114	1.08	-	37.95	16.00	52.20
AV	21.02478G	36.96	54.00	-17.04	34.99	1	Vertical	114	1.08	-	38.15	16.02	52.20

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00435G	46.22	74.00	-27.78	44.48	1	Horizontal	243	1.89	-	37.94	16.00	52.20
AV	21.02898G	37.30	54.00	-16.70	35.29	1	Horizontal	243	1.89	-	38.19	16.02	52.20

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0878G	109.79	Inf	-Inf	98.77	3	Vertical	301	2.34	46	35.53	8.53	33.04
RMS	7.0888G	103.17	Inf	-Inf	92.15	3	Vertical	301	2.34	46	35.53	8.53	33.04
PK	7.1258G	73.16	88.20	-15.04	61.94	3	Vertical	301	2.34	46	35.75	8.52	33.05
RMS	7.1268G	59.92	68.20	-8.28	48.69	3	Vertical	301	2.34	46	35.76	8.52	33.05

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.089G	94.47	Inf	-Inf	83.45	3	Horizontal	165	2.33	46	35.53	8.53	33.04
RMS	7.0888G	88.13	Inf	-Inf	77.11	3	Horizontal	165	2.33	46	35.53	8.53	33.04
PK	7.1664G	63.91	88.20	-24.29	52.50	3	Horizontal	165	2.33	46	35.97	8.50	33.06
RMS	7.1844G	55.45	68.20	-12.75	43.98	3	Horizontal	165	2.33	46	36.04	8.50	33.07

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1733G	63.54	88.20	-24.66	40.77	3	Vertical	92	1.19	-	41.45	11.96	30.64
RMS	14.16502G	54.13	68.20	-14.07	31.37	3	Vertical	92	1.19	-	41.43	11.96	30.63

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16445G	62.97	88.20	-25.23	40.21	3	Horizontal	109	2.20	-	41.43	11.96	30.63
RMS	14.16511G	53.88	68.20	-14.32	31.12	3	Horizontal	109	2.20	-	41.43	11.96	30.63

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24789G	51.33	83.54	-32.21	49.33	1	Vertical	80	1.26	-	38.00	16.20	52.20
AV	21.24582G	41.97	63.54	-21.57	39.97	1	Vertical	80	1.26	-	38.00	16.20	52.20

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25863G	52.16	83.54	-31.38	50.08	1	Horizontal	254	1.49	-	38.07	16.21	52.20
AV	21.25542G	41.97	63.54	-21.57	39.93	1	Horizontal	254	1.49	-	38.04	16.20	52.20

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	64.16	88.20	-24.04	57.09	3	Vertical	69	2.95	52	32.40	7.64	32.97
RMS	5.9126G	51.88	68.20	-16.32	44.81	3	Vertical	69	2.95	52	32.40	7.64	32.97
PK	5.9702G	109.79	Inf	-Inf	102.67	3	Vertical	69	2.95	52	32.44	7.67	32.99
RMS	5.971G	98.44	Inf	-Inf	91.32	3	Vertical	69	2.95	52	32.44	7.67	32.99

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	58.83	88.20	-29.37	51.77	3	Horizontal	189	2.95	52	32.40	7.63	32.97
RMS	5.925G	48.85	68.20	-19.35	41.78	3	Horizontal	189	2.95	52	32.40	7.64	32.97
PK	5.9742G	97.81	Inf	-Inf	90.68	3	Horizontal	189	2.95	52	32.45	7.67	32.99
RMS	5.9958G	86.26	Inf	-Inf	79.09	3	Horizontal	189	2.95	52	32.49	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95402G	60.42	74.00	-13.58	42.78	3	Vertical	166	1.22	60	39.01	11.09	32.46
AV	11.99813G	49.91	54.00	-4.09	32.14	3	Vertical	166	1.22	60	39.10	11.12	32.45
PK	17.95218G	60.48	74.00	-13.52	29.09	3	Vertical	304	2.10	60	48.07	13.43	30.11
AV	17.95644G	50.22	54.00	-3.78	18.67	3	Vertical	304	2.10	60	48.21	13.44	30.10

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04353G	59.43	74.00	-14.57	41.43	3	Horizontal	341	1.80	60	39.27	11.14	32.41
AV	11.91374G	49.87	54.00	-4.13	32.33	3	Horizontal	341	1.80	60	38.93	11.07	32.46
PK	17.95725G	60.33	74.00	-13.67	28.76	3	Horizontal	270	1.64	60	48.23	13.44	30.10
AV	17.96742G	50.11	54.00	-3.89	18.18	3	Horizontal	270	1.64	60	48.56	13.44	30.07

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.92833G	54.01	83.54	-29.53	48.18	1	Vertical	301	1.83	-	38.86	17.38	50.41
AV	23.92917G	45.49	63.54	-18.05	39.66	1	Vertical	301	1.83	-	38.86	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93277G	54.51	83.54	-29.03	48.67	1	Horizontal	318	2.38	-	38.87	17.38	50.41
AV	23.95017G	45.31	63.54	-18.23	39.43	1	Horizontal	318	2.38	-	38.90	17.39	50.41

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42091G	59.60	74.00	-14.40	41.70	3	Vertical	235	1.80	60	38.67	11.28	32.05
AV	12.38335G	50.22	54.00	-3.78	32.20	3	Vertical	235	1.80	60	38.83	11.27	32.08

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43466G	59.79	74.00	-14.21	41.94	3	Horizontal	10	1.80	60	38.59	11.29	32.03
AV	12.46982G	49.69	54.00	-4.31	31.89	3	Horizontal	10	1.80	60	38.50	11.30	32.00

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6771G	51.42	83.54	-32.12	49.07	1	Vertical	254	2.68	-	37.69	15.27	50.61
AV	18.67029G	41.77	63.54	-21.77	39.38	1	Vertical	254	2.68	-	37.72	15.27	50.60

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68739G	53.47	83.54	-30.07	51.17	1	Horizontal	142	2.84	-	37.65	15.27	50.62
AV	18.67449G	43.16	63.54	-20.38	40.80	1	Horizontal	142	2.84	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78534G	60.13	88.20	-28.07	41.08	3	Vertical	161	1.80	60	39.11	11.42	31.48
RMS	12.77128G	51.10	68.20	-17.10	32.16	3	Vertical	161	1.80	60	39.03	11.41	31.50

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.74698G	61.08	88.20	-27.12	42.34	3	Horizontal	239	1.80	60	38.89	11.40	31.55
RMS	12.77032G	50.96	68.20	-17.24	32.04	3	Horizontal	239	1.80	60	39.02	11.41	31.51

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14726G	53.76	83.54	-29.78	51.99	1	Vertical	231	1.41	-	37.71	15.24	51.18
AV	19.16379G	43.12	63.54	-20.42	41.30	1	Vertical	231	1.41	-	37.78	15.24	51.20

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14636G	50.14	83.54	-33.40	48.37	1	Horizontal	334	2.09	-	37.71	15.24	51.18
AV	19.14978G	41.76	63.54	-21.78	40.00	1	Horizontal	334	2.09	-	37.70	15.24	51.18

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86878G	60.27	88.20	-27.93	40.86	3	Vertical	43	1.42	60	39.30	11.45	31.34
RMS	12.88381G	51.06	68.20	-17.14	31.61	3	Vertical	43	1.42	60	39.30	11.46	31.31

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99474G	61.01	88.20	-27.19	41.41	3	Horizontal	31	1.80	60	39.22	11.50	31.12
RMS	12.89324G	51.04	68.20	-17.16	31.57	3	Horizontal	31	1.80	60	39.30	11.46	31.29

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38354G	53.97	83.54	-29.57	52.27	1	Vertical	115	1.98	-	37.93	15.23	51.46
AV	19.39056G	43.22	63.54	-20.32	41.50	1	Vertical	115	1.98	-	37.96	15.23	51.47

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39152G	53.76	83.54	-29.78	52.03	1	Horizontal	310	2.31	-	37.97	15.23	51.47
AV	19.39362G	43.71	63.54	-19.83	41.98	1	Horizontal	310	2.31	-	37.97	15.23	51.47

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03885G	60.49	88.20	-27.71	40.99	3	Vertical	159	1.80	60	39.04	11.51	31.05
RMS	13.05515G	51.43	68.20	-16.77	31.92	3	Vertical	159	1.80	60	39.02	11.52	31.03

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12469G	61.37	88.20	-26.83	41.45	3	Horizontal	81	1.06	60	39.30	11.55	30.93
RMS	13.06187G	51.21	68.20	-16.99	31.66	3	Horizontal	81	1.06	60	39.05	11.52	31.02

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62423G	52.60	83.54	-30.94	51.13	1	Vertical	192	1.19	-	37.95	15.22	51.70
AV	19.63332G	42.56	63.54	-20.98	41.05	1	Vertical	192	1.19	-	38.00	15.22	51.71

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6368G	52.66	83.54	-30.88	51.13	1	Horizontal	253	1.93	-	38.02	15.22	51.71
AV	19.63809G	42.88	63.54	-20.66	41.34	1	Horizontal	253	1.93	-	38.03	15.22	51.71

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24937G	60.50	88.20	-27.70	40.45	3	Vertical	72	2.00	-	39.20	11.59	30.74
RMS	13.24202G	50.95	68.20	-17.25	30.91	3	Vertical	72	2.00	-	39.20	11.59	30.75

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24916G	59.90	88.20	-28.30	39.85	3	Horizontal	70	2.31	-	39.20	11.59	30.74
RMS	13.24817G	50.92	68.20	-17.28	30.87	3	Horizontal	70	2.31	-	39.20	11.59	30.74

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88997G	53.34	83.54	-30.20	52.20	1	Vertical	133	2.25	-	37.84	15.21	51.91
AV	19.87779G	42.74	63.54	-20.80	41.66	1	Vertical	133	2.25	-	37.77	15.21	51.90

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87848G	53.63	83.54	-29.91	52.55	1	Horizontal	68	2.08	-	37.77	15.21	51.90
AV	19.87974G	42.52	63.54	-21.02	41.43	1	Horizontal	68	2.08	-	37.78	15.21	51.90

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41846G	61.78	88.20	-26.42	40.74	3	Vertical	140	1.94	-	39.87	11.66	30.49
RMS	13.41759G	52.25	68.20	-15.95	31.21	3	Vertical	140	1.94	-	39.87	11.66	30.49

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41237G	61.28	88.20	-26.92	40.27	3	Horizontal	67	1.34	-	39.85	11.66	30.50
RMS	13.42434G	52.19	68.20	-16.01	31.11	3	Horizontal	67	1.34	-	39.90	11.66	30.48

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10387G	54.05	83.54	-29.49	52.89	1	Vertical	209	2.92	-	37.88	15.28	52.00
AV	20.11899G	43.71	63.54	-19.83	42.62	1	Vertical	209	2.92	-	37.79	15.30	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1174G	44.91	83.54	-38.63	43.82	1	Horizontal	7	2.23	-	37.80	15.29	52.00
AV	20.10276G	35.96	63.54	-27.58	34.80	1	Horizontal	7	2.23	-	37.88	15.28	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55998G	61.38	88.20	-26.82	39.79	3	Vertical	283	2.87	-	40.26	11.71	30.38
RMS	13.55848G	52.34	68.20	-15.86	30.74	3	Vertical	283	2.87	-	40.27	11.71	30.38

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57597G	62.17	88.20	-26.03	40.64	3	Horizontal	113	1.92	-	40.20	11.72	30.39
RMS	13.56547G	52.29	68.20	-15.91	30.72	3	Horizontal	113	1.92	-	40.24	11.71	30.38

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35914G	53.36	83.54	-30.18	51.79	1	Vertical	31	1.70	-	38.08	15.49	52.00
AV	20.36316G	42.62	63.54	-20.92	41.06	1	Vertical	31	1.70	-	38.07	15.49	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36433G	53.42	83.54	-30.12	51.86	1	Horizontal	78	1.51	-	38.07	15.49	52.00
AV	20.36253G	42.26	63.54	-21.28	40.70	1	Horizontal	78	1.51	-	38.07	15.49	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72424G	61.26	88.20	-26.94	39.75	3	Vertical	214	1.59	-	40.15	11.78	30.42
RMS	13.71959G	51.97	68.20	-16.23	30.48	3	Vertical	214	1.59	-	40.14	11.77	30.42

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72451G	61.83	88.20	-26.37	40.32	3	Horizontal	227	1.07	-	40.15	11.78	30.42
RMS	13.72916G	52.05	68.20	-16.15	30.53	3	Horizontal	227	1.07	-	40.16	11.78	30.42

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58777G	53.17	83.54	-30.37	51.56	1	Vertical	315	2.13	-	37.98	15.67	52.04
AV	20.60523G	42.61	63.54	-20.93	40.98	1	Vertical	315	2.13	-	37.99	15.68	52.04

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6001G	53.18	83.54	-30.36	51.54	1	Horizontal	15	1.63	-	38.00	15.68	52.04
AV	20.60046G	42.27	63.54	-21.27	40.63	1	Horizontal	15	1.63	-	38.00	15.68	52.04

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89501G	63.98	88.20	-24.22	41.94	3	Vertical	154	1.02	-	40.66	11.84	30.46
RMS	13.89372G	53.49	68.20	-14.71	31.46	3	Vertical	154	1.02	-	40.65	11.84	30.46

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88892G	62.68	88.20	-25.52	40.69	3	Horizontal	178	2.80	-	40.61	11.84	30.46
RMS	13.88985G	53.72	68.20	-14.48	31.72	3	Horizontal	178	2.80	-	40.62	11.84	30.46

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84418G	56.20	83.54	-27.34	54.26	1	Vertical	107	2.64	-	38.20	15.88	52.14
AV	20.835G	45.61	63.54	-17.93	43.67	1	Vertical	107	2.64	-	38.20	15.87	52.13

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82048G	56.96	83.54	-26.58	55.03	1	Horizontal	86	2.17	-	38.20	15.86	52.13
AV	20.82819G	45.72	63.54	-17.82	43.79	1	Horizontal	86	2.17	-	38.20	15.86	52.13

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 45
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	108.71	Inf	-Inf	98.07	3	Vertical	109	2.54	-	35.09	8.56	33.01
RMS	6.9978G	99.88	Inf	-Inf	89.23	3	Vertical	109	2.54	-	35.10	8.56	33.01
PK	7.2046G	64.42	88.20	-23.78	52.88	3	Vertical	109	2.54	-	36.11	8.50	33.07
RMS	7.2178G	54.39	68.20	-13.81	42.82	3	Vertical	109	2.54	-	36.14	8.51	33.08

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 45
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0142G	98.74	Inf	-Inf	88.03	3	Horizontal	251	2.52	-	35.16	8.56	33.01
RMS	6.9938G	89.94	Inf	-Inf	79.31	3	Horizontal	251	2.52	-	35.09	8.55	33.01
PK	7.1626G	64.56	88.20	-23.64	53.17	3	Horizontal	251	2.52	-	35.95	8.50	33.06
RMS	7.1978G	54.20	68.20	-14.00	42.69	3	Horizontal	251	2.52	-	36.09	8.49	33.07

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0479G	63.78	88.20	-24.42	41.40	3	Vertical	298	1.80	-	41.00	11.90	30.52
RMS	14.05778G	54.05	68.20	-14.15	31.64	3	Vertical	298	1.80	-	41.03	11.91	30.53

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04528G	63.69	88.20	-24.51	41.32	3	Horizontal	298	1.80	-	40.99	11.90	30.52
RMS	14.04968G	54.25	68.20	-13.95	31.88	3	Horizontal	298	1.80	-	41.00	11.90	30.53

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07245G	52.30	83.54	-31.24	50.17	1	Vertical	152	1.10	-	38.27	16.06	52.20
AV	21.06027G	42.13	63.54	-21.41	39.94	1	Vertical	152	1.10	-	38.34	16.05	52.20

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0789G	52.14	83.54	-31.40	50.05	1	Horizontal	190	2.14	-	38.23	16.06	52.20
AV	21.07119G	42.18	63.54	-21.36	40.05	1	Horizontal	190	2.14	-	38.27	16.06	52.20

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




23/01/2024

EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.32	88.20	-7.88	73.25	3	Vertical	94	2.55	61	32.40	7.64	32.97
RMS	5.915G	58.98	68.20	-9.22	51.91	3	Vertical	94	2.55	61	32.40	7.64	32.97
PK	6.0545G	108.33	Inf	-Inf	101.06	3	Vertical	94	2.55	61	32.59	7.69	33.01
RMS	6.0565G	98.71	Inf	-Inf	91.44	3	Vertical	94	2.55	61	32.59	7.69	33.01

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	68.61	88.20	-19.59	61.54	3	Horizontal	190	2.90	61	32.40	7.64	32.97
RMS	5.9155G	52.14	68.20	-16.06	45.07	3	Horizontal	190	2.90	61	32.40	7.64	32.97
PK	6.0475G	96.84	Inf	-Inf	89.56	3	Horizontal	190	2.90	61	32.59	7.69	33.00
RMS	5.994G	86.98	Inf	-Inf	79.81	3	Horizontal	190	2.90	61	32.49	7.68	33.00

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.13056G	60.31	74.00	-13.69	42.16	3	Vertical	285	2.22	60	39.30	11.17	32.32
AV	12.14175G	50.38	54.00	-3.62	32.22	3	Vertical	285	2.22	60	39.30	11.17	32.31

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1069G	59.86	74.00	-14.14	41.75	3	Horizontal	118	2.10	60	39.30	11.16	32.35
AV	12.10754G	50.28	54.00	-3.72	32.17	3	Horizontal	118	2.10	60	39.30	11.16	32.35

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07329G	52.99	83.54	-30.55	49.92	1	Vertical	42	2.65	-	37.49	15.30	49.72
AV	18.07785G	42.55	63.54	-20.99	39.46	1	Vertical	42	2.65	-	37.51	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06276G	52.98	83.54	-30.56	49.93	1	Horizontal	70	1.94	-	37.45	15.30	49.70
AV	18.07698G	42.76	63.54	-20.78	39.67	1	Horizontal	70	1.94	-	37.51	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.245G	59.67	74.00	-14.33	41.57	3	Vertical	190	1.80	60	39.10	11.21	32.21
AV	12.43649G	49.62	54.00	-4.38	31.78	3	Vertical	190	1.80	60	38.58	11.29	32.03

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44449G	60.23	74.00	-13.77	42.43	3	Horizontal	60	1.80	60	38.53	11.29	32.02
AV	12.33835G	49.68	54.00	-4.32	31.64	3	Horizontal	60	1.80	60	38.92	11.25	32.13

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5421G	52.02	83.54	-31.52	49.47	1	Vertical	310	1.95	-	37.73	15.27	50.45
AV	18.55302G	42.67	63.54	-20.87	40.16	1	Vertical	310	1.95	-	37.70	15.27	50.46

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56463G	52.79	83.54	-30.75	50.30	1	Horizontal	211	1.16	-	37.70	15.27	50.48
AV	18.55392G	42.14	63.54	-21.40	39.63	1	Horizontal	211	1.16	-	37.70	15.27	50.46

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78015G	59.98	88.20	-28.22	40.97	3	Vertical	274	1.15	60	39.08	11.42	31.49
RMS	12.78264G	49.68	68.20	-18.52	30.64	3	Vertical	274	1.15	60	39.10	11.42	31.48

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.71909G	59.45	88.20	-28.75	40.81	3	Horizontal	118	1.80	60	38.84	11.39	31.59
RMS	12.77535G	50.66	68.20	-17.54	31.70	3	Horizontal	118	1.80	60	39.05	11.41	31.50

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02672G	52.71	83.54	-30.83	50.59	1	Vertical	204	1.62	-	37.90	15.25	51.03
AV	19.04412G	42.78	63.54	-20.76	40.68	1	Vertical	204	1.62	-	37.90	15.25	51.05

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03035G	52.52	83.54	-31.02	50.41	1	Horizontal	174	1.20	-	37.90	15.25	51.04
AV	19.02G	42.70	63.54	-20.84	40.57	1	Horizontal	174	1.20	-	37.90	15.25	51.02

6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.10111G	61.15	88.20	-27.05	41.37	3	Vertical	111	1.80	60	39.20	11.54	30.96
RMS	12.85815G	51.10	68.20	-17.10	31.70	3	Vertical	111	1.80	60	39.30	11.45	31.35

6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82349G	61.22	88.20	-26.98	41.95	3	Horizontal	307	1.14	60	39.25	11.43	31.41
RMS	12.85304G	51.10	68.20	-17.10	31.72	3	Horizontal	307	1.14	60	39.30	11.44	31.36

6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50099G	52.67	83.54	-30.87	51.05	1	Vertical	225	1.03	-	38.00	15.22	51.60
AV	19.52529G	42.00	63.54	-21.54	40.35	1	Vertical	225	1.03	-	38.05	15.22	51.62

6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51869G	52.86	83.54	-30.68	51.21	1	Horizontal	51	1.99	-	38.04	15.22	51.61
AV	19.52709G	42.18	63.54	-21.36	40.53	1	Horizontal	51	1.99	-	38.05	15.22	51.62

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.44265G	60.59	88.20	-27.61	39.40	3	Vertical	96	1.93	-	39.97	11.67	30.45
RMS	13.44194G	51.21	68.20	-16.99	30.03	3	Vertical	96	1.93	-	39.97	11.67	30.46

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.22878G	61.95	88.20	-26.25	41.93	3	Horizontal	342	1.80	60	39.20	11.59	30.77
RMS	13.21204G	51.28	68.20	-16.92	31.30	3	Horizontal	342	1.80	60	39.20	11.58	30.80

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98987G	59.99	83.54	-23.55	58.98	1	Vertical	147	1.70	-	37.80	15.20	51.99
AV	20.00022G	49.00	63.54	-14.54	48.00	1	Vertical	147	1.70	-	37.80	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99884G	59.65	83.54	-23.89	58.65	1	Horizontal	116	2.92	-	37.80	15.20	52.00
AV	19.98891G	48.17	63.54	-15.37	47.16	1	Horizontal	116	2.92	-	37.80	15.20	51.99

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78139G	61.72	88.20	-26.48	40.15	3	Vertical	191	2.95	60	40.20	11.80	30.43
RMS	13.76764G	52.62	68.20	-15.58	31.06	3	Vertical	191	2.95	60	40.20	11.79	30.43

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78985G	61.92	88.20	-26.28	40.35	3	Horizontal	95	2.95	60	40.20	11.80	30.43
RMS	13.79098G	52.57	68.20	-15.63	31.00	3	Horizontal	95	2.95	60	40.20	11.80	30.43

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47794G	60.08	83.54	-23.46	58.72	1	Vertical	322	2.47	-	37.78	15.58	52.00
AV	20.47473G	49.88	63.54	-13.66	48.50	1	Vertical	322	2.47	-	37.80	15.58	52.00

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46195G	59.87	83.54	-23.67	58.40	1	Horizontal	288	1.37	-	37.90	15.57	52.00
AV	20.46933G	49.33	63.54	-14.21	47.90	1	Horizontal	288	1.37	-	37.85	15.58	52.00

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9215G	108.79	Inf	-Inf	98.50	3	Vertical	312	2.95	53	34.83	8.48	33.02
RMS	6.921G	98.49	Inf	-Inf	88.20	3	Vertical	312	2.95	53	34.83	8.48	33.02
PK	7.1605G	71.89	88.20	-16.31	60.51	3	Vertical	312	2.95	53	35.94	8.50	33.06
RMS	7.143G	57.88	68.20	-10.32	46.56	3	Vertical	312	2.95	53	35.86	8.51	33.05

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9335G	96.07	Inf	-Inf	85.70	3	Horizontal	113	2.35	53	34.90	8.49	33.02
RMS	6.934G	87.33	Inf	-Inf	76.96	3	Horizontal	113	2.35	53	34.90	8.49	33.02
PK	7.2065G	63.78	88.20	-24.42	52.24	3	Horizontal	113	2.35	53	36.11	8.50	33.07
RMS	7.1655G	53.97	68.20	-14.23	42.57	3	Horizontal	113	2.35	53	35.96	8.50	33.06

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.95794G	62.61	88.20	-25.59	40.40	3	Vertical	173	1.68	-	40.82	11.86	30.47
RMS	13.97117G	53.43	68.20	-14.77	31.19	3	Vertical	173	1.68	-	40.84	11.87	30.47

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97963G	62.86	88.20	-25.34	40.61	3	Horizontal	214	2.16	-	40.86	11.87	30.48
RMS	13.97504G	53.32	68.20	-14.88	31.07	3	Horizontal	214	2.16	-	40.85	11.87	30.47

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96061G	60.72	83.54	-22.82	58.87	1	Vertical	218	1.35	-	38.06	15.97	52.18
AV	20.96922G	49.95	63.54	-13.59	48.14	1	Vertical	218	1.35	-	38.02	15.98	52.19

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95956G	59.98	83.54	-23.56	58.13	1	Horizontal	133	2.80	-	38.06	15.97	52.18
AV	20.96922G	49.14	63.54	-14.40	47.33	1	Horizontal	133	2.80	-	38.02	15.98	52.19

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	79.85	88.20	-8.35	72.79	3	Vertical	254	2.91	-	32.40	7.63	32.97
RMS	5.9074G	67.75	68.20	-0.45	60.69	3	Vertical	254	2.91	-	32.40	7.63	32.97
PK	6.209G	109.26	Inf	-Inf	101.71	3	Vertical	254	2.91	-	32.84	7.73	33.02
RMS	6.2082G	99.57	Inf	-Inf	92.03	3	Vertical	254	2.91	-	32.83	7.73	33.02

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	68.13	88.20	-20.07	61.09	3	Horizontal	232	2.91	69	32.37	7.63	32.96
RMS	5.9122G	55.90	68.20	-12.30	48.83	3	Horizontal	232	2.91	69	32.40	7.64	32.97
PK	6.0722G	98.19	Inf	-Inf	90.95	3	Horizontal	232	2.91	69	32.56	7.69	33.01
RMS	6.0634G	87.95	Inf	-Inf	80.70	3	Horizontal	232	2.91	69	32.57	7.69	33.01

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05092G	60.04	74.00	-13.96	42.00	3	Vertical	147	1.80	60	39.30	11.14	32.40
AV	12.06742G	50.28	54.00	-3.72	32.22	3	Vertical	147	1.80	60	39.30	11.15	32.39

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.08596G	59.95	74.00	-14.05	41.87	3	Horizontal	312	1.80	60	39.30	11.15	32.37
AV	12.09747G	50.38	54.00	-3.62	32.28	3	Horizontal	312	1.80	60	39.30	11.16	32.36

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30621G	53.78	83.54	-29.76	51.09	1	Vertical	148	1.94	-	37.50	15.28	50.09
AV	18.31053G	42.98	63.54	-20.56	40.30	1	Vertical	148	1.94	-	37.50	15.28	50.10

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3105G	53.36	83.54	-30.18	50.68	1	Horizontal	226	1.47	-	37.50	15.28	50.10
AV	18.30063G	42.86	63.54	-20.68	40.16	1	Horizontal	226	1.47	-	37.50	15.28	50.08

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.543777G	60.03	74.00	-13.97	42.09	3	Vertical	230	2.01	-	38.50	11.33	31.89
AV	12.52439G	48.11	54.00	-5.89	30.22	3	Vertical	230	2.01	-	38.50	11.32	31.93

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51932G	59.00	74.00	-15.00	41.12	3	Horizontal	343	1.84	-	38.50	11.32	31.94
AV	12.54104G	49.59	54.00	-4.41	31.66	3	Horizontal	343	1.84	-	38.50	11.33	31.90

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78975G	53.45	83.54	-30.09	51.14	1	Vertical	92	1.28	-	37.80	15.26	50.75
AV	18.79338G	42.94	63.54	-20.60	40.63	1	Vertical	92	1.28	-	37.80	15.26	50.75

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79233G	53.01	83.54	-30.53	50.70	1	Horizontal	14	2.13	-	37.80	15.26	50.75
AV	18.80598G	43.50	63.54	-20.04	41.19	1	Horizontal	14	2.13	-	37.82	15.26	50.77

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76688G	60.50	88.20	-27.70	41.60	3	Vertical	100	1.74	60	39.00	11.41	31.51
RMS	12.76113G	50.70	68.20	-17.50	31.84	3	Vertical	100	1.74	60	38.97	11.41	31.52

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77739G	60.23	88.20	-27.97	41.24	3	Horizontal	347	1.80	60	39.06	11.42	31.49
RMS	12.7541G	50.46	68.20	-17.74	31.66	3	Horizontal	347	1.80	60	38.92	11.41	31.53

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28553G	53.82	83.54	-29.72	51.95	1	Vertical	146	2.12	-	37.97	15.24	51.34
AV	19.27116G	42.61	63.54	-20.93	40.76	1	Vertical	146	2.12	-	37.94	15.24	51.33

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28961G	53.66	83.54	-29.88	51.79	1	Horizontal	139	2.74	-	37.98	15.24	51.35
AV	19.26114G	42.66	63.54	-20.88	40.81	1	Horizontal	139	2.74	-	37.92	15.24	51.31

6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92065G	60.53	88.20	-27.67	40.97	3	Vertical	324	1.79	60	39.34	11.47	31.25
RMS	12.88676G	50.93	68.20	-17.27	31.47	3	Vertical	324	1.79	60	39.30	11.46	31.30

6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87334G	61.05	88.20	-27.15	41.63	3	Horizontal	228	1.06	60	39.30	11.45	31.33
RMS	12.86758G	50.94	68.20	-17.26	31.53	3	Horizontal	228	1.06	60	39.30	11.45	31.34

6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.76037G	53.17	83.54	-30.37	51.83	1	Vertical	111	2.14	-	37.94	15.21	51.81
AV	19.743G	43.03	63.54	-20.51	41.72	1	Vertical	111	2.14	-	37.89	15.21	51.79

6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7667G	53.20	83.54	-30.34	51.83	1	Horizontal	326	2.91	-	37.97	15.21	51.81
AV	19.7697G	43.92	63.54	-19.62	42.55	1	Horizontal	326	2.91	-	37.98	15.21	51.82




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.25G	53.72	54.00	-0.28	3	Vertical	110	3.00	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 28
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89G	60.03	88.20	-28.17	53.06	3	Vertical	92	2.39	-	34.46	7.60	35.09
RMS	5.924G	47.45	68.20	-20.75	40.37	3	Vertical	92	2.39	-	34.55	7.63	35.10
PK	5.963G	111.53	Inf	-Inf	104.39	3	Vertical	92	2.39	-	34.60	7.66	35.12
RMS	5.9622G	99.19	Inf	-Inf	92.05	3	Vertical	92	2.39	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 28
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	59.86	88.20	-28.34	52.85	3	Horizontal	222	2.74	-	34.49	7.61	35.09
RMS	5.8862G	46.73	68.20	-21.47	39.78	3	Horizontal	222	2.74	-	34.44	7.60	35.09
PK	5.948G	99.72	Inf	-Inf	92.59	3	Horizontal	222	2.74	-	34.60	7.65	35.12
RMS	5.9634G	86.75	Inf	-Inf	79.61	3	Horizontal	222	2.74	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 28
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91398G	54.26	74.00	-19.74	46.82	3	Vertical	313	1.08	-	39.20	11.47	43.23
AV	11.90828G	41.57	54.00	-12.43	34.13	3	Vertical	313	1.08	-	39.20	11.47	43.23
PK	17.86558G	62.68	74.00	-11.32	45.36	3	Vertical	89	2.54	-	44.87	13.85	41.40
AV	17.87386G	50.55	54.00	-3.45	33.24	3	Vertical	89	2.54	-	44.85	13.85	41.39

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 28
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9058G	55.14	74.00	-18.86	47.71	3	Horizontal	9	2.87	-	39.20	11.47	43.24
AV	11.9081G	41.60	54.00	-12.40	34.16	3	Horizontal	9	2.87	-	39.20	11.47	43.23
PK	17.85846G	62.68	74.00	-11.32	45.37	3	Horizontal	257	1.47	-	44.88	13.84	41.41
AV	17.87148G	50.30	54.00	-3.70	32.98	3	Horizontal	257	1.47	-	44.86	13.85	41.39

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 28
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81608G	44.27	83.54	-39.27	38.37	1	Vertical	123	1.52	-	39.00	17.34	50.44
AV	23.81654G	32.72	63.54	-30.82	26.82	1	Vertical	123	1.52	-	39.00	17.34	50.44

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 28
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82566G	43.90	83.54	-39.64	38.03	1	Horizontal	346	1.81	-	38.95	17.35	50.43
AV	23.81706G	33.02	63.54	-30.52	27.11	1	Horizontal	346	1.81	-	39.00	17.35	50.44

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUTZ_4TX
Setting 25
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38673G	53.80	74.00	-20.20	46.69	3	Vertical	264	1.59	-	38.63	11.65	43.17
AV	12.3895G	41.58	54.00	-12.42	34.48	3	Vertical	264	1.59	-	38.62	11.65	43.17

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUTZ_4TX
Setting 25
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3885G	54.34	74.00	-19.66	47.24	3	Horizontal	109	2.51	-	38.62	11.65	43.17
AV	12.388G	41.50	54.00	-12.50	34.40	3	Horizontal	109	2.51	-	38.62	11.65	43.17

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 25
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.58127G	42.77	83.54	-40.77	40.30	1	Vertical	346	1.58	-	37.70	15.27	50.50
AV	18.58738G	30.61	63.54	-32.93	28.14	1	Vertical	346	1.58	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 25
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.586G	42.88	83.54	-40.66	40.41	1	Horizontal	277	1.55	-	37.70	15.27	50.50
AV	18.58755G	30.56	63.54	-32.98	28.10	1	Horizontal	277	1.55	-	37.70	15.27	50.51

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83213G	54.27	88.20	-33.93	46.16	3	Vertical	100	1.04	-	39.13	11.80	42.82
RMS	12.82716G	41.95	68.20	-26.25	33.86	3	Vertical	100	1.04	-	39.11	11.80	42.82

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82537G	54.00	88.20	-34.20	45.92	3	Horizontal	282	2.65	-	39.10	11.80	42.82
RMS	12.83343G	42.11	68.20	-26.09	34.00	3	Horizontal	282	2.65	-	39.13	11.80	42.82

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24355G	44.90	83.54	-38.64	43.04	1	Vertical	347	1.52	-	37.91	15.24	51.29
AV	19.24268G	31.12	63.54	-32.42	29.26	1	Vertical	347	1.52	-	37.91	15.24	51.29

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24803G	43.18	83.54	-40.36	41.34	1	Horizontal	112	1.55	-	37.90	15.24	51.30
AV	19.24237G	31.20	63.54	-32.34	29.33	1	Horizontal	112	1.55	-	37.92	15.24	51.29

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86542G	55.47	88.20	-32.73	47.24	3	Vertical	242	1.16	-	39.20	11.81	42.78
RMS	12.87159G	42.00	68.20	-26.20	33.76	3	Vertical	242	1.16	-	39.20	11.82	42.78

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87176G	54.68	88.20	-33.52	46.44	3	Horizontal	345	2.14	-	39.20	11.82	42.78
RMS	12.87337G	42.16	68.20	-26.04	33.92	3	Horizontal	345	2.14	-	39.20	11.82	42.78

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30585G	43.14	83.54	-40.40	41.30	1	Vertical	333	1.54	-	37.98	15.23	51.37
AV	19.30062G	30.65	63.54	-32.89	28.78	1	Vertical	333	1.54	-	38.00	15.23	51.36

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30153G	42.63	83.54	-40.91	40.77	1	Horizontal	61	1.58	-	37.99	15.23	51.36
AV	19.30315G	30.64	63.54	-32.90	28.78	1	Horizontal	61	1.58	-	37.99	15.23	51.36

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 28
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94882G	55.24	88.20	-32.96	46.80	3	Vertical	21	2.77	-	39.30	11.84	42.70
RMS	12.95132G	42.64	68.20	-25.56	34.20	3	Vertical	21	2.77	-	39.30	11.84	42.70

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
 Setting 28
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95202G	55.19	88.20	-33.01	46.75	3	Horizontal	291	1.77	-	39.30	11.84	42.70
RMS	12.94519G	42.61	68.20	-25.59	34.18	3	Horizontal	291	1.77	-	39.29	11.84	42.70

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 28
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42033G	43.13	83.54	-40.41	41.48	1	Vertical	339	1.58	-	37.92	15.23	51.50
AV	19.42548G	36.04	63.54	-27.50	34.42	1	Vertical	175	1.42	-	37.90	15.23	51.51
PK	19.42212G	50.60	83.54	-32.94	48.97	1	Vertical	175	1.42	-	37.91	15.23	51.51
AV	19.42754G	30.56	63.54	-32.98	28.95	1	Vertical	339	1.58	-	37.89	15.23	51.51

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 28
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42673G	43.06	83.54	-40.48	41.45	1	Horizontal	334	1.56	-	37.89	15.23	51.51
AV	19.42952G	30.58	63.54	-32.96	28.99	1	Horizontal	334	1.56	-	37.88	15.23	51.52

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02536G	57.01	88.20	-31.19	48.45	3	Vertical	321	2.58	-	39.35	11.87	42.66
RMS	13.03252G	42.95	68.20	-25.25	34.37	3	Vertical	321	2.58	-	39.37	11.87	42.66

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02529G	55.95	88.20	-32.25	47.39	3	Horizontal	195	1.33	-	39.35	11.87	42.66
RMS	13.02664G	42.90	68.20	-25.30	34.34	3	Horizontal	195	1.33	-	39.35	11.87	42.66

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54628G	42.37	83.54	-41.17	40.70	1	Vertical	305	1.54	-	38.09	15.22	51.64
AV	19.54907G	30.18	63.54	-33.36	28.50	1	Vertical	305	1.54	-	38.10	15.22	51.64

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54519G	42.95	83.54	-40.59	41.28	1	Horizontal	66	1.52	-	38.09	15.22	51.64
AV	19.54304G	30.36	63.54	-33.18	28.68	1	Horizontal	66	1.52	-	38.09	15.22	51.63

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.066366G	55.38	88.20	-32.82	46.69	3	Vertical	342	1.61	-	39.47	11.88	42.66
RMS	13.0725G	43.24	68.20	-24.96	34.54	3	Vertical	342	1.61	-	39.49	11.88	42.67

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07384G	55.83	88.20	-32.37	47.11	3	Horizontal	212	1.40	-	39.50	11.89	42.67
RMS	13.06878G	43.16	68.20	-25.04	34.47	3	Horizontal	212	1.40	-	39.48	11.88	42.67

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60457G	42.14	83.54	-41.40	40.77	1	Vertical	336	1.54	-	37.83	15.22	51.68
AV	19.60743G	30.18	63.54	-33.36	28.81	1	Vertical	336	1.54	-	37.84	15.22	51.69

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60718G	42.25	83.54	-41.29	40.88	1	Horizontal	186	1.53	-	37.84	15.22	51.69
AV	19.60507G	30.12	63.54	-33.42	28.75	1	Horizontal	186	1.53	-	37.83	15.22	51.68

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38947G	55.57	74.00	-18.43	46.24	3	Vertical	240	1.64	-	40.08	11.99	42.74
AV	13.38602G	43.21	54.00	-10.79	33.88	3	Vertical	240	1.64	-	40.07	11.99	42.73

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38664G	56.23	74.00	-17.77	46.91	3	Horizontal	23	1.11	-	40.07	11.99	42.74
AV	13.38508G	43.24	54.00	-10.76	33.91	3	Horizontal	23	1.11	-	40.07	11.99	42.73

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08879G	42.29	83.54	-41.25	41.16	1	Vertical	90	1.57	-	37.86	15.27	52.00
AV	20.08279G	30.37	63.54	-33.17	29.27	1	Vertical	90	1.57	-	37.83	15.27	52.00

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09G	42.86	83.54	-40.68	41.73	1	Horizontal	225	1.52	-	37.86	15.27	52.00
AV	20.08717G	30.50	63.54	-33.04	29.38	1	Horizontal	225	1.52	-	37.85	15.27	52.00

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74922G	56.75	88.20	-31.45	46.65	3	Vertical	40	2.83	-	40.60	12.11	42.61
RMS	13.7493G	43.89	68.20	-24.31	33.79	3	Vertical	40	2.83	-	40.60	12.11	42.61

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.751G	56.71	88.20	-31.49	46.60	3	Horizontal	260	1.63	-	40.60	12.12	42.61
RMS	13.74982G	43.87	68.20	-24.33	33.77	3	Horizontal	260	1.63	-	40.60	12.11	42.61

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62491G	44.00	83.54	-39.54	42.40	1	Vertical	273	1.53	-	37.95	15.70	52.05
AV	20.62498G	32.32	63.54	-31.22	30.72	1	Vertical	273	1.53	-	37.95	15.70	52.05

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62407G	43.43	83.54	-40.11	41.83	1	Horizontal	17	1.57	-	37.95	15.70	52.05
AV	20.62518G	32.03	63.54	-31.51	30.43	1	Horizontal	17	1.57	-	37.95	15.70	52.05

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79138G	56.48	88.20	-31.72	46.26	3	Vertical	84	1.47	-	40.68	12.13	42.59
RMS	13.78834G	44.01	68.20	-24.19	33.79	3	Vertical	84	1.47	-	40.68	12.13	42.59

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78991G	56.64	88.20	-31.56	46.42	3	Horizontal	65	1.55	-	40.68	12.13	42.59
RMS	13.79414G	43.95	68.20	-24.25	33.71	3	Horizontal	65	1.55	-	40.69	12.13	42.58

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68977G	43.30	83.54	-40.24	41.73	1	Vertical	258	1.55	-	37.90	15.75	52.08
AV	20.68412G	31.01	63.54	-32.53	29.43	1	Vertical	258	1.55	-	37.90	15.75	52.07

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68504G	43.30	83.54	-40.24	41.72	1	Horizontal	216	1.50	-	37.90	15.75	52.07
AV	20.68195G	31.05	63.54	-32.49	29.47	1	Horizontal	216	1.50	-	37.90	15.75	52.07

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99291G	56.61	88.20	-31.59	45.70	3	Vertical	201	1.58	-	41.17	12.20	42.46			
RMS	13.99492G	44.36	68.20	-23.84	33.44	3	Vertical	201	1.58	-	41.18	12.20	42.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.98538G	57.14	88.20	-31.06	46.27	3	Horizontal	59	2.55	-	41.14	12.20	42.47
RMS	13.98842G	44.45	68.20	-23.75	33.57	3	Horizontal	59	2.55	-	41.15	12.20	42.47

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98208G	43.10	83.54	-40.44	41.33	1	Vertical	177	1.58	-	37.97	15.99	52.19
AV	20.98722G	31.28	63.54	-32.26	29.53	1	Vertical	177	1.58	-	37.95	15.99	52.19

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 23
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98513G	43.79	83.54	-39.75	42.03	1	Horizontal	289	1.50	-	37.96	15.99	52.19
AV	20.98915G	31.33	63.54	-32.21	29.60	1	Horizontal	289	1.50	-	37.94	15.99	52.20

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 22
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1G	110.26	Inf	-Inf	101.63	3	Vertical	289	2.27	-	35.70	8.43	35.50
RMS	7.0872G	97.39	Inf	-Inf	88.81	3	Vertical	289	2.27	-	35.67	8.42	35.51
PK	7.1778G	62.15	88.20	-26.05	53.10	3	Vertical	289	2.27	-	36.07	8.44	35.46
RMS	7.1932G	49.72	68.20	-18.48	40.56	3	Vertical	289	2.27	-	36.16	8.45	35.45

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 22
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	98.17	Inf	-Inf	89.58	3	Horizontal	224	2.42	-	35.68	8.42	35.51
RMS	7.0906G	85.34	Inf	-Inf	76.75	3	Horizontal	224	2.42	-	35.68	8.42	35.51
PK	7.1582G	63.18	88.20	-25.02	54.26	3	Horizontal	224	2.42	-	35.95	8.44	35.47
RMS	7.19G	49.45	68.20	-18.75	40.31	3	Horizontal	224	2.42	-	36.14	8.45	35.45

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19205G	58.16	88.20	-30.04	46.64	3	Vertical	149	2.37	-	41.67	12.26	42.41
RMS	14.19374G	45.29	68.20	-22.91	33.77	3	Vertical	149	2.37	-	41.67	12.26	42.41

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18622G	57.96	88.20	-30.24	46.48	3	Horizontal	38	2.78	-	41.64	12.26	42.42
RMS	14.18899G	45.37	68.20	-22.83	33.86	3	Horizontal	38	2.78	-	41.66	12.26	42.41

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28449G	44.24	83.54	-39.30	41.93	1	Vertical	127	1.57	-	38.28	16.23	52.20
AV	21.28766G	31.60	63.54	-31.94	29.27	1	Vertical	127	1.57	-	38.30	16.23	52.20

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 22
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28814G	44.02	83.54	-39.52	41.68	1	Horizontal	319	1.51	-	38.31	16.23	52.20
AV	21.28611G	31.50	63.54	-32.04	29.18	1	Horizontal	319	1.51	-	38.29	16.23	52.20

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX



EUT_Z_4TX
 Setting 37
 03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	60.04	88.20	-28.16	53.07	3	Vertical	244	2.14	-	34.46	7.60	35.09
RMS	5.9212G	47.47	68.20	-20.73	40.40	3	Vertical	244	2.14	-	34.54	7.63	35.10
PK	5.9586G	109.49	Inf	-Inf	102.35	3	Vertical	244	2.14	-	34.60	7.66	35.12
RMS	5.9512G	95.50	Inf	-Inf	88.37	3	Vertical	244	2.14	-	34.60	7.65	35.12