




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	60.07M	36.71	40.00	-3.29	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	34.63	40.00	-5.37	-10.07	3	Vertical	262	1.00	"	44.70	21.13	1.21	32.41
QP	46.49M	34.28	40.00	-5.72	-15.02	3	Vertical	162	1.00	-	49.30	16.02	1.31	32.35
PK	60.07M	36.71	40.00	-3.29	-18.33	3	Vertical	0	1.25	"Worst"	55.04	12.53	1.41	32.27
PK	68.8M	34.98	40.00	-5.02	-18.45	3	Vertical	265	2.00	-	53.43	12.37	1.47	32.29
PK	479.11M	32.80	46.00	-13.20	-5.69	3	Vertical	66	2.00	-	38.49	23.17	3.19	32.05
PK	896.21M	35.94	46.00	-10.06	-0.83	3	Vertical	255	1.25	-	36.77	26.44	4.31	31.58

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	31.94M	28.75	40.00	-11.25	-8.14	3	Horizontal	0	1.50	-	36.89	23.10	1.16	32.40
PK	60.07M	29.00	40.00	-11.00	-18.33	3	Horizontal	87	2.00	-	47.33	12.53	1.41	32.27
PK	101.78M	29.85	43.50	-13.65	-13.57	3	Horizontal	291	3.00	-	43.42	17.10	1.68	32.35
PK	479.11M	39.32	46.00	-6.68	-5.69	3	Horizontal	360	2.00	"Worst"	45.01	23.17	3.19	32.05
PK	897.18M	38.33	46.00	-7.67	-0.80	3	Horizontal	96	1.50	-	39.13	26.46	4.31	31.57
PK	903.97M	38.34	46.00	-7.66	-0.70	3	Horizontal	360	1.25	-	39.04	26.42	4.33	31.45




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.38996G	53.98	54.00	-0.02	3	Horizontal	302	2.76	98

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
 SET 96
 80\108\94\101\98\97\96
 10.28\ -12.71\4.66\ -5.57\ -3.82\ -2.02\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3893G	60.95	74.00	-13.05	29.50	3	Vertical	206	2.46	96	28.40	3.05	-
AV	2.3892G	53.55	54.00	-0.45	22.10	3	Vertical	206	2.46	96	28.40	3.05	-
PK	2.4112G	112.29	Inf	-Inf	80.83	3	Vertical	206	2.46	96	28.40	3.06	-
AV	2.4112G	109.70	Inf	-Inf	78.24	3	Vertical	206	2.46	96	28.40	3.06	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
 SET 91
 96\64\80\88\92\90\91
 -7.82\8.72\5.96\2.75\ -0.69\0.99\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	61.80	74.00	-12.20	30.35	3	Horizontal	299	2.81	91	28.40	3.05	-
AV	2.39G	53.67	54.00	-0.33	22.21	3	Horizontal	299	2.81	91	28.40	3.06	-
PK	2.4111G	121.32	Inf	-Inf	89.86	3	Horizontal	299	2.81	91	28.40	3.06	-
AV	2.4112G	118.75	Inf	-Inf	87.29	3	Horizontal	299	2.81	91	28.40	3.06	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
SET 91
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83151G	46.24	74.00	-27.76	38.82	3	Vertical	125	1.46	91	32.99	5.10	30.67
AV	4.84366G	32.73	54.00	-21.27	25.23	3	Vertical	125	1.46	91	33.06	5.10	30.66

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
SET 91
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81593G	46.63	74.00	-27.37	39.32	3	Horizontal	1	1.80	91	32.90	5.09	30.68
AV	4.84094G	32.63	54.00	-21.37	25.14	3	Horizontal	1	1.80	91	33.05	5.10	30.66

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_X_2TX
 SET 99
 90\108\99
 10.09\ -8.51\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	60.02	74.00	-13.98	28.57	3	Vertical	206	2.45	99	28.40	3.05	-
AV	2.39G	53.62	54.00	-0.38	22.16	3	Vertical	206	2.45	99	28.40	3.06	-
PK	2.4162G	112.08	Inf	-Inf	80.61	3	Vertical	206	2.45	99	28.40	3.07	-
AV	2.4162G	109.57	Inf	-Inf	78.10	3	Vertical	206	2.45	99	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_X_2TX
 SET 93
 99\67\83\91\95\93\94\93
 -12.45\9.25\5.97\3.19\ -3.49\0.72\ -1.64\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	62.30	74.00	-11.70	30.84	3	Horizontal	302	2.82	93	28.40	3.06	-
AV	2.39G	53.46	54.00	-0.54	22.00	3	Horizontal	302	2.82	93	28.40	3.06	-
PK	2.4161G	121.55	Inf	-Inf	90.08	3	Horizontal	302	2.82	93	28.40	3.07	-
AV	2.4162G	118.97	Inf	-Inf	87.50	3	Horizontal	302	2.82	93	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 SET 108
 91\108
 10.19\10.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.36868G	56.64	74.00	-17.36	25.31	3	Vertical	283	2.56	108	28.29	3.04	-
AV	2.38836G	43.62	54.00	-10.38	12.17	3	Vertical	283	2.56	108	28.40	3.05	-
PK	2.43796G	113.95	Inf	-Inf	82.45	3	Vertical	283	2.56	108	28.42	3.08	-
AV	2.4378G	111.46	Inf	-Inf	79.96	3	Vertical	283	2.56	108	28.42	3.08	-
PK	2.48996G	57.58	74.00	-16.42	25.98	3	Vertical	283	2.56	108	28.50	3.10	-
AV	2.4835G	43.91	54.00	-10.09	12.32	3	Vertical	283	2.56	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 SET 108
 108
 6.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	59.68	74.00	-14.32	28.23	3	Horizontal	306	2.76	108	28.40	3.05	-
AV	2.38852G	47.47	54.00	-6.53	16.02	3	Horizontal	306	2.76	108	28.40	3.05	-
PK	2.43796G	125.07	Inf	-Inf	93.57	3	Horizontal	306	2.76	108	28.42	3.08	-
AV	2.4378G	122.59	Inf	-Inf	91.09	3	Horizontal	306	2.76	108	28.42	3.08	-
PK	2.4835G	57.91	74.00	-16.09	26.32	3	Horizontal	306	2.76	108	28.50	3.09	-
AV	2.4835G	47.11	54.00	-6.89	15.52	3	Horizontal	306	2.76	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
SET 108
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88395G	46.85	74.00	-27.15	39.20	3	Vertical	195	1.80	108	33.17	5.12	30.64
AV	4.86397G	32.68	54.00	-21.32	25.09	3	Vertical	195	1.80	108	33.13	5.11	30.65
PK	7.29314G	50.21	74.00	-23.79	39.24	3	Vertical	138	1.80	108	36.57	6.50	32.10
AV	7.30381G	36.36	54.00	-17.64	25.35	3	Vertical	138	1.80	108	36.61	6.51	32.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
SET 108
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88563G	46.27	74.00	-27.73	38.62	3	Horizontal	45	1.80	108	33.17	5.12	30.64
AV	4.86645G	32.31	54.00	-21.69	24.72	3	Horizontal	45	1.80	108	33.13	5.11	30.65
PK	7.29438G	50.13	74.00	-23.87	39.15	3	Horizontal	316	1.61	108	36.58	6.50	32.10
AV	7.30948G	36.35	54.00	-17.65	25.33	3	Horizontal	316	1.61	108	36.62	6.51	32.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_X_2TX
 SET 108
 90\108
 10.03\7.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	113.28	Inf	-Inf	81.74	3	Vertical	278	2.50	108	28.46	3.08	-
AV	2.4577G	110.81	Inf	-Inf	79.25	3	Vertical	278	2.50	108	28.48	3.08	-
PK	2.4839G	58.02	74.00	-15.98	26.43	3	Vertical	278	2.50	108	28.50	3.09	-
AV	2.4835G	46.99	54.00	-7.01	15.40	3	Vertical	278	2.50	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_X_2TX
 SET 94
 108\90\99\95\93\94
 -4.35\3.87\6.60\1.37\2.31\2.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	121.72	Inf	-Inf	90.16	3	Horizontal	302	2.71	94	28.48	3.08	-
AV	2.4577G	119.17	Inf	-Inf	87.61	3	Horizontal	302	2.71	94	28.48	3.08	-
PK	2.4835G	61.14	74.00	-12.86	29.55	3	Horizontal	302	2.71	94	28.50	3.09	-
AV	2.4835G	51.30	54.00	-2.70	19.71	3	Horizontal	302	2.71	94	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
 SET 108
 91\108
 9.66\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	112.89	Inf	-Inf	81.31	3	Vertical	270	2.12	108	28.50	3.08	-
AV	2.4612G	110.34	Inf	-Inf	78.76	3	Vertical	270	2.12	108	28.50	3.08	-
PK	2.4835G	60.05	74.00	-13.95	28.46	3	Vertical	270	2.12	108	28.50	3.09	-
AV	2.4835G	53.51	54.00	-0.49	21.92	3	Vertical	270	2.12	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
 SET 90
 108\76\92\84\88\90\91\90
 -10.84\6.81\ -1.03\3.72\2.49\2.17\ -1.10\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	121.34	Inf	-Inf	89.76	3	Horizontal	303	2.70	90	28.50	3.08	-
AV	2.4612G	118.72	Inf	-Inf	87.14	3	Horizontal	303	2.70	90	28.50	3.08	-
PK	2.4835G	62.15	74.00	-11.85	30.56	3	Horizontal	303	2.70	90	28.50	3.09	-
AV	2.4835G	53.58	54.00	-0.42	21.99	3	Horizontal	303	2.70	90	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
SET 90
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92284G	46.13	74.00	-27.87	38.36	3	Vertical	33	1.80	90	33.25	5.13	30.61
AV	4.94222G	32.41	54.00	-21.59	24.60	3	Vertical	33	1.80	90	33.28	5.13	30.60
PK	7.36698G	50.30	74.00	-23.70	39.21	3	Vertical	139	1.80	90	36.70	6.54	32.15
AV	7.37433G	36.20	54.00	-17.80	25.10	3	Vertical	139	1.80	90	36.70	6.55	32.15

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
SET 90
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9204G	46.76	74.00	-27.24	39.00	3	Horizontal	25	1.80	90	33.24	5.13	30.61
AV	4.94354G	32.27	54.00	-21.73	24.45	3	Horizontal	25	1.80	90	33.29	5.13	30.60
PK	7.40306G	50.15	74.00	-23.85	39.06	3	Horizontal	354	1.80	90	36.70	6.56	32.17
AV	7.36746G	36.12	54.00	-17.88	25.03	3	Horizontal	354	1.80	90	36.70	6.54	32.15

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 85
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	59.47	74.00	-14.53	28.02	3	Vertical	228	1.30	-	28.40	3.05	-
AV	2.39G	48.92	54.00	-5.08	17.46	3	Vertical	228	1.30	-	28.40	3.06	-
PK	2.4102G	110.73	Inf	-Inf	79.27	3	Vertical	228	1.30	-	28.40	3.06	-
AV	2.4104G	102.17	Inf	-Inf	70.71	3	Vertical	228	1.30	-	28.40	3.06	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 85
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.36	74.00	-8.64	33.90	3	Horizontal	50	2.92	-	28.40	3.06	-
AV	2.39G	53.78	54.00	-0.22	22.32	3	Horizontal	50	2.92	-	28.40	3.06	-
PK	2.4144G	117.80	Inf	-Inf	86.33	3	Horizontal	50	2.92	-	28.40	3.07	-
AV	2.4144G	109.18	Inf	-Inf	77.71	3	Horizontal	50	2.92	-	28.40	3.07	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 85
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8702G	47.04	74.00	-26.96	39.44	3	Vertical	266	2.40	-	33.14	5.11	30.65
AV	4.8699G	33.69	54.00	-20.31	26.09	3	Vertical	266	2.40	-	33.14	5.11	30.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 85
02-R-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83783G	46.88	74.00	-27.12	39.42	3	Horizontal	173	2.31	-	33.03	5.10	30.67			
AV	4.8276G	33.36	54.00	-20.64	25.96	3	Horizontal	173	2.31	-	32.97	5.10	30.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_X_2TX
 SET 95
 74\106\90\98\94\96\95
 9.37\ -10.29\4.99\ -3.45\1.66\ -0.48\0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	65.82	74.00	-8.18	34.37	3	Vertical	360	2.95	95	28.40	3.05	-
AV	2.39G	53.21	54.00	-0.79	21.75	3	Vertical	360	2.95	95	28.40	3.06	-
PK	2.4211G	114.34	Inf	-Inf	82.86	3	Vertical	360	2.95	95	28.41	3.07	-
AV	2.4115G	104.26	Inf	-Inf	72.80	3	Vertical	360	2.95	95	28.40	3.06	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_X_2TX
 SET 88
 95\65\80\87\90\89\88
 -7.42\8.86\5.67\1.30\ -2.30\ -0.48\0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	67.66	74.00	-6.34	36.20	3	Horizontal	50	2.17	88	28.40	3.06	-
AV	2.3899G	53.36	54.00	-0.64	21.91	3	Horizontal	50	2.17	88	28.40	3.05	-
PK	2.4193G	119.40	Inf	-Inf	87.93	3	Horizontal	50	2.17	88	28.40	3.07	-
AV	2.4196G	109.82	Inf	-Inf	78.35	3	Horizontal	50	2.17	88	28.40	3.07	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 SET 108
 107,108
 2.08\1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3834G	71.78	74.00	-2.22	40.33	3	Vertical	251	1.05	108	28.40	3.05	-
AV	2.3898G	52.91	54.00	-1.09	21.46	3	Vertical	251	1.05	108	28.40	3.05	-
PK	2.42964G	116.97	Inf	-Inf	85.40	3	Vertical	251	1.05	108	28.50	3.07	-
AV	2.43972G	107.08	Inf	-Inf	75.60	3	Vertical	251	1.05	108	28.40	3.08	-
PK	2.4842G	68.80	74.00	-5.20	37.21	3	Vertical	251	1.05	108	28.50	3.09	-
AV	2.48436G	50.59	54.00	-3.41	19.00	3	Vertical	251	1.05	108	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




22/01/2024

EUT_X_2TX
 SET 105
 108\80\94\101\104\105\106\105
 -6.90\8.79\6.89\2.52\0.95\0.53\ -0.24\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38884G	67.43	74.00	-6.57	35.98	3	Horizontal	69	2.69	105	28.40	3.05	-
AV	2.38884G	53.58	54.00	-0.42	22.13	3	Horizontal	69	2.69	105	28.40	3.05	-
PK	2.4402G	123.34	Inf	-Inf	91.86	3	Horizontal	69	2.69	105	28.40	3.08	-
AV	2.4402G	113.20	Inf	-Inf	81.72	3	Horizontal	69	2.69	105	28.40	3.08	-
PK	2.48596G	66.42	74.00	-7.58	34.83	3	Horizontal	69	2.69	105	28.50	3.09	-
AV	2.48468G	51.50	54.00	-2.50	19.91	3	Horizontal	69	2.69	105	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 SET 107
 02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85606G	45.90	74.00	-28.10	38.34	3	Vertical	360	1.80	107	33.11	5.11	30.66
AV	4.86725G	32.33	54.00	-21.67	24.74	3	Vertical	360	1.80	107	33.13	5.11	30.65
PK	7.30585G	50.57	74.00	-23.43	39.56	3	Vertical	3	1.91	107	36.61	6.51	32.11
AV	7.31388G	36.55	54.00	-17.45	25.53	3	Vertical	3	1.91	107	36.63	6.51	32.12

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
SET 107
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86409G	46.68	74.00	-27.32	39.09	3	Horizontal	348	1.80	107	33.13	5.11	30.65
AV	4.86725G	32.37	54.00	-21.63	24.78	3	Horizontal	348	1.80	107	33.13	5.11	30.65
PK	7.30988G	49.49	74.00	-24.51	38.47	3	Horizontal	80	1.58	107	36.62	6.51	32.11
AV	7.32946G	36.63	54.00	-17.37	25.57	3	Horizontal	80	1.58	107	36.66	6.52	32.12

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_X_2TX
 SET 96
 107\90\98\94\96\97\96
 -4.23\6.32\ -0.51\3.40\1.15\ -0.12\1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4605G	114.79	Inf	-Inf	83.21	3	Vertical	225	1.05	96	28.50	3.08	-
AV	2.4604G	104.80	Inf	-Inf	73.22	3	Vertical	225	1.05	96	28.50	3.08	-
PK	2.4838G	65.82	74.00	-8.18	34.23	3	Vertical	225	1.05	96	28.50	3.09	-
AV	2.4839G	52.65	54.00	-1.35	21.06	3	Vertical	225	1.05	96	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_X_2TX
 SET 93
 96\78\87\91\93
 -4.44\5.77\2.72\1.25\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4615G	121.13	Inf	-Inf	89.55	3	Horizontal	299	2.72	93	28.50	3.08	-
AV	2.4617G	111.24	Inf	-Inf	79.66	3	Horizontal	299	2.72	93	28.50	3.08	-
PK	2.4853G	67.92	74.00	-6.08	36.33	3	Horizontal	299	2.72	93	28.50	3.09	-
AV	2.4842G	53.96	54.00	-0.04	22.37	3	Horizontal	299	2.72	93	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
 SET 108
 81\108
 7.51\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4596G	113.15	Inf	-Inf	81.57	3	Vertical	186	1.45	108	28.50	3.08	-
AV	2.4598G	103.38	Inf	-Inf	71.80	3	Vertical	186	1.45	108	28.50	3.08	-
PK	2.4838G	67.38	74.00	-6.62	35.79	3	Vertical	186	1.45	108	28.50	3.09	-
AV	2.484G	53.02	54.00	-0.98	21.43	3	Vertical	186	1.45	108	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
 SET 90
 108\76\92\84\88\90\91\90
 -12.43\6.33\ -1.65\3.35\1.43\0.51\ -0.24\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4597G	118.78	Inf	-Inf	87.20	3	Horizontal	65	2.19	90	28.50	3.08	-
AV	2.4598G	109.21	Inf	-Inf	77.63	3	Horizontal	65	2.19	90	28.50	3.08	-
PK	2.4849G	69.05	74.00	-4.95	37.46	3	Horizontal	65	2.19	90	28.50	3.09	-
AV	2.4835G	53.52	54.00	-0.48	21.93	3	Horizontal	65	2.19	90	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
SET 81
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94278G	46.55	74.00	-27.45	38.73	3	Vertical	213	1.80	81	33.29	5.13	30.60
AV	4.9433G	32.63	54.00	-21.37	24.81	3	Vertical	213	1.80	81	33.29	5.13	30.60
PK	7.38228G	49.93	74.00	-24.07	38.83	3	Vertical	1	1.80	81	36.70	6.55	32.15
AV	7.38204G	36.60	54.00	-17.40	25.50	3	Vertical	1	1.80	81	36.70	6.55	32.15

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
SET 81
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92148G	46.09	74.00	-27.91	38.33	3	Horizontal	101	1.80	81	33.24	5.13	30.61
AV	4.92832G	32.58	54.00	-21.42	24.80	3	Horizontal	101	1.80	81	33.26	5.13	30.61
PK	7.39675G	49.97	74.00	-24.03	38.87	3	Horizontal	202	2.86	81	36.70	6.56	32.16
AV	7.40234G	36.55	54.00	-17.45	25.46	3	Horizontal	202	2.86	81	36.70	6.56	32.17

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 Setting 83
 02-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3893G	67.33	74.00	-6.67	35.88	3	Vertical	12	2.95	-	28.40	3.05	-
AV	2.3895G	53.13	54.00	-0.87	21.68	3	Vertical	12	2.95	-	28.40	3.05	-
PK	2.4174G	116.02	Inf	-Inf	84.55	3	Vertical	12	2.95	-	28.40	3.07	-
AV	2.4147G	103.38	Inf	-Inf	71.91	3	Vertical	12	2.95	-	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
Setting 83
02-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.32	74.00	-7.68	34.87	3	Horizontal	52	2.72	-	28.40	3.05	-
AV	2.3898G	53.94	54.00	-0.06	22.49	3	Horizontal	52	2.72	-	28.40	3.05	-
PK	2.4158G	119.26	Inf	-Inf	87.79	3	Horizontal	52	2.72	-	28.40	3.07	-
AV	2.4182G	107.71	Inf	-Inf	76.24	3	Horizontal	52	2.72	-	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
Setting 83
02-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83435G	45.75	74.00	-28.25	38.31	3	Vertical	203	1.80	-	33.01	5.10	30.67
AV	4.83667G	32.05	54.00	-21.95	24.60	3	Vertical	203	1.80	-	33.02	5.10	30.67

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
Setting 83
02-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82536G	45.01	74.00	-28.99	37.64	3	Horizontal	116	2.62	-	32.95	5.10	30.68
AV	4.8244G	32.06	54.00	-21.94	24.69	3	Horizontal	116	2.62	-	32.95	5.10	30.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
 SET 91
 88\104\96\92\90\91
 4.12\11.53\2.96\0.81\2.52\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3897G	68.89	74.00	-5.11	37.44	3	Vertical	357	2.94	91	28.40	3.05	-
AV	2.39G	53.39	54.00	-0.61	21.93	3	Vertical	357	2.94	91	28.40	3.06	-
PK	2.4143G	115.32	Inf	-Inf	83.85	3	Vertical	357	2.94	91	28.40	3.07	-
AV	2.4192G	102.72	Inf	-Inf	71.25	3	Vertical	357	2.94	91	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
 SET 88
 91\79\85\88\89\88
 -2.77\6.03\2.20\1.30\ -2.83\1.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	68.22	74.00	-5.78	36.77	3	Horizontal	56	2.64	88	28.40	3.05	-
AV	2.389G	52.56	54.00	-1.44	21.11	3	Horizontal	56	2.64	88	28.40	3.05	-
PK	2.4156G	120.87	Inf	-Inf	89.40	3	Horizontal	56	2.64	88	28.40	3.07	-
AV	2.4183G	108.72	Inf	-Inf	77.25	3	Horizontal	56	2.64	88	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 SET 104
 107,97,102,104
 -2.40,4.92,2.15,0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	66.93	74.00	-7.07	35.48	3	Vertical	228	1.09	104	28.40	3.05	-
AV	2.38836G	53.89	54.00	-0.11	22.44	3	Vertical	228	1.09	104	28.40	3.05	-
PK	2.44132G	118.56	Inf	-Inf	87.08	3	Vertical	228	1.09	104	28.40	3.08	-
AV	2.43876G	106.34	Inf	-Inf	74.85	3	Vertical	228	1.09	104	28.41	3.08	-
PK	2.4835G	65.79	74.00	-8.21	34.20	3	Vertical	228	1.09	104	28.50	3.09	-
AV	2.48372G	51.36	54.00	-2.64	19.77	3	Vertical	228	1.09	104	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 SET 98
 104\83\93\98
 -5.01\6.80\3.68\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.57	74.00	-7.43	35.12	3	Horizontal	304	2.76	98	28.40	3.05	-
AV	2.38932G	53.69	54.00	-0.31	22.24	3	Horizontal	304	2.76	98	28.40	3.05	-
PK	2.44196G	124.90	Inf	-Inf	93.42	3	Horizontal	304	2.76	98	28.40	3.08	-
AV	2.44196G	112.69	Inf	-Inf	81.21	3	Horizontal	304	2.76	98	28.40	3.08	-
PK	2.48404G	63.99	74.00	-10.01	32.40	3	Horizontal	304	2.76	98	28.50	3.09	-
AV	2.48484G	49.99	54.00	-4.01	18.40	3	Horizontal	304	2.76	98	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
SET 98
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88375G	46.00	74.00	-28.00	38.35	3	Vertical	155	2.88	98	33.17	5.12	30.64
AV	4.86829G	32.17	54.00	-21.83	24.57	3	Vertical	155	2.88	98	33.14	5.11	30.65
PK	7.2913G	49.76	74.00	-24.24	38.79	3	Vertical	1	2.04	98	36.57	6.50	32.10
AV	7.29254G	36.47	54.00	-17.53	25.50	3	Vertical	1	2.04	98	36.57	6.50	32.10

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
SET 98
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88599G	46.13	74.00	-27.87	38.48	3	Horizontal	306	1.80	98	33.17	5.12	30.64
AV	4.86325G	32.36	54.00	-21.64	24.77	3	Horizontal	306	1.80	98	33.13	5.11	30.65
PK	7.32527G	49.71	74.00	-24.29	38.66	3	Horizontal	121	1.80	98	36.65	6.52	32.12
AV	7.29933G	36.62	54.00	-17.38	25.63	3	Horizontal	121	1.80	98	36.60	6.50	32.11

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
 SET 98
 107,75\91\99\95\97\98
 -8.10\8.95\4.94\ -0.97\2.78\1.64\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4613G	116.26	Inf	-Inf	84.68	3	Vertical	225	1.05	98	28.50	3.08	-
AV	2.4588G	104.38	Inf	-Inf	72.81	3	Vertical	225	1.05	98	28.49	3.08	-
PK	2.4844G	68.46	74.00	-5.54	36.87	3	Vertical	225	1.05	98	28.50	3.09	-
AV	2.4835G	53.54	54.00	-0.46	21.95	3	Vertical	225	1.05	98	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX



Lim.PK
PK
Lim.AV
AV


19/01/2024

EUT_X_2TX
SET 89
98\66\82\90\86\88\89
-9.02\8.09\3.24\ -0.41\1.64\1.26\0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4621G	121.55	Inf	-Inf	89.97	3	Horizontal	298	2.69	89	28.50	3.08	-
AV	2.4595G	109.82	Inf	-Inf	78.25	3	Horizontal	298	2.69	89	28.49	3.08	-
PK	2.4836G	71.23	74.00	-2.77	39.64	3	Horizontal	298	2.69	89	28.50	3.09	-
AV	2.4835G	53.05	54.00	-0.95	21.46	3	Horizontal	298	2.69	89	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 SET 87
 81\99\90\86\88\87
 4.66\ -7.39\ -1.36\ 0.84\ -0.00\ 0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4591G	114.14	Inf	-Inf	82.57	3	Vertical	227	1.05	87	28.49	3.08	-
AV	2.4587G	101.89	Inf	-Inf	70.32	3	Vertical	227	1.05	87	28.49	3.08	-
PK	2.4847G	68.17	74.00	-5.83	36.58	3	Vertical	227	1.05	87	28.50	3.09	-
AV	2.484G	53.66	54.00	-0.34	22.07	3	Vertical	227	1.05	87	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 SET 74
 87.61\74
 -6.39\5.74\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4569G	118.57	Inf	-Inf	87.02	3	Horizontal	298	2.70	74	28.47	3.08	-
AV	2.4595G	106.28	Inf	-Inf	74.71	3	Horizontal	298	2.70	74	28.49	3.08	-
PK	2.4848G	68.78	74.00	-5.22	37.19	3	Horizontal	298	2.70	74	28.50	3.09	-
AV	2.4835G	53.88	54.00	-0.12	22.29	3	Horizontal	298	2.70	74	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
SET 74
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90977G	46.26	74.00	-27.74	38.54	3	Vertical	286	1.80	74	33.22	5.12	30.62
AV	4.93875G	32.54	54.00	-21.46	24.73	3	Vertical	286	1.80	74	33.28	5.13	30.60
PK	7.40322G	50.39	74.00	-23.61	39.30	3	Vertical	93	1.80	74	36.70	6.56	32.17
AV	7.36626G	36.59	54.00	-17.41	25.50	3	Vertical	93	1.80	74	36.70	6.54	32.15

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
SET 74
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90446G	45.92	74.00	-28.08	38.21	3	Horizontal	1	1.80	74	33.21	5.12	30.62
AV	4.9407G	32.64	54.00	-21.36	24.83	3	Horizontal	1	1.80	74	33.28	5.13	30.60
PK	7.40039G	49.69	74.00	-24.31	38.59	3	Horizontal	25	1.80	74	36.70	6.56	32.16
AV	7.4039G	36.53	54.00	-17.47	25.44	3	Horizontal	25	1.80	74	36.70	6.56	32.17

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 SET 93
 80\108\94\87\90\91\92\93
 8.34\ -20.32\ -0.08\ 6.39\ 3.81\ 2.86\ 2.08\ 1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	65.66	74.00	-8.34	34.21	3	Vertical	288	2.59	93	28.40	3.05	-
AV	2.3885G	52.60	54.00	-1.40	21.15	3	Vertical	288	2.59	93	28.40	3.05	-
PK	2.4187G	112.82	Inf	-Inf	81.35	3	Vertical	288	2.59	93	28.40	3.07	-
AV	2.4175G	100.96	Inf	-Inf	69.49	3	Vertical	288	2.59	93	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 SET 83
 93\61\77\85\81\83
 -10.02\7.38\3.08\1.61\0.95\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.79	74.00	-8.21	34.33	3	Horizontal	53	2.41	83	28.40	3.06	-
AV	2.39G	53.71	54.00	-0.29	22.25	3	Horizontal	53	2.41	83	28.40	3.06	-
PK	2.4133G	118.07	Inf	-Inf	86.60	3	Horizontal	53	2.41	83	28.40	3.07	-
AV	2.4109G	106.22	Inf	-Inf	74.76	3	Horizontal	53	2.41	83	28.40	3.06	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
SET 83
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81541G	45.63	74.00	-28.37	38.33	3	Vertical	360	1.80	83	32.89	5.09	30.68
AV	4.80734G	32.74	54.00	-21.26	25.50	3	Vertical	360	1.80	83	32.84	5.09	30.69

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
SET 83
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83907G	45.35	74.00	-28.65	37.89	3	Horizontal	242	1.80	83	33.03	5.10	30.67
AV	4.83907G	32.92	54.00	-21.08	25.46	3	Horizontal	242	1.80	83	33.03	5.10	30.67

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
 SET 93
 73\105\89\97\93
 8.31\13.00\2.85\5.20\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.49	74.00	-5.51	37.03	3	Vertical	360	2.93	93	28.40	3.06	-
AV	2.39G	53.78	54.00	-0.22	22.32	3	Vertical	360	2.93	93	28.40	3.06	-
PK	2.4155G	114.00	Inf	-Inf	82.53	3	Vertical	360	2.93	93	28.40	3.07	-
AV	2.4188G	102.27	Inf	-Inf	70.80	3	Vertical	360	2.93	93	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
 SET 84
 93\71\82\87\85\84
 -5.41\6.79\2.56\0.10\0.04\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.34	74.00	-8.66	33.88	3	Horizontal	50	2.18	84	28.40	3.06	-
AV	2.39G	52.43	54.00	-1.57	20.97	3	Horizontal	50	2.18	84	28.40	3.06	-
PK	2.4094G	118.08	Inf	-Inf	86.62	3	Horizontal	50	2.18	84	28.40	3.06	-
AV	2.419G	106.45	Inf	-Inf	74.98	3	Horizontal	50	2.18	84	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 SET 106
 83\108\96\102\105\106\107\106
 8.81\ -0.77\6.47\4.46\1.21\0.59\ -0.05\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	65.18	74.00	-8.82	33.73	3	Vertical	355	1.19	106	28.40	3.05	-
AV	2.3898G	53.43	54.00	-0.57	21.98	3	Vertical	355	1.19	106	28.40	3.05	-
PK	2.43172G	116.45	Inf	-Inf	84.90	3	Vertical	355	1.19	106	28.48	3.07	-
AV	2.43124G	104.49	Inf	-Inf	72.93	3	Vertical	355	1.19	106	28.49	3.07	-
PK	2.48404G	63.72	74.00	-10.28	32.13	3	Vertical	355	1.19	106	28.50	3.09	-
AV	2.48372G	51.29	54.00	-2.71	19.70	3	Vertical	355	1.19	106	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 SET 98
 106\74\90\98
 -7.80\7.81\4.44\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38788G	65.88	74.00	-8.12	34.43	3	Horizontal	302	2.76	98	28.40	3.05	-
AV	2.38996G	53.98	54.00	-0.02	22.53	3	Horizontal	302	2.76	98	28.40	3.05	-
PK	2.44196G	123.38	Inf	-Inf	91.90	3	Horizontal	302	2.76	98	28.40	3.08	-
AV	2.44324G	111.08	Inf	-Inf	79.60	3	Horizontal	302	2.76	98	28.40	3.08	-
PK	2.48372G	63.34	74.00	-10.66	31.75	3	Horizontal	302	2.76	98	28.50	3.09	-
AV	2.4835G	50.88	54.00	-3.12	19.29	3	Horizontal	302	2.76	98	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
SET 98
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88127G	46.17	74.00	-27.83	38.54	3	Vertical	281	2.74	98	33.16	5.11	30.64
AV	4.87412G	33.82	54.00	-20.18	26.20	3	Vertical	281	2.74	98	33.15	5.11	30.64
PK	7.32682G	50.23	74.00	-23.77	39.18	3	Vertical	175	1.80	98	36.65	6.52	32.12
AV	7.2965G	37.48	54.00	-16.52	26.50	3	Vertical	175	1.80	98	36.59	6.50	32.11

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX








EUT_X_2TX
SET 98
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86617G	46.19	74.00	-27.81	38.60	3	Horizontal	139	1.80	98	33.13	5.11	30.65
AV	4.86413G	33.63	54.00	-20.37	26.04	3	Horizontal	139	1.80	98	33.13	5.11	30.65
PK	7.29406G	50.97	74.00	-23.03	39.99	3	Horizontal	262	1.05	98	36.58	6.50	32.10
AV	7.3144G	37.47	54.00	-16.53	26.45	3	Horizontal	262	1.05	98	36.63	6.51	32.12

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


19/01/2024

EUT_X_2TX
 SET 96
 73\105\89\97\93\95\96
 8.66\ -6.21\4.97\ -0.08\3.41\0.92\1.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4602G	113.66	Inf	-Inf	82.08	3	Vertical	150	2.24	96	28.50	3.08	-
AV	2.4607G	101.28	Inf	-Inf	69.70	3	Vertical	150	2.24	96	28.50	3.08	-
PK	2.4838G	66.94	74.00	-7.06	35.35	3	Vertical	150	2.24	96	28.50	3.09	-
AV	2.4835G	52.78	54.00	-1.22	21.19	3	Vertical	150	2.24	96	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
 SET 84
 96\68\82\89\86\85\84
 -6.91\6.91\1.29\ -2.11\ -0.90\ -0.14\0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4504G	119.22	Inf	-Inf	87.74	3	Horizontal	307	2.71	84	28.40	3.08	-
AV	2.4595G	107.74	Inf	-Inf	76.17	3	Horizontal	307	2.71	84	28.49	3.08	-
PK	2.4841G	69.95	74.00	-4.05	38.36	3	Horizontal	307	2.71	84	28.50	3.09	-
AV	2.4835G	53.49	54.00	-0.51	21.90	3	Horizontal	307	2.71	84	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 SET 91
 83\101\92\88\90\91
 4.65\ -8.40\ -0.03\ 1.88\ 1.38\ 0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4599G	112.26	Inf	-Inf	80.68	3	Vertical	148	2.24	91	28.50	3.08	-
AV	2.4594G	100.15	Inf	-Inf	68.58	3	Vertical	148	2.24	91	28.49	3.08	-
PK	2.484G	67.72	74.00	-6.28	36.13	3	Vertical	148	2.24	91	28.50	3.09	-
AV	2.4837G	53.42	54.00	-0.58	21.83	3	Vertical	148	2.24	91	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 SET 73
 91\59\75\67\71\73
 -9.95\5.72\ -0.44\2.76\1.33\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4631G	116.89	Inf	-Inf	85.30	3	Horizontal	305	2.70	73	28.50	3.09	-
AV	2.4592G	105.39	Inf	-Inf	73.82	3	Horizontal	305	2.70	73	28.49	3.08	-
PK	2.4843G	65.57	74.00	-8.43	33.98	3	Horizontal	305	2.70	73	28.50	3.09	-
AV	2.4835G	53.76	54.00	-0.24	22.17	3	Horizontal	305	2.70	73	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
SET 73
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94142G	46.37	74.00	-27.63	38.56	3	Vertical	330	1.80	73	33.28	5.13	30.60
AV	4.9254G	33.62	54.00	-20.38	25.85	3	Vertical	330	1.80	73	33.25	5.13	30.61
PK	7.39467G	50.74	74.00	-23.26	39.64	3	Vertical	279	1.60	73	36.70	6.56	32.16
AV	7.37533G	37.67	54.00	-16.33	26.57	3	Vertical	279	1.60	73	36.70	6.55	32.15

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



EUT_X_2TX
SET 73
02-U--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91165G	45.93	74.00	-28.07	38.21	3	Horizontal	298	2.27	73	33.22	5.12	30.62
AV	4.91661G	33.39	54.00	-20.61	25.66	3	Horizontal	298	2.27	73	33.23	5.12	30.62
PK	7.39179G	50.24	74.00	-23.76	39.14	3	Horizontal	145	2.95	73	36.70	6.56	32.16
AV	7.37525G	37.90	54.00	-16.10	26.80	3	Horizontal	145	2.95	73	36.70	6.55	32.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.39G	53.99	54.00	-0.01	3	Horizontal	63	2.42	80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_X_4TX
 SET 94
 80\108\94\101\98\97\85\91\94
 9.62\ -14.54\2.52\ -7.81\ -5.55\ -3.59\9.34\6.93\2.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3869G	59.92	74.00	-14.08	28.47	3	Vertical	274	2.12	94	28.40	3.05	-
AV	2.3872G	51.48	54.00	-2.52	20.03	3	Vertical	274	2.12	94	28.40	3.05	-
PK	2.4129G	115.60	Inf	-Inf	84.13	3	Vertical	274	2.12	94	28.40	3.07	-
AV	2.4127G	112.96	Inf	-Inf	81.49	3	Vertical	274	2.12	94	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_X_4TX
 SET 92
 94\80\87\90\91\92\93\92
 -3.26\6.60\4.55\2.47\2.15\1.41\ -1.75\1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3881G	61.87	74.00	-12.13	30.42	3	Horizontal	30	1.62	92	28.40	3.05	-
AV	2.3887G	52.21	54.00	-1.79	20.76	3	Horizontal	30	1.62	92	28.40	3.05	-
PK	2.413G	119.22	Inf	-Inf	87.75	3	Horizontal	30	1.62	92	28.40	3.07	-
AV	2.4128G	116.48	Inf	-Inf	85.01	3	Horizontal	30	1.62	92	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83539G	46.62	74.00	-27.38	39.18	3	Vertical	195	1.80	92	33.01	5.10	30.67
AV	4.81429G	32.44	54.00	-21.56	25.14	3	Vertical	195	1.80	92	32.89	5.09	30.68

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81309G	47.52	74.00	-26.48	40.23	3	Horizontal	66	1.80	92	32.88	5.09	30.68
AV	4.82384G	33.40	54.00	-20.60	26.04	3	Horizontal	66	1.80	92	32.94	5.10	30.68

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_X_4TX
 SET 99
 92\108\100\96\98\99
 10.06\9.13\0.00\4.59\0.71\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	60.22	74.00	-13.78	28.76	3	Vertical	129	1.84	99	28.40	3.06	-
AV	2.39G	53.91	54.00	-0.09	22.45	3	Vertical	129	1.84	99	28.40	3.06	-
PK	2.4179G	113.83	Inf	-Inf	82.36	3	Vertical	129	1.84	99	28.40	3.07	-
AV	2.4177G	111.24	Inf	-Inf	79.77	3	Vertical	129	1.84	99	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_X_4TX
 SET 94
 99\67\83\91\95\93\94
 -10.07\9.55\8.04\5.73\ -3.35\3.53\1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	61.75	74.00	-12.25	30.30	3	Horizontal	31	1.62	94	28.40	3.05	-
AV	2.39G	52.98	54.00	-1.02	21.52	3	Horizontal	31	1.62	94	28.40	3.06	-
PK	2.4161G	119.48	Inf	-Inf	88.01	3	Horizontal	31	1.62	94	28.40	3.07	-
AV	2.4161G	116.69	Inf	-Inf	85.22	3	Horizontal	31	1.62	94	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 108
 92\108
 9.91\9.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38356G	56.81	74.00	-17.19	25.36	3	Vertical	254	2.20	108	28.40	3.05	-
AV	2.38548G	44.91	54.00	-9.09	13.46	3	Vertical	254	2.20	108	28.40	3.05	-
PK	2.43796G	118.66	Inf	-Inf	87.16	3	Vertical	254	2.20	108	28.42	3.08	-
AV	2.4362G	116.13	Inf	-Inf	84.62	3	Vertical	254	2.20	108	28.44	3.07	-
PK	2.48708G	56.99	74.00	-17.01	25.40	3	Vertical	254	2.20	108	28.50	3.09	-
AV	2.4835G	44.07	54.00	-9.93	12.48	3	Vertical	254	2.20	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 108
 108
 4.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	60.96	74.00	-13.04	29.51	3	Horizontal	30	1.58	108	28.40	3.05	-
AV	2.38996G	49.31	54.00	-4.69	17.86	3	Horizontal	30	1.58	108	28.40	3.05	-
PK	2.4362G	121.85	Inf	-Inf	90.34	3	Horizontal	30	1.58	108	28.44	3.07	-
AV	2.4378G	119.42	Inf	-Inf	87.92	3	Horizontal	30	1.58	108	28.42	3.08	-
PK	2.48612G	57.02	74.00	-16.98	25.43	3	Horizontal	30	1.58	108	28.50	3.09	-
AV	2.4835G	44.70	54.00	-9.30	13.11	3	Horizontal	30	1.58	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87436G	49.19	74.00	-24.81	41.57	3	Vertical	68	2.95	108	33.15	5.11	30.64
AV	4.874G	40.04	54.00	-13.96	32.42	3	Vertical	68	2.95	108	33.15	5.11	30.64
PK	7.30169G	50.48	74.00	-23.52	39.48	3	Vertical	354	1.72	108	36.60	6.51	32.11
AV	7.3122G	36.59	54.00	-17.41	25.57	3	Vertical	354	1.72	108	36.62	6.51	32.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.874G	47.26	74.00	-26.74	39.64	3	Horizontal	65	1.63	108	33.15	5.11	30.64
AV	4.87396G	37.01	54.00	-16.99	29.39	3	Horizontal	65	1.63	108	33.15	5.11	30.64
PK	7.30952G	50.05	74.00	-23.95	39.03	3	Horizontal	299	1.87	108	36.62	6.51	32.11
AV	7.30988G	36.50	54.00	-17.50	25.48	3	Horizontal	299	1.87	108	36.62	6.51	32.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 108
 92\108
 9.75\6.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4579G	116.45	Inf	-Inf	84.89	3	Vertical	127	1.80	108	28.48	3.08	-
AV	2.4577G	114.09	Inf	-Inf	82.53	3	Vertical	127	1.80	108	28.48	3.08	-
PK	2.4837G	57.86	74.00	-16.14	26.27	3	Vertical	127	1.80	108	28.50	3.09	-
AV	2.4835G	47.75	54.00	-6.25	16.16	3	Vertical	127	1.80	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 95
 108\76\92\100\96\94\95
 -9.45\8.70\3.71\8.14\1.10\3.41\1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4579G	119.61	Inf	-Inf	88.05	3	Horizontal	33	1.64	95	28.48	3.08	-
AV	2.4562G	116.86	Inf	-Inf	85.32	3	Horizontal	33	1.64	95	28.46	3.08	-
PK	2.4838G	61.99	74.00	-12.01	30.40	3	Horizontal	33	1.64	95	28.50	3.09	-
AV	2.4835G	52.70	54.00	-1.30	21.11	3	Horizontal	33	1.64	95	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
 SET 101
 92\108\100\104\102\101
 6.83\ -1.11\3.63\ -3.34\ -0.60\1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	115.15	Inf	-Inf	83.57	3	Vertical	128	2.00	101	28.50	3.08	-
AV	2.4613G	112.31	Inf	-Inf	80.73	3	Vertical	128	2.00	101	28.50	3.08	-
PK	2.4836G	61.11	74.00	-12.89	29.52	3	Vertical	128	2.00	101	28.50	3.09	-
AV	2.4835G	52.95	54.00	-1.05	21.36	3	Vertical	128	2.00	101	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
 SET 95
 101\69\85\93\97\95\96\95
 -12.11\8.85\5.79\0.95\ -4.56\0.53\ -0.89\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4611G	119.86	Inf	-Inf	88.28	3	Horizontal	32	1.68	95	28.50	3.08	-
AV	2.4628G	117.09	Inf	-Inf	85.50	3	Horizontal	32	1.68	95	28.50	3.09	-
PK	2.4835G	61.71	74.00	-12.29	30.12	3	Horizontal	32	1.68	95	28.50	3.09	-
AV	2.4835G	53.47	54.00	-0.53	21.88	3	Horizontal	32	1.68	95	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93159G	46.63	74.00	-27.37	38.85	3	Vertical	28	1.80	95	33.26	5.13	30.61
AV	4.9049G	32.21	54.00	-21.79	24.50	3	Vertical	28	1.80	95	33.21	5.12	30.62
PK	7.37098G	50.68	74.00	-23.32	39.59	3	Vertical	124	2.91	95	36.70	6.54	32.15
AV	7.39891G	36.34	54.00	-17.66	25.24	3	Vertical	124	2.91	95	36.70	6.56	32.16

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93455G	46.34	74.00	-27.66	38.54	3	Horizontal	110	1.28	95	33.27	5.13	30.60
AV	4.93551G	32.23	54.00	-21.77	24.43	3	Horizontal	110	1.28	95	33.27	5.13	30.60
PK	7.38864G	50.63	74.00	-23.37	39.54	3	Horizontal	23	1.64	95	36.70	6.55	32.16
AV	7.40398G	36.17	54.00	-17.83	25.08	3	Horizontal	23	1.64	95	36.70	6.56	32.17

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
 SET 91
 80\108\94\87\90\91\92\91
 7.34\ -24.91\ -2.08\4.58\1.36\1.16\ -0.02\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3897G	65.75	74.00	-8.25	34.30	3	Vertical	283	2.70	91	28.40	3.05	-
AV	2.3896G	53.73	54.00	-0.27	22.28	3	Vertical	283	2.70	91	28.40	3.05	-
PK	2.4103G	114.85	Inf	-Inf	83.39	3	Vertical	283	2.70	91	28.40	3.06	-
AV	2.4097G	104.80	Inf	-Inf	73.34	3	Vertical	283	2.70	91	28.40	3.06	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
 SET 80
 91\68\79\84\82\81\80
 -5.73\4.58\0.69\ -2.16\ -1.83\ -0.55\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.51	74.00	-5.49	37.05	3	Horizontal	63	2.42	80	28.40	3.06	-
AV	2.39G	53.99	54.00	-0.01	22.53	3	Horizontal	63	2.42	80	28.40	3.06	-
PK	2.4047G	121.79	Inf	-Inf	90.33	3	Horizontal	63	2.42	80	28.40	3.06	-
AV	2.4044G	112.15	Inf	-Inf	80.69	3	Horizontal	63	2.42	80	28.40	3.06	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84378G	46.01	74.00	-27.99	38.51	3	Vertical	200	1.80	80	33.06	5.10	30.66
AV	4.84166G	32.81	54.00	-21.19	25.32	3	Vertical	200	1.80	80	33.05	5.10	30.66

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80502G	45.55	74.00	-28.45	38.32	3	Horizontal	264	1.80	80	32.83	5.09	30.69
AV	4.84118G	32.67	54.00	-21.33	25.18	3	Horizontal	264	1.80	80	33.05	5.10	30.66

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_X_4TX
Setting 83
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	62.36	74.00	-11.64	30.90	3	Vertical	4	2.95	-	28.40	3.06	-
AV	2.39G	50.26	54.00	-3.74	18.80	3	Vertical	4	2.95	-	28.40	3.06	-
PK	2.4152G	115.69	Inf	-Inf	84.22	3	Vertical	4	2.95	-	28.40	3.07	-
AV	2.4162G	106.63	Inf	-Inf	75.16	3	Vertical	4	2.95	-	28.40	3.07	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_X_4TX
Setting 83
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	64.55	74.00	-9.45	33.10	3	Horizontal	60	2.40	-	28.40	3.05	-
AV	2.39G	53.78	54.00	-0.22	22.32	3	Horizontal	60	2.40	-	28.40	3.06	-
PK	2.4096G	120.59	Inf	-Inf	89.13	3	Horizontal	60	2.40	-	28.40	3.06	-
AV	2.4092G	112.11	Inf	-Inf	80.65	3	Horizontal	60	2.40	-	28.40	3.06	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 108
 80\108
 9.23\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	65.78	74.00	-8.22	34.33	3	Vertical	270	2.32	108	28.40	3.05	-
AV	2.38996G	53.53	54.00	-0.47	22.08	3	Vertical	270	2.32	108	28.40	3.05	-
PK	2.43572G	120.39	Inf	-Inf	88.88	3	Vertical	270	2.32	108	28.44	3.07	-
AV	2.43556G	109.92	Inf	-Inf	78.41	3	Vertical	270	2.32	108	28.44	3.07	-
PK	2.48484G	62.82	74.00	-11.18	31.23	3	Vertical	270	2.32	108	28.50	3.09	-
AV	2.48372G	49.54	54.00	-4.46	17.95	3	Vertical	270	2.32	108	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 96
 108\76\92\100\96\98\97\96
 -13.03\7.31\3.17\2.54\1.01\0.84\0.00\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	70.44	74.00	-3.56	38.99	3	Horizontal	51	2.40	96	28.40	3.05	-
AV	2.38996G	52.89	54.00	-1.11	21.44	3	Horizontal	51	2.40	96	28.40	3.05	-
PK	2.42964G	124.46	Inf	-Inf	92.89	3	Horizontal	51	2.40	96	28.50	3.07	-
AV	2.42932G	115.02	Inf	-Inf	83.46	3	Horizontal	51	2.40	96	28.49	3.07	-
PK	2.4835G	61.56	74.00	-12.44	29.97	3	Horizontal	51	2.40	96	28.50	3.09	-
AV	2.4835G	48.51	54.00	-5.49	16.92	3	Horizontal	51	2.40	96	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88071G	45.70	74.00	-28.30	38.07	3	Vertical	78	1.80	96	33.16	5.11	30.64
AV	4.86401G	32.89	54.00	-21.11	25.30	3	Vertical	78	1.80	96	33.13	5.11	30.65
PK	7.3287G	50.21	74.00	-23.79	39.15	3	Vertical	47	1.07	96	36.66	6.52	32.12
AV	7.29158G	36.83	54.00	-17.17	25.86	3	Vertical	47	1.07	96	36.57	6.50	32.10

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88499G	46.76	74.00	-27.24	39.11	3	Horizontal	274	1.80	96	33.17	5.12	30.64
AV	4.86545G	32.84	54.00	-21.16	25.25	3	Horizontal	274	1.80	96	33.13	5.11	30.65
PK	7.29418G	49.76	74.00	-24.24	38.78	3	Horizontal	145	2.44	96	36.58	6.50	32.10
AV	7.31628G	36.55	54.00	-17.45	25.53	3	Horizontal	145	2.44	96	36.63	6.51	32.12

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 100
 68\100\108\104\102\101\100
 9.36\0.82\ -2.25\ -2.43\ -0.95\ -0.40\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4592G	117.03	Inf	-Inf	85.46	3	Vertical	256	2.01	100	28.49	3.08	-
AV	2.4589G	107.34	Inf	-Inf	75.77	3	Vertical	256	2.01	100	28.49	3.08	-
PK	2.484G	66.65	74.00	-7.35	35.06	3	Vertical	256	2.01	100	28.50	3.09	-
AV	2.4835G	53.16	54.00	-0.84	21.57	3	Vertical	256	2.01	100	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 90
 100\68\84\92\88\90
 -9.09\7.42\3.80\ -1.66\2.30\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.45G	123.69	Inf	-Inf	92.21	3	Horizontal	64	2.54	90	28.40	3.08	-
AV	2.4495G	114.07	Inf	-Inf	82.59	3	Horizontal	64	2.54	90	28.40	3.08	-
PK	2.4835G	66.38	74.00	-7.62	34.79	3	Horizontal	64	2.54	90	28.50	3.09	-
AV	2.4835G	53.64	54.00	-0.36	22.05	3	Horizontal	64	2.54	90	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
Setting 80
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4604G	109.17	Inf	-Inf	77.15	3	Vertical	126	1.80	-	27.40	4.62	-
AV	2.461G	98.46	Inf	-Inf	66.44	3	Vertical	126	1.80	-	27.40	4.62	-
PK	2.4842G	60.95	74.00	-13.05	28.85	3	Vertical	126	1.80	-	27.50	4.60	-
AV	2.4836G	46.80	54.00	-7.20	14.70	3	Vertical	126	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
Setting 80
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4554G	118.31	Inf	-Inf	86.24	3	Horizontal	71	1.80	-	27.45	4.62	-
AV	2.4556G	107.24	Inf	-Inf	75.18	3	Horizontal	71	1.80	-	27.44	4.62	-
PK	2.4852G	68.41	74.00	-5.59	36.31	3	Horizontal	71	1.80	-	27.50	4.60	-
AV	2.4846G	52.18	54.00	-1.82	20.08	3	Horizontal	71	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
Setting 80
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9235G	45.10	74.00	-28.90	39.63	3	Vertical	154	2.36	-	31.39	7.03	32.95
AV	4.92616G	32.92	54.00	-21.08	27.43	3	Vertical	154	2.36	-	31.40	7.04	32.95
PK	7.38964G	50.76	74.00	-23.24	39.07	3	Vertical	289	2.40	-	36.10	8.72	33.13
AV	7.38102G	39.22	54.00	-14.78	27.53	3	Vertical	289	2.40	-	36.10	8.71	33.12

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
Setting 80
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9271G	44.34	74.00	-29.66	38.84	3	Horizontal	60	1.87	-	31.41	7.04	32.95
AV	4.92688G	32.84	54.00	-21.16	27.34	3	Horizontal	60	1.87	-	31.41	7.04	32.95
PK	7.38944G	51.44	74.00	-22.56	39.75	3	Horizontal	97	1.94	-	36.10	8.72	33.13
AV	7.3874G	39.18	54.00	-14.82	27.50	3	Horizontal	97	1.94	-	36.10	8.71	33.13

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
Setting 72
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	59.68	74.00	-14.32	27.33	3	Vertical	129	1.80	-	27.70	4.65	-
AV	2.39G	45.67	54.00	-8.33	13.31	3	Vertical	129	1.80	-	27.70	4.66	-
PK	2.417G	112.41	Inf	-Inf	80.08	3	Vertical	129	1.80	-	27.67	4.66	-
AV	2.4166G	98.28	Inf	-Inf	65.95	3	Vertical	129	1.80	-	27.67	4.66	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
Setting 72
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	69.40	74.00	-4.60	37.05	3	Horizontal	60	1.80	-	27.70	4.65	-
AV	2.389G	53.71	54.00	-0.29	21.36	3	Horizontal	60	1.80	-	27.70	4.65	-
PK	2.4086G	118.47	Inf	-Inf	86.20	3	Horizontal	60	1.80	-	27.61	4.66	-
AV	2.4086G	105.45	Inf	-Inf	73.18	3	Horizontal	60	1.80	-	27.61	4.66	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
Setting 72
01-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82312G	44.10	74.00	-29.90	36.74	3	Vertical	122	2.15	-	32.94	5.10	30.68
AV	4.82326G	32.59	54.00	-21.41	25.23	3	Vertical	122	2.15	-	32.94	5.10	30.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
 Setting 72
 01-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82636G	44.80	74.00	-29.20	37.41	3	Horizontal	357	1.46	-	32.96	5.10	30.67
AV	4.82454G	32.69	54.00	-21.31	25.32	3	Horizontal	357	1.46	-	32.95	5.10	30.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
Setting 85
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.61	74.00	-5.39	37.15	3	Vertical	77	1.22	-	28.40	3.06	-
AV	2.3898G	50.85	54.00	-3.15	19.40	3	Vertical	77	1.22	-	28.40	3.05	-
PK	2.4142G	114.64	Inf	-Inf	83.17	3	Vertical	77	1.22	-	28.40	3.07	-
AV	2.4192G	103.80	Inf	-Inf	72.33	3	Vertical	77	1.22	-	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
Setting 85
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	64.84	74.00	-9.16	33.38	3	Horizontal	45	1.34	-	28.40	3.06	-
AV	2.39G	53.92	54.00	-0.08	22.46	3	Horizontal	45	1.34	-	28.40	3.06	-
PK	2.4206G	122.68	Inf	-Inf	91.20	3	Horizontal	45	1.34	-	28.41	3.07	-
AV	2.4156G	111.54	Inf	-Inf	80.07	3	Horizontal	45	1.34	-	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
 SET 104
 96\108\102\105\104
 5.96\2.52\2.25\0.32\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	67.42	74.00	-6.58	35.97	3	Vertical	242	2.17	104	28.40	3.05	-
AV	2.38916G	53.78	54.00	-0.22	22.33	3	Vertical	242	2.17	104	28.40	3.05	-
PK	2.43252G	120.92	Inf	-Inf	89.38	3	Vertical	242	2.17	104	28.47	3.07	-
AV	2.43252G	108.45	Inf	-Inf	76.91	3	Vertical	242	2.17	104	28.47	3.07	-
PK	2.48372G	66.21	74.00	-7.79	34.62	3	Vertical	242	2.17	104	28.50	3.09	-
AV	2.4835G	51.81	54.00	-2.19	20.22	3	Vertical	242	2.17	104	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
 SET 94
 104\72\88\96\92\94\95\94
 -9.42\7.47\3.86\ -1.27\2.11\0.67\ -0.46\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38724G	67.22	74.00	-6.78	35.77	3	Horizontal	307	2.76	94	28.40	3.05	-
AV	2.3874G	53.29	54.00	-0.71	21.84	3	Horizontal	307	2.76	94	28.40	3.05	-
PK	2.4322G	127.85	Inf	-Inf	96.30	3	Horizontal	307	2.76	94	28.48	3.07	-
AV	2.4322G	115.68	Inf	-Inf	84.13	3	Horizontal	307	2.76	94	28.48	3.07	-
PK	2.48436G	65.47	74.00	-8.53	33.88	3	Horizontal	307	2.76	94	28.50	3.09	-
AV	2.4835G	51.40	54.00	-2.60	19.81	3	Horizontal	307	2.76	94	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88447G	46.13	74.00	-27.87	38.48	3	Vertical	228	1.80	94	33.17	5.12	30.64
AV	4.8778G	32.79	54.00	-21.21	25.16	3	Vertical	228	1.80	94	33.16	5.11	30.64
PK	7.29961G	49.79	74.00	-24.21	38.80	3	Vertical	332	1.79	94	36.60	6.50	32.11
AV	7.32143G	36.65	54.00	-17.35	25.61	3	Vertical	332	1.79	94	36.64	6.52	32.12

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86781G	46.10	74.00	-27.90	38.50	3	Horizontal	95	1.80	94	33.14	5.11	30.65
AV	4.86529G	32.75	54.00	-21.25	25.16	3	Horizontal	95	1.80	94	33.13	5.11	30.65
PK	7.30832G	50.29	74.00	-23.71	39.27	3	Horizontal	359	2.67	94	36.62	6.51	32.11
AV	7.29438G	36.46	54.00	-17.54	25.48	3	Horizontal	359	2.67	94	36.58	6.50	32.10

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
 SET 100
 90\108\99\103\101\100
 6.55\ -2.20\0.96\ -0.73\ -0.33\0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4511G	116.98	Inf	-Inf	85.49	3	Vertical	193	2.01	100	28.41	3.08	-
AV	2.4614G	105.43	Inf	-Inf	73.85	3	Vertical	193	2.01	100	28.50	3.08	-
PK	2.4837G	66.66	74.00	-7.34	35.07	3	Vertical	193	2.01	100	28.50	3.09	-
AV	2.4835G	53.18	54.00	-0.82	21.59	3	Vertical	193	2.01	100	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
 SET 81
 100\68\84\76\80\82\81
 -9.48\5.60\ -1.22\2.70\0.72\ -1.88\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4532G	122.41	Inf	-Inf	90.90	3	Horizontal	52	2.58	81	28.43	3.08	-
AV	2.4531G	111.37	Inf	-Inf	79.86	3	Horizontal	52	2.58	81	28.43	3.08	-
PK	2.4835G	71.69	74.00	-2.31	40.10	3	Horizontal	52	2.58	81	28.50	3.09	-
AV	2.4837G	53.82	54.00	-0.18	22.23	3	Horizontal	52	2.58	81	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT X_4TX
 Setting 74
 01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4568G	111.70	Inf	-Inf	79.65	3	Vertical	125	1.80	-	27.43	4.62	-
AV	2.4566G	98.03	Inf	-Inf	65.98	3	Vertical	125	1.80	-	27.43	4.62	-
PK	2.4842G	62.50	74.00	-11.50	30.40	3	Vertical	125	1.80	-	27.50	4.60	-
AV	2.4838G	48.06	54.00	-5.94	15.96	3	Vertical	125	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
Setting 74
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4586G	116.96	Inf	-Inf	84.93	3	Horizontal	89	1.80	-	27.41	4.62	-
AV	2.4538G	103.40	Inf	-Inf	71.32	3	Horizontal	89	1.80	-	27.46	4.62	-
PK	2.4835G	66.64	74.00	-7.36	34.54	3	Horizontal	89	1.80	-	27.50	4.60	-
AV	2.4836G	52.23	54.00	-1.77	20.13	3	Horizontal	89	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
Setting 74
02-P-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.92092G	45.75	74.00	-28.25	37.99	3	Vertical	27	1.80	-	33.24	5.13	30.61			
AV	4.92434G	32.81	54.00	-21.19	25.04	3	Vertical	27	1.80	-	33.25	5.13	30.61			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
Setting 74
02-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92206G	44.48	74.00	-29.52	36.72	3	Horizontal	106	2.05	-	33.24	5.13	30.61
AV	4.92524G	32.82	54.00	-21.18	25.05	3	Horizontal	106	2.05	-	33.25	5.13	30.61

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
Setting 72
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	59.14	74.00	-14.86	26.79	3	Vertical	129	1.80	-	27.70	4.65	-
AV	2.39G	46.60	54.00	-7.40	14.24	3	Vertical	129	1.80	-	27.70	4.66	-
PK	2.4166G	107.88	Inf	-Inf	75.55	3	Vertical	129	1.80	-	27.67	4.66	-
AV	2.4158G	94.87	Inf	-Inf	62.55	3	Vertical	129	1.80	-	27.66	4.66	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT X_4TX
Setting 72
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	67.85	74.00	-6.15	35.49	3	Horizontal	60	1.80	-	27.70	4.66	-
AV	2.39G	53.57	54.00	-0.43	21.21	3	Horizontal	60	1.80	-	27.70	4.66	-
PK	2.406G	116.35	Inf	-Inf	84.05	3	Horizontal	60	1.80	-	27.64	4.66	-
AV	2.4136G	102.15	Inf	-Inf	69.85	3	Horizontal	60	1.80	-	27.64	4.66	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
Setting 72
02-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82036G	46.44	74.00	-27.56	39.10	3	Vertical	31	1.64	-	32.92	5.10	30.68
AV	4.81918G	35.24	54.00	-18.76	27.90	3	Vertical	31	1.64	-	32.92	5.10	30.68

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
Setting 72
02-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82716G	46.29	74.00	-27.71	38.90	3	Horizontal	342	1.15	-	32.96	5.10	30.67
AV	4.8229G	35.36	54.00	-18.64	28.00	3	Horizontal	342	1.15	-	32.94	5.10	30.68

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
 SET 94
 64\96\80\88\92\94\95\94
 8.98\ -1.18\7.27\4.99\2.12\0.54\ -0.42\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	67.48	74.00	-6.52	36.03	3	Vertical	218	2.74	94	28.40	3.05	-
AV	2.39G	53.89	54.00	-0.11	22.43	3	Vertical	218	2.74	94	28.40	3.06	-
PK	2.4204G	116.34	Inf	-Inf	84.87	3	Vertical	218	2.74	94	28.40	3.07	-
AV	2.4097G	102.81	Inf	-Inf	71.35	3	Vertical	218	2.74	94	28.40	3.06	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
 SET 78
 94\62\78
 -8.38\5.93\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	67.90	74.00	-6.10	36.45	3	Horizontal	52	1.59	78	28.40	3.05	-
AV	2.3898G	53.80	54.00	-0.20	22.35	3	Horizontal	52	1.59	78	28.40	3.05	-
PK	2.4129G	118.79	Inf	-Inf	87.32	3	Horizontal	52	1.59	78	28.40	3.07	-
AV	2.4154G	107.44	Inf	-Inf	75.97	3	Horizontal	52	1.59	78	28.40	3.07	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
 SET 102
 67\99\107\103\101\102
 8.89\4.18\5.84\3.16\2.82\1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38548G	71.49	74.00	-2.51	40.04	3	Vertical	241	2.35	102	28.40	3.05	-
AV	2.3882G	52.24	54.00	-1.76	20.79	3	Vertical	241	2.35	102	28.40	3.05	-
PK	2.441G	116.34	Inf	-Inf	84.86	3	Vertical	241	2.35	102	28.40	3.08	-
AV	2.44372G	104.49	Inf	-Inf	73.01	3	Vertical	241	2.35	102	28.40	3.08	-
PK	2.4842G	61.52	74.00	-12.48	29.93	3	Vertical	241	2.35	102	28.50	3.09	-
AV	2.48372G	49.39	54.00	-4.61	17.80	3	Vertical	241	2.35	102	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
 SET 95
 102\86\94\98\96\95
 -3.92\4.15\0.98\ -1.55\ -0.45\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38916G	71.87	74.00	-2.13	40.42	3	Horizontal	63	2.36	95	28.40	3.05	-
AV	2.38996G	53.45	54.00	-0.55	22.00	3	Horizontal	63	2.36	95	28.40	3.05	-
PK	2.43092G	123.17	Inf	-Inf	91.61	3	Horizontal	63	2.36	95	28.49	3.07	-
AV	2.4386G	111.56	Inf	-Inf	80.07	3	Horizontal	63	2.36	95	28.41	3.08	-
PK	2.4835G	63.11	74.00	-10.89	31.52	3	Horizontal	63	2.36	95	28.50	3.09	-
AV	2.4835G	50.61	54.00	-3.39	19.02	3	Horizontal	63	2.36	95	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88411G	46.53	74.00	-27.47	38.88	3	Vertical	1	1.57	95	33.17	5.12	30.64
AV	4.86393G	33.66	54.00	-20.34	26.07	3	Vertical	1	1.57	95	33.13	5.11	30.65
PK	7.31628G	50.31	74.00	-23.69	39.29	3	Vertical	175	1.80	95	36.63	6.51	32.12
AV	7.31036G	37.47	54.00	-16.53	26.45	3	Vertical	175	1.80	95	36.62	6.51	32.11

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX








EUT_X_4TX
 SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86389G	46.58	74.00	-27.42	38.99	3	Horizontal	359	1.80	95	33.13	5.11	30.65
AV	4.86769G	33.56	54.00	-20.44	25.96	3	Horizontal	359	1.80	95	33.14	5.11	30.65
PK	7.3301G	49.92	74.00	-24.08	38.86	3	Horizontal	360	1.07	95	36.66	6.52	32.12
AV	7.29957G	37.53	54.00	-16.47	26.54	3	Horizontal	360	1.07	95	36.60	6.50	32.11

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2457MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_X_4TX
 SET 96
 64\96\104\100\98\97\96
 8.15\0.87\ -5.84\ -1.89\ -0.49\ -0.13\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4633G	115.35	Inf	-Inf	83.76	3	Vertical	236	2.95	96	28.50	3.09	-
AV	2.4624G	103.28	Inf	-Inf	71.70	3	Vertical	236	2.95	96	28.50	3.08	-
PK	2.4838G	65.59	74.00	-8.41	34.00	3	Vertical	236	2.95	96	28.50	3.09	-
AV	2.4835G	53.28	54.00	-0.72	21.69	3	Vertical	236	2.95	96	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
 SET 81
 96\72\84\78\81
 -5.78\3.59\ -0.55\1.40\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4496G	118.07	Inf	-Inf	86.59	3	Horizontal	53	2.61	81	28.40	3.08	-
AV	2.4533G	107.22	Inf	-Inf	75.71	3	Horizontal	53	2.61	81	28.43	3.08	-
PK	2.4842G	66.81	74.00	-7.19	35.22	3	Horizontal	53	2.61	81	28.50	3.09	-
AV	2.4836G	53.63	54.00	-0.37	22.04	3	Horizontal	53	2.61	81	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
 Setting 72
 01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4574G	108.10	Inf	-Inf	76.05	3	Vertical	127	1.80	-	27.43	4.62	-
AV	2.4634G	94.45	Inf	-Inf	62.43	3	Vertical	127	1.80	-	27.40	4.62	-
PK	2.484G	58.55	74.00	-15.45	26.45	3	Vertical	127	1.80	-	27.50	4.60	-
AV	2.4835G	46.48	54.00	-7.52	14.38	3	Vertical	127	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
Setting 72
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4542G	114.86	Inf	-Inf	82.78	3	Horizontal	41	1.80	-	27.46	4.62	-
AV	2.455G	101.24	Inf	-Inf	69.17	3	Horizontal	41	1.80	-	27.45	4.62	-
PK	2.4842G	67.04	74.00	-6.96	34.94	3	Horizontal	41	1.80	-	27.50	4.60	-
AV	2.4835G	53.67	54.00	-0.33	21.57	3	Horizontal	41	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
Setting 72
02-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92084G	46.85	74.00	-27.15	39.09	3	Vertical	162	2.11	-	33.24	5.13	30.61
AV	4.92476G	35.60	54.00	-18.40	27.83	3	Vertical	162	2.11	-	33.25	5.13	30.61

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX



EUT_X_4TX
Setting 72
02-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92522G	46.69	74.00	-27.31	38.92	3	Horizontal	166	2.10	-	33.25	5.13	30.61
AV	4.9256G	35.69	54.00	-18.31	27.92	3	Horizontal	166	2.10	-	33.25	5.13	30.61




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.98	54.00	-0.02	3	Vertical	348	2.46	82

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
 SET 84
 108\76\92\84\88\86\85\84
 -15.37\8.34\ -10.08\1.78\ -8.94\ -5.62\ -1.59\1.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	61.28	74.00	-12.72	29.83	3	Vertical	343	1.88	84	28.40	3.05	-
AV	2.3887G	52.30	54.00	-1.70	20.85	3	Vertical	343	1.88	84	28.40	3.05	-
PK	2.4112G	116.13	Inf	-Inf	84.67	3	Vertical	343	1.88	84	28.40	3.06	-
AV	2.4112G	113.48	Inf	-Inf	82.02	3	Vertical	343	1.88	84	28.40	3.06	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
 SET 84
 84
 4.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	59.81	74.00	-14.19	28.36	3	Horizontal	35	1.45	84	28.40	3.05	-
AV	2.3885G	49.13	54.00	-4.87	17.68	3	Horizontal	35	1.45	84	28.40	3.05	-
PK	2.4112G	114.55	Inf	-Inf	83.09	3	Horizontal	35	1.45	84	28.40	3.06	-
AV	2.4113G	111.76	Inf	-Inf	80.30	3	Horizontal	35	1.45	84	28.40	3.06	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 84
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82416G	53.02	74.00	-20.98	45.66	3	Vertical	332	1.66	84	32.94	5.10	30.68
AV	4.82396G	46.31	54.00	-7.69	38.95	3	Vertical	332	1.66	84	32.94	5.10	30.68

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 84
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82408G	51.65	74.00	-22.35	44.29	3	Horizontal	1	1.78	84	32.94	5.10	30.68
AV	4.82404G	43.65	54.00	-10.35	36.29	3	Horizontal	1	1.78	84	32.94	5.10	30.68

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
 SET 84
 84\99\92\89\88\80\84
 3.82\13.71\5.74\3.26\3.10\8.21\3.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	58.96	74.00	-15.04	27.51	3	Vertical	344	1.84	84	28.40	3.05	-
AV	2.39G	50.04	54.00	-3.96	18.58	3	Vertical	344	1.84	84	28.40	3.06	-
PK	2.4161G	114.39	Inf	-Inf	82.92	3	Vertical	344	1.84	84	28.40	3.07	-
AV	2.4163G	111.75	Inf	-Inf	80.28	3	Vertical	344	1.84	84	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
 SET 84
 84
 6.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	59.21	74.00	-14.79	27.76	3	Horizontal	34	1.31	84	28.40	3.05	-
AV	2.39G	47.68	54.00	-6.32	16.22	3	Horizontal	34	1.31	84	28.40	3.06	-
PK	2.418G	114.26	Inf	-Inf	82.79	3	Horizontal	34	1.31	84	28.40	3.07	-
AV	2.4177G	111.66	Inf	-Inf	80.19	3	Horizontal	34	1.31	84	28.40	3.07	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 108
 108
 1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38836G	61.34	74.00	-12.66	29.89	3	Vertical	339	2.07	108	28.40	3.05	-
AV	2.38868G	52.98	54.00	-1.02	21.53	3	Vertical	339	2.07	108	28.40	3.05	-
PK	2.4362G	117.43	Inf	-Inf	85.92	3	Vertical	339	2.07	108	28.44	3.07	-
AV	2.4362G	114.96	Inf	-Inf	83.45	3	Vertical	339	2.07	108	28.44	3.07	-
PK	2.48372G	57.36	74.00	-16.64	25.77	3	Vertical	339	2.07	108	28.50	3.09	-
AV	2.4835G	44.82	54.00	-9.18	13.23	3	Vertical	339	2.07	108	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 99
 108\101\98\99
 -1.58\ -1.37\1.42\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	62.80	74.00	-11.20	31.35	3	Horizontal	312	2.80	99	28.40	3.05	-
AV	2.38996G	53.88	54.00	-0.12	22.43	3	Horizontal	312	2.80	99	28.40	3.05	-
PK	2.4362G	122.26	Inf	-Inf	90.75	3	Horizontal	312	2.80	99	28.44	3.07	-
AV	2.4362G	119.84	Inf	-Inf	88.33	3	Horizontal	312	2.80	99	28.44	3.07	-
PK	2.48372G	58.33	74.00	-15.67	26.74	3	Horizontal	312	2.80	99	28.50	3.09	-
AV	2.4835G	47.18	54.00	-6.82	15.59	3	Horizontal	312	2.80	99	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 99
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87404G	56.85	74.00	-17.15	49.23	3	Vertical	331	1.63	99	33.15	5.11	30.64
AV	4.87396G	51.76	54.00	-2.24	44.14	3	Vertical	331	1.63	99	33.15	5.11	30.64
PK	7.31116G	54.00	74.00	-20.00	42.98	3	Vertical	302	1.80	99	36.62	6.51	32.11
AV	7.3118G	41.14	54.00	-12.86	30.12	3	Vertical	302	1.80	99	36.62	6.51	32.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 99
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87364G	53.30	74.00	-20.70	45.68	3	Horizontal	64	1.69	99	33.15	5.11	30.64
AV	4.874G	47.71	54.00	-6.29	40.09	3	Horizontal	64	1.69	99	33.15	5.11	30.64
PK	7.31044G	53.16	74.00	-20.84	42.14	3	Horizontal	289	1.80	99	36.62	6.51	32.11
AV	7.3102G	39.79	54.00	-14.21	28.77	3	Horizontal	289	1.80	99	36.62	6.51	32.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 88
 84\108\96\90\87\88\89\88
 6.91\ -5.96\ -3.39\ -0.49\ 3.98\ 2.11\ -0.16\ 2.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	116.17	Inf	-Inf	84.63	3	Vertical	342	2.03	88	28.46	3.08	-
AV	2.4562G	113.66	Inf	-Inf	82.12	3	Vertical	342	2.03	88	28.46	3.08	-
PK	2.4836G	60.44	74.00	-13.56	28.85	3	Vertical	342	2.03	88	28.50	3.09	-
AV	2.4835G	51.76	54.00	-2.24	20.17	3	Vertical	342	2.03	88	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 88
 88
 3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4579G	115.72	Inf	-Inf	84.16	3	Horizontal	35	1.33	88	28.48	3.08	-
AV	2.4577G	113.05	Inf	-Inf	81.49	3	Horizontal	35	1.33	88	28.48	3.08	-
PK	2.4837G	60.43	74.00	-13.57	28.84	3	Horizontal	35	1.33	88	28.50	3.09	-
AV	2.4837G	50.20	54.00	-3.80	18.61	3	Horizontal	35	1.33	88	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 SET 86
 84\108\96\90\87\86
 6.09\ -1.09\ -0.99\ -6.73\ -0.92\ 3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	115.64	Inf	-Inf	84.06	3	Vertical	346	2.25	86	28.50	3.08	-
AV	2.4612G	113.09	Inf	-Inf	81.51	3	Vertical	346	2.25	86	28.50	3.08	-
PK	2.4836G	60.28	74.00	-13.72	28.69	3	Vertical	346	2.25	86	28.50	3.09	-
AV	2.4835G	50.39	54.00	-3.61	18.80	3	Vertical	346	2.25	86	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 SET 86
 86
 4.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	115.30	Inf	-Inf	83.72	3	Horizontal	37	1.34	86	28.50	3.08	-
AV	2.4612G	112.70	Inf	-Inf	81.12	3	Horizontal	37	1.34	86	28.50	3.08	-
PK	2.4843G	59.21	74.00	-14.79	27.62	3	Horizontal	37	1.34	86	28.50	3.09	-
AV	2.4848G	49.23	54.00	-4.77	17.64	3	Horizontal	37	1.34	86	28.50	3.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 86
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92384G	49.20	74.00	-24.80	41.43	3	Vertical	322	1.62	86	33.25	5.13	30.61
AV	4.924G	38.91	54.00	-15.09	31.14	3	Vertical	322	1.62	86	33.25	5.13	30.61
PK	7.38396G	52.41	74.00	-21.59	41.32	3	Vertical	316	1.78	86	36.70	6.55	32.16
AV	7.38516G	39.92	54.00	-14.08	28.83	3	Vertical	316	1.78	86	36.70	6.55	32.16

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 86
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92384G	49.45	74.00	-24.55	41.68	3	Horizontal	105	1.79	86	33.25	5.13	30.61
AV	4.92404G	36.65	54.00	-17.35	28.88	3	Horizontal	105	1.79	86	33.25	5.13	30.61
PK	7.38432G	52.12	74.00	-21.88	41.03	3	Horizontal	293	1.85	86	36.70	6.55	32.16
AV	7.38536G	39.30	54.00	-14.70	28.21	3	Horizontal	293	1.85	86	36.70	6.55	32.16

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 84
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.99	74.00	-7.01	34.63	3	Vertical	20	3.00	-	27.70	4.66	-
AV	2.3898G	51.14	54.00	-2.86	18.78	3	Vertical	20	3.00	-	27.70	4.66	-
PK	2.4184G	112.62	Inf	-Inf	80.29	3	Vertical	20	3.00	-	27.68	4.65	-
AV	2.4184G	104.27	Inf	-Inf	71.94	3	Vertical	20	3.00	-	27.68	4.65	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 84
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.98	74.00	-5.02	36.62	3	Horizontal	309	1.02	-	27.70	4.66	-
AV	2.39G	53.91	54.00	-0.09	21.55	3	Horizontal	309	1.02	-	27.70	4.66	-
PK	2.4192G	117.29	Inf	-Inf	84.95	3	Horizontal	309	1.02	-	27.69	4.65	-
AV	2.419G	108.65	Inf	-Inf	76.31	3	Horizontal	309	1.02	-	27.69	4.65	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 84
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82796G	45.52	74.00	-28.48	40.25	3	Vertical	142	2.23	-	31.30	6.94	32.97
AV	4.83078G	33.66	54.00	-20.34	28.39	3	Vertical	142	2.23	-	31.30	6.94	32.97

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 84
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82622G	46.21	74.00	-27.79	40.94	3	Horizontal	300	2.87	-	31.30	6.94	32.97
AV	4.83304G	33.49	54.00	-20.51	28.22	3	Horizontal	300	2.87	-	31.30	6.94	32.97

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 88
 55\87\95\91\89\88
 9.71\2.56\ -6.56\ -2.72\ -0.69\0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38916G	68.30	74.00	-5.70	36.85	3	Vertical	343	2.30	88	28.40	3.05	-
AV	2.38996G	53.06	54.00	-0.94	21.61	3	Vertical	343	2.30	88	28.40	3.05	-
PK	2.44068G	118.08	Inf	-Inf	86.60	3	Vertical	343	2.30	88	28.40	3.08	-
AV	2.4306G	108.18	Inf	-Inf	76.62	3	Vertical	343	2.30	88	28.49	3.07	-
PK	2.4835G	61.39	74.00	-12.61	29.80	3	Vertical	343	2.30	88	28.50	3.09	-
AV	2.485G	48.29	54.00	-5.71	16.70	3	Vertical	343	2.30	88	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 86
 88\76\82\85\86\87\86
 -2.93\6.65\3.40\1.25\0.65\ -0.82\0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	68.81	74.00	-5.19	37.36	3	Horizontal	51	2.45	86	28.40	3.05	-
AV	2.38996G	53.34	54.00	-0.66	21.89	3	Horizontal	51	2.45	86	28.40	3.05	-
PK	2.43428G	120.47	Inf	-Inf	88.94	3	Horizontal	51	2.45	86	28.46	3.07	-
AV	2.43972G	110.97	Inf	-Inf	79.49	3	Horizontal	51	2.45	86	28.40	3.08	-
PK	2.48404G	65.37	74.00	-8.63	33.78	3	Horizontal	51	2.45	86	28.50	3.09	-
AV	2.4835G	49.70	54.00	-4.30	18.11	3	Horizontal	51	2.45	86	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 86
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87136G	47.81	74.00	-26.19	40.20	3	Vertical	-0	1.61	86	33.14	5.11	30.64
AV	4.88591G	34.29	54.00	-19.71	26.64	3	Vertical	-0	1.61	86	33.17	5.12	30.64
PK	7.32758G	51.69	74.00	-22.31	40.63	3	Vertical	108	1.63	86	36.66	6.52	32.12
AV	7.31987G	38.23	54.00	-15.77	27.19	3	Vertical	108	1.63	86	36.64	6.52	32.12

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 86
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86837G	47.70	74.00	-26.30	40.10	3	Horizontal	304	2.94	86	33.14	5.11	30.65
AV	4.86293G	34.41	54.00	-19.59	26.82	3	Horizontal	304	2.94	86	33.13	5.11	30.65
PK	7.32547G	51.70	74.00	-22.30	40.65	3	Horizontal	13	1.85	86	36.65	6.52	32.12
AV	7.31608G	38.27	54.00	-15.73	27.25	3	Horizontal	13	1.85	86	36.63	6.51	32.12

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 86
 55\87\71\79\83\85\86
 8.89\0.19\6.81\4.56\1.23\0.85\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.46G	118.07	Inf	-Inf	86.49	3	Vertical	344	2.46	86	28.50	3.08	-
AV	2.4605G	108.29	Inf	-Inf	76.71	3	Vertical	344	2.46	86	28.50	3.08	-
PK	2.4851G	67.69	74.00	-6.31	36.10	3	Vertical	344	2.46	86	28.50	3.09	-
AV	2.4847G	53.86	54.00	-0.14	22.27	3	Vertical	344	2.46	86	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 76
 86\66\76
 -4.77\3.78\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4597G	118.24	Inf	-Inf	86.66	3	Horizontal	50	2.47	76	28.50	3.08	-
AV	2.4498G	108.70	Inf	-Inf	77.22	3	Horizontal	50	2.47	76	28.40	3.08	-
PK	2.4846G	67.43	74.00	-6.57	35.84	3	Horizontal	50	2.47	76	28.50	3.09	-
AV	2.4842G	53.61	54.00	-0.39	22.02	3	Horizontal	50	2.47	76	28.50	3.09	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 70
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4654G	110.44	Inf	-Inf	78.43	3	Vertical	311	2.97	-	27.40	4.61	-
AV	2.4658G	101.41	Inf	-Inf	69.40	3	Vertical	311	2.97	-	27.40	4.61	-
PK	2.4978G	61.83	74.00	-12.17	29.74	3	Vertical	311	2.97	-	27.50	4.59	-
AV	2.4835G	50.60	54.00	-3.40	18.50	3	Vertical	311	2.97	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 70
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	115.00	Inf	-Inf	82.99	3	Horizontal	304	1.80	-	27.40	4.61	-
AV	2.4678G	106.01	Inf	-Inf	74.00	3	Horizontal	304	1.80	-	27.40	4.61	-
PK	2.4838G	70.08	74.00	-3.92	37.98	3	Horizontal	304	1.80	-	27.50	4.60	-
AV	2.4836G	53.96	54.00	-0.04	21.86	3	Horizontal	304	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 70
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.962G	47.85	74.00	-26.15	42.17	3	Vertical	359	2.00	-	31.55	7.07	32.94
AV	4.9442G	36.55	54.00	-17.45	30.96	3	Vertical	359	2.00	-	31.48	7.05	32.94
PK	7.37319G	54.41	74.00	-19.59	42.73	3	Vertical	355	1.38	-	36.10	8.70	33.12
AV	7.39926G	42.32	54.00	-11.68	30.62	3	Vertical	355	1.38	-	36.10	8.73	33.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 70
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92871G	48.23	74.00	-25.77	42.73	3	Horizontal	207	1.20	-	31.41	7.04	32.95
AV	4.92502G	36.12	54.00	-17.88	30.63	3	Horizontal	207	1.20	-	31.40	7.04	32.95
PK	7.39488G	53.75	74.00	-20.25	42.06	3	Horizontal	313	2.63	-	36.10	8.72	33.13
AV	7.40073G	42.17	54.00	-11.83	30.47	3	Horizontal	313	2.63	-	36.10	8.73	33.13

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	62.03	74.00	-11.97	29.68	3	Vertical	13	3.00	-	27.70	4.65	-
AV	2.39G	50.23	54.00	-3.77	17.87	3	Vertical	13	3.00	-	27.70	4.66	-
PK	2.4178G	112.03	Inf	-Inf	79.70	3	Vertical	13	3.00	-	27.68	4.65	-
AV	2.4176G	100.91	Inf	-Inf	68.57	3	Vertical	13	3.00	-	27.68	4.66	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.60	74.00	-6.40	35.24	3	Horizontal	290	2.97	-	27.70	4.66	-
AV	2.3898G	53.91	54.00	-0.09	21.55	3	Horizontal	290	2.97	-	27.70	4.66	-
PK	2.4168G	116.13	Inf	-Inf	83.80	3	Horizontal	290	2.97	-	27.67	4.66	-
AV	2.4192G	104.89	Inf	-Inf	72.55	3	Horizontal	290	2.97	-	27.69	4.65	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	4.81467G	47.05	74.00	-26.99	41.76	3	Vertical	58	1.19	-	31.30	6.92	32.97
AV	4.81113G	33.85	54.00	-20.10	28.65	3	Vertical	58	1.19	-	31.30	6.92	32.97

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
 Setting 73
 01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81206G	46.82	74.00	-27.18	41.57	3	Horizontal	22	1.80	-	31.30	6.92	32.97
AV	4.81206G	33.85	54.00	-20.15	28.60	3	Horizontal	22	1.80	-	31.30	6.92	32.97

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
 Setting 79
 01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.92	74.00	-9.08	33.47	3	Vertical	13	3.00	-	28.40	3.05	-
AV	2.3898G	53.14	54.00	-0.86	21.69	3	Vertical	13	3.00	-	28.40	3.05	-
PK	2.4206G	114.37	Inf	-Inf	82.89	3	Vertical	13	3.00	-	28.41	3.07	-
AV	2.4202G	104.34	Inf	-Inf	72.87	3	Vertical	13	3.00	-	28.40	3.07	-
PK	2.489G	60.48	74.00	-13.52	28.88	3	Vertical	13	3.00	-	28.50	3.10	-
AV	2.4886G	49.61	54.00	-4.39	18.01	3	Vertical	13	3.00	-	28.50	3.10	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 79
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	62.96	74.00	-11.04	31.51	3	Horizontal	308	2.96	-	28.40	3.05	-
AV	2.3898G	53.77	54.00	-0.23	22.32	3	Horizontal	308	2.96	-	28.40	3.05	-
PK	2.4238G	118.69	Inf	-Inf	87.18	3	Horizontal	308	2.96	-	28.44	3.07	-
AV	2.4194G	108.55	Inf	-Inf	77.08	3	Horizontal	308	2.96	-	28.40	3.07	-
PK	2.4842G	60.88	74.00	-13.12	29.29	3	Horizontal	308	2.96	-	28.50	3.09	-
AV	2.4835G	50.09	54.00	-3.91	18.50	3	Horizontal	308	2.96	-	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 86
 86\91\89\88\87\86
 1.32\ -5.27\ -3.07\ -1.99\ -0.32\ 1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	65.79	74.00	-8.21	34.34	3	Vertical	345	2.29	86	28.40	3.05	-
AV	2.38884G	52.72	54.00	-1.28	21.27	3	Vertical	345	2.29	86	28.40	3.05	-
PK	2.43636G	120.02	Inf	-Inf	88.51	3	Vertical	345	2.29	86	28.44	3.07	-
AV	2.43364G	107.07	Inf	-Inf	75.54	3	Vertical	345	2.29	86	28.46	3.07	-
PK	2.48436G	62.50	74.00	-11.50	30.91	3	Vertical	345	2.29	86	28.50	3.09	-
AV	2.48388G	50.06	54.00	-3.94	18.47	3	Vertical	345	2.29	86	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 84
 86\80\83\84\85\84
 -1.48\4.07\1.86\1.34\ -0.06\0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	66.45	74.00	-7.55	35.00	3	Horizontal	56	2.69	84	28.40	3.05	-
AV	2.38996G	53.22	54.00	-0.78	21.77	3	Horizontal	56	2.69	84	28.40	3.05	-
PK	2.44068G	122.42	Inf	-Inf	90.94	3	Horizontal	56	2.69	84	28.40	3.08	-
AV	2.44052G	109.73	Inf	-Inf	78.25	3	Horizontal	56	2.69	84	28.40	3.08	-
PK	2.4835G	64.76	74.00	-9.24	33.17	3	Horizontal	56	2.69	84	28.50	3.09	-
AV	2.4835G	50.88	54.00	-3.12	19.29	3	Horizontal	56	2.69	84	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 84
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86225G	48.01	74.00	-25.99	40.43	3	Vertical	333	1.75	84	33.12	5.11	30.65
AV	4.86877G	34.38	54.00	-19.62	26.78	3	Vertical	333	1.75	84	33.14	5.11	30.65
PK	7.30329G	51.47	74.00	-22.53	40.46	3	Vertical	127	1.80	84	36.61	6.51	32.11
AV	7.31843G	38.18	54.00	-15.82	27.14	3	Vertical	127	1.80	84	36.64	6.52	32.12

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 84
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86481G	47.72	74.00	-26.28	40.13	3	Horizontal	219	1.37	84	33.13	5.11	30.65
AV	4.86529G	34.15	54.00	-19.85	26.56	3	Horizontal	219	1.37	84	33.13	5.11	30.65
PK	7.30716G	52.12	74.00	-21.88	41.11	3	Horizontal	289	1.80	84	36.61	6.51	32.11
AV	7.32587G	38.10	54.00	-15.90	27.05	3	Horizontal	289	1.80	84	36.65	6.52	32.12

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 82
 76\89\83\80\81\82
 3.25\ -5.28\ -0.11\ 1.44\ 1.29\ 0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	118.42	Inf	-Inf	86.88	3	Vertical	348	2.46	82	28.46	3.08	-
AV	2.4613G	106.39	Inf	-Inf	74.81	3	Vertical	348	2.46	82	28.50	3.08	-
PK	2.4836G	67.01	74.00	-6.99	35.42	3	Vertical	348	2.46	82	28.50	3.09	-
AV	2.4835G	53.98	54.00	-0.02	22.39	3	Vertical	348	2.46	82	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 68
 82\63\72\68
 -4.62\1.59\ -1.09\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4483G	117.52	Inf	-Inf	86.04	3	Horizontal	52	2.48	68	28.40	3.08	-
AV	2.4506G	105.79	Inf	-Inf	74.30	3	Horizontal	52	2.48	68	28.41	3.08	-
PK	2.4837G	69.03	74.00	-4.97	37.44	3	Horizontal	52	2.48	68	28.50	3.09	-
AV	2.4835G	53.68	54.00	-0.32	22.09	3	Horizontal	52	2.48	68	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 64
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4642G	110.25	Inf	-Inf	78.23	3	Vertical	337	2.70	-	27.40	4.62	-
AV	2.4642G	98.21	Inf	-Inf	66.19	3	Vertical	337	2.70	-	27.40	4.62	-
PK	2.4848G	62.44	74.00	-11.56	30.34	3	Vertical	337	2.70	-	27.50	4.60	-
AV	2.4835G	50.84	54.00	-3.16	18.74	3	Vertical	337	2.70	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 64
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	114.83	Inf	-Inf	82.79	3	Horizontal	307	1.47	-	27.42	4.62	-
AV	2.4676G	103.61	Inf	-Inf	71.60	3	Horizontal	307	1.47	-	27.40	4.61	-
PK	2.4835G	66.87	74.00	-7.13	34.77	3	Horizontal	307	1.47	-	27.50	4.60	-
AV	2.4835G	53.80	54.00	-0.20	21.70	3	Horizontal	307	1.47	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 64
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9638G	47.79	74.00	-26.21	42.10	3	Vertical	338	2.92	-	31.56	7.07	32.94
AV	4.9454G	35.84	54.00	-18.16	30.24	3	Vertical	338	2.92	-	31.48	7.06	32.94
PK	7.399G	53.75	74.00	-20.25	42.05	3	Vertical	123	2.28	-	36.10	8.73	33.13
AV	7.4274G	42.30	54.00	-11.70	30.45	3	Vertical	123	2.28	-	36.26	8.73	33.14

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 64
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9279G	48.31	74.00	-25.69	42.81	3	Horizontal	277	2.57	-	31.41	7.04	32.95
AV	4.9435G	36.21	54.00	-17.79	30.63	3	Horizontal	277	2.57	-	31.47	7.05	32.94
PK	7.3984G	54.53	74.00	-19.47	42.83	3	Horizontal	165	1.05	-	36.10	8.73	33.13
AV	7.4302G	42.32	54.00	-11.68	30.45	3	Horizontal	165	1.05	-	36.28	8.73	33.14

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	63.67	74.00	-10.33	31.31	3	Vertical	16	3.00	-	27.70	4.66	-
AV	2.3898G	51.82	54.00	-2.18	19.46	3	Vertical	16	3.00	-	27.70	4.66	-
PK	2.4172G	111.68	Inf	-Inf	79.35	3	Vertical	16	3.00	-	27.67	4.66	-
AV	2.4184G	100.60	Inf	-Inf	68.27	3	Vertical	16	3.00	-	27.68	4.65	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.79	74.00	-8.21	33.43	3	Horizontal	309	2.97	-	27.70	4.66	-
AV	2.39G	53.89	54.00	-0.11	21.53	3	Horizontal	309	2.97	-	27.70	4.66	-
PK	2.419G	115.67	Inf	-Inf	83.33	3	Horizontal	309	2.97	-	27.69	4.65	-
AV	2.4192G	104.93	Inf	-Inf	72.59	3	Horizontal	309	2.97	-	27.69	4.65	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




22/03/2024

EUT_Y_2TX
Setting 72
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82391G	49.35	74.00	-24.65	44.09	3	Vertical	6	2.22	-	31.30	6.93	32.97			
AV	4.81482G	35.87	54.00	-18.13	30.62	3	Vertical	6	2.22	-	31.30	6.92	32.97			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81866G	48.87	74.00	-25.13	43.61	3	Horizontal	24	1.10	-	31.30	6.93	32.97
AV	4.8132G	35.85	54.00	-18.15	30.60	3	Horizontal	24	1.10	-	31.30	6.92	32.97

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 78
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	64.52	74.00	-9.48	33.07	3	Vertical	18	3.00	-	28.40	3.05	-
AV	2.3898G	52.64	54.00	-1.36	21.19	3	Vertical	18	3.00	-	28.40	3.05	-
PK	2.4206G	114.32	Inf	-Inf	82.84	3	Vertical	18	3.00	-	28.41	3.07	-
AV	2.4206G	102.76	Inf	-Inf	71.28	3	Vertical	18	3.00	-	28.41	3.07	-
PK	2.4854G	60.61	74.00	-13.39	29.02	3	Vertical	18	3.00	-	28.50	3.09	-
AV	2.4946G	49.66	54.00	-4.34	18.01	3	Vertical	18	3.00	-	28.55	3.10	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 78
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	63.36	74.00	-10.64	31.91	3	Horizontal	308	2.97	-	28.40	3.05	-
AV	2.3898G	53.77	54.00	-0.23	22.32	3	Horizontal	308	2.97	-	28.40	3.05	-
PK	2.4214G	117.80	Inf	-Inf	86.32	3	Horizontal	308	2.97	-	28.41	3.07	-
AV	2.4194G	107.08	Inf	-Inf	75.61	3	Horizontal	308	2.97	-	28.40	3.07	-
PK	2.4835G	61.01	74.00	-12.99	29.42	3	Horizontal	308	2.97	-	28.50	3.09	-
AV	2.4835G	50.09	54.00	-3.91	18.50	3	Horizontal	308	2.97	-	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 86
 53\85\93\89\87\86
 8.90\2.64\ -7.20\ -2.90\ -0.76\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.23	74.00	-6.77	35.78	3	Vertical	345	2.30	86	28.40	3.05	-
AV	2.38948G	53.48	54.00	-0.52	22.03	3	Vertical	345	2.30	86	28.40	3.05	-
PK	2.4418G	117.79	Inf	-Inf	86.31	3	Vertical	345	2.30	86	28.40	3.08	-
AV	2.43876G	106.24	Inf	-Inf	74.75	3	Vertical	345	2.30	86	28.41	3.08	-
PK	2.48388G	62.56	74.00	-11.44	30.97	3	Vertical	345	2.30	86	28.50	3.09	-
AV	2.4835G	51.11	54.00	-2.89	19.52	3	Vertical	345	2.30	86	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
 SET 83
 86\73\79\82\83
 -3.06\5.79\3.67\1.34\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38788G	66.99	74.00	-7.01	35.54	3	Horizontal	52	2.47	83	28.40	3.05	-
AV	2.38964G	53.51	54.00	-0.49	22.06	3	Horizontal	52	2.47	83	28.40	3.05	-
PK	2.43844G	120.77	Inf	-Inf	89.27	3	Horizontal	52	2.47	83	28.42	3.08	-
AV	2.44084G	108.66	Inf	-Inf	77.18	3	Horizontal	52	2.47	83	28.40	3.08	-
PK	2.48548G	64.57	74.00	-9.43	32.98	3	Horizontal	52	2.47	83	28.50	3.09	-
AV	2.4835G	51.42	54.00	-2.58	19.83	3	Horizontal	52	2.47	83	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 83
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86301G	47.17	74.00	-26.83	39.58	3	Vertical	272	2.10	83	33.13	5.11	30.65
AV	4.86857G	34.87	54.00	-19.13	27.27	3	Vertical	272	2.10	83	33.14	5.11	30.65
PK	7.29306G	51.91	74.00	-22.09	40.94	3	Vertical	308	1.80	83	36.57	6.50	32.10
AV	7.3267G	38.95	54.00	-15.05	27.90	3	Vertical	308	1.80	83	36.65	6.52	32.12

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 83
02-F--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86541G	48.17	74.00	-25.83	40.58	3	Horizontal	343	1.80	83	33.13	5.11	30.65
AV	4.87476G	34.71	54.00	-19.29	27.09	3	Horizontal	343	1.80	83	33.15	5.11	30.64
PK	7.29338G	52.27	74.00	-21.73	41.30	3	Horizontal	30	1.80	83	36.57	6.50	32.10
AV	7.30876G	38.86	54.00	-15.14	27.84	3	Horizontal	30	1.80	83	36.62	6.51	32.11

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 83
 53\85\69\77\81\83
 8.29\1.97\5.82\3.77\2.33\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4595G	117.20	Inf	-Inf	85.63	3	Vertical	344	2.47	83	28.49	3.08	-
AV	2.4602G	105.33	Inf	-Inf	73.75	3	Vertical	344	2.47	83	28.50	3.08	-
PK	2.4842G	67.55	74.00	-6.45	35.96	3	Vertical	344	2.47	83	28.50	3.09	-
AV	2.4836G	53.66	54.00	-0.34	22.07	3	Vertical	344	2.47	83	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 SET 70
 83\66\74\70\72\71\70
 -4.19\1.57\ -0.97\0.61\ -0.26\ -0.27\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4526G	116.74	Inf	-Inf	85.23	3	Horizontal	58	2.43	70	28.43	3.08	-
AV	2.4533G	104.71	Inf	-Inf	73.20	3	Horizontal	58	2.43	70	28.43	3.08	-
PK	2.4835G	68.59	74.00	-5.41	37.00	3	Horizontal	58	2.43	70	28.50	3.09	-
AV	2.4838G	53.59	54.00	-0.41	22.00	3	Horizontal	58	2.43	70	28.50	3.09	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 68
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4548G	108.66	Inf	-Inf	76.59	3	Vertical	15	3.00	-	27.45	4.62	-
AV	2.4582G	96.96	Inf	-Inf	64.92	3	Vertical	15	3.00	-	27.42	4.62	-
PK	2.484G	64.66	74.00	-9.34	32.56	3	Vertical	15	3.00	-	27.50	4.60	-
AV	2.4835G	52.17	54.00	-1.83	20.07	3	Vertical	15	3.00	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 68
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4584G	115.31	Inf	-Inf	83.27	3	Horizontal	295	1.45	-	27.42	4.62	-
AV	2.46G	103.63	Inf	-Inf	71.61	3	Horizontal	295	1.45	-	27.40	4.62	-
PK	2.4844G	65.90	74.00	-8.10	33.80	3	Horizontal	295	1.45	-	27.50	4.60	-
AV	2.4835G	53.96	54.00	-0.04	21.86	3	Horizontal	295	1.45	-	27.50	4.60	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 68
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9373G	47.55	74.00	-26.45	41.99	3	Vertical	296	1.73	-	31.45	7.05	32.94
AV	4.9414G	36.43	54.00	-17.57	30.85	3	Vertical	296	1.73	-	31.47	7.05	32.94
PK	7.4096G	54.75	74.00	-19.25	42.99	3	Vertical	191	1.77	-	36.16	8.73	33.13
AV	7.4146G	42.62	54.00	-11.38	30.83	3	Vertical	191	1.77	-	36.19	8.73	33.13

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 68
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9461G	49.22	74.00	-24.78	43.62	3	Horizontal	86	2.81	-	31.48	7.06	32.94
AV	4.9442G	36.34	54.00	-17.66	30.75	3	Horizontal	86	2.81	-	31.48	7.05	32.94
PK	7.40082G	53.20	74.00	-20.80	41.50	3	Horizontal	1	2.40	-	36.10	8.73	33.13
AV	7.40085G	42.53	54.00	-11.47	30.82	3	Horizontal	1	2.40	-	36.11	8.73	33.13




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	3.0135G	37.12	54.00	-16.88	Vertical



Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.0011G	48.11	74.00	-25.89	1.09	3	Horizontal	141	2.58	-	47.02	28.70	5.26	32.87
AV	3.0032G	35.68	54.00	-18.32	1.09	3	Horizontal	141	2.58	"Worst"	34.59	28.70	5.26	32.87