


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
 SET 100
 80\97\105\101\103\102\101\100
 4.48\2.90\ -3.13\1.55\ -0.41\ -0.65\ -1.20\1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	72.73	74.00	-1.27	68.23	3	Vertical	299	1.89	100	32.73	6.62	34.85
AV	5.148G	50.98	54.00	-3.02	46.47	3	Vertical	299	1.89	100	32.70	6.66	34.85
PK	5.234G	122.86	Inf	-Inf	118.11	3	Vertical	299	1.89	100	32.80	6.81	34.86
AV	5.2385G	113.38	Inf	-Inf	108.63	3	Vertical	299	1.89	100	32.80	6.81	34.86
PK	5.352G	66.35	74.00	-7.65	61.80	3	Vertical	299	1.89	100	32.60	6.83	34.88
AV	5.4015G	51.31	54.00	-2.69	46.66	3	Vertical	299	1.89	100	32.70	6.84	34.89
PK	5.466G	59.78	68.20	-8.42	55.22	3	Vertical	299	1.89	100	32.60	6.86	34.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
 SET 93
 100\96\94\93
 -0.96\ -0.33\ -0.12\ 0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	61.57	74.00	-12.43	57.05	3	Horizontal	277	1.80	93	32.70	6.67	34.85
AV	5.1495G	50.05	54.00	-3.95	45.53	3	Horizontal	277	1.80	93	32.70	6.67	34.85
PK	5.2445G	123.67	Inf	-Inf	118.92	3	Horizontal	277	1.80	93	32.80	6.81	34.86
AV	5.239G	114.36	Inf	-Inf	109.61	3	Horizontal	277	1.80	93	32.80	6.81	34.86
PK	5.407G	63.55	74.00	-10.45	58.91	3	Horizontal	277	1.80	93	32.69	6.84	34.89
AV	5.4035G	53.97	54.00	-0.03	49.33	3	Horizontal	277	1.80	93	32.69	6.84	34.89
PK	5.483G	58.68	68.20	-9.52	54.11	3	Horizontal	277	1.80	93	32.60	6.87	34.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47489G	52.75	68.20	-15.45	71.59	3	Vertical	360	1.80	93	38.40	8.22	65.46
PK	15.73998G	55.30	74.00	-18.70	69.64	3	Vertical	236	1.59	93	37.64	10.20	62.18
AV	15.73387G	42.81	54.00	-11.19	57.13	3	Vertical	236	1.59	93	37.66	10.20	62.18

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46194G	52.96	68.20	-15.24	71.83	3	Horizontal	308	1.05	93	38.40	8.22	65.49
PK	15.73451G	54.87	74.00	-19.13	69.19	3	Horizontal	114	1.80	93	37.66	10.20	62.18
AV	15.72827G	43.00	54.00	-11.00	57.28	3	Horizontal	114	1.80	93	37.69	10.20	62.17

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 99
 80\108\94\101\98\99\100\99
 8.16\ -6.74\6.47\ -4.22\4.67\2.01\ -1.17\1.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	66.87	68.57	-1.70	62.32	3	Vertical	49	1.80	99	32.60	6.92	34.97
PK	5.7365G	119.85	Inf	-Inf	114.64	3	Vertical	49	1.80	99	33.29	6.93	35.01
AV	5.7365G	111.04	Inf	-Inf	105.83	3	Vertical	49	1.80	99	33.29	6.93	35.01
PK	5.9295G	60.02	68.20	-8.18	54.16	3	Vertical	49	1.80	99	34.00	6.97	35.11

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 99
 99
 3.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6355G	64.80	68.20	-3.40	60.25	3	Horizontal	312	1.98	99	32.60	6.92	34.97
PK	5.7495G	122.03	Inf	-Inf	116.72	3	Horizontal	312	1.98	99	33.40	6.93	35.02
AV	5.749G	113.70	Inf	-Inf	108.40	3	Horizontal	312	1.98	99	33.39	6.93	35.02
PK	5.982G	60.74	68.20	-7.46	54.95	3	Horizontal	312	1.98	99	33.94	6.98	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49815G	53.79	74.00	-20.21	71.28	3	Vertical	133	1.80	99	38.90	8.57	64.96
AV	11.48596G	41.62	54.00	-12.38	59.17	3	Vertical	133	1.80	99	38.87	8.57	64.99
PK	17.2308G	59.65	68.20	-8.55	68.87	3	Vertical	1	1.80	99	41.96	11.14	62.32

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47933G	53.91	74.00	-20.09	71.49	3	Horizontal	20	1.80	99	38.86	8.56	65.00
AV	11.4701G	41.52	54.00	-12.48	59.14	3	Horizontal	20	1.80	99	38.84	8.56	65.02
PK	17.24951G	59.94	68.20	-8.26	69.11	3	Horizontal	44	1.05	99	42.00	11.15	62.32

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 SET 103
 80\108\94\101\104\103
 7.39\ -2.35\7.38\4.06\ -0.80\0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.62	68.20	-0.58	63.07	3	Vertical	51	1.79	103	32.60	6.92	34.97
PK	5.7865G	119.96	Inf	-Inf	114.59	3	Vertical	51	1.79	103	33.47	6.94	35.04
AV	5.7765G	110.36	Inf	-Inf	105.00	3	Vertical	51	1.79	103	33.45	6.94	35.03
PK	6.025G	59.46	68.20	-8.74	53.64	3	Vertical	51	1.79	103	33.95	7.00	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 SET 100
 103\89\96\99\100\101\102\101\100
 -3.35\4.81\3.67\1.33\2.31\1.44\ -1.51\ -2.79\0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5865G	67.26	68.20	-0.94	62.69	3	Horizontal	313	2.05	100	32.60	6.91	34.94
PK	5.784G	121.99	Inf	-Inf	116.62	3	Horizontal	313	2.05	100	33.47	6.94	35.04
AV	5.779G	113.07	Inf	-Inf	107.70	3	Horizontal	313	2.05	100	33.46	6.94	35.03
PK	6.0025G	59.92	68.20	-8.28	54.17	3	Horizontal	313	2.05	100	33.91	6.98	35.14

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5714G	53.61	74.00	-20.39	70.82	3	Vertical	333	1.20	100	39.19	8.59	64.99
AV	11.55146G	41.73	54.00	-12.27	59.01	3	Vertical	333	1.20	100	39.11	8.59	64.98
PK	17.35992G	61.43	68.20	-6.77	69.71	3	Vertical	83	1.31	100	42.86	11.23	62.37

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55502G	53.55	74.00	-20.45	70.83	3	Horizontal	30	1.80	100	39.12	8.59	64.99
AV	11.55142G	41.77	54.00	-12.23	59.05	3	Horizontal	30	1.80	100	39.11	8.59	64.98
PK	17.37106G	60.90	68.20	-7.30	69.12	3	Horizontal	103	1.80	100	42.93	11.23	62.38

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108
80\108
8.35\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6055G	67.89	68.20	-0.31	63.33	3	Vertical	51	1.86	108	32.60	6.91	34.95
PK	5.8165G	118.31	Inf	-Inf	112.85	3	Vertical	51	1.86	108	33.57	6.94	35.05
AV	5.8215G	108.89	Inf	-Inf	103.41	3	Vertical	51	1.86	108	33.59	6.94	35.05
PK	6.0745G	60.40	68.20	-7.80	54.51	3	Vertical	51	1.86	108	33.95	7.05	35.11

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 SET 97
 108\99\95\97
 -2.08\ -0.73\3.60\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6125G	67.90	68.20	-0.30	63.34	3	Horizontal	286	2.50	97	32.60	6.91	34.95
PK	5.8305G	121.68	Inf	-Inf	116.17	3	Horizontal	286	2.50	97	33.62	6.95	35.06
AV	5.83G	113.18	Inf	-Inf	107.67	3	Horizontal	286	2.50	97	33.62	6.95	35.06
PK	6.043G	60.13	68.20	-8.07	54.24	3	Horizontal	286	2.50	97	33.99	7.02	35.12

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66762G	54.01	74.00	-19.99	71.08	3	Vertical	356	1.80	97	39.34	8.63	65.04
AV	11.66978G	41.57	54.00	-12.43	58.64	3	Vertical	356	1.80	97	39.34	8.63	65.04
PK	17.48151G	61.67	68.20	-6.53	69.03	3	Vertical	133	2.60	97	43.75	11.31	62.42

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6679G	53.55	74.00	-20.45	70.62	3	Horizontal	335	1.80	97	39.34	8.63	65.04
AV	11.66535G	41.59	54.00	-12.41	58.67	3	Horizontal	335	1.80	97	39.33	8.63	65.04
PK	17.47912G	61.93	68.20	-6.27	69.31	3	Horizontal	54	2.79	97	43.73	11.31	62.42

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	63.08	74.00	-10.92	54.86	3	Vertical	32	2.74	-	33.59	5.31	30.68
AV	5.1498G	51.35	54.00	-2.65	43.12	3	Vertical	32	2.74	-	33.60	5.31	30.68
PK	5.2056G	114.68	Inf	-Inf	106.23	3	Vertical	32	2.74	-	33.80	5.37	30.72
AV	5.2056G	102.31	Inf	-Inf	93.86	3	Vertical	32	2.74	-	33.80	5.37	30.72

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	63.35	74.00	-10.65	55.12	3	Horizontal	286	1.90	-	33.60	5.31	30.68
AV	5.1492G	53.93	54.00	-0.07	45.70	3	Horizontal	286	1.90	-	33.60	5.31	30.68
PK	5.1942G	115.37	Inf	-Inf	106.95	3	Horizontal	286	1.90	-	33.78	5.36	30.72
AV	5.1942G	105.91	Inf	-Inf	97.49	3	Horizontal	286	1.90	-	33.78	5.36	30.72

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41286G	52.75	68.20	-15.45	71.78	3	Vertical	342	1.81	61	38.40	8.20	65.63
PK	15.56225G	54.75	74.00	-19.25	68.90	3	Vertical	266	1.42	61	37.78	10.15	62.08
AV	15.54433G	43.85	54.00	-10.15	57.96	3	Vertical	266	1.42	61	37.82	10.14	62.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34422G	52.74	68.20	-15.46	71.87	3	Horizontal	168	1.85	61	38.51	8.18	65.82
PK	15.5477G	54.85	74.00	-19.15	68.98	3	Horizontal	161	1.85	61	37.81	10.14	62.08
AV	15.53844G	43.79	54.00	-10.21	57.87	3	Horizontal	161	1.85	61	37.85	10.14	62.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 SET 82
 80\89\85\83\82
 2.44\ -4.60\ -1.36\ -0.06\ 0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	64.90	74.00	-9.10	60.39	3	Vertical	300	2.55	82	32.72	6.64	34.85
AV	5.148G	53.63	54.00	-0.37	49.12	3	Vertical	300	2.55	82	32.70	6.66	34.85
PK	5.2435G	116.50	Inf	-Inf	111.75	3	Vertical	300	2.55	82	32.80	6.81	34.86
AV	5.238G	107.24	Inf	-Inf	102.49	3	Vertical	300	2.55	82	32.80	6.81	34.86
PK	5.4035G	60.64	74.00	-13.36	56.00	3	Vertical	300	2.55	82	32.69	6.84	34.89
AV	5.396G	50.45	54.00	-3.55	45.81	3	Vertical	300	2.55	82	32.69	6.84	34.89
PK	5.4685G	58.82	68.20	-9.38	54.26	3	Vertical	300	2.55	82	32.60	6.86	34.90

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 SET 77
 82\70\76\79\78\77
 -2.81\3.74\1.06\ -1.06\ -0.21\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	66.58	74.00	-7.42	62.06	3	Horizontal	283	1.80	77	32.71	6.66	34.85
AV	5.149G	53.64	54.00	-0.36	49.13	3	Horizontal	283	1.80	77	32.70	6.66	34.85
PK	5.2395G	119.70	Inf	-Inf	114.95	3	Horizontal	283	1.80	77	32.80	6.81	34.86
AV	5.224G	108.86	Inf	-Inf	104.12	3	Horizontal	283	1.80	77	32.80	6.80	34.86
PK	5.384G	60.60	74.00	-13.40	55.97	3	Horizontal	283	1.80	77	32.67	6.84	34.88
AV	5.3985G	51.21	54.00	-2.79	46.56	3	Horizontal	283	1.80	77	32.70	6.84	34.89
PK	5.4695G	58.70	68.20	-9.50	54.14	3	Horizontal	283	1.80	77	32.60	6.86	34.90

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44689G	53.70	68.20	-14.50	72.63	3	Vertical	70	1.14	77	38.40	8.21	65.54
PK	15.67394G	54.77	74.00	-19.23	68.98	3	Vertical	304	1.80	77	37.75	10.18	62.14
AV	15.72836G	43.45	54.00	-10.55	57.73	3	Vertical	304	1.80	77	37.69	10.20	62.17

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4787G	52.97	68.20	-15.23	71.80	3	Horizontal	326	1.80	77	38.40	8.22	65.45
PK	15.70199G	54.81	74.00	-19.19	68.99	3	Horizontal	136	1.80	77	37.79	10.19	62.16
AV	15.71454G	43.97	54.00	-10.03	58.21	3	Horizontal	136	1.80	77	37.74	10.19	62.17

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20/01/2024

EUT_Y_4TX
 SET 94
 80\108\94\101\98\97\96\95\94
 7.67\ -6.71\2.68\ -4.71\ -4.36\ -2.65\ -0.44\ -0.25\1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	68.26	69.68	-1.42	63.69	3	Vertical	50	1.85	94	32.62	6.92	34.97
PK	5.752G	117.61	Inf	-Inf	112.30	3	Vertical	50	1.85	94	33.40	6.93	35.02
AV	5.7515G	107.71	Inf	-Inf	102.40	3	Vertical	50	1.85	94	33.40	6.93	35.02
PK	5.9885G	59.84	68.20	-8.36	54.07	3	Vertical	50	1.85	94	33.92	6.98	35.13

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 SET 90
 94\87\90\91\90
 -1.52\2.58\1.72\ -3.35\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6525G	69.99	70.05	-0.06	65.42	3	Horizontal	284	2.54	90	32.62	6.92	34.97
PK	5.745G	118.86	Inf	-Inf	113.59	3	Horizontal	284	2.54	90	33.36	6.93	35.02
AV	5.75G	109.95	Inf	-Inf	104.64	3	Horizontal	284	2.54	90	33.40	6.93	35.02
PK	5.938G	60.48	68.20	-7.72	54.62	3	Horizontal	284	2.54	90	34.00	6.97	35.11

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49298G	53.06	74.00	-20.94	70.57	3	Vertical	60	1.80	90	38.89	8.57	64.97
AV	11.475G	42.60	54.00	-11.40	60.20	3	Vertical	60	1.80	90	38.85	8.56	65.01
PK	17.25645G	59.70	68.20	-8.50	68.84	3	Vertical	344	2.46	90	42.04	11.15	62.33

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51863G	53.46	74.00	-20.54	70.88	3	Horizontal	240	1.80	90	38.97	8.58	64.97
AV	11.47036G	42.28	54.00	-11.72	59.90	3	Horizontal	240	1.80	90	38.84	8.56	65.02
PK	17.26556G	60.16	68.20	-8.04	69.24	3	Horizontal	91	1.80	90	42.09	11.16	62.33

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 SET 97
 80\108\94\101\98\97
 8.40\1.16\7.24\0.34\0.08\3.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.17	68.20	-3.03	60.62	3	Vertical	49	1.80	97	32.60	6.92	34.97
PK	5.7765G	115.65	Inf	-Inf	110.29	3	Vertical	49	1.80	97	33.45	6.94	35.03
AV	5.7865G	106.87	Inf	-Inf	101.50	3	Vertical	49	1.80	97	33.47	6.94	35.04
PK	5.941G	60.31	68.20	-7.89	54.45	3	Vertical	49	1.80	97	34.00	6.97	35.11

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 SET 97
 97
 0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6315G	67.97	68.20	-0.23	63.42	3	Horizontal	285	2.56	97	32.60	6.91	34.96
PK	5.7995G	119.51	Inf	-Inf	114.11	3	Horizontal	285	2.56	97	33.50	6.94	35.04
AV	5.7895G	111.05	Inf	-Inf	105.67	3	Horizontal	285	2.56	97	33.48	6.94	35.04
PK	5.9595G	59.60	68.20	-8.60	53.77	3	Horizontal	285	2.56	97	33.98	6.97	35.12

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUTY_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55731G	53.44	74.00	-20.56	70.71	3	Vertical	112	2.91	97	39.13	8.59	64.99
AV	11.55116G	42.45	54.00	-11.55	59.74	3	Vertical	112	2.91	97	39.10	8.59	64.98
PK	17.36007G	61.13	68.20	-7.07	69.41	3	Vertical	7	1.05	97	42.86	11.23	62.37

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUTY_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55859G	53.61	74.00	-20.39	70.88	3	Horizontal	240	1.80	97	39.13	8.59	64.99
AV	11.55012G	42.34	54.00	-11.66	59.63	3	Horizontal	240	1.80	97	39.10	8.59	64.98
PK	17.36182G	60.65	68.20	-7.55	68.92	3	Horizontal	130	1.80	97	42.87	11.23	62.37

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	63.54	74.00	-10.46	55.32	3	Vertical	17	2.85	-	33.58	5.31	30.67
AV	5.147G	52.28	54.00	-1.72	44.06	3	Vertical	17	2.85	-	33.59	5.31	30.68
PK	5.247G	111.15	Inf	-Inf	102.73	3	Vertical	17	2.85	-	33.80	5.38	30.76
AV	5.237G	99.90	Inf	-Inf	91.47	3	Vertical	17	2.85	-	33.80	5.38	30.75
PK	5.376G	61.90	74.00	-12.10	53.35	3	Vertical	17	2.85	-	34.00	5.41	30.86
AV	5.375G	50.60	54.00	-3.40	42.05	3	Vertical	17	2.85	-	34.00	5.41	30.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	63.50	74.00	-10.50	55.30	3	Horizontal	318	1.80	-	33.57	5.30	30.67
AV	5.148G	53.80	54.00	-0.20	45.57	3	Horizontal	318	1.80	-	33.60	5.31	30.68
PK	5.218G	111.75	Inf	-Inf	103.31	3	Horizontal	318	1.80	-	33.80	5.37	30.73
AV	5.198G	102.26	Inf	-Inf	93.82	3	Horizontal	318	1.80	-	33.79	5.37	30.72
PK	5.355G	61.77	74.00	-12.23	53.21	3	Horizontal	318	1.80	-	34.00	5.40	30.84
AV	5.435G	50.82	54.00	-3.18	42.22	3	Horizontal	318	1.80	-	34.07	5.44	30.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4819G	52.55	68.20	-15.65	71.37	3	Vertical	262	2.85	58	38.40	8.22	65.44
PK	15.65553G	54.52	74.00	-19.48	68.77	3	Vertical	374	2.95	58	37.71	10.17	62.13
AV	15.7118G	43.74	54.00	-10.26	57.96	3	Vertical	374	2.95	58	37.75	10.19	62.16

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47428G	53.35	68.20	-14.85	72.19	3	Horizontal	295	2.25	58	38.40	8.22	65.46
PK	15.58508G	54.77	74.00	-19.23	68.99	3	Horizontal	181	1.81	58	37.73	10.15	62.10
AV	15.65454G	43.85	54.00	-10.15	58.10	3	Horizontal	181	1.81	58	37.71	10.17	62.13

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 81
 01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	65.89	68.20	-2.31	59.45	3	Vertical	313	1.80	-	31.79	7.53	32.88
PK	5.774G	110.56	Inf	-Inf	103.76	3	Vertical	313	1.80	-	32.15	7.57	32.92
AV	5.743G	100.12	Inf	-Inf	93.38	3	Vertical	313	1.80	-	32.09	7.56	32.91
PK	6.014G	62.04	68.20	-6.16	54.83	3	Vertical	313	1.80	-	32.53	7.68	33.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 81
 01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.96	68.20	-0.24	61.53	3	Horizontal	55	1.79	-	31.78	7.53	32.88
PK	5.751G	115.28	Inf	-Inf	108.53	3	Horizontal	55	1.79	-	32.10	7.57	32.92
AV	5.761G	103.89	Inf	-Inf	97.12	3	Horizontal	55	1.79	-	32.12	7.57	32.92
PK	5.99G	61.38	68.20	-6.82	54.23	3	Horizontal	55	1.79	-	32.48	7.67	33.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 81
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55978G	55.99	74.00	-18.01	48.42	3	Vertical	326	2.84	-	39.98	10.88	43.29
AV	11.55108G	45.00	54.00	-9.00	37.42	3	Vertical	326	2.84	-	40.00	10.87	43.29
PK	17.31378G	58.83	68.20	-9.37	46.77	3	Vertical	209	1.92	-	40.84	13.23	42.01

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 81
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54934G	56.19	74.00	-17.81	48.61	3	Horizontal	3	2.48	-	40.00	10.87	43.29
AV	11.56134G	45.16	54.00	-8.84	37.59	3	Horizontal	3	2.48	-	39.98	10.88	43.29
PK	17.33532G	59.36	68.20	-8.84	47.09	3	Horizontal	35	1.28	-	41.05	13.23	42.01

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	63.22	74.00	-10.78	54.99	3	Vertical	17	2.65	-	33.59	5.31	30.67
AV	5.15G	52.16	54.00	-1.84	43.92	3	Vertical	17	2.65	-	33.60	5.32	30.68
PK	5.174G	115.03	Inf	-Inf	106.69	3	Vertical	17	2.65	-	33.70	5.34	30.70
AV	5.1736G	105.02	Inf	-Inf	96.69	3	Vertical	17	2.65	-	33.69	5.34	30.70

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	65.05	74.00	-8.95	56.84	3	Horizontal	281	1.68	-	33.58	5.30	30.67
AV	5.15G	53.86	54.00	-0.14	45.62	3	Horizontal	281	1.68	-	33.60	5.32	30.68
PK	5.1748G	118.35	Inf	-Inf	110.01	3	Horizontal	281	1.68	-	33.70	5.34	30.70
AV	5.176G	108.35	Inf	-Inf	100.01	3	Horizontal	281	1.68	-	33.70	5.34	30.70

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35424G	52.56	68.20	-15.64	71.68	3	Vertical	61	1.72	67	38.49	8.18	65.79
PK	15.54589G	54.95	74.00	-19.05	69.06	3	Vertical	5	1.82	67	37.82	10.14	62.07
AV	15.53521G	43.87	54.00	-10.13	57.94	3	Vertical	5	1.82	67	37.86	10.14	62.07

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34555G	52.85	68.20	-15.35	71.97	3	Horizontal	5	2.52	67	38.51	8.18	65.81
PK	15.52813G	55.26	74.00	-18.74	69.30	3	Horizontal	41	1.82	67	37.89	10.14	62.07
AV	15.54659G	43.74	54.00	-10.26	57.87	3	Horizontal	41	1.82	67	37.81	10.14	62.08

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 SET 87
 80\94\87
 3.72\ -4.23\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.63	74.00	-11.37	58.11	3	Vertical	301	2.05	87	32.70	6.67	34.85
AV	5.15G	53.87	54.00	-0.13	49.35	3	Vertical	301	2.05	87	32.70	6.67	34.85
PK	5.2065G	118.87	Inf	-Inf	114.13	3	Vertical	301	2.05	87	32.80	6.80	34.86
AV	5.2075G	108.37	Inf	-Inf	103.63	3	Vertical	301	2.05	87	32.80	6.80	34.86
PK	5.354G	59.58	74.00	-14.42	55.02	3	Vertical	301	2.05	87	32.61	6.83	34.88
AV	5.365G	50.07	54.00	-3.93	45.49	3	Vertical	301	2.05	87	32.63	6.83	34.88

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81
87.75\81
-2.77\3.42\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.24	74.00	-8.76	60.72	3	Horizontal	283	1.66	81	32.70	6.67	34.85
AV	5.15G	53.51	54.00	-0.49	48.99	3	Horizontal	283	1.66	81	32.70	6.67	34.85
PK	5.205G	120.54	Inf	-Inf	115.80	3	Horizontal	283	1.66	81	32.80	6.80	34.86
AV	5.196G	111.43	Inf	-Inf	106.71	3	Horizontal	283	1.66	81	32.79	6.79	34.86
PK	5.3595G	60.48	74.00	-13.52	55.91	3	Horizontal	283	1.66	81	32.62	6.83	34.88
AV	5.3535G	51.17	54.00	-2.83	46.61	3	Horizontal	283	1.66	81	32.61	6.83	34.88

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41519G	52.32	68.20	-15.88	71.34	3	Vertical	181	1.50	81	38.40	8.20	65.62
PK	15.59556G	54.11	74.00	-19.89	68.34	3	Vertical	53	1.80	81	37.71	10.16	62.10
AV	15.58354G	43.05	54.00	-10.95	57.27	3	Vertical	53	1.80	81	37.73	10.15	62.10

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41674G	52.11	68.20	-16.09	71.13	3	Horizontal	56	1.80	81	38.40	8.20	65.62
PK	15.59289G	54.04	74.00	-19.96	68.27	3	Horizontal	229	1.78	81	37.71	10.16	62.10
AV	15.59117G	42.80	54.00	-11.20	57.02	3	Horizontal	229	1.78	81	37.72	10.16	62.10

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
 SET 100
 80\94\101\98\99\100
 3.54\2.31\0.56\1.74\1.28\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.85	74.00	-4.15	65.33	3	Vertical	304	2.21	100	32.70	6.67	34.85
AV	5.1485G	53.48	54.00	-0.52	48.97	3	Vertical	304	2.21	100	32.70	6.66	34.85
PK	5.246G	121.35	Inf	-Inf	116.60	3	Vertical	304	2.21	100	32.80	6.81	34.86
AV	5.246G	111.97	Inf	-Inf	107.22	3	Vertical	304	2.21	100	32.80	6.81	34.86
PK	5.3655G	64.26	74.00	-9.74	59.68	3	Vertical	304	2.21	100	32.63	6.83	34.88
AV	5.403G	52.70	54.00	-1.30	48.06	3	Vertical	304	2.21	100	32.69	6.84	34.89
PK	5.476G	57.39	68.20	-10.81	52.82	3	Vertical	304	2.21	100	32.60	6.87	34.90

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 97
100\98\97
-0.35\ -0.05\ 0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	67.11	74.00	-6.89	62.59	3	Horizontal	313	2.14	97	32.71	6.66	34.85
AV	5.1495G	50.27	54.00	-3.73	45.75	3	Horizontal	313	2.14	97	32.70	6.67	34.85
PK	5.236G	123.80	Inf	-Inf	119.05	3	Horizontal	313	2.14	97	32.80	6.81	34.86
AV	5.236G	112.96	Inf	-Inf	108.21	3	Horizontal	313	2.14	97	32.80	6.81	34.86
PK	5.393G	63.64	74.00	-10.36	59.00	3	Horizontal	313	2.14	97	32.69	6.84	34.89
AV	5.401G	53.98	54.00	-0.02	49.33	3	Horizontal	313	2.14	97	32.70	6.84	34.89
PK	5.4835G	59.06	68.20	-9.14	54.49	3	Horizontal	313	2.14	97	32.60	6.87	34.90

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47153G	52.75	68.20	-15.45	71.60	3	Vertical	236	1.10	97	38.40	8.22	65.47
PK	15.70745G	54.81	74.00	-19.19	69.01	3	Vertical	353	2.20	97	37.77	10.19	62.16
AV	15.72272G	43.65	54.00	-10.35	57.91	3	Vertical	353	2.20	97	37.71	10.20	62.17

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4788G	53.24	68.20	-14.96	72.07	3	Horizontal	308	1.63	97	38.40	8.22	65.45
PK	15.72212G	54.96	74.00	-19.04	69.22	3	Horizontal	40	1.80	97	37.71	10.20	62.17
AV	15.71724G	44.05	54.00	-9.95	58.30	3	Horizontal	40	1.80	97	37.73	10.19	62.17

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 100
 80\108\94\101\98\99\100
 7.46\6.28\7.24\0.05\3.19\1.51\0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	67.25	68.20	-0.95	62.70	3	Vertical	47	1.77	100	32.60	6.92	34.97
PK	5.7395G	119.30	Inf	-Inf	114.06	3	Vertical	47	1.77	100	33.32	6.93	35.01
AV	5.7385G	108.92	Inf	-Inf	103.69	3	Vertical	47	1.77	100	33.31	6.93	35.01
PK	5.9695G	60.33	68.20	-7.87	54.53	3	Vertical	47	1.77	100	33.96	6.97	35.13

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 100
 100
 0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.35	68.20	-0.85	62.80	3	Horizontal	318	1.80	100	32.60	6.92	34.97
PK	5.741G	121.98	Inf	-Inf	116.74	3	Horizontal	318	1.80	100	33.33	6.93	35.02
AV	5.741G	111.10	Inf	-Inf	105.86	3	Horizontal	318	1.80	100	33.33	6.93	35.02
PK	5.9565G	60.19	68.20	-8.01	54.35	3	Horizontal	318	1.80	100	33.99	6.97	35.12

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47941G	53.49	74.00	-20.51	71.07	3	Vertical	-0	2.86	100	38.86	8.56	65.00
AV	11.47026G	42.22	54.00	-11.78	59.84	3	Vertical	-0	2.86	100	38.84	8.56	65.02
PK	17.22281G	59.27	68.20	-8.93	68.50	3	Vertical	21	1.86	100	41.95	11.13	62.31

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48233G	53.93	74.00	-20.07	71.50	3	Horizontal	175	1.46	100	38.86	8.56	64.99
AV	11.47282G	42.38	54.00	-11.62	59.98	3	Horizontal	175	1.46	100	38.85	8.56	65.01
PK	17.25474G	60.39	68.20	-7.81	69.54	3	Horizontal	297	1.80	100	42.03	11.15	62.33

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 SET 103
 80\108\94\101\104\105\104\103
 7.71\1.28\6.49\6.10\1.58\0.15\1.26\3.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6195G	65.08	68.20	-3.12	60.53	3	Vertical	53	1.80	103	32.60	6.91	34.96
PK	5.7765G	117.51	Inf	-Inf	112.15	3	Vertical	53	1.80	103	33.45	6.94	35.03
AV	5.7775G	107.91	Inf	-Inf	102.55	3	Vertical	53	1.80	103	33.45	6.94	35.03
PK	5.9755G	60.39	68.20	-7.81	54.59	3	Vertical	53	1.80	103	33.95	6.98	35.13

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 SET 102
 103\98\100\101\102
 -1.07\4.49\4.66\2.03\2.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	65.94	68.20	-2.26	61.39	3	Horizontal	318	1.90	102	32.60	6.92	34.97
PK	5.7805G	121.07	Inf	-Inf	115.70	3	Horizontal	318	1.90	102	33.46	6.94	35.03
AV	5.781G	110.62	Inf	-Inf	105.25	3	Horizontal	318	1.90	102	33.46	6.94	35.03
PK	6.0325G	59.81	68.20	-8.39	53.96	3	Horizontal	318	1.90	102	33.97	7.01	35.13

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57088G	54.63	74.00	-19.37	71.85	3	Vertical	132	1.80	102	39.18	8.59	64.99
AV	11.55805G	42.81	54.00	-11.19	60.08	3	Vertical	132	1.80	102	39.13	8.59	64.99
PK	17.3733G	60.52	68.20	-7.68	68.73	3	Vertical	237	1.80	102	42.94	11.23	62.38

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57088G	53.62	74.00	-20.38	70.84	3	Horizontal	143	2.95	102	39.18	8.59	64.99
AV	11.5515G	42.32	54.00	-11.68	59.60	3	Horizontal	143	2.95	102	39.11	8.59	64.98
PK	17.35616G	60.79	68.20	-7.41	69.10	3	Horizontal	77	2.92	102	42.84	11.22	62.37

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 SET 108
 80\108
 7.58\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.33	68.20	-0.87	62.78	3	Vertical	52	1.87	108	32.60	6.92	34.97
PK	5.8265G	115.28	Inf	-Inf	109.78	3	Vertical	52	1.87	108	33.61	6.95	35.06
AV	5.821G	106.04	Inf	-Inf	100.57	3	Vertical	52	1.87	108	33.58	6.94	35.05
PK	6.0515G	61.37	68.20	-6.83	55.46	3	Vertical	52	1.87	108	34.00	7.03	35.12

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 SET 100
 108\98\103\101\100
 -2.45\4.41\ -2.30\ -0.82\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	67.95	68.20	-0.25	63.40	3	Horizontal	304	1.40	100	32.60	6.92	34.97
PK	5.8275G	119.91	Inf	-Inf	114.41	3	Horizontal	304	1.40	100	33.61	6.95	35.06
AV	5.8265G	109.98	Inf	-Inf	104.48	3	Horizontal	304	1.40	100	33.61	6.95	35.06
PK	6.0665G	60.86	68.20	-7.34	54.96	3	Horizontal	304	1.40	100	33.97	7.04	35.11

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65843G	53.40	74.00	-20.60	70.49	3	Vertical	321	1.05	100	39.32	8.62	65.03
AV	11.66994G	42.22	54.00	-11.78	59.29	3	Vertical	321	1.05	100	39.34	8.63	65.04
PK	17.48291G	62.29	68.20	-5.91	69.64	3	Vertical	190	1.80	100	43.76	11.31	62.42

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65855G	53.12	74.00	-20.88	70.21	3	Horizontal	-0	1.80	100	39.32	8.62	65.03
AV	11.66934G	42.43	54.00	-11.57	59.50	3	Horizontal	-0	1.80	100	39.34	8.63	65.04
PK	17.47001G	62.23	68.20	-5.97	69.69	3	Horizontal	105	1.80	100	43.66	11.30	62.42

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	61.78	74.00	-12.22	54.56	3	Vertical	16	2.61	-	33.60	4.30	30.68
AV	5.1498G	52.67	54.00	-1.33	45.45	3	Vertical	16	2.61	-	33.60	4.30	30.68
PK	5.1996G	110.82	Inf	-Inf	103.40	3	Vertical	16	2.61	-	33.80	4.34	30.72
AV	5.1972G	102.10	Inf	-Inf	94.69	3	Vertical	16	2.61	-	33.79	4.34	30.72

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	64.93	74.00	-9.07	57.71	3	Horizontal	286	1.64	-	33.60	4.30	30.68
AV	5.1498G	53.97	54.00	-0.03	46.75	3	Horizontal	286	1.64	-	33.60	4.30	30.68
PK	5.1966G	113.59	Inf	-Inf	106.18	3	Horizontal	286	1.64	-	33.79	4.34	30.72
AV	5.187G	105.36	Inf	-Inf	97.99	3	Horizontal	286	1.64	-	33.75	4.33	30.71

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUTY_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39121G	52.42	68.20	-15.78	71.50	3	Vertical	165	1.85	54	38.42	8.19	65.69
PK	15.56682G	54.55	74.00	-19.45	68.72	3	Vertical	321	1.80	54	37.77	10.15	62.09
AV	15.53358G	44.52	54.00	-9.48	58.58	3	Vertical	321	1.80	54	37.87	10.14	62.07

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34779G	52.41	68.20	-15.79	71.54	3	Horizontal	131	1.85	54	38.50	8.18	65.81
PK	15.55584G	54.55	74.00	-19.45	68.70	3	Horizontal	240	1.38	54	37.79	10.14	62.08
AV	15.54529G	44.85	54.00	-9.15	58.96	3	Horizontal	240	1.38	54	37.82	10.14	62.07

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 81
80\83\82\81
0.88\1.12\0.80\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	61.54	74.00	-12.46	57.03	3	Vertical	312	1.88	81	32.71	6.65	34.85
AV	5.1415G	53.72	54.00	-0.28	49.21	3	Vertical	312	1.88	81	32.72	6.64	34.85
PK	5.2235G	114.34	Inf	-Inf	109.60	3	Vertical	312	1.88	81	32.80	6.80	34.86
AV	5.2225G	106.70	Inf	-Inf	101.96	3	Vertical	312	1.88	81	32.80	6.80	34.86
PK	5.393G	60.13	74.00	-13.87	55.49	3	Vertical	312	1.88	81	32.69	6.84	34.89
AV	5.3895G	51.29	54.00	-2.71	46.65	3	Vertical	312	1.88	81	32.68	6.84	34.88
PK	5.48G	58.70	68.20	-9.50	54.13	3	Vertical	312	1.88	81	32.60	6.87	34.90

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 SET 72
 81\58\69\74\72
 -5.54\3.01\1.63\ -0.47\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.33	74.00	-9.67	59.81	3	Horizontal	309	1.99	72	32.71	6.66	34.85
AV	5.1465G	53.77	54.00	-0.23	49.25	3	Horizontal	309	1.99	72	32.71	6.66	34.85
PK	5.2295G	114.56	Inf	-Inf	109.81	3	Horizontal	309	1.99	72	32.80	6.81	34.86
AV	5.227G	107.83	Inf	-Inf	103.08	3	Horizontal	309	1.99	72	32.80	6.81	34.86
PK	5.3845G	60.74	74.00	-13.26	56.11	3	Horizontal	309	1.99	72	32.67	6.84	34.88
AV	5.3915G	51.59	54.00	-2.41	46.95	3	Horizontal	309	1.99	72	32.68	6.84	34.88
PK	5.468G	59.87	68.20	-8.33	55.31	3	Horizontal	309	1.99	72	32.60	6.86	34.90

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47199G	52.86	68.20	-15.34	71.71	3	Vertical	210	1.23	72	38.40	8.22	65.47
PK	15.70878G	54.56	74.00	-19.44	68.77	3	Vertical	53	2.28	72	37.76	10.19	62.16
AV	15.71965G	44.73	54.00	-9.27	58.99	3	Vertical	53	2.28	72	37.72	10.19	62.17

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44993G	52.93	68.20	-15.27	71.85	3	Horizontal	272	1.05	72	38.40	8.21	65.53
PK	15.7298G	54.68	74.00	-19.32	68.97	3	Horizontal	61	1.99	72	37.68	10.20	62.17
AV	15.71637G	45.08	54.00	-8.92	59.33	3	Horizontal	61	1.99	72	37.73	10.19	62.17

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 SET 91
 80\108\94\87\90\91\103\97\91
 7.28\ -8.22\ -0.34\ 5.67\ 4.59\ 4.02\ -7.32\ -3.06\ 3.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6465G	64.36	68.20	-3.84	59.81	3	Vertical	53	1.80	91	32.60	6.92	34.97
PK	5.7475G	115.19	Inf	-Inf	109.90	3	Vertical	53	1.80	91	33.38	6.93	35.02
AV	5.7465G	107.31	Inf	-Inf	102.03	3	Vertical	53	1.80	91	33.37	6.93	35.02
PK	5.9515G	60.11	68.20	-8.09	54.26	3	Vertical	53	1.80	91	34.00	6.97	35.12

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 SET 90
 91\82\86\88\89\90
 -2.12\4.13\2.57\1.08\0.58\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6525G	69.84	70.05	-0.21	65.27	3	Horizontal	313	1.76	90	32.62	6.92	34.97
PK	5.7635G	117.82	Inf	-Inf	112.49	3	Horizontal	313	1.76	90	33.43	6.93	35.03
AV	5.7525G	110.00	Inf	-Inf	104.68	3	Horizontal	313	1.76	90	33.41	6.93	35.02
PK	5.976G	59.83	68.20	-8.37	54.03	3	Horizontal	313	1.76	90	33.95	6.98	35.13

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47428G	52.69	74.00	-21.31	70.29	3	Vertical	248	2.95	90	38.85	8.56	65.01
AV	11.48642G	43.62	54.00	-10.38	61.17	3	Vertical	248	2.95	90	38.87	8.57	64.99
PK	17.25357G	60.35	68.20	-7.85	69.51	3	Vertical	36	1.53	90	42.02	11.15	62.33

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54077G	53.57	74.00	-20.43	70.91	3	Horizontal	8	2.65	90	39.06	8.58	64.98
AV	11.47116G	43.83	54.00	-10.17	61.44	3	Horizontal	8	2.65	90	38.84	8.56	65.01
PK	17.26156G	59.47	68.20	-8.73	68.57	3	Horizontal	60	2.66	90	42.07	11.16	62.33

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 SET 98
 80\108\94\101\98\99\98
 7.46\ -3.90\6.09\ -2.06\1.93\ -1.65\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6345G	67.85	68.20	-0.35	63.29	3	Vertical	53	1.89	98	32.60	6.92	34.96
PK	5.7875G	115.02	Inf	-Inf	109.64	3	Vertical	53	1.89	98	33.48	6.94	35.04
AV	5.786G	107.12	Inf	-Inf	101.75	3	Vertical	53	1.89	98	33.47	6.94	35.04
PK	6.0335G	60.26	68.20	-7.94	54.41	3	Vertical	53	1.89	98	33.97	7.01	35.13

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 SET 96
 98\87\92\94\95\96\97\96
 -2.64\5.78\3.94\4.37\2.85\3.63\ -2.14\3.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6525G	66.59	70.05	-3.46	62.02	3	Horizontal	306	2.08	96	32.62	6.92	34.97
PK	5.801G	117.07	Inf	-Inf	111.67	3	Horizontal	306	2.08	96	33.50	6.94	35.04
AV	5.786G	110.01	Inf	-Inf	104.64	3	Horizontal	306	2.08	96	33.47	6.94	35.04
PK	5.9275G	60.30	68.20	-7.90	54.44	3	Horizontal	306	2.08	96	34.00	6.97	35.11

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59432G	53.01	74.00	-20.99	70.13	3	Vertical	218	1.90	96	39.28	8.60	65.00
AV	11.61749G	44.13	54.00	-9.87	61.23	3	Vertical	218	1.90	96	39.30	8.61	65.01
PK	17.35503G	60.81	68.20	-7.39	69.13	3	Vertical	281	1.80	96	42.83	11.22	62.37

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60143G	53.50	74.00	-20.50	70.61	3	Horizontal	146	1.80	96	39.30	8.60	65.01
AV	11.61166G	43.84	54.00	-10.16	60.94	3	Horizontal	146	1.80	96	39.30	8.61	65.01
PK	17.38804G	60.97	68.20	-7.23	69.08	3	Horizontal	97	1.80	96	43.03	11.24	62.38

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	61.65	74.00	-12.35	53.45	3	Vertical	49	2.69	-	33.57	5.30	30.67
AV	5.116G	52.59	54.00	-1.41	44.43	3	Vertical	49	2.69	-	33.53	5.28	30.65
PK	5.194G	107.42	Inf	-Inf	99.00	3	Vertical	49	2.69	-	33.78	5.36	30.72
AV	5.194G	100.42	Inf	-Inf	92.00	3	Vertical	49	2.69	-	33.78	5.36	30.72
PK	5.424G	61.28	74.00	-12.72	52.70	3	Vertical	49	2.69	-	34.05	5.43	30.90
AV	5.412G	51.71	54.00	-2.29	43.16	3	Vertical	49	2.69	-	34.02	5.42	30.89

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.08	74.00	-10.92	54.86	3	Horizontal	283	1.82	-	33.59	5.31	30.68
AV	5.148G	53.88	54.00	-0.12	45.65	3	Horizontal	283	1.82	-	33.60	5.31	30.68
PK	5.216G	110.27	Inf	-Inf	101.83	3	Horizontal	283	1.82	-	33.80	5.37	30.73
AV	5.199G	101.67	Inf	-Inf	93.22	3	Horizontal	283	1.82	-	33.80	5.37	30.72
PK	5.427G	61.53	74.00	-12.47	52.95	3	Horizontal	283	1.82	-	34.05	5.43	30.90
AV	5.423G	52.16	54.00	-1.84	43.58	3	Horizontal	283	1.82	-	34.05	5.43	30.90

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUTY_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43802G	52.37	68.20	-15.83	71.32	3	Vertical	75	1.02	55	38.40	8.21	65.56
PK	15.70455G	54.34	74.00	-19.66	68.53	3	Vertical	241	2.78	55	37.78	10.19	62.16
AV	15.55549G	44.85	54.00	-9.15	59.00	3	Vertical	241	2.78	55	37.79	10.14	62.08

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34256G	52.55	68.20	-15.65	71.68	3	Horizontal	311	1.85	55	38.51	8.18	65.82
PK	15.67528G	54.55	74.00	-19.45	68.76	3	Horizontal	85	1.80	55	37.75	10.18	62.14
AV	15.65278G	44.98	54.00	-9.02	59.23	3	Horizontal	85	1.80	55	37.71	10.17	62.13

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 82
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.45	68.20	-3.75	58.01	3	Vertical	310	1.80	-	31.79	7.53	32.88
PK	5.744G	109.29	Inf	-Inf	102.55	3	Vertical	310	1.80	-	32.09	7.56	32.91
AV	5.744G	101.05	Inf	-Inf	94.31	3	Vertical	310	1.80	-	32.09	7.56	32.91
PK	6.01G	62.11	68.20	-6.09	54.91	3	Vertical	310	1.80	-	32.52	7.68	33.00

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 82
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54964G	54.49	74.00	-19.51	48.41	3	Vertical	84	2.59	-	38.50	10.87	43.29
AV	11.55234G	45.24	54.00	-8.76	39.16	3	Vertical	84	2.59	-	38.50	10.87	43.29
PK	17.31504G	60.91	68.20	-7.29	47.66	3	Vertical	360	1.74	-	42.03	13.23	42.01

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 82
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54832G	54.34	74.00	-19.66	48.26	3	Horizontal	219	2.05	-	38.50	10.87	43.29
AV	11.56032G	44.79	54.00	-9.21	38.70	3	Horizontal	219	2.05	-	38.50	10.88	43.29
PK	17.31426G	59.66	68.20	-8.54	46.41	3	Horizontal	348	2.99	-	42.03	13.23	42.01




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	3.0135G	37.12	54.00	-16.88	Vertical



Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.0011G	48.11	74.00	-25.89	1.09	3	Horizontal	141	2.58	-	47.02	28.70	5.26	32.87
AV	3.0032G	35.68	54.00	-18.32	1.09	3	Horizontal	141	2.58	"Worst"	34.59	28.70	5.26	32.87