


5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 SET 87  
 80\94\87  
 3.64\ -4.53\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3185G	59.02	68.20	-9.18	54.41	3	Vertical	48	1.80	87	32.66	6.82	34.87
AV	5.35G	48.20	54.00	-5.80	43.65	3	Vertical	48	1.80	87	32.60	6.83	34.88
PK	5.457G	64.65	74.00	-9.35	60.08	3	Vertical	48	1.80	87	32.60	6.86	34.89
AV	5.457G	53.62	54.00	-0.38	49.05	3	Vertical	48	1.80	87	32.60	6.86	34.89
PK	5.4675G	65.48	68.20	-2.72	60.92	3	Vertical	48	1.80	87	32.60	6.86	34.90
PK	5.5565G	117.84	Inf	-Inf	113.28	3	Vertical	48	1.80	87	32.60	6.89	34.93
AV	5.5365G	107.31	Inf	-Inf	102.74	3	Vertical	48	1.80	87	32.60	6.89	34.92
PK	5.7485G	60.38	68.20	-7.82	55.08	3	Vertical	48	1.80	87	33.39	6.93	35.02

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




20/01/2024

EUT Y\_4TX  
SET 84  
87\81\84\85\84  
-1.27\1.95\0.53\ -0.06\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	59.55	68.20	-8.65	54.90	3	Horizontal	72	1.67	84	32.70	6.82	34.87
AV	5.35G	48.87	54.00	-5.13	44.32	3	Horizontal	72	1.67	84	32.60	6.83	34.88
PK	5.454G	65.59	74.00	-8.41	61.02	3	Horizontal	72	1.67	84	32.60	6.86	34.89
AV	5.458G	53.39	54.00	-0.61	48.82	3	Horizontal	72	1.67	84	32.60	6.86	34.89
PK	5.469G	67.51	68.20	-0.69	62.95	3	Horizontal	72	1.67	84	32.60	6.86	34.90
PK	5.5445G	119.52	Inf	-Inf	114.95	3	Horizontal	72	1.67	84	32.60	6.89	34.92
AV	5.564G	110.25	Inf	-Inf	105.68	3	Horizontal	72	1.67	84	32.60	6.90	34.93
PK	5.7735G	59.74	68.20	-8.46	54.38	3	Horizontal	72	1.67	84	33.45	6.94	35.03

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11063G	52.63	74.00	-21.37	71.29	3	Vertical	274	1.80	84	38.60	8.44	65.70
AV	11.06452G	41.35	54.00	-12.65	60.19	3	Vertical	274	1.80	84	38.53	8.42	65.79
PK	16.66223G	56.85	68.20	-11.35	68.72	3	Vertical	78	2.95	84	39.50	10.74	62.11

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07283G	52.37	74.00	-21.63	71.17	3	Horizontal	342	1.80	84	38.55	8.42	65.77
AV	11.07291G	41.44	54.00	-12.56	60.24	3	Horizontal	342	1.80	84	38.55	8.42	65.77
PK	16.68844G	56.61	68.20	-11.59	68.26	3	Horizontal	102	1.54	84	39.71	10.76	62.12

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 SET 77  
 80\76\78\79\78\77  
 -0.95\1.37\1.13\ -0.73\ -0.39\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4365G	58.31	74.00	-15.69	53.72	3	Vertical	306	1.78	77	32.63	6.85	34.89
PK	5.4615G	59.07	68.20	-9.13	54.50	3	Vertical	306	1.78	77	32.60	6.86	34.89
AV	5.457G	48.11	54.00	-5.89	43.54	3	Vertical	306	1.78	77	32.60	6.86	34.89
PK	5.6585G	113.59	Inf	-Inf	108.98	3	Vertical	306	1.78	77	32.67	6.92	34.98
AV	5.6635G	104.16	Inf	-Inf	99.51	3	Vertical	306	1.78	77	32.71	6.92	34.98
PK	5.7265G	67.96	68.20	-0.24	62.83	3	Vertical	306	1.78	77	33.21	6.93	35.01

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 SET 69  
 77\74\73\72\71\70\69  
 -0.53\ -0.16\ -0.34\ -0.38\ -0.05\ -0.40\ 1.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.17	74.00	-15.83	53.60	3	Horizontal	71	1.80	69	32.60	6.86	34.89
AV	5.455G	48.11	54.00	-5.89	43.54	3	Horizontal	71	1.80	69	32.60	6.86	34.89
PK	5.467G	57.94	68.20	-10.26	53.38	3	Horizontal	71	1.80	69	32.60	6.86	34.90
PK	5.679G	114.35	Inf	-Inf	109.59	3	Horizontal	71	1.80	69	32.83	6.92	34.99
AV	5.6535G	105.23	Inf	-Inf	100.65	3	Horizontal	71	1.80	69	32.63	6.92	34.97
PK	5.729G	66.24	68.20	-1.96	61.09	3	Horizontal	71	1.80	69	33.23	6.93	35.01

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.31834G	53.50	74.00	-20.50	71.70	3	Vertical	5	2.95	69	38.60	8.51	65.31
AV	11.37628G	43.26	54.00	-10.74	61.28	3	Vertical	5	2.95	69	38.65	8.53	65.20
PK	16.97723G	57.52	68.20	-10.68	67.91	3	Vertical	289	1.80	69	40.86	10.96	62.21

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36502G	54.09	74.00	-19.91	72.16	3	Horizontal	300	1.08	69	38.63	8.52	65.22
AV	11.3798G	43.20	54.00	-10.80	61.20	3	Horizontal	300	1.08	69	38.66	8.53	65.19
PK	17.02127G	57.50	68.20	-10.70	67.65	3	Horizontal	185	1.80	69	41.09	10.99	62.23



5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 108  
80\104\108  
6.18\1.43\1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.18	74.00	-14.82	54.61	3	Vertical	47	1.80	108	32.60	6.86	34.89
AV	5.46G	49.91	54.00	-4.09	45.34	3	Vertical	47	1.80	108	32.60	6.86	34.89
PK	5.462G	63.61	68.20	-4.59	59.04	3	Vertical	47	1.80	108	32.60	6.86	34.89
PK	5.702G	118.60	Inf	-Inf	113.65	3	Vertical	47	1.80	108	33.02	6.93	35.00
AV	5.7115G	109.50	Inf	-Inf	104.48	3	Vertical	47	1.80	108	33.09	6.93	35.00
PK	5.8515G	66.82	68.20	-1.38	61.23	3	Vertical	47	1.80	108	33.71	6.95	35.07

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 SET 100  
 108\102\99\100\101\100  
 -1.50\ -1.77\4.18\2.14\ -1.45\2.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.70	74.00	-13.30	56.13	3	Horizontal	320	2.03	100	32.60	6.86	34.89
AV	5.46G	49.31	54.00	-4.69	44.74	3	Horizontal	320	2.03	100	32.60	6.86	34.89
PK	5.468G	63.83	68.20	-4.37	59.27	3	Horizontal	320	2.03	100	32.60	6.86	34.90
PK	5.712G	121.99	Inf	-Inf	116.96	3	Horizontal	320	2.03	100	33.10	6.93	35.00
AV	5.7165G	112.04	Inf	-Inf	106.98	3	Horizontal	320	2.03	100	33.13	6.93	35.00
PK	5.85G	65.67	68.20	-2.53	60.09	3	Horizontal	320	2.03	100	33.70	6.95	35.07

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.381G	54.07	74.00	-19.93	72.07	3	Vertical	55	1.80	100	38.66	8.53	65.19
AV	11.39459G	43.35	54.00	-10.65	61.29	3	Vertical	55	1.80	100	38.69	8.53	65.16
PK	17.10658G	58.57	68.20	-9.63	68.25	3	Vertical	172	2.12	100	41.53	11.05	62.26

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40681G	54.35	74.00	-19.65	72.24	3	Horizontal	2	1.63	100	38.71	8.54	65.14
AV	11.39379G	43.17	54.00	-10.83	61.11	3	Horizontal	2	1.63	100	38.69	8.53	65.16
PK	17.12049G	58.00	68.20	-10.20	67.63	3	Horizontal	170	1.80	100	41.58	11.06	62.27

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




28/03/2024

EUT\_Y\_4TX  
SET 79  
03-S-S-4-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	60.06	74.00	-13.94	54.26	3	Vertical	49	1.80	-	33.88	6.77	34.85
AV	5.1468G	46.36	54.00	-7.64	40.43	3	Vertical	49	1.80	-	33.98	6.80	34.85
PK	5.306G	113.56	Inf	-Inf	107.08	3	Vertical	49	1.80	-	34.31	7.04	34.87
AV	5.302G	100.06	Inf	-Inf	93.60	3	Vertical	49	1.80	-	34.30	7.03	34.87
PK	5.3676G	65.46	74.00	-8.54	58.78	3	Vertical	49	1.80	-	34.44	7.12	34.88
AV	5.3524G	53.46	54.00	-0.54	46.84	3	Vertical	49	1.80	-	34.40	7.10	34.88
PK	5.486G	61.03	68.20	-7.17	54.07	3	Vertical	49	1.80	-	34.57	7.29	34.90

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 SET 79  
 03-S-S-4-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	59.31	74.00	-14.69	53.44	3	Horizontal	78	1.53	-	33.94	6.78	34.85
AV	5.1492G	47.23	54.00	-6.77	41.28	3	Horizontal	78	1.53	-	34.00	6.80	34.85
PK	5.3036G	115.61	Inf	-Inf	109.13	3	Horizontal	78	1.53	-	34.31	7.04	34.87
AV	5.3044G	101.94	Inf	-Inf	95.46	3	Horizontal	78	1.53	-	34.31	7.04	34.87
PK	5.3596G	66.04	74.00	-7.96	59.39	3	Horizontal	78	1.53	-	34.42	7.11	34.88
AV	5.3596G	53.77	54.00	-0.23	47.12	3	Horizontal	78	1.53	-	34.42	7.11	34.88
PK	5.4876G	61.66	68.20	-6.54	54.69	3	Horizontal	78	1.53	-	34.58	7.29	34.90

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 SET 79  
 03-S-S-5  
 est.pkt duty=99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.8744G	56.96	74.00	-17.04	48.86	3	Vertical	38	2.23	-	37.50	12.78	42.18
AV	15.86252G	43.49	54.00	-10.51	35.40	3	Vertical	38	2.23	-	37.50	12.78	42.19

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 SET 79  
 03-S-S-5  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86236G	55.69	74.00	-18.31	47.60	3	Horizontal	33	2.02	-	37.50	12.78	42.19
AV	15.8784G	43.53	54.00	-10.47	35.42	3	Horizontal	33	2.02	-	37.50	12.78	42.17



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 SET 78  
 03-S-S-4-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	59.95	68.20	-8.25	53.36	3	Vertical	57	2.55	-	34.38	7.09	34.88
PK	5.4452G	63.16	74.00	-10.84	56.32	3	Vertical	57	2.55	-	34.50	7.23	34.89
AV	5.4556G	49.93	54.00	-4.07	43.06	3	Vertical	57	2.55	-	34.51	7.25	34.89
PK	5.466G	62.89	68.20	-5.31	56.00	3	Vertical	57	2.55	-	34.53	7.26	34.90
PK	5.5012G	112.16	Inf	-Inf	105.15	3	Vertical	57	2.55	-	34.60	7.31	34.90
AV	5.5012G	98.38	Inf	-Inf	91.37	3	Vertical	57	2.55	-	34.60	7.31	34.90
PK	5.7268G	60.28	68.20	-7.92	53.64	3	Vertical	57	2.55	-	34.15	7.50	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




28/03/2024

EUT\_Y\_4TX  
SET 78  
03-S-S-4-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	60.14	68.20	-8.06	53.55	3	Horizontal	76	1.80	-	34.38	7.09	34.88
PK	5.4588G	65.69	74.00	-8.31	58.81	3	Horizontal	76	1.80	-	34.52	7.25	34.89
AV	5.4588G	53.56	54.00	-0.44	46.68	3	Horizontal	76	1.80	-	34.52	7.25	34.89
PK	5.4636G	66.12	68.20	-2.08	59.22	3	Horizontal	76	1.80	-	34.53	7.26	34.89
PK	5.5388G	115.31	Inf	-Inf	108.43	3	Horizontal	76	1.80	-	34.44	7.36	34.92
AV	5.5388G	101.90	Inf	-Inf	95.02	3	Horizontal	76	1.80	-	34.44	7.36	34.92
PK	5.73G	59.58	68.20	-8.62	52.93	3	Horizontal	76	1.80	-	34.16	7.50	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 SET 78  
 03-S-S-5  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06064G	55.23	74.00	-18.77	48.95	3	Vertical	77	1.23	-	38.40	11.00	43.12
AV	11.0607G	42.88	54.00	-11.12	36.60	3	Vertical	77	1.23	-	38.40	11.00	43.12

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 SET 78  
 03-S-S-5  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06552G	55.49	74.00	-18.51	49.22	3	Horizontal	66	1.44	-	38.40	11.00	43.13
AV	11.05662G	42.90	54.00	-11.10	36.62	3	Horizontal	66	1.44	-	38.40	11.00	43.12

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




20/01/2024

EUT\_Y\_4TX  
SET 85  
80\88\84\86\85  
2.12\1.57\0.54\0.20\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	64.94	74.00	-9.06	60.37	3	Vertical	304	1.74	85	32.60	6.86	34.89
AV	5.4585G	53.23	54.00	-0.77	48.66	3	Vertical	304	1.74	85	32.60	6.86	34.89
PK	5.465G	63.85	68.20	-4.35	59.29	3	Vertical	304	1.74	85	32.60	6.86	34.90
PK	5.6195G	112.13	Inf	-Inf	107.58	3	Vertical	304	1.74	85	32.60	6.91	34.96
AV	5.5985G	103.17	Inf	-Inf	98.61	3	Vertical	304	1.74	85	32.60	6.91	34.95
PK	5.725G	65.71	68.20	-2.49	60.59	3	Vertical	304	1.74	85	33.20	6.93	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 SET 78  
 85\78  
 -1.51\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	68.13	74.00	-5.87	63.56	3	Horizontal	71	1.82	78	32.60	6.86	34.89
AV	5.458G	53.99	54.00	-0.01	49.42	3	Horizontal	71	1.82	78	32.60	6.86	34.89
PK	5.4685G	64.76	68.20	-3.44	60.20	3	Horizontal	71	1.82	78	32.60	6.86	34.90
PK	5.584G	117.14	Inf	-Inf	112.58	3	Horizontal	71	1.82	78	32.60	6.90	34.94
AV	5.5985G	105.46	Inf	-Inf	100.90	3	Horizontal	71	1.82	78	32.60	6.91	34.95
PK	5.7385G	66.46	68.20	-1.74	61.23	3	Horizontal	71	1.82	78	33.31	6.93	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26236G	53.10	74.00	-20.90	71.34	3	Vertical	117	1.11	78	38.68	8.49	65.41
AV	11.28649G	42.03	54.00	-11.97	60.27	3	Vertical	117	1.11	78	38.63	8.50	65.37
PK	16.78716G	57.96	68.20	-10.24	68.96	3	Vertical	345	1.67	78	40.32	10.83	62.15

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.28505G	53.16	74.00	-20.84	71.40	3	Horizontal	214	1.27	78	38.63	8.50	65.37
AV	11.2996G	42.12	54.00	-11.88	60.36	3	Horizontal	214	1.27	78	38.60	8.50	65.34
PK	16.85398G	58.24	68.20	-9.96	69.14	3	Horizontal	194	1.80	78	40.40	10.87	62.17



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 SET 97  
 80\102\91\96\98\97  
 5.74\ -3.75\3.86\1.25\ -0.28\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	63.32	74.00	-10.68	58.75	3	Vertical	305	1.80	97	32.60	6.86	34.89
AV	5.4585G	53.99	54.00	-0.01	49.42	3	Vertical	305	1.80	97	32.60	6.86	34.89
PK	5.469G	63.83	68.20	-4.37	59.27	3	Vertical	305	1.80	97	32.60	6.86	34.90
PK	5.659G	114.61	Inf	-Inf	110.00	3	Vertical	305	1.80	97	32.67	6.92	34.98
AV	5.6735G	105.10	Inf	-Inf	100.37	3	Vertical	305	1.80	97	32.79	6.92	34.98
PK	5.8595G	65.01	68.20	-3.19	59.37	3	Vertical	305	1.80	97	33.76	6.95	35.07

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 SET 95  
 97\89\93\95  
 -1.87\3.01\1.19\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	66.26	74.00	-7.74	61.69	3	Horizontal	72	1.80	95	32.60	6.86	34.89
AV	5.4575G	53.77	54.00	-0.23	49.20	3	Horizontal	72	1.80	95	32.60	6.86	34.89
PK	5.4685G	64.78	68.20	-3.42	60.22	3	Horizontal	72	1.80	95	32.60	6.86	34.90
PK	5.6735G	118.48	Inf	-Inf	113.75	3	Horizontal	72	1.80	95	32.79	6.92	34.98
AV	5.6785G	108.23	Inf	-Inf	103.47	3	Horizontal	72	1.80	95	32.83	6.92	34.99
PK	5.859G	67.57	68.20	-0.63	61.94	3	Horizontal	72	1.80	95	33.75	6.95	35.07

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38464G	53.90	74.00	-20.10	71.88	3	Vertical	78	1.41	95	38.67	8.53	65.18
AV	11.37201G	43.44	54.00	-10.56	61.47	3	Vertical	78	1.41	95	38.64	8.53	65.20
PK	17.03547G	57.74	68.20	-10.46	67.83	3	Vertical	151	2.37	95	41.14	11.00	62.23

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37824G	54.06	74.00	-19.94	72.06	3	Horizontal	57	2.58	95	38.66	8.53	65.19
AV	11.40014G	43.11	54.00	-10.89	61.02	3	Horizontal	57	2.58	95	38.70	8.54	65.15
PK	17.14896G	58.49	68.20	-9.71	67.99	3	Horizontal	243	1.80	95	41.70	11.08	62.28

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 SET 60  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	61.74	74.00	-12.26	55.80	3	Vertical	40	2.97	-	33.99	6.80	34.85
AV	5.1428G	51.79	54.00	-2.21	45.89	3	Vertical	40	2.97	-	33.96	6.79	34.85
AV	5.1876G	95.99	Inf	-Inf	89.98	3	Vertical	40	2.97	-	34.00	6.87	34.86
PK	5.2276G	105.68	Inf	-Inf	99.55	3	Vertical	40	2.97	-	34.06	6.93	34.86
PK	5.3572G	62.68	74.00	-11.32	56.04	3	Vertical	40	2.97	-	34.41	7.11	34.88
AV	5.358G	51.83	54.00	-2.17	45.18	3	Vertical	40	2.97	-	34.42	7.11	34.88
PK	5.5476G	59.83	68.20	-8.37	52.97	3	Vertical	40	2.97	-	34.41	7.37	34.92

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




28/03/2024

EUT\_Y\_4TX  
SET 60  
03-S-S-4-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	62.98	74.00	-11.02	57.12	3	Horizontal	280.7	1.80	-	33.93	6.78	34.85
AV	5.1492G	53.82	54.00	-0.18	47.87	3	Horizontal	280.7	1.80	-	34.00	6.80	34.85
AV	5.1732G	96.21	Inf	-Inf	90.22	3	Horizontal	280.7	1.80	-	34.00	6.84	34.85
PK	5.2244G	107.52	Inf	-Inf	101.41	3	Horizontal	280.7	1.80	-	34.05	6.92	34.86
PK	5.3748G	62.06	74.00	-11.94	55.36	3	Horizontal	280.7	1.80	-	34.45	7.13	34.88
AV	5.3876G	51.35	54.00	-2.65	44.60	3	Horizontal	280.7	1.80	-	34.48	7.15	34.88
PK	5.49G	60.65	68.20	-7.55	53.68	3	Horizontal	280.7	1.80	-	34.58	7.29	34.90

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
SET 60  
03-S-S-5  
est.pkt duty=99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.75626G	56.12	74.00	-17.88	47.83	3	Vertical	20	1.42	-	37.86	12.74	42.31
AV	15.75368G	45.10	54.00	-8.90	36.80	3	Vertical	20	1.42	-	37.88	12.74	42.32

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
 SET 60  
 03-S-S-5  
 est.pkt duty=99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.74758G	56.20	74.00	-17.80	47.88	3	Horizontal	213	1.27	-	37.90	12.74	42.32
AV	15.74516G	45.10	54.00	-8.90	36.78	3	Horizontal	213	1.27	-	37.91	12.74	42.33



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 SET 63  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	59.70	68.20	-8.50	53.15	3	Vertical	54	2.03	-	34.36	7.07	34.88
PK	5.4452G	63.25	74.00	-10.75	56.41	3	Vertical	54	2.03	-	34.50	7.23	34.89
AV	5.4212G	52.84	54.00	-1.16	46.03	3	Vertical	54	2.03	-	34.50	7.20	34.89
PK	5.466G	66.36	68.20	-1.84	59.47	3	Vertical	54	2.03	-	34.53	7.26	34.90
PK	5.5412G	106.18	Inf	-Inf	99.30	3	Vertical	54	2.03	-	34.44	7.36	34.92
AV	5.6068G	94.90	Inf	-Inf	88.12	3	Vertical	54	2.03	-	34.29	7.44	34.95
PK	5.7716G	61.20	68.20	-7.00	54.51	3	Vertical	54	2.03	-	34.20	7.52	35.03

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 SET 63  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	60.40	68.20	-7.80	53.85	3	Horizontal	70.2	1.70	-	34.36	7.07	34.88
PK	5.458G	66.29	74.00	-7.71	59.41	3	Horizontal	70.2	1.70	-	34.52	7.25	34.89
AV	5.4292G	53.84	54.00	-0.16	47.02	3	Horizontal	70.2	1.70	-	34.50	7.21	34.89
PK	5.4644G	63.93	68.20	-4.27	57.04	3	Horizontal	70.2	1.70	-	34.53	7.26	34.90
PK	5.594G	108.47	Inf	-Inf	101.68	3	Horizontal	70.2	1.70	-	34.31	7.43	34.95
AV	5.5892G	97.71	Inf	-Inf	90.90	3	Horizontal	70.2	1.70	-	34.32	7.43	34.94
PK	5.7332G	62.61	68.20	-5.59	55.95	3	Horizontal	70.2	1.70	-	34.17	7.50	35.01

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT Y\_4TX  
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14022G	53.00	74.00	-21.00	49.11	3	Vertical	230	2.19	-	38.60	8.45	43.16
AV	11.13662G	42.05	54.00	-11.95	38.15	3	Vertical	230	2.19	-	38.60	8.45	43.15

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT Y\_4TX  
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13588G	53.43	74.00	-20.57	49.53	3	Horizontal	101	1.53	-	38.60	8.45	43.15
AV	11.13554G	41.85	54.00	-12.15	37.95	3	Horizontal	101	1.53	-	38.60	8.45	43.15

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 SET 104  
 80\96\104\108\106\105\104  
 4.16\3.04\0.82\1.58\0.83\0.42\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	69.37	74.00	-4.63	64.85	3	Vertical	312	1.82	104	32.71	6.66	34.85
AV	5.1495G	51.77	54.00	-2.23	47.25	3	Vertical	312	1.82	104	32.70	6.67	34.85
PK	5.254G	120.15	Inf	-Inf	115.42	3	Vertical	312	1.82	104	32.79	6.81	34.87
AV	5.2535G	110.55	Inf	-Inf	105.82	3	Vertical	312	1.82	104	32.79	6.81	34.87
PK	5.35G	68.57	74.00	-5.43	64.02	3	Vertical	312	1.82	104	32.60	6.83	34.88
AV	5.3505G	53.02	54.00	-0.98	48.47	3	Vertical	312	1.82	104	32.60	6.83	34.88
PK	5.461G	58.98	68.20	-9.22	54.41	3	Vertical	312	1.82	104	32.60	6.86	34.89

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
SET 101  
104\99\101  
-1.09\0.55\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	64.68	74.00	-9.32	60.17	3	Horizontal	314	2.05	101	32.71	6.65	34.85
AV	5.106G	50.68	54.00	-3.32	46.18	3	Horizontal	314	2.05	101	32.79	6.55	34.84
PK	5.2555G	122.77	Inf	-Inf	118.04	3	Horizontal	314	2.05	101	32.79	6.81	34.87
AV	5.256G	112.92	Inf	-Inf	108.19	3	Horizontal	314	2.05	101	32.79	6.81	34.87
PK	5.3645G	66.08	74.00	-7.92	61.50	3	Horizontal	314	2.05	101	32.63	6.83	34.88
AV	5.4255G	53.89	54.00	-0.11	49.28	3	Horizontal	314	2.05	101	32.65	6.85	34.89
PK	5.4895G	59.54	68.20	-8.66	54.97	3	Horizontal	314	2.05	101	32.60	6.87	34.90

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT Y\_4TX  
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5381G	54.23	68.20	-13.97	73.02	3	Vertical	355	2.72	101	38.40	8.24	65.43
PK	15.77541G	54.70	74.00	-19.30	69.19	3	Vertical	273	1.80	101	37.50	10.21	62.20
AV	15.76693G	43.69	54.00	-10.31	58.14	3	Vertical	273	1.80	101	37.53	10.21	62.19

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT Y\_4TX  
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5017G	52.66	68.20	-15.54	71.42	3	Horizontal	59	2.25	101	38.40	8.23	65.39
PK	15.76825G	55.05	74.00	-18.95	69.50	3	Horizontal	359	2.35	101	37.53	10.21	62.19
AV	15.77912G	43.92	54.00	-10.08	58.43	3	Horizontal	359	2.35	101	37.48	10.21	62.20



5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




20/01/2024

EUT\_Y\_4TX  
SET 91  
80\93\87\90\91  
3.48\0.56\2.00\0.59\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1335G	58.57	74.00	-15.43	54.07	3	Vertical	48	1.70	91	32.73	6.62	34.85
AV	5.1485G	49.34	54.00	-4.66	44.83	3	Vertical	48	1.70	91	32.70	6.66	34.85
PK	5.2945G	118.89	Inf	-Inf	114.23	3	Vertical	48	1.70	91	32.71	6.82	34.87
AV	5.2925G	109.82	Inf	-Inf	105.15	3	Vertical	48	1.70	91	32.72	6.82	34.87
PK	5.354G	63.73	74.00	-10.27	59.17	3	Vertical	48	1.70	91	32.61	6.83	34.88
AV	5.35G	53.79	54.00	-0.21	49.24	3	Vertical	48	1.70	91	32.60	6.83	34.88
PK	5.4695G	59.47	68.20	-8.73	54.91	3	Vertical	48	1.70	91	32.60	6.86	34.90

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 89  
91\87\89  
-0.76\0.69\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	59.63	74.00	-14.37	55.12	3	Horizontal	311	2.06	89	32.74	6.62	34.85
AV	5.144G	50.64	54.00	-3.36	46.13	3	Horizontal	311	2.06	89	32.71	6.65	34.85
PK	5.296G	120.41	Inf	-Inf	115.75	3	Horizontal	311	2.06	89	32.71	6.82	34.87
AV	5.296G	111.28	Inf	-Inf	106.62	3	Horizontal	311	2.06	89	32.71	6.82	34.87
PK	5.352G	63.73	74.00	-10.27	59.18	3	Horizontal	311	2.06	89	32.60	6.83	34.88
PK	5.4675G	62.43	68.20	-5.77	57.87	3	Horizontal	311	2.06	89	32.60	6.86	34.90
AV	5.459G	53.62	54.00	-0.38	49.05	3	Horizontal	311	2.06	89	32.60	6.86	34.89

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59221G	53.46	68.20	-14.74	72.29	3	Vertical	308	1.35	89	38.40	8.26	65.49
PK	15.90208G	54.64	74.00	-19.36	69.36	3	Vertical	76	1.15	89	37.30	10.25	62.27
AV	15.91271G	43.41	54.00	-10.59	58.10	3	Vertical	76	1.15	89	37.33	10.25	62.27

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59804G	53.97	68.20	-14.23	72.80	3	Horizontal	53	1.15	89	38.40	8.26	65.49
PK	15.89972G	54.93	74.00	-19.07	69.65	3	Horizontal	338	2.20	89	37.30	10.25	62.27
AV	15.89568G	43.46	54.00	-10.54	58.17	3	Horizontal	338	2.20	89	37.30	10.25	62.26

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 SET 75  
 80\64\72\76\74\75  
 -3.79\4.03\1.73\ -0.83\0.58\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	57.17	74.00	-16.83	52.66	3	Vertical	45	1.74	75	32.71	6.65	34.85
AV	5.1395G	47.68	54.00	-6.32	43.17	3	Vertical	45	1.74	75	32.72	6.64	34.85
PK	5.316G	115.29	Inf	-Inf	110.67	3	Vertical	45	1.74	75	32.67	6.82	34.87
AV	5.3125G	105.93	Inf	-Inf	101.30	3	Vertical	45	1.74	75	32.68	6.82	34.87
PK	5.3535G	66.59	74.00	-7.41	62.03	3	Vertical	45	1.74	75	32.61	6.83	34.88
AV	5.35G	53.79	54.00	-0.21	49.24	3	Vertical	45	1.74	75	32.60	6.83	34.88
PK	5.488G	59.87	68.20	-8.33	55.30	3	Vertical	45	1.74	75	32.60	6.87	34.90

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




20/01/2024

EUT\_Y\_4TX  
SET 73  
75\74\73  
-0.15\ -0.08\0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.111G	57.66	74.00	-16.34	53.17	3	Horizontal	310	2.06	73	32.78	6.56	34.85
AV	5.15G	48.34	54.00	-5.66	43.82	3	Horizontal	310	2.06	73	32.70	6.67	34.85
PK	5.3165G	116.77	Inf	-Inf	112.15	3	Horizontal	310	2.06	73	32.67	6.82	34.87
AV	5.316G	107.72	Inf	-Inf	103.10	3	Horizontal	310	2.06	73	32.67	6.82	34.87
PK	5.351G	65.92	74.00	-8.08	61.37	3	Horizontal	310	2.06	73	32.60	6.83	34.88
AV	5.3505G	53.10	54.00	-0.90	48.55	3	Horizontal	310	2.06	73	32.60	6.83	34.88
PK	5.4805G	60.78	68.20	-7.42	56.21	3	Horizontal	310	2.06	73	32.60	6.87	34.90

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6446G	53.36	74.00	-20.64	72.22	3	Vertical	88	2.92	73	38.40	8.28	65.54
AV	10.64544G	42.33	54.00	-11.67	61.19	3	Vertical	88	2.92	73	38.40	8.28	65.54
PK	15.96575G	53.46	74.00	-20.54	68.03	3	Vertical	216	1.80	73	37.46	10.27	62.30
AV	15.94881G	42.44	54.00	-11.56	57.07	3	Vertical	216	1.80	73	37.40	10.26	62.29

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65758G	53.24	74.00	-20.76	72.11	3	Horizontal	148	1.80	73	38.40	8.28	65.55
AV	10.63596G	42.32	54.00	-11.68	61.17	3	Horizontal	148	1.80	73	38.40	8.28	65.53
PK	15.94018G	53.65	74.00	-20.35	68.30	3	Horizontal	57	1.80	73	37.38	10.26	62.29
AV	15.94118G	42.28	54.00	-11.72	56.93	3	Horizontal	57	1.80	73	37.38	10.26	62.29



5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 SET 79  
 80\73\76\77\78\79  
 -1.69\4.94\3.47\2.47\2.44\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	59.03	68.20	-9.17	54.45	3	Vertical	306	1.98	79	32.63	6.83	34.88
AV	5.35G	47.62	54.00	-6.38	43.07	3	Vertical	306	1.98	79	32.60	6.83	34.88
PK	5.457G	61.31	74.00	-12.69	56.74	3	Vertical	306	1.98	79	32.60	6.86	34.89
AV	5.46G	51.10	54.00	-2.90	46.53	3	Vertical	306	1.98	79	32.60	6.86	34.89
PK	5.4675G	68.00	68.20	-0.20	63.44	3	Vertical	306	1.98	79	32.60	6.86	34.90
PK	5.507G	115.53	Inf	-Inf	110.95	3	Vertical	306	1.98	79	32.60	6.88	34.90
AV	5.5075G	105.10	Inf	-Inf	100.52	3	Vertical	306	1.98	79	32.60	6.88	34.90
PK	5.749G	59.06	68.20	-9.14	53.76	3	Vertical	306	1.98	79	33.39	6.93	35.02

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 SET 73  
 79\62\70\74\72\73  
 -4.06\5.32\2.03\ -1.30\1.49\1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	59.13	68.20	-9.07	54.56	3	Horizontal	74	1.88	73	32.62	6.83	34.88
AV	5.35G	47.62	54.00	-6.38	43.07	3	Horizontal	74	1.88	73	32.60	6.83	34.88
PK	5.46G	60.08	74.00	-13.92	55.51	3	Horizontal	74	1.88	73	32.60	6.86	34.89
AV	5.4595G	50.68	54.00	-3.32	46.11	3	Horizontal	74	1.88	73	32.60	6.86	34.89
PK	5.4695G	66.94	68.20	-1.26	62.38	3	Horizontal	74	1.88	73	32.60	6.86	34.90
PK	5.5075G	117.54	Inf	-Inf	112.96	3	Horizontal	74	1.88	73	32.60	6.88	34.90
AV	5.507G	107.32	Inf	-Inf	102.74	3	Horizontal	74	1.88	73	32.60	6.88	34.90
PK	5.749G	59.67	68.20	-8.53	54.37	3	Horizontal	74	1.88	73	33.39	6.93	35.02

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5500MHz\_TX



EUT\_Y\_4TX  
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98158G	52.31	74.00	-21.69	71.31	3	Vertical	124	1.05	73	38.50	8.39	65.89
AV	10.98865G	41.29	54.00	-12.71	60.29	3	Vertical	124	1.05	73	38.50	8.40	65.90
PK	16.49549G	54.55	68.20	-13.65	67.11	3	Vertical	321	1.80	73	38.88	10.62	62.06

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98633G	51.97	74.00	-22.03	70.97	3	Horizontal	241	1.80	73	38.50	8.40	65.90
AV	10.98845G	41.10	54.00	-12.90	60.10	3	Horizontal	241	1.80	73	38.50	8.40	65.90
PK	16.50803G	54.62	68.20	-13.58	67.13	3	Horizontal	243	1.80	73	38.92	10.63	62.06

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 SET 104  
 80\96\104\108\106\105\104  
 4.16\2.81\1.93\2.12\0.21\0.19\1.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	60.19	68.20	-8.01	55.62	3	Vertical	50	1.75	104	32.62	6.83	34.88
AV	5.35G	48.20	54.00	-5.80	43.65	3	Vertical	50	1.75	104	32.60	6.83	34.88
PK	5.4385G	67.48	74.00	-6.52	62.90	3	Vertical	50	1.75	104	32.62	6.85	34.89
AV	5.4175G	52.40	54.00	-1.60	47.77	3	Vertical	50	1.75	104	32.67	6.85	34.89
PK	5.4645G	66.64	68.20	-1.56	62.08	3	Vertical	50	1.75	104	32.60	6.86	34.90
PK	5.574G	120.79	Inf	-Inf	116.23	3	Vertical	50	1.75	104	32.60	6.90	34.94
AV	5.5725G	111.20	Inf	-Inf	106.63	3	Vertical	50	1.75	104	32.60	6.90	34.93
PK	5.732G	62.22	68.20	-5.98	57.04	3	Vertical	50	1.75	104	33.26	6.93	35.01

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT Y\_4TX  
 SET 103  
 104\103  
 -0.24\1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3415G	60.24	68.20	-7.96	55.67	3	Horizontal	75	1.80	103	32.62	6.83	34.88
AV	5.35G	48.47	54.00	-5.53	43.92	3	Horizontal	75	1.80	103	32.60	6.83	34.88
PK	5.4215G	67.69	74.00	-6.31	63.07	3	Horizontal	75	1.80	103	32.66	6.85	34.89
AV	5.4125G	52.68	54.00	-1.32	48.05	3	Horizontal	75	1.80	103	32.68	6.84	34.89
PK	5.466G	64.42	68.20	-3.78	59.86	3	Horizontal	75	1.80	103	32.60	6.86	34.90
PK	5.5885G	124.72	Inf	-Inf	120.15	3	Horizontal	75	1.80	103	32.60	6.91	34.94
AV	5.587G	114.46	Inf	-Inf	109.89	3	Horizontal	75	1.80	103	32.60	6.91	34.94
PK	5.7465G	63.04	68.20	-5.16	57.76	3	Horizontal	75	1.80	103	33.37	6.93	35.02

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT Y\_4TX  
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15481G	52.87	74.00	-21.13	71.44	3	Vertical	100	1.80	103	38.60	8.45	65.62
AV	11.17495G	41.64	54.00	-12.36	60.16	3	Vertical	100	1.80	103	38.60	8.46	65.58
PK	16.75419G	57.75	68.20	-10.45	68.96	3	Vertical	278	1.80	103	40.13	10.80	62.14

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT Y\_4TX  
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15908G	52.23	74.00	-21.77	70.79	3	Horizontal	13	2.93	103	38.60	8.45	65.61
AV	11.14701G	41.60	54.00	-12.40	60.18	3	Horizontal	13	2.93	103	38.60	8.45	65.63
PK	16.74488G	57.36	68.20	-10.84	68.63	3	Horizontal	184	2.89	103	40.07	10.80	62.14



5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
SET 62  
03-5-5-5-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	111.18	Inf	-Inf	104.58	3	Vertical	49	2.00	-	34.11	7.49	35.00
AV	5.7068G	98.88	Inf	-Inf	92.28	3	Vertical	49	2.00	-	34.11	7.49	35.00
PK	5.7264G	64.86	68.20	-3.34	58.22	3	Vertical	49	2.00	-	34.15	7.50	35.01

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 SET 62  
 03-S-5-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	115.05	Inf	-Inf	108.44	3	Horizontal	316.1	2.29	-	34.12	7.49	35.00
AV	5.7036G	102.92	Inf	-Inf	96.32	3	Horizontal	316.1	2.29	-	34.11	7.49	35.00
PK	5.7256G	67.99	68.20	-0.21	61.35	3	Horizontal	316.1	2.29	-	34.15	7.50	35.01

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40556G	55.43	74.00	-18.57	48.80	3	Vertical	352	1.80	-	38.70	11.19	43.26
AV	11.40658G	43.18	54.00	-10.82	36.55	3	Vertical	352	1.80	-	38.70	11.19	43.26
PK	17.0998G	59.37	68.20	-8.83	47.60	3	Vertical	244	1.80	-	40.30	13.54	42.07

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39902G	55.42	74.00	-18.58	48.79	3	Horizontal	54	1.80	-	38.70	11.19	43.26
AV	11.40532G	42.98	54.00	-11.02	36.35	3	Horizontal	54	1.80	-	38.70	11.19	43.26
PK	17.10082G	59.29	68.20	-8.91	47.52	3	Horizontal	360	1.03	-	40.30	13.54	42.07

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 108  
80\102\108  
5.61\5.47\4.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45702G	62.95	74.00	-11.05	58.38	3	Vertical	50	1.80	108	32.60	6.86	34.89
AV	5.45972G	49.55	54.00	-4.45	44.98	3	Vertical	50	1.80	108	32.60	6.86	34.89
PK	5.46458G	63.69	68.20	-4.51	59.13	3	Vertical	50	1.80	108	32.60	6.86	34.90
PK	5.72162G	119.20	Inf	-Inf	114.11	3	Vertical	50	1.80	108	33.17	6.93	35.01
AV	5.71352G	109.69	Inf	-Inf	104.65	3	Vertical	50	1.80	108	33.11	6.93	35.00
PK	5.85068G	61.03	68.20	-7.17	55.45	3	Vertical	50	1.80	108	33.70	6.95	35.07

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 SET 108  
 108  
 1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	64.98	74.00	-9.02	60.41	3	Horizontal	314	1.97	108	32.60	6.86	34.89
AV	5.45648G	51.10	54.00	-2.90	46.53	3	Horizontal	314	1.97	108	32.60	6.86	34.89
PK	5.46674G	65.83	68.20	-2.37	61.27	3	Horizontal	314	1.97	108	32.60	6.86	34.90
PK	5.71622G	124.17	Inf	-Inf	119.11	3	Horizontal	314	1.97	108	33.13	6.93	35.00
AV	5.71622G	113.85	Inf	-Inf	108.79	3	Horizontal	314	1.97	108	33.13	6.93	35.00
PK	5.85176G	66.35	68.20	-1.85	60.76	3	Horizontal	314	1.97	108	33.71	6.95	35.07

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42705G	53.98	74.00	-20.02	71.78	3	Vertical	96	1.80	108	38.75	8.55	65.10
AV	11.43289G	42.67	54.00	-11.33	60.44	3	Vertical	96	1.80	108	38.77	8.55	65.09
PK	17.14945G	58.86	68.20	-9.34	68.36	3	Vertical	322	2.45	108	41.70	11.08	62.28

5.47-5.725GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42426G	54.44	74.00	-19.56	72.25	3	Horizontal	86	1.80	108	38.75	8.54	65.10
AV	11.43301G	43.12	54.00	-10.88	60.89	3	Horizontal	86	1.80	108	38.77	8.55	65.09
PK	17.16939G	58.63	68.20	-9.57	68.05	3	Horizontal	20	2.18	108	41.78	11.09	62.29



5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
SET 81  
80\82\81  
0.71\0.93\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.41	74.00	-14.59	54.92	3	Vertical	312	1.80	81	32.78	6.56	34.85
AV	5.103G	49.72	54.00	-4.28	45.23	3	Vertical	312	1.80	81	32.79	6.54	34.84
PK	5.2625G	113.70	Inf	-Inf	108.99	3	Vertical	312	1.80	81	32.77	6.81	34.87
AV	5.2625G	106.82	Inf	-Inf	102.11	3	Vertical	312	1.80	81	32.77	6.81	34.87
PK	5.3535G	63.35	74.00	-10.65	58.79	3	Vertical	312	1.80	81	32.61	6.83	34.88
AV	5.355G	53.68	54.00	-0.32	49.12	3	Vertical	312	1.80	81	32.61	6.83	34.88
PK	5.5075G	59.35	68.20	-8.85	54.77	3	Vertical	312	1.80	81	32.60	6.88	34.90

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 SET 75  
 81\72\76\78\77\76\75  
 -2.01\1.79\0.56\0.12\0.04\0.05\1.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.079G	59.09	74.00	-14.91	54.57	3	Horizontal	309	1.99	75	32.88	6.48	34.84
AV	5.1285G	50.17	54.00	-3.83	45.67	3	Horizontal	309	1.99	75	32.74	6.61	34.85
PK	5.267G	115.19	Inf	-Inf	110.48	3	Horizontal	309	1.99	75	32.77	6.81	34.87
AV	5.2675G	108.30	Inf	-Inf	103.59	3	Horizontal	309	1.99	75	32.77	6.81	34.87
PK	5.366G	63.10	74.00	-10.90	58.52	3	Horizontal	309	1.99	75	32.63	6.83	34.88
AV	5.3655G	52.46	54.00	-1.54	47.88	3	Horizontal	309	1.99	75	32.63	6.83	34.88
PK	5.464G	59.36	68.20	-8.84	54.79	3	Horizontal	309	1.99	75	32.60	6.86	34.89

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUTY\_4TX  
 SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53433G	52.49	68.20	-15.71	71.28	3	Vertical	233	1.80	75	38.40	8.24	65.43
PK	15.77563G	54.60	74.00	-19.40	69.09	3	Vertical	5	1.80	75	37.50	10.21	62.20
AV	15.78554G	44.93	54.00	-9.07	59.46	3	Vertical	5	1.80	75	37.46	10.21	62.20

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUTY\_4TX  
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5424G	52.90	68.20	-15.30	71.69	3	Horizontal	22	1.80	75	38.40	8.24	65.43
PK	15.79913G	54.74	74.00	-19.26	69.33	3	Horizontal	105	1.80	75	37.40	10.22	62.21
AV	15.8132G	44.77	54.00	-9.23	59.40	3	Horizontal	105	1.80	75	37.37	10.22	62.22

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
SET 77  
03-S-5-5-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	112.18	Inf	-Inf	105.72	3	Vertical	52	1.91	-	34.30	7.03	34.87
AV	5.312G	101.59	Inf	-Inf	95.09	3	Vertical	52	1.91	-	34.32	7.05	34.87
PK	5.3564G	62.41	74.00	-11.59	55.77	3	Vertical	52	1.91	-	34.41	7.11	34.88
AV	5.3516G	52.64	54.00	-1.36	46.02	3	Vertical	52	1.91	-	34.40	7.10	34.88

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUTY\_4TX  
 SET 77  
 03-S-5-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	114.72	Inf	-Inf	108.24	3	Horizontal	280	1.80	-	34.31	7.04	34.87
AV	5.3184G	103.09	Inf	-Inf	96.56	3	Horizontal	280	1.80	-	34.34	7.06	34.87
PK	5.3572G	64.01	74.00	-9.99	57.37	3	Horizontal	280	1.80	-	34.41	7.11	34.88
AV	5.3524G	53.83	54.00	-0.17	47.21	3	Horizontal	280	1.80	-	34.40	7.10	34.88

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92314G	55.69	74.00	-18.31	47.51	3	Vertical	133	1.20	-	37.50	12.80	42.12
AV	15.9204G	45.29	54.00	-8.71	37.11	3	Vertical	133	1.20	-	37.50	12.80	42.12

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92094G	57.25	74.00	-16.75	49.07	3	Horizontal	143	1.03	-	37.50	12.80	42.12
AV	15.92638G	44.98	54.00	-9.02	36.80	3	Horizontal	143	1.03	-	37.50	12.80	42.12



5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
SET 78  
03-S-5-5-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.33	74.00	-11.67	55.45	3	Vertical	50	1.97	-	34.52	7.25	34.89
AV	5.46G	51.75	54.00	-2.25	44.87	3	Vertical	50	1.97	-	34.52	7.25	34.89
PK	5.4672G	65.08	68.20	-3.12	58.19	3	Vertical	50	1.97	-	34.53	7.26	34.90
PK	5.504G	112.77	Inf	-Inf	105.78	3	Vertical	50	1.97	-	34.58	7.31	34.90
AV	5.5016G	101.45	Inf	-Inf	94.45	3	Vertical	50	1.97	-	34.59	7.31	34.90

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
SET 78  
03-S-5-5-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.79	74.00	-9.21	57.91	3	Horizontal	295	2.34	-	34.52	7.25	34.89
AV	5.46G	53.46	54.00	-0.54	46.58	3	Horizontal	295	2.34	-	34.52	7.25	34.89
PK	5.47G	67.98	68.20	-0.22	61.08	3	Horizontal	295	2.34	-	34.54	7.26	34.90
PK	5.5268G	116.38	Inf	-Inf	109.46	3	Horizontal	295	2.34	-	34.49	7.34	34.91
AV	5.5044G	105.48	Inf	-Inf	98.49	3	Horizontal	295	2.34	-	34.58	7.31	34.90

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02862G	55.13	74.00	-18.87	48.90	3	Vertical	158	1.60	-	38.36	10.98	43.11
AV	11.01814G	44.13	54.00	-9.87	37.92	3	Vertical	158	1.60	-	38.34	10.98	43.11

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0253G	55.09	74.00	-18.91	48.87	3	Horizontal	321	1.65	-	38.35	10.98	43.11
AV	11.01438G	44.04	54.00	-9.96	37.85	3	Horizontal	321	1.65	-	38.33	10.97	43.11

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 SET 83  
 80\85\83  
 1.34\1.57\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	58.96	68.20	-9.24	54.32	3	Vertical	50	1.83	83	32.69	6.82	34.87
AV	5.35G	49.00	54.00	-5.00	44.45	3	Vertical	50	1.83	83	32.60	6.83	34.88
PK	5.46G	63.76	74.00	-10.24	59.19	3	Vertical	50	1.83	83	32.60	6.86	34.89
AV	5.46G	53.62	54.00	-0.38	49.05	3	Vertical	50	1.83	83	32.60	6.86	34.89
PK	5.4675G	64.90	68.20	-3.30	60.34	3	Vertical	50	1.83	83	32.60	6.86	34.90
PK	5.5425G	114.00	Inf	-Inf	109.43	3	Vertical	50	1.83	83	32.60	6.89	34.92
AV	5.561G	106.64	Inf	-Inf	102.07	3	Vertical	50	1.83	83	32.60	6.90	34.93
PK	5.7285G	59.49	68.20	-8.71	54.34	3	Vertical	50	1.83	83	33.23	6.93	35.01

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 SET 77  
 83\72\77  
 -2.60\2.23\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3095G	57.84	68.20	-10.36	53.21	3	Horizontal	72	1.80	77	32.68	6.82	34.87
AV	5.35G	48.34	54.00	-5.66	43.79	3	Horizontal	72	1.80	77	32.60	6.83	34.88
PK	5.457G	60.64	74.00	-13.36	56.07	3	Horizontal	72	1.80	77	32.60	6.86	34.89
AV	5.4575G	53.69	54.00	-0.31	49.12	3	Horizontal	72	1.80	77	32.60	6.86	34.89
PK	5.461G	60.68	68.20	-7.52	56.11	3	Horizontal	72	1.80	77	32.60	6.86	34.89
PK	5.539G	117.28	Inf	-Inf	112.71	3	Horizontal	72	1.80	77	32.60	6.89	34.92
AV	5.5375G	109.20	Inf	-Inf	104.63	3	Horizontal	72	1.80	77	32.60	6.89	34.92
PK	5.729G	60.46	68.20	-7.74	55.31	3	Horizontal	72	1.80	77	33.23	6.93	35.01

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUTY\_4TX  
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06548G	52.52	74.00	-21.48	71.36	3	Vertical	260	2.94	77	38.53	8.42	65.79
AV	11.1235G	43.11	54.00	-10.89	61.75	3	Vertical	260	2.94	77	38.60	8.44	65.68
PK	16.68005G	56.18	68.20	-12.02	67.91	3	Vertical	71	1.80	77	39.64	10.75	62.12

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12062G	52.62	74.00	-21.38	71.26	3	Horizontal	133	1.80	77	38.60	8.44	65.68
AV	11.11718G	42.96	54.00	-11.04	61.61	3	Horizontal	133	1.80	77	38.60	8.44	65.69
PK	16.64481G	55.63	68.20	-12.57	67.63	3	Horizontal	113	1.73	77	39.38	10.73	62.11



5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 SET 76  
 80\66\73\76  
 -3.30\4.74\2.65\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4215G	57.47	74.00	-16.53	52.85	3	Vertical	304	1.80	76	32.66	6.85	34.89
PK	5.4675G	57.66	68.20	-10.54	53.10	3	Vertical	304	1.80	76	32.60	6.86	34.90
AV	5.448G	49.32	54.00	-4.68	44.75	3	Vertical	304	1.80	76	32.60	6.86	34.89
PK	5.659G	113.25	Inf	-Inf	108.64	3	Vertical	304	1.80	76	32.67	6.92	34.98
AV	5.6585G	104.70	Inf	-Inf	100.09	3	Vertical	304	1.80	76	32.67	6.92	34.98
PK	5.738G	67.83	68.20	-0.37	62.61	3	Vertical	304	1.80	76	33.30	6.93	35.01

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 SET 72  
 76\62\69\72  
 -3.44\3.99\4.32\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	58.52	74.00	-15.48	53.95	3	Horizontal	72	1.80	72	32.60	6.86	34.89
AV	5.4225G	49.81	54.00	-4.19	45.19	3	Horizontal	72	1.80	72	32.66	6.85	34.89
PK	5.4685G	57.86	68.20	-10.34	53.30	3	Horizontal	72	1.80	72	32.60	6.86	34.90
PK	5.659G	115.45	Inf	-Inf	110.84	3	Horizontal	72	1.80	72	32.67	6.92	34.98
AV	5.6785G	107.16	Inf	-Inf	102.40	3	Horizontal	72	1.80	72	32.83	6.92	34.99
PK	5.739G	68.03	68.20	-0.17	62.80	3	Horizontal	72	1.80	72	33.31	6.93	35.01

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37437G	54.21	74.00	-19.79	72.23	3	Vertical	46	1.05	72	38.65	8.53	65.20
AV	11.37477G	44.52	54.00	-9.48	62.54	3	Vertical	46	1.05	72	38.65	8.53	65.20
PK	17.02519G	57.38	68.20	-10.82	67.52	3	Vertical	80	2.27	72	41.10	10.99	62.23

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3022G	53.54	74.00	-20.46	71.78	3	Horizontal	104	2.04	72	38.60	8.50	65.34
AV	11.37692G	44.78	54.00	-9.22	62.79	3	Horizontal	104	2.04	72	38.65	8.53	65.19
PK	17.01304G	57.34	68.20	-10.86	67.54	3	Horizontal	128	1.08	72	41.05	10.98	62.23

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 SET 108  
 80\99\108  
 4.82\3.75\1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.69	74.00	-11.31	58.12	3	Vertical	50	1.85	108	32.60	6.86	34.89
AV	5.46G	52.99	54.00	-1.01	48.42	3	Vertical	50	1.85	108	32.60	6.86	34.89
PK	5.462G	65.66	68.20	-2.54	61.09	3	Vertical	50	1.85	108	32.60	6.86	34.89
PK	5.7035G	117.53	Inf	-Inf	112.57	3	Vertical	50	1.85	108	33.03	6.93	35.00
AV	5.7015G	109.50	Inf	-Inf	104.56	3	Vertical	50	1.85	108	33.01	6.93	35.00
PK	5.8515G	66.91	68.20	-1.29	61.32	3	Vertical	50	1.85	108	33.71	6.95	35.07

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 SET 100  
 108\90\99\103\101\100  
 -4.49\4.57\1.20\ -3.42\ -1.49\1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.78	74.00	-8.22	61.21	3	Horizontal	313	1.80	100	32.60	6.86	34.89
AV	5.46G	52.14	54.00	-1.86	47.57	3	Horizontal	313	1.80	100	32.60	6.86	34.89
PK	5.465G	66.39	68.20	-1.81	61.83	3	Horizontal	313	1.80	100	32.60	6.86	34.90
PK	5.713G	118.79	Inf	-Inf	113.76	3	Horizontal	313	1.80	100	33.10	6.93	35.00
AV	5.7075G	112.39	Inf	-Inf	107.40	3	Horizontal	313	1.80	100	33.06	6.93	35.00
PK	5.855G	64.99	68.20	-3.21	59.38	3	Horizontal	313	1.80	100	33.73	6.95	35.07

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43055G	54.03	74.00	-19.97	71.81	3	Vertical	146	2.75	100	38.76	8.55	65.09
AV	11.38452G	44.46	54.00	-9.54	62.44	3	Vertical	146	2.75	100	38.67	8.53	65.18
PK	17.10634G	58.94	68.20	-9.26	68.62	3	Vertical	255	1.80	100	41.53	11.05	62.26

5.47-5.725GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4029G	54.39	74.00	-19.61	72.28	3	Horizontal	236	1.24	100	38.71	8.54	65.14
AV	11.40394G	44.81	54.00	-9.19	62.70	3	Horizontal	236	1.24	100	38.71	8.54	65.14
PK	17.12664G	58.24	68.20	-9.96	67.84	3	Horizontal	279	1.97	100	41.61	11.06	62.27



5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 SET 77  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	59.03	74.00	-14.97	53.21	3	Vertical	49	1.80	-	33.90	6.77	34.85
AV	5.135G	48.69	54.00	-5.31	42.85	3	Vertical	49	1.80	-	33.91	6.78	34.85
PK	5.297G	109.56	Inf	-Inf	103.11	3	Vertical	49	1.80	-	34.29	7.03	34.87
AV	5.302G	98.94	Inf	-Inf	92.48	3	Vertical	49	1.80	-	34.30	7.03	34.87
PK	5.36G	63.22	74.00	-10.78	56.57	3	Vertical	49	1.80	-	34.42	7.11	34.88
AV	5.353G	52.59	54.00	-1.41	45.96	3	Vertical	49	1.80	-	34.41	7.10	34.88
PK	5.485G	60.83	68.20	-7.37	53.88	3	Vertical	49	1.80	-	34.57	7.28	34.90

5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 SET 77  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.73	74.00	-13.27	54.79	3	Horizontal	283	1.83	-	33.99	6.80	34.85
AV	5.144G	49.46	54.00	-4.54	43.56	3	Horizontal	283	1.83	-	33.96	6.79	34.85
PK	5.261G	111.60	Inf	-Inf	105.35	3	Horizontal	283	1.83	-	34.14	6.98	34.87
AV	5.275G	100.44	Inf	-Inf	94.11	3	Horizontal	283	1.83	-	34.20	7.00	34.87
PK	5.36G	65.63	74.00	-8.37	58.98	3	Horizontal	283	1.83	-	34.42	7.11	34.88
AV	5.35G	53.81	54.00	-0.19	47.19	3	Horizontal	283	1.83	-	34.40	7.10	34.88
PK	5.462G	61.43	68.20	-6.77	54.55	3	Horizontal	283	1.83	-	34.52	7.25	34.89

5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86704G	55.87	74.00	-18.13	47.77	3	Vertical	105	1.52	-	37.50	12.78	42.18
AV	15.87278G	45.15	54.00	-8.85	37.05	3	Vertical	105	1.52	-	37.50	12.78	42.18

5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87844G	56.11	74.00	-17.89	48.00	3	Horizontal	192	1.60	-	37.50	12.78	42.17
AV	15.86702G	44.82	54.00	-9.18	36.72	3	Horizontal	192	1.60	-	37.50	12.78	42.18

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 SET 78  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	60.86	68.20	-7.34	54.31	3	Vertical	47	2.01	-	34.36	7.07	34.88
PK	5.453G	63.19	74.00	-10.81	56.33	3	Vertical	47	2.01	-	34.51	7.24	34.89
AV	5.455G	52.22	54.00	-1.78	45.36	3	Vertical	47	2.01	-	34.51	7.24	34.89
PK	5.464G	62.75	68.20	-5.45	55.85	3	Vertical	47	2.01	-	34.53	7.26	34.89
PK	5.505G	108.04	Inf	-Inf	101.05	3	Vertical	47	2.01	-	34.58	7.31	34.90
AV	5.519G	97.64	Inf	-Inf	90.70	3	Vertical	47	2.01	-	34.52	7.33	34.91
PK	5.741G	60.74	68.20	-7.46	54.08	3	Vertical	47	2.01	-	34.18	7.50	35.02

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 SET 78  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	59.64	68.20	-8.56	53.09	3	Horizontal	312	1.04	-	34.36	7.07	34.88
PK	5.437G	64.34	74.00	-9.66	57.51	3	Horizontal	312	1.04	-	34.50	7.22	34.89
AV	5.437G	53.87	54.00	-0.13	47.04	3	Horizontal	312	1.04	-	34.50	7.22	34.89
PK	5.47G	64.54	68.20	-3.66	57.64	3	Horizontal	312	1.04	-	34.54	7.26	34.90
PK	5.559G	112.64	Inf	-Inf	105.81	3	Horizontal	312	1.04	-	34.38	7.38	34.93
AV	5.523G	100.76	Inf	-Inf	93.82	3	Horizontal	312	1.04	-	34.51	7.34	34.91
PK	5.725G	61.46	68.20	-6.74	54.82	3	Horizontal	312	1.04	-	34.15	7.50	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT Y\_4TX  
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06246G	55.10	74.00	-18.90	48.82	3	Vertical	351	2.47	-	38.40	11.00	43.12
AV	11.0503G	44.32	54.00	-9.68	38.05	3	Vertical	351	2.47	-	38.40	10.99	43.12

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT Y\_4TX  
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05228G	55.74	74.00	-18.26	49.47	3	Horizontal	100	2.21	-	38.40	10.99	43.12
AV	11.0565G	44.35	54.00	-9.65	38.07	3	Horizontal	100	2.21	-	38.40	11.00	43.12



5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
 SET 80  
 80  
 0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.79	74.00	-11.21	58.22	3	Vertical	303	1.94	80	32.60	6.86	34.89
AV	5.457G	53.77	54.00	-0.23	49.20	3	Vertical	303	1.94	80	32.60	6.86	34.89
PK	5.4665G	59.71	68.20	-8.49	55.15	3	Vertical	303	1.94	80	32.60	6.86	34.90
PK	5.599G	110.80	Inf	-Inf	106.24	3	Vertical	303	1.94	80	32.60	6.91	34.95
AV	5.5975G	103.09	Inf	-Inf	98.53	3	Vertical	303	1.94	80	32.60	6.91	34.95
PK	5.7385G	64.42	68.20	-3.78	59.19	3	Vertical	303	1.94	80	33.31	6.93	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 SET 72  
 80\69\74\72  
 -2.70\2.32\ -0.34\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	63.92	74.00	-10.08	59.35	3	Horizontal	73	1.83	72	32.60	6.86	34.89
AV	5.4585G	53.84	54.00	-0.16	49.27	3	Horizontal	73	1.83	72	32.60	6.86	34.89
PK	5.461G	62.23	68.20	-5.97	57.66	3	Horizontal	73	1.83	72	32.60	6.86	34.89
PK	5.598G	113.41	Inf	-Inf	108.85	3	Horizontal	73	1.83	72	32.60	6.91	34.95
AV	5.5975G	105.92	Inf	-Inf	101.36	3	Horizontal	73	1.83	72	32.60	6.91	34.95
PK	5.738G	62.91	68.20	-5.29	57.69	3	Horizontal	73	1.83	72	33.30	6.93	35.01

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUTY\_4TX  
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.28378G	53.31	74.00	-20.69	71.55	3	Vertical	24	2.20	72	38.63	8.50	65.37
AV	11.29081G	43.85	54.00	-10.15	62.09	3	Vertical	24	2.20	72	38.62	8.50	65.36
PK	16.79611G	58.06	68.20	-10.14	69.00	3	Vertical	360	1.80	72	40.38	10.83	62.15

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUTY\_4TX  
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26156G	52.89	74.00	-21.11	71.13	3	Horizontal	187	1.80	72	38.68	8.49	65.41
AV	11.29097G	43.87	54.00	-10.13	62.11	3	Horizontal	187	1.80	72	38.62	8.50	65.36
PK	16.84135G	57.99	68.20	-10.21	68.90	3	Horizontal	94	1.64	72	40.40	10.86	62.17

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 SET 96  
 80\97\89\93\95\96  
 4.45\ -0.41\2.70\1.51\0.77\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.93	74.00	-13.07	56.36	3	Vertical	308	1.88	96	32.60	6.86	34.89
AV	5.457G	53.47	54.00	-0.53	48.90	3	Vertical	308	1.88	96	32.60	6.86	34.89
PK	5.465G	60.35	68.20	-7.85	55.79	3	Vertical	308	1.88	96	32.60	6.86	34.90
PK	5.678G	112.31	Inf	-Inf	107.56	3	Vertical	308	1.88	96	32.82	6.92	34.99
AV	5.6775G	105.60	Inf	-Inf	100.85	3	Vertical	308	1.88	96	32.82	6.92	34.99
PK	5.8595G	65.38	68.20	-2.82	59.74	3	Vertical	308	1.88	96	33.76	6.95	35.07

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 SET 92  
 96\86\91\93\92  
 -2.43\2.91\0.53\ -0.27\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4575G	62.63	74.00	-11.37	58.06	3	Horizontal	70	1.78	92	32.60	6.86	34.89
AV	5.4575G	53.69	54.00	-0.31	49.12	3	Horizontal	70	1.78	92	32.60	6.86	34.89
PK	5.4605G	60.40	68.20	-7.80	55.83	3	Horizontal	70	1.78	92	32.60	6.86	34.89
PK	5.659G	116.41	Inf	-Inf	111.80	3	Horizontal	70	1.78	92	32.67	6.92	34.98
AV	5.6775G	108.73	Inf	-Inf	103.98	3	Horizontal	70	1.78	92	32.82	6.92	34.99
PK	5.861G	65.79	68.20	-2.41	60.14	3	Horizontal	70	1.78	92	33.77	6.95	35.07

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39662G	54.29	74.00	-19.71	72.23	3	Vertical	254	1.80	92	38.69	8.53	65.16
AV	11.40557G	44.71	54.00	-9.29	62.60	3	Vertical	254	1.80	92	38.71	8.54	65.14
PK	17.14672G	58.34	68.20	-9.86	67.85	3	Vertical	250	1.80	92	41.69	11.08	62.28

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38911G	53.94	74.00	-20.06	71.90	3	Horizontal	44	1.80	92	38.68	8.53	65.17
AV	11.39614G	44.52	54.00	-9.48	62.46	3	Horizontal	44	1.80	92	38.69	8.53	65.16
PK	17.14385G	58.69	68.20	-9.51	68.22	3	Horizontal	85	1.80	92	41.68	11.07	62.28



5.25-5.35GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
SET 64  
03-S-S-5-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	62.12	74.00	-11.88	56.17	3	Vertical	47	3.00	-	34.00	6.80	34.85
AV	5.1492G	51.15	54.00	-2.85	45.20	3	Vertical	47	3.00	-	34.00	6.80	34.85
PK	5.2356G	103.95	Inf	-Inf	97.80	3	Vertical	47	3.00	-	34.07	6.94	34.86
PK	5.3556G	63.16	74.00	-10.84	56.52	3	Vertical	47	3.00	-	34.41	7.11	34.88
AV	5.3124G	92.51	Inf	-Inf	86.01	3	Vertical	47	3.00	-	34.32	7.05	34.87
AV	5.3588G	51.02	54.00	-2.98	44.37	3	Vertical	47	3.00	-	34.42	7.11	34.88
PK	5.506G	60.42	68.20	-7.78	53.43	3	Vertical	47	3.00	-	34.58	7.31	34.90

5.25-5.35GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




28/03/2024

EUT\_Y\_4TX  
SET 64  
03-S-S-5-10  
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.24	74.00	-8.76	59.31	3	Horizontal	283	1.68	-	33.98	6.80	34.85
AV	5.1492G	53.89	54.00	-0.11	47.94	3	Horizontal	283	1.68	-	34.00	6.80	34.85
PK	5.2276G	106.73	Inf	-Inf	100.60	3	Horizontal	283	1.68	-	34.06	6.93	34.86
AV	5.1892G	95.63	Inf	-Inf	89.62	3	Horizontal	283	1.68	-	34.00	6.87	34.86
PK	5.3556G	63.01	74.00	-10.99	56.37	3	Horizontal	283	1.68	-	34.41	7.11	34.88
AV	5.3764G	51.61	54.00	-2.39	44.90	3	Horizontal	283	1.68	-	34.45	7.14	34.88
PK	5.5012G	61.14	68.20	-7.06	54.13	3	Horizontal	283	1.68	-	34.60	7.31	34.90

5.25-5.35GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7516G	55.84	74.00	-18.16	47.54	3	Vertical	34	1.08	-	37.87	12.74	42.31
AV	15.7449G	44.99	54.00	-9.01	36.67	3	Vertical	34	1.08	-	37.91	12.74	42.33

5.25-5.35GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74834G	56.49	74.00	-17.51	48.17	3	Horizontal	267	1.75	-	37.90	12.74	42.32
AV	15.74818G	44.93	54.00	-9.07	36.61	3	Horizontal	267	1.75	-	37.90	12.74	42.32

5.47-5.725GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 SET 64  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	59.72	68.20	-8.48	53.24	3	Vertical	51	1.92	-	34.31	7.04	34.87
PK	5.4596G	62.65	74.00	-11.35	55.77	3	Vertical	51	1.92	-	34.52	7.25	34.89
AV	5.4548G	51.83	54.00	-2.17	44.97	3	Vertical	51	1.92	-	34.51	7.24	34.89
PK	5.4644G	63.47	68.20	-4.73	56.58	3	Vertical	51	1.92	-	34.53	7.26	34.90
PK	5.602G	103.12	Inf	-Inf	96.33	3	Vertical	51	1.92	-	34.30	7.44	34.95
AV	5.594G	92.18	Inf	-Inf	85.39	3	Vertical	51	1.92	-	34.31	7.43	34.95
PK	5.7252G	65.02	68.20	-3.18	58.38	3	Vertical	51	1.92	-	34.15	7.50	35.01

5.47-5.725GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 SET 64  
 03-S-S-5-10  
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	60.29	68.20	-7.91	53.70	3	Horizontal	296	2.30	-	34.38	7.09	34.88
PK	5.4372G	65.05	74.00	-8.95	58.22	3	Horizontal	296	2.30	-	34.50	7.22	34.89
PK	5.4612G	66.44	68.20	-1.76	59.56	3	Horizontal	296	2.30	-	34.52	7.25	34.89
AV	5.4548G	53.86	54.00	-0.14	47.00	3	Horizontal	296	2.30	-	34.51	7.24	34.89
PK	5.5092G	106.84	Inf	-Inf	99.86	3	Horizontal	296	2.30	-	34.56	7.32	34.90
AV	5.5476G	96.40	Inf	-Inf	89.54	3	Horizontal	296	2.30	-	34.41	7.37	34.92
PK	5.7252G	65.80	68.20	-2.40	59.16	3	Horizontal	296	2.30	-	34.15	7.50	35.01

5.47-5.725GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5570MHz\_TX




EUT Y\_4TX  
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14044G	54.94	74.00	-19.06	48.74	3	Vertical	357	1.92	-	38.32	11.04	43.16
AV	11.13726G	44.13	54.00	-9.87	37.91	3	Vertical	357	1.92	-	38.33	11.04	43.15

5.47-5.725GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

5570MHz\_TX



EUT\_Y\_4TX  
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13794G	55.27	74.00	-18.73	49.07	3	Horizontal	315	1.71	-	38.32	11.04	43.16
AV	11.13628G	44.16	54.00	-9.84	37.94	3	Horizontal	315	1.71	-	38.33	11.04	43.15