


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 78
 78
 4.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.06G	58.48	74.00	-15.52	53.93	3	Horizontal	307	2.79	78	32.96	6.43	34.84
AV	5.1345G	47.82	54.00	-6.18	43.31	3	Horizontal	307	2.79	78	32.73	6.63	34.85
PK	5.2955G	113.04	Inf	-Inf	108.38	3	Horizontal	307	2.79	78	32.71	6.82	34.87
AV	5.3045G	105.30	Inf	-Inf	100.66	3	Horizontal	307	2.79	78	32.69	6.82	34.87
PK	5.4555G	59.72	74.00	-14.28	55.15	3	Horizontal	307	2.79	78	32.60	6.86	34.89
AV	5.454G	49.91	54.00	-4.09	45.34	3	Horizontal	307	2.79	78	32.60	6.86	34.89
PK	5.466G	59.79	68.20	-8.41	55.23	3	Horizontal	307	2.79	78	32.60	6.86	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61986G	54.30	74.00	-19.70	70.80	3	Vertical	359	1.80	78	38.92	10.09	65.51
AV	10.61986G	42.76	54.00	-11.24	59.26	3	Vertical	359	1.80	78	38.92	10.09	65.51
PK	15.88889G	57.61	74.00	-16.39	68.53	3	Vertical	354	1.80	78	37.63	13.71	62.26
AV	15.88561G	45.96	54.00	-8.04	56.87	3	Vertical	354	1.80	78	37.64	13.71	62.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61866G	54.73	74.00	-19.27	71.23	3	Horizontal	140	1.80	78	38.92	10.09	65.51
AV	10.6199G	42.64	54.00	-11.36	59.14	3	Horizontal	140	1.80	78	38.92	10.09	65.51
PK	15.88182G	58.32	74.00	-15.68	69.23	3	Horizontal	348	1.80	78	37.65	13.70	62.26
AV	15.88234G	45.91	54.00	-8.09	56.81	3	Horizontal	348	1.80	78	37.65	13.71	62.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 SET 76
 80,70,75,77,76
 -2.48,2.87,1.01,-0.32,0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1195G	59.52	74.00	-14.48	55.02	3	Vertical	350	2.36	76	32.76	6.59	34.85
AV	5.15G	47.53	54.00	-6.47	43.01	3	Vertical	350	2.36	76	32.70	6.67	34.85
PK	5.325G	117.27	Inf	-Inf	112.67	3	Vertical	350	2.36	76	32.65	6.83	34.88
AV	5.325G	109.97	Inf	-Inf	105.37	3	Vertical	350	2.36	76	32.65	6.83	34.88
PK	5.3515G	71.12	74.00	-2.88	66.57	3	Vertical	350	2.36	76	32.60	6.83	34.88
AV	5.35G	53.60	54.00	-0.40	49.05	3	Vertical	350	2.36	76	32.60	6.83	34.88
PK	5.4865G	63.40	68.20	-4.80	58.83	3	Vertical	350	2.36	76	32.60	6.87	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX







EUT_Z_2TX
 SET 76
 76
 3.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.111G	57.60	74.00	-16.40	53.11	3	Horizontal	307	2.84	76	32.78	6.56	34.85
AV	5.1465G	47.04	54.00	-6.96	42.52	3	Horizontal	307	2.84	76	32.71	6.66	34.85
PK	5.3155G	112.51	Inf	-Inf	107.89	3	Horizontal	307	2.84	76	32.67	6.82	34.87
AV	5.3245G	105.06	Inf	-Inf	100.47	3	Horizontal	307	2.84	76	32.65	6.82	34.88
PK	5.35G	63.57	74.00	-10.43	59.02	3	Horizontal	307	2.84	76	32.60	6.83	34.88
AV	5.35G	50.08	54.00	-3.92	45.53	3	Horizontal	307	2.84	76	32.60	6.83	34.88
PK	5.4745G	59.82	68.20	-8.38	55.25	3	Horizontal	307	2.84	76	32.60	6.87	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6362G	54.44	74.00	-19.56	70.93	3	Vertical	270	1.80	76	38.94	10.10	65.53
AV	10.62046G	42.81	54.00	-11.19	59.32	3	Vertical	270	1.80	76	38.92	10.09	65.52
PK	15.97786G	57.73	74.00	-16.27	68.83	3	Vertical	148	1.96	76	37.44	13.77	62.31
AV	15.94198G	45.57	54.00	-8.43	56.60	3	Vertical	148	1.96	76	37.52	13.74	62.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62653G	55.44	74.00	-18.56	71.94	3	Horizontal	351	1.89	76	38.93	10.09	65.52
AV	10.62665G	42.80	54.00	-11.20	59.30	3	Horizontal	351	1.89	76	38.93	10.09	65.52
PK	15.96719G	57.75	74.00	-16.25	68.82	3	Horizontal	296	1.80	76	37.47	13.76	62.30
AV	15.94565G	45.66	54.00	-8.34	56.69	3	Horizontal	296	1.80	76	37.51	13.75	62.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 83
 80,82,83
 0.62\0.57\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.105G	59.80	74.00	-14.20	55.30	3	Vertical	355	2.49	83	32.79	6.55	34.84
AV	5.1075G	49.41	54.00	-4.59	44.93	3	Vertical	355	2.49	83	32.78	6.55	34.85
PK	5.2625G	120.45	Inf	-Inf	115.74	3	Vertical	355	2.49	83	32.77	6.81	34.87
AV	5.2675G	110.49	Inf	-Inf	105.78	3	Vertical	355	2.49	83	32.77	6.81	34.87
PK	5.427G	63.00	74.00	-11.00	58.39	3	Vertical	355	2.49	83	32.65	6.85	34.89
AV	5.415G	53.84	54.00	-0.16	49.21	3	Vertical	355	2.49	83	32.67	6.85	34.89
PK	5.4985G	59.10	68.20	-9.10	54.53	3	Vertical	355	2.49	83	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 83
 83
 4.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0945G	57.67	74.00	-16.33	53.17	3	Horizontal	308	2.78	83	32.82	6.52	34.84
AV	5.0995G	47.55	54.00	-6.45	43.06	3	Horizontal	308	2.78	83	32.80	6.53	34.84
PK	5.2675G	114.58	Inf	-Inf	109.87	3	Horizontal	308	2.78	83	32.77	6.81	34.87
AV	5.2625G	105.97	Inf	-Inf	101.26	3	Horizontal	308	2.78	83	32.77	6.81	34.87
PK	5.3625G	59.64	74.00	-14.36	55.07	3	Horizontal	308	2.78	83	32.62	6.83	34.88
AV	5.4245G	49.80	54.00	-4.20	45.19	3	Horizontal	308	2.78	83	32.65	6.85	34.89
PK	5.509G	57.31	68.20	-10.89	52.73	3	Horizontal	308	2.78	83	32.60	6.88	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50418G	55.11	68.20	-13.09	71.94	3	Vertical	2	2.06	83	38.52	10.04	65.39
PK	15.76909G	58.74	74.00	-15.26	69.47	3	Vertical	48	1.90	83	37.84	13.63	62.20
AV	15.79007G	46.70	54.00	-7.30	57.38	3	Vertical	48	1.90	83	37.88	13.65	62.21

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50805G	55.38	68.20	-12.82	72.21	3	Horizontal	287	1.80	83	38.53	10.04	65.40
PK	15.79702G	58.65	74.00	-15.35	69.32	3	Horizontal	47	1.23	83	37.89	13.65	62.21
AV	15.79794G	46.71	54.00	-7.29	57.37	3	Horizontal	47	1.23	83	37.90	13.65	62.21

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




20/01/2024

EUT_Z_2TX
 SET 80
 80
 0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.34	74.00	-13.66	55.83	3	Vertical	352	2.48	80	32.70	6.66	34.85
AV	5.148G	50.67	54.00	-3.33	46.16	3	Vertical	352	2.48	80	32.70	6.66	34.85
PK	5.295G	119.01	Inf	-Inf	114.35	3	Vertical	352	2.48	80	32.71	6.82	34.87
AV	5.2975G	110.01	Inf	-Inf	105.35	3	Vertical	352	2.48	80	32.71	6.82	34.87
PK	5.35G	64.56	74.00	-9.44	60.01	3	Vertical	352	2.48	80	32.60	6.83	34.88
PK	5.4675G	64.19	68.20	-4.01	59.63	3	Vertical	352	2.48	80	32.60	6.86	34.90
AV	5.46G	53.81	54.00	-0.19	49.24	3	Vertical	352	2.48	80	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX








EUT_Z_2TX
 SET 80
 80
 4.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	59.22	74.00	-14.78	54.72	3	Horizontal	308	2.52	80	32.75	6.60	34.85
AV	5.148G	47.79	54.00	-6.21	43.28	3	Horizontal	308	2.52	80	32.70	6.66	34.85
PK	5.2975G	115.28	Inf	-Inf	110.62	3	Horizontal	308	2.52	80	32.71	6.82	34.87
AV	5.2975G	104.88	Inf	-Inf	100.22	3	Horizontal	308	2.52	80	32.71	6.82	34.87
PK	5.454G	59.65	74.00	-14.35	55.08	3	Horizontal	308	2.52	80	32.60	6.86	34.89
AV	5.4575G	49.44	54.00	-4.56	44.87	3	Horizontal	308	2.52	80	32.60	6.86	34.89
PK	5.467G	60.01	68.20	-8.19	55.45	3	Horizontal	308	2.52	80	32.60	6.86	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60555G	55.27	74.00	-18.73	71.78	3	Vertical	353	2.88	80	38.91	10.08	65.50
AV	10.61818G	42.65	54.00	-11.35	59.15	3	Vertical	353	2.88	80	38.92	10.09	65.51
PK	15.91175G	58.36	74.00	-15.64	69.33	3	Vertical	181	1.84	80	37.58	13.72	62.27
AV	15.88721G	45.91	54.00	-8.09	56.82	3	Vertical	181	1.84	80	37.64	13.71	62.26

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61015G	54.41	74.00	-19.59	70.91	3	Horizontal	86	1.80	80	38.91	10.09	65.50
AV	10.6187G	42.64	54.00	-11.36	59.14	3	Horizontal	86	1.80	80	38.92	10.09	65.51
PK	15.89357G	57.88	74.00	-16.12	68.81	3	Horizontal	305	2.85	80	37.62	13.71	62.26
AV	15.901G	46.02	54.00	-7.98	56.97	3	Horizontal	305	2.85	80	37.60	13.72	62.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 SET 73
 80\58\69\74\72\73
 -5.40\3.70\1.84\ -0.52\0.70\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	57.51	74.00	-16.49	53.00	3	Vertical	352	2.74	73	32.73	6.63	34.85
AV	5.15G	48.37	54.00	-5.63	43.85	3	Vertical	352	2.74	73	32.70	6.67	34.85
PK	5.318G	117.98	Inf	-Inf	113.37	3	Vertical	352	2.74	73	32.66	6.82	34.87
AV	5.325G	107.97	Inf	-Inf	103.37	3	Vertical	352	2.74	73	32.65	6.83	34.88
PK	5.3505G	68.75	74.00	-5.25	64.20	3	Vertical	352	2.74	73	32.60	6.83	34.88
AV	5.3505G	53.68	54.00	-0.32	49.13	3	Vertical	352	2.74	73	32.60	6.83	34.88
PK	5.475G	63.84	68.20	-4.36	59.27	3	Vertical	352	2.74	73	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




20/01/2024

EUT_Z_2TX
 SET 73
 73
 3.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1035G	57.43	74.00	-16.57	52.94	3	Horizontal	307	2.42	73	32.79	6.54	34.84
AV	5.0805G	47.02	54.00	-6.98	42.50	3	Horizontal	307	2.42	73	32.88	6.48	34.84
PK	5.3275G	112.73	Inf	-Inf	108.13	3	Horizontal	307	2.42	73	32.65	6.83	34.88
AV	5.3225G	103.16	Inf	-Inf	98.56	3	Horizontal	307	2.42	73	32.66	6.82	34.88
PK	5.35G	63.66	74.00	-10.34	59.11	3	Horizontal	307	2.42	73	32.60	6.83	34.88
AV	5.35G	50.41	54.00	-3.59	45.86	3	Horizontal	307	2.42	73	32.60	6.83	34.88
PK	5.4875G	59.10	68.20	-9.10	54.53	3	Horizontal	307	2.42	73	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63009G	54.02	74.00	-19.98	70.53	3	Vertical	49	1.93	73	38.93	10.09	65.53
AV	10.62006G	42.95	54.00	-11.05	59.45	3	Vertical	49	1.93	73	38.92	10.09	65.51
PK	15.95796G	57.75	74.00	-16.25	68.82	3	Vertical	215	1.80	73	37.48	13.75	62.30
AV	15.94518G	45.80	54.00	-8.20	56.83	3	Vertical	215	1.80	73	37.51	13.75	62.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63996G	54.29	74.00	-19.71	70.79	3	Horizontal	4	2.46	73	38.94	10.10	65.54
AV	10.62054G	42.73	54.00	-11.27	59.24	3	Horizontal	4	2.46	73	38.92	10.09	65.52
PK	15.95317G	57.21	74.00	-16.79	68.26	3	Horizontal	254	1.80	73	37.49	13.75	62.29
AV	15.94346G	45.65	54.00	-8.35	56.69	3	Horizontal	254	1.80	73	37.51	13.74	62.29

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 80
 80
 0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	59.61	74.00	-14.39	55.10	3	Vertical	352	2.53	80	32.71	6.65	34.85
AV	5.1035G	49.48	54.00	-4.52	44.99	3	Vertical	352	2.53	80	32.79	6.54	34.84
PK	5.265G	118.79	Inf	-Inf	114.08	3	Vertical	352	2.53	80	32.77	6.81	34.87
AV	5.266G	108.57	Inf	-Inf	103.86	3	Vertical	352	2.53	80	32.77	6.81	34.87
PK	5.4235G	63.36	74.00	-10.64	58.75	3	Vertical	352	2.53	80	32.65	6.85	34.89
AV	5.4245G	53.71	54.00	-0.29	49.10	3	Vertical	352	2.53	80	32.65	6.85	34.89
PK	5.471G	60.35	68.20	-7.85	55.79	3	Vertical	352	2.53	80	32.60	6.86	34.90

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 80
 80
 3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.067G	58.06	74.00	-15.94	53.52	3	Horizontal	308	2.78	80	32.93	6.45	34.84
AV	5.091G	48.27	54.00	-5.73	43.76	3	Horizontal	308	2.78	80	32.84	6.51	34.84
PK	5.266G	113.48	Inf	-Inf	108.77	3	Horizontal	308	2.78	80	32.77	6.81	34.87
AV	5.267G	103.88	Inf	-Inf	99.17	3	Horizontal	308	2.78	80	32.77	6.81	34.87
PK	5.4185G	59.53	74.00	-14.47	54.91	3	Horizontal	308	2.78	80	32.66	6.85	34.89
AV	5.416G	50.20	54.00	-3.80	45.57	3	Horizontal	308	2.78	80	32.67	6.85	34.89
PK	5.486G	58.50	68.20	-9.70	53.93	3	Horizontal	308	2.78	80	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5178G	55.72	68.20	-12.48	72.51	3	Vertical	27	1.80	80	38.57	10.05	65.41
PK	15.77437G	58.40	74.00	-15.60	69.11	3	Vertical	346	2.86	80	37.85	13.64	62.20
AV	15.77397G	47.58	54.00	-6.42	58.29	3	Vertical	346	2.86	80	37.85	13.64	62.20

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50769G	54.69	68.20	-13.51	71.52	3	Horizontal	314	1.06	80	38.53	10.04	65.40
PK	15.79051G	60.06	74.00	-13.94	70.74	3	Horizontal	328	1.99	80	37.88	13.65	62.21
AV	15.76282G	47.43	54.00	-6.57	58.16	3	Horizontal	328	1.99	80	37.83	13.63	62.19

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 78
 80,78
 -0.31\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.55	74.00	-14.45	55.04	3	Vertical	354	2.42	78	32.70	6.66	34.85
AV	5.1455G	50.66	54.00	-3.34	46.14	3	Vertical	354	2.42	78	32.71	6.66	34.85
PK	5.298G	117.87	Inf	-Inf	113.22	3	Vertical	354	2.42	78	32.70	6.82	34.87
AV	5.295G	107.85	Inf	-Inf	103.19	3	Vertical	354	2.42	78	32.71	6.82	34.87
PK	5.4545G	63.22	74.00	-10.78	58.65	3	Vertical	354	2.42	78	32.60	6.86	34.89
AV	5.454G	53.59	54.00	-0.41	49.02	3	Vertical	354	2.42	78	32.60	6.86	34.89
PK	5.463G	63.21	68.20	-4.99	58.64	3	Vertical	354	2.42	78	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 78
 78
 3.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	58.13	74.00	-15.87	53.62	3	Horizontal	307	2.82	78	32.73	6.63	34.85
AV	5.148G	48.47	54.00	-5.53	43.96	3	Horizontal	307	2.82	78	32.70	6.66	34.85
PK	5.2975G	113.06	Inf	-Inf	108.40	3	Horizontal	307	2.82	78	32.71	6.82	34.87
AV	5.2945G	103.36	Inf	-Inf	98.70	3	Horizontal	307	2.82	78	32.71	6.82	34.87
PK	5.46G	60.18	74.00	-13.82	55.61	3	Horizontal	307	2.82	78	32.60	6.86	34.89
AV	5.4565G	50.14	54.00	-3.86	45.57	3	Horizontal	307	2.82	78	32.60	6.86	34.89
PK	5.4605G	60.15	68.20	-8.05	55.58	3	Horizontal	307	2.82	78	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61107G	54.50	74.00	-19.50	71.01	3	Vertical	6	1.34	78	38.91	10.09	65.51
AV	10.61151G	43.73	54.00	-10.27	60.24	3	Vertical	6	1.34	78	38.91	10.09	65.51
PK	15.8829G	58.51	74.00	-15.49	69.41	3	Vertical	175	1.80	78	37.65	13.71	62.26
AV	15.88577G	46.76	54.00	-7.24	57.67	3	Vertical	175	1.80	78	37.64	13.71	62.26

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60819G	54.45	74.00	-19.55	70.96	3	Horizontal	357	1.80	78	38.91	10.08	65.50
AV	10.61978G	43.38	54.00	-10.62	59.88	3	Horizontal	357	1.80	78	38.92	10.09	65.51
PK	15.88294G	57.91	74.00	-16.09	68.81	3	Horizontal	56	1.80	78	37.65	13.71	62.26
AV	15.88801G	46.82	54.00	-7.18	57.73	3	Horizontal	56	1.80	78	37.64	13.71	62.26

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX








EUT_Z_2TX
 SET 72
 80\61\70\74\72\73\72
 -4.73\3.48\1.09\ -0.85\0.70\ -0.65\0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	58.39	74.00	-15.61	53.88	3	Vertical	352	2.35	72	32.72	6.64	34.85
AV	5.15G	48.89	54.00	-5.11	44.37	3	Vertical	352	2.35	72	32.70	6.67	34.85
PK	5.315G	116.29	Inf	-Inf	111.67	3	Vertical	352	2.35	72	32.67	6.82	34.87
AV	5.3145G	106.77	Inf	-Inf	102.15	3	Vertical	352	2.35	72	32.67	6.82	34.87
PK	5.35G	68.15	74.00	-5.85	63.60	3	Vertical	352	2.35	72	32.60	6.83	34.88
AV	5.3505G	53.30	54.00	-0.70	48.75	3	Vertical	352	2.35	72	32.60	6.83	34.88
PK	5.4875G	62.53	68.20	-5.67	57.96	3	Vertical	352	2.35	72	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
 SET 72
 72
 3.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.076G	57.81	74.00	-16.19	53.28	3	Horizontal	307	2.34	72	32.90	6.47	34.84
AV	5.1145G	47.79	54.00	-6.21	43.30	3	Horizontal	307	2.34	72	32.77	6.57	34.85
PK	5.314G	111.34	Inf	-Inf	106.72	3	Horizontal	307	2.34	72	32.67	6.82	34.87
AV	5.325G	101.15	Inf	-Inf	96.55	3	Horizontal	307	2.34	72	32.65	6.83	34.88
PK	5.3545G	63.00	74.00	-11.00	58.44	3	Horizontal	307	2.34	72	32.61	6.83	34.88
AV	5.3505G	50.09	54.00	-3.91	45.54	3	Horizontal	307	2.34	72	32.60	6.83	34.88
PK	5.477G	59.07	68.20	-9.13	54.50	3	Horizontal	307	2.34	72	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63029G	54.47	74.00	-19.53	70.98	3	Vertical	198	1.80	72	38.93	10.09	65.53
AV	10.6213G	43.94	54.00	-10.06	60.45	3	Vertical	198	1.80	72	38.92	10.09	65.52
PK	15.96999G	58.49	74.00	-15.51	69.57	3	Vertical	21	2.45	72	37.46	13.76	62.30
AV	15.9761G	46.32	54.00	-7.68	57.42	3	Vertical	21	2.45	72	37.45	13.76	62.31

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63117G	54.43	74.00	-19.57	70.94	3	Horizontal	147	1.80	72	38.93	10.09	65.53
AV	10.6203G	43.45	54.00	-10.55	59.96	3	Horizontal	147	1.80	72	38.92	10.09	65.52
PK	15.96036G	58.06	74.00	-15.94	69.13	3	Horizontal	116	1.80	72	37.48	13.75	62.30
AV	15.94154G	46.70	54.00	-7.30	57.73	3	Horizontal	116	1.80	72	37.52	13.74	62.29

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX








EUT_Z_2TX
 SET 79
 80,79
 -0.18,0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	59.29	74.00	-14.71	54.80	3	Vertical	350	2.56	79	32.77	6.57	34.85
AV	5.125G	49.17	54.00	-4.83	44.67	3	Vertical	350	2.56	79	32.75	6.60	34.85
PK	5.275G	118.50	Inf	-Inf	113.80	3	Vertical	350	2.56	79	32.75	6.82	34.87
AV	5.265G	106.97	Inf	-Inf	102.26	3	Vertical	350	2.56	79	32.77	6.81	34.87
PK	5.35G	67.31	74.00	-6.69	62.76	3	Vertical	350	2.56	79	32.60	6.83	34.88
AV	5.3505G	53.38	54.00	-0.62	48.83	3	Vertical	350	2.56	79	32.60	6.83	34.88
PK	5.496G	60.01	68.20	-8.19	55.44	3	Vertical	350	2.56	79	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
 SET 79
 79
 3.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	58.14	74.00	-15.86	53.64	3	Horizontal	303	2.70	79	32.75	6.60	34.85
AV	5.12G	48.18	54.00	-5.82	43.68	3	Horizontal	303	2.70	79	32.76	6.59	34.85
PK	5.285G	112.23	Inf	-Inf	107.55	3	Horizontal	303	2.70	79	32.73	6.82	34.87
AV	5.2825G	101.91	Inf	-Inf	97.23	3	Horizontal	303	2.70	79	32.73	6.82	34.87
PK	5.35G	62.31	74.00	-11.69	57.76	3	Horizontal	303	2.70	79	32.60	6.83	34.88
AV	5.3505G	50.52	54.00	-3.48	45.97	3	Horizontal	303	2.70	79	32.60	6.83	34.88
PK	5.4745G	58.07	68.20	-10.13	53.50	3	Horizontal	303	2.70	79	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50563G	54.61	68.20	-13.59	71.45	3	Vertical	86	2.10	79	38.52	10.04	65.40
PK	15.78674G	58.72	74.00	-15.28	69.41	3	Vertical	188	1.50	79	37.87	13.64	62.20
AV	15.79985G	47.51	54.00	-6.49	58.17	3	Vertical	188	1.50	79	37.90	13.65	62.21

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52114G	55.61	68.20	-12.59	72.39	3	Horizontal	243	1.05	79	38.58	10.05	65.41
PK	15.7921G	58.80	74.00	-15.20	69.48	3	Horizontal	1	1.78	79	37.88	13.65	62.21
AV	15.81072G	47.72	54.00	-6.28	58.41	3	Horizontal	1	1.78	79	37.87	13.66	62.22

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




20/01/2024

EUT_Z_2TX
 SET 66
 80\48\64\72\68\66
 -10.99\4.35\1.17\ -4.00\ -0.91\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	58.35	74.00	-15.65	53.84	3	Vertical	351	2.37	66	32.72	6.64	34.85
AV	5.148G	48.86	54.00	-5.14	44.35	3	Vertical	351	2.37	66	32.70	6.66	34.85
PK	5.3255G	114.72	Inf	-Inf	110.12	3	Vertical	351	2.37	66	32.65	6.83	34.88
AV	5.3175G	104.28	Inf	-Inf	99.66	3	Vertical	351	2.37	66	32.67	6.82	34.87
PK	5.361G	68.15	74.00	-5.85	63.58	3	Vertical	351	2.37	66	32.62	6.83	34.88
AV	5.35G	53.97	54.00	-0.03	49.42	3	Vertical	351	2.37	66	32.60	6.83	34.88
PK	5.4615G	61.27	68.20	-6.93	56.70	3	Vertical	351	2.37	66	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 SET 66
 66
 3.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.067G	58.38	74.00	-15.62	53.84	3	Horizontal	306	2.54	66	32.93	6.45	34.84
AV	5.062G	47.99	54.00	-6.01	43.45	3	Horizontal	306	2.54	66	32.95	6.43	34.84
PK	5.328G	109.12	Inf	-Inf	104.53	3	Horizontal	306	2.54	66	32.64	6.83	34.88
AV	5.3125G	99.23	Inf	-Inf	94.60	3	Horizontal	306	2.54	66	32.68	6.82	34.87
PK	5.36G	63.48	74.00	-10.52	58.91	3	Horizontal	306	2.54	66	32.62	6.83	34.88
AV	5.35G	50.41	54.00	-3.59	45.86	3	Horizontal	306	2.54	66	32.60	6.83	34.88
PK	5.47G	59.32	68.20	-8.88	54.76	3	Horizontal	306	2.54	66	32.60	6.86	34.90

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6252G	54.39	74.00	-19.61	70.89	3	Vertical	206	1.96	66	38.93	10.09	65.52
AV	10.62112G	43.75	54.00	-10.25	60.26	3	Vertical	206	1.96	66	38.92	10.09	65.52
PK	15.93975G	57.43	74.00	-16.57	68.46	3	Vertical	192	2.90	66	37.52	13.74	62.29
AV	15.90938G	46.69	54.00	-7.31	57.66	3	Vertical	192	2.90	66	37.58	13.72	62.27

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62879G	54.87	74.00	-19.13	71.37	3	Horizontal	14	1.21	66	38.93	10.09	65.52
AV	10.62056G	43.69	54.00	-10.31	60.20	3	Horizontal	14	1.21	66	38.92	10.09	65.52
PK	15.90307G	57.77	74.00	-16.23	68.73	3	Horizontal	359	2.60	66	37.59	13.72	62.27
AV	15.92025G	46.66	54.00	-7.34	57.65	3	Horizontal	359	2.60	66	37.56	13.73	62.28

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 SET 81
 80,83,82,81
 0.85\ -0.79\ -0.18\ 0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	59.30	74.00	-14.70	54.80	3	Vertical	353	2.50	81	32.75	6.60	34.85
AV	5.1255G	49.52	54.00	-4.48	45.02	3	Vertical	353	2.50	81	32.75	6.60	34.85
PK	5.2735G	116.12	Inf	-Inf	111.43	3	Vertical	353	2.50	81	32.75	6.81	34.87
AV	5.2725G	106.02	Inf	-Inf	101.32	3	Vertical	353	2.50	81	32.76	6.81	34.87
PK	5.35G	65.59	74.00	-8.41	61.04	3	Vertical	353	2.50	81	32.60	6.83	34.88
AV	5.35G	53.90	54.00	-0.10	49.35	3	Vertical	353	2.50	81	32.60	6.83	34.88
PK	5.462G	59.62	68.20	-8.58	55.05	3	Vertical	353	2.50	81	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 SET 01
 81
 2.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	57.86	74.00	-16.14	53.36	3	Horizontal	307	2.74	81	32.80	6.54	34.84
AV	5.11G	48.24	54.00	-5.76	43.75	3	Horizontal	307	2.74	81	32.78	6.56	34.85
PK	5.2715G	110.52	Inf	-Inf	105.82	3	Horizontal	307	2.74	81	32.76	6.81	34.87
AV	5.2675G	101.17	Inf	-Inf	96.46	3	Horizontal	307	2.74	81	32.77	6.81	34.87
PK	5.35G	64.61	74.00	-9.39	60.06	3	Horizontal	307	2.74	81	32.60	6.83	34.88
AV	5.3505G	51.03	54.00	-2.97	46.48	3	Horizontal	307	2.74	81	32.60	6.83	34.88
PK	5.4965G	59.36	68.20	-8.84	54.79	3	Horizontal	307	2.74	81	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56669G	55.01	68.20	-13.19	71.63	3	Vertical	290	2.32	81	38.77	10.07	65.46
PK	15.81096G	58.59	74.00	-15.41	69.28	3	Vertical	248	1.80	81	37.87	13.66	62.22
AV	15.79793G	47.74	54.00	-6.26	58.40	3	Vertical	248	1.80	81	37.90	13.65	62.21

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX








EUT_Z_2TX
SET 01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50316G	54.62	68.20	-13.58	71.46	3	Horizontal	177	1.80	81	38.51	10.04	65.39
PK	15.81136G	58.66	74.00	-15.34	69.35	3	Horizontal	207	1.80	81	37.87	13.66	62.22
AV	15.82127G	47.50	54.00	-6.50	58.21	3	Horizontal	207	1.80	81	37.84	13.67	62.22

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024




EUT_Z_2TX
 SET 68
 80\48\64\72\68
 -10.43\4.93\1.93\ -2.85\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	58.98	74.00	-15.02	54.47	3	Vertical	353	2.35	68	32.73	6.63	34.85
AV	5.15G	49.13	54.00	-4.87	44.61	3	Vertical	353	2.35	68	32.70	6.67	34.85
PK	5.3205G	113.46	Inf	-Inf	108.85	3	Vertical	353	2.35	68	32.66	6.82	34.87
AV	5.3145G	103.02	Inf	-Inf	98.40	3	Vertical	353	2.35	68	32.67	6.82	34.87
PK	5.35G	72.26	74.00	-1.74	67.71	3	Vertical	353	2.35	68	32.60	6.83	34.88
AV	5.35G	53.90	54.00	-0.10	49.35	3	Vertical	353	2.35	68	32.60	6.83	34.88
PK	5.4635G	60.81	68.20	-7.39	56.24	3	Vertical	353	2.35	68	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
 SET 68
 68
 2.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	57.25	74.00	-16.75	52.74	3	Horizontal	308	2.84	68	32.70	6.66	34.85
AV	5.1455G	47.92	54.00	-6.08	43.40	3	Horizontal	308	2.84	68	32.71	6.66	34.85
PK	5.325G	108.33	Inf	-Inf	103.73	3	Horizontal	308	2.84	68	32.66	6.82	34.88
AV	5.307G	98.33	Inf	-Inf	93.69	3	Horizontal	308	2.84	68	32.69	6.82	34.87
PK	5.354G	64.53	74.00	-9.47	59.97	3	Horizontal	308	2.84	68	32.61	6.83	34.88
AV	5.35G	51.03	54.00	-2.97	46.48	3	Horizontal	308	2.84	68	32.60	6.83	34.88
PK	5.4665G	58.49	68.20	-9.71	53.93	3	Horizontal	308	2.84	68	32.60	6.86	34.90

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60945G	54.41	74.00	-19.59	70.91	3	Vertical	295	1.80	68	38.91	10.09	65.50
AV	10.61169G	43.34	54.00	-10.66	59.85	3	Vertical	295	1.80	68	38.91	10.09	65.51
PK	15.90818G	57.85	74.00	-16.15	68.82	3	Vertical	308	2.52	68	37.58	13.72	62.27
AV	15.9137G	46.85	54.00	-7.15	57.82	3	Vertical	308	2.52	68	37.57	13.73	62.27

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63063G	54.63	74.00	-19.37	71.14	3	Horizontal	298	1.80	68	38.93	10.09	65.53
AV	10.62016G	43.60	54.00	-10.40	60.10	3	Horizontal	298	1.80	68	38.92	10.09	65.51
PK	15.89036G	58.43	74.00	-15.57	69.35	3	Horizontal	7	2.21	68	37.63	13.71	62.26
AV	15.92449G	46.66	54.00	-7.34	57.66	3	Horizontal	7	2.21	68	37.55	13.73	62.28

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




26/03/2024

EUT_Z_2TX
Setting 75
04-K-G-5-10
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	60.63	74.00	-13.37	55.39	3	Vertical	348	2.60	-	32.60	5.90	33.26
AV	5.15G	48.72	54.00	-5.28	43.48	3	Vertical	348	2.60	-	32.60	5.90	33.26
PK	5.2775G	113.51	Inf	-Inf	108.06	3	Vertical	348	2.60	-	32.76	6.00	33.31
AV	5.305G	101.82	Inf	-Inf	96.31	3	Vertical	348	2.60	-	32.81	6.02	33.32
PK	5.353G	65.54	74.00	-8.46	59.90	3	Vertical	348	2.60	-	32.91	6.07	33.34
AV	5.353G	53.64	54.00	-0.36	48.00	3	Vertical	348	2.60	-	32.91	6.07	33.34
PK	5.4605G	62.70	68.20	-5.50	56.57	3	Vertical	348	2.60	-	33.36	6.15	33.38

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 75
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0465G	60.16	74.00	-13.84	54.93	3	Horizontal	308	2.83	-	32.61	5.85	33.23
AV	5.147G	47.60	54.00	-6.40	42.37	3	Horizontal	308	2.83	-	32.59	5.90	33.26
PK	5.277G	107.09	Inf	-Inf	101.65	3	Horizontal	308	2.83	-	32.75	6.00	33.31
AV	5.302G	96.00	Inf	-Inf	90.50	3	Horizontal	308	2.83	-	32.80	6.02	33.32
PK	5.3825G	62.21	74.00	-11.79	56.43	3	Horizontal	308	2.83	-	33.03	6.10	33.35
AV	5.3525G	49.70	54.00	-4.30	44.06	3	Horizontal	308	2.83	-	32.91	6.07	33.34
PK	5.5005G	61.05	68.20	-7.15	54.67	3	Horizontal	308	2.83	-	33.60	6.17	33.39

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 75
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5947G	55.87	68.20	-12.33	41.89	3	Vertical	311	2.59	-	38.89	9.01	33.92
PK	15.86502G	57.41	74.00	-16.59	42.92	3	Vertical	80	1.76	-	38.13	11.39	35.03
AV	15.88134G	46.38	54.00	-7.62	31.85	3	Vertical	80	1.76	-	38.16	11.39	35.02

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 75
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59182G	55.29	68.20	-12.91	41.32	3	Horizontal	201	1.22	-	38.88	9.01	33.92
PK	15.85623G	57.95	74.00	-16.05	43.49	3	Horizontal	328	1.03	-	38.11	11.38	35.03
AV	15.87702G	46.44	54.00	-7.56	31.92	3	Horizontal	328	1.03	-	38.15	11.39	35.02

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 80
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	60.91	74.00	-13.09	55.69	3	Vertical	350	2.61	-	32.59	5.89	33.26
AV	5.149G	48.54	54.00	-5.46	43.30	3	Vertical	350	2.61	-	32.60	5.90	33.26
PK	5.3055G	111.74	Inf	-Inf	106.22	3	Vertical	350	2.61	-	32.81	6.03	33.32
AV	5.305G	99.94	Inf	-Inf	94.43	3	Vertical	350	2.61	-	32.81	6.02	33.32
PK	5.356G	65.15	74.00	-8.85	59.49	3	Vertical	350	2.61	-	32.92	6.08	33.34
AV	5.3515G	53.84	54.00	-0.16	48.20	3	Vertical	350	2.61	-	32.91	6.07	33.34
PK	5.4885G	62.96	68.20	-5.24	56.66	3	Vertical	350	2.61	-	33.53	6.16	33.39

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




26/03/2024

EUT_Z_2TX
 Setting 80
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0995G	59.15	74.00	-14.85	54.03	3	Horizontal	163	2.62	-	32.50	5.87	33.25
AV	5.1495G	47.03	54.00	-6.97	41.79	3	Horizontal	163	2.62	-	32.60	5.90	33.26
PK	5.264G	104.93	Inf	-Inf	99.53	3	Horizontal	163	2.62	-	32.73	5.98	33.31
AV	5.276G	92.75	Inf	-Inf	87.31	3	Horizontal	163	2.62	-	32.75	6.00	33.31
PK	5.353G	61.94	74.00	-12.06	56.30	3	Horizontal	163	2.62	-	32.91	6.07	33.34
AV	5.352G	50.32	54.00	-3.68	44.68	3	Horizontal	163	2.62	-	32.91	6.07	33.34
PK	5.4955G	60.24	68.20	-7.96	53.89	3	Horizontal	163	2.62	-	33.57	6.17	33.39

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 80
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57409G	55.26	68.20	-12.94	41.32	3	Vertical	106	2.15	-	38.85	9.00	33.91
PK	15.87054G	57.32	74.00	-16.68	42.82	3	Vertical	95	2.31	-	38.14	11.39	35.03
AV	15.88101G	47.78	54.00	-6.22	33.25	3	Vertical	95	2.31	-	38.16	11.39	35.02

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 80
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56671G	55.25	68.20	-12.95	41.32	3	Horizontal	17	2.40	-	38.83	9.00	33.90
PK	15.86199G	57.28	74.00	-16.72	42.81	3	Horizontal	326	1.14	-	38.12	11.38	35.03
AV	15.88335G	47.72	54.00	-6.28	33.18	3	Horizontal	326	1.14	-	38.17	11.39	35.02

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 SET 60
 80\48\64\56\60
 -17.72\3.12\ -1.86\1.39\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	62.60	74.00	-11.40	58.08	3	Vertical	351	2.35	60	32.71	6.66	34.85
AV	5.15G	53.91	54.00	-0.09	49.39	3	Vertical	351	2.35	60	32.70	6.67	34.85
PK	5.3105G	107.12	Inf	-Inf	102.49	3	Vertical	351	2.35	60	32.68	6.82	34.87
AV	5.315G	98.21	Inf	-Inf	93.59	3	Vertical	351	2.35	60	32.67	6.82	34.87
AV	5.3605G	53.68	54.00	-0.32	49.11	3	Vertical	351	2.35	60	32.62	6.83	34.88
PK	5.42G	61.38	74.00	-12.62	56.76	3	Vertical	351	2.35	60	32.66	6.85	34.89
PK	5.461G	59.04	68.20	-9.16	54.47	3	Vertical	351	2.35	60	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 SET 60
 60
 2.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1375G	60.52	74.00	-13.48	56.01	3	Horizontal	301	2.75	60	32.73	6.63	34.85
AV	5.1445G	51.61	54.00	-2.39	47.10	3	Horizontal	301	2.75	60	32.71	6.65	34.85
PK	5.2755G	101.64	Inf	-Inf	96.94	3	Horizontal	301	2.75	60	32.75	6.82	34.87
AV	5.225G	93.83	Inf	-Inf	89.09	3	Horizontal	301	2.75	60	32.80	6.80	34.86
PK	5.414G	59.12	74.00	-14.88	54.50	3	Horizontal	301	2.75	60	32.67	6.84	34.89
AV	5.3505G	50.62	54.00	-3.38	46.07	3	Horizontal	301	2.75	60	32.60	6.83	34.88
PK	5.4975G	57.63	68.20	-10.57	53.06	3	Horizontal	301	2.75	60	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4431G	54.29	68.20	-13.91	71.33	3	Vertical	358	1.53	60	38.50	10.01	65.55
PK	15.80594G	58.27	74.00	-15.73	68.95	3	Vertical	37	1.80	60	37.88	13.66	62.22
AV	15.8523G	49.10	54.00	-4.90	59.91	3	Vertical	37	1.80	60	37.74	13.69	62.24

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX








EUT_Z_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43574G	54.77	68.20	-13.43	71.83	3	Horizontal	325	1.75	60	38.50	10.01	65.57
PK	15.80275G	58.28	74.00	-15.72	68.95	3	Horizontal	69	1.80	60	37.89	13.65	62.21
AV	15.84814G	48.89	54.00	-5.11	59.69	3	Horizontal	69	1.80	60	37.76	13.68	62.24

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


26/03/2024

EUT_Z_2TX
 Setting 71
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	69.42	74.00	-4.58	64.19	3	Vertical	354	2.65	-	32.59	5.90	33.26
AV	5.149G	53.93	54.00	-0.07	48.69	3	Vertical	354	2.65	-	32.60	5.90	33.26
PK	5.26G	107.36	Inf	-Inf	101.96	3	Vertical	354	2.65	-	32.72	5.98	33.30
PK	5.351G	70.18	74.00	-3.82	64.55	3	Vertical	354	2.65	-	32.90	6.07	33.34
AV	5.307G	94.78	Inf	-Inf	89.26	3	Vertical	354	2.65	-	32.81	6.03	33.32
AV	5.35G	53.09	54.00	-0.91	47.46	3	Vertical	354	2.65	-	32.90	6.07	33.34
PK	5.4705G	63.39	68.20	-4.81	57.19	3	Vertical	354	2.65	-	33.42	6.16	33.38

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 71
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.24	74.00	-9.76	59.01	3	Horizontal	159	3.00	-	32.59	5.90	33.26
AV	5.15G	49.83	54.00	-4.17	44.59	3	Horizontal	159	3.00	-	32.60	5.90	33.26
PK	5.186G	100.82	Inf	-Inf	95.52	3	Horizontal	159	3.00	-	32.67	5.91	33.28
AV	5.225G	89.14	Inf	-Inf	83.79	3	Horizontal	159	3.00	-	32.70	5.94	33.29
PK	5.3765G	64.37	74.00	-9.63	58.61	3	Horizontal	159	3.00	-	33.01	6.10	33.35
AV	5.351G	50.00	54.00	-4.00	44.37	3	Horizontal	159	3.00	-	32.90	6.07	33.34
PK	5.4725G	60.27	68.20	-7.93	54.06	3	Horizontal	159	3.00	-	33.43	6.16	33.38

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 71
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51464G	55.38	68.20	-12.62	41.73	3	Vertical	5	1.14	-	38.73	8.97	33.85
PK	15.76224G	57.25	74.00	-16.75	42.83	3	Vertical	183	2.21	-	38.12	11.34	35.04
AV	15.75168G	47.49	54.00	-6.51	33.10	3	Vertical	183	2.21	-	38.10	11.33	35.04

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX








EUT_Z_2TX
 Setting 71
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49475G	56.06	68.20	-12.14	42.25	3	Horizontal	53	2.82	-	38.69	8.96	33.84
PK	15.7458G	57.56	74.00	-16.44	43.20	3	Horizontal	86	1.83	-	38.07	11.33	35.04
AV	15.76089G	47.64	54.00	-6.36	33.22	3	Horizontal	86	1.83	-	38.12	11.34	35.04

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024





EUT_Z_2TX
 SET 71
 80\57\68\73\71
 -5.66\5.86\0.58\ -2.25\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	59.15	68.20	-9.05	54.56	3	Vertical	342	2.39	71	32.64	6.83	34.88
AV	5.35G	47.20	54.00	-6.80	42.65	3	Vertical	342	2.39	71	32.60	6.83	34.88
PK	5.445G	61.35	74.00	-12.65	56.77	3	Vertical	342	2.39	71	32.61	6.86	34.89
AV	5.4555G	49.44	54.00	-4.56	44.87	3	Vertical	342	2.39	71	32.60	6.86	34.89
PK	5.4695G	67.79	68.20	-0.41	63.23	3	Vertical	342	2.39	71	32.60	6.86	34.90
PK	5.5055G	116.43	Inf	-Inf	111.85	3	Vertical	342	2.39	71	32.60	6.88	34.90
AV	5.4955G	108.29	Inf	-Inf	103.72	3	Vertical	342	2.39	71	32.60	6.87	34.90
PK	5.725G	59.02	68.20	-9.18	53.90	3	Vertical	342	2.39	71	33.20	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
 SET 71
 71
 6.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3345G	58.42	68.20	-9.78	53.84	3	Horizontal	306	2.40	71	32.63	6.83	34.88
AV	5.35G	46.73	54.00	-7.27	42.18	3	Horizontal	306	2.40	71	32.60	6.83	34.88
PK	5.426G	58.44	74.00	-15.56	53.83	3	Horizontal	306	2.40	71	32.65	6.85	34.89
PK	5.47G	62.18	68.20	-6.02	57.62	3	Horizontal	306	2.40	71	32.60	6.86	34.90
AV	5.459G	47.86	54.00	-6.14	43.29	3	Horizontal	306	2.40	71	32.60	6.86	34.89
PK	5.505G	111.76	Inf	-Inf	107.18	3	Horizontal	306	2.40	71	32.60	6.88	34.90
AV	5.4945G	103.78	Inf	-Inf	99.21	3	Horizontal	306	2.40	71	32.60	6.87	34.90
PK	5.745G	58.28	68.20	-9.92	53.01	3	Horizontal	306	2.40	71	33.36	6.93	35.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99525G	54.48	74.00	-19.52	71.34	3	Vertical	340	1.80	71	38.80	10.25	65.91
AV	10.98985G	42.40	54.00	-11.60	59.24	3	Vertical	340	1.80	71	38.81	10.25	65.90
PK	16.51191G	59.01	68.20	-9.19	68.35	3	Vertical	67	1.69	71	38.63	14.09	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98949G	53.88	74.00	-20.12	70.72	3	Horizontal	347	2.90	71	38.81	10.25	65.90
AV	10.98797G	42.57	54.00	-11.43	59.41	3	Horizontal	347	2.90	71	38.81	10.25	65.90
PK	16.49668G	59.10	68.20	-9.10	68.40	3	Horizontal	1	1.24	71	38.67	14.09	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




20/01/2024

EUT_Z_2TX
 SET 106
 80\98\107\103\105\106
 4.63\2.45\0.16\1.94\1.71\0.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3305G	58.63	68.20	-9.57	54.04	3	Vertical	268	2.28	106	32.64	6.83	34.88
AV	5.35G	47.66	54.00	-6.34	43.11	3	Vertical	268	2.28	106	32.60	6.83	34.88
PK	5.4455G	63.60	74.00	-10.40	59.02	3	Vertical	268	2.28	106	32.61	6.86	34.89
AV	5.4135G	52.47	54.00	-1.53	47.85	3	Vertical	268	2.28	106	32.67	6.84	34.89
PK	5.4655G	67.27	68.20	-0.93	62.71	3	Vertical	268	2.28	106	32.60	6.86	34.90
PK	5.5735G	122.40	Inf	-Inf	117.84	3	Vertical	268	2.28	106	32.60	6.90	34.94
AV	5.573G	114.13	Inf	-Inf	109.57	3	Vertical	268	2.28	106	32.60	6.90	34.94
PK	5.7375G	63.76	68.20	-4.44	58.54	3	Vertical	268	2.28	106	33.30	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
 SET 106
 106
 1.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3375G	57.86	68.20	-10.34	53.29	3	Horizontal	284	2.50	106	32.62	6.83	34.88
AV	5.35G	47.21	54.00	-6.79	42.66	3	Horizontal	284	2.50	106	32.60	6.83	34.88
PK	5.449G	64.42	74.00	-9.58	59.85	3	Horizontal	284	2.50	106	32.60	6.86	34.89
AV	5.422G	52.78	54.00	-1.22	48.16	3	Horizontal	284	2.50	106	32.66	6.85	34.89
PK	5.4615G	59.20	68.20	-9.00	54.63	3	Horizontal	284	2.50	106	32.60	6.86	34.89
PK	5.582G	117.91	Inf	-Inf	113.35	3	Horizontal	284	2.50	106	32.60	6.90	34.94
AV	5.577G	109.83	Inf	-Inf	105.27	3	Horizontal	284	2.50	106	32.60	6.90	34.94
PK	5.7465G	61.84	68.20	-6.36	56.56	3	Horizontal	284	2.50	106	33.37	6.93	35.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 106

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1608G	54.98	74.00	-19.02	71.48	3	Vertical	117	1.14	106	38.78	10.32	65.60
AV	11.15389G	42.97	54.00	-11.03	59.51	3	Vertical	117	1.14	106	38.76	10.32	65.62
PK	16.72817G	59.21	68.20	-8.99	69.03	3	Vertical	86	2.93	106	38.08	14.23	62.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 106

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14805G	55.14	74.00	-18.86	71.71	3	Horizontal	358	1.80	106	38.74	10.32	65.63
AV	11.14621G	42.66	54.00	-11.34	59.23	3	Horizontal	358	1.80	106	38.74	10.32	65.63
PK	16.74256G	59.00	68.20	-9.20	68.77	3	Horizontal	213	1.61	106	38.13	14.24	62.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 SET 67
 80\48\64\72\68\66\67
 -10.20\6.89\6.29\ -2.68\ -0.58\2.60\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4555G	58.37	74.00	-15.63	53.80	3	Vertical	348	2.30	67	32.60	6.86	34.89
AV	5.4505G	47.72	54.00	-6.28	43.15	3	Vertical	348	2.30	67	32.60	6.86	34.89
PK	5.466G	57.91	68.20	-10.29	53.35	3	Vertical	348	2.30	67	32.60	6.86	34.90
PK	5.699G	113.24	Inf	-Inf	108.33	3	Vertical	348	2.30	67	32.99	6.92	35.00
AV	5.6985G	106.05	Inf	-Inf	101.14	3	Vertical	348	2.30	67	32.99	6.92	35.00
PK	5.729G	67.43	68.20	-0.77	62.28	3	Vertical	348	2.30	67	33.23	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 SET 67
 67
 6.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4525G	56.97	74.00	-17.03	52.40	3	Horizontal	276	2.42	67	32.60	6.86	34.89
PK	5.462G	57.81	68.20	-10.39	53.24	3	Horizontal	276	2.42	67	32.60	6.86	34.89
AV	5.4575G	47.10	54.00	-6.90	42.53	3	Horizontal	276	2.42	67	32.60	6.86	34.89
PK	5.6985G	107.73	Inf	-Inf	102.82	3	Horizontal	276	2.42	67	32.99	6.92	35.00
AV	5.703G	100.19	Inf	-Inf	95.24	3	Horizontal	276	2.42	67	33.02	6.93	35.00
PK	5.9095G	60.31	68.20	-7.89	54.45	3	Horizontal	276	2.42	67	34.00	6.96	35.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3803G	55.55	74.00	-18.45	71.40	3	Vertical	344	2.44	67	38.92	10.42	65.19
AV	11.38354G	44.14	54.00	-9.86	59.98	3	Vertical	344	2.44	67	38.92	10.42	65.18
PK	17.09568G	59.09	68.20	-9.11	68.61	3	Vertical	100	1.80	67	38.29	14.45	62.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41778G	56.45	74.00	-17.55	72.25	3	Horizontal	264	1.80	67	38.88	10.44	65.12
AV	11.38374G	44.18	54.00	-9.82	60.02	3	Horizontal	264	1.80	67	38.92	10.42	65.18
PK	17.10176G	58.72	68.20	-9.48	68.21	3	Horizontal	182	1.80	67	38.31	14.46	62.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20/01/2024

EUT_Z_2TX
 SET 108
 80,102,108
 5.58\4.68\4.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45594G	62.03	74.00	-11.97	57.46	3	Vertical	346	2.30	108	32.60	6.86	34.89
AV	5.45702G	49.56	54.00	-4.44	44.99	3	Vertical	346	2.30	108	32.60	6.86	34.89
PK	5.46512G	62.25	68.20	-5.95	57.69	3	Vertical	346	2.30	108	32.60	6.86	34.90
PK	5.71946G	122.34	Inf	-Inf	117.26	3	Vertical	346	2.30	108	33.16	6.93	35.01
AV	5.71406G	113.93	Inf	-Inf	108.89	3	Vertical	346	2.30	108	33.11	6.93	35.00
PK	5.85986G	62.27	68.20	-5.93	56.63	3	Vertical	346	2.30	108	33.76	6.95	35.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 108
 108
 6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	57.37	74.00	-16.63	52.80	3	Horizontal	307	2.30	108	32.60	6.86	34.89
AV	5.45162G	47.57	54.00	-6.43	43.00	3	Horizontal	307	2.30	108	32.60	6.86	34.89
PK	5.46944G	58.07	68.20	-10.13	53.51	3	Horizontal	307	2.30	108	32.60	6.86	34.90
PK	5.71406G	117.83	Inf	-Inf	112.79	3	Horizontal	307	2.30	108	33.11	6.93	35.00
AV	5.72378G	109.41	Inf	-Inf	104.30	3	Horizontal	307	2.30	108	33.19	6.93	35.01
PK	5.92088G	60.00	68.20	-8.20	54.14	3	Horizontal	307	2.30	108	34.00	6.96	35.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42226G	55.40	74.00	-18.60	71.19	3	Vertical	311	2.95	108	38.88	10.44	65.11
AV	11.42306G	43.59	54.00	-10.41	59.38	3	Vertical	311	2.95	108	38.88	10.44	65.11
PK	17.17179G	58.80	68.20	-9.40	67.93	3	Vertical	158	1.80	108	38.66	14.50	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44088G	55.69	74.00	-18.31	71.45	3	Horizontal	349	1.71	108	38.86	10.45	65.07
AV	11.42166G	43.64	54.00	-10.36	59.43	3	Horizontal	349	1.71	108	38.88	10.44	65.11
PK	17.17998G	58.92	68.20	-9.28	68.01	3	Horizontal	1	1.80	108	38.70	14.51	62.30

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX








EUT_Z_2TX
 SET 67
 80\56\68\74\71\70\69\68\67
 -5.82\5.85\1.44\ -6.01\ -2.36\ -1.63\ -0.92\ -0.78\1.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3395G	60.69	68.20	-7.51	56.12	3	Vertical	346	2.49	67	32.62	6.83	34.88
AV	5.35G	47.20	54.00	-6.80	42.65	3	Vertical	346	2.49	67	32.60	6.83	34.88
PK	5.46G	61.86	74.00	-12.14	57.29	3	Vertical	346	2.49	67	32.60	6.86	34.89
AV	5.46G	49.80	54.00	-4.20	45.23	3	Vertical	346	2.49	67	32.60	6.86	34.89
PK	5.47G	66.74	68.20	-1.46	62.18	3	Vertical	346	2.49	67	32.60	6.86	34.90
PK	5.5055G	118.15	Inf	-Inf	113.57	3	Vertical	346	2.49	67	32.60	6.88	34.90
AV	5.495G	107.20	Inf	-Inf	102.63	3	Vertical	346	2.49	67	32.60	6.87	34.90
PK	5.7435G	59.24	68.20	-8.96	53.98	3	Vertical	346	2.49	67	33.35	6.93	35.02

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
SET 67
67
5.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	58.62	68.20	-9.58	54.04	3	Horizontal	302	2.39	67	32.63	6.83	34.88
AV	5.35G	46.73	54.00	-7.27	42.18	3	Horizontal	302	2.39	67	32.60	6.83	34.88
PK	5.4595G	59.07	74.00	-14.93	54.50	3	Horizontal	302	2.39	67	32.60	6.86	34.89
AV	5.455G	47.72	54.00	-6.28	43.15	3	Horizontal	302	2.39	67	32.60	6.86	34.89
PK	5.47G	62.34	68.20	-5.86	57.78	3	Horizontal	302	2.39	67	32.60	6.86	34.90
PK	5.5025G	111.97	Inf	-Inf	107.39	3	Horizontal	302	2.39	67	32.60	6.88	34.90
AV	5.4975G	102.11	Inf	-Inf	97.54	3	Horizontal	302	2.39	67	32.60	6.87	34.90
PK	5.73G	58.43	68.20	-9.77	53.27	3	Horizontal	302	2.39	67	33.24	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00783G	54.58	74.00	-19.42	71.44	3	Vertical	182	2.62	67	38.78	10.26	65.90
AV	10.99037G	42.53	54.00	-11.47	59.37	3	Vertical	182	2.62	67	38.81	10.25	65.90
PK	16.50591G	59.52	68.20	-8.68	68.83	3	Vertical	7	1.60	67	38.66	14.09	62.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99189G	54.23	74.00	-19.77	71.07	3	Horizontal	87	1.80	67	38.81	10.25	65.90
AV	10.98122G	42.42	54.00	-11.58	59.24	3	Horizontal	87	1.80	67	38.82	10.25	65.89
PK	16.50659G	59.66	68.20	-8.54	68.97	3	Horizontal	359	1.80	67	38.66	14.09	62.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




20/01/2024

EUT_Z_2TX
 SET 89
 80,86,89
 1.73\0.81\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3305G	58.79	68.20	-9.41	54.20	3	Vertical	342	2.43	89	32.64	6.83	34.88
AV	5.35G	47.80	54.00	-6.20	43.25	3	Vertical	342	2.43	89	32.60	6.83	34.88
PK	5.4285G	64.02	74.00	-9.98	59.42	3	Vertical	342	2.43	89	32.64	6.85	34.89
AV	5.42G	53.66	54.00	-0.34	49.04	3	Vertical	342	2.43	89	32.66	6.85	34.89
PK	5.47G	59.78	68.20	-8.42	55.22	3	Vertical	342	2.43	89	32.60	6.86	34.90
PK	5.5875G	121.57	Inf	-Inf	117.00	3	Vertical	342	2.43	89	32.60	6.91	34.94
AV	5.575G	111.37	Inf	-Inf	106.81	3	Vertical	342	2.43	89	32.60	6.90	34.94
PK	5.732G	62.38	68.20	-5.82	57.20	3	Vertical	342	2.43	89	33.26	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 SET 09
 89
 3.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3475G	58.73	68.20	-9.47	54.17	3	Horizontal	286	2.66	89	32.61	6.83	34.88
AV	5.35G	47.05	54.00	-6.95	42.50	3	Horizontal	286	2.66	89	32.60	6.83	34.88
PK	5.417G	61.34	74.00	-12.66	56.71	3	Horizontal	286	2.66	89	32.67	6.85	34.89
AV	5.413G	50.42	54.00	-3.58	45.80	3	Horizontal	286	2.66	89	32.67	6.84	34.89
PK	5.462G	57.80	68.20	-10.40	53.23	3	Horizontal	286	2.66	89	32.60	6.86	34.89
PK	5.586G	115.58	Inf	-Inf	111.01	3	Horizontal	286	2.66	89	32.60	6.91	34.94
AV	5.576G	105.78	Inf	-Inf	101.22	3	Horizontal	286	2.66	89	32.60	6.90	34.94
PK	5.742G	61.26	68.20	-6.94	56.01	3	Horizontal	286	2.66	89	33.34	6.93	35.02

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17503G	55.00	74.00	-19.00	71.42	3	Vertical	359	1.80	89	38.83	10.33	65.58
AV	11.14402G	42.74	54.00	-11.26	59.33	3	Vertical	359	1.80	89	38.73	10.32	65.64
PK	16.72238G	59.52	68.20	-8.68	69.36	3	Vertical	328	1.59	89	38.07	14.22	62.13

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.162G	55.85	74.00	-18.15	72.33	3	Horizontal	50	1.80	89	38.79	10.33	65.60
AV	11.14673G	42.78	54.00	-11.22	59.35	3	Horizontal	50	1.80	89	38.74	10.32	65.63
PK	16.75343G	59.50	68.20	-8.70	69.24	3	Horizontal	358	1.87	89	38.16	14.24	62.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX








EUT_Z_2TX
 SET 64
 80\48\64
 -15.42\6.74\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	57.93	74.00	-16.07	53.36	3	Vertical	349	2.28	64	32.60	6.86	34.89
AV	5.4525G	47.72	54.00	-6.28	43.15	3	Vertical	349	2.28	64	32.60	6.86	34.89
PK	5.464G	58.31	68.20	-9.89	53.74	3	Vertical	349	2.28	64	32.60	6.86	34.89
PK	5.709G	113.28	Inf	-Inf	108.28	3	Vertical	349	2.28	64	33.07	6.93	35.00
AV	5.697G	104.66	Inf	-Inf	99.75	3	Vertical	349	2.28	64	32.98	6.92	34.99
PK	5.73G	67.88	68.20	-0.32	62.72	3	Vertical	349	2.28	64	33.24	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
 SET 64
 64
 4.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	58.20	74.00	-15.80	53.63	3	Horizontal	275	2.50	64	32.60	6.86	34.89
AV	5.455G	46.95	54.00	-7.05	42.38	3	Horizontal	275	2.50	64	32.60	6.86	34.89
PK	5.4645G	56.89	68.20	-11.31	52.33	3	Horizontal	275	2.50	64	32.60	6.86	34.90
PK	5.6995G	109.09	Inf	-Inf	104.17	3	Horizontal	275	2.50	64	33.00	6.92	35.00
AV	5.7015G	99.22	Inf	-Inf	94.28	3	Horizontal	275	2.50	64	33.01	6.93	35.00
PK	5.7265G	63.61	68.20	-4.59	58.48	3	Horizontal	275	2.50	64	33.21	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38821G	56.60	74.00	-17.40	72.44	3	Vertical	1	1.80	64	38.91	10.42	65.17
AV	11.38394G	44.21	54.00	-9.79	60.05	3	Vertical	1	1.80	64	38.92	10.42	65.18
PK	17.11339G	58.61	68.20	-9.59	68.05	3	Vertical	12	2.28	64	38.37	14.46	62.27

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39672G	55.95	74.00	-18.05	71.78	3	Horizontal	158	1.80	64	38.90	10.43	65.16
AV	11.38298G	44.28	54.00	-9.72	60.12	3	Horizontal	158	1.80	64	38.92	10.42	65.18
PK	17.10068G	58.87	68.20	-9.33	68.37	3	Horizontal	96	2.58	64	38.30	14.46	62.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 106
 80\101\108\105\106
 5.44\4.56\ -1.19\1.46\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45702G	69.32	74.00	-4.68	64.75	3	Vertical	347	2.33	106	32.60	6.86	34.89
AV	5.45972G	50.99	54.00	-3.01	46.42	3	Vertical	347	2.33	106	32.60	6.86	34.89
PK	5.46512G	67.79	68.20	-0.41	63.23	3	Vertical	347	2.33	106	32.60	6.86	34.90
PK	5.72216G	124.16	Inf	-Inf	119.06	3	Vertical	347	2.33	106	33.18	6.93	35.01
AV	5.71676G	113.15	Inf	-Inf	108.09	3	Vertical	347	2.33	106	33.13	6.93	35.00
PK	5.85338G	62.69	68.20	-5.51	57.09	3	Vertical	347	2.33	106	33.72	6.95	35.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 106
 106
 6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	61.05	74.00	-12.95	56.48	3	Horizontal	306	2.30	106	32.60	6.86	34.89
AV	5.4581G	47.86	54.00	-6.14	43.29	3	Horizontal	306	2.30	106	32.60	6.86	34.89
PK	5.46404G	61.05	68.20	-7.15	56.48	3	Horizontal	306	2.30	106	32.60	6.86	34.89
PK	5.7146G	118.16	Inf	-Inf	113.11	3	Horizontal	306	2.30	106	33.12	6.93	35.00
AV	5.72432G	108.62	Inf	-Inf	103.51	3	Horizontal	306	2.30	106	33.19	6.93	35.01
PK	5.85392G	60.58	68.20	-7.62	54.98	3	Horizontal	306	2.30	106	33.72	6.95	35.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 106

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43185G	56.20	74.00	-17.80	71.98	3	Vertical	20	1.15	106	38.87	10.44	65.09
AV	11.43205G	43.62	54.00	-10.38	59.40	3	Vertical	20	1.15	106	38.87	10.44	65.09
PK	17.17347G	60.19	68.20	-8.01	69.31	3	Vertical	351	1.80	106	38.67	14.50	62.29

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 106

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43992G	55.89	74.00	-18.11	71.65	3	Horizontal	265	1.80	106	38.86	10.45	65.07
AV	11.42601G	43.63	54.00	-10.37	59.42	3	Horizontal	265	1.80	106	38.87	10.44	65.10
PK	17.14042G	58.63	68.20	-9.57	67.93	3	Horizontal	343	1.68	106	38.50	14.48	62.28

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 SET 70
 80\65\72\69\70\71\70
 -3.73\2.32\ -2.79\1.65\0.69\ -1.74\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.335G	60.58	68.20	-7.62	56.00	3	Vertical	346	2.34	70	32.63	6.83	34.88
AV	5.35G	47.95	54.00	-6.05	43.40	3	Vertical	346	2.34	70	32.60	6.83	34.88
PK	5.4585G	62.44	74.00	-11.56	57.87	3	Vertical	346	2.34	70	32.60	6.86	34.89
AV	5.459G	50.88	54.00	-3.12	46.31	3	Vertical	346	2.34	70	32.60	6.86	34.89
PK	5.4675G	67.13	68.20	-1.07	62.57	3	Vertical	346	2.34	70	32.60	6.86	34.90
PK	5.5085G	115.73	Inf	-Inf	111.15	3	Vertical	346	2.34	70	32.60	6.88	34.90
AV	5.4945G	106.61	Inf	-Inf	102.04	3	Vertical	346	2.34	70	32.60	6.87	34.90
PK	5.737G	58.55	68.20	-9.65	53.33	3	Vertical	346	2.34	70	33.30	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 SET 70
 70
 2.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	58.50	68.20	-9.70	53.93	3	Horizontal	305	2.40	70	32.62	6.83	34.88
AV	5.35G	47.36	54.00	-6.64	42.81	3	Horizontal	305	2.40	70	32.60	6.83	34.88
PK	5.454G	58.58	74.00	-15.42	54.01	3	Horizontal	305	2.40	70	32.60	6.86	34.89
AV	5.4595G	49.20	54.00	-4.80	44.63	3	Horizontal	305	2.40	70	32.60	6.86	34.89
PK	5.47G	65.40	68.20	-2.80	60.84	3	Horizontal	305	2.40	70	32.60	6.86	34.90
PK	5.501G	112.56	Inf	-Inf	107.98	3	Horizontal	305	2.40	70	32.60	6.88	34.90
AV	5.501G	101.36	Inf	-Inf	96.78	3	Horizontal	305	2.40	70	32.60	6.88	34.90
PK	5.7475G	58.65	68.20	-9.55	53.36	3	Horizontal	305	2.40	70	33.38	6.93	35.02

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00152G	54.46	74.00	-19.54	71.31	3	Vertical	209	2.28	70	38.80	10.26	65.91
AV	10.9809G	43.09	54.00	-10.91	59.91	3	Vertical	209	2.28	70	38.82	10.25	65.89
PK	16.49377G	59.28	68.20	-8.92	68.61	3	Vertical	302	2.78	70	38.65	14.08	62.06

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX








EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99213G	54.23	74.00	-19.77	71.07	3	Horizontal	336	2.56	70	38.81	10.25	65.90
AV	10.99025G	43.19	54.00	-10.81	60.03	3	Horizontal	336	2.56	70	38.81	10.25	65.90
PK	16.501G	59.00	68.20	-9.20	68.28	3	Horizontal	1	1.80	70	38.69	14.09	62.06

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 105
 80\97\105\108\107\106\105
 4.32\2.66\1.20\ -2.73\ -0.15\ -0.52\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3315G	58.99	68.20	-9.21	54.40	3	Vertical	268	2.34	105	32.64	6.83	34.88
AV	5.35G	48.09	54.00	-5.91	43.54	3	Vertical	268	2.34	105	32.60	6.83	34.88
PK	5.4465G	66.48	74.00	-7.52	61.90	3	Vertical	268	2.34	105	32.61	6.86	34.89
AV	5.422G	52.35	54.00	-1.65	47.73	3	Vertical	268	2.34	105	32.66	6.85	34.89
PK	5.465G	67.08	68.20	-1.12	62.52	3	Vertical	268	2.34	105	32.60	6.86	34.90
PK	5.575G	121.94	Inf	-Inf	117.38	3	Vertical	268	2.34	105	32.60	6.90	34.94
AV	5.5735G	111.81	Inf	-Inf	107.25	3	Vertical	268	2.34	105	32.60	6.90	34.94
PK	5.746G	63.47	68.20	-4.73	58.19	3	Vertical	268	2.34	105	33.37	6.93	35.02

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX








EUT_Z_2TX
 SET 105
 105
 1.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3375G	57.68	68.20	-10.52	53.11	3	Horizontal	283	2.56	105	32.62	6.83	34.88
AV	5.35G	47.80	54.00	-6.20	43.25	3	Horizontal	283	2.56	105	32.60	6.83	34.88
PK	5.443G	66.68	74.00	-7.32	62.10	3	Horizontal	283	2.56	105	32.61	6.86	34.89
AV	5.417G	52.81	54.00	-1.19	48.18	3	Horizontal	283	2.56	105	32.67	6.85	34.89
PK	5.463G	67.07	68.20	-1.13	62.50	3	Horizontal	283	2.56	105	32.60	6.86	34.89
PK	5.5825G	117.56	Inf	-Inf	113.00	3	Horizontal	283	2.56	105	32.60	6.90	34.94
AV	5.5845G	107.74	Inf	-Inf	103.18	3	Horizontal	283	2.56	105	32.60	6.90	34.94
PK	5.733G	61.64	68.20	-6.56	56.46	3	Horizontal	283	2.56	105	33.26	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15317G	54.91	74.00	-19.09	71.45	3	Vertical	186	1.80	105	38.76	10.32	65.62
AV	11.14322G	43.65	54.00	-10.35	60.24	3	Vertical	186	1.80	105	38.73	10.32	65.64
PK	16.72086G	59.35	68.20	-8.85	69.20	3	Vertical	9	2.39	105	38.06	14.22	62.13

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17399G	55.03	74.00	-18.97	71.46	3	Horizontal	202	2.86	105	38.82	10.33	65.58
AV	11.15409G	43.44	54.00	-10.56	59.98	3	Horizontal	202	2.86	105	38.76	10.32	65.62
PK	16.73469G	59.47	68.20	-8.73	69.28	3	Horizontal	148	2.76	105	38.10	14.23	62.14

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 SET 66
 80\48\64\72\68\66\67\66
 -11.42\5.99\2.57\ -4.53\ -1.64\0.76\ -5.58\0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.28	74.00	-15.72	53.71	3	Vertical	349	2.25	66	32.60	6.86	34.89
AV	5.454G	48.42	54.00	-5.58	43.85	3	Vertical	349	2.25	66	32.60	6.86	34.89
PK	5.4655G	57.40	68.20	-10.80	52.84	3	Vertical	349	2.25	66	32.60	6.86	34.90
PK	5.704G	113.20	Inf	-Inf	108.24	3	Vertical	349	2.25	66	33.03	6.93	35.00
AV	5.7015G	103.71	Inf	-Inf	98.77	3	Vertical	349	2.25	66	33.01	6.93	35.00
PK	5.7255G	67.62	68.20	-0.58	62.50	3	Vertical	349	2.25	66	33.20	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 SET 66
 66
 5.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4535G	57.88	74.00	-16.12	53.31	3	Horizontal	274	2.60	66	32.60	6.86	34.89
AV	5.4525G	47.57	54.00	-6.43	43.00	3	Horizontal	274	2.60	66	32.60	6.86	34.89
PK	5.461G	57.08	68.20	-11.12	52.51	3	Horizontal	274	2.60	66	32.60	6.86	34.89
PK	5.709G	108.53	Inf	-Inf	103.53	3	Horizontal	274	2.60	66	33.07	6.93	35.00
AV	5.709G	98.43	Inf	-Inf	93.43	3	Horizontal	274	2.60	66	33.07	6.93	35.00
PK	5.7275G	62.24	68.20	-5.96	57.10	3	Horizontal	274	2.60	66	33.22	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39988G	56.25	74.00	-17.75	72.07	3	Vertical	352	2.95	66	38.90	10.43	65.15
AV	11.39181G	45.07	54.00	-8.93	60.90	3	Vertical	352	2.95	66	38.91	10.43	65.17
PK	17.10855G	58.97	68.20	-9.23	68.44	3	Vertical	75	1.80	66	38.34	14.46	62.27

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38745G	56.32	74.00	-17.68	72.16	3	Horizontal	1	1.20	66	38.91	10.42	65.17
AV	11.39049G	44.89	54.00	-9.11	60.73	3	Horizontal	1	1.20	66	38.91	10.42	65.17
PK	17.10124G	59.04	68.20	-9.16	68.53	3	Horizontal	142	2.65	66	38.31	14.46	62.26

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 105
 80\99\108\104\106\105
 4.80\3.97\0.32\3.38\0.08\1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.00	74.00	-8.00	61.43	3	Vertical	350	2.30	105	32.60	6.86	34.89
AV	5.45648G	51.38	54.00	-2.62	46.81	3	Vertical	350	2.30	105	32.60	6.86	34.89
PK	5.46836G	66.58	68.20	-1.62	62.02	3	Vertical	350	2.30	105	32.60	6.86	34.90
PK	5.7146G	121.57	Inf	-Inf	116.52	3	Vertical	350	2.30	105	33.12	6.93	35.00
AV	5.71352G	112.12	Inf	-Inf	107.08	3	Vertical	350	2.30	105	33.11	6.93	35.00
PK	5.85G	62.87	68.20	-5.33	57.29	3	Vertical	350	2.30	105	33.70	6.95	35.07

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 105
 105
 5.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.71	74.00	-15.29	54.14	3	Horizontal	307	2.30	105	32.60	6.86	34.89
AV	5.45432G	48.56	54.00	-5.44	43.99	3	Horizontal	307	2.30	105	32.60	6.86	34.89
PK	5.46188G	59.32	68.20	-8.88	54.75	3	Horizontal	307	2.30	105	32.60	6.86	34.89
PK	5.72702G	117.85	Inf	-Inf	112.71	3	Horizontal	307	2.30	105	33.22	6.93	35.01
AV	5.71352G	107.30	Inf	-Inf	102.26	3	Horizontal	307	2.30	105	33.11	6.93	35.00
PK	5.9765G	60.39	68.20	-7.81	54.59	3	Horizontal	307	2.30	105	33.95	6.98	35.13

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42078G	55.64	74.00	-18.36	71.43	3	Vertical	168	1.80	105	38.88	10.44	65.11
AV	11.43237G	44.33	54.00	-9.67	60.11	3	Vertical	168	1.80	105	38.87	10.44	65.09
PK	17.1419G	59.21	68.20	-8.99	68.50	3	Vertical	348	2.02	105	38.51	14.48	62.28

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43109G	55.16	74.00	-18.84	70.94	3	Horizontal	356	1.47	105	38.87	10.44	65.09
AV	11.4247G	44.37	54.00	-9.63	60.15	3	Horizontal	356	1.47	105	38.88	10.44	65.10
PK	17.17043G	59.38	68.20	-8.82	68.52	3	Horizontal	119	1.77	105	38.65	14.50	62.29

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 76
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3425G	60.61	68.20	-7.59	55.00	3	Vertical	344	2.66	-	32.88	6.06	33.33
AV	5.35G	49.35	54.00	-4.65	43.72	3	Vertical	344	2.66	-	32.90	6.07	33.34
PK	5.46G	64.40	74.00	-9.60	58.27	3	Vertical	344	2.66	-	33.36	6.15	33.38
AV	5.46G	52.15	54.00	-1.85	46.02	3	Vertical	344	2.66	-	33.36	6.15	33.38
PK	5.47G	67.32	68.20	-0.88	61.12	3	Vertical	344	2.66	-	33.42	6.16	33.38
PK	5.5125G	115.85	Inf	-Inf	109.44	3	Vertical	344	2.66	-	33.62	6.18	33.39
AV	5.5025G	104.36	Inf	-Inf	97.97	3	Vertical	344	2.66	-	33.61	6.17	33.39
PK	5.752G	60.56	68.20	-7.64	53.81	3	Vertical	344	2.66	-	34.01	6.20	33.46

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 76
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	60.69	68.20	-7.51	55.06	3	Horizontal	301	2.56	-	32.89	6.07	33.33
AV	5.35G	48.10	54.00	-5.90	42.47	3	Horizontal	301	2.56	-	32.90	6.07	33.34
PK	5.46G	62.14	74.00	-11.86	56.01	3	Horizontal	301	2.56	-	33.36	6.15	33.38
AV	5.495G	49.28	54.00	-4.72	43.15	3	Horizontal	301	2.56	-	33.36	6.15	33.38
PK	5.4695G	62.89	68.20	-5.31	56.70	3	Horizontal	301	2.56	-	33.42	6.15	33.38
PK	5.4995G	111.15	Inf	-Inf	104.77	3	Horizontal	301	2.56	-	33.60	6.17	33.39
AV	5.4975G	99.26	Inf	-Inf	92.89	3	Horizontal	301	2.56	-	33.59	6.17	33.39
PK	5.7275G	60.54	68.20	-7.66	53.87	3	Horizontal	301	2.56	-	33.91	6.21	33.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 76
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0185G	55.75	74.00	-18.25	41.96	3	Vertical	200	1.00	-	38.86	9.23	34.30
AV	11.00713G	44.74	54.00	-9.26	30.92	3	Vertical	200	1.00	-	38.89	9.22	34.29
PK	16.53264G	59.72	68.20	-8.48	43.39	3	Vertical	166	2.99	-	39.37	11.88	34.92

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 76
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03014G	55.38	74.00	-18.62	41.61	3	Horizontal	169	2.86	-	38.84	9.24	34.31
AV	11.02897G	44.60	54.00	-9.40	30.83	3	Horizontal	169	2.86	-	38.84	9.23	34.30
PK	16.52505G	59.71	68.20	-8.49	43.41	3	Horizontal	233	1.30	-	39.35	11.87	34.92

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX








EUT_Z_2TX
 SET 01
 80\86\83\82\81
 1.53\ -3.41\ -0.17\ -0.76\ 0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	59.08	68.20	-9.12	54.50	3	Vertical	346	2.44	81	32.63	6.83	34.88
AV	5.35G	48.76	54.00	-5.24	44.21	3	Vertical	346	2.44	81	32.60	6.83	34.88
PK	5.4555G	64.30	74.00	-9.70	59.73	3	Vertical	346	2.44	81	32.60	6.86	34.89
AV	5.455G	53.05	54.00	-0.95	48.48	3	Vertical	346	2.44	81	32.60	6.86	34.89
PK	5.4655G	66.64	68.20	-1.56	62.08	3	Vertical	346	2.44	81	32.60	6.86	34.90
PK	5.5475G	118.29	Inf	-Inf	113.72	3	Vertical	346	2.44	81	32.60	6.89	34.92
AV	5.5375G	107.65	Inf	-Inf	103.08	3	Vertical	346	2.44	81	32.60	6.89	34.92
PK	5.7265G	61.24	68.20	-6.96	56.11	3	Vertical	346	2.44	81	33.21	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 01
 81
 3.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3035G	58.57	68.20	-9.63	53.93	3	Horizontal	305	2.39	81	32.69	6.82	34.87
AV	5.35G	47.66	54.00	-6.34	43.11	3	Horizontal	305	2.39	81	32.60	6.83	34.88
PK	5.46G	62.00	74.00	-12.00	57.43	3	Horizontal	305	2.39	81	32.60	6.86	34.89
AV	5.4595G	50.57	54.00	-3.43	46.00	3	Horizontal	305	2.39	81	32.60	6.86	34.89
PK	5.4605G	62.04	68.20	-6.16	57.47	3	Horizontal	305	2.39	81	32.60	6.86	34.89
PK	5.5395G	112.35	Inf	-Inf	107.78	3	Horizontal	305	2.39	81	32.60	6.89	34.92
AV	5.5445G	102.56	Inf	-Inf	97.99	3	Horizontal	305	2.39	81	32.60	6.89	34.92
PK	5.78G	59.17	68.20	-9.03	53.80	3	Horizontal	305	2.39	81	33.46	6.94	35.03

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0614G	54.35	74.00	-19.65	71.18	3	Vertical	356	1.80	81	38.68	10.28	65.79
AV	11.06012G	43.25	54.00	-10.75	60.09	3	Vertical	356	1.80	81	38.68	10.28	65.80
PK	16.67637G	58.46	68.20	-9.74	68.36	3	Vertical	356	1.80	81	38.02	14.20	62.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX








EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09513G	55.40	74.00	-18.60	72.22	3	Horizontal	219	1.80	81	38.61	10.30	65.73
AV	11.06308G	43.09	54.00	-10.91	59.93	3	Horizontal	219	1.80	81	38.67	10.28	65.79
PK	16.6874G	58.96	68.20	-9.24	68.87	3	Horizontal	359	1.23	81	38.01	14.20	62.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 69
 80,58,69
 -5.35\5.72\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	58.57	74.00	-15.43	53.99	3	Vertical	342	2.42	69	32.62	6.85	34.89
AV	5.437G	48.74	54.00	-5.26	44.15	3	Vertical	342	2.42	69	32.63	6.85	34.89
PK	5.4665G	58.27	68.20	-9.93	53.71	3	Vertical	342	2.42	69	32.60	6.86	34.90
PK	5.652G	113.29	Inf	-Inf	108.72	3	Vertical	342	2.42	69	32.62	6.92	34.97
AV	5.665G	103.69	Inf	-Inf	99.03	3	Vertical	342	2.42	69	32.72	6.92	34.98
PK	5.725G	67.88	68.20	-0.32	62.76	3	Vertical	342	2.42	69	33.20	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 SET 09
 69
 4.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	57.83	74.00	-16.17	53.23	3	Horizontal	300	3.00	69	32.64	6.85	34.89
AV	5.4355G	48.06	54.00	-5.94	43.47	3	Horizontal	300	3.00	69	32.63	6.85	34.89
PK	5.4635G	56.84	68.20	-11.36	52.27	3	Horizontal	300	3.00	69	32.60	6.86	34.89
PK	5.6745G	107.21	Inf	-Inf	102.47	3	Horizontal	300	3.00	69	32.80	6.92	34.98
AV	5.6745G	98.42	Inf	-Inf	93.68	3	Horizontal	300	3.00	69	32.80	6.92	34.98
PK	5.725G	64.10	68.20	-4.10	58.98	3	Horizontal	300	3.00	69	33.20	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.31754G	56.97	74.00	-17.03	72.91	3	Vertical	144	1.06	69	38.98	10.39	65.31
AV	11.37333G	44.85	54.00	-9.15	60.70	3	Vertical	144	1.06	69	38.93	10.42	65.20
PK	17.0283G	58.78	68.20	-9.42	68.52	3	Vertical	14	1.80	69	38.08	14.41	62.23

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX








EUT_Z_2TX
SET 09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35319G	55.64	74.00	-18.36	71.52	3	Horizontal	1	1.36	69	38.95	10.41	65.24
AV	11.32889G	44.66	54.00	-9.34	60.58	3	Horizontal	1	1.36	69	38.97	10.40	65.29
PK	17.03837G	58.78	68.20	-9.42	68.48	3	Horizontal	112	1.80	69	38.12	14.42	62.24

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 98
 80\100\90\95\97\98\108\103\101\98
 5.05\ -0.50\3.97\3.86\3.86\3.86\ -2.47\ -1.87\ -1.88\2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.48	74.00	-12.52	56.91	3	Vertical	349	2.34	98	32.60	6.86	34.89
AV	5.46G	50.89	54.00	-3.11	46.32	3	Vertical	349	2.34	98	32.60	6.86	34.89
PK	5.461G	65.93	68.20	-2.27	61.36	3	Vertical	349	2.34	98	32.60	6.86	34.89
PK	5.7195G	119.84	Inf	-Inf	114.76	3	Vertical	349	2.34	98	33.16	6.93	35.01
AV	5.712G	109.98	Inf	-Inf	104.95	3	Vertical	349	2.34	98	33.10	6.93	35.00
PK	5.85G	64.71	68.20	-3.49	59.13	3	Vertical	349	2.34	98	33.70	6.95	35.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 98
 98
 5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.87	74.00	-14.13	55.30	3	Horizontal	302	2.94	98	32.60	6.86	34.89
AV	5.46G	48.15	54.00	-5.85	43.58	3	Horizontal	302	2.94	98	32.60	6.86	34.89
PK	5.4605G	59.11	68.20	-9.09	54.54	3	Horizontal	302	2.94	98	32.60	6.86	34.89
PK	5.697G	114.59	Inf	-Inf	109.68	3	Horizontal	302	2.94	98	32.98	6.92	34.99
AV	5.7045G	104.75	Inf	-Inf	99.78	3	Horizontal	302	2.94	98	33.04	6.93	35.00
PK	5.85G	60.95	68.20	-7.25	55.37	3	Horizontal	302	2.94	98	33.70	6.95	35.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38995G	56.38	74.00	-17.62	72.22	3	Vertical	258	2.04	98	38.91	10.42	65.17
AV	11.3834G	44.93	54.00	-9.07	60.77	3	Vertical	258	2.04	98	38.92	10.42	65.18
PK	17.10091G	58.66	68.20	-9.54	68.16	3	Vertical	354	1.80	98	38.30	14.46	62.26

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41441G	55.61	74.00	-18.39	71.40	3	Horizontal	296	2.53	98	38.89	10.44	65.12
AV	11.38659G	44.93	54.00	-9.07	60.78	3	Horizontal	296	2.53	98	38.91	10.42	65.18
PK	17.16205G	59.69	68.20	-8.51	68.88	3	Horizontal	359	2.52	98	38.61	14.49	62.29

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 78
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.66	74.00	-8.34	59.54	3	Vertical	346	2.56	-	33.35	6.15	33.38
AV	5.4598G	52.39	54.00	-1.61	46.26	3	Vertical	346	2.56	-	33.36	6.15	33.38
PK	5.467G	68.16	68.20	-0.04	61.99	3	Vertical	346	2.56	-	33.40	6.15	33.38
PK	5.5028G	114.62	Inf	-Inf	108.23	3	Vertical	346	2.56	-	33.61	6.17	33.39
AV	5.5054G	102.57	Inf	-Inf	96.18	3	Vertical	346	2.56	-	33.61	6.17	33.39

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 78
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.94	74.00	-12.06	55.81	3	Horizontal	301	2.72	-	33.36	6.15	33.38
AV	5.4592G	49.78	54.00	-4.22	43.65	3	Horizontal	301	2.72	-	33.36	6.15	33.38
PK	5.466G	64.63	68.20	-3.57	58.46	3	Horizontal	301	2.72	-	33.40	6.15	33.38
PK	5.497G	109.85	Inf	-Inf	103.49	3	Horizontal	301	2.72	-	33.58	6.17	33.39
AV	5.5018G	97.68	Inf	-Inf	91.30	3	Horizontal	301	2.72	-	33.60	6.17	33.39

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 78
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03494G	56.05	74.00	-17.95	42.29	3	Vertical	200	1.91	-	38.83	9.24	34.31
AV	11.00563G	44.87	54.00	-9.13	31.04	3	Vertical	200	1.91	-	38.89	9.22	34.28
PK	16.5294G	59.74	68.20	-8.46	43.42	3	Vertical	285	2.21	-	39.36	11.88	34.92

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX








EUT_Z_2TX
 Setting 78
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02519G	56.28	74.00	-17.72	42.50	3	Horizontal	348	2.59	-	38.85	9.23	34.30
AV	11.01034G	44.90	54.00	-9.10	31.08	3	Horizontal	348	2.59	-	38.88	9.23	34.29
PK	16.52574G	59.61	68.20	-8.59	43.31	3	Horizontal	200	1.37	-	39.35	11.87	34.92

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024





EUT_Z_2TX
 SET 84
 80,87,84
 1.79\ -2.16\ 0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3255G	59.75	68.20	-8.45	55.15	3	Vertical	346	2.33	84	32.65	6.83	34.88
AV	5.35G	49.14	54.00	-4.86	44.59	3	Vertical	346	2.33	84	32.60	6.83	34.88
PK	5.4555G	66.78	74.00	-7.22	62.21	3	Vertical	346	2.33	84	32.60	6.86	34.89
AV	5.459G	53.73	54.00	-0.27	49.16	3	Vertical	346	2.33	84	32.60	6.86	34.89
PK	5.4645G	67.45	68.20	-0.75	62.89	3	Vertical	346	2.33	84	32.60	6.86	34.90
PK	5.5435G	115.72	Inf	-Inf	111.15	3	Vertical	346	2.33	84	32.60	6.89	34.92
AV	5.5375G	106.57	Inf	-Inf	102.00	3	Vertical	346	2.33	84	32.60	6.89	34.92
PK	5.7265G	61.72	68.20	-6.48	56.59	3	Vertical	346	2.33	84	33.21	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 84
 84
 3.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	58.64	68.20	-9.56	54.06	3	Horizontal	307	2.40	84	32.63	6.83	34.88
AV	5.35G	47.80	54.00	-6.20	43.25	3	Horizontal	307	2.40	84	32.60	6.83	34.88
PK	5.4555G	62.17	74.00	-11.83	57.60	3	Horizontal	307	2.40	84	32.60	6.86	34.89
AV	5.459G	50.88	54.00	-3.12	46.31	3	Horizontal	307	2.40	84	32.60	6.86	34.89
PK	5.465G	63.31	68.20	-4.89	58.75	3	Horizontal	307	2.40	84	32.60	6.86	34.90
PK	5.5495G	111.80	Inf	-Inf	107.23	3	Horizontal	307	2.40	84	32.60	6.89	34.92
AV	5.5455G	101.29	Inf	-Inf	96.72	3	Horizontal	307	2.40	84	32.60	6.89	34.92
PK	5.7285G	59.19	68.20	-9.01	54.04	3	Horizontal	307	2.40	84	33.23	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07539G	54.14	74.00	-19.86	70.97	3	Vertical	359	2.19	84	38.65	10.29	65.77
AV	11.13716G	43.45	54.00	-10.55	60.08	3	Vertical	359	2.19	84	38.71	10.31	65.65
PK	16.6317G	59.27	68.20	-8.93	69.13	3	Vertical	199	1.80	84	38.07	14.17	62.10

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09193G	54.04	74.00	-19.96	70.87	3	Horizontal	129	1.80	84	38.62	10.29	65.74
AV	11.0614G	43.28	54.00	-10.72	60.11	3	Horizontal	129	1.80	84	38.68	10.28	65.79
PK	16.68588G	59.47	68.20	-8.73	69.38	3	Horizontal	202	2.03	84	38.01	14.20	62.12

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




21/01/2024

EUT_Z_2TX
 SET 75
 80\70\75\77\76\75
 -2.39\2.29\1.44\ -0.20\ -0.07\2.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4425G	58.18	74.00	-15.82	53.60	3	Vertical	268	2.28	75	32.62	6.85	34.89
PK	5.4655G	57.35	68.20	-10.85	52.79	3	Vertical	268	2.28	75	32.60	6.86	34.90
AV	5.456G	48.15	54.00	-5.85	43.58	3	Vertical	268	2.28	75	32.60	6.86	34.89
PK	5.6755G	112.10	Inf	-Inf	107.36	3	Vertical	268	2.28	75	32.80	6.92	34.98
AV	5.6565G	102.07	Inf	-Inf	97.48	3	Vertical	268	2.28	75	32.65	6.92	34.98
PK	5.728G	65.98	68.20	-2.22	60.84	3	Vertical	268	2.28	75	33.22	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




21/01/2024

EUT_Z_2TX
 SEI 75
 75
 2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	58.46	74.00	-15.54	53.86	3	Horizontal	299	3.00	75	32.64	6.85	34.89
AV	5.4355G	47.92	54.00	-6.08	43.33	3	Horizontal	299	3.00	75	32.63	6.85	34.89
PK	5.4655G	57.63	68.20	-10.57	53.07	3	Horizontal	299	3.00	75	32.60	6.86	34.90
PK	5.6645G	107.81	Inf	-Inf	103.15	3	Horizontal	299	3.00	75	32.72	6.92	34.98
AV	5.675G	98.22	Inf	-Inf	93.48	3	Horizontal	299	3.00	75	32.80	6.92	34.98
PK	5.726G	65.58	68.20	-2.62	60.45	3	Horizontal	299	3.00	75	33.21	6.93	35.01

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33265G	55.47	74.00	-18.53	71.38	3	Vertical	1	1.73	75	38.97	10.40	65.28
AV	11.32546G	44.60	54.00	-9.40	60.52	3	Vertical	1	1.73	75	38.97	10.40	65.29
PK	17.03613G	59.22	68.20	-8.98	68.93	3	Vertical	97	1.80	75	38.11	14.42	62.24

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32202G	55.86	74.00	-18.14	71.78	3	Horizontal	359	1.09	75	38.98	10.40	65.30
AV	11.37676G	44.94	54.00	-9.06	60.79	3	Horizontal	359	1.09	75	38.92	10.42	65.19
PK	17.01823G	58.17	68.20	-10.03	67.94	3	Horizontal	274	1.80	75	38.05	14.41	62.23

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 99
 80\100\108\104\102\101\100\99
 5.18\1.06\1.86\2.16\0.17\2.85\1.43\2.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.31	74.00	-14.69	54.74	3	Vertical	350	2.31	99	32.60	6.86	34.89
AV	5.46G	50.25	54.00	-3.75	45.68	3	Vertical	350	2.31	99	32.60	6.86	34.89
PK	5.467G	65.65	68.20	-2.55	61.09	3	Vertical	350	2.31	99	32.60	6.86	34.90
PK	5.717G	118.76	Inf	-Inf	113.69	3	Vertical	350	2.31	99	33.14	6.93	35.00
AV	5.7145G	108.53	Inf	-Inf	103.48	3	Vertical	350	2.31	99	33.12	6.93	35.00
PK	5.852G	64.55	68.20	-3.65	58.96	3	Vertical	350	2.31	99	33.71	6.95	35.07

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 99
 99
 5.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.58	74.00	-15.42	54.01	3	Horizontal	307	2.31	99	32.60	6.86	34.89
AV	5.46G	48.29	54.00	-5.71	43.72	3	Horizontal	307	2.31	99	32.60	6.86	34.89
PK	5.4655G	60.62	68.20	-7.58	56.06	3	Horizontal	307	2.31	99	32.60	6.86	34.90
PK	5.727G	113.06	Inf	-Inf	107.92	3	Horizontal	307	2.31	99	33.22	6.93	35.01
AV	5.713G	103.64	Inf	-Inf	98.61	3	Horizontal	307	2.31	99	33.10	6.93	35.00
PK	5.8585G	61.32	68.20	-6.88	55.69	3	Horizontal	307	2.31	99	33.75	6.95	35.07

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38963G	55.94	74.00	-18.06	71.78	3	Vertical	90	1.80	99	38.91	10.42	65.17
AV	11.38867G	44.91	54.00	-9.09	60.75	3	Vertical	90	1.80	99	38.91	10.42	65.17
PK	17.10515G	58.33	68.20	-9.87	67.80	3	Vertical	357	2.82	99	38.33	14.46	62.26

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38723G	56.10	74.00	-17.90	71.94	3	Horizontal	240	2.08	99	38.91	10.42	65.17
AV	11.39411G	44.98	54.00	-9.02	60.80	3	Horizontal	240	2.08	99	38.91	10.43	65.16
PK	17.16588G	59.17	68.20	-9.03	68.33	3	Horizontal	359	2.92	99	38.63	14.50	62.29

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 77
04-K-G-5-10
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3475G	60.27	68.20	-7.93	54.65	3	Vertical	342	2.35	-	32.89	6.07	33.34
AV	5.35G	48.76	54.00	-5.24	43.13	3	Vertical	342	2.35	-	32.90	6.07	33.34
PK	5.4475G	65.39	74.00	-8.61	59.33	3	Vertical	342	2.35	-	33.29	6.14	33.37
PK	5.465G	66.03	68.20	-2.17	59.87	3	Vertical	342	2.35	-	33.39	6.15	33.38
AV	5.46G	53.80	54.00	-0.20	47.67	3	Vertical	342	2.35	-	33.36	6.15	33.38
AV	5.5G	100.87	Inf	-Inf	94.49	3	Vertical	342	2.35	-	33.60	6.17	33.39
PK	5.54G	113.50	Inf	-Inf	107.03	3	Vertical	342	2.35	-	33.68	6.19	33.40
PK	5.742G	61.33	68.20	-6.87	54.61	3	Vertical	342	2.35	-	33.97	6.21	33.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 77
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3385G	59.74	68.20	-8.46	54.13	3	Horizontal	304	2.72	-	32.88	6.06	33.33
AV	5.35G	47.90	54.00	-6.10	42.27	3	Horizontal	304	2.72	-	32.90	6.07	33.34
PK	5.4375G	61.77	74.00	-12.23	55.75	3	Horizontal	304	2.72	-	33.25	6.14	33.37
PK	5.4695G	62.68	68.20	-5.52	56.49	3	Horizontal	304	2.72	-	33.42	6.15	33.38
AV	5.4595G	50.69	54.00	-3.31	44.56	3	Horizontal	304	2.72	-	33.36	6.15	33.38
PK	5.5095G	107.36	Inf	-Inf	100.96	3	Horizontal	304	2.72	-	33.62	6.17	33.39
AV	5.4995G	95.97	Inf	-Inf	89.59	3	Horizontal	304	2.72	-	33.60	6.17	33.39
PK	5.758G	61.28	68.20	-6.92	54.51	3	Horizontal	304	2.72	-	34.03	6.20	33.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 77
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04777G	55.81	74.00	-18.19	42.09	3	Vertical	208	1.73	-	38.80	9.24	34.32
AV	11.07287G	44.71	54.00	-9.29	30.99	3	Vertical	208	1.73	-	38.80	9.26	34.34
PK	16.59837G	60.33	68.20	-7.87	44.04	3	Vertical	276	2.40	-	39.30	11.93	34.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 77
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06912G	55.88	74.00	-18.12	42.16	3	Horizontal	265	2.76	-	38.80	9.26	34.34
AV	11.07323G	44.64	54.00	-9.36	30.92	3	Horizontal	265	2.76	-	38.80	9.26	34.34
PK	16.58472G	59.28	68.20	-8.92	42.96	3	Horizontal	230	1.79	-	39.33	11.92	34.93

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX








EUT_Z_2TX
 SET 80
 80
 0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4455G	65.41	74.00	-8.59	60.83	3	Vertical	343	2.46	80	32.61	6.86	34.89
PK	5.4605G	68.11	68.20	-0.09	63.54	3	Vertical	343	2.46	80	32.60	6.86	34.89
AV	5.46G	53.95	54.00	-0.05	49.38	3	Vertical	343	2.46	80	32.60	6.86	34.89
PK	5.62G	114.17	Inf	-Inf	109.62	3	Vertical	343	2.46	80	32.60	6.91	34.96
AV	5.6G	103.74	Inf	-Inf	99.18	3	Vertical	343	2.46	80	32.60	6.91	34.95
PK	5.73G	67.95	68.20	-0.25	62.79	3	Vertical	343	2.46	80	33.24	6.93	35.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 80
 80
 3.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.76	74.00	-11.24	58.19	3	Horizontal	284	2.50	80	32.60	6.86	34.89
AV	5.458G	50.14	54.00	-3.86	45.57	3	Horizontal	284	2.50	80	32.60	6.86	34.89
PK	5.4625G	63.23	68.20	-4.97	58.66	3	Horizontal	284	2.50	80	32.60	6.86	34.89
PK	5.599G	109.32	Inf	-Inf	104.76	3	Horizontal	284	2.50	80	32.60	6.91	34.95
AV	5.601G	97.97	Inf	-Inf	93.41	3	Horizontal	284	2.50	80	32.60	6.91	34.95
PK	5.726G	62.08	68.20	-6.12	56.95	3	Horizontal	284	2.50	80	33.21	6.93	35.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23934G	55.06	74.00	-18.94	71.22	3	Vertical	4	1.80	80	38.94	10.36	65.46
AV	11.26156G	44.24	54.00	-9.76	60.32	3	Vertical	4	1.80	80	38.96	10.37	65.41
PK	16.80091G	59.80	68.20	-8.40	69.39	3	Vertical	256	1.80	80	38.30	14.27	62.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14983G	55.27	74.00	-18.73	71.83	3	Horizontal	11	1.80	80	38.75	10.32	65.63
AV	11.29912G	44.23	54.00	-9.77	60.18	3	Horizontal	11	1.80	80	39.00	10.39	65.34
PK	16.81833G	60.25	68.20	-7.95	69.88	3	Horizontal	303	1.35	80	38.25	14.28	62.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 94
 80\97\89\93\95\94
 4.32\1.34\2.72\1.28\1.02\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4495G	66.21	74.00	-7.79	61.64	3	Vertical	343	2.33	94	32.60	6.86	34.89
PK	5.465G	66.82	68.20	-1.38	62.26	3	Vertical	343	2.33	94	32.60	6.86	34.90
AV	5.4595G	53.95	54.00	-0.05	49.38	3	Vertical	343	2.33	94	32.60	6.86	34.89
PK	5.6645G	114.87	Inf	-Inf	110.21	3	Vertical	343	2.33	94	32.72	6.92	34.98
AV	5.677G	105.78	Inf	-Inf	101.02	3	Vertical	343	2.33	94	32.82	6.92	34.98
PK	5.85G	67.17	68.20	-1.03	61.59	3	Vertical	343	2.33	94	33.70	6.95	35.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 94
 94
 4.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.86	74.00	-12.14	57.29	3	Horizontal	300	3.00	94	32.60	6.86	34.89
AV	5.449G	49.57	54.00	-4.43	45.00	3	Horizontal	300	3.00	94	32.60	6.86	34.89
PK	5.465G	61.77	68.20	-6.43	57.21	3	Horizontal	300	3.00	94	32.60	6.86	34.90
PK	5.6825G	110.35	Inf	-Inf	105.56	3	Horizontal	300	3.00	94	32.86	6.92	34.99
AV	5.6745G	100.79	Inf	-Inf	96.05	3	Horizontal	300	3.00	94	32.80	6.92	34.98
PK	5.8595G	61.57	68.20	-6.63	55.93	3	Horizontal	300	3.00	94	33.76	6.95	35.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36498G	55.79	74.00	-18.21	71.66	3	Vertical	58	1.80	94	38.94	10.41	65.22
AV	11.39039G	44.79	54.00	-9.21	60.63	3	Vertical	58	1.80	94	38.91	10.42	65.17
PK	17.1138G	58.74	68.20	-9.46	68.18	3	Vertical	359	1.80	94	38.37	14.46	62.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30184G	56.20	74.00	-17.80	72.15	3	Horizontal	187	1.79	94	39.00	10.39	65.34
AV	11.37105G	44.76	54.00	-9.24	60.62	3	Horizontal	187	1.79	94	38.93	10.42	65.21
PK	17.10053G	59.42	68.20	-8.78	68.92	3	Horizontal	329	1.61	94	38.30	14.46	62.26

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 78
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3345G	60.28	68.20	-7.92	54.69	3	Vertical	343	2.47	-	32.87	6.05	33.33
AV	5.35G	48.66	54.00	-5.34	43.03	3	Vertical	343	2.47	-	32.90	6.07	33.34
PK	5.458G	66.73	74.00	-7.27	60.60	3	Vertical	343	2.47	-	33.35	6.15	33.37
AV	5.4595G	53.82	54.00	-0.18	47.69	3	Vertical	343	2.47	-	33.36	6.15	33.38
PK	5.468G	66.48	68.20	-1.72	60.30	3	Vertical	343	2.47	-	33.41	6.15	33.38
PK	5.5G	110.15	Inf	-Inf	103.77	3	Vertical	343	2.47	-	33.60	6.17	33.39
AV	5.5005G	98.66	Inf	-Inf	92.28	3	Vertical	343	2.47	-	33.60	6.17	33.39
PK	5.748G	61.16	68.20	-7.04	54.42	3	Vertical	343	2.47	-	33.99	6.21	33.46

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




26/03/2024

EUT_Z_2TX
Setting 78
04-K-G-5-10
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	60.08	68.20	-8.12	54.52	3	Horizontal	299	2.72	-	32.84	6.04	33.32
AV	5.35G	47.70	54.00	-6.30	42.07	3	Horizontal	299	2.72	-	32.90	6.07	33.34
PK	5.46G	63.22	74.00	-10.78	57.09	3	Horizontal	299	2.72	-	33.36	6.15	33.38
AV	5.46G	50.55	54.00	-3.45	44.42	3	Horizontal	299	2.72	-	33.36	6.15	33.38
PK	5.4695G	62.26	68.20	-5.94	56.07	3	Horizontal	299	2.72	-	33.42	6.15	33.38
AV	5.5G	93.60	Inf	-Inf	87.22	3	Horizontal	299	2.72	-	33.60	6.17	33.39
PK	5.535G	105.24	Inf	-Inf	98.78	3	Horizontal	299	2.72	-	33.67	6.19	33.40
PK	5.752G	60.61	68.20	-7.59	53.86	3	Horizontal	299	2.72	-	34.01	6.20	33.46

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 78
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05667G	55.67	74.00	-18.33	41.95	3	Vertical	128	2.64	-	38.80	9.25	34.33
AV	11.05838G	46.66	54.00	-7.34	32.94	3	Vertical	128	2.64	-	38.80	9.25	34.33
PK	16.58211G	60.17	68.20	-8.03	43.84	3	Vertical	239	2.19	-	39.34	11.92	34.93

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 78
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07092G	56.13	74.00	-17.87	42.41	3	Horizontal	281	1.88	-	38.80	9.26	34.34
AV	11.05763G	46.19	54.00	-7.81	32.47	3	Horizontal	281	1.88	-	38.80	9.25	34.33
PK	16.59558G	59.64	68.20	-8.56	43.34	3	Horizontal	189	2.24	-	39.31	11.93	34.94

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX








EUT_Z_2TX
 SET 73
 80\72\76\74\73
 -1.99\0.87\ -0.45\ -0.44\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.435G	62.85	74.00	-11.15	58.26	3	Vertical	344	2.42	73	32.63	6.85	34.89
PK	5.466G	62.64	68.20	-5.56	58.08	3	Vertical	344	2.42	73	32.60	6.86	34.90
AV	5.459G	53.66	54.00	-0.34	49.09	3	Vertical	344	2.42	73	32.60	6.86	34.89
PK	5.6235G	110.60	Inf	-Inf	106.05	3	Vertical	344	2.42	73	32.60	6.91	34.96
AV	5.625G	103.02	Inf	-Inf	98.47	3	Vertical	344	2.42	73	32.60	6.91	34.96
PK	5.7295G	61.81	68.20	-6.39	56.65	3	Vertical	344	2.42	73	33.24	6.93	35.01

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 73
 73
 3.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.429G	58.96	74.00	-15.04	54.36	3	Horizontal	288	2.53	73	32.64	6.85	34.89
AV	5.418G	50.29	54.00	-3.71	45.67	3	Horizontal	288	2.53	73	32.66	6.85	34.89
PK	5.4615G	58.25	68.20	-9.95	53.68	3	Horizontal	288	2.53	73	32.60	6.86	34.89
PK	5.572G	104.99	Inf	-Inf	100.42	3	Horizontal	288	2.53	73	32.60	6.90	34.93
AV	5.6015G	97.00	Inf	-Inf	92.44	3	Horizontal	288	2.53	73	32.60	6.91	34.95
PK	5.7365G	59.79	68.20	-8.41	54.58	3	Horizontal	288	2.53	73	33.29	6.93	35.01

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.18739G	55.41	74.00	-18.59	71.76	3	Vertical	271	1.80	73	38.86	10.34	65.55
AV	11.20865G	45.67	54.00	-8.33	61.92	3	Vertical	271	1.80	73	38.91	10.35	65.51
PK	16.82872G	59.41	68.20	-8.79	69.08	3	Vertical	71	1.80	73	38.21	14.29	62.17

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX








EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24845G	55.16	74.00	-18.84	71.29	3	Horizontal	270	1.80	73	38.95	10.36	65.44
AV	11.25756G	45.37	54.00	-8.63	61.46	3	Horizontal	270	1.80	73	38.96	10.37	65.42
PK	16.78636G	59.83	68.20	-8.37	69.46	3	Horizontal	87	1.06	73	38.26	14.26	62.15

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


21/01/2024

EUT_Z_2TX
 SET 97
 80,96,104,100,98,97
 4.20\1.53\ -3.59\ -1.46\ -0.02\ 0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	61.54	74.00	-12.46	56.97	3	Vertical	270	2.17	97	32.60	6.86	34.89
AV	5.458G	53.59	54.00	-0.41	49.02	3	Vertical	270	2.17	97	32.60	6.86	34.89
PK	5.463G	62.44	68.20	-5.76	57.87	3	Vertical	270	2.17	97	32.60	6.86	34.89
PK	5.6715G	113.69	Inf	-Inf	108.98	3	Vertical	270	2.17	97	32.77	6.92	34.98
AV	5.6625G	105.90	Inf	-Inf	101.26	3	Vertical	270	2.17	97	32.70	6.92	34.98
PK	5.8535G	65.93	68.20	-2.27	60.33	3	Vertical	270	2.17	97	33.72	6.95	35.07

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 97
 97
 1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.95	74.00	-13.05	56.38	3	Horizontal	301	3.00	97	32.60	6.86	34.89
AV	5.4545G	52.64	54.00	-1.36	48.07	3	Horizontal	301	3.00	97	32.60	6.86	34.89
PK	5.465G	63.02	68.20	-5.18	58.46	3	Horizontal	301	3.00	97	32.60	6.86	34.90
PK	5.694G	109.55	Inf	-Inf	104.67	3	Horizontal	301	3.00	97	32.95	6.92	34.99
AV	5.6745G	101.83	Inf	-Inf	97.09	3	Horizontal	301	3.00	97	32.80	6.92	34.98
PK	5.852G	62.05	68.20	-6.15	56.46	3	Horizontal	301	3.00	97	33.71	6.95	35.07

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38048G	57.01	74.00	-16.99	72.86	3	Vertical	1	1.80	97	38.92	10.42	65.19
AV	11.32597G	46.35	54.00	-7.65	62.27	3	Vertical	1	1.80	97	38.97	10.40	65.29
PK	17.0294G	58.73	68.20	-9.47	68.46	3	Vertical	1	1.80	97	38.09	14.41	62.23

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39295G	56.07	74.00	-17.93	71.89	3	Horizontal	93	1.21	97	38.91	10.43	65.16
AV	11.31271G	46.33	54.00	-7.67	62.27	3	Horizontal	93	1.21	97	38.99	10.39	65.32
PK	17.03436G	58.87	68.20	-9.33	68.58	3	Horizontal	100	2.00	97	38.10	14.42	62.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




26/03/2024

EUT_Z_2TX
Setting 65
04-K-G-5-10
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3375G	61.85	68.20	-6.35	56.25	3	Vertical	343	2.36	-	32.87	6.06	33.33
AV	5.35G	48.95	54.00	-5.05	43.32	3	Vertical	343	2.36	-	32.90	6.07	33.34
PK	5.4525G	66.96	74.00	-7.04	60.87	3	Vertical	343	2.36	-	33.31	6.15	33.37
AV	5.46G	53.69	54.00	-0.31	47.56	3	Vertical	343	2.36	-	33.36	6.15	33.38
PK	5.47G	66.26	68.20	-1.94	60.06	3	Vertical	343	2.36	-	33.42	6.16	33.38
PK	5.495G	107.79	Inf	-Inf	101.44	3	Vertical	343	2.36	-	33.57	6.17	33.39
AV	5.495G	96.57	Inf	-Inf	90.22	3	Vertical	343	2.36	-	33.57	6.17	33.39
PK	5.7315G	63.57	68.20	-4.63	56.88	3	Vertical	343	2.36	-	33.93	6.21	33.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 65
04-K-G-5-10
est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	59.55	68.20	-8.65	53.95	3	Horizontal	302	2.73	-	32.87	6.06	33.33
AV	5.35G	48.19	54.00	-5.81	42.56	3	Horizontal	302	2.73	-	32.90	6.07	33.34
PK	5.4525G	63.13	74.00	-10.87	57.04	3	Horizontal	302	2.73	-	33.31	6.15	33.37
PK	5.464G	63.51	68.20	-4.69	57.36	3	Horizontal	302	2.73	-	33.38	6.15	33.38
AV	5.46G	50.98	54.00	-3.02	44.85	3	Horizontal	302	2.73	-	33.36	6.15	33.38
PK	5.5095G	102.82	Inf	-Inf	96.42	3	Horizontal	302	2.73	-	33.62	6.17	33.39
AV	5.4945G	91.62	Inf	-Inf	85.27	3	Horizontal	302	2.73	-	33.57	6.17	33.39
PK	5.729G	61.35	68.20	-6.85	54.67	3	Horizontal	302	2.73	-	33.92	6.21	33.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 65
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14081G	54.89	74.00	-19.11	41.36	3	Vertical	119	1.83	-	38.64	9.29	34.40
AV	11.13244G	46.11	54.00	-7.89	32.54	3	Vertical	119	1.83	-	38.67	9.29	34.39
PK	16.70214G	59.83	68.20	-8.37	43.17	3	Vertical	8	1.56	-	39.61	12.02	34.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 65
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14513G	54.81	74.00	-19.19	41.30	3	Horizontal	178	1.65	-	38.62	9.29	34.40
AV	11.13493G	45.83	54.00	-8.17	32.28	3	Horizontal	178	1.65	-	38.66	9.29	34.40
PK	16.69692G	59.78	68.20	-8.42	43.15	3	Horizontal	307	2.23	-	39.59	12.01	34.97

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 67
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3295G	60.48	68.20	-7.72	54.90	3	Vertical	342	2.32	-	32.86	6.05	33.33
AV	5.35G	48.47	54.00	-5.53	42.84	3	Vertical	342	2.32	-	32.90	6.07	33.34
PK	5.4445G	66.62	74.00	-7.38	60.57	3	Vertical	342	2.32	-	33.28	6.14	33.37
PK	5.47G	67.82	68.20	-0.38	61.62	3	Vertical	342	2.32	-	33.42	6.16	33.38
AV	5.4595G	52.74	54.00	-1.26	46.61	3	Vertical	342	2.32	-	33.36	6.15	33.38
PK	5.5405G	106.02	Inf	-Inf	99.55	3	Vertical	342	2.32	-	33.68	6.19	33.40
AV	5.507G	94.17	Inf	-Inf	87.78	3	Vertical	342	2.32	-	33.61	6.17	33.39
PK	5.74G	63.41	68.20	-4.79	56.70	3	Vertical	342	2.32	-	33.96	6.21	33.46

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 67
 04-K-G-5-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3465G	59.94	68.20	-8.26	54.31	3	Horizontal	301	2.72	-	32.89	6.07	33.33
AV	5.35G	47.70	54.00	-6.30	42.07	3	Horizontal	301	2.72	-	32.90	6.07	33.34
PK	5.455G	63.37	74.00	-10.63	57.26	3	Horizontal	301	2.72	-	33.33	6.15	33.37
PK	5.4605G	63.33	68.20	-4.87	57.20	3	Horizontal	301	2.72	-	33.36	6.15	33.38
AV	5.458G	50.09	54.00	-3.91	43.96	3	Horizontal	301	2.72	-	33.35	6.15	33.37
PK	5.4945G	100.56	Inf	-Inf	94.21	3	Horizontal	301	2.72	-	33.57	6.17	33.39
AV	5.4945G	89.45	Inf	-Inf	83.10	3	Horizontal	301	2.72	-	33.57	6.17	33.39
PK	5.763G	61.73	68.20	-6.47	54.94	3	Horizontal	301	2.72	-	34.05	6.20	33.46

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 67
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13376G	55.11	74.00	-18.89	41.56	3	Vertical	234	1.38	-	38.66	9.29	34.40
AV	11.12569G	45.72	54.00	-8.28	32.13	3	Vertical	234	1.38	-	38.70	9.28	34.39
PK	16.70877G	59.58	68.20	-8.62	42.89	3	Vertical	198	2.53	-	39.64	12.02	34.97

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
 Setting 67
 04-K-G-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15344G	55.94	74.00	-18.06	42.45	3	Horizontal	47	1.80	-	38.60	9.30	34.41
AV	11.12962G	46.25	54.00	-7.75	32.67	3	Horizontal	47	1.80	-	38.68	9.29	34.39
PK	16.70478G	60.98	68.20	-7.22	44.31	3	Horizontal	253	1.80	-	39.62	12.02	34.97




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.147G	53.99	54.00	-0.01	3	Horizontal	281	1.80	61

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 SET 108
 80\96\104\108
 4.09\2.88\2.01\2.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.111G	67.97	74.00	-6.03	63.48	3	Vertical	312	1.84	108	32.78	6.56	34.85
AV	5.096G	50.83	54.00	-3.17	46.33	3	Vertical	312	1.84	108	32.82	6.52	34.84
PK	5.254G	121.81	Inf	-Inf	117.08	3	Vertical	312	1.84	108	32.79	6.81	34.87
AV	5.2535G	114.35	Inf	-Inf	109.62	3	Vertical	312	1.84	108	32.79	6.81	34.87
PK	5.351G	70.01	74.00	-3.99	65.46	3	Vertical	312	1.84	108	32.60	6.83	34.88
PK	5.4735G	58.26	68.20	-9.94	53.69	3	Vertical	312	1.84	108	32.60	6.87	34.90
AV	5.4225G	51.91	54.00	-2.09	47.29	3	Vertical	312	1.84	108	32.66	6.85	34.89

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 SET 89
 108\100\96\94\93\92\91\90\89
 -1.86\ -1.44\ -0.85\ -0.65\ -0.30\ -0.30\ -0.16\ -0.16\ 0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0995G	59.88	74.00	-14.12	55.39	3	Horizontal	308	2.02	89	32.80	6.53	34.84
AV	5.1005G	50.11	54.00	-3.89	45.61	3	Horizontal	308	2.02	89	32.80	6.54	34.84
PK	5.258G	122.09	Inf	-Inf	117.37	3	Horizontal	308	2.02	89	32.78	6.81	34.87
AV	5.257G	113.85	Inf	-Inf	109.12	3	Horizontal	308	2.02	89	32.79	6.81	34.87
PK	5.4215G	62.53	74.00	-11.47	57.91	3	Horizontal	308	2.02	89	32.66	6.85	34.89
AV	5.4145G	53.80	54.00	-0.20	49.17	3	Horizontal	308	2.02	89	32.67	6.85	34.89
PK	5.5095G	60.06	68.20	-8.14	55.48	3	Horizontal	308	2.02	89	32.60	6.88	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52176G	52.64	68.20	-15.56	71.41	3	Vertical	168	1.80	89	38.40	8.24	65.41
PK	15.776G	54.76	74.00	-19.24	69.25	3	Vertical	355	2.69	89	37.50	10.21	62.20
AV	15.77285G	42.00	54.00	-12.00	56.48	3	Vertical	355	2.69	89	37.51	10.21	62.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50322G	52.89	68.20	-15.31	71.65	3	Horizontal	241	2.55	89	38.40	8.23	65.39
PK	15.7756G	55.42	74.00	-18.58	69.91	3	Horizontal	338	2.26	89	37.50	10.21	62.20
AV	15.77517G	42.96	54.00	-11.04	57.45	3	Horizontal	338	2.26	89	37.50	10.21	62.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 97
80\97
4.33\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	59.74	74.00	-14.26	55.23	3	Vertical	46	1.68	97	32.72	6.64	34.85
AV	5.138G	49.84	54.00	-4.16	45.33	3	Vertical	46	1.68	97	32.72	6.64	34.85
PK	5.2935G	121.03	Inf	-Inf	116.37	3	Vertical	46	1.68	97	32.71	6.82	34.87
AV	5.293G	113.41	Inf	-Inf	108.75	3	Vertical	46	1.68	97	32.71	6.82	34.87
PK	5.37G	69.16	74.00	-4.84	64.57	3	Vertical	46	1.68	97	32.64	6.83	34.88
AV	5.354G	53.82	54.00	-0.18	49.26	3	Vertical	46	1.68	97	32.61	6.83	34.88
PK	5.468G	60.37	68.20	-7.83	55.81	3	Vertical	46	1.68	97	32.60	6.86	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 SET 84
 97\90\87\86\85\84
 -1.63\ -0.82\ -0.35\ -0.35\ -0.06\ 0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	59.72	74.00	-14.28	55.21	3	Horizontal	312	2.03	84	32.72	6.64	34.85
AV	5.1385G	50.28	54.00	-3.72	45.77	3	Horizontal	312	2.03	84	32.72	6.64	34.85
PK	5.297G	121.11	Inf	-Inf	116.45	3	Horizontal	312	2.03	84	32.71	6.82	34.87
AV	5.2965G	113.14	Inf	-Inf	108.48	3	Horizontal	312	2.03	84	32.71	6.82	34.87
PK	5.4535G	63.42	74.00	-10.58	58.85	3	Horizontal	312	2.03	84	32.60	6.86	34.89
AV	5.4525G	53.92	54.00	-0.08	49.35	3	Horizontal	312	2.03	84	32.60	6.86	34.89
PK	5.4615G	61.98	68.20	-6.22	57.41	3	Horizontal	312	2.03	84	32.60	6.86	34.89

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60168G	53.46	74.00	-20.54	72.30	3	Vertical	191	1.07	84	38.40	8.26	65.50
AV	10.61674G	40.53	54.00	-13.47	59.37	3	Vertical	191	1.07	84	38.40	8.27	65.51
PK	15.91143G	54.10	74.00	-19.90	68.80	3	Vertical	356	1.80	84	37.32	10.25	62.27
AV	15.8994G	41.76	54.00	-12.24	56.48	3	Vertical	356	1.80	84	37.30	10.25	62.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61355G	52.80	74.00	-21.20	71.64	3	Horizontal	246	1.80	84	38.40	8.27	65.51
AV	10.61686G	40.58	54.00	-13.42	59.42	3	Horizontal	246	1.80	84	38.40	8.27	65.51
PK	15.89712G	54.61	74.00	-19.39	69.32	3	Horizontal	102	1.43	84	37.30	10.25	62.26
AV	15.8996G	41.71	54.00	-12.29	56.43	3	Horizontal	102	1.43	84	37.30	10.25	62.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 SET 82
 80\86\83\82
 1.65\ -1.09\ -0.01\ 1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	57.62	74.00	-16.38	53.10	3	Vertical	54	3.00	82	32.89	6.47	34.84
AV	5.149G	47.47	54.00	-6.53	42.96	3	Vertical	54	3.00	82	32.70	6.66	34.85
PK	5.323G	117.34	Inf	-Inf	112.75	3	Vertical	54	3.00	82	32.65	6.82	34.88
AV	5.322G	109.97	Inf	-Inf	105.37	3	Vertical	54	3.00	82	32.66	6.82	34.88
PK	5.352G	67.99	74.00	-6.01	63.44	3	Vertical	54	3.00	82	32.60	6.83	34.88
AV	5.351G	52.86	54.00	-1.14	48.31	3	Vertical	54	3.00	82	32.60	6.83	34.88
PK	5.477G	60.82	68.20	-7.38	56.25	3	Vertical	54	3.00	82	32.60	6.87	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 SET 82
 82
 0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	58.03	74.00	-15.97	53.53	3	Horizontal	310	2.06	82	32.80	6.54	34.84
AV	5.15G	47.63	54.00	-6.37	43.11	3	Horizontal	310	2.06	82	32.70	6.67	34.85
PK	5.317G	120.17	Inf	-Inf	115.55	3	Horizontal	310	2.06	82	32.67	6.82	34.87
AV	5.3165G	112.50	Inf	-Inf	107.88	3	Horizontal	310	2.06	82	32.67	6.82	34.87
PK	5.35G	67.45	74.00	-6.55	62.90	3	Horizontal	310	2.06	82	32.60	6.83	34.88
AV	5.3555G	53.90	54.00	-0.10	49.34	3	Horizontal	310	2.06	82	32.61	6.83	34.88
PK	5.473G	62.29	68.20	-5.91	57.72	3	Horizontal	310	2.06	82	32.60	6.87	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64987G	53.41	74.00	-20.59	72.28	3	Vertical	354	1.69	82	38.40	8.28	65.55
AV	10.64591G	40.89	54.00	-13.11	59.75	3	Vertical	354	1.69	82	38.40	8.28	65.54
PK	15.9447G	53.04	74.00	-20.96	67.68	3	Vertical	1	1.80	82	37.39	10.26	62.29
AV	15.94046G	40.90	54.00	-13.10	55.55	3	Vertical	1	1.80	82	37.38	10.26	62.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62641G	53.37	74.00	-20.63	72.22	3	Horizontal	39	1.48	82	38.40	8.27	65.52
AV	10.64731G	40.89	54.00	-13.11	59.75	3	Horizontal	39	1.48	82	38.40	8.28	65.54
PK	15.96508G	53.18	74.00	-20.82	67.75	3	Horizontal	129	1.80	82	37.46	10.27	62.30
AV	15.94202G	40.87	54.00	-13.13	55.52	3	Horizontal	129	1.80	82	37.38	10.26	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 SET 77
 80\75\77\78\77
 -1.20\3.87\1.01\0.64\1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	59.93	68.20	-8.27	55.35	3	Vertical	48	1.86	77	32.63	6.83	34.88
AV	5.35G	47.16	54.00	-6.84	42.61	3	Vertical	48	1.86	77	32.60	6.83	34.88
PK	5.458G	62.47	74.00	-11.53	57.90	3	Vertical	48	1.86	77	32.60	6.86	34.89
AV	5.4525G	49.06	54.00	-4.94	44.49	3	Vertical	48	1.86	77	32.60	6.86	34.89
PK	5.47G	66.78	68.20	-1.42	62.22	3	Vertical	48	1.86	77	32.60	6.86	34.90
PK	5.494G	116.20	Inf	-Inf	111.63	3	Vertical	48	1.86	77	32.60	6.87	34.90
AV	5.493G	108.24	Inf	-Inf	103.67	3	Vertical	48	1.86	77	32.60	6.87	34.90
PK	5.734G	59.01	68.20	-9.19	53.82	3	Vertical	48	1.86	77	33.27	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 77
77
1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3465G	59.46	68.20	-8.74	54.90	3	Horizontal	307	1.88	77	32.61	6.83	34.88
AV	5.35G	47.47	54.00	-6.53	42.92	3	Horizontal	307	1.88	77	32.60	6.83	34.88
PK	5.459G	64.32	74.00	-9.68	59.75	3	Horizontal	307	1.88	77	32.60	6.86	34.89
AV	5.4585G	50.99	54.00	-3.01	46.42	3	Horizontal	307	1.88	77	32.60	6.86	34.89
PK	5.469G	66.72	68.20	-1.48	62.16	3	Horizontal	307	1.88	77	32.60	6.86	34.90
PK	5.4985G	118.80	Inf	-Inf	114.23	3	Horizontal	307	1.88	77	32.60	6.87	34.90
AV	5.498G	111.45	Inf	-Inf	106.88	3	Horizontal	307	1.88	77	32.60	6.87	34.90
PK	5.75G	59.21	68.20	-8.99	53.90	3	Horizontal	307	1.88	77	33.40	6.93	35.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00548G	52.13	74.00	-21.87	71.13	3	Vertical	231	1.80	77	38.50	8.40	65.90
AV	10.98154G	39.86	54.00	-14.14	58.86	3	Vertical	231	1.80	77	38.50	8.39	65.89
PK	16.49093G	54.91	68.20	-13.29	67.49	3	Vertical	135	2.58	77	38.86	10.62	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98757G	53.21	74.00	-20.79	72.21	3	Horizontal	247	1.05	77	38.50	8.40	65.90
AV	10.98166G	39.84	54.00	-14.16	58.84	3	Horizontal	247	1.05	77	38.50	8.39	65.89
PK	16.51846G	55.45	68.20	-12.75	67.94	3	Horizontal	56	1.80	77	38.94	10.64	62.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 SET 107
 80\96\104\108\106\107
 4.16\2.34\1.34\-.025\1.02\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3355G	58.49	68.20	-9.71	53.91	3	Vertical	49	1.80	107	32.63	6.83	34.88
AV	5.35G	47.77	54.00	-6.23	43.22	3	Vertical	49	1.80	107	32.60	6.83	34.88
PK	5.457G	66.50	74.00	-7.50	61.93	3	Vertical	49	1.80	107	32.60	6.86	34.89
AV	5.4175G	53.08	54.00	-0.92	48.45	3	Vertical	49	1.80	107	32.67	6.85	34.89
PK	5.467G	67.90	68.20	-0.30	63.34	3	Vertical	49	1.80	107	32.60	6.86	34.90
PK	5.5725G	121.94	Inf	-Inf	117.37	3	Vertical	49	1.80	107	32.60	6.90	34.93
AV	5.5735G	114.20	Inf	-Inf	109.64	3	Vertical	49	1.80	107	32.60	6.90	34.94
PK	5.735G	61.85	68.20	-6.35	56.65	3	Vertical	49	1.80	107	33.28	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 SET 101
 107,92\99\102\101
 -3.70\1.67\0.74\ -0.93\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	58.78	68.20	-9.42	54.22	3	Horizontal	73	1.80	101	32.61	6.83	34.88
AV	5.35G	47.77	54.00	-6.23	43.22	3	Horizontal	73	1.80	101	32.60	6.83	34.88
PK	5.424G	62.67	74.00	-11.33	58.06	3	Horizontal	73	1.80	101	32.65	6.85	34.89
AV	5.4125G	53.65	54.00	-0.35	49.02	3	Horizontal	73	1.80	101	32.68	6.84	34.89
PK	5.469G	59.15	68.20	-9.05	54.59	3	Horizontal	73	1.80	101	32.60	6.86	34.90
PK	5.5875G	125.01	Inf	-Inf	120.44	3	Horizontal	73	1.80	101	32.60	6.91	34.94
AV	5.587G	117.33	Inf	-Inf	112.76	3	Horizontal	73	1.80	101	32.60	6.91	34.94
PK	5.745G	62.88	68.20	-5.32	57.61	3	Horizontal	73	1.80	101	33.36	6.93	35.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17043G	52.61	74.00	-21.39	71.14	3	Vertical	-0	1.80	101	38.60	8.46	65.59
AV	11.1771G	40.00	54.00	-14.00	58.51	3	Vertical	-0	1.80	101	38.60	8.46	65.57
PK	16.74803G	57.54	68.20	-10.66	68.79	3	Vertical	168	1.09	101	40.09	10.80	62.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14573G	52.52	74.00	-21.48	71.10	3	Horizontal	200	1.80	101	38.60	8.45	65.63
AV	11.17606G	39.99	54.00	-14.01	58.51	3	Horizontal	200	1.80	101	38.60	8.46	65.58
PK	16.74903G	57.91	68.20	-10.29	69.16	3	Horizontal	339	1.72	101	40.09	10.80	62.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 73
 80\74\77\76\75\74\73
 -1.30\0.88\0.95\0.33\0.06\4.15\1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	57.28	74.00	-16.72	52.71	3	Vertical	50	1.77	73	32.60	6.86	34.89
AV	5.454G	47.21	54.00	-6.79	42.64	3	Vertical	50	1.77	73	32.60	6.86	34.89
PK	5.4675G	57.22	68.20	-10.98	52.66	3	Vertical	50	1.77	73	32.60	6.86	34.90
PK	5.693G	113.51	Inf	-Inf	108.64	3	Vertical	50	1.77	73	32.94	6.92	34.99
AV	5.693G	106.35	Inf	-Inf	101.48	3	Vertical	50	1.77	73	32.94	6.92	34.99
PK	5.7335G	66.82	68.20	-1.38	61.63	3	Vertical	50	1.77	73	33.27	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 69
 73\62\67\69\70\69
 -2.74\6.79\4.10\1.40\ -0.99\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	57.94	74.00	-16.06	53.37	3	Horizontal	320	2.07	69	32.60	6.86	34.89
AV	5.457G	47.52	54.00	-6.48	42.95	3	Horizontal	320	2.07	69	32.60	6.86	34.89
PK	5.4615G	57.44	68.20	-10.76	52.87	3	Horizontal	320	2.07	69	32.60	6.86	34.89
PK	5.6945G	115.95	Inf	-Inf	111.06	3	Horizontal	320	2.07	69	32.96	6.92	34.99
AV	5.6935G	108.90	Inf	-Inf	104.02	3	Horizontal	320	2.07	69	32.95	6.92	34.99
PK	5.7265G	67.74	68.20	-0.46	62.61	3	Horizontal	320	2.07	69	33.21	6.93	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3837G	54.78	74.00	-19.22	72.76	3	Vertical	166	1.41	69	38.67	8.53	65.18
AV	11.39321G	41.97	54.00	-12.03	59.91	3	Vertical	166	1.41	69	38.69	8.53	65.16
PK	17.11395G	57.74	68.20	-10.46	67.40	3	Vertical	95	1.80	69	41.56	11.05	62.27

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38182G	54.56	74.00	-19.44	72.55	3	Horizontal	355	1.87	69	38.66	8.53	65.18
AV	11.39349G	41.92	54.00	-12.08	59.86	3	Horizontal	355	1.87	69	38.69	8.53	65.16
PK	17.11854G	57.49	68.20	-10.71	67.13	3	Horizontal	34	2.17	69	41.57	11.06	62.27

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 SET 108
 80\105\108
 6.48\6.32\6.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	59.75	74.00	-14.25	55.18	3	Vertical	49	1.78	108	32.60	6.86	34.89
AV	5.45108G	47.83	54.00	-6.17	43.26	3	Vertical	49	1.78	108	32.60	6.86	34.89
PK	5.46134G	59.95	68.20	-8.25	55.38	3	Vertical	49	1.78	108	32.60	6.86	34.89
PK	5.71406G	121.22	Inf	-Inf	116.18	3	Vertical	49	1.78	108	33.11	6.93	35.00
AV	5.71244G	113.45	Inf	-Inf	108.42	3	Vertical	49	1.78	108	33.10	6.93	35.00
PK	5.8577G	60.78	68.20	-7.42	55.15	3	Vertical	49	1.78	108	33.75	6.95	35.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
 SET 108
 108
 2.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.05	74.00	-10.95	58.48	3	Horizontal	310	1.80	108	32.60	6.86	34.89
AV	5.4527G	48.53	54.00	-5.47	43.96	3	Horizontal	310	1.80	108	32.60	6.86	34.89
PK	5.46458G	65.32	68.20	-2.88	60.76	3	Horizontal	310	1.80	108	32.60	6.86	34.90
PK	5.71784G	124.65	Inf	-Inf	119.58	3	Horizontal	310	1.80	108	33.14	6.93	35.00
AV	5.71838G	116.24	Inf	-Inf	111.16	3	Horizontal	310	1.80	108	33.15	6.93	35.00
PK	5.8523G	62.96	68.20	-5.24	57.37	3	Horizontal	310	1.80	108	33.71	6.95	35.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43481G	53.77	74.00	-20.23	71.53	3	Vertical	0	1.80	108	38.77	8.55	65.08
AV	11.436G	41.77	54.00	-12.23	59.53	3	Vertical	0	1.80	108	38.77	8.55	65.08
PK	17.17694G	59.25	68.20	-8.95	68.63	3	Vertical	7	2.50	108	41.81	11.10	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43489G	54.45	74.00	-19.55	72.21	3	Horizontal	75	1.18	108	38.77	8.55	65.08
AV	11.43537G	41.84	54.00	-12.16	59.60	3	Horizontal	75	1.18	108	38.77	8.55	65.08
PK	17.16504G	58.75	68.20	-9.45	68.19	3	Horizontal	293	1.49	108	41.76	11.09	62.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 SET 104
 80\96\104\108\106\105\104
 4.19\2.53\0.90\0.10\3.68\0.04\1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	71.28	74.00	-2.72	66.76	3	Vertical	311	1.80	104	32.70	6.67	34.85
AV	5.1085G	50.73	54.00	-3.27	46.24	3	Vertical	311	1.80	104	32.78	6.56	34.85
PK	5.262G	123.76	Inf	-Inf	119.04	3	Vertical	311	1.80	104	32.78	6.81	34.87
AV	5.2615G	113.61	Inf	-Inf	108.89	3	Vertical	311	1.80	104	32.78	6.81	34.87
PK	5.355G	72.07	74.00	-1.93	67.51	3	Vertical	311	1.80	104	32.61	6.83	34.88
PK	5.4695G	58.78	68.20	-9.42	54.22	3	Vertical	311	1.80	104	32.60	6.86	34.90
AV	5.421G	52.19	54.00	-1.81	47.57	3	Vertical	311	1.80	104	32.66	6.85	34.89

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 SET 102
 104\99\101\102
 -1.11\0.97\0.78\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.52	74.00	-0.48	69.00	3	Horizontal	278	1.62	102	32.70	6.67	34.85
AV	5.1015G	50.75	54.00	-3.25	46.25	3	Horizontal	278	1.62	102	32.80	6.54	34.84
PK	5.2645G	124.85	Inf	-Inf	120.14	3	Horizontal	278	1.62	102	32.77	6.81	34.87
AV	5.2645G	115.77	Inf	-Inf	111.06	3	Horizontal	278	1.62	102	32.77	6.81	34.87
PK	5.3525G	69.80	74.00	-4.20	65.24	3	Horizontal	278	1.62	102	32.61	6.83	34.88
PK	5.4795G	61.41	68.20	-6.79	56.84	3	Horizontal	278	1.62	102	32.60	6.87	34.90
AV	5.417G	53.32	54.00	-0.68	48.69	3	Horizontal	278	1.62	102	32.67	6.85	34.89

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51465G	52.90	68.20	-15.30	71.68	3	Vertical	57	1.79	102	38.40	8.23	65.41
PK	15.78268G	55.48	74.00	-18.52	70.00	3	Vertical	24	2.95	102	37.47	10.21	62.20
AV	15.77704G	43.91	54.00	-10.09	58.41	3	Vertical	24	2.95	102	37.49	10.21	62.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50805G	52.98	68.20	-15.22	71.75	3	Horizontal	68	1.80	102	38.40	8.23	65.40
PK	15.77269G	54.87	74.00	-19.13	69.35	3	Horizontal	190	1.80	102	37.51	10.21	62.20
AV	15.76933G	42.78	54.00	-11.22	57.25	3	Horizontal	190	1.80	102	37.52	10.21	62.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 SET 90
 80\98\89\93\91\90
 4.50\-3.61\1.06\0.71\0.43\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.055G	58.98	74.00	-15.02	54.42	3	Vertical	44	1.64	90	32.98	6.42	34.84
AV	5.1345G	48.86	54.00	-5.14	44.35	3	Vertical	44	1.64	90	32.73	6.63	34.85
PK	5.3025G	121.68	Inf	-Inf	117.03	3	Vertical	44	1.64	90	32.70	6.82	34.87
AV	5.2965G	110.95	Inf	-Inf	106.29	3	Vertical	44	1.64	90	32.71	6.82	34.87
PK	5.3525G	65.83	74.00	-8.17	61.27	3	Vertical	44	1.64	90	32.61	6.83	34.88
AV	5.3515G	53.11	54.00	-0.89	48.56	3	Vertical	44	1.64	90	32.60	6.83	34.88
PK	5.465G	61.12	68.20	-7.08	56.56	3	Vertical	44	1.64	90	32.60	6.86	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 SET 88
 90\88
 -0.38\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	60.48	74.00	-13.52	55.97	3	Horizontal	312	2.08	88	32.73	6.63	34.85
AV	5.1445G	50.22	54.00	-3.78	45.71	3	Horizontal	312	2.08	88	32.71	6.65	34.85
PK	5.2965G	120.70	Inf	-Inf	116.04	3	Horizontal	312	2.08	88	32.71	6.82	34.87
AV	5.292G	111.52	Inf	-Inf	106.85	3	Horizontal	312	2.08	88	32.72	6.82	34.87
PK	5.356G	63.91	74.00	-10.09	59.35	3	Horizontal	312	2.08	88	32.61	6.83	34.88
AV	5.352G	53.80	54.00	-0.20	49.25	3	Horizontal	312	2.08	88	32.60	6.83	34.88
PK	5.4635G	62.79	68.20	-5.41	58.22	3	Horizontal	312	2.08	88	32.60	6.86	34.89

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59821G	53.71	68.20	-14.49	72.54	3	Vertical	344	2.41	88	38.40	8.26	65.49
PK	15.89612G	54.60	74.00	-19.40	69.31	3	Vertical	1	1.60	88	37.30	10.25	62.26
AV	15.89137G	42.40	54.00	-11.60	57.11	3	Vertical	1	1.60	88	37.30	10.25	62.26

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59684G	52.93	68.20	-15.27	71.76	3	Horizontal	20	1.80	88	38.40	8.26	65.49
PK	15.89337G	54.13	74.00	-19.87	68.84	3	Horizontal	319	1.05	88	37.30	10.25	62.26
AV	15.90128G	42.55	54.00	-11.45	57.27	3	Horizontal	319	1.05	88	37.30	10.25	62.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 SET 75
 80\65\72\75
 -3.61\4.62\2.37\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	57.87	74.00	-16.13	53.36	3	Vertical	48	1.65	75	32.72	6.64	34.85
AV	5.1345G	47.20	54.00	-6.80	42.69	3	Vertical	48	1.65	75	32.73	6.63	34.85
PK	5.3275G	117.04	Inf	-Inf	112.44	3	Vertical	48	1.65	75	32.65	6.83	34.88
AV	5.317G	107.41	Inf	-Inf	102.79	3	Vertical	48	1.65	75	32.67	6.82	34.87
PK	5.352G	67.67	74.00	-6.33	63.12	3	Vertical	48	1.65	75	32.60	6.83	34.88
AV	5.3515G	53.87	54.00	-0.13	49.32	3	Vertical	48	1.65	75	32.60	6.83	34.88
PK	5.485G	59.31	68.20	-8.89	54.74	3	Vertical	48	1.65	75	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 SET 74
 75\74
 -0.23\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1235G	59.30	74.00	-14.70	54.80	3	Horizontal	311	2.07	74	32.75	6.60	34.85
AV	5.15G	47.63	54.00	-6.37	43.11	3	Horizontal	311	2.07	74	32.70	6.67	34.85
PK	5.317G	116.81	Inf	-Inf	112.19	3	Horizontal	311	2.07	74	32.67	6.82	34.87
AV	5.3225G	108.33	Inf	-Inf	103.73	3	Horizontal	311	2.07	74	32.66	6.82	34.88
PK	5.353G	67.30	74.00	-6.70	62.74	3	Horizontal	311	2.07	74	32.61	6.83	34.88
AV	5.352G	53.27	54.00	-0.73	48.72	3	Horizontal	311	2.07	74	32.60	6.83	34.88
PK	5.4795G	61.69	68.20	-6.51	57.12	3	Horizontal	311	2.07	74	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62721G	53.21	74.00	-20.79	72.06	3	Vertical	358	1.80	74	38.40	8.27	65.52
AV	10.62158G	41.47	54.00	-12.53	60.32	3	Vertical	358	1.80	74	38.40	8.27	65.52
PK	15.96799G	53.79	74.00	-20.21	68.35	3	Vertical	356	1.80	74	37.47	10.27	62.30
AV	15.94006G	41.62	54.00	-12.38	56.27	3	Vertical	356	1.80	74	37.38	10.26	62.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62182G	53.42	74.00	-20.58	72.27	3	Horizontal	124	1.80	74	38.40	8.27	65.52
AV	10.644G	41.33	54.00	-12.67	60.19	3	Horizontal	124	1.80	74	38.40	8.28	65.54
PK	15.96715G	53.93	74.00	-20.07	68.49	3	Horizontal	156	2.60	74	37.47	10.27	62.30
AV	15.94106G	41.78	54.00	-12.22	56.43	3	Horizontal	156	2.60	74	37.38	10.26	62.29

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 SET 71
 80\64\72\68\70\71
 -3.94\1.66\ -2.29\4.80\2.96\1.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3015G	58.33	68.20	-9.87	53.68	3	Vertical	307	1.78	71	32.70	6.82	34.87
AV	5.35G	47.16	54.00	-6.84	42.61	3	Vertical	307	1.78	71	32.60	6.83	34.88
PK	5.4585G	59.75	74.00	-14.25	55.18	3	Vertical	307	1.78	71	32.60	6.86	34.89
AV	5.458G	48.39	54.00	-5.61	43.82	3	Vertical	307	1.78	71	32.60	6.86	34.89
PK	5.469G	66.66	68.20	-1.54	62.10	3	Vertical	307	1.78	71	32.60	6.86	34.90
PK	5.494G	115.03	Inf	-Inf	110.46	3	Vertical	307	1.78	71	32.60	6.87	34.90
AV	5.4985G	106.06	Inf	-Inf	101.49	3	Vertical	307	1.78	71	32.60	6.87	34.90
PK	5.734G	58.66	68.20	-9.54	53.47	3	Vertical	307	1.78	71	33.27	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
 SET 69
 71\69
 -0.30\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3465G	58.66	68.20	-9.54	54.10	3	Horizontal	75	1.60	69	32.61	6.83	34.88
AV	5.35G	46.84	54.00	-7.16	42.29	3	Horizontal	75	1.60	69	32.60	6.83	34.88
PK	5.4595G	60.87	74.00	-13.13	56.30	3	Horizontal	75	1.60	69	32.60	6.86	34.89
AV	5.459G	49.05	54.00	-4.95	44.48	3	Horizontal	75	1.60	69	32.60	6.86	34.89
PK	5.464G	67.93	68.20	-0.27	63.36	3	Horizontal	75	1.60	69	32.60	6.86	34.89
PK	5.504G	117.86	Inf	-Inf	113.28	3	Horizontal	75	1.60	69	32.60	6.88	34.90
AV	5.4985G	108.61	Inf	-Inf	104.04	3	Horizontal	75	1.60	69	32.60	6.87	34.90
PK	5.727G	59.73	68.20	-8.47	54.59	3	Horizontal	75	1.60	69	33.22	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUTY_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00927G	52.29	74.00	-21.71	71.28	3	Vertical	24	1.80	77	38.50	8.40	65.89
AV	10.98434G	40.08	54.00	-13.92	59.08	3	Vertical	24	1.80	77	38.50	8.39	65.89
PK	16.5167G	54.50	68.20	-13.70	67.00	3	Vertical	283	1.80	77	38.93	10.64	62.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUTY_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98737G	52.42	74.00	-21.58	71.42	3	Horizontal	223	1.80	77	38.50	8.40	65.90
AV	10.98154G	40.36	54.00	-13.64	59.36	3	Horizontal	223	1.80	77	38.50	8.39	65.89
PK	16.49125G	55.95	68.20	-12.25	68.53	3	Horizontal	27	1.70	77	38.86	10.62	62.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
 SET 104
 80\98\107\103\105\104
 4.52\2.49\4.51\2.01\0.89\1.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3495G	60.74	68.20	-7.46	56.19	3	Vertical	50	1.75	104	32.60	6.83	34.88
AV	5.35G	47.62	54.00	-6.38	43.07	3	Vertical	50	1.75	104	32.60	6.83	34.88
PK	5.4415G	67.55	74.00	-6.45	62.97	3	Vertical	50	1.75	104	32.62	6.85	34.89
AV	5.414G	52.31	54.00	-1.69	47.69	3	Vertical	50	1.75	104	32.67	6.84	34.89
PK	5.4665G	66.05	68.20	-2.15	61.49	3	Vertical	50	1.75	104	32.60	6.86	34.90
PK	5.577G	122.73	Inf	-Inf	118.17	3	Vertical	50	1.75	104	32.60	6.90	34.94
AV	5.5765G	113.31	Inf	-Inf	108.75	3	Vertical	50	1.75	104	32.60	6.90	34.94
PK	5.7395G	62.24	68.20	-5.96	57.00	3	Vertical	50	1.75	104	33.32	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
 SET 104
 104
 0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3475G	62.14	68.20	-6.06	57.58	3	Horizontal	74	1.72	104	32.61	6.83	34.88
AV	5.35G	47.77	54.00	-6.23	43.22	3	Horizontal	74	1.72	104	32.60	6.83	34.88
PK	5.4325G	70.98	74.00	-3.02	66.39	3	Horizontal	74	1.72	104	32.63	6.85	34.89
AV	5.416G	53.40	54.00	-0.60	48.77	3	Horizontal	74	1.72	104	32.67	6.85	34.89
PK	5.463G	65.70	68.20	-2.50	61.13	3	Horizontal	74	1.72	104	32.60	6.86	34.89
PK	5.574G	126.13	Inf	-Inf	121.57	3	Horizontal	74	1.72	104	32.60	6.90	34.94
AV	5.5735G	117.22	Inf	-Inf	112.66	3	Horizontal	74	1.72	104	32.60	6.90	34.94
PK	5.7285G	67.53	68.20	-0.67	62.38	3	Horizontal	74	1.72	104	33.23	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17127G	53.24	74.00	-20.76	71.76	3	Vertical	50	2.43	104	38.60	8.46	65.58
AV	11.1775G	40.81	54.00	-13.19	59.32	3	Vertical	50	2.43	104	38.60	8.46	65.57
PK	16.74448G	57.49	68.20	-10.71	68.76	3	Vertical	220	1.80	104	40.07	10.80	62.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17814G	52.91	74.00	-21.09	71.42	3	Horizontal	264	1.80	104	38.60	8.46	65.57
AV	11.14665G	40.71	54.00	-13.29	59.29	3	Horizontal	264	1.80	104	38.60	8.45	65.63
PK	16.74991G	58.06	68.20	-10.14	69.30	3	Horizontal	38	2.13	104	40.10	10.80	62.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 62
 80\48\64\56\60\62
 -10.68\7.11\2.64\6.95\3.50\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4555G	57.18	74.00	-16.82	52.61	3	Vertical	50	1.80	62	32.60	6.86	34.89
AV	5.454G	47.05	54.00	-6.95	42.48	3	Vertical	50	1.80	62	32.60	6.86	34.89
PK	5.47G	56.67	68.20	-11.53	52.11	3	Vertical	50	1.80	62	32.60	6.86	34.90
PK	5.7015G	113.22	Inf	-Inf	108.28	3	Vertical	50	1.80	62	33.01	6.93	35.00
AV	5.7015G	103.02	Inf	-Inf	98.08	3	Vertical	50	1.80	62	33.01	6.93	35.00
PK	5.727G	68.01	68.20	-0.19	62.87	3	Vertical	50	1.80	62	33.22	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 61
 61
 6.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	47.06	54.00	-6.94	42.49	3	Horizontal	75	1.65	61	32.60	6.86	34.89
PK	5.4665G	56.91	68.20	-11.29	52.35	3	Horizontal	75	1.65	61	32.60	6.86	34.90
PK	5.699G	117.82	Inf	-Inf	112.91	3	Horizontal	75	1.65	61	32.99	6.92	35.00
AV	5.6935G	106.02	Inf	-Inf	101.14	3	Horizontal	75	1.65	61	32.95	6.92	34.99
PK	5.729G	66.48	68.20	-1.72	61.33	3	Horizontal	75	1.65	61	33.23	6.93	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38829G	54.70	74.00	-19.30	72.66	3	Vertical	18	1.77	61	38.68	8.53	65.17
AV	11.39129G	42.70	54.00	-11.30	60.66	3	Vertical	18	1.77	61	38.68	8.53	65.17
PK	17.11455G	57.90	68.20	-10.30	67.56	3	Vertical	23	1.80	61	41.56	11.05	62.27

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39089G	54.68	74.00	-19.32	72.64	3	Horizontal	148	2.87	61	38.68	8.53	65.17
AV	11.39189G	42.68	54.00	-11.32	60.64	3	Horizontal	148	2.87	61	38.68	8.53	65.17
PK	17.09836G	57.94	68.20	-10.26	67.67	3	Horizontal	-0	1.80	61	41.49	11.04	62.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
80\106\108
6.63\5.07\5.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.92	74.00	-12.08	57.35	3	Vertical	50	1.80	108	32.60	6.86	34.89
AV	5.46G	48.53	54.00	-5.47	43.96	3	Vertical	50	1.80	108	32.60	6.86	34.89
PK	5.4689G	63.05	68.20	-5.15	58.49	3	Vertical	50	1.80	108	32.60	6.86	34.90
PK	5.7119G	121.77	Inf	-Inf	116.74	3	Vertical	50	1.80	108	33.10	6.93	35.00
AV	5.72162G	112.24	Inf	-Inf	107.15	3	Vertical	50	1.80	108	33.17	6.93	35.01
PK	5.85176G	60.40	68.20	-7.80	54.81	3	Vertical	50	1.80	108	33.71	6.95	35.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108
108
3.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45756G	64.10	74.00	-9.90	59.53	3	Horizontal	313	1.77	108	32.60	6.86	34.89
AV	5.45216G	49.67	54.00	-4.33	45.10	3	Horizontal	313	1.77	108	32.60	6.86	34.89
PK	5.46782G	64.69	68.20	-3.51	60.13	3	Horizontal	313	1.77	108	32.60	6.86	34.90
PK	5.72G	123.93	Inf	-Inf	118.85	3	Horizontal	313	1.77	108	33.16	6.93	35.01
AV	5.7146G	114.15	Inf	-Inf	109.10	3	Horizontal	313	1.77	108	33.12	6.93	35.00
PK	5.85392G	62.70	68.20	-5.50	57.10	3	Horizontal	313	1.77	108	33.72	6.95	35.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42925G	54.43	74.00	-19.57	72.21	3	Vertical	360	1.80	108	38.76	8.55	65.09
AV	11.437G	42.45	54.00	-11.55	60.21	3	Vertical	360	1.80	108	38.77	8.55	65.08
PK	17.15357G	58.44	68.20	-9.76	67.93	3	Vertical	355	1.80	108	41.71	11.08	62.28

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44372G	55.00	74.00	-19.00	72.73	3	Horizontal	82	1.80	108	38.79	8.55	65.07
AV	11.43245G	42.37	54.00	-11.63	60.15	3	Horizontal	82	1.80	108	38.76	8.55	65.09
PK	17.16156G	58.47	68.20	-9.73	67.92	3	Horizontal	282	1.98	108	41.75	11.09	62.29

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 SET 84
 80\89\85\83\84
 2.27\3.02\0.57\0.58\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	59.11	74.00	-14.89	54.61	3	Vertical	311	1.80	84	32.80	6.54	34.84
AV	5.123G	48.67	54.00	-5.33	44.17	3	Vertical	311	1.80	84	32.75	6.60	34.85
PK	5.257G	117.00	Inf	-Inf	112.27	3	Vertical	311	1.80	84	32.79	6.81	34.87
AV	5.2615G	106.95	Inf	-Inf	102.23	3	Vertical	311	1.80	84	32.78	6.81	34.87
PK	5.3575G	66.11	74.00	-7.89	61.54	3	Vertical	311	1.80	84	32.62	6.83	34.88
AV	5.3515G	53.65	54.00	-0.35	49.10	3	Vertical	311	1.80	84	32.60	6.83	34.88
PK	5.4755G	59.44	68.20	-8.76	54.87	3	Vertical	311	1.80	84	32.60	6.87	34.90

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 80
84\77\80
-1.64\2.00\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	59.32	74.00	-14.68	54.81	3	Horizontal	277	1.80	80	32.70	6.66	34.85
AV	5.1495G	49.48	54.00	-4.52	44.96	3	Horizontal	277	1.80	80	32.70	6.67	34.85
PK	5.2595G	116.81	Inf	-Inf	112.09	3	Horizontal	277	1.80	80	32.78	6.81	34.87
AV	5.274G	108.45	Inf	-Inf	103.76	3	Horizontal	277	1.80	80	32.75	6.81	34.87
PK	5.359G	66.95	74.00	-7.05	62.38	3	Horizontal	277	1.80	80	32.62	6.83	34.88
AV	5.351G	53.64	54.00	-0.36	49.09	3	Horizontal	277	1.80	80	32.60	6.83	34.88
PK	5.5145G	59.51	68.20	-8.69	54.94	3	Horizontal	277	1.80	80	32.60	6.88	34.91

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57101G	53.28	68.20	-14.92	72.09	3	Vertical	141	1.80	80	38.40	8.25	65.46
PK	15.81759G	54.76	74.00	-19.24	69.40	3	Vertical	14	1.80	80	37.36	10.22	62.22
AV	15.77524G	43.61	54.00	-10.39	58.10	3	Vertical	14	1.80	80	37.50	10.21	62.20

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56318G	52.95	68.20	-15.25	71.76	3	Horizontal	198	1.80	80	38.40	8.25	65.46
PK	15.77444G	54.96	74.00	-19.04	69.45	3	Horizontal	359	1.80	80	37.50	10.21	62.20
AV	15.77212G	43.50	54.00	-10.50	57.98	3	Horizontal	359	1.80	80	37.51	10.21	62.20

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 SET 79
 03-S-5-4-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	115.08	Inf	-Inf	108.56	3	Vertical	47	1.83	-	34.34	7.06	34.88
AV	5.3068G	102.87	Inf	-Inf	96.39	3	Vertical	47	1.83	-	34.31	7.04	34.87
PK	5.352G	66.57	74.00	-7.43	59.95	3	Vertical	47	1.83	-	34.40	7.10	34.88
AV	5.352G	52.46	54.00	-1.54	45.84	3	Vertical	47	1.83	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 SET 79
 03-S-5-4-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	118.75	Inf	-Inf	112.27	3	Horizontal	73	1.66	-	34.31	7.04	34.87
AV	5.314G	105.06	Inf	-Inf	98.55	3	Horizontal	73	1.66	-	34.33	7.05	34.87
PK	5.354G	68.00	74.00	-6.00	61.36	3	Horizontal	73	1.66	-	34.41	7.11	34.88
AV	5.3536G	53.83	54.00	-0.17	47.19	3	Horizontal	73	1.66	-	34.41	7.11	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 SET 79
 03-S-S-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61254G	54.72	74.00	-19.28	48.82	3	Vertical	248	2.67	-	38.20	10.75	43.05
AV	10.61644G	41.85	54.00	-12.15	35.95	3	Vertical	248	2.67	-	38.20	10.75	43.05
PK	15.92288G	55.84	74.00	-18.16	47.66	3	Vertical	318	2.59	-	37.50	12.80	42.12
AV	15.93706G	43.44	54.00	-10.56	35.24	3	Vertical	318	2.59	-	37.50	12.80	42.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 SET 79
 03-S-S-5
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61628G	53.96	74.00	-20.04	48.06	3	Horizontal	239	1.80	-	38.20	10.75	43.05
AV	10.62562G	41.95	54.00	-12.05	36.05	3	Horizontal	239	1.80	-	38.20	10.76	43.06
PK	15.92082G	55.81	74.00	-18.19	47.63	3	Horizontal	157	2.03	-	37.50	12.80	42.12
AV	15.92484G	43.53	54.00	-10.47	35.35	3	Horizontal	157	2.03	-	37.50	12.80	42.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 SET 76
 03-S-S-4-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	61.59	74.00	-12.41	54.74	3	Vertical	49	1.97	-	34.50	7.24	34.89
PK	5.4664G	64.69	68.20	-3.51	57.80	3	Vertical	49	1.97	-	34.53	7.26	34.90
AV	5.46G	48.24	54.00	-5.76	41.36	3	Vertical	49	1.97	-	34.52	7.25	34.89
PK	5.4916G	114.96	Inf	-Inf	107.99	3	Vertical	49	1.97	-	34.58	7.29	34.90
AV	5.5016G	101.88	Inf	-Inf	94.88	3	Vertical	49	1.97	-	34.59	7.31	34.90

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 SET 76
 03-S-S-4-10
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.45	74.00	-9.55	57.57	3	Horizontal	73	1.80	-	34.52	7.25	34.89
AV	5.4588G	50.06	54.00	-3.94	43.18	3	Horizontal	73	1.80	-	34.52	7.25	34.89
PK	5.4632G	67.72	68.20	-0.48	60.82	3	Horizontal	73	1.80	-	34.53	7.26	34.89
PK	5.4984G	116.98	Inf	-Inf	109.98	3	Horizontal	73	1.80	-	34.60	7.30	34.90
AV	5.5036G	103.94	Inf	-Inf	96.94	3	Horizontal	73	1.80	-	34.59	7.31	34.90

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 SET 76
 03-S-S-4
 est.pkt duty=99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.01608G	54.68	74.00	-19.32	48.49	3	Vertical	18	2.79	-	38.33	10.97	43.11
AV	11.02816G	42.60	54.00	-11.40	36.37	3	Vertical	18	2.79	-	38.36	10.98	43.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX



EUT_Y_4TX
 SET 76
 03-S-S-4
 est.pkt duty=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02412G	54.94	74.00	-19.06	48.72	3	Horizontal	298	2.57	-	38.35	10.98	43.11
AV	11.02882G	42.70	54.00	-11.30	36.47	3	Horizontal	298	2.57	-	38.36	10.98	43.11