



Average Power_Mode 2

Appendix B.2

Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	15.85	0.03846
802.11be EHT160_Nss2,(MCS0)_2TX	19.92	0.09817
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.85	0.03846
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	23.26	0.21184
802.11be EHT20_Nss1,(MCS0)_2TX	23.80	0.23988
802.11be EHT20_Nss2,(MCS0)_2TX	23.16	0.20701
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.62	0.23014
802.11be EHT40_Nss1,(MCS0)_2TX	22.79	0.19011
802.11be EHT40_Nss2,(MCS0)_2TX	23.24	0.21086
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.79	0.19011
802.11be EHT80_Nss1,(MCS0)_2TX	21.62	0.14521
802.11be EHT80_Nss2,(MCS0)_2TX	22.85	0.19275
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.62	0.14521
802.11be EHT160_Nss1,(MCS0)_2TX	15.35	0.03428
802.11be EHT160_Nss2,(MCS0)_2TX	19.28	0.08472
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.35	0.03428
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	23.88	0.24434
802.11be EHT20_Nss1,(MCS0)_2TX	23.89	0.24491
802.11be EHT20_Nss2,(MCS0)_2TX	23.87	0.24378
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.64	0.23121
802.11be EHT40_Nss1,(MCS0)_2TX	23.93	0.24717
802.11be EHT40_Nss2,(MCS0)_2TX	23.89	0.24491
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.50	0.22387
802.11be EHT80_Nss1,(MCS0)_2TX	23.90	0.24547
802.11be EHT80_Nss2,(MCS0)_2TX	23.88	0.24434
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.61	0.22961
802.11be EHT160_Nss1,(MCS0)_2TX	20.54	0.11324
802.11be EHT160_Nss2,(MCS0)_2TX	21.04	0.12706
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.54	0.11324
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	16.67	0.04645
802.11be EHT20_Nss1,(MCS0)_2TX	18.11	0.06471
802.11be EHT20_Nss2,(MCS0)_2TX	18.52	0.07112
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.11	0.06471
802.11be EHT40_Nss1,(MCS0)_2TX	14.33	0.02710
802.11be EHT40_Nss2,(MCS0)_2TX	14.32	0.02704
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.12	0.02582
802.11be EHT80_Nss1,(MCS0)_2TX	10.66	0.01164
802.11be EHT80_Nss2,(MCS0)_2TX	10.64	0.01159
802.11be EHT80-BF_Nss1,(MCS0)_2TX	10.37	0.01089



Average Power_Mode 2

Appendix B.2

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	4.99	20.54	19.93	23.26	23.98
5300MHz	Pass	4.99	19.49	18.95	22.24	23.98
5320MHz	Pass	4.99	18.78	18.33	21.57	23.98
5500MHz	Pass	5.07	18.39	18.47	21.44	23.98
5580MHz	Pass	5.07	20.54	21.18	23.88	23.98
5700MHz	Pass	5.07	17.23	17.99	20.64	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	19.41	19.91	22.68	23.54
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	13.35	13.94	16.67	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	4.99	21.11	20.45	23.80	23.98
5300MHz	Pass	4.99	20.25	19.71	23.00	23.98
5320MHz	Pass	4.99	18.09	17.98	21.05	23.98
5500MHz	Pass	5.07	17.63	17.87	20.76	23.98
5580MHz	Pass	5.07	20.63	21.12	23.89	23.98
5700MHz	Pass	5.07	17.05	17.60	20.34	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	19.93	20.44	23.20	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	14.85	15.33	18.11	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	4.99	19.97	19.59	22.79	23.98
5310MHz	Pass	4.99	17.00	16.47	19.75	23.98
5510MHz	Pass	5.07	15.11	15.19	18.16	23.98
5550MHz	Pass	5.07	20.78	21.06	23.93	23.98
5670MHz	Pass	5.07	17.63	18.44	21.06	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.07	20.75	20.99	23.88	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.29	11.19	11.44	14.33	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	4.99	18.81	18.39	21.62	23.98
5530MHz	Pass	5.07	19.34	19.69	22.53	23.98
5610MHz	Pass	5.07	20.38	20.77	23.59	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.07	20.59	21.17	23.90	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.29	7.35	7.93	10.66	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.88	12.51	13.14	15.85	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.99	12.57	12.09	15.35	23.98
5570MHz	Pass	5.07	17.20	17.83	20.54	23.98
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	4.99	20.38	19.90	23.16	23.98
5300MHz	Pass	4.99	19.90	19.29	22.62	23.98
5320MHz	Pass	4.99	18.18	17.59	20.91	23.98
5500MHz	Pass	5.07	18.38	18.37	21.39	23.98
5580MHz	Pass	5.07	20.73	20.99	23.87	23.98
5700MHz	Pass	5.07	17.27	17.91	20.61	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	20.45	20.77	23.62	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	15.39	15.63	18.52	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	4.99	20.62	19.81	23.24	23.98
5310MHz	Pass	4.99	17.36	16.85	20.12	23.98
5510MHz	Pass	5.07	20.24	20.48	23.37	23.98
5550MHz	Pass	5.07	20.66	20.94	23.81	23.98
5670MHz	Pass	5.07	19.17	19.81	22.51	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.07	20.74	21.02	23.89	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.29	11.12	11.49	14.32	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	4.99	20.11	19.55	22.85	23.98




Average Power_Mode 2

Appendix B.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5530MHz	Pass	5.07	19.65	19.82	22.75	23.98
5610MHz	Pass	5.07	18.62	19.25	21.96	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.07	20.65	21.07	23.88	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.29	7.39	7.85	10.64	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.88	16.73	17.08	19.92	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.99	16.51	16.01	19.28	23.98
5570MHz	Pass	5.07	17.73	18.31	21.04	23.98
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.19	20.99	20.19	23.62	23.79
5300MHz	Pass	6.19	20.25	19.71	23.00	23.79
5320MHz	Pass	6.19	18.09	17.98	21.05	23.79
5500MHz	Pass	6.33	17.63	17.87	20.76	23.65
5580MHz	Pass	6.33	20.44	20.81	23.64	23.65
5700MHz	Pass	6.33	17.05	17.60	20.34	23.65
5720MHz Straddle 5.47-5.725GHz	Pass	6.33	19.93	20.44	23.20	23.65
5720MHz Straddle 5.725-5.85GHz	Pass	5.81	14.85	15.33	18.11	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	6.19	19.97	19.59	22.79	23.79
5310MHz	Pass	6.19	17.00	16.47	19.75	23.79
5510MHz	Pass	6.33	19.76	20.08	22.93	23.65
5550MHz	Pass	6.33	20.27	20.69	23.50	23.65
5670MHz	Pass	6.33	17.63	18.44	21.06	23.65
5710MHz Straddle 5.47-5.725GHz	Pass	6.33	20.34	20.62	23.49	23.65
5710MHz Straddle 5.725-5.85GHz	Pass	5.81	10.95	11.26	14.12	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	6.19	18.81	18.39	21.62	23.79
5530MHz	Pass	6.33	19.34	19.69	22.53	23.65
5610MHz	Pass	6.33	20.38	20.77	23.59	23.65
5690MHz Straddle 5.47-5.725GHz	Pass	6.33	20.26	20.92	23.61	23.65
5690MHz Straddle 5.725-5.85GHz	Pass	5.81	7.10	7.60	10.37	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.09	12.51	13.14	15.85	28.91
5250MHz Straddle 5.25-5.35GHz	Pass	6.19	12.57	12.09	15.35	23.79
5570MHz	Pass	6.33	17.20	17.83	20.54	23.65

DG = Directional Gain; Port X = Port X output power



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

27/01/2024

CF (Hz)
5.735G

Span (Hz)
40M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
RMS

CP BW (Hz)
20M







Port 1 



Port 2 



Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)	P2(dBm)
16.67	13.35	13.94









































Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	20.01	0.10023
802.11be EHT160_Nss4,(MCS0)_4TX	21.24	0.13305
802.11be EHT160-BF_Nss1,(MCS0)_4TX	20.01	0.10023
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	22.41	0.17418
802.11be EHT20_Nss1,(MCS0)_4TX	23.00	0.19953
802.11be EHT20_Nss4,(MCS0)_4TX	23.94	0.24774
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.05	0.16032
802.11be EHT40_Nss1,(MCS0)_4TX	23.85	0.24266
802.11be EHT40_Nss4,(MCS0)_4TX	23.92	0.24660
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.02	0.15922
802.11be EHT80_Nss1,(MCS0)_4TX	23.87	0.24378
802.11be EHT80_Nss4,(MCS0)_4TX	23.89	0.24491
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.02	0.15922
802.11be EHT160_Nss1,(MCS0)_4TX	19.33	0.08570
802.11be EHT160_Nss4,(MCS0)_4TX	20.62	0.11535
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.33	0.08570
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	22.31	0.17022
802.11be EHT20_Nss1,(MCS0)_4TX	22.87	0.19364
802.11be EHT20_Nss4,(MCS0)_4TX	23.94	0.24774
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.88	0.15417
802.11be EHT40_Nss1,(MCS0)_4TX	23.95	0.24831
802.11be EHT40_Nss4,(MCS0)_4TX	23.97	0.24946
802.11be EHT40-BF_Nss1,(MCS0)_4TX	21.93	0.15596
802.11be EHT80_Nss1,(MCS0)_4TX	23.96	0.24889
802.11be EHT80_Nss4,(MCS0)_4TX	23.97	0.24946
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.89	0.15453
802.11be EHT160_Nss1,(MCS0)_4TX	23.52	0.22491
802.11be EHT160_Nss4,(MCS0)_4TX	23.76	0.23768
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.05	0.12735
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	14.98	0.03148
802.11be EHT20_Nss1,(MCS0)_4TX	16.53	0.04498
802.11be EHT20_Nss4,(MCS0)_4TX	17.79	0.06012
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.53	0.04498
802.11be EHT40_Nss1,(MCS0)_4TX	14.33	0.02710
802.11be EHT40_Nss4,(MCS0)_4TX	14.35	0.02723
802.11be EHT40-BF_Nss1,(MCS0)_4TX	12.40	0.01738
802.11be EHT80_Nss1,(MCS0)_4TX	10.50	0.01122
802.11be EHT80_Nss4,(MCS0)_4TX	10.54	0.01132
802.11be EHT80-BF_Nss1,(MCS0)_4TX	8.52	0.00711



Average Power_Mode 3

Appendix B.3

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.99	16.41	15.78	16.79	16.13	22.31	23.98
5300MHz	Pass	4.99	16.83	16.27	16.52	15.86	22.41	23.98
5320MHz	Pass	4.99	16.73	16.10	16.81	15.71	22.38	23.98
5500MHz	Pass	5.07	16.01	16.11	16.82	16.16	22.31	23.98
5580MHz	Pass	5.07	15.87	16.35	16.43	15.80	22.14	23.98
5700MHz	Pass	5.07	15.85	16.18	16.46	16.13	22.18	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	14.86	15.24	15.32	15.12	21.16	22.97
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	8.65	9.16	9.07	8.96	14.98	30.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.99	16.82	16.15	17.20	16.24	22.64	23.98
5300MHz	Pass	4.99	17.17	16.73	17.10	16.52	22.91	23.98
5320MHz	Pass	4.99	17.27	16.71	17.40	16.45	23.00	23.98
5500MHz	Pass	5.07	16.75	16.76	17.20	16.68	22.87	23.98
5580MHz	Pass	5.07	16.52	16.98	16.86	16.81	22.82	23.98
5700MHz	Pass	5.07	16.27	16.74	16.70	16.71	22.63	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	15.30	15.61	15.95	15.54	21.63	22.97
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	10.12	10.65	10.72	10.53	16.53	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.99	17.91	17.24	18.43	17.40	23.79	23.98
5310MHz	Pass	4.99	18.14	17.48	18.51	17.06	23.85	23.98
5510MHz	Pass	5.07	17.56	17.76	18.45	17.85	23.94	23.98
5550MHz	Pass	5.07	17.41	17.89	18.03	18.08	23.88	23.98
5670MHz	Pass	5.07	17.22	17.85	17.92	17.97	23.77	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.07	17.41	18.08	18.19	18.00	23.95	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.29	7.9	8.46	8.47	8.4	14.33	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99	18.27	17.76	18.00	17.31	23.87	23.98
5530MHz	Pass	5.07	17.33	17.83	18.33	17.76	23.85	23.98
5610MHz	Pass	5.07	17.50	18.06	18.07	18.09	23.96	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.07	17.31	18.08	18.16	17.87	23.89	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.29	3.96	4.64	4.72	4.55	10.50	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.88	13.61	14.21	14.49	13.58	20.01	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.99	13.40	13.19	13.88	12.69	19.33	23.98
5570MHz	Pass	5.07	17.01	17.62	17.93	17.38	23.52	23.98
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.99	18.05	17.43	18.49	17.63	23.94	23.98
5300MHz	Pass	4.99	18.09	17.64	18.11	17.37	23.83	23.98
5320MHz	Pass	4.99	18.18	17.47	18.42	17.40	23.91	23.98
5500MHz	Pass	5.07	17.60	17.73	18.38	17.92	23.94	23.98
5580MHz	Pass	5.07	17.50	18.11	17.90	18.13	23.94	23.98
5700MHz	Pass	5.07	16.56	17.11	17.37	16.97	23.03	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	16.58	16.98	17.06	16.93	22.91	22.99
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	11.41	11.88	11.91	11.84	17.79	30.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.99	17.99	17.40	18.51	17.62	23.92	23.98
5310MHz	Pass	4.99	17.88	17.66	18.41	17.14	23.82	23.98
5510MHz	Pass	5.07	17.62	17.69	18.52	17.83	23.95	23.98
5550MHz	Pass	5.07	17.47	17.94	17.98	18.09	23.90	23.98
5670MHz	Pass	5.07	17.37	18.04	18.16	18.06	23.94	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.07	17.57	18.07	18.20	17.95	23.97	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.29	7.95	8.51	8.57	8.28	14.35	30.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99	17.99	17.73	18.39	17.31	23.89	23.98







Average Power_Mode 3



Appendix B.3



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5530MHz	Pass	5.07	17.36	17.75	18.32	17.69	23.81	23.98
5610MHz	Pass	5.07	17.49	18.11	18.09	18.06	23.97	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.07	17.30	17.98	18.07	17.78	23.81	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.29	4.01	4.68	4.78	4.57	10.54	30.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.88	14.88	15.35	15.69	14.92	21.24	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.99	14.69	14.52	15.05	14.08	20.62	23.98
5570MHz	Pass	5.07	17.35	17.85	18.12	17.60	23.76	23.98
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.89	15.99	15.67	16.48	15.59	21.97	22.09
5300MHz	Pass	7.89	16.32	15.84	16.24	15.70	22.05	22.09
5320MHz	Pass	7.89	16.22	15.61	16.55	15.46	22.00	22.09
5500MHz	Pass	8.04	15.59	15.72	16.31	15.80	21.88	21.94
5580MHz	Pass	8.04	15.44	15.84	16.03	15.79	21.80	21.94
5700MHz	Pass	8.04	15.26	15.94	16.16	15.93	21.86	21.94
5720MHz Straddle 5.47-5.725GHz	Pass	8.04	15.30	15.61	15.95	15.54	21.63	21.94
5720MHz Straddle 5.725-5.85GHz	Pass	7.52	10.12	10.65	10.72	10.53	16.53	28.48
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.89	16.05	15.64	16.57	15.65	22.02	22.09
5310MHz	Pass	7.89	16.16	15.66	16.31	15.51	21.94	22.09
5510MHz	Pass	8.04	15.78	15.58	16.27	15.73	21.87	21.94
5550MHz	Pass	8.04	15.49	15.83	16.15	15.64	21.81	21.94
5670MHz	Pass	8.04	15.14	16.09	15.92	15.88	21.79	21.94
5710MHz Straddle 5.47-5.725GHz	Pass	8.04	15.50	15.96	16.07	16.09	21.93	21.94
5710MHz Straddle 5.725-5.85GHz	Pass	7.52	6.08	6.36	6.55	6.50	12.40	28.48
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.89	16.21	15.66	16.37	15.73	22.02	22.09
5530MHz	Pass	8.04	15.24	15.43	15.77	15.47	21.50	21.94
5610MHz	Pass	8.04	15.22	15.96	15.96	15.92	21.80	21.94
5690MHz Straddle 5.47-5.725GHz	Pass	8.04	15.23	16.18	16.06	15.93	21.89	21.94
5690MHz Straddle 5.725-5.85GHz	Pass	7.52	1.94	2.84	2.78	2.37	8.52	28.48
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	8.49	13.61	14.21	14.49	13.58	20.01	27.51
5250MHz Straddle 5.25-5.35GHz	Pass	7.89	13.40	13.19	13.88	12.69	19.33	22.09
5570MHz	Pass	8.04	14.73	15.10	15.32	14.96	21.05	21.94



DG = Directional Gain; Port X = Port X output power













































Summary



Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.69
802.11be EHT20_Nss1,(MCS0)_2TX	10.03
802.11be EHT20_Nss2,(MCS0)_2TX	10.00
802.11be EHT40_Nss1,(MCS0)_2TX	7.27
802.11be EHT40_Nss2,(MCS0)_2TX	7.33
802.11be EHT80_Nss1,(MCS0)_2TX	4.76
802.11be EHT80_Nss2,(MCS0)_2TX	4.93


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	4.52	7.26	8.21	10.69	11.00
5300MHz	Pass	4.52	7.25	7.96	10.60	11.00
5320MHz	Pass	4.52	6.00	6.18	9.07	11.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	4.52	6.57	7.47	10.03	11.00
5300MHz	Pass	4.52	6.63	7.26	9.91	11.00
5320MHz	Pass	4.52	4.21	4.37	7.28	11.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	4.52	3.73	4.93	7.27	11.00
5310MHz	Pass	4.52	3.08	3.84	6.46	11.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	4.52	1.30	2.15	4.76	11.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	2.66	6.42	7.62	10.00	11.00
5300MHz	Pass	2.66	6.70	7.34	9.98	11.00
5320MHz	Pass	2.66	6.40	6.91	9.65	11.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	2.66	3.76	4.90	7.33	11.00
5310MHz	Pass	2.66	3.77	4.51	7.10	11.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	2.66	1.59	2.39	4.93	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS0)_2TX	-2.98
802.11be EHT160_Nss2,(MCS0)_2TX	0.63
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.14
802.11be EHT20_Nss1,(MCS0)_2TX	10.07
802.11be EHT20_Nss2,(MCS0)_2TX	9.48
802.11be EHT40_Nss1,(MCS0)_2TX	6.26
802.11be EHT40_Nss2,(MCS0)_2TX	6.78
802.11be EHT80_Nss1,(MCS0)_2TX	2.51
802.11be EHT80_Nss2,(MCS0)_2TX	3.92
802.11be EHT160_Nss1,(MCS0)_2TX	-3.85
802.11be EHT160_Nss2,(MCS0)_2TX	-0.36
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.56
802.11be EHT20_Nss1,(MCS0)_2TX	10.57
802.11be EHT20_Nss2,(MCS0)_2TX	10.99
802.11be EHT40_Nss1,(MCS0)_2TX	7.70
802.11be EHT40_Nss2,(MCS0)_2TX	7.80
802.11be EHT80_Nss1,(MCS0)_2TX	4.80
802.11be EHT80_Nss2,(MCS0)_2TX	4.79
802.11be EHT160_Nss1,(MCS0)_2TX	-1.15
802.11be EHT160_Nss2,(MCS0)_2TX	-0.39
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.90
802.11be EHT20_Nss1,(MCS0)_2TX	8.99
802.11be EHT20_Nss2,(MCS0)_2TX	9.51
802.11be EHT40_Nss1,(MCS0)_2TX	5.93
802.11be EHT40_Nss2,(MCS0)_2TX	6.00
802.11be EHT80_Nss1,(MCS0)_2TX	2.64
802.11be EHT80_Nss2,(MCS0)_2TX	2.70

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.19	7.47	6.94	10.14	10.81
5300MHz	Pass	6.19	6.30	5.74	8.96	10.81
5320MHz	Pass	6.19	5.64	5.35	8.40	10.81
5500MHz	Pass	6.33	5.21	5.29	8.17	10.67
5580MHz	Pass	6.33	7.31	7.92	10.56	10.67
5700MHz	Pass	6.33	4.11	4.81	7.46	10.67
5720MHz Straddle 5.47-5.725GHz	Pass	6.33	7.39	7.80	10.52	10.67
5720MHz Straddle 5.725-5.85GHz	Pass	5.81	5.87	6.11	8.90	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.19	7.32	6.88	10.07	10.81
5300MHz	Pass	6.19	6.38	5.82	9.06	10.81
5320MHz	Pass	6.19	4.73	4.19	7.41	10.81
5500MHz	Pass	6.33	3.83	3.98	6.87	10.67
5580MHz	Pass	6.33	6.70	7.26	9.91	10.67
5700MHz	Pass	6.33	3.17	3.77	6.46	10.67
5720MHz Straddle 5.47-5.725GHz	Pass	6.33	7.31	7.80	10.57	10.67
5720MHz Straddle 5.725-5.85GHz	Pass	5.81	5.74	6.38	8.99	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	6.19	3.51	3.17	6.26	10.81
5310MHz	Pass	6.19	0.34	-0.10	3.07	10.81
5510MHz	Pass	6.33	3.15	3.20	6.19	10.67
5550MHz	Pass	6.33	4.21	4.53	7.33	10.67
5670MHz	Pass	6.33	1.20	1.90	4.50	10.67
5710MHz Straddle 5.47-5.725GHz	Pass	6.33	4.61	4.89	7.70	10.67
5710MHz Straddle 5.725-5.85GHz	Pass	5.81	2.76	3.11	5.93	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	6.19	-0.18	-0.68	2.51	10.81
5530MHz	Pass	6.33	0.35	0.74	3.53	10.67
5610MHz	Pass	6.33	1.18	1.43	4.31	10.67
5690MHz Straddle 5.47-5.725GHz	Pass	6.33	1.56	2.03	4.80	10.67
5690MHz Straddle 5.725-5.85GHz	Pass	5.81	-0.67	-0.03	2.64	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.09	-6.22	-5.77	-2.98	15.91
5250MHz Straddle 5.25-5.35GHz	Pass	6.19	-6.66	-7.08	-3.85	10.81
5570MHz	Pass	6.33	-4.41	-3.75	-1.15	10.67
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	4.99	6.78	6.23	9.48	11.00
5300MHz	Pass	4.99	6.05	5.48	8.77	11.00
5320MHz	Pass	4.99	4.52	3.85	7.13	11.00
5500MHz	Pass	5.07	4.63	4.52	7.58	11.00
5580MHz	Pass	5.07	6.92	7.34	10.08	11.00
5700MHz	Pass	5.07	3.53	4.13	6.82	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	8.00	8.12	10.99	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	6.40	6.69	9.51	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	4.99	4.13	3.52	6.78	11.00
5310MHz	Pass	4.99	0.92	0.44	3.63	11.00
5510MHz	Pass	5.07	3.96	4.20	7.07	11.00
5550MHz	Pass	5.07	4.40	4.42	7.38	11.00
5670MHz	Pass	5.07	2.72	3.34	6.03	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.07	4.70	4.99	7.80	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.29	2.90	3.26	6.00	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	4.99	1.29	0.72	3.92	11.00







Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5530MHz	Pass	5.07	0.79	1.10	3.91	11.00
5610MHz	Pass	5.07	-0.44	0.20	2.90	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.07	1.68	2.12	4.79	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.29	-0.49	0.02	2.70	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.88	-2.44	-2.24	0.63	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.99	-3.03	-3.45	-0.36	11.00
5570MHz	Pass	5.07	-3.70	-2.99	-0.39	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































































Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS0)_4TX	0.67
802.11be EHT160_Nss4,(MCS0)_4TX	1.95
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	9.05
802.11be EHT20_Nss1,(MCS0)_4TX	9.09
802.11be EHT20_Nss4,(MCS0)_4TX	10.38
802.11be EHT40_Nss1,(MCS0)_4TX	7.26
802.11be EHT40_Nss4,(MCS0)_4TX	7.68
802.11be EHT80_Nss1,(MCS0)_4TX	4.66
802.11be EHT80_Nss4,(MCS0)_4TX	4.94
802.11be EHT160_Nss1,(MCS0)_4TX	-0.28
802.11be EHT160_Nss4,(MCS0)_4TX	0.98
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	8.93
802.11be EHT20_Nss1,(MCS0)_4TX	8.95
802.11be EHT20_Nss4,(MCS0)_4TX	10.40
802.11be EHT40_Nss1,(MCS0)_4TX	7.75
802.11be EHT40_Nss4,(MCS0)_4TX	8.00
802.11be EHT80_Nss1,(MCS0)_4TX	4.66
802.11be EHT80_Nss4,(MCS0)_4TX	5.23
802.11be EHT160_Nss1,(MCS0)_4TX	1.67
802.11be EHT160_Nss4,(MCS0)_4TX	2.27
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	7.30
802.11be EHT20_Nss1,(MCS0)_4TX	7.45
802.11be EHT20_Nss4,(MCS0)_4TX	8.86
802.11be EHT40_Nss1,(MCS0)_4TX	5.91
802.11be EHT40_Nss4,(MCS0)_4TX	6.20
802.11be EHT80_Nss1,(MCS0)_4TX	2.41
802.11be EHT80_Nss4,(MCS0)_4TX	2.69

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.89	3.15	2.91	3.80	2.82	9.05	9.11
5300MHz	Pass	7.89	3.43	3.02	3.16	2.63	9.01	9.11
5320MHz	Pass	7.89	3.35	2.83	3.46	2.43	8.95	9.11
5500MHz	Pass	8.04	2.86	2.76	3.48	2.87	8.88	8.96
5580MHz	Pass	8.04	2.48	3.31	3.12	3.04	8.93	8.96
5700MHz	Pass	8.04	2.61	3.27	3.22	3.03	8.93	8.96
5720MHz Straddle 5.47-5.725GHz	Pass	8.04	2.68	3.12	3.18	2.94	8.87	8.96
5720MHz Straddle 5.725-5.85GHz	Pass	7.52	1.23	1.48	1.57	1.35	7.30	28.48
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.89	3.05	2.59	3.50	2.62	8.89	9.11
5300MHz	Pass	7.89	3.37	2.96	3.27	2.78	9.09	9.11
5320MHz	Pass	7.89	3.39	2.95	3.56	2.63	9.01	9.11
5500MHz	Pass	8.04	2.89	3.04	3.33	2.91	8.95	8.96
5580MHz	Pass	8.04	2.50	3.39	3.05	3.12	8.95	8.96
5700MHz	Pass	8.04	2.48	2.92	2.86	2.99	8.73	8.96
5720MHz Straddle 5.47-5.725GHz	Pass	8.04	2.61	3.07	3.26	3.03	8.90	8.96
5720MHz Straddle 5.725-5.85GHz	Pass	7.52	1.09	1.68	1.70	1.51	7.45	28.48
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.89	1.38	0.91	2.07	0.94	7.26	9.11
5310MHz	Pass	7.89	1.64	1.12	2.03	0.53	7.25	9.11
5510MHz	Pass	8.04	1.20	1.42	1.96	1.31	7.38	8.96
5550MHz	Pass	8.04	0.88	1.33	1.43	1.40	7.16	8.96
5670MHz	Pass	8.04	0.54	1.28	1.32	1.26	7.03	8.96
5710MHz Straddle 5.47-5.725GHz	Pass	8.04	1.30	2.01	2.13	1.84	7.75	8.96
5710MHz Straddle 5.725-5.85GHz	Pass	7.52	-0.46	0.15	0.12	-0.06	5.91	28.48
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.89	-1.08	-1.36	-0.75	-1.92	4.66	9.11
5530MHz	Pass	8.04	-1.87	-1.23	-0.78	-1.30	4.66	8.96
5610MHz	Pass	8.04	-1.64	-1.34	-1.20	-1.16	4.58	8.96
5690MHz Straddle 5.47-5.725GHz	Pass	8.04	-1.82	-0.97	-0.96	-1.32	4.66	8.96
5690MHz Straddle 5.725-5.85GHz	Pass	7.52	-4.06	-3.42	-3.36	-3.18	2.41	28.48
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	8.49	-5.56	-5.12	-4.96	-5.55	0.67	14.51
5250MHz Straddle 5.25-5.35GHz	Pass	7.89	-6.12	-6.28	-5.67	-6.78	-0.28	9.11
5570MHz	Pass	8.04	-4.52	-4.05	-3.75	-4.37	1.67	8.96
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.99	4.64	4.00	4.99	4.21	10.38	11.00
5300MHz	Pass	4.99	4.64	4.03	4.50	4.06	10.19	11.00
5320MHz	Pass	4.99	4.57	3.88	4.75	3.88	10.20	11.00
5500MHz	Pass	5.07	4.30	4.36	4.77	4.32	10.40	11.00
5580MHz	Pass	5.07	4.07	4.61	4.54	4.42	10.34	11.00
5700MHz	Pass	5.07	2.97	3.50	3.80	3.38	9.39	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.07	4.12	4.59	4.53	4.44	10.35	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.29	2.63	2.98	3.13	3.01	8.86	30.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.99	1.72	1.22	2.51	1.43	7.68	11.00
5310MHz	Pass	4.99	1.85	1.39	2.23	0.88	7.54	11.00
5510MHz	Pass	5.07	1.26	1.49	2.20	1.58	7.56	11.00
5550MHz	Pass	5.07	1.34	1.95	2.01	1.92	7.70	11.00
5670MHz	Pass	5.07	1.07	1.83	1.84	1.78	7.55	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.07	1.67	2.22	2.42	2.02	8.00	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.29	-0.25	0.40	0.33	0.37	6.20	30.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99	-0.72	-1.02	-0.39	-1.71	4.94	11.00






Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5530MHz	Pass	5.07	-1.44	-1.11	-0.39	-0.97	4.97	11.00
5610MHz	Pass	5.07	-1.19	-0.69	-0.58	-0.54	5.23	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.07	-1.69	-0.84	-0.78	-0.81	4.87	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.29	-3.69	-3.03	-2.83	-3.06	2.69	30.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.88	-4.30	-3.82	-3.53	-4.48	1.95	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.99	-4.84	-4.96	-4.53	-5.52	0.98	11.00
5570MHz	Pass	5.07	-4.15	-3.61	-3.13	-3.46	2.27	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;








































































5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5530MHz 29/03/2024

CF (Hz)
5.53G

Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.098

Detector Type
RMS




Sum



Port 1


Port 2

Port 3

Port 4










Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.351G	53.96	54.00	-0.04	3	Vertical	125	2.24	87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 108
 80\98\107\108
 4.63\4.10\3.15\2.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.11	74.00	-2.89	62.87	3	Vertical	148	2.45	108	33.60	5.32	30.68
AV	5.15G	50.19	54.00	-3.81	41.95	3	Vertical	148	2.45	108	33.60	5.32	30.68
PK	5.2645G	121.58	Inf	-Inf	113.14	3	Vertical	148	2.45	108	33.83	5.38	30.77
AV	5.2645G	113.44	Inf	-Inf	105.00	3	Vertical	148	2.45	108	33.83	5.38	30.77
PK	5.363G	69.30	74.00	-4.70	60.75	3	Vertical	148	2.45	108	34.00	5.40	30.85
AV	5.35G	50.56	54.00	-3.44	42.00	3	Vertical	148	2.45	108	34.00	5.40	30.84
PK	5.507G	60.78	68.20	-7.42	52.14	3	Vertical	148	2.45	108	34.10	5.50	30.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 108
 108
 4.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.35	74.00	-8.65	57.13	3	Horizontal	128	1.08	108	33.59	5.31	30.68
AV	5.15G	49.15	54.00	-4.85	40.91	3	Horizontal	128	1.08	108	33.60	5.32	30.68
PK	5.258G	114.51	Inf	-Inf	106.08	3	Horizontal	128	1.08	108	33.82	5.38	30.77
AV	5.258G	106.39	Inf	-Inf	97.96	3	Horizontal	128	1.08	108	33.82	5.38	30.77
PK	5.365G	64.77	74.00	-9.23	56.22	3	Horizontal	128	1.08	108	34.00	5.40	30.85
AV	5.356G	49.36	54.00	-4.64	40.80	3	Horizontal	128	1.08	108	34.00	5.40	30.84
PK	5.484G	60.43	68.20	-7.77	51.80	3	Horizontal	128	1.08	108	34.10	5.48	30.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.772866G	56.75	83.54	-26.79	41.00	1	Vertical	245	1.54	-	37.51	10.21	31.97
AV	15.78099G	42.82	63.54	-20.72	27.10	1	Vertical	245	1.54	-	37.48	10.21	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76737G	56.90	83.54	-26.64	41.13	1	Horizontal	258	2.60	-	37.53	10.21	31.97
AV	15.78201G	42.83	63.54	-20.71	27.12	1	Horizontal	258	2.60	-	37.47	10.21	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 92
 80\93\87\90\91\92
 3.44\ -0.21\2.21\0.99\0.57\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.086G	61.75	74.00	-12.25	53.64	3	Vertical	125	2.33	92	33.50	5.24	30.63
AV	5.1335G	50.10	54.00	-3.90	41.90	3	Vertical	125	2.33	92	33.57	5.30	30.67
PK	5.3015G	119.67	Inf	-Inf	111.18	3	Vertical	125	2.33	92	33.90	5.39	30.80
AV	5.307G	111.24	Inf	-Inf	102.75	3	Vertical	125	2.33	92	33.91	5.39	30.81
PK	5.3515G	66.78	74.00	-7.22	58.22	3	Vertical	125	2.33	92	34.00	5.40	30.84
AV	5.3515G	53.70	54.00	-0.30	45.14	3	Vertical	125	2.33	92	34.00	5.40	30.84
PK	5.477G	60.91	68.20	-7.29	52.28	3	Vertical	125	2.33	92	34.10	5.47	30.94

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 92
 92
 3.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0975G	60.08	74.00	-13.92	51.96	3	Horizontal	130	1.05	92	33.50	5.26	30.64
AV	5.1455G	48.89	54.00	-5.11	40.67	3	Horizontal	130	1.05	92	33.59	5.31	30.68
PK	5.3075G	112.02	Inf	-Inf	103.53	3	Horizontal	130	1.05	92	33.91	5.39	30.81
AV	5.3075G	103.43	Inf	-Inf	94.94	3	Horizontal	130	1.05	92	33.91	5.39	30.81
PK	5.3535G	61.20	74.00	-12.80	52.64	3	Horizontal	130	1.05	92	34.00	5.40	30.84
AV	5.3515G	50.18	54.00	-3.82	41.62	3	Horizontal	130	1.05	92	34.00	5.40	30.84
PK	5.461G	60.76	68.20	-7.44	52.13	3	Horizontal	130	1.05	92	34.10	5.46	30.93

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60428G	51.53	74.00	-22.47	70.94	3	Vertical	269	1.35	-	38.40	8.27	66.08
PK	15.90496G	50.59	74.00	-23.41	67.53	3	Vertical	59	1.86	-	37.31	10.25	64.50
AV	15.90082G	39.32	54.00	-14.68	56.27	3	Vertical	59	1.86	-	37.30	10.25	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5982G	51.46	68.20	-16.74	70.88	3	Horizontal	298	1.18	-	38.40	8.26	66.08
PK	15.89724G	50.84	74.00	-23.16	67.79	3	Horizontal	212	1.55	-	37.30	10.25	64.50
AV	15.90084G	39.34	54.00	-14.66	56.29	3	Horizontal	212	1.55	-	37.30	10.25	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 SET 78
 80\76\78
 -0.81\1.42\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0855G	60.64	74.00	-13.36	52.53	3	Vertical	128	2.35	78	33.50	5.24	30.63
AV	5.1335G	49.27	54.00	-4.73	41.07	3	Vertical	128	2.35	78	33.57	5.30	30.67
PK	5.3215G	116.34	Inf	-Inf	107.83	3	Vertical	128	2.35	78	33.94	5.39	30.82
AV	5.3165G	108.12	Inf	-Inf	99.61	3	Vertical	128	2.35	78	33.93	5.39	30.81
PK	5.351G	71.49	74.00	-2.51	62.93	3	Vertical	128	2.35	78	34.00	5.40	30.84
AV	5.351G	53.70	54.00	-0.30	45.14	3	Vertical	128	2.35	78	34.00	5.40	30.84
PK	5.546G	60.52	68.20	-7.68	51.87	3	Vertical	128	2.35	78	34.10	5.53	30.98

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 SET 78
 78
 4.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.097G	61.11	74.00	-12.89	52.99	3	Horizontal	114	1.13	78	33.50	5.26	30.64
AV	5.1485G	48.68	54.00	-5.32	40.45	3	Horizontal	114	1.13	78	33.60	5.31	30.68
PK	5.318G	107.91	Inf	-Inf	99.39	3	Horizontal	114	1.13	78	33.94	5.39	30.81
AV	5.3225G	100.32	Inf	-Inf	91.80	3	Horizontal	114	1.13	78	33.95	5.39	30.82
PK	5.354G	62.14	74.00	-11.86	53.58	3	Horizontal	114	1.13	78	34.00	5.40	30.84
AV	5.3525G	49.98	54.00	-4.02	41.42	3	Horizontal	114	1.13	78	34.00	5.40	30.84
PK	5.485G	61.02	68.20	-7.18	52.39	3	Horizontal	114	1.13	78	34.10	5.48	30.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6432G	52.33	74.00	-21.67	71.72	3	Vertical	30	2.11	-	38.40	8.28	66.07
AV	10.64318G	40.10	54.00	-13.90	59.49	3	Vertical	30	2.11	-	38.40	8.28	66.07
PK	15.96056G	50.66	74.00	-23.34	67.45	3	Vertical	121	1.29	-	37.44	10.27	64.50
AV	15.95922G	38.75	54.00	-15.25	55.54	3	Vertical	121	1.29	-	37.44	10.27	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6371G	52.43	74.00	-21.57	71.82	3	Horizontal	0	2.36	-	38.40	8.28	66.07
AV	10.64318G	40.11	54.00	-13.89	59.50	3	Horizontal	0	2.36	-	38.40	8.28	66.07
PK	15.95994G	50.46	74.00	-23.54	67.25	3	Horizontal	241	2.00	-	37.44	10.27	64.50
AV	15.95544G	38.77	54.00	-15.23	55.58	3	Horizontal	241	2.00	-	37.42	10.27	64.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 104
 80\95\102\105\104
 3.91\3.63\2.71\2.18\1.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.86	74.00	-3.14	62.63	3	Vertical	145	2.29	104	33.60	5.31	30.68
AV	5.1495G	51.63	54.00	-2.37	43.40	3	Vertical	145	2.29	104	33.60	5.31	30.68
PK	5.258G	123.05	Inf	-Inf	114.62	3	Vertical	145	2.29	104	33.82	5.38	30.77
AV	5.255G	112.99	Inf	-Inf	104.56	3	Vertical	145	2.29	104	33.81	5.38	30.76
PK	5.353G	71.31	74.00	-2.69	62.75	3	Vertical	145	2.29	104	34.00	5.40	30.84
AV	5.3505G	52.42	54.00	-1.58	43.86	3	Vertical	145	2.29	104	34.00	5.40	30.84
PK	5.465G	60.39	68.20	-7.81	51.76	3	Vertical	145	2.29	104	34.10	5.46	30.93

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 104
 104
 3.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.79	74.00	-12.21	53.55	3	Horizontal	129	1.08	104	33.60	5.32	30.68
AV	5.15G	49.58	54.00	-4.42	41.34	3	Horizontal	129	1.08	104	33.60	5.32	30.68
PK	5.257G	114.87	Inf	-Inf	106.45	3	Horizontal	129	1.08	104	33.81	5.38	30.77
AV	5.259G	105.21	Inf	-Inf	96.78	3	Horizontal	129	1.08	104	33.82	5.38	30.77
PK	5.3545G	64.01	74.00	-9.99	55.45	3	Horizontal	129	1.08	104	34.00	5.40	30.84
AV	5.3505G	50.17	54.00	-3.83	41.61	3	Horizontal	129	1.08	104	34.00	5.40	30.84
PK	5.4685G	60.61	68.20	-7.59	51.98	3	Horizontal	129	1.08	104	34.10	5.46	30.93

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52306G	51.99	68.20	-16.21	71.45	3	Vertical	234	1.42	-	38.40	8.24	66.10
PK	15.78494G	51.40	74.00	-22.60	68.23	3	Vertical	45	2.56	-	37.46	10.21	64.50
AV	15.77576G	40.46	54.00	-13.54	57.25	3	Vertical	45	2.56	-	37.50	10.21	64.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52272G	52.28	68.20	-15.92	71.74	3	Horizontal	166	1.05	-	38.40	8.24	66.10
PK	15.78102G	52.17	74.00	-21.83	68.98	3	Horizontal	98	2.22	-	37.48	10.21	64.50
AV	15.77532G	40.43	54.00	-13.57	57.22	3	Horizontal	98	2.22	-	37.50	10.21	64.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




23/01/2024

EUT_Z_2TX
SET 87
80\90\85\87
2.72\1.79\0.71\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.091G	61.07	74.00	-12.93	52.95	3	Vertical	125	2.24	87	33.50	5.25	30.63
AV	5.136G	50.11	54.00	-3.89	41.91	3	Vertical	125	2.24	87	33.57	5.30	30.67
PK	5.3065G	120.40	Inf	-Inf	111.91	3	Vertical	125	2.24	87	33.91	5.39	30.81
AV	5.291G	109.87	Inf	-Inf	101.39	3	Vertical	125	2.24	87	33.88	5.39	30.79
PK	5.3555G	65.52	74.00	-8.48	56.96	3	Vertical	125	2.24	87	34.00	5.40	30.84
AV	5.351G	53.96	54.00	-0.04	45.40	3	Vertical	125	2.24	87	34.00	5.40	30.84
PK	5.5455G	61.28	68.20	-6.92	52.63	3	Vertical	125	2.24	87	34.10	5.53	30.98

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 87
 87
 3.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	59.87	74.00	-14.13	51.69	3	Horizontal	130	1.06	87	33.55	5.29	30.66
AV	5.149G	49.35	54.00	-4.65	41.12	3	Horizontal	130	1.06	87	33.60	5.31	30.68
PK	5.292G	111.07	Inf	-Inf	102.59	3	Horizontal	130	1.06	87	33.88	5.39	30.79
AV	5.3085G	102.29	Inf	-Inf	93.79	3	Horizontal	130	1.06	87	33.92	5.39	30.81
PK	5.3565G	61.99	74.00	-12.01	53.44	3	Horizontal	130	1.06	87	34.00	5.40	30.85
AV	5.351G	50.75	54.00	-3.25	42.19	3	Horizontal	130	1.06	87	34.00	5.40	30.84
PK	5.5235G	61.79	68.20	-6.41	53.15	3	Horizontal	130	1.06	87	34.10	5.51	30.97

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5955G	51.95	68.20	-16.25	71.37	3	Vertical	4	1.93	-	38.40	8.26	66.08
PK	15.90192G	50.81	74.00	-23.19	67.76	3	Vertical	34	2.44	-	37.30	10.25	64.50
AV	15.901G	40.17	54.00	-13.83	57.12	3	Vertical	34	2.44	-	37.30	10.25	64.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5959G	51.36	68.20	-16.84	70.78	3	Horizontal	182	1.91	-	38.40	8.26	66.08
PK	15.89906G	50.49	74.00	-23.51	67.44	3	Horizontal	20	2.43	-	37.30	10.25	64.50
AV	15.9038G	40.20	54.00	-13.80	57.14	3	Horizontal	20	2.43	-	37.31	10.25	64.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 SET 71
 80\57\68\73\71
 -5.71\3.25\1.43\0.92\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0735G	60.72	74.00	-13.28	52.61	3	Vertical	126	2.35	71	33.50	5.23	30.62
AV	5.136G	49.70	54.00	-4.30	41.50	3	Vertical	126	2.35	71	33.57	5.30	30.67
PK	5.316G	116.68	Inf	-Inf	108.17	3	Vertical	126	2.35	71	33.93	5.39	30.81
AV	5.3135G	106.23	Inf	-Inf	97.72	3	Vertical	126	2.35	71	33.93	5.39	30.81
PK	5.353G	72.95	74.00	-1.05	64.39	3	Vertical	126	2.35	71	34.00	5.40	30.84
AV	5.351G	53.83	54.00	-0.17	45.27	3	Vertical	126	2.35	71	34.00	5.40	30.84
PK	5.506G	60.57	68.20	-7.63	51.94	3	Vertical	126	2.35	71	34.10	5.49	30.96

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 SET 71
 71
 3.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	60.42	74.00	-13.58	52.22	3	Horizontal	131	1.07	71	33.57	5.30	30.67
AV	5.1485G	49.35	54.00	-4.65	41.12	3	Horizontal	131	1.07	71	33.60	5.31	30.68
PK	5.3295G	107.06	Inf	-Inf	98.52	3	Horizontal	131	1.07	71	33.96	5.40	30.82
AV	5.311G	97.77	Inf	-Inf	89.27	3	Horizontal	131	1.07	71	33.92	5.39	30.81
AV	5.3505G	50.17	54.00	-3.83	41.61	3	Horizontal	131	1.07	71	34.00	5.40	30.84
PK	5.4505G	61.78	74.00	-12.22	53.15	3	Horizontal	131	1.07	71	34.10	5.45	30.92
PK	5.57G	61.06	68.20	-7.14	52.44	3	Horizontal	131	1.07	71	34.06	5.55	30.99

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64408G	52.04	74.00	-21.96	71.43	3	Vertical	116	1.55	-	38.40	8.28	66.07
AV	10.64496G	40.75	54.00	-13.25	60.14	3	Vertical	116	1.55	-	38.40	8.28	66.07
PK	15.95942G	51.05	74.00	-22.95	67.84	3	Vertical	220	1.21	-	37.44	10.27	64.50
AV	15.9556G	39.34	54.00	-14.66	56.15	3	Vertical	220	1.21	-	37.42	10.27	64.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64184G	52.20	74.00	-21.80	71.59	3	Horizontal	36	1.43	-	38.40	8.28	66.07
AV	10.6434G	40.74	54.00	-13.26	60.13	3	Horizontal	36	1.43	-	38.40	8.28	66.07
PK	15.9615G	50.89	74.00	-23.11	67.67	3	Horizontal	316	2.82	-	37.45	10.27	64.50
AV	15.9557G	39.38	54.00	-14.62	56.19	3	Horizontal	316	2.82	-	37.42	10.27	64.50

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 SET 81
 80\83\82\81
 0.97\0.69\0.08\0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.43	74.00	-12.57	53.19	3	Vertical	146	2.18	81	33.60	5.32	30.68
AV	5.1095G	51.24	54.00	-2.76	43.10	3	Vertical	146	2.18	81	33.52	5.27	30.65
PK	5.255G	114.84	Inf	-Inf	106.41	3	Vertical	146	2.18	81	33.81	5.38	30.76
AV	5.285G	105.62	Inf	-Inf	97.15	3	Vertical	146	2.18	81	33.87	5.39	30.79
PK	5.3605G	66.69	74.00	-7.31	58.14	3	Vertical	146	2.18	81	34.00	5.40	30.85
AV	5.3525G	53.30	54.00	-0.70	44.74	3	Vertical	146	2.18	81	34.00	5.40	30.84
PK	5.4885G	60.78	68.20	-7.42	52.15	3	Vertical	146	2.18	81	34.10	5.48	30.95

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 SET 81
 81
 3.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	60.16	74.00	-13.84	52.04	3	Horizontal	113	1.14	81	33.50	5.26	30.64
AV	5.1115G	50.16	54.00	-3.84	42.02	3	Horizontal	113	1.14	81	33.52	5.27	30.65
PK	5.264G	107.95	Inf	-Inf	99.51	3	Horizontal	113	1.14	81	33.83	5.38	30.77
AV	5.274G	98.15	Inf	-Inf	89.70	3	Horizontal	113	1.14	81	33.85	5.38	30.78
PK	5.3595G	61.74	74.00	-12.26	53.19	3	Horizontal	113	1.14	81	34.00	5.40	30.85
AV	5.3535G	50.76	54.00	-3.24	42.20	3	Horizontal	113	1.14	81	34.00	5.40	30.84
PK	5.505G	61.34	68.20	-6.86	52.71	3	Horizontal	113	1.14	81	34.10	5.49	30.96

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53994G	52.56	68.20	-15.64	72.01	3	Vertical	188	1.66	-	38.40	8.24	66.09
PK	15.81382G	51.27	74.00	-22.73	68.18	3	Vertical	112	2.47	-	37.37	10.22	64.50
AV	15.8062G	40.58	54.00	-13.42	57.47	3	Vertical	112	2.47	-	37.39	10.22	64.50

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53968G	51.58	68.20	-16.62	71.03	3	Horizontal	145	2.75	-	38.40	8.24	66.09
PK	15.8129G	52.44	74.00	-21.56	69.35	3	Horizontal	20	2.44	-	37.37	10.22	64.50
AV	15.80734G	40.61	54.00	-13.39	57.50	3	Horizontal	20	2.44	-	37.39	10.22	64.50

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 78
 01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	115.05	Inf	-Inf	109.28	3	Vertical	128	2.56	-	31.31	7.33	32.87
AV	5.3032G	104.30	Inf	-Inf	98.53	3	Vertical	128	2.56	-	31.31	7.33	32.87
PK	5.3534G	64.96	74.00	-9.04	59.06	3	Vertical	128	2.56	-	31.41	7.35	32.86
AV	5.351G	53.44	54.00	-0.56	47.55	3	Vertical	128	2.56	-	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 78
 01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	104.97	Inf	-Inf	99.21	3	Horizontal	276	2.82	-	31.31	7.32	32.87
AV	5.2968G	94.35	Inf	-Inf	88.59	3	Horizontal	276	2.82	-	31.31	7.32	32.87
PK	5.3774G	58.77	74.00	-15.23	52.81	3	Horizontal	276	2.82	-	31.45	7.36	32.85
AV	5.35G	47.71	54.00	-6.29	41.82	3	Horizontal	276	2.82	-	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 78
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61542G	52.85	74.00	-21.15	35.43	3	Vertical	216	1.98	-	39.60	10.36	32.54
AV	10.62512G	41.35	54.00	-12.65	23.93	3	Vertical	216	1.98	-	39.60	10.36	32.54
PK	15.93365G	50.65	74.00	-23.35	32.95	3	Vertical	309	2.74	-	37.27	12.77	32.34
AV	15.92525G	40.87	54.00	-13.13	23.13	3	Vertical	309	2.74	-	37.30	12.77	32.33

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 78
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62956G	52.35	74.00	-21.65	34.92	3	Horizontal	17	1.36	-	39.60	10.37	32.54
AV	10.62968G	41.67	54.00	-12.33	24.24	3	Horizontal	17	1.36	-	39.60	10.37	32.54
PK	15.93286G	51.95	74.00	-22.05	34.25	3	Horizontal	304	1.97	-	37.27	12.77	32.34
AV	15.92674G	40.85	54.00	-13.15	23.12	3	Horizontal	304	1.97	-	37.29	12.77	32.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




22/03/2024

EUT_Z_2TX
Setting 82
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	61.16	74.00	-12.84	54.77	3	Vertical	128	3.00	-	32.06	7.23	32.90
AV	5.148G	50.45	54.00	-3.55	44.02	3	Vertical	128	3.00	-	32.09	7.24	32.90
PK	5.294G	111.20	Inf	-Inf	105.44	3	Vertical	128	3.00	-	31.31	7.32	32.87
AV	5.303G	101.07	Inf	-Inf	95.30	3	Vertical	128	3.00	-	31.31	7.33	32.87
PK	5.351G	64.27	74.00	-9.73	58.38	3	Vertical	128	3.00	-	31.40	7.35	32.86
AV	5.35G	53.73	54.00	-0.27	47.84	3	Vertical	128	3.00	-	31.40	7.35	32.86
PK	5.3355G	58.75	68.20	-9.45	52.29	3	Vertical	128	3.00	-	31.83	7.47	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 82
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.67	74.00	-15.33	52.26	3	Horizontal	277	2.81	-	32.08	7.23	32.90
AV	5.149G	47.81	54.00	-6.19	41.37	3	Horizontal	277	2.81	-	32.10	7.24	32.90
PK	5.3045G	102.55	Inf	-Inf	96.78	3	Horizontal	277	2.81	-	31.31	7.33	32.87
AV	5.297G	92.55	Inf	-Inf	86.79	3	Horizontal	277	2.81	-	31.31	7.32	32.87
PK	5.371G	59.35	74.00	-14.65	53.41	3	Horizontal	277	2.81	-	31.44	7.36	32.86
AV	5.359G	47.94	54.00	-6.06	42.03	3	Horizontal	277	2.81	-	31.42	7.35	32.86
PK	5.472G	59.51	68.20	-8.69	53.14	3	Horizontal	277	2.81	-	31.79	7.42	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 82
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57459G	52.64	68.20	-15.56	35.29	3	Vertical	61	2.61	-	39.55	10.34	32.54
PK	15.86685G	51.42	74.00	-22.58	33.57	3	Vertical	20	2.82	-	37.40	12.74	32.29
AV	15.87375G	39.48	54.00	-14.52	21.64	3	Vertical	20	2.82	-	37.40	12.74	32.30

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 82
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57742G	51.34	68.20	-16.86	33.99	3	Horizontal	237	2.23	-	39.55	10.34	32.54
PK	15.8735G	49.85	74.00	-24.15	32.01	3	Horizontal	168	2.88	-	37.40	12.74	32.30
AV	15.8765G	40.66	54.00	-13.34	22.82	3	Horizontal	168	2.88	-	37.40	12.74	32.30

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 103
 80\92\98\101\102\103
 3.10\2.89\2.70\1.42\1.43\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	70.70	74.00	-3.30	62.47	3	Vertical	131	2.28	103	33.60	5.31	30.68
AV	5.149G	51.96	54.00	-2.04	43.73	3	Vertical	131	2.28	103	33.60	5.31	30.68
PK	5.258G	121.13	Inf	-Inf	112.70	3	Vertical	131	2.28	103	33.82	5.38	30.77
AV	5.253G	111.50	Inf	-Inf	103.07	3	Vertical	131	2.28	103	33.81	5.38	30.76
PK	5.3555G	69.39	74.00	-4.61	60.83	3	Vertical	131	2.28	103	34.00	5.40	30.84
AV	5.3505G	53.82	54.00	-0.18	45.26	3	Vertical	131	2.28	103	34.00	5.40	30.84
PK	5.51G	60.96	68.20	-7.24	52.32	3	Vertical	131	2.28	103	34.10	5.50	30.96

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 103
 103
 3.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	61.28	74.00	-12.72	53.06	3	Horizontal	152	2.90	103	33.59	5.31	30.68
AV	5.1115G	50.16	54.00	-3.84	42.02	3	Horizontal	152	2.90	103	33.52	5.27	30.65
PK	5.2655G	112.86	Inf	-Inf	104.42	3	Horizontal	152	2.90	103	33.83	5.38	30.77
AV	5.264G	102.98	Inf	-Inf	94.54	3	Horizontal	152	2.90	103	33.83	5.38	30.77
PK	5.3575G	62.09	74.00	-11.91	53.54	3	Horizontal	152	2.90	103	34.00	5.40	30.85
AV	5.351G	50.75	54.00	-3.25	42.19	3	Horizontal	152	2.90	103	34.00	5.40	30.84
PK	5.4945G	61.25	68.20	-6.95	52.62	3	Horizontal	152	2.90	103	34.10	5.49	30.96

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52284G	51.63	68.20	-16.57	71.09	3	Vertical	173	1.56	-	38.40	8.24	66.10
PK	15.7758G	51.71	74.00	-22.29	68.50	3	Vertical	314	2.70	-	37.50	10.21	64.50
AV	15.77544G	41.42	54.00	-12.58	58.21	3	Vertical	314	2.70	-	37.50	10.21	64.50

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52102G	52.22	68.20	-15.98	71.68	3	Horizontal	14	2.01	-	38.40	8.24	66.10
PK	15.78192G	52.00	74.00	-22.00	68.82	3	Horizontal	222	2.89	-	37.47	10.21	64.50
AV	15.77966G	41.08	54.00	-12.92	57.89	3	Horizontal	222	2.89	-	37.48	10.21	64.50

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 85
 80\89\85
 2.37\ -1.47\ 0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	61.87	74.00	-12.13	53.75	3	Vertical	129	2.47	85	33.50	5.25	30.63
AV	5.133G	50.85	54.00	-3.15	42.65	3	Vertical	129	2.47	85	33.57	5.30	30.67
PK	5.3085G	117.29	Inf	-Inf	108.79	3	Vertical	129	2.47	85	33.92	5.39	30.81
AV	5.3035G	107.73	Inf	-Inf	99.23	3	Vertical	129	2.47	85	33.91	5.39	30.80
PK	5.351G	69.42	74.00	-4.58	60.86	3	Vertical	129	2.47	85	34.00	5.40	30.84
AV	5.35G	53.56	54.00	-0.44	45.00	3	Vertical	129	2.47	85	34.00	5.40	30.84
PK	5.532G	61.25	68.20	-6.95	52.60	3	Vertical	129	2.47	85	34.10	5.52	30.97

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 SET 85
 85
 3.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.098G	61.28	74.00	-12.72	53.16	3	Horizontal	130	1.06	85	33.50	5.26	30.64
AV	5.1295G	50.27	54.00	-3.73	42.08	3	Horizontal	130	1.06	85	33.56	5.29	30.66
PK	5.293G	110.71	Inf	-Inf	102.22	3	Horizontal	130	1.06	85	33.89	5.39	30.79
AV	5.308G	100.74	Inf	-Inf	92.24	3	Horizontal	130	1.06	85	33.92	5.39	30.81
PK	5.3505G	61.82	74.00	-12.18	53.26	3	Horizontal	130	1.06	85	34.00	5.40	30.84
AV	5.3525G	50.57	54.00	-3.43	42.01	3	Horizontal	130	1.06	85	34.00	5.40	30.84
PK	5.5485G	61.09	68.20	-7.11	52.44	3	Horizontal	130	1.06	85	34.10	5.53	30.98

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60202G	52.01	74.00	-21.99	71.43	3	Vertical	93	1.54	-	38.40	8.26	66.08
PK	15.8996G	50.91	74.00	-23.09	67.86	3	Vertical	211	1.76	-	37.30	10.25	64.50
AV	15.89946G	40.69	54.00	-13.31	57.64	3	Vertical	211	1.76	-	37.30	10.25	64.50

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59602G	51.67	68.20	-16.53	71.09	3	Horizontal	355	2.95	-	38.40	8.26	66.08
PK	15.89652G	50.99	74.00	-23.01	67.94	3	Horizontal	202	1.56	-	37.30	10.25	64.50
AV	15.9001G	40.65	54.00	-13.35	57.60	3	Horizontal	202	1.56	-	37.30	10.25	64.50

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 81
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	116.89	Inf	-Inf	111.10	3	Vertical	130	3.00	-	31.33	7.33	32.87
AV	5.3128G	105.56	Inf	-Inf	99.77	3	Vertical	130	3.00	-	31.33	7.33	32.87
PK	5.3574G	65.88	74.00	-8.12	59.98	3	Vertical	130	3.00	-	31.41	7.35	32.86
AV	5.3513G	53.73	54.00	-0.27	47.84	3	Vertical	130	3.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 81
 01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3191G	110.31	Inf	-Inf	104.51	3	Horizontal	130	1.00	-	31.34	7.33	32.87
AV	5.3163G	98.86	Inf	-Inf	93.07	3	Horizontal	130	1.00	-	31.33	7.33	32.87
PK	5.3514G	60.78	74.00	-13.22	54.89	3	Horizontal	130	1.00	-	31.40	7.35	32.86
AV	5.3501G	48.94	54.00	-5.06	43.05	3	Horizontal	130	1.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 81
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64258G	52.68	74.00	-21.32	35.25	3	Vertical	145	2.80	-	39.60	10.37	32.54
AV	10.64354G	41.43	54.00	-12.57	24.00	3	Vertical	145	2.80	-	39.60	10.37	32.54
PK	15.95956G	50.75	74.00	-23.25	33.14	3	Vertical	65	1.49	-	37.18	12.78	32.35
AV	15.95687G	40.16	54.00	-13.84	22.54	3	Vertical	65	1.49	-	37.19	12.78	32.35

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 81
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64503G	52.20	74.00	-21.80	34.77	3	Horizontal	8	2.71	-	39.60	10.37	32.54
AV	10.64621G	41.43	54.00	-12.57	23.99	3	Horizontal	8	2.71	-	39.60	10.38	32.54
PK	15.96870G	50.66	74.00	-23.34	33.07	3	Horizontal	288	1.81	-	37.16	12.79	32.36
AV	15.95524G	40.52	54.00	-13.48	22.90	3	Horizontal	288	1.81	-	37.19	12.78	32.35

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 SET 82
 80\85\83\82
 1.43\ -0.80\ -0.09\ 0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1445G	61.00	74.00	-13.00	52.78	3	Vertical	148	2.10	82	33.59	5.31	30.68
AV	5.148G	51.29	54.00	-2.71	43.06	3	Vertical	148	2.10	82	33.60	5.31	30.68
PK	5.279G	114.80	Inf	-Inf	106.33	3	Vertical	148	2.10	82	33.86	5.39	30.78
AV	5.267G	104.65	Inf	-Inf	96.21	3	Vertical	148	2.10	82	33.83	5.38	30.77
PK	5.3585G	65.45	74.00	-8.55	56.90	3	Vertical	148	2.10	82	34.00	5.40	30.85
AV	5.35G	53.69	54.00	-0.31	45.13	3	Vertical	148	2.10	82	34.00	5.40	30.84
PK	5.5185G	60.81	68.20	-7.39	52.18	3	Vertical	148	2.10	82	34.10	5.50	30.97

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 SET 82
 82
 2.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.067G	60.34	74.00	-13.66	52.23	3	Horizontal	111	1.14	82	33.50	5.22	30.61
AV	5.15G	50.39	54.00	-3.61	42.15	3	Horizontal	111	1.14	82	33.60	5.32	30.68
PK	5.2675G	106.44	Inf	-Inf	98.00	3	Horizontal	111	1.14	82	33.83	5.38	30.77
AV	5.2675G	96.66	Inf	-Inf	88.22	3	Horizontal	111	1.14	82	33.83	5.38	30.77
PK	5.363G	62.26	74.00	-11.74	53.71	3	Horizontal	111	1.14	82	34.00	5.40	30.85
AV	5.351G	51.11	54.00	-2.89	42.55	3	Horizontal	111	1.14	82	34.00	5.40	30.84
PK	5.5155G	60.62	68.20	-7.58	51.99	3	Horizontal	111	1.14	82	34.10	5.50	30.97

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5352G	51.20	68.20	-17.00	70.65	3	Vertical	16	1.99	-	38.40	8.24	66.09
PK	15.80676G	51.44	74.00	-22.56	68.33	3	Vertical	165	1.45	-	37.39	10.22	64.50
AV	15.80648G	40.61	54.00	-13.39	57.50	3	Vertical	165	1.45	-	37.39	10.22	64.50

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54056G	51.40	68.20	-16.80	70.85	3	Horizontal	186	2.34	-	38.40	8.24	66.09
PK	15.81142G	51.06	74.00	-22.94	67.96	3	Horizontal	2	1.00	-	37.38	10.22	64.50
AV	15.8119G	40.56	54.00	-13.44	57.46	3	Horizontal	2	1.00	-	37.38	10.22	64.50

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 80
 01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2958G	115.03	Inf	-Inf	109.27	3	Vertical	124	2.44	-	31.31	7.32	32.87
AV	5.2932G	102.93	Inf	-Inf	97.17	3	Vertical	124	2.44	-	31.31	7.32	32.87
PK	5.35G	64.76	74.00	-9.24	58.87	3	Vertical	124	2.44	-	31.40	7.35	32.86
AV	5.3504G	53.63	54.00	-0.37	47.74	3	Vertical	124	2.44	-	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 80
 01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	104.82	Inf	-Inf	99.06	3	Horizontal	116	1.00	-	31.31	7.32	32.87
AV	5.3036G	94.71	Inf	-Inf	88.94	3	Horizontal	116	1.00	-	31.31	7.33	32.87
PK	5.3538G	59.73	74.00	-14.27	53.83	3	Horizontal	116	1.00	-	31.41	7.35	32.86
AV	5.351G	48.08	54.00	-5.92	42.19	3	Horizontal	116	1.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 80
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62375G	52.25	74.00	-21.75	34.83	3	Vertical	275	2.80	-	39.60	10.36	32.54
AV	10.61656G	41.58	54.00	-12.42	24.16	3	Vertical	275	2.80	-	39.60	10.36	32.54
PK	15.9237G	51.74	74.00	-22.26	34.00	3	Vertical	290	1.84	-	37.31	12.76	32.33
AV	15.9285G	40.55	54.00	-13.45	22.82	3	Vertical	290	1.84	-	37.29	12.77	32.33

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 80
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62266G	52.27	74.00	-21.73	34.85	3	Horizontal	205	2.74	-	39.60	10.36	32.54
AV	10.61671G	41.37	54.00	-12.63	23.95	3	Horizontal	205	2.74	-	39.60	10.36	32.54
PK	15.93325G	50.28	74.00	-23.72	32.58	3	Horizontal	267	1.55	-	37.27	12.77	32.34
AV	15.92525G	40.81	54.00	-13.19	23.07	3	Horizontal	267	1.55	-	37.30	12.77	32.33

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 82
 01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.88	74.00	-13.12	54.44	3	Vertical	129	3.00	-	32.10	7.24	32.90
AV	5.149G	50.31	54.00	-3.69	43.87	3	Vertical	129	3.00	-	32.10	7.24	32.90
PK	5.2845G	109.59	Inf	-Inf	103.81	3	Vertical	129	3.00	-	31.33	7.32	32.87
AV	5.278G	99.18	Inf	-Inf	93.39	3	Vertical	129	3.00	-	31.34	7.32	32.87
PK	5.3575G	64.19	74.00	-9.81	58.29	3	Vertical	129	3.00	-	31.41	7.35	32.86
AV	5.35G	53.91	54.00	-0.09	48.02	3	Vertical	129	3.00	-	31.40	7.35	32.86
PK	5.536G	59.23	68.20	-8.97	52.77	3	Vertical	129	3.00	-	31.83	7.47	32.84

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 82
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	58.87	74.00	-15.13	52.44	3	Horizontal	275	2.84	-	32.09	7.24	32.90
AV	5.149G	48.01	54.00	-5.99	41.57	3	Horizontal	275	2.84	-	32.10	7.24	32.90
PK	5.3G	100.44	Inf	-Inf	94.68	3	Horizontal	275	2.84	-	31.30	7.33	32.87
AV	5.2965G	89.82	Inf	-Inf	84.06	3	Horizontal	275	2.84	-	31.31	7.32	32.87
AV	5.353G	47.91	54.00	-6.09	42.01	3	Horizontal	275	2.84	-	31.41	7.35	32.86
PK	5.425G	58.54	74.00	-15.46	52.39	3	Horizontal	275	2.84	-	31.60	7.39	32.84
PK	5.478G	59.18	68.20	-9.02	52.77	3	Horizontal	275	2.84	-	31.81	7.43	32.83

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 82
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58575G	52.35	68.20	-15.85	34.98	3	Vertical	231	1.91	-	39.57	10.34	32.54
PK	15.87654G	50.72	74.00	-23.28	32.88	3	Vertical	86	2.10	-	37.40	12.74	32.30
AV	15.87345G	41.56	54.00	-12.44	23.72	3	Vertical	86	2.10	-	37.40	12.74	32.30

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



EUT_Z_2TX
Setting 82
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57857G	52.37	68.20	-15.83	35.01	3	Horizontal	182	1.81	-	39.56	10.34	32.54
PK	15.86698G	51.57	74.00	-22.43	33.72	3	Horizontal	321	1.77	-	37.40	12.74	32.29
AV	15.87354G	41.85	54.00	-12.15	24.01	3	Horizontal	321	1.77	-	37.40	12.74	32.30








Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.97	54.00	-0.03	3	Vertical	351	2.37	66

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/01/2024

EUT_Z_2TX
 SET 82
 80,82
 0.52\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.095G	58.76	74.00	-15.24	54.26	3	Vertical	353	2.42	82	32.82	6.52	34.84
AV	5.1065G	49.44	54.00	-4.56	44.94	3	Vertical	353	2.42	82	32.79	6.55	34.84
PK	5.266G	118.33	Inf	-Inf	113.62	3	Vertical	353	2.42	82	32.77	6.81	34.87
AV	5.265G	110.96	Inf	-Inf	106.25	3	Vertical	353	2.42	82	32.77	6.81	34.87
PK	5.4165G	63.39	74.00	-10.61	58.76	3	Vertical	353	2.42	82	32.67	6.85	34.89
AV	5.419G	53.81	54.00	-0.19	49.19	3	Vertical	353	2.42	82	32.66	6.85	34.89
PK	5.4745G	58.97	68.20	-9.23	54.40	3	Vertical	353	2.42	82	32.60	6.87	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 02
 82
 4.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0695G	57.72	74.00	-16.28	53.19	3	Horizontal	306	2.85	82	32.92	6.45	34.84
AV	5.1G	47.70	54.00	-6.30	43.20	3	Horizontal	306	2.85	82	32.80	6.54	34.84
PK	5.265G	113.72	Inf	-Inf	109.01	3	Horizontal	306	2.85	82	32.77	6.81	34.87
AV	5.265G	106.31	Inf	-Inf	101.60	3	Horizontal	306	2.85	82	32.77	6.81	34.87
PK	5.4225G	59.48	74.00	-14.52	54.86	3	Horizontal	306	2.85	82	32.66	6.85	34.89
AV	5.424G	49.80	54.00	-4.20	45.19	3	Horizontal	306	2.85	82	32.65	6.85	34.89
PK	5.4705G	58.39	68.20	-9.81	53.83	3	Horizontal	306	2.85	82	32.60	6.86	34.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50538G	54.63	68.20	-13.57	71.47	3	Vertical	123	1.80	82	38.52	10.04	65.40
PK	15.77992G	58.79	74.00	-15.21	69.49	3	Vertical	307	1.80	82	37.86	13.64	62.20
AV	15.78412G	46.72	54.00	-7.28	57.41	3	Vertical	307	1.80	82	37.87	13.64	62.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51529G	54.81	68.20	-13.39	71.62	3	Horizontal	314	1.80	82	38.56	10.04	65.41
PK	15.77724G	58.97	74.00	-15.03	69.68	3	Horizontal	169	1.80	82	37.85	13.64	62.20
AV	15.78396G	46.65	54.00	-7.35	57.34	3	Horizontal	169	1.80	82	37.87	13.64	62.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX



EUT_Z_2TX
 SET 78
 80,79,78
 -0.16|-0.03|0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	59.28	74.00	-14.72	54.77	3	Vertical	350	2.56	78	32.73	6.63	34.85
AV	5.146G	50.03	54.00	-3.97	45.51	3	Vertical	350	2.56	78	32.71	6.66	34.85
PK	5.306G	117.10	Inf	-Inf	112.46	3	Vertical	350	2.56	78	32.69	6.82	34.87
AV	5.2955G	110.14	Inf	-Inf	105.48	3	Vertical	350	2.56	78	32.71	6.82	34.87
PK	5.4565G	63.88	74.00	-10.12	59.31	3	Vertical	350	2.56	78	32.60	6.86	34.89
PK	5.461G	62.64	68.20	-5.56	58.07	3	Vertical	350	2.56	78	32.60	6.86	34.89
AV	5.459G	53.73	54.00	-0.27	49.16	3	Vertical	350	2.56	78	32.60	6.86	34.89