


802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUTY_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35236G	56.66	68.20	-11.54	41.47	3	Horizontal	290	1.80	83	38.40	8.59	31.80
PK	15.54496G	64.02	74.00	-9.98	46.36	3	Horizontal	35	1.80	83	38.02	10.36	30.72
AV	15.54036G	50.65	54.00	-3.35	32.97	3	Horizontal	35	1.80	83	38.04	10.36	30.72

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 89
89
1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.14582G	68.42	74.00	-5.58	62.13	3	Vertical	354	1.79	89	32.71	6.37	32.79	
AV	5.15G	52.02	54.00	-1.98	45.74	3	Vertical	354	1.79	89	32.70	6.37	32.79	
PK	5.2063G	118.16	Inf	-Inf	111.81	3	Vertical	354	1.79	89	32.71	6.40	32.76	
AV	5.20588G	108.37	Inf	-Inf	102.02	3	Vertical	354	1.79	89	32.71	6.40	32.76	

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 89
80\98\89
5.37\11.80\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	69.72	74.00	-4.28	63.44	3	Horizontal	360	1.42	89	32.70	6.37	32.79
AV	5.1482G	53.68	54.00	-0.32	47.40	3	Horizontal	360	1.42	89	32.70	6.37	32.79
PK	5.20308G	119.18	Inf	-Inf	112.83	3	Horizontal	360	1.42	89	32.71	6.40	32.76
AV	5.19832G	109.84	Inf	-Inf	103.51	3	Horizontal	360	1.42	89	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39704G	56.86	68.20	-11.34	41.61	3	Vertical	286	1.84	89	38.40	8.60	31.75
PK	15.59968G	67.75	74.00	-6.25	50.27	3	Vertical	14	1.79	86	37.80	10.38	30.70
AV	15.59464G	53.45	54.00	-0.55	35.95	3	Vertical	14	1.79	86	37.82	10.38	30.70

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38164G	56.32	68.20	-11.88	41.09	3	Horizontal	67	2.78	86	38.40	8.60	31.77
PK	15.60444G	67.31	74.00	-6.69	49.83	3	Horizontal	35	1.80	86	37.80	10.38	30.70
AV	15.59984G	53.38	54.00	-0.62	35.90	3	Horizontal	35	1.80	86	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 102
102
1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14744G	70.89	74.00	-3.11	64.60	3	Vertical	355	1.80	102	32.71	6.37	32.79
AV	5.14926G	52.68	54.00	-1.32	46.40	3	Vertical	355	1.80	102	32.70	6.37	32.79
PK	5.24156G	122.17	Inf	-Inf	115.74	3	Vertical	355	1.80	102	32.78	6.40	32.75
AV	5.24104G	111.69	Inf	-Inf	105.26	3	Vertical	355	1.80	102	32.78	6.40	32.75
PK	5.3531G	64.78	74.00	-9.22	58.07	3	Vertical	355	1.80	102	33.01	6.40	32.70
AV	5.35336G	51.11	54.00	-2.89	44.40	3	Vertical	355	1.80	102	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 102
80\98\107\102
5.82\4.17~-2.12\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14536G	70.11	74.00	-3.89	63.82	3	Horizontal	3	1.38	102	32.71	6.37	32.79
AV	5.15G	53.88	54.00	-0.12	47.60	3	Horizontal	3	1.38	102	32.70	6.37	32.79
PK	5.2387G	123.51	Inf	-Inf	117.08	3	Horizontal	3	1.38	102	32.78	6.40	32.75
AV	5.23818G	112.93	Inf	-Inf	106.50	3	Horizontal	3	1.38	102	32.78	6.40	32.75
PK	5.35024G	65.55	74.00	-8.45	58.85	3	Horizontal	3	1.38	102	33.00	6.40	32.70
AV	5.3505G	52.29	54.00	-1.71	45.59	3	Horizontal	3	1.38	102	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUTY_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.479G	58.46	68.20	-9.74	43.02	3	Vertical	14	1.86	102	38.48	8.62	31.66
PK	15.71916G	66.96	74.00	-7.04	49.39	3	Vertical	355	1.82	96	37.81	10.42	30.66
AV	15.7196G	53.81	54.00	-0.19	36.23	3	Vertical	355	1.82	96	37.82	10.42	30.66

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUTY_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48324G	57.41	68.20	-10.79	41.97	3	Horizontal	317	1.86	96	38.48	8.62	31.66
PK	15.71412G	65.59	74.00	-8.41	48.07	3	Horizontal	35	1.80	96	37.78	10.41	30.67
AV	15.71992G	52.64	54.00	-1.36	35.06	3	Horizontal	35	1.80	96	37.82	10.42	30.66

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 98
99\81\90\95\98
-4.07\6.68\5.36\6.08\5.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6538G	65.97	71.01	-5.04	57.98	3	Vertical	0	1.88	98	34.09	6.60	32.70
PK	5.74044G	118.46	Inf	-Inf	110.28	3	Vertical	0	1.88	98	34.32	6.60	32.74
AV	5.74006G	108.82	Inf	-Inf	100.64	3	Vertical	0	1.88	98	34.32	6.60	32.74
PK	5.93158G	60.45	68.20	-7.75	51.63	3	Vertical	0	1.88	98	35.03	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT V_2TX
SET 99
80\98\107\102\99
5.90\2.99\7.59\8.48\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57058G	67.92	68.20	-0.28	60.16	3	Horizontal	0	1.96	99	33.86	6.57	32.67
PK	5.73778G	120.70	Inf	-Inf	112.54	3	Horizontal	0	1.96	99	34.30	6.60	32.74
AV	5.74728G	110.25	Inf	-Inf	102.01	3	Horizontal	0	1.96	99	34.38	6.60	32.74
PK	5.935G	59.88	68.20	-8.32	51.05	3	Horizontal	0	1.96	99	35.04	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUTY_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48668G	57.21	74.00	-16.79	41.69	3	Vertical	335	1.80	98	38.40	8.87	31.75
AV	11.47544G	43.26	54.00	-10.74	27.74	3	Vertical	335	1.80	98	38.40	8.87	31.75
PK	17.22796G	67.81	68.20	-0.39	45.37	3	Vertical	349	1.84	89	41.74	10.87	30.17

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUTY_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4806G	56.44	74.00	-17.56	40.92	3	Horizontal	239	1.80	89	38.40	8.87	31.75
AV	11.47268G	43.35	54.00	-10.65	27.84	3	Horizontal	239	1.80	89	38.40	8.87	31.76
PK	17.25236G	68.17	68.20	-0.03	45.63	3	Horizontal	0	1.51	75	41.86	10.88	30.20

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT V_2TX
SET 108
108
2.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6488G	65.23	68.20	-2.97	57.24	3	Vertical	360	1.80	108	34.09	6.60	32.70
PK	5.7898G	121.34	Inf	-Inf	113.10	3	Vertical	360	1.80	108	34.40	6.60	32.76
AV	5.7895G	110.86	Inf	-Inf	102.62	3	Vertical	360	1.80	108	34.40	6.60	32.76
PK	5.9335G	61.13	68.20	-7.07	52.31	3	Vertical	360	1.80	108	35.03	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT V_2TX
SET 108
80\98\107\108
6.11\5.31\4.54\3.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6413G	65.10	68.20	-3.10	57.15	3	Horizontal	2	1.89	108	34.05	6.60	32.70
PK	5.7874G	122.25	Inf	-Inf	114.00	3	Horizontal	2	1.89	108	34.40	6.60	32.75
AV	5.7871G	112.53	Inf	-Inf	104.28	3	Horizontal	2	1.89	108	34.40	6.60	32.75
PK	5.9329G	60.16	68.20	-8.04	51.34	3	Horizontal	2	1.89	108	35.03	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57184G	57.00	74.00	-17.00	41.28	3	Vertical	342	1.80	108	38.54	8.89	31.71
AV	11.57232G	44.11	54.00	-9.89	28.39	3	Vertical	342	1.80	108	38.54	8.89	31.71
PK	17.35328G	67.93	68.20	-0.27	45.23	3	Vertical	143	1.78	102	42.15	10.91	30.36

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_V_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57048G	56.82	74.00	-17.18	41.10	3	Horizontal	307	1.80	102	38.54	8.89	31.71
AV	11.57044G	43.99	54.00	-10.01	28.27	3	Horizontal	307	1.80	102	38.54	8.89	31.71
PK	17.35708G	67.97	68.20	-0.23	45.27	3	Horizontal	3	1.79	99	42.16	10.91	30.37

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
6.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64526G	62.17	68.20	-6.03	54.20	3	Vertical	360	1.90	108	34.07	6.60	32.70
PK	5.81968G	119.46	Inf	-Inf	111.07	3	Vertical	360	1.90	108	34.56	6.60	32.77
AV	5.81968G	109.68	Inf	-Inf	101.29	3	Vertical	360	1.90	108	34.56	6.60	32.77
PK	5.9751G	61.12	68.20	-7.08	52.15	3	Vertical	360	1.90	108	35.20	6.60	32.83

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT V_2TX
SET 108
80\98\107\108
5.64\5.45\5.92\6.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6388G	61.19	68.20	-7.01	53.26	3	Horizontal	360	1.91	108	34.03	6.60	32.70
PK	5.8174G	121.01	Inf	-Inf	112.64	3	Horizontal	360	1.91	108	34.54	6.60	32.77
AV	5.82234G	110.80	Inf	-Inf	102.39	3	Horizontal	360	1.91	108	34.58	6.60	32.77
PK	5.92836G	61.53	68.20	-6.67	52.73	3	Horizontal	360	1.91	108	35.01	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63056G	57.02	74.00	-16.98	41.20	3	Vertical	1	1.80	108	38.60	8.91	31.69
AV	11.65G	43.70	54.00	-10.30	27.87	3	Vertical	1	1.80	108	38.60	8.91	31.68
PK	17.49212G	66.65	68.20	-1.55	43.99	3	Vertical	316	1.80	108	42.29	10.95	30.58

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6502G	56.69	74.00	-17.31	40.86	3	Horizontal	112	1.80	108	38.60	8.91	31.68	
AV	11.65256G	43.83	54.00	-10.17	28.00	3	Horizontal	112	1.80	108	38.60	8.91	31.68	
PK	17.4668G	66.89	68.20	-1.31	44.22	3	Horizontal	1	1.80	108	42.27	10.94	30.54	

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 82
82
1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1493G	64.30	74.00	-9.70	58.02	3	Vertical	0	1.36	82	32.70	6.37	32.79
AV	5.1498G	52.11	54.00	-1.89	45.83	3	Vertical	0	1.36	82	32.70	6.37	32.79
PK	5.1766G	114.78	Inf	-Inf	108.47	3	Vertical	0	1.36	82	32.70	6.39	32.78
AV	5.1851G	102.69	Inf	-Inf	96.37	3	Vertical	0	1.36	82	32.70	6.39	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT V_2TX
SET 82
80\92\86\83\81\82
2.78\ -20.35\ -6.76\ -0.59\ 1.73\ 0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	65.06	74.00	-8.94	58.78	3	Horizontal	0	1.34	82	32.70	6.37	32.79
AV	5.149G	53.85	54.00	-0.15	47.57	3	Horizontal	0	1.34	82	32.70	6.37	32.79
PK	5.1764G	116.37	Inf	-Inf	110.06	3	Horizontal	0	1.34	82	32.70	6.39	32.78
AV	5.1818G	104.80	Inf	-Inf	98.48	3	Horizontal	0	1.34	82	32.70	6.39	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUTY_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3504G	56.35	68.20	-11.85	41.16	3	Vertical	310	2.94	82	38.40	8.59	31.80
PK	15.52532G	63.73	74.00	-10.27	45.99	3	Vertical	358	2.42	82	38.10	10.36	30.72
AV	15.54004G	50.34	54.00	-3.66	32.66	3	Vertical	358	2.42	82	38.04	10.36	30.72

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_V_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34196G	56.37	68.20	-11.83	41.19	3	Horizontal	64	1.80	82	38.40	8.59	31.81
PK	15.5406G	63.04	74.00	-10.96	45.36	3	Horizontal	64	2.11	82	38.04	10.36	30.72
AV	15.52104G	49.94	54.00	-4.06	32.18	3	Horizontal	64	2.11	82	38.12	10.36	30.72

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 87
87
1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	67.07	74.00	-6.93	60.77	3	Vertical	355	1.80	87	32.72	6.37	32.79
AV	5.14988G	52.70	54.00	-1.30	46.42	3	Vertical	355	1.80	87	32.70	6.37	32.79
PK	5.19678G	117.07	Inf	-Inf	110.74	3	Vertical	355	1.80	87	32.70	6.40	32.77
AV	5.20644G	105.46	Inf	-Inf	99.11	3	Vertical	355	1.80	87	32.71	6.40	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 87
80\98\89\84\87
4.62\ -16.01\ -1.59\ 2.56\ 0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14638G	67.94	74.00	-6.06	61.65	3	Horizontal	3	1.25	87	32.71	6.37	32.79
AV	5.14932G	53.95	54.00	-0.05	47.67	3	Horizontal	3	1.25	87	32.70	6.37	32.79
PK	5.20378G	119.74	Inf	-Inf	113.39	3	Horizontal	3	1.25	87	32.71	6.40	32.76
AV	5.20168G	106.99	Inf	-Inf	100.66	3	Horizontal	3	1.25	87	32.70	6.40	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUTY_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40392G	56.38	68.20	-11.82	41.12	3	Vertical	93	1.85	87	38.40	8.60	31.74
PK	15.59584G	68.05	74.00	-5.95	50.55	3	Vertical	14	1.86	87	37.82	10.38	30.70
AV	15.60276G	53.08	54.00	-0.92	35.60	3	Vertical	14	1.86	87	37.80	10.38	30.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUTY_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38212G	57.02	68.20	-11.18	41.79	3	Horizontal	269	1.05	87	38.40	8.60	31.77
PK	15.59944G	66.03	74.00	-7.97	48.55	3	Horizontal	33	1.80	87	37.80	10.38	30.70
AV	15.59832G	52.42	54.00	-1.58	34.93	3	Horizontal	33	1.80	87	37.81	10.38	30.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 99
99
2.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14432G	64.17	74.00	-9.83	57.88	3	Vertical	351	1.80	99	32.71	6.37	32.79
AV	5.15G	51.49	54.00	-2.51	45.21	3	Vertical	351	1.80	99	32.70	6.37	32.79
PK	5.24858G	119.29	Inf	-Inf	112.84	3	Vertical	351	1.80	99	32.80	6.40	32.75
AV	5.24156G	108.84	Inf	-Inf	102.41	3	Vertical	351	1.80	99	32.78	6.40	32.75
PK	5.35492G	64.04	74.00	-9.96	57.32	3	Vertical	351	1.80	99	33.02	6.40	32.70
AV	5.35284G	51.00	54.00	-3.00	44.29	3	Vertical	351	1.80	99	33.01	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 99
80\98\107\102\99\101\100\99
5.04\2.44\4.26\2.90\0.95\2.68\2.76\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14484G	67.43	74.00	-6.57	61.14	3	Horizontal	4	1.26	99	32.71	6.37	32.79
AV	5.14978G	53.13	54.00	-0.87	46.85	3	Horizontal	4	1.26	99	32.70	6.37	32.79
PK	5.23688G	120.47	Inf	-Inf	114.05	3	Horizontal	4	1.26	99	32.77	6.40	32.75
AV	5.24286G	109.84	Inf	-Inf	103.40	3	Horizontal	4	1.26	99	32.79	6.40	32.75
PK	5.36142G	65.97	74.00	-8.03	59.22	3	Horizontal	4	1.26	99	33.05	6.40	32.70
AV	5.3557G	52.19	54.00	-1.81	45.47	3	Horizontal	4	1.26	99	33.02	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47648G	57.68	68.20	-10.52	42.25	3	Vertical	14	1.90	99	38.48	8.62	31.67
PK	15.71976G	66.28	74.00	-7.72	48.70	3	Vertical	355	1.80	99	37.82	10.42	30.66
AV	15.71596G	52.70	54.00	-1.30	35.16	3	Vertical	355	1.80	99	37.80	10.41	30.67

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUTY_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49048G	57.40	68.20	-10.80	41.94	3	Horizontal	12	2.20	99	38.49	8.62	31.65
PK	15.71448G	64.90	74.00	-9.10	47.37	3	Horizontal	34	1.80	99	37.79	10.41	30.67
AV	15.71516G	52.13	54.00	-1.87	34.60	3	Horizontal	34	1.80	99	37.79	10.41	30.67

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 97
97
4.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64316G	63.91	68.20	-4.29	55.95	3	Vertical	360	1.80	97	34.06	6.60	32.70
PK	5.74044G	117.26	Inf	-Inf	109.08	3	Vertical	360	1.80	97	34.32	6.60	32.74
AV	5.74386G	106.19	Inf	-Inf	97.98	3	Vertical	360	1.80	97	34.35	6.60	32.74
PK	5.92816G	60.22	68.20	-7.98	51.42	3	Vertical	360	1.80	97	35.01	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT V_2TX
SET 97
80\98\89\94\97\99\97
5.99\8.21\5.46\4.32\2.33\6.44\4.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64886G	63.59	68.20	-4.61	55.60	3	Horizontal	0	1.89	97	34.09	6.60	32.70
PK	5.74728G	118.84	Inf	-Inf	110.60	3	Horizontal	0	1.89	97	34.38	6.60	32.74
AV	5.74234G	107.20	Inf	-Inf	99.00	3	Horizontal	0	1.89	97	34.34	6.60	32.74
PK	5.93348G	60.38	68.20	-7.82	51.56	3	Horizontal	0	1.89	97	35.03	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49156G	57.14	74.00	-16.86	41.62	3	Vertical	228	1.80	97	38.40	8.87	31.75
AV	11.47416G	43.37	54.00	-10.63	27.86	3	Vertical	228	1.80	97	38.40	8.87	31.76
PK	17.25208G	68.05	68.20	-0.15	45.51	3	Vertical	11	2.93	92	41.86	10.88	30.20

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUTY_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50124G	56.66	74.00	-17.34	41.12	3	Horizontal	1	2.54	92	38.40	8.88	31.74
AV	11.4758G	43.38	54.00	-10.62	27.86	3	Horizontal	1	2.54	92	38.40	8.87	31.75
PK	17.21736G	67.88	68.20	-0.32	45.47	3	Horizontal	79	1.80	89	41.69	10.87	30.15

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6524G	66.36	69.98	-3.62	58.36	3	Vertical	360	1.92	108	34.10	6.60	32.70
PK	5.7763G	119.53	Inf	-Inf	111.28	3	Vertical	360	1.92	108	34.40	6.60	32.75
AV	5.7898G	108.98	Inf	-Inf	100.74	3	Vertical	360	1.92	108	34.40	6.60	32.76
PK	5.9347G	62.04	68.20	-6.16	53.21	3	Vertical	360	1.92	108	35.04	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT V_2TX
SET 108
80\98\107\108
6.99\5.89\3.24\2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	65.39	68.20	-2.81	57.44	3	Horizontal	360	1.92	108	34.05	6.60	32.70
PK	5.7874G	121.44	Inf	-Inf	113.19	3	Horizontal	360	1.92	108	34.40	6.60	32.75
AV	5.782G	110.22	Inf	-Inf	101.97	3	Horizontal	360	1.92	108	34.40	6.60	32.75
PK	5.9242G	61.97	68.79	-6.82	53.18	3	Horizontal	360	1.92	108	35.00	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58956G	56.87	74.00	-17.13	41.09	3	Vertical	2	1.80	108	38.58	8.90	31.70
AV	11.552G	43.55	54.00	-10.45	27.88	3	Vertical	2	1.80	108	38.50	8.89	31.72
PK	17.36856G	67.96	68.20	-0.24	45.26	3	Vertical	144	1.80	108	42.17	10.91	30.38

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58688G	56.95	74.00	-17.05	41.19	3	Horizontal	288	1.80	108	38.57	8.90	31.71
AV	11.56012G	43.41	54.00	-10.59	27.72	3	Horizontal	288	1.80	108	38.52	8.89	31.72
PK	17.3678G	67.94	68.20	-0.26	45.24	3	Horizontal	358	1.80	99	42.17	10.91	30.38

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
5.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63804G	62.51	68.20	-5.69	54.58	3	Vertical	0	1.83	108	34.03	6.60	32.70
PK	5.82044G	117.66	Inf	-Inf	109.27	3	Vertical	0	1.83	108	34.56	6.60	32.77
AV	5.81702G	107.03	Inf	-Inf	98.66	3	Vertical	0	1.83	108	34.54	6.60	32.77
PK	5.99562G	61.52	68.20	-6.68	52.48	3	Vertical	0	1.83	108	35.28	6.60	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
7.07\6.57\6.43\6.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63614G	62.18	68.20	-6.02	54.25	3	Horizontal	360	1.90	108	34.02	6.60	32.69
PK	5.82728G	119.78	Inf	-Inf	111.33	3	Horizontal	360	1.90	108	34.62	6.60	32.77
AV	5.8212G	108.52	Inf	-Inf	100.12	3	Horizontal	360	1.90	108	34.57	6.60	32.77
PK	6.00474G	61.27	68.20	-6.93	52.21	3	Horizontal	360	1.90	108	35.29	6.61	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66088G	57.35	74.00	-16.65	41.51	3	Vertical	360	1.80	108	38.60	8.92	31.68
AV	11.64188G	43.90	54.00	-10.10	28.07	3	Vertical	360	1.80	108	38.60	8.91	31.68
PK	17.47232G	67.49	68.20	-0.71	44.83	3	Vertical	108	1.80	108	42.27	10.94	30.55

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65436G	57.40	74.00	-16.60	41.57	3	Horizontal	27	1.80	108	38.60	8.91	31.68
AV	11.63764G	43.75	54.00	-10.25	27.92	3	Horizontal	27	1.80	108	38.60	8.91	31.68
PK	17.4882G	66.57	68.20	-1.63	43.90	3	Horizontal	360	1.77	108	42.29	10.95	30.57

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 73
73
1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.71	74.00	-9.29	58.43	3	Vertical	357	1.83	73	32.70	6.37	32.79
AV	5.14908G	52.73	54.00	-1.27	46.45	3	Vertical	357	1.83	73	32.70	6.37	32.79
PK	5.19708G	110.43	Inf	-Inf	104.10	3	Vertical	357	1.83	73	32.70	6.40	32.77
AV	5.193G	98.60	Inf	-Inf	92.27	3	Vertical	357	1.83	73	32.70	6.40	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_V_2TX
SET 73
80\62\71\76\73
-6.17\3.64\1.19\2.44\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	65.95	74.00	-8.05	59.67	3	Horizontal	5	1.31	73	32.70	6.37	32.79	
AV	5.14944G	53.81	54.00	-0.19	47.53	3	Horizontal	5	1.31	73	32.70	6.37	32.79	
PK	5.19192G	111.81	Inf	-Inf	105.48	3	Horizontal	5	1.31	73	32.70	6.40	32.77	
AV	5.199G	99.46	Inf	-Inf	93.13	3	Horizontal	5	1.31	73	32.70	6.40	32.77	

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35568G	56.94	68.20	-11.26	41.75	3	Vertical	308	1.05	73	38.40	8.59	31.80
PK	15.56312G	63.22	74.00	-10.78	45.61	3	Vertical	40	1.80	73	37.95	10.37	30.71
AV	15.53784G	49.80	54.00	-4.20	32.11	3	Vertical	40	1.80	73	38.05	10.36	30.72

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3736G	56.93	68.20	-11.27	41.72	3	Horizontal	233	2.02	73	38.40	8.59	31.78
PK	15.556G	63.24	74.00	-10.76	45.60	3	Horizontal	228	1.80	73	37.98	10.37	30.71
AV	15.56712G	49.89	54.00	-4.11	32.30	3	Horizontal	228	1.80	73	37.93	10.37	30.71

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
SET 86
86
1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14706G	65.15	74.00	-8.85	58.86	3	Vertical	357	1.80	86	32.71	6.37	32.79
AV	5.14992G	52.90	54.00	-1.10	46.62	3	Vertical	357	1.80	86	32.70	6.37	32.79
PK	5.24482G	114.39	Inf	-Inf	107.95	3	Vertical	357	1.80	86	32.79	6.40	32.75
AV	5.24378G	102.81	Inf	-Inf	96.37	3	Vertical	357	1.80	86	32.79	6.40	32.75
PK	5.35454G	60.64	74.00	-13.36	53.92	3	Vertical	357	1.80	86	33.02	6.40	32.70
AV	5.35064G	49.63	54.00	-4.37	42.93	3	Vertical	357	1.80	86	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT V_2TX
SET 86
80\98\89\84\87\85\86
4.11\ -7.68\ -1.51\ 1.94\ -0.16\ 1.55\ 0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14706G	66.70	74.00	-7.30	60.41	3	Horizontal	4	1.29	86	32.71	6.37	32.79
AV	5.14888G	53.54	54.00	-0.46	47.26	3	Horizontal	4	1.29	86	32.70	6.37	32.79
PK	5.22116G	115.17	Inf	-Inf	108.79	3	Horizontal	4	1.29	86	32.74	6.40	32.76
AV	5.22402G	104.07	Inf	-Inf	97.68	3	Horizontal	4	1.29	86	32.75	6.40	32.76
PK	5.35948G	62.17	74.00	-11.83	55.43	3	Horizontal	4	1.29	86	33.04	6.40	32.70
AV	5.35142G	50.21	54.00	-3.79	43.50	3	Horizontal	4	1.29	86	33.01	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.422G	56.46	68.20	-11.74	41.15	3	Vertical	10	1.80	86	38.42	8.61	31.72
PK	15.67544G	63.17	74.00	-10.83	45.73	3	Vertical	13	1.79	86	37.72	10.40	30.68
AV	15.67136G	49.66	54.00	-4.34	32.21	3	Vertical	13	1.79	86	37.73	10.40	30.68

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42456G	56.57	68.20	-11.63	41.26	3	Horizontal	278	2.18	86	38.42	8.61	31.72
PK	15.6628G	62.77	74.00	-11.23	45.31	3	Horizontal	68	1.80	86	37.74	10.40	30.68
AV	15.67376G	49.11	54.00	-4.89	31.66	3	Horizontal	68	1.80	86	37.73	10.40	30.68

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 95
95
1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64988G	66.49	68.20	-1.71	58.49	3	Vertical	360	1.86	95	34.10	6.60	32.70
PK	5.76148G	114.18	Inf	-Inf	105.92	3	Vertical	360	1.86	95	34.40	6.60	32.74
AV	5.76472G	102.94	Inf	-Inf	94.69	3	Vertical	360	1.86	95	34.40	6.60	32.75
PK	5.93248G	60.52	68.20	-7.68	51.70	3	Vertical	360	1.86	95	35.03	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 95
80\98\89\94\97\95
5.26\ -0.84\3.66\1.53\ -0.77\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64916G	68.13	68.20	-0.07	60.14	3	Horizontal	0	1.88	95	34.09	6.60	32.70
PK	5.76868G	115.23	Inf	-Inf	106.98	3	Horizontal	0	1.88	95	34.40	6.60	32.75
AV	5.76076G	104.04	Inf	-Inf	95.78	3	Horizontal	0	1.88	95	34.40	6.60	32.74
PK	5.92888G	60.96	68.20	-7.24	52.15	3	Horizontal	0	1.88	95	35.02	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50864G	56.84	74.00	-17.16	41.28	3	Vertical	265	1.80	95	38.42	8.88	31.74
AV	11.47456G	43.40	54.00	-10.60	27.89	3	Vertical	265	1.80	95	38.40	8.87	31.76
PK	17.233G	67.92	68.20	-0.28	45.45	3	Vertical	248	1.87	86	41.77	10.87	30.17

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51656G	56.18	74.00	-17.82	40.60	3	Horizontal	360	1.80	86	38.43	8.88	31.73
AV	11.53496G	43.59	54.00	-10.41	27.97	3	Horizontal	360	1.80	86	38.47	8.88	31.73
PK	17.23332G	67.45	68.20	-0.75	44.98	3	Horizontal	360	1.80	86	41.77	10.87	30.17

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 100
101\92\97\100
-0.57\5.39\3.80\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64812G	66.63	68.20	-1.57	58.64	3	Vertical	358	1.84	100	34.09	6.60	32.70
PK	5.79372G	115.89	Inf	-Inf	107.65	3	Vertical	358	1.84	100	34.40	6.60	32.76
AV	5.78764G	104.82	Inf	-Inf	96.58	3	Vertical	358	1.84	100	34.40	6.60	32.76
PK	5.9342G	60.60	68.20	-7.60	51.77	3	Vertical	358	1.84	100	35.04	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 101
80\98\107\102\99\101
6.58\2.00\2.94\0.75\0.96\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64716G	67.68	68.20	-0.52	59.70	3	Horizontal	0	1.85	101	34.08	6.60	32.70
PK	5.80076G	117.25	Inf	-Inf	109.00	3	Horizontal	0	1.85	101	34.41	6.60	32.76
AV	5.79148G	105.84	Inf	-Inf	97.60	3	Horizontal	0	1.85	101	34.40	6.60	32.76
PK	5.94476G	61.63	68.20	-6.57	52.77	3	Horizontal	0	1.85	101	35.08	6.60	32.82

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61264G	56.79	74.00	-17.21	40.98	3	Vertical	360	1.80	100	38.60	8.90	31.69
AV	11.61384G	43.92	54.00	-10.08	28.11	3	Vertical	360	1.80	100	38.60	8.90	31.69
PK	17.3814G	67.35	68.20	-0.85	44.66	3	Vertical	310	1.91	100	42.18	10.91	30.40

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUTY_2TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59216G	57.06	74.00	-16.94	41.28	3	Horizontal	46	1.80	100	38.58	8.90	31.70
AV	11.61376G	43.82	54.00	-10.18	28.01	3	Horizontal	46	1.80	100	38.60	8.90	31.69
PK	17.37852G	67.43	68.20	-0.77	44.74	3	Horizontal	360	1.80	100	42.18	10.91	30.40

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 73
73
1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14504G	62.67	74.00	-11.33	56.38	3	Vertical	360	1.34	73	32.71	6.37	32.79
AV	5.14664G	52.19	54.00	-1.81	45.90	3	Vertical	360	1.34	73	32.71	6.37	32.79
PK	5.2388G	106.86	Inf	-Inf	100.43	3	Vertical	360	1.34	73	32.78	6.40	32.75
AV	5.22504G	96.86	Inf	-Inf	90.47	3	Vertical	360	1.34	73	32.75	6.40	32.76
PK	5.3508G	60.08	74.00	-13.92	53.38	3	Vertical	360	1.34	73	33.00	6.40	32.70
AV	5.3636G	50.24	54.00	-3.76	43.49	3	Vertical	360	1.34	73	33.05	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 73
80\62\71\76\73
-6.14\3.40\0.82\2.13\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14888G	63.12	74.00	-10.88	56.84	3	Horizontal	5	1.32	73	32.70	6.37	32.79
AV	5.14888G	53.78	54.00	-0.22	47.50	3	Horizontal	5	1.32	73	32.70	6.37	32.79
PK	5.22824G	108.70	Inf	-Inf	102.29	3	Horizontal	5	1.32	73	32.76	6.40	32.75
AV	5.2388G	98.36	Inf	-Inf	91.93	3	Horizontal	5	1.32	73	32.78	6.40	32.75
PK	5.36808G	60.06	74.00	-13.94	53.29	3	Horizontal	5	1.32	73	33.07	6.40	32.70
AV	5.36168G	50.80	54.00	-3.20	44.05	3	Horizontal	5	1.32	73	33.05	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUTY_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4128G	55.90	68.20	-12.30	40.62	3	Vertical	286	1.96	73	38.41	8.60	31.73
PK	15.57416G	63.06	74.00	-10.94	45.50	3	Vertical	24	1.80	73	37.90	10.37	30.71
AV	15.55928G	49.70	54.00	-4.30	32.08	3	Vertical	24	1.80	73	37.96	10.37	30.71

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUTY_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47856G	56.69	68.20	-11.51	41.25	3	Horizontal	158	1.80	73	38.48	8.62	31.66
PK	15.57032G	62.34	74.00	-11.66	44.76	3	Horizontal	222	1.80	73	37.92	10.37	30.71
AV	15.64296G	49.64	54.00	-4.36	32.18	3	Horizontal	222	1.80	73	37.76	10.39	30.69

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 86
86
1.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64988G	66.66	68.20	-1.54	58.66	3	Vertical	0	1.83	86	34.10	6.60	32.70
PK	5.7574G	109.28	Inf	-Inf	101.02	3	Vertical	0	1.83	86	34.40	6.60	32.74
AV	5.78716G	99.80	Inf	-Inf	91.55	3	Vertical	0	1.83	86	34.40	6.60	32.75
PK	5.92796G	61.92	68.20	-6.28	53.12	3	Vertical	0	1.83	86	35.01	6.60	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT V_2TX
SET 86
80\98\89\84\87\85\86
3.19\13.30\2.06\1.03\0.17\1.39\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64444G	68.08	68.20	-0.12	60.11	3	Horizontal	0	1.90	86	34.07	6.60	32.70
PK	5.7942G	110.91	Inf	-Inf	102.67	3	Horizontal	0	1.90	86	34.40	6.60	32.76
AV	5.7814G	100.74	Inf	-Inf	92.49	3	Horizontal	0	1.90	86	34.40	6.60	32.75
PK	5.92796G	60.90	68.20	-7.30	52.10	3	Horizontal	0	1.90	86	35.01	6.60	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58088G	56.97	74.00	-17.03	41.22	3	Vertical	360	1.80	86	38.56	8.90	31.71
AV	11.4716G	43.46	54.00	-10.54	27.95	3	Vertical	360	1.80	86	38.40	8.87	31.76
PK	17.36708G	67.35	68.20	-0.85	44.65	3	Vertical	39	1.80	85	42.17	10.91	30.38

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX



EUT_V_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54312G	56.55	74.00	-17.45	40.89	3	Horizontal	91	1.80	85	38.49	8.89	31.72
AV	11.62152G	43.90	54.00	-10.10	28.08	3	Horizontal	91	1.80	85	38.60	8.91	31.69
PK	17.40356G	67.90	68.20	-0.30	45.22	3	Horizontal	209	2.45	82	42.20	10.92	30.44




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_4TX	Pass	PK	5.64844G	68.05	68.20	-0.15	3	Horizontal	0	2.72	99

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 81
84\66\75\80\83\81\82\81
-2.80\7.02\5.41\1.84\1.07\0.92\0.33\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1467G	68.40	74.00	-5.60	62.11	3	Vertical	360	2.73	81	32.71	6.37	32.79
AV	5.1475G	52.93	54.00	-1.07	46.64	3	Vertical	360	2.73	81	32.71	6.37	32.79
PK	5.1868G	118.23	Inf	-Inf	111.91	3	Vertical	360	2.73	81	32.70	6.39	32.77
AV	5.1868G	108.13	Inf	-Inf	101.81	3	Vertical	360	2.73	81	32.70	6.39	32.77

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT Y_4TX
SET 84
80\98\89\84
4.01\ -25.75\ -7.57\ 0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	68.19	74.00	-5.81	61.91	3	Horizontal	8	1.80	84	32.70	6.37	32.79
AV	5.1499G	53.84	54.00	-0.16	47.56	3	Horizontal	8	1.80	84	32.70	6.37	32.79
PK	5.1739G	119.31	Inf	-Inf	113.00	3	Horizontal	8	1.80	84	32.70	6.39	32.78
AV	5.1746G	109.50	Inf	-Inf	103.19	3	Horizontal	8	1.80	84	32.70	6.39	32.78

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34568G	56.70	68.20	-11.50	41.52	3	Vertical	358	1.80	81	38.40	8.59	31.81
PK	15.5418G	65.76	74.00	-8.24	48.09	3	Vertical	6	1.77	81	38.03	10.36	30.72
AV	15.54164G	51.45	54.00	-2.55	33.78	3	Vertical	6	1.77	81	38.03	10.36	30.72

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37216G	57.72	68.20	-10.48	42.51	3	Horizontal	180	1.80	81	38.40	8.59	31.78
PK	15.54096G	63.66	74.00	-10.34	45.98	3	Horizontal	32	1.57	81	38.04	10.36	30.72
AV	15.54152G	50.75	54.00	-3.25	33.08	3	Horizontal	32	1.57	81	38.03	10.36	30.72

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
SET 88
91\79\85\88\90\89\88
-2.32\5.88\3.42\1.19\0.93\0.22\0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1461G	70.91	74.00	-3.09	64.62	3	Vertical	360	2.39	88	32.71	6.37	32.79
AV	5.14568G	53.06	54.00	-0.94	46.77	3	Vertical	360	2.39	88	32.71	6.37	32.79
PK	5.20644G	120.74	Inf	-Inf	114.39	3	Vertical	360	2.39	88	32.71	6.40	32.76
AV	5.20588G	110.79	Inf	-Inf	104.44	3	Vertical	360	2.39	88	32.71	6.40	32.76

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
SET 91
80\98\89\94\91
6.18\11.21\2.15\2.15\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.32	74.00	-5.68	62.04	3	Horizontal	5	2.42	91	32.70	6.37	32.79
AV	5.14904G	53.55	54.00	-0.45	47.27	3	Horizontal	5	2.42	91	32.70	6.37	32.79
PK	5.1958G	122.39	Inf	-Inf	116.06	3	Horizontal	5	2.42	91	32.70	6.40	32.77
AV	5.19552G	112.27	Inf	-Inf	105.94	3	Horizontal	5	2.42	91	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX


EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41004G	56.66	68.20	-11.54	41.39	3	Vertical	74	1.80	81	38.41	8.60	31.74
PK	15.601G	68.78	74.00	-5.22	51.30	3	Vertical	6	1.80	81	37.80	10.38	30.70
AV	15.601G	53.69	54.00	-0.31	36.21	3	Vertical	6	1.80	81	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39924G	56.98	68.20	-11.22	41.73	3	Horizontal	41	1.80	88	38.40	8.60	31.75
PK	15.60064G	67.57	74.00	-6.43	50.09	3	Horizontal	42	1.80	81	37.80	10.38	30.70
AV	15.60096G	52.84	54.00	-1.16	35.36	3	Horizontal	42	1.80	81	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 102
102
1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14354G	68.48	74.00	-5.52	62.19	3	Vertical	360	1.80	102	32.71	6.37	32.79
AV	5.14666G	52.97	54.00	-1.03	46.68	3	Vertical	360	1.80	102	32.71	6.37	32.79
PK	5.24442G	124.31	Inf	-Inf	117.87	3	Vertical	360	1.80	102	32.79	6.40	32.75
AV	5.24468G	113.69	Inf	-Inf	107.25	3	Vertical	360	1.80	102	32.79	6.40	32.75
PK	5.35544G	65.58	74.00	-8.42	58.86	3	Vertical	360	1.80	102	33.02	6.40	32.70
AV	5.35648G	51.58	54.00	-2.42	44.85	3	Vertical	360	1.80	102	33.03	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 102
80\98\107\102
6.12\3.97~-0.14\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13626G	68.41	74.00	-5.59	62.10	3	Horizontal	7	2.38	102	32.73	6.37	32.79
AV	5.13808G	52.36	54.00	-1.64	46.06	3	Horizontal	7	2.38	102	32.72	6.37	32.79
PK	5.23558G	125.00	Inf	-Inf	118.58	3	Horizontal	7	2.38	102	32.77	6.40	32.75
AV	5.23558G	115.20	Inf	-Inf	108.78	3	Horizontal	7	2.38	102	32.77	6.40	32.75
PK	5.35856G	69.14	74.00	-4.86	62.41	3	Horizontal	7	2.38	102	33.03	6.40	32.70
AV	5.3583G	53.66	54.00	-0.34	46.93	3	Horizontal	7	2.38	102	33.03	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46912G	56.84	68.20	-11.36	41.42	3	Vertical	360	1.86	84	38.47	8.62	31.67
PK	15.7136G	66.04	74.00	-7.96	48.52	3	Vertical	352	1.80	84	37.78	10.41	30.67
AV	15.71384G	51.12	54.00	-2.88	33.60	3	Vertical	352	1.80	84	37.78	10.41	30.67

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48392G	57.67	68.20	-10.53	42.23	3	Horizontal	64	1.68	102	38.48	8.62	31.66
PK	15.72216G	67.45	74.00	-6.55	49.86	3	Horizontal	322	1.87	84	37.83	10.42	30.66
AV	15.72164G	52.17	54.00	-1.83	34.58	3	Horizontal	322	1.87	84	37.83	10.42	30.66

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 97
101\83\92\97\100\98\99\98\97
-3.15\7.01\6.60\5.98\8.13\5.03\4.04\3.94\6.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58388G	61.43	68.20	-6.77	53.69	3	Vertical	358	1.24	97	33.83	6.58	32.67
PK	5.74234G	119.23	Inf	-Inf	111.03	3	Vertical	358	1.24	97	34.34	6.60	32.74
AV	5.74158G	109.31	Inf	-Inf	101.12	3	Vertical	358	1.24	97	34.33	6.60	32.74
PK	5.93348G	59.06	68.20	-9.14	50.24	3	Vertical	358	1.24	97	35.03	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 101
80\98\107\102\99\101
6.82\2.38\8.52\2.48\1.68\1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65152G	68.31	69.32	-1.01	60.31	3	Horizontal	357	2.78	101	34.10	6.60	32.70
PK	5.74234G	122.33	Inf	-Inf	114.13	3	Horizontal	357	2.78	101	34.34	6.60	32.74
AV	5.74044G	111.96	Inf	-Inf	103.78	3	Horizontal	357	2.78	101	34.32	6.60	32.74
PK	5.925G	58.99	68.20	-9.21	50.20	3	Horizontal	357	2.78	101	35.00	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX


EUT_Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49504G	57.33	74.00	-16.67	41.80	3	Vertical	340	1.80	97	38.40	8.87	31.74
AV	11.49516G	43.96	54.00	-10.04	28.43	3	Vertical	340	1.80	97	38.40	8.87	31.74
PK	17.22756G	67.31	68.20	-0.89	44.86	3	Vertical	354	1.80	97	41.74	10.87	30.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49088G	57.24	74.00	-16.76	41.72	3	Horizontal	255	1.80	97	38.40	8.87	31.75
AV	11.49136G	44.05	54.00	-9.95	28.53	3	Horizontal	255	1.80	97	38.40	8.87	31.75
PK	17.22344G	66.81	68.20	-1.39	44.38	3	Horizontal	356	1.80	97	41.72	10.87	30.16

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6362G	62.86	68.20	-5.34	54.93	3	Vertical	8	1.80	108	34.02	6.60	32.69
PK	5.7877G	121.39	Inf	-Inf	113.15	3	Vertical	8	1.80	108	34.40	6.60	32.76
AV	5.788G	111.12	Inf	-Inf	102.88	3	Vertical	8	1.80	108	34.40	6.60	32.76
PK	5.9344G	59.54	68.20	-8.66	50.71	3	Vertical	8	1.80	108	35.04	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
7.23\6.78\2.59\3.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6452G	64.93	68.20	-3.27	56.96	3	Horizontal	7	1.90	108	34.07	6.60	32.70
PK	5.7787G	123.22	Inf	-Inf	114.97	3	Horizontal	7	1.90	108	34.40	6.60	32.75
AV	5.7784G	112.88	Inf	-Inf	104.63	3	Horizontal	7	1.90	108	34.40	6.60	32.75
PK	5.929G	59.11	68.20	-9.09	50.30	3	Horizontal	7	1.90	108	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57588G	58.00	74.00	-16.00	42.27	3	Vertical	16	1.80	96	38.55	8.89	31.71
AV	11.56936G	44.65	54.00	-9.35	28.93	3	Vertical	16	1.80	96	38.54	8.89	31.71
PK	17.33632G	65.44	68.20	-2.76	42.73	3	Vertical	3	1.80	96	42.14	10.90	30.33

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57372G	57.90	74.00	-16.10	42.17	3	Horizontal	281	1.78	108	38.55	8.89	31.71
AV	11.57328G	44.91	54.00	-9.09	29.18	3	Horizontal	281	1.78	108	38.55	8.89	31.71
PK	17.34788G	66.37	68.20	-1.83	43.67	3	Horizontal	21	1.80	96	42.15	10.90	30.35

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
7.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64678G	60.17	68.20	-8.03	52.19	3	Vertical	11	1.13	108	34.08	6.60	32.70
PK	5.82082G	119.73	Inf	-Inf	111.33	3	Vertical	11	1.13	108	34.57	6.60	32.77
AV	5.82082G	110.01	Inf	-Inf	101.61	3	Vertical	11	1.13	108	34.57	6.60	32.77
PK	5.98422G	60.44	68.20	-7.76	51.43	3	Vertical	11	1.13	108	35.24	6.60	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
7.40\7.60\7.36\7.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63576G	60.55	68.20	-7.65	52.63	3	Horizontal	356	1.92	108	34.01	6.60	32.69
PK	5.8193G	120.85	Inf	-Inf	112.47	3	Horizontal	356	1.92	108	34.55	6.60	32.77
AV	5.81892G	111.37	Inf	-Inf	102.99	3	Horizontal	356	1.92	108	34.55	6.60	32.77
PK	5.99942G	60.73	68.20	-7.47	51.67	3	Horizontal	356	1.92	108	35.30	6.60	32.84

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64824G	58.46	74.00	-15.54	42.63	3	Vertical	1	2.01	108	38.60	8.91	31.68
AV	11.64768G	44.68	54.00	-9.32	28.85	3	Vertical	1	2.01	108	38.60	8.91	31.68
PK	17.46144G	64.93	68.20	-3.27	42.26	3	Vertical	24	1.80	108	42.26	10.94	30.53

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65608G	57.33	74.00	-16.67	41.50	3	Horizontal	64	1.72	108	38.60	8.91	31.68
AV	11.64872G	44.34	54.00	-9.66	28.51	3	Horizontal	64	1.72	108	38.60	8.91	31.68
PK	17.46808G	66.24	68.20	-1.96	43.57	3	Horizontal	19	1.80	108	42.27	10.94	30.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 81
81
1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1457G	67.73	74.00	-6.27	61.44	3	Vertical	1	1.06	81	32.71	6.37	32.79
AV	5.1458G	52.91	54.00	-1.09	46.62	3	Vertical	1	1.06	81	32.71	6.37	32.79
PK	5.1856G	119.31	Inf	-Inf	112.99	3	Vertical	1	1.06	81	32.70	6.39	32.77
AV	5.1759G	106.09	Inf	-Inf	99.78	3	Vertical	1	1.06	81	32.70	6.39	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 81
81\87\84\82\81
0.74\ -8.62\ -3.21\ -0.52\ 0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1472G	67.68	74.00	-6.32	61.39	3	Horizontal	1	1.32	81	32.71	6.37	32.79	
AV	5.1469G	53.38	54.00	-0.62	47.09	3	Horizontal	1	1.32	81	32.71	6.37	32.79	
PK	5.1772G	119.91	Inf	-Inf	113.60	3	Horizontal	1	1.32	81	32.70	6.39	32.78	
AV	5.1821G	106.61	Inf	-Inf	100.29	3	Horizontal	1	1.32	81	32.70	6.39	32.77	

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX


EUT Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34324G	56.48	68.20	-11.72	41.30	3	Vertical	324	1.80	81	38.40	8.59	31.81
PK	15.53524G	62.80	74.00	-11.20	45.10	3	Vertical	350	1.79	81	38.06	10.36	30.72
AV	15.5354G	49.59	54.00	-4.41	31.89	3	Vertical	350	1.79	81	38.06	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX


EUT Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36532G	56.96	68.20	-11.24	41.76	3	Horizontal	14	1.80	81	38.40	8.59	31.79
PK	15.53544G	62.49	74.00	-11.51	44.79	3	Horizontal	32	1.80	81	38.06	10.36	30.72
AV	15.54044G	49.41	54.00	-4.59	31.73	3	Horizontal	32	1.80	81	38.04	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 86
86
0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	69.57	74.00	-4.43	63.29	3	Vertical	1	1.13	86	32.70	6.37	32.79	
AV	5.15G	53.52	54.00	-0.48	47.24	3	Vertical	1	1.13	86	32.70	6.37	32.79	
PK	5.1958G	120.99	Inf	-Inf	114.66	3	Vertical	1	1.13	86	32.70	6.40	32.77	
AV	5.20098G	108.36	Inf	-Inf	102.03	3	Vertical	1	1.13	86	32.70	6.40	32.77	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 86
88\76\82\85\87\86
-1.46\6.27\3.77\1.38\0.50\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14708G	72.07	74.00	-1.93	65.78	3	Horizontal	3	1.40	86	32.71	6.37	32.79
AV	5.14694G	53.55	54.00	-0.45	47.26	3	Horizontal	3	1.40	86	32.71	6.37	32.79
PK	5.20686G	121.82	Inf	-Inf	115.47	3	Horizontal	3	1.40	86	32.71	6.40	32.76
AV	5.20196G	108.89	Inf	-Inf	102.56	3	Horizontal	3	1.40	86	32.70	6.40	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41932G	56.57	68.20	-11.63	41.28	3	Vertical	302	1.80	82	38.42	8.60	31.73
PK	15.60028G	66.59	74.00	-7.41	49.11	3	Vertical	5	1.79	79	37.80	10.38	30.70
AV	15.6002G	52.49	54.00	-1.51	35.01	3	Vertical	5	1.79	79	37.80	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40784G	56.78	68.20	-11.42	41.51	3	Horizontal	28	1.11	86	38.41	8.60	31.74
PK	15.60036G	66.48	74.00	-7.52	49.00	3	Horizontal	26	1.80	82	37.80	10.38	30.70
AV	15.59524G	52.11	54.00	-1.89	34.61	3	Horizontal	26	1.80	82	37.82	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 99
99
2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14666G	65.78	74.00	-8.22	59.49	3	Vertical	1	1.11	99	32.71	6.37	32.79
AV	5.14666G	51.38	54.00	-2.62	45.09	3	Vertical	1	1.11	99	32.71	6.37	32.79
PK	5.24104G	124.37	Inf	-Inf	117.94	3	Vertical	1	1.11	99	32.78	6.40	32.75
AV	5.24078G	111.49	Inf	-Inf	105.06	3	Vertical	1	1.11	99	32.78	6.40	32.75
PK	5.36246G	65.13	74.00	-8.87	58.38	3	Vertical	1	1.11	99	33.05	6.40	32.70
AV	5.3518G	50.38	54.00	-3.62	43.67	3	Vertical	1	1.11	99	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 99
102\84\93\98\101\99\100\99
-3.49\6.48\5.98\2.79\1.53\1.76\0.79\1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14718G	68.91	74.00	-5.09	62.62	3	Horizontal	8	1.79	99	32.71	6.37	32.79
AV	5.14744G	52.02	54.00	-1.98	45.73	3	Horizontal	8	1.79	99	32.71	6.37	32.79
PK	5.24182G	123.70	Inf	-Inf	117.27	3	Horizontal	8	1.79	99	32.78	6.40	32.75
AV	5.23688G	111.63	Inf	-Inf	105.21	3	Horizontal	8	1.79	99	32.77	6.40	32.75
PK	5.3544G	66.86	74.00	-7.14	60.14	3	Horizontal	8	1.79	99	33.02	6.40	32.70
AV	5.35284G	50.85	54.00	-3.15	44.14	3	Horizontal	8	1.79	99	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUTY_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49176G	56.82	68.20	-11.38	41.36	3	Vertical	358	1.78	85	38.49	8.62	31.65
PK	15.722G	67.59	74.00	-6.41	50.00	3	Vertical	353	1.74	85	37.83	10.42	30.66
AV	15.72144G	53.41	54.00	-0.59	35.82	3	Vertical	353	1.74	85	37.83	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49284G	57.05	68.20	-11.15	41.59	3	Horizontal	2	1.80	99	38.49	8.62	31.65
PK	15.71196G	69.03	74.00	-4.97	51.52	3	Horizontal	322	1.85	85	37.77	10.41	30.67
AV	15.72012G	52.89	54.00	-1.11	35.31	3	Horizontal	322	1.85	85	37.82	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 98
98
5.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64924G	63.19	68.20	-5.01	55.19	3	Vertical	358	1.21	98	34.10	6.60	32.70
PK	5.7412G	120.45	Inf	-Inf	112.26	3	Vertical	358	1.21	98	34.33	6.60	32.74
AV	5.74044G	108.06	Inf	-Inf	99.88	3	Vertical	358	1.21	98	34.32	6.60	32.74
PK	5.93082G	59.95	68.20	-8.25	51.14	3	Vertical	358	1.21	98	35.02	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 98
97\108\102\99\98
4.71\ -8.57\ -9.18\ -2.72\ 3.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65076G	65.56	68.76	-3.20	57.56	3	Horizontal	0	2.79	98	34.10	6.60	32.70
PK	5.73664G	121.23	Inf	-Inf	113.07	3	Horizontal	0	2.79	98	34.29	6.60	32.73
AV	5.74044G	109.37	Inf	-Inf	101.19	3	Horizontal	0	2.79	98	34.32	6.60	32.74
PK	5.93424G	59.64	68.20	-8.56	50.81	3	Horizontal	0	2.79	98	35.04	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50312G	56.91	74.00	-17.09	41.36	3	Vertical	4	2.12	92	38.41	8.88	31.74
AV	11.48272G	43.90	54.00	-10.10	28.38	3	Vertical	4	2.12	92	38.40	8.87	31.75
PK	17.22608G	66.81	68.20	-1.39	44.37	3	Vertical	355	1.80	92	41.73	10.87	30.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47956G	57.01	74.00	-16.99	41.49	3	Horizontal	304	1.80	98	38.40	8.87	31.75
AV	11.47432G	43.74	54.00	-10.26	28.23	3	Horizontal	304	1.80	98	38.40	8.87	31.76
PK	17.22636G	66.79	68.20	-1.41	44.35	3	Horizontal	48	2.87	92	41.73	10.87	30.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
3.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6419G	64.50	68.20	-3.70	56.55	3	Vertical	0	2.28	108	34.05	6.60	32.70
PK	5.7889G	121.84	Inf	-Inf	113.60	3	Vertical	0	2.28	108	34.40	6.60	32.76
AV	5.7844G	109.78	Inf	-Inf	101.53	3	Vertical	0	2.28	108	34.40	6.60	32.75
PK	5.935G	59.24	68.20	-8.96	50.41	3	Vertical	0	2.28	108	35.04	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6497G	66.35	68.20	-1.85	58.35	3	Horizontal	360	2.76	108	34.10	6.60	32.70
PK	5.7856G	124.57	Inf	-Inf	116.32	3	Horizontal	360	2.76	108	34.40	6.60	32.75
AV	5.7856G	110.97	Inf	-Inf	102.72	3	Horizontal	360	2.76	108	34.40	6.60	32.75
PK	5.9335G	59.57	68.20	-8.63	50.75	3	Horizontal	360	2.76	108	35.03	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57364G	57.54	74.00	-16.46	41.81	3	Vertical	15	1.74	102	38.55	8.89	31.71
AV	11.57288G	44.61	54.00	-9.39	28.88	3	Vertical	15	1.74	102	38.55	8.89	31.71
PK	17.3498G	65.12	68.20	-3.08	42.43	3	Vertical	7	1.80	102	42.15	10.90	30.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57064G	58.31	74.00	-15.69	42.59	3	Horizontal	301	2.51	108	38.54	8.89	31.71
AV	11.56932G	44.68	54.00	-9.32	28.96	3	Horizontal	301	2.51	108	38.54	8.89	31.71
PK	17.35632G	67.38	68.20	-0.82	44.68	3	Horizontal	354	1.84	102	42.16	10.91	30.37

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65096G	62.83	68.91	-6.08	54.83	3	Vertical	1	2.43	108	34.10	6.60	32.70
PK	5.8193G	119.21	Inf	-Inf	110.83	3	Vertical	1	2.43	108	34.55	6.60	32.77
AV	5.8193G	107.55	Inf	-Inf	99.17	3	Vertical	1	2.43	108	34.55	6.60	32.77
PK	5.939G	60.32	68.20	-7.88	51.48	3	Vertical	1	2.43	108	35.06	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
6.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64678G	62.14	68.20	-6.06	54.16	3	Horizontal	3	2.71	108	34.08	6.60	32.70
PK	5.82044G	122.24	Inf	-Inf	113.85	3	Horizontal	3	2.71	108	34.56	6.60	32.77
AV	5.82044G	110.11	Inf	-Inf	101.72	3	Horizontal	3	2.71	108	34.56	6.60	32.77
PK	5.96028G	60.21	68.20	-7.99	51.29	3	Horizontal	3	2.71	108	35.14	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63984G	56.90	74.00	-17.10	41.07	3	Vertical	272	1.06	108	38.60	8.91	31.68
AV	11.66384G	43.92	54.00	-10.08	28.07	3	Vertical	272	1.06	108	38.60	8.92	31.67
PK	17.46744G	65.37	68.20	-2.83	42.70	3	Vertical	360	1.40	108	42.27	10.94	30.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6364G	57.76	74.00	-16.24	41.94	3	Horizontal	341	1.08	108	38.60	8.91	31.69
AV	11.65436G	43.92	54.00	-10.08	28.09	3	Horizontal	341	1.08	108	38.60	8.91	31.68
PK	17.46444G	65.82	68.20	-2.38	43.15	3	Horizontal	353	1.80	108	42.26	10.94	30.53

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 67
67
0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	65.83	74.00	-8.17	59.54	3	Vertical	1	1.15	67	32.71	6.37	32.79
AV	5.14584G	53.44	54.00	-0.56	47.15	3	Vertical	1	1.15	67	32.71	6.37	32.79
PK	5.1858G	113.06	Inf	-Inf	106.74	3	Vertical	1	1.15	67	32.70	6.39	32.77
AV	5.196G	101.89	Inf	-Inf	95.56	3	Vertical	1	1.15	67	32.70	6.40	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 67
80\62\71\66\69\67
-11.62\2.18\1.46\0.78\0.56\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	66.15	74.00	-7.85	59.86	3	Horizontal	7	1.79	67	32.71	6.37	32.79
AV	5.14656G	53.74	54.00	-0.26	47.45	3	Horizontal	7	1.79	67	32.71	6.37	32.79
PK	5.19672G	114.91	Inf	-Inf	108.58	3	Horizontal	7	1.79	67	32.70	6.40	32.77
AV	5.1918G	101.97	Inf	-Inf	95.64	3	Horizontal	7	1.79	67	32.70	6.40	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX


EUT Y_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41728G	57.10	68.20	-11.10	41.81	3	Vertical	48	1.80	67	38.42	8.60	31.73
PK	15.5496G	61.49	74.00	-12.51	43.85	3	Vertical	113	1.80	67	38.00	10.36	30.72
AV	15.5832G	48.68	54.00	-5.32	31.15	3	Vertical	113	1.80	67	37.87	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41048G	56.43	68.20	-11.77	41.16	3	Horizontal	143	1.80	67	38.41	8.60	31.74
PK	15.54576G	62.04	74.00	-11.96	44.38	3	Horizontal	275	1.80	67	38.02	10.36	30.72
AV	15.58112G	48.66	54.00	-5.34	31.12	3	Horizontal	275	1.80	67	37.88	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 82
82
1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	65.94	74.00	-8.06	59.66	3	Vertical	0	1.05	82	32.70	6.37	32.79
AV	5.1455G	52.33	54.00	-1.67	46.04	3	Vertical	0	1.05	82	32.71	6.37	32.79
PK	5.23598G	117.55	Inf	-Inf	111.13	3	Vertical	0	1.05	82	32.77	6.40	32.75
AV	5.2209G	106.30	Inf	-Inf	99.92	3	Vertical	0	1.05	82	32.74	6.40	32.76
PK	5.35532G	60.25	74.00	-13.75	53.53	3	Vertical	0	1.05	82	33.02	6.40	32.70
AV	5.35038G	49.17	54.00	-4.83	42.47	3	Vertical	0	1.05	82	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 82
80\92\86\83\81\82
2.18\ -6.73\ -2.16\ -0.01\ 1.60\ 0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14706G	65.17	74.00	-8.83	58.88	3	Horizontal	8	1.80	82	32.71	6.37	32.79
AV	5.1468G	53.21	54.00	-0.79	46.92	3	Horizontal	8	1.80	82	32.71	6.37	32.79
PK	5.2417G	118.21	Inf	-Inf	111.78	3	Horizontal	8	1.80	82	32.78	6.40	32.75
AV	5.23702G	106.49	Inf	-Inf	100.07	3	Horizontal	8	1.80	82	32.77	6.40	32.75
PK	5.35714G	61.20	74.00	-12.80	54.47	3	Horizontal	8	1.80	82	33.03	6.40	32.70
AV	5.3522G	49.65	54.00	-4.35	42.94	3	Horizontal	8	1.80	82	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX


EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47184G	57.22	68.20	-10.98	41.80	3	Vertical	1	1.80	82	38.47	8.62	31.67
PK	15.6544G	62.57	74.00	-11.43	45.10	3	Vertical	19	1.80	82	37.75	10.40	30.68
AV	15.66664G	49.30	54.00	-4.70	31.85	3	Vertical	19	1.80	82	37.73	10.40	30.68

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44544G	56.35	68.20	-11.85	40.99	3	Horizontal	228	1.80	82	38.45	8.61	31.70
PK	15.68176G	63.90	74.00	-10.10	46.46	3	Horizontal	13	1.77	82	37.72	10.40	30.68
AV	15.66664G	49.65	54.00	-4.35	32.20	3	Horizontal	13	1.77	82	37.73	10.40	30.68

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94
94
1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64664G	67.06	68.20	-1.14	59.08	3	Vertical	356	1.22	94	34.08	6.60	32.70
PK	5.74096G	116.56	Inf	-Inf	108.37	3	Vertical	356	1.22	94	34.33	6.60	32.74
AV	5.77084G	106.20	Inf	-Inf	97.95	3	Vertical	356	1.22	94	34.40	6.60	32.75
PK	5.92672G	59.92	68.20	-8.28	51.12	3	Vertical	356	1.22	94	35.01	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94
80\98\89\94
5.34\ -3.41\3.15\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64952G	68.03	68.20	-0.17	60.03	3	Horizontal	360	2.76	94	34.10	6.60	32.70
PK	5.77048G	117.81	Inf	-Inf	109.56	3	Horizontal	360	2.76	94	34.40	6.60	32.75
AV	5.7406G	107.55	Inf	-Inf	99.37	3	Horizontal	360	2.76	94	34.32	6.60	32.74
PK	5.92888G	59.30	68.20	-8.90	50.49	3	Horizontal	360	2.76	94	35.02	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX


EUT Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4748G	56.58	74.00	-17.42	41.07	3	Vertical	223	1.54	94	38.40	8.87	31.76
AV	11.47088G	43.61	54.00	-10.39	28.10	3	Vertical	223	1.54	94	38.40	8.87	31.76
PK	17.27516G	65.53	68.20	-2.67	42.91	3	Vertical	360	1.80	94	41.98	10.88	30.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX


EUT Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49744G	56.98	74.00	-17.02	41.45	3	Horizontal	106	2.74	94	38.40	8.87	31.74
AV	11.48288G	43.62	54.00	-10.38	28.10	3	Horizontal	106	2.74	94	38.40	8.87	31.75
PK	17.2306G	65.94	68.20	-2.26	43.49	3	Horizontal	1	1.86	94	41.75	10.87	30.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 99
99
1.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64876G	66.25	68.20	-1.95	58.26	3	Vertical	2	2.30	99	34.09	6.60	32.70
PK	5.78956G	117.67	Inf	-Inf	109.43	3	Vertical	2	2.30	99	34.40	6.60	32.76
AV	5.78444G	107.51	Inf	-Inf	99.26	3	Vertical	2	2.30	99	34.40	6.60	32.75
PK	5.93132G	59.88	68.20	-8.32	51.06	3	Vertical	2	2.30	99	35.03	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 99
80\98\107\102\99
7.19\0.56\4.81\2.27\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64844G	68.05	68.20	-0.15	60.06	3	Horizontal	0	2.72	99	34.09	6.60	32.70
PK	5.80556G	120.04	Inf	-Inf	111.76	3	Horizontal	0	2.72	99	34.44	6.60	32.76
AV	5.80076G	108.79	Inf	-Inf	100.54	3	Horizontal	0	2.72	99	34.41	6.60	32.76
PK	5.95212G	60.29	68.20	-7.91	51.40	3	Horizontal	0	2.72	99	35.11	6.60	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX


EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62816G	57.35	74.00	-16.65	41.53	3	Vertical	247	1.80	99	38.60	8.91	31.69
AV	11.62728G	43.96	54.00	-10.04	28.14	3	Vertical	247	1.80	99	38.60	8.91	31.69
PK	17.37124G	64.86	68.20	-3.34	42.17	3	Vertical	342	1.79	99	42.17	10.91	30.39

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5528G	57.13	74.00	-16.87	41.45	3	Horizontal	104	1.45	99	38.51	8.89	31.72
AV	11.57744G	43.78	54.00	-10.22	28.05	3	Horizontal	104	1.45	99	38.55	8.89	31.71
PK	17.36708G	65.36	68.20	-2.84	42.66	3	Horizontal	354	1.80	99	42.17	10.91	30.38

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
SET 69
69
0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.04	74.00	-10.96	56.75	3	Vertical	360	1.10	69	32.71	6.37	32.79
AV	5.14568G	53.12	54.00	-0.88	46.83	3	Vertical	360	1.10	69	32.71	6.37	32.79
PK	5.21096G	111.22	Inf	-Inf	104.86	3	Vertical	360	1.10	69	32.72	6.40	32.76
AV	5.21608G	99.36	Inf	-Inf	92.99	3	Vertical	360	1.10	69	32.73	6.40	32.76
PK	5.36488G	59.76	74.00	-14.24	53.00	3	Vertical	360	1.10	69	33.06	6.40	32.70
AV	5.36328G	48.24	54.00	-5.76	41.49	3	Vertical	360	1.10	69	33.05	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 69
80\62\71\66\69\70\69
-8.77\3.02\0.39\1.50\0.63\0.00\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	65.30	74.00	-8.70	59.01	3	Horizontal	11	1.76	69	32.71	6.37	32.79
AV	5.14696G	53.39	54.00	-0.61	47.10	3	Horizontal	11	1.76	69	32.71	6.37	32.79
PK	5.23208G	111.78	Inf	-Inf	105.37	3	Horizontal	11	1.76	69	32.76	6.40	32.75
AV	5.22696G	99.63	Inf	-Inf	93.23	3	Horizontal	11	1.76	69	32.75	6.40	32.75
PK	5.36648G	60.33	74.00	-13.67	53.56	3	Horizontal	11	1.76	69	33.07	6.40	32.70
AV	5.36808G	48.73	54.00	-5.27	41.96	3	Horizontal	11	1.76	69	33.07	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39344G	56.99	68.20	-11.21	41.75	3	Vertical	83	1.80	69	38.40	8.60	31.76
PK	15.5528G	62.36	74.00	-11.64	44.72	3	Vertical	252	1.56	69	37.98	10.37	30.71
AV	15.59272G	48.93	54.00	-5.07	31.42	3	Vertical	252	1.56	69	37.83	10.38	30.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUTY_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41712G	56.68	68.20	-11.52	41.39	3	Horizontal	303	2.61	69	38.42	8.60	31.73
PK	15.57624G	61.99	74.00	-12.01	44.43	3	Horizontal	360	1.80	69	37.90	10.37	30.71
AV	15.58408G	48.82	54.00	-5.18	31.28	3	Horizontal	360	1.80	69	37.86	10.38	30.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 80
80
2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64572G	65.91	68.20	-2.29	57.94	3	Vertical	356	1.23	80	34.07	6.60	32.70
PK	5.7654G	112.55	Inf	-Inf	104.30	3	Vertical	356	1.23	80	34.40	6.60	32.75
AV	5.77052G	99.92	Inf	-Inf	91.67	3	Vertical	356	1.23	80	34.40	6.60	32.75
PK	5.93084G	60.28	68.20	-7.92	51.47	3	Vertical	356	1.23	80	35.02	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 80
80
0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64668G	67.72	68.20	-0.48	59.74	3	Horizontal	360	1.96	80	34.08	6.60	32.70
PK	5.80252G	112.82	Inf	-Inf	104.56	3	Horizontal	360	1.96	80	34.42	6.60	32.76
AV	5.78716G	101.19	Inf	-Inf	92.94	3	Horizontal	360	1.96	80	34.40	6.60	32.75
PK	5.92732G	59.71	68.20	-8.49	50.91	3	Horizontal	360	1.96	80	35.01	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62904G	56.87	74.00	-17.13	41.05	3	Vertical	340	1.08	81	38.60	8.91	31.69
AV	11.4708G	43.74	54.00	-10.26	28.23	3	Vertical	340	1.08	81	38.40	8.87	31.76
PK	17.28452G	65.54	68.20	-2.66	42.88	3	Vertical	360	1.37	81	42.02	10.89	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



EUT_Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53032G	56.25	74.00	-17.75	40.64	3	Horizontal	283	1.05	81	38.46	8.88	31.73
AV	11.57224G	43.82	54.00	-10.18	28.10	3	Horizontal	283	1.05	81	38.54	8.89	31.71
PK	17.31444G	65.68	68.20	-2.52	42.98	3	Horizontal	112	1.80	81	42.11	10.89	30.30




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.14992G	53.92	54.00	-0.08	3	Vertical	348	1.68	80

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 83
80\98\89\84\81\83
3.29\ -24.03\ -8.58\ -0.58\ 3.09\ 0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	65.27	74.00	-8.73	58.99	3	Vertical	353	1.80	83	32.70	6.37	32.79
AV	5.15G	53.40	54.00	-0.60	47.12	3	Vertical	353	1.80	83	32.70	6.37	32.79
PK	5.1775G	111.37	Inf	-Inf	105.06	3	Vertical	353	1.80	83	32.70	6.39	32.78
AV	5.1825G	99.43	Inf	-Inf	93.11	3	Vertical	353	1.80	83	32.70	6.39	32.77

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 83
83
1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1499G	64.83	74.00	-9.17	58.55	3	Horizontal	337	1.90	83	32.70	6.37	32.79	
AV	5.15G	52.60	54.00	-1.40	46.32	3	Horizontal	337	1.90	83	32.70	6.37	32.79	
PK	5.1786G	109.79	Inf	-Inf	103.47	3	Horizontal	337	1.90	83	32.70	6.39	32.77	
AV	5.1819G	98.54	Inf	-Inf	92.22	3	Horizontal	337	1.90	83	32.70	6.39	32.77	

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35836G	58.70	68.20	-9.50	43.50	3	Vertical	218	1.80	83	38.40	8.59	31.79
PK	15.53796G	64.53	74.00	-9.47	46.84	3	Vertical	12	1.53	83	38.05	10.36	30.72
AV	15.54112G	50.80	54.00	-3.20	33.12	3	Vertical	12	1.53	83	38.04	10.36	30.72

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUTY_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34228G	58.40	68.20	-9.80	43.22	3	Horizontal	274	1.80	83	38.40	8.59	31.81
PK	15.54164G	64.78	74.00	-9.22	47.11	3	Horizontal	360	1.80	83	38.03	10.36	30.72
AV	15.53892G	50.50	54.00	-3.50	32.82	3	Horizontal	360	1.80	83	38.04	10.36	30.72

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 90
80\98\89\94\91\90
5.78\ -10.32\0.69\ -3.02\ -0.64\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.05	74.00	-6.95	60.77	3	Vertical	352	1.76	90	32.70	6.37	32.79
AV	5.14862G	53.87	54.00	-0.13	47.59	3	Vertical	352	1.76	90	32.70	6.37	32.79
PK	5.20224G	114.06	Inf	-Inf	107.73	3	Vertical	352	1.76	90	32.70	6.40	32.77
AV	5.19888G	102.30	Inf	-Inf	95.97	3	Vertical	352	1.76	90	32.70	6.40	32.77

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 90
90
1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14988G	66.63	74.00	-7.37	60.35	3	Horizontal	360	1.80	90	32.70	6.37	32.79
AV	5.14918G	52.33	54.00	-1.67	46.05	3	Horizontal	360	1.80	90	32.70	6.37	32.79
PK	5.2028G	113.54	Inf	-Inf	107.19	3	Horizontal	360	1.80	90	32.71	6.40	32.76
AV	5.20336G	102.29	Inf	-Inf	95.94	3	Horizontal	360	1.80	90	32.71	6.40	32.76

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4066G	59.77	68.20	-8.43	44.50	3	Vertical	337	1.78	90	38.41	8.60	31.74
PK	15.59392G	65.80	74.00	-8.20	48.30	3	Vertical	15	1.74	90	37.82	10.38	30.70
AV	15.60024G	52.03	54.00	-1.97	34.55	3	Vertical	15	1.74	90	37.80	10.38	30.70

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX


EUT Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39488G	58.83	68.20	-9.37	43.58	3	Horizontal	1	2.91	90	38.40	8.60	31.75
PK	15.59388G	65.65	74.00	-8.35	48.15	3	Horizontal	310	1.80	90	37.82	10.38	30.70
AV	15.60056G	51.67	54.00	-2.33	34.19	3	Horizontal	310	1.80	90	37.80	10.38	30.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 107
80\98\107
6.27\4.91\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14536G	70.10	74.00	-3.90	63.81	3	Vertical	352	1.72	107	32.71	6.37	32.79
AV	5.14978G	53.66	54.00	-0.34	47.38	3	Vertical	352	1.72	107	32.70	6.37	32.79
PK	5.2426G	117.44	Inf	-Inf	111.00	3	Vertical	352	1.72	107	32.79	6.40	32.75
AV	5.24286G	105.55	Inf	-Inf	99.11	3	Vertical	352	1.72	107	32.79	6.40	32.75
PK	5.35G	65.32	74.00	-8.68	58.62	3	Vertical	352	1.72	107	33.00	6.40	32.70
AV	5.35128G	51.97	54.00	-2.03	45.26	3	Vertical	352	1.72	107	33.01	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 107
107
2.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	65.47	74.00	-8.53	59.19	3	Horizontal	335	1.58	107	32.70	6.37	32.79
AV	5.14952G	51.72	54.00	-2.28	45.44	3	Horizontal	335	1.58	107	32.70	6.37	32.79
PK	5.24858G	117.58	Inf	-Inf	111.13	3	Horizontal	335	1.58	107	32.80	6.40	32.75
AV	5.24364G	106.28	Inf	-Inf	99.84	3	Horizontal	335	1.58	107	32.79	6.40	32.75
PK	5.35492G	64.29	74.00	-9.71	57.57	3	Horizontal	335	1.58	107	33.02	6.40	32.70
AV	5.35076G	50.54	54.00	-3.46	43.84	3	Horizontal	335	1.58	107	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX


EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46968G	60.15	68.20	-8.05	44.73	3	Vertical	27	1.80	107	38.47	8.62	31.67
PK	15.72212G	66.69	74.00	-7.31	49.10	3	Vertical	346	1.85	89	37.83	10.42	30.66
AV	15.72232G	52.86	54.00	-1.14	35.27	3	Vertical	346	1.85	89	37.83	10.42	30.66

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX


EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4738G	58.60	68.20	-9.60	43.18	3	Horizontal	355	1.80	89	38.47	8.62	31.67
PK	15.72512G	67.08	74.00	-6.92	49.47	3	Horizontal	18	1.75	89	37.85	10.42	30.66
AV	15.72028G	52.64	54.00	-1.36	35.06	3	Horizontal	18	1.75	89	37.82	10.42	30.66

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 96
80\98\89\94\97\95\96
8.14\0.03\8.27\7.31\2.50\7.71\7.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64506G	60.40	68.20	-7.80	52.43	3	Vertical	0	1.94	96	34.07	6.60	32.70
PK	5.74766G	117.37	Inf	-Inf	109.13	3	Vertical	0	1.94	96	34.38	6.60	32.74
AV	5.74652G	105.71	Inf	-Inf	97.48	3	Vertical	0	1.94	96	34.37	6.60	32.74
PK	5.92664G	60.42	68.20	-7.78	51.62	3	Vertical	0	1.94	96	35.01	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 96
96
8.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58616G	59.91	68.20	-8.29	52.16	3	Horizontal	33	1.86	96	33.83	6.59	32.67
PK	5.7374G	114.85	Inf	-Inf	106.68	3	Horizontal	33	1.86	96	34.30	6.60	32.73
AV	5.7412G	104.41	Inf	-Inf	96.22	3	Horizontal	33	1.86	96	34.33	6.60	32.74
PK	5.93462G	59.15	68.20	-9.05	50.32	3	Horizontal	33	1.86	96	35.04	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49488G	58.81	74.00	-15.19	43.28	3	Vertical	152	1.08	96	38.40	8.87	31.74
AV	11.47064G	45.42	54.00	-8.58	29.91	3	Vertical	152	1.08	96	38.40	8.87	31.76
PK	17.23276G	67.71	68.20	-0.49	45.25	3	Vertical	353	1.79	93	41.76	10.87	30.17

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49144G	59.02	74.00	-14.98	43.50	3	Horizontal	199	1.80	93	38.40	8.87	31.75
AV	11.47796G	45.43	54.00	-8.57	29.91	3	Horizontal	199	1.80	93	38.40	8.87	31.75
PK	17.23452G	67.76	68.20	-0.44	45.30	3	Horizontal	358	1.80	93	41.77	10.87	30.18

802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
8.26\6.76\6.60\5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6461G	62.66	68.20	-5.54	54.68	3	Vertical	0	1.95	108	34.08	6.60	32.70
PK	5.7784G	117.98	Inf	-Inf	109.73	3	Vertical	0	1.95	108	34.40	6.60	32.75
AV	5.7787G	106.28	Inf	-Inf	98.03	3	Vertical	0	1.95	108	34.40	6.60	32.75
PK	5.9296G	61.62	68.20	-6.58	52.81	3	Vertical	0	1.95	108	35.02	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
7.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6473G	60.54	68.20	-7.66	52.56	3	Horizontal	35	1.79	108	34.08	6.60	32.70
PK	5.7844G	115.51	Inf	-Inf	107.26	3	Horizontal	35	1.79	108	34.40	6.60	32.75
AV	5.7889G	104.49	Inf	-Inf	96.25	3	Horizontal	35	1.79	108	34.40	6.60	32.76
PK	5.9326G	59.92	68.20	-8.28	51.10	3	Horizontal	35	1.79	108	35.03	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX


EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.578G	59.18	74.00	-14.82	43.44	3	Vertical	10	1.71	108	38.56	8.89	31.71
AV	11.56784G	45.74	54.00	-8.26	30.02	3	Vertical	10	1.71	108	38.54	8.89	31.71
PK	17.35716G	67.89	68.20	-0.31	45.19	3	Vertical	354	1.80	96	42.16	10.91	30.37

802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57372G	59.44	74.00	-14.56	43.71	3	Horizontal	144	2.91	96	38.55	8.89	31.71
AV	11.57096G	45.22	54.00	-8.78	29.50	3	Horizontal	144	2.91	96	38.54	8.89	31.71
PK	17.34544G	67.42	68.20	-0.78	44.72	3	Horizontal	58	1.80	87	42.15	10.90	30.35

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
7.39\4.01\2.28\4.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64222G	59.20	68.20	-9.00	51.25	3	Vertical	1	1.94	108	34.05	6.60	32.70
PK	5.8231G	118.36	Inf	-Inf	109.95	3	Vertical	1	1.94	108	34.58	6.60	32.77
AV	5.81778G	106.47	Inf	-Inf	98.10	3	Vertical	1	1.94	108	34.54	6.60	32.77
PK	5.925G	63.75	68.20	-4.45	54.96	3	Vertical	1	1.94	108	35.00	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
4.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65134G	60.08	69.19	-9.11	52.08	3	Horizontal	343	1.75	108	34.10	6.60	32.70	
PK	5.8212G	114.48	Inf	-Inf	106.08	3	Horizontal	343	1.75	108	34.57	6.60	32.77	
AV	5.81968G	103.55	Inf	-Inf	95.16	3	Horizontal	343	1.75	108	34.56	6.60	32.77	
PK	5.92608G	63.58	68.20	-4.62	54.79	3	Horizontal	343	1.75	108	35.00	6.60	32.81	

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64244G	59.27	74.00	-14.73	43.44	3	Vertical	326	1.80	99	38.60	8.91	31.68
AV	11.64624G	46.09	54.00	-7.91	30.26	3	Vertical	326	1.80	99	38.60	8.91	31.68
PK	17.47908G	66.44	68.20	-1.76	43.78	3	Vertical	360	1.80	99	42.28	10.94	30.56

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64616G	59.30	74.00	-14.70	43.47	3	Horizontal	346	1.74	99	38.60	8.91	31.68
AV	11.65384G	45.85	54.00	-8.15	30.02	3	Horizontal	346	1.74	99	38.60	8.91	31.68
PK	17.47032G	65.97	68.20	-2.23	43.30	3	Horizontal	360	1.76	99	42.27	10.94	30.54

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 64
80\62\71\66\63\65\64
-12.20\2.21\2.08\0.66\0.53\0.12\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	62.02	74.00	-11.98	55.73	3	Vertical	351	1.86	64	32.71	6.37	32.79
AV	5.15G	53.16	54.00	-0.84	46.88	3	Vertical	351	1.86	64	32.70	6.37	32.79
PK	5.19204G	105.24	Inf	-Inf	98.91	3	Vertical	351	1.86	64	32.70	6.40	32.77
AV	5.19504G	94.48	Inf	-Inf	88.15	3	Vertical	351	1.86	64	32.70	6.40	32.77

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 64
64
2.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14932G	62.46	74.00	-11.54	56.18	3	Horizontal	360	1.80	64	32.70	6.37	32.79
AV	5.14992G	51.39	54.00	-2.61	45.11	3	Horizontal	360	1.80	64	32.70	6.37	32.79
PK	5.20116G	104.70	Inf	-Inf	98.37	3	Horizontal	360	1.80	64	32.70	6.40	32.77
AV	5.20476G	93.51	Inf	-Inf	87.16	3	Horizontal	360	1.80	64	32.71	6.40	32.76

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX


EUT Y_4TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35888G	58.58	68.20	-9.62	43.38	3	Vertical	226	1.80	64	38.40	8.59	31.79
PK	15.59264G	62.63	74.00	-11.37	45.12	3	Vertical	329	1.80	64	37.83	10.38	30.70
AV	15.56304G	49.73	54.00	-4.27	32.12	3	Vertical	329	1.80	64	37.95	10.37	30.71

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34072G	58.85	68.20	-9.35	43.67	3	Horizontal	180	1.80	64	38.40	8.59	31.81
PK	15.58712G	63.02	74.00	-10.98	45.49	3	Horizontal	4	1.80	64	37.85	10.38	30.70
AV	15.57736G	49.72	54.00	-4.28	32.17	3	Horizontal	4	1.80	64	37.89	10.37	30.71

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 80
80
0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14706G	63.00	74.00	-11.00	56.71	3	Vertical	348	1.68	80	32.71	6.37	32.79
AV	5.14992G	53.92	54.00	-0.08	47.64	3	Vertical	348	1.68	80	32.70	6.37	32.79
PK	5.23754G	110.56	Inf	-Inf	104.13	3	Vertical	348	1.68	80	32.78	6.40	32.75
AV	5.2326G	101.00	Inf	-Inf	94.58	3	Vertical	348	1.68	80	32.77	6.40	32.75
PK	5.35792G	59.71	74.00	-14.29	52.98	3	Vertical	348	1.68	80	33.03	6.40	32.70
AV	5.35324G	49.43	54.00	-4.57	42.72	3	Vertical	348	1.68	80	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 80
80
4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1377G	61.23	74.00	-12.77	54.93	3	Horizontal	336	1.58	80	32.72	6.37	32.79
AV	5.14732G	49.66	54.00	-4.34	43.37	3	Horizontal	336	1.58	80	32.71	6.37	32.79
PK	5.24326G	111.38	Inf	-Inf	104.94	3	Horizontal	336	1.58	80	32.79	6.40	32.75
AV	5.24118G	100.47	Inf	-Inf	94.04	3	Horizontal	336	1.58	80	32.78	6.40	32.75
PK	5.35038G	58.62	74.00	-15.38	51.92	3	Horizontal	336	1.58	80	33.00	6.40	32.70
AV	5.3587G	49.41	54.00	-4.59	42.68	3	Horizontal	336	1.58	80	33.03	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4448G	59.28	68.20	-8.92	43.93	3	Vertical	349	1.15	80	38.44	8.61	31.70
PK	15.65312G	62.29	74.00	-11.71	44.82	3	Vertical	346	1.80	80	37.75	10.40	30.68
AV	15.65G	49.69	54.00	-4.31	32.22	3	Vertical	346	1.80	80	37.75	10.40	30.68

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49352G	58.50	68.20	-9.70	43.04	3	Horizontal	64	2.48	80	38.49	8.62	31.65
PK	15.65416G	62.22	74.00	-11.78	44.75	3	Horizontal	1	2.44	80	37.75	10.40	30.68
AV	15.65G	49.48	54.00	-4.52	32.01	3	Horizontal	1	2.44	80	37.75	10.40	30.68

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 96
80\98\89\94\97\95\96
7.59\ -3.50\6.25\2.34\ -0.36\1.15\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63944G	67.36	68.20	-0.84	59.42	3	Vertical	1	1.80	96	34.04	6.60	32.70
PK	5.76148G	112.98	Inf	-Inf	104.72	3	Vertical	1	1.80	96	34.40	6.60	32.74
AV	5.75896G	104.16	Inf	-Inf	95.90	3	Vertical	1	1.80	96	34.40	6.60	32.74
PK	5.935G	61.63	68.20	-6.57	52.80	3	Vertical	1	1.80	96	35.04	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 96
96
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65132G	68.28	69.18	-0.90	60.28	3	Horizontal	34	1.86	96	34.10	6.60	32.70
PK	5.74132G	113.00	Inf	-Inf	104.81	3	Horizontal	34	1.86	96	34.33	6.60	32.74
AV	5.73952G	102.12	Inf	-Inf	93.94	3	Horizontal	34	1.86	96	34.32	6.60	32.74
PK	5.935G	59.69	68.20	-8.51	50.86	3	Horizontal	34	1.86	96	35.04	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53712G	59.20	74.00	-14.80	43.58	3	Vertical	159	2.95	96	38.47	8.88	31.73
AV	11.4764G	45.32	54.00	-8.68	29.80	3	Vertical	159	2.95	96	38.40	8.87	31.75
PK	17.24908G	67.31	68.20	-0.89	44.79	3	Vertical	354	1.80	96	41.85	10.87	30.20

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4704G	58.78	74.00	-15.22	43.27	3	Horizontal	125	1.36	96	38.40	8.87	31.76
AV	11.47336G	45.39	54.00	-8.61	29.88	3	Horizontal	125	1.36	96	38.40	8.87	31.76
PK	17.2746G	67.41	68.20	-0.79	44.80	3	Horizontal	60	1.80	96	41.97	10.88	30.24

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 97
80\98\89\94\97\99\97
8.09\ -0.48\5.39\2.73\0.67\ -3.14\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64908G	65.51	68.20	-2.69	57.52	3	Vertical	0	1.95	97	34.09	6.60	32.70
PK	5.8062G	113.82	Inf	-Inf	105.53	3	Vertical	0	1.95	97	34.45	6.60	32.76
AV	5.80556G	104.29	Inf	-Inf	96.01	3	Vertical	0	1.95	97	34.44	6.60	32.76
PK	5.93292G	67.66	68.20	-0.54	58.84	3	Vertical	0	1.95	97	35.03	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 97
97
3.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64396G	64.56	68.20	-3.64	56.60	3	Horizontal	34	1.80	97	34.06	6.60	32.70
PK	5.79212G	112.32	Inf	-Inf	104.08	3	Horizontal	34	1.80	97	34.40	6.60	32.76
AV	5.78892G	102.43	Inf	-Inf	94.19	3	Horizontal	34	1.80	97	34.40	6.60	32.76
PK	5.92684G	64.17	68.20	-4.03	55.37	3	Horizontal	34	1.80	97	35.01	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57512G	58.63	74.00	-15.37	42.90	3	Vertical	348	1.05	97	38.55	8.89	31.71
AV	11.5864G	45.58	54.00	-8.42	29.82	3	Vertical	348	1.05	97	38.57	8.90	31.71
PK	17.39228G	67.74	68.20	-0.46	45.05	3	Vertical	354	1.80	97	42.19	10.92	30.42

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60544G	58.48	74.00	-15.52	42.68	3	Horizontal	4	1.45	97	38.60	8.90	31.70
AV	11.6108G	45.70	54.00	-8.30	29.90	3	Horizontal	4	1.45	97	38.60	8.90	31.70
PK	17.36876G	66.43	68.20	-1.77	43.74	3	Horizontal	59	1.80	97	42.17	10.91	30.39

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70
80\62\71\66\69\70
-10.11\2.72\0.21\1.72\0.59\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14632G	63.54	74.00	-10.46	57.25	3	Vertical	351	1.80	70	32.71	6.37	32.79
AV	5.14984G	53.72	54.00	-0.28	47.44	3	Vertical	351	1.80	70	32.70	6.37	32.79
PK	5.24712G	103.42	Inf	-Inf	96.98	3	Vertical	351	1.80	70	32.79	6.40	32.75
AV	5.24168G	94.13	Inf	-Inf	87.70	3	Vertical	351	1.80	70	32.78	6.40	32.75
PK	5.35656G	60.17	74.00	-13.83	53.44	3	Vertical	351	1.80	70	33.03	6.40	32.70
AV	5.35G	49.32	54.00	-4.68	42.62	3	Vertical	351	1.80	70	33.00	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70
70
2.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	60.49	74.00	-13.51	54.21	3	Horizontal	334	1.60	70	32.70	6.37	32.79
AV	5.14568G	51.28	54.00	-2.72	44.99	3	Horizontal	334	1.60	70	32.71	6.37	32.79
PK	5.2388G	104.83	Inf	-Inf	98.40	3	Horizontal	334	1.60	70	32.78	6.40	32.75
AV	5.22504G	93.66	Inf	-Inf	87.27	3	Horizontal	334	1.60	70	32.75	6.40	32.76
PK	5.36776G	58.78	74.00	-15.22	52.01	3	Horizontal	334	1.60	70	33.07	6.40	32.70
AV	5.36968G	48.73	54.00	-5.27	41.94	3	Horizontal	334	1.60	70	33.08	6.40	32.69

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47088G	58.58	68.20	-9.62	43.16	3	Vertical	1	1.93	70	38.47	8.62	31.67
PK	15.562G	63.33	74.00	-10.67	45.72	3	Vertical	2	1.80	70	37.95	10.37	30.71
AV	15.58008G	50.36	54.00	-3.64	32.82	3	Vertical	2	1.80	70	37.88	10.37	30.71

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37952G	58.12	68.20	-10.08	42.90	3	Horizontal	182	1.11	70	38.40	8.59	31.77
PK	15.60616G	62.93	74.00	-11.07	45.46	3	Horizontal	14	1.27	70	37.79	10.38	30.70
AV	15.61368G	50.31	54.00	-3.69	32.84	3	Horizontal	14	1.27	70	37.79	10.38	30.70

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 96
80\98\89\94\97\95\96
7.59\ -3.50\6.25\2.34\ -0.36\1.15\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63944G	67.36	68.20	-0.84	59.42	3	Vertical	1	1.80	96	34.04	6.60	32.70
PK	5.76148G	112.98	Inf	-Inf	104.72	3	Vertical	1	1.80	96	34.40	6.60	32.74
AV	5.75896G	104.16	Inf	-Inf	95.90	3	Vertical	1	1.80	96	34.40	6.60	32.74
PK	5.935G	61.63	68.20	-6.57	52.80	3	Vertical	1	1.80	96	35.04	6.60	32.81

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 96
96
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65132G	68.28	69.18	-0.90	60.28	3	Horizontal	34	1.86	96	34.10	6.60	32.70
PK	5.74132G	113.00	Inf	-Inf	104.81	3	Horizontal	34	1.86	96	34.33	6.60	32.74
AV	5.73952G	102.12	Inf	-Inf	93.94	3	Horizontal	34	1.86	96	34.32	6.60	32.74
PK	5.935G	59.69	68.20	-8.51	50.86	3	Horizontal	34	1.86	96	35.04	6.60	32.81

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54808G	59.56	74.00	-14.44	43.89	3	Vertical	227	2.51	96	38.50	8.89	31.72
AV	11.47G	45.48	54.00	-8.52	29.97	3	Vertical	227	2.51	96	38.40	8.87	31.76
PK	17.27908G	67.78	68.20	-0.42	45.15	3	Vertical	360	1.99	96	42.00	10.88	30.25

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX



EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61256G	59.10	74.00	-14.90	43.29	3	Horizontal	106	1.80	96	38.60	8.90	31.69
AV	11.6052G	45.87	54.00	-8.13	30.07	3	Horizontal	106	1.80	96	38.60	8.90	31.70
PK	17.33572G	67.67	68.20	-0.53	44.96	3	Horizontal	57	1.81	96	42.14	10.90	30.33




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	PK	17.21688G	68.16	68.20	-0.04	3	Horizontal	338	1.79	104

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 88
89\77\83\86\88
-1.56\6.86\4.65\2.67\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	69.88	74.00	-4.12	63.60	3	Vertical	348	1.80	88	32.70	6.37	32.79
AV	5.149G	53.80	54.00	-0.20	47.52	3	Vertical	348	1.80	88	32.70	6.37	32.79
PK	5.178G	111.11	Inf	-Inf	104.80	3	Vertical	348	1.80	88	32.70	6.39	32.78
AV	5.1834G	101.06	Inf	-Inf	94.74	3	Vertical	348	1.80	88	32.70	6.39	32.77

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 89
80\98\89
6.87\16.92\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	70.67	74.00	-3.33	64.39	3	Horizontal	360	1.69	89	32.70	6.37	32.79
AV	5.1495G	53.72	54.00	-0.28	47.44	3	Horizontal	360	1.69	89	32.70	6.37	32.79
PK	5.175G	109.22	Inf	-Inf	102.91	3	Horizontal	360	1.69	89	32.70	6.39	32.78
AV	5.181G	99.18	Inf	-Inf	92.86	3	Horizontal	360	1.69	89	32.70	6.39	32.77

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35492G	56.11	68.20	-12.09	40.92	3	Vertical	1	2.61	88	38.40	8.59	31.80
PK	15.54004G	64.10	74.00	-9.90	46.42	3	Vertical	51	2.44	88	38.04	10.36	30.72
AV	15.5404G	51.01	54.00	-2.99	33.33	3	Vertical	51	2.44	88	38.04	10.36	30.72

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37488G	56.11	68.20	-12.09	40.90	3	Horizontal	44	2.38	88	38.40	8.59	31.78
PK	15.53832G	63.95	74.00	-10.05	46.26	3	Horizontal	36	2.86	88	38.05	10.36	30.72
AV	15.53536G	51.05	54.00	-2.95	33.35	3	Horizontal	36	2.86	88	38.06	10.36	30.72

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
SET 92
96\84\90\93\91\92
-1.86\6.28\2.57\0.01\1.87\1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	67.68	74.00	-6.32	61.40	3	Vertical	348	1.77	92	32.70	6.37	32.79
AV	5.15G	52.92	54.00	-1.08	46.64	3	Vertical	348	1.77	92	32.70	6.37	32.79
PK	5.2021G	113.66	Inf	-Inf	107.33	3	Vertical	348	1.77	92	32.70	6.40	32.77
AV	5.20224G	103.40	Inf	-Inf	97.07	3	Vertical	348	1.77	92	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
SET 96
80\98\89\94\97\95\96
7.05\ -3.09\5.36\2.38\ -0.54\1.96\1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14428G	69.62	74.00	-4.38	63.33	3	Horizontal	348	1.60	96	32.71	6.37	32.79
AV	5.14988G	52.99	54.00	-1.01	46.71	3	Horizontal	348	1.60	96	32.70	6.37	32.79
PK	5.20644G	113.32	Inf	-Inf	106.97	3	Horizontal	348	1.60	96	32.71	6.40	32.76
AV	5.20644G	102.33	Inf	-Inf	95.98	3	Horizontal	348	1.60	96	32.71	6.40	32.76

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3988G	56.40	68.20	-11.80	41.15	3	Vertical	126	1.80	92	38.40	8.60	31.75
PK	15.60296G	68.55	74.00	-5.45	51.07	3	Vertical	13	1.80	89	37.80	10.38	30.70
AV	15.60064G	53.50	54.00	-0.50	36.02	3	Vertical	13	1.80	89	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40384G	56.34	68.20	-11.86	41.08	3	Horizontal	55	1.09	92	38.40	8.60	31.74
PK	15.59424G	67.43	74.00	-6.57	49.93	3	Horizontal	34	1.83	92	37.82	10.38	30.70
AV	15.59948G	53.83	54.00	-0.17	36.35	3	Horizontal	34	1.83	92	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
SET 108
108
3.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.63	74.00	-8.37	59.35	3	Vertical	346	1.74	108	32.70	6.37	32.79
AV	5.149G	49.94	54.00	-4.06	43.66	3	Vertical	346	1.74	108	32.70	6.37	32.79
PK	5.23246G	116.84	Inf	-Inf	110.43	3	Vertical	346	1.74	108	32.76	6.40	32.75
AV	5.2426G	105.91	Inf	-Inf	99.47	3	Vertical	346	1.74	108	32.79	6.40	32.75
PK	5.35856G	62.71	74.00	-11.29	55.98	3	Vertical	346	1.74	108	33.03	6.40	32.70
AV	5.35232G	50.01	54.00	-3.99	43.30	3	Vertical	346	1.74	108	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_V_1TX
SET 108
80\98\107\108
6.79\6.63\5.14\5.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.33	74.00	-9.67	58.05	3	Horizontal	347	1.56	108	32.70	6.37	32.79
AV	5.14952G	48.70	54.00	-5.30	42.42	3	Horizontal	347	1.56	108	32.70	6.37	32.79
PK	5.24104G	116.84	Inf	-Inf	110.41	3	Horizontal	347	1.56	108	32.78	6.40	32.75
AV	5.2426G	105.71	Inf	-Inf	99.27	3	Horizontal	347	1.56	108	32.79	6.40	32.75
PK	5.35986G	63.99	74.00	-10.01	57.25	3	Horizontal	347	1.56	108	33.04	6.40	32.70
AV	5.3505G	48.85	54.00	-5.15	42.15	3	Horizontal	347	1.56	108	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48012G	58.17	68.20	-10.03	42.73	3	Vertical	17	2.42	108	38.48	8.62	31.66
PK	15.7124G	63.61	74.00	-10.39	46.10	3	Vertical	14	1.80	108	37.77	10.41	30.67
AV	15.71652G	50.06	54.00	-3.94	32.52	3	Vertical	14	1.80	108	37.80	10.41	30.67

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48648G	57.30	68.20	-10.90	41.84	3	Horizontal	68	1.80	108	38.49	8.62	31.65
PK	15.72972G	62.75	74.00	-11.25	45.11	3	Horizontal	19	1.80	108	37.88	10.42	30.66
AV	15.7246G	49.62	54.00	-4.38	32.01	3	Horizontal	19	1.80	108	37.85	10.42	30.66

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
SET 104
104
7.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64658G	60.74	68.20	-7.46	52.76	3	Vertical	329	1.73	104	34.08	6.60	32.70
PK	5.74348G	111.97	Inf	-Inf	103.76	3	Vertical	329	1.73	104	34.35	6.60	32.74
AV	5.74652G	101.08	Inf	-Inf	92.85	3	Vertical	329	1.73	104	34.37	6.60	32.74
PK	5.92892G	59.68	68.20	-8.52	50.87	3	Vertical	329	1.73	104	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
SET 104
80\98\107\102\105\103\104
7.30\7.92\4.28\7.81\0.18\6.75\7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64886G	60.57	68.20	-7.63	52.58	3	Horizontal	351	1.72	104	34.09	6.60	32.70
PK	5.7431G	112.74	Inf	-Inf	104.54	3	Horizontal	351	1.72	104	34.34	6.60	32.74
AV	5.7469G	102.23	Inf	-Inf	93.99	3	Horizontal	351	1.72	104	34.38	6.60	32.74
PK	5.93424G	59.43	68.20	-8.77	50.60	3	Horizontal	351	1.72	104	35.04	6.60	32.81

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTY_1TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50384G	57.68	74.00	-16.32	42.13	3	Vertical	346	1.77	104	38.41	8.88	31.74
AV	11.48416G	44.66	54.00	-9.34	29.14	3	Vertical	346	1.77	104	38.40	8.87	31.75
PK	17.21884G	67.33	68.20	-0.87	44.92	3	Vertical	11	1.82	104	41.69	10.87	30.15

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTY_1TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50576G	57.78	74.00	-16.22	42.23	3	Horizontal	64	2.11	104	38.41	8.88	31.74
AV	11.48968G	44.47	54.00	-9.53	28.95	3	Horizontal	64	2.11	104	38.40	8.87	31.75
PK	17.21688G	68.16	68.20	-0.04	45.76	3	Horizontal	338	1.79	104	41.68	10.87	30.15

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
108
7.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6479G	60.58	68.20	-7.62	52.59	3	Vertical	349	1.76	108	34.09	6.60	32.70
PK	5.7835G	113.33	Inf	-Inf	105.08	3	Vertical	349	1.76	108	34.40	6.60	32.75
AV	5.7829G	102.60	Inf	-Inf	94.35	3	Vertical	349	1.76	108	34.40	6.60	32.75
PK	5.9338G	60.74	68.20	-7.46	51.91	3	Vertical	349	1.76	108	35.04	6.60	32.81

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
80\98\107\108
8.03\7.84\7.42\6.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6359G	61.79	68.20	-6.41	53.86	3	Horizontal	28	1.60	108	34.02	6.60	32.69
PK	5.7778G	115.11	Inf	-Inf	106.86	3	Horizontal	28	1.60	108	34.40	6.60	32.75
AV	5.7826G	104.24	Inf	-Inf	95.99	3	Horizontal	28	1.60	108	34.40	6.60	32.75
PK	5.929G	60.76	68.20	-7.44	51.95	3	Horizontal	28	1.60	108	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56288G	58.19	74.00	-15.81	42.48	3	Vertical	346	1.73	104	38.53	8.89	31.71
AV	11.56852G	44.92	54.00	-9.08	29.20	3	Vertical	346	1.73	104	38.54	8.89	31.71
PK	17.37404G	67.40	68.20	-0.80	44.71	3	Vertical	360	1.73	104	42.17	10.91	30.39

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTY_1TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5658G	58.27	74.00	-15.73	42.56	3	Horizontal	2	2.23	108	38.53	8.89	31.71
AV	11.5692G	44.73	54.00	-9.27	29.01	3	Horizontal	2	2.23	108	38.54	8.89	31.71
PK	17.34068G	67.73	68.20	-0.47	45.03	3	Horizontal	360	1.80	104	42.14	10.90	30.34

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT Y_1TX
SET 108
108
7.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64906G	59.92	68.20	-8.28	51.93	3	Vertical	317	1.80	108	34.09	6.60	32.70
PK	5.8288G	111.90	Inf	-Inf	103.44	3	Vertical	317	1.80	108	34.63	6.60	32.77
AV	5.81854G	101.16	Inf	-Inf	92.78	3	Vertical	317	1.80	108	34.55	6.60	32.77
PK	5.9409G	60.76	68.20	-7.44	51.92	3	Vertical	317	1.80	108	35.06	6.60	32.82

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT Y_1TX
SET 108
80\98\107\108
7.85\7.01\7.80\6.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.57	68.20	-8.63	51.65	3	Horizontal	27	2.79	108	34.01	6.60	32.69
PK	5.82006G	113.52	Inf	-Inf	105.13	3	Horizontal	27	2.79	108	34.56	6.60	32.77
AV	5.82044G	103.34	Inf	-Inf	94.95	3	Horizontal	27	2.79	108	34.56	6.60	32.77
PK	5.98384G	61.71	68.20	-6.49	52.70	3	Horizontal	27	2.79	108	35.24	6.60	32.83

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64732G	57.39	74.00	-16.61	41.56	3	Vertical	40	1.80	108	38.60	8.91	31.68
AV	11.65128G	44.23	54.00	-9.77	28.40	3	Vertical	40	1.80	108	38.60	8.91	31.68
PK	17.4604G	67.04	68.20	-1.16	44.37	3	Vertical	320	2.42	108	42.26	10.94	30.53

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.647G	57.92	74.00	-16.08	42.09	3	Horizontal	174	1.80	108	38.60	8.91	31.68
AV	11.65992G	44.08	54.00	-9.92	28.25	3	Horizontal	174	1.80	108	38.60	8.91	31.68
PK	17.482G	66.85	68.20	-1.35	44.19	3	Horizontal	360	1.80	108	42.28	10.94	30.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
SET 87
88\79\84\87
-0.86\7.05\3.77\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1498G	69.08	74.00	-4.92	62.80	3	Vertical	348	1.86	87	32.70	6.37	32.79	
AV	5.15G	53.23	54.00	-0.77	46.95	3	Vertical	348	1.86	87	32.70	6.37	32.79	
PK	5.1737G	113.08	Inf	-Inf	106.77	3	Vertical	348	1.86	87	32.70	6.39	32.78	
AV	5.1775G	99.32	Inf	-Inf	93.01	3	Vertical	348	1.86	87	32.70	6.39	32.78	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
SET 88
88\97\92\89\87\88
1.16\17.28\9.93\1.97\2.19\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.90	74.00	-6.10	61.62	3	Horizontal	360	1.75	88	32.70	6.37	32.79
AV	5.15G	53.08	54.00	-0.92	46.80	3	Horizontal	360	1.75	88	32.70	6.37	32.79
PK	5.1713G	110.98	Inf	-Inf	104.67	3	Horizontal	360	1.75	88	32.70	6.39	32.78
AV	5.1733G	97.19	Inf	-Inf	90.88	3	Horizontal	360	1.75	88	32.70	6.39	32.78

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3728G	56.82	68.20	-11.38	41.61	3	Vertical	13	1.80	87	38.40	8.59	31.78
PK	15.5322G	64.22	74.00	-9.78	46.51	3	Vertical	14	2.84	87	38.07	10.36	30.72
AV	15.54384G	50.76	54.00	-3.24	33.10	3	Vertical	14	2.84	87	38.02	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34252G	56.67	68.20	-11.53	41.49	3	Horizontal	359	1.80	87	38.40	8.59	31.81
PK	15.52076G	63.29	74.00	-10.71	45.53	3	Horizontal	37	1.80	87	38.12	10.36	30.72
AV	15.54388G	50.00	54.00	-4.00	32.34	3	Horizontal	37	1.80	87	38.02	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT Y_1TX
SET 91
94\82\88\91
-2.03\6.28\3.17\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14764G	70.64	74.00	-3.36	64.36	3	Vertical	348	1.73	91	32.70	6.37	32.79
AV	5.14988G	53.70	54.00	-0.30	47.42	3	Vertical	348	1.73	91	32.70	6.37	32.79
PK	5.19566G	115.21	Inf	-Inf	108.88	3	Vertical	348	1.73	91	32.70	6.40	32.77
AV	5.20154G	101.20	Inf	-Inf	94.87	3	Vertical	348	1.73	91	32.70	6.40	32.77

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 94
92\104\98\95\93\94
2.34\11.36\6.19\0.26\1.42\0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.39	74.00	-1.61	66.11	3	Horizontal	349	1.59	94	32.70	6.37	32.79
AV	5.15G	53.21	54.00	-0.79	46.93	3	Horizontal	349	1.59	94	32.70	6.37	32.79
PK	5.20602G	113.89	Inf	-Inf	107.54	3	Horizontal	349	1.59	94	32.71	6.40	32.76
AV	5.20742G	100.26	Inf	-Inf	93.91	3	Horizontal	349	1.59	94	32.71	6.40	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40388G	56.77	68.20	-11.43	41.51	3	Vertical	77	1.80	91	38.40	8.60	31.74
PK	15.59492G	67.41	74.00	-6.59	49.91	3	Vertical	15	1.80	90	37.82	10.38	30.70
AV	15.60236G	53.92	54.00	-0.08	36.44	3	Vertical	15	1.80	90	37.80	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTY_1TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39276G	56.47	68.20	-11.73	41.23	3	Horizontal	91	1.80	91	38.40	8.60	31.76
PK	15.59212G	66.33	74.00	-7.67	48.82	3	Horizontal	34	1.80	91	37.83	10.38	30.70
AV	15.60104G	53.26	54.00	-0.74	35.78	3	Horizontal	34	1.80	91	37.80	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_V_1TX
SET 108
108
2.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14614G	70.06	74.00	-3.94	63.77	3	Vertical	344	1.77	108	32.71	6.37	32.79
AV	5.15G	51.30	54.00	-2.70	45.02	3	Vertical	344	1.77	108	32.70	6.37	32.79
PK	5.23532G	117.45	Inf	-Inf	111.03	3	Vertical	344	1.77	108	32.77	6.40	32.75
AV	5.24286G	103.70	Inf	-Inf	97.26	3	Vertical	344	1.77	108	32.79	6.40	32.75
PK	5.35206G	69.62	74.00	-4.38	62.91	3	Vertical	344	1.77	108	33.01	6.40	32.70
AV	5.3505G	50.60	54.00	-3.40	43.90	3	Vertical	344	1.77	108	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_V_1TX
SET 108
108
3.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1477G	69.17	74.00	-4.83	62.89	3	Horizontal	347	1.58	108	32.70	6.37	32.79
AV	5.14978G	50.10	54.00	-3.90	43.82	3	Horizontal	347	1.58	108	32.70	6.37	32.79
PK	5.24156G	117.75	Inf	-Inf	111.32	3	Horizontal	347	1.58	108	32.78	6.40	32.75
AV	5.23896G	103.88	Inf	-Inf	97.45	3	Horizontal	347	1.58	108	32.78	6.40	32.75
PK	5.3609G	65.20	74.00	-8.80	58.46	3	Horizontal	347	1.58	108	33.04	6.40	32.70
AV	5.35G	49.07	54.00	-4.93	42.37	3	Horizontal	347	1.58	108	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX


EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48316G	56.59	68.20	-11.61	41.15	3	Vertical	33	1.80	108	38.48	8.62	31.66
PK	15.71312G	62.77	74.00	-11.23	45.25	3	Vertical	14	1.86	108	37.78	10.41	30.67
AV	15.7184G	50.02	54.00	-3.98	32.45	3	Vertical	14	1.86	108	37.81	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX


EUT_Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47024G	57.75	68.20	-10.45	42.33	3	Horizontal	246	1.37	108	38.47	8.62	31.67
PK	15.71084G	62.83	74.00	-11.17	45.32	3	Horizontal	20	1.86	108	37.77	10.41	30.67
AV	15.72132G	49.55	54.00	-4.45	31.96	3	Horizontal	20	1.86	108	37.83	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
SET 104
104
6.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64962G	61.39	68.20	-6.81	53.39	3	Vertical	329	1.75	104	34.10	6.60	32.70
PK	5.74234G	112.00	Inf	-Inf	103.80	3	Vertical	329	1.75	104	34.34	6.60	32.74
AV	5.74234G	99.15	Inf	-Inf	90.95	3	Vertical	329	1.75	104	34.34	6.60	32.74
PK	5.93386G	60.61	68.20	-7.59	51.78	3	Vertical	329	1.75	104	35.04	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
SET 104
104\108\106\105\104
7.92\5.00\4.77\2.83\7.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.60516G	60.34	68.20	-7.86	52.59	3	Horizontal	352	1.72	104	33.83	6.60	32.68
PK	5.74614G	113.12	Inf	-Inf	104.89	3	Horizontal	352	1.72	104	34.37	6.60	32.74
AV	5.74348G	100.19	Inf	-Inf	91.98	3	Horizontal	352	1.72	104	34.35	6.60	32.74
PK	5.92588G	59.96	68.20	-8.24	51.17	3	Horizontal	352	1.72	104	35.00	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX


EUT_Y_1TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48392G	58.01	74.00	-15.99	42.49	3	Vertical	348	1.71	104	38.40	8.87	31.75
AV	11.49444G	44.43	54.00	-9.57	28.90	3	Vertical	348	1.71	104	38.40	8.87	31.74
PK	17.22516G	67.66	68.20	-0.54	45.22	3	Vertical	350	1.44	104	41.73	10.87	30.16

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX


EUT_Y_1TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47308G	56.90	74.00	-17.10	41.39	3	Horizontal	360	1.80	104	38.40	8.87	31.76
AV	11.48688G	43.96	54.00	-10.04	28.44	3	Horizontal	360	1.80	104	38.40	8.87	31.75
PK	17.21932G	68.12	68.20	-0.08	45.70	3	Horizontal	338	1.78	104	41.70	10.87	30.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
108
7.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6401G	60.03	68.20	-8.17	52.09	3	Vertical	325	1.80	108	34.04	6.60	32.70
PK	5.7823G	112.41	Inf	-Inf	104.16	3	Vertical	325	1.80	108	34.40	6.60	32.75
AV	5.7784G	99.90	Inf	-Inf	91.65	3	Vertical	325	1.80	108	34.40	6.60	32.75
PK	5.932G	60.65	68.20	-7.55	51.83	3	Vertical	325	1.80	108	35.03	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
108
6.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6503G	61.53	68.42	-6.89	53.53	3	Horizontal	351	1.70	108	34.10	6.60	32.70
PK	5.7868G	114.58	Inf	-Inf	106.33	3	Horizontal	351	1.70	108	34.40	6.60	32.75
AV	5.7814G	102.13	Inf	-Inf	93.88	3	Horizontal	351	1.70	108	34.40	6.60	32.75
PK	5.9248G	59.52	68.35	-8.83	50.73	3	Horizontal	351	1.70	108	35.00	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX


EUT Y_1TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58096G	58.22	74.00	-15.78	42.47	3	Vertical	342	1.80	102	38.56	8.90	31.71
AV	11.57356G	44.46	54.00	-9.54	28.73	3	Vertical	342	1.80	102	38.55	8.89	31.71
PK	17.3576G	68.02	68.20	-0.18	45.32	3	Vertical	220	2.95	102	42.16	10.91	30.37

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX


EUT Y_1TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57484G	57.31	74.00	-16.69	41.58	3	Horizontal	208	1.69	108	38.55	8.89	31.71
AV	11.56844G	44.61	54.00	-9.39	28.89	3	Horizontal	208	1.69	108	38.54	8.89	31.71
PK	17.35312G	68.10	68.20	-0.10	45.40	3	Horizontal	360	1.80	102	42.15	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
SET 108
108
6.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64374G	59.09	68.20	-9.11	51.13	3	Vertical	319	1.80	108	34.06	6.60	32.70
PK	5.8231G	111.09	Inf	-Inf	102.68	3	Vertical	319	1.80	108	34.58	6.60	32.77
AV	5.81968G	99.08	Inf	-Inf	90.69	3	Vertical	319	1.80	108	34.56	6.60	32.77
PK	5.97928G	61.24	68.20	-6.96	52.25	3	Vertical	319	1.80	108	35.22	6.60	32.83

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
SET 108
108
7.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	59.49	68.20	-8.71	51.57	3	Horizontal	27	2.80	108	34.01	6.60	32.69	
PK	5.82424G	114.73	Inf	-Inf	106.31	3	Horizontal	27	2.80	108	34.59	6.60	32.77	
AV	5.8174G	101.32	Inf	-Inf	92.95	3	Horizontal	27	2.80	108	34.54	6.60	32.77	
PK	5.98916G	60.99	68.20	-7.21	51.97	3	Horizontal	27	2.80	108	35.26	6.60	32.84	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.654G	57.52	74.00	-16.48	41.69	3	Vertical	305	1.80	108	38.60	8.91	31.68
AV	11.63392G	44.23	54.00	-9.77	28.41	3	Vertical	305	1.80	108	38.60	8.91	31.69
PK	17.47588G	66.46	68.20	-1.74	43.79	3	Vertical	323	1.80	108	42.28	10.94	30.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6398G	57.34	74.00	-16.66	41.51	3	Horizontal	360	1.05	108	38.60	8.91	31.68
AV	11.638G	44.19	54.00	-9.81	28.36	3	Horizontal	360	1.05	108	38.60	8.91	31.68
PK	17.4888G	66.77	68.20	-1.43	44.10	3	Horizontal	25	1.78	108	42.29	10.95	30.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT Y_1TX
SET 77
79\67\73\76\78\77
-1.48\5.61\4.14\1.48\0.83\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14836G	66.87	74.00	-7.13	60.59	3	Vertical	348	1.77	77	32.70	6.37	32.79
AV	5.14992G	53.69	54.00	-0.31	47.41	3	Vertical	348	1.77	77	32.70	6.37	32.79
PK	5.20224G	106.84	Inf	-Inf	100.51	3	Vertical	348	1.77	77	32.70	6.40	32.77
AV	5.19612G	95.11	Inf	-Inf	88.78	3	Vertical	348	1.77	77	32.70	6.40	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 79
80\77\79
-0.02\3.70\1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.14788G	64.60	74.00	-9.40	58.32	3	Horizontal	348	1.80	79	32.70	6.37	32.79	
AV	5.1498G	52.47	54.00	-1.53	46.19	3	Horizontal	348	1.80	79	32.70	6.37	32.79	
PK	5.20008G	104.78	Inf	-Inf	98.45	3	Horizontal	348	1.80	79	32.70	6.40	32.77	
AV	5.19216G	92.76	Inf	-Inf	86.43	3	Horizontal	348	1.80	79	32.70	6.40	32.77	

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX


EUT Y_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3588G	56.48	68.20	-11.72	41.28	3	Vertical	3	1.80	77	38.40	8.59	31.79
PK	15.54248G	62.77	74.00	-11.23	45.10	3	Vertical	264	1.80	77	38.03	10.36	30.72
AV	15.56288G	49.60	54.00	-4.40	31.99	3	Vertical	264	1.80	77	37.95	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX


EUT_Y_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41808G	56.61	68.20	-11.59	41.32	3	Horizontal	150	1.80	77	38.42	8.60	31.73
PK	15.59G	62.43	74.00	-11.57	44.91	3	Horizontal	176	1.80	77	37.84	10.38	30.70
AV	15.53184G	49.69	54.00	-4.31	31.98	3	Horizontal	176	1.80	77	38.07	10.36	30.72

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 94
98\86\92\95\93\94
-2.18\4.43\2.02\0.18\0.78\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14732G	65.77	74.00	-8.23	59.48	3	Vertical	346	1.80	94	32.71	6.37	32.79
AV	5.1494G	53.92	54.00	-0.08	47.64	3	Vertical	346	1.80	94	32.70	6.37	32.79
PK	5.22168G	111.82	Inf	-Inf	105.44	3	Vertical	346	1.80	94	32.74	6.40	32.76
AV	5.22844G	100.03	Inf	-Inf	93.62	3	Vertical	346	1.80	94	32.76	6.40	32.75
PK	5.35038G	62.49	74.00	-11.51	55.79	3	Vertical	346	1.80	94	33.00	6.40	32.70
AV	5.35G	50.05	54.00	-3.95	43.35	3	Vertical	346	1.80	94	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_V_1TX
SET 98
80\98
6.23\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14732G	66.19	74.00	-7.81	59.90	3	Horizontal	346	1.58	98	32.71	6.37	32.79
AV	5.14992G	53.57	54.00	-0.43	47.29	3	Horizontal	346	1.58	98	32.70	6.37	32.79
PK	5.23104G	112.77	Inf	-Inf	106.36	3	Horizontal	346	1.58	98	32.76	6.40	32.75
AV	5.2404G	100.95	Inf	-Inf	94.52	3	Horizontal	346	1.58	98	32.78	6.40	32.75
PK	5.35532G	61.43	74.00	-12.57	54.71	3	Horizontal	346	1.58	98	33.02	6.40	32.70
AV	5.35038G	50.27	54.00	-3.73	43.57	3	Horizontal	346	1.58	98	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44712G	56.29	68.20	-11.91	40.93	3	Vertical	94	1.80	94	38.45	8.61	31.70
PK	15.67656G	62.61	74.00	-11.39	45.17	3	Vertical	14	1.80	94	37.72	10.40	30.68
AV	15.67648G	49.72	54.00	-4.28	32.28	3	Vertical	14	1.80	94	37.72	10.40	30.68

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX


EUT_Y_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4896G	56.16	68.20	-12.04	40.70	3	Horizontal	117	1.80	94	38.49	8.62	31.65
PK	15.67128G	62.26	74.00	-11.74	44.81	3	Horizontal	6	1.80	94	37.73	10.40	30.68
AV	15.65816G	49.32	54.00	-4.68	31.86	3	Horizontal	6	1.80	94	37.74	10.40	30.68

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
SET 107
107
1.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65132G	67.54	69.18	-1.64	59.54	3	Vertical	328	1.72	107	34.10	6.60	32.70
PK	5.74708G	109.73	Inf	-Inf	101.49	3	Vertical	328	1.72	107	34.38	6.60	32.74
AV	5.76904G	98.54	Inf	-Inf	90.29	3	Vertical	328	1.72	107	34.40	6.60	32.75
PK	5.92672G	60.54	68.20	-7.66	51.74	3	Vertical	328	1.72	107	35.01	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
SET 107
80\98\107\108\107
8.54\6.86\2.76\ -0.26\3.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65096G	65.57	68.91	-3.34	57.57	3	Horizontal	29	1.80	107	34.10	6.60	32.70
PK	5.7658G	111.52	Inf	-Inf	103.27	3	Horizontal	29	1.80	107	34.40	6.60	32.75
AV	5.77264G	99.42	Inf	-Inf	91.17	3	Horizontal	29	1.80	107	34.40	6.60	32.75
PK	5.93428G	59.74	68.20	-8.46	50.91	3	Horizontal	29	1.80	107	35.04	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX


EUT Y_1TX
SET 107

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49336G	57.17	74.00	-16.83	41.64	3	Vertical	230	1.80	107	38.40	8.87	31.74
AV	11.47168G	44.04	54.00	-9.96	28.53	3	Vertical	230	1.80	107	38.40	8.87	31.76
PK	17.24236G	67.18	68.20	-1.02	44.69	3	Vertical	350	1.80	107	41.81	10.87	30.19

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX


EUT Y_1TX
SET 107

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52336G	57.29	74.00	-16.71	41.69	3	Horizontal	360	1.80	107	38.45	8.88	31.73
AV	11.5424G	44.21	54.00	-9.79	28.56	3	Horizontal	360	1.80	107	38.48	8.89	31.72
PK	17.27756G	67.57	68.20	-0.63	44.94	3	Horizontal	137	1.80	107	41.99	10.88	30.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
SET 108
108
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6462G	63.54	68.20	-4.66	55.56	3	Vertical	327	1.79	108	34.08	6.60	32.70
PK	5.79308G	110.55	Inf	-Inf	102.31	3	Vertical	327	1.79	108	34.40	6.60	32.76
AV	5.79052G	98.59	Inf	-Inf	90.35	3	Vertical	327	1.79	108	34.40	6.60	32.76
PK	5.9454G	60.37	68.20	-7.83	51.51	3	Vertical	327	1.79	108	35.08	6.60	32.82

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
SET 108
80\98\107\108
7.06\8.19\5.19\4.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6398G	64.02	68.20	-4.18	56.08	3	Horizontal	349	1.74	108	34.04	6.60	32.70
PK	5.78604G	111.85	Inf	-Inf	103.60	3	Horizontal	349	1.74	108	34.40	6.60	32.75
AV	5.787G	100.65	Inf	-Inf	92.40	3	Horizontal	349	1.74	108	34.40	6.60	32.75
PK	5.93388G	60.18	68.20	-8.02	51.35	3	Horizontal	349	1.74	108	35.04	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63G	58.26	74.00	-15.74	42.44	3	Vertical	244	1.80	108	38.60	8.91	31.69
AV	11.60128G	44.26	54.00	-9.74	28.46	3	Vertical	244	1.80	108	38.60	8.90	31.70
PK	17.39308G	66.77	68.20	-1.43	44.08	3	Vertical	142	1.51	108	42.19	10.92	30.42

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX


EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6052G	58.39	74.00	-15.61	42.59	3	Horizontal	177	1.80	108	38.60	8.90	31.70
AV	11.60208G	44.29	54.00	-9.71	28.49	3	Horizontal	177	1.80	108	38.60	8.90	31.70
PK	17.38308G	67.23	68.20	-0.97	44.55	3	Horizontal	358	1.79	108	42.18	10.91	30.41

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 79
82\64\73\78\81\79\80\79
-2.53\6.20\4.34\2.14\1.93\0.54\0.10\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	64.60	74.00	-9.40	58.31	3	Vertical	346	1.79	79	32.71	6.37	32.79
AV	5.1492G	53.69	54.00	-0.31	47.41	3	Vertical	346	1.79	79	32.70	6.37	32.79
PK	5.20008G	105.00	Inf	-Inf	98.67	3	Vertical	346	1.79	79	32.70	6.40	32.77
AV	5.21992G	92.92	Inf	-Inf	86.54	3	Vertical	346	1.79	79	32.74	6.40	32.76
PK	5.35048G	59.47	74.00	-14.53	52.77	3	Vertical	346	1.79	79	33.00	6.40	32.70
AV	5.35016G	48.09	54.00	-5.91	41.39	3	Vertical	346	1.79	79	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_V_1TX
SET 82
80\92\86\83\81\82
2.58\ -13.93\ -7.09\ -1.93\ 0.60\ 0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14792G	65.69	74.00	-8.31	59.41	3	Horizontal	346	1.60	82	32.70	6.37	32.79
AV	5.14952G	53.76	54.00	-0.24	47.48	3	Horizontal	346	1.60	82	32.70	6.37	32.79
PK	5.23848G	104.06	Inf	-Inf	97.63	3	Horizontal	346	1.60	82	32.78	6.40	32.75
AV	5.23912G	93.45	Inf	-Inf	87.02	3	Horizontal	346	1.60	82	32.78	6.40	32.75
PK	5.36072G	59.29	74.00	-14.71	52.55	3	Horizontal	346	1.60	82	33.04	6.40	32.70
AV	5.36552G	47.98	54.00	-6.02	41.22	3	Horizontal	346	1.60	82	33.06	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX


EUT_Y_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45936G	55.89	68.20	-12.31	40.50	3	Vertical	360	1.31	79	38.46	8.61	31.68
PK	15.6892G	62.69	74.00	-11.31	45.24	3	Vertical	79	2.32	79	37.71	10.41	30.67
AV	15.58872G	49.47	54.00	-4.53	31.94	3	Vertical	79	2.32	79	37.85	10.38	30.70

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX


EUT_Y_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45296G	56.22	68.20	-11.98	40.85	3	Horizontal	268	1.80	79	38.45	8.61	31.69
PK	15.60792G	62.66	74.00	-11.34	45.19	3	Horizontal	207	2.95	79	37.79	10.38	30.70
AV	15.55944G	49.48	54.00	-4.52	31.86	3	Horizontal	207	2.95	79	37.96	10.37	30.71

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT Y_1TX
SET 99
100\88\94\97\99
-1.46\6.72\4.86\2.32\1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64444G	66.95	68.20	-1.25	58.98	3	Vertical	330	1.65	99	34.07	6.60	32.70
PK	5.76892G	105.67	Inf	-Inf	97.42	3	Vertical	330	1.65	99	34.40	6.60	32.75
AV	5.7686G	93.90	Inf	-Inf	85.65	3	Vertical	330	1.65	99	34.40	6.60	32.75
PK	5.93308G	60.10	68.20	-8.10	51.28	3	Vertical	330	1.65	99	35.03	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT Y_1TX
SET 100
88\106\97\102\99\101\100
7.15\ -9.62\3.33\ -3.47\0.72\ -1.17\1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64476G	66.91	68.20	-1.29	58.94	3	Horizontal	21	2.53	100	34.07	6.60	32.70
PK	5.76604G	108.02	Inf	-Inf	99.77	3	Horizontal	21	2.53	100	34.40	6.60	32.75
AV	5.7846G	96.72	Inf	-Inf	88.47	3	Horizontal	21	2.53	100	34.40	6.60	32.75
PK	5.9302G	60.72	68.20	-7.48	51.91	3	Horizontal	21	2.53	100	35.02	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54024G	57.10	74.00	-16.90	41.45	3	Vertical	4	1.80	99	38.48	8.89	31.72
AV	11.5324G	44.20	54.00	-9.80	28.59	3	Vertical	4	1.80	99	38.46	8.88	31.73
PK	17.25076G	67.15	68.20	-1.05	44.62	3	Vertical	43	1.80	99	41.85	10.88	30.20

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX


EUT Y_1TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5276G	56.79	74.00	-17.21	41.18	3	Horizontal	1	1.80	99	38.46	8.88	31.73
AV	11.60328G	44.27	54.00	-9.73	28.47	3	Horizontal	1	1.80	99	38.60	8.90	31.70
PK	17.28516G	67.35	68.20	-0.85	44.68	3	Horizontal	160	2.90	99	42.03	10.89	30.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.64844G	68.13	68.20	-0.07	3	Vertical	319	1.80	100

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_V_2TX
SET 85
80\98\89\84\87\85\86\85
5.60\ -23.69\ -5.39\ 1.93\ -1.82\ 0.94\ -0.05\ 0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1483G	66.16	74.00	-7.84	59.88	3	Vertical	348	1.80	85	32.70	6.37	32.79
AV	5.1483G	53.01	54.00	-0.99	46.73	3	Vertical	348	1.80	85	32.70	6.37	32.79
PK	5.1783G	114.04	Inf	-Inf	107.73	3	Vertical	348	1.80	85	32.70	6.39	32.78
AV	5.1784G	104.28	Inf	-Inf	97.97	3	Vertical	348	1.80	85	32.70	6.39	32.78

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
SET 85
85
3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	63.85	74.00	-10.15	57.56	3	Horizontal	317	1.76	85	32.71	6.37	32.79
AV	5.15G	51.00	54.00	-3.00	44.72	3	Horizontal	317	1.76	85	32.70	6.37	32.79
PK	5.1855G	111.53	Inf	-Inf	105.21	3	Horizontal	317	1.76	85	32.70	6.39	32.77
AV	5.1854G	101.90	Inf	-Inf	95.58	3	Horizontal	317	1.76	85	32.70	6.39	32.77

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3762G	56.34	68.20	-11.86	41.12	3	Vertical	1	1.56	85	38.40	8.59	31.77
PK	15.54052G	66.15	74.00	-7.85	48.47	3	Vertical	26	2.40	85	38.04	10.36	30.72
AV	15.54036G	52.66	54.00	-1.34	34.98	3	Vertical	26	2.40	85	38.04	10.36	30.72