

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1.(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43741G	16.96	-13.04	2.30525G	-51.16	2.4G	-29.01	2.4G	-29.37	2.50006G	-47.80	6.52151G	-47.60	1
2412MHz	Pass	2.43741G	16.96	-13.04	2.30292G	-50.79	2.4G	-29.85	2.4G	-30.82	2.50006G	-49.08	6.98509G	-46.92	2
2437MHz	Pass	2.43741G	16.96	-13.04	2.18409G	-50.76	2.39408G	-42.00	2.4G	-43.87	2.50302G	-46.28	6.94013G	-47.01	1
2437MHz	Pass	2.43741G	16.96	-13.04	2.30641G	-49.45	2.4G	-43.03	2.4G	-44.41	2.50006G	-45.75	21.62291G	-46.96	2
2462MHz	Pass	2.43741G	16.96	-13.04	2.13865G	-52.52	2.39064G	-48.88	2.4G	-50.80	2.50206G	-47.08	6.4597G	-46.37	1
2462MHz	Pass	2.43741G	16.96	-13.04	2.11069G	-52.18	2.39976G	-48.54	2.4G	-49.73	2.50294G	-45.95	14.90805G	-46.86	2
802.11g_Nss1.(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43824G	10.87	-19.13	2.14331G	-51.56	2.39984G	-34.65	2.4G	-31.68	2.50006G	-48.68	6.99632G	-47.15	1
2412MHz	Pass	2.43824G	10.87	-19.13	2.14331G	-52.62	2.39992G	-34.16	2.4G	-30.87	2.50094G	-48.72	5.78821G	-46.98	2
2437MHz	Pass	2.43824G	10.87	-19.13	2.30758G	-51.18	2.39896G	-36.15	2.4G	-38.35	2.50006G	-47.04	5.86126G	-46.50	1
2437MHz	Pass	2.43824G	10.87	-19.13	2.30758G	-51.11	2.39984G	-35.42	2.4G	-39.68	2.50006G	-46.45	6.76594G	-47.28	2
2462MHz	Pass	2.43824G	10.87	-19.13	2.06759G	-51.97	2.39128G	-49.92	2.4G	-51.07	2.50006G	-47.43	17.61366G	-47.29	1
2462MHz	Pass	2.43824G	10.87	-19.13	2.1736G	-51.94	2.39312G	-49.42	2.4G	-51.72	2.50014G	-46.82	6.8137G	-45.22	2

802.11b_Nss1,(1Mbps)_2TX


2412MHz

CSEndB

09/07/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	16.96	-13.04	2.30525G	-51.16	2.4G	-29.01	2.4G	-29.37	2.50006G	-47.80	6.52151G	-47.60	1
2.43741G	16.96	-13.04	2.30292G	-50.79	2.4G	-29.85	2.4G	-30.82	2.50006G	-49.08	6.98509G	-46.92	2

802.11b_Nss1,(1Mbps)_2TX


2437MHz

CSEndB

09/07/2022



Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	16.96	-13.04	2.18409G	-50.76	2.39408G	-42.00	2.4G	-43.87	2.50302G	-46.28	6.94013G	-47.01	1
2.43741G	16.96	-13.04	2.30641G	-49.45	2.4G	-43.03	2.4G	-44.41	2.50006G	-45.75	21.62291G	-46.96	2

802.11b_Nss1,(1Mbps)_2TX

2462MHz


CSEndB



802.11g_Nss1,(6Mbps)_2TX

2412MHz

CSEndB




802.11g_Nss1,(6Mbps)_2TX

2437MHz

CSENdB

09/07/2022




802.11g_Nss1,(6Mbps)_2TX

2462MHz

CSENdB

09/07/2022





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	2.44208G	10.16	-19.84	1.74255G	-52.34	2.4G	-35.92	2.4G	-33.38	2.50006G	-49.35	17.66423G	-46.48	1


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44208G	10.16	-19.84	1.74255G	-52.34	2.4G	-35.92	2.4G	-33.38	2.50006G	-49.35	17.66423G	-46.48	1
2412MHz	Pass	2.44208G	10.16	-19.84	2.30525G	-52.62	2.39992G	-36.83	2.4G	-33.52	2.50006G	-48.46	16.42241G	-47.12	2
2437MHz	Pass	2.44208G	10.16	-19.84	2.17477G	-52.03	2.4G	-38.88	2.4G	-40.27	2.50094G	-47.83	16.35779G	-47.00	1
2437MHz	Pass	2.44208G	10.16	-19.84	2.19923G	-51.10	2.3992G	-36.93	2.4G	-39.36	2.50006G	-47.62	17.6558G	-45.99	2
2462MHz	Pass	2.44208G	10.16	-19.84	950.35M	-52.06	2.39968G	-49.69	2.4G	-50.55	2.50366G	-47.92	5.77978G	-46.60	1
2462MHz	Pass	2.44208G	10.16	-19.84	2.30758G	-51.88	2.39752G	-49.31	2.4G	-50.20	2.50006G	-46.56	16.43364G	-47.06	2

802.11ax HEW20_Nss2,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss2,(MCS0)_2TX

CSENdB

2437MHz




802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz

CSENdB

09/07/2022



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.43741G	16.24	-13.76	826.86M	-51.73	2.4G	-32.22	2.4G	-31.36	2.50854G	-48.60	16.34374G	-46.77	3
802.11g_Nss1,(6Mbps)_4TX	Pass	2.44192G	11.01	-18.99	2.30408G	-51.59	2.39992G	-35.92	2.4G	-32.13	2.50006G	-49.03	17.67266G	-45.86	4
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	2.44192G	9.70	-20.30	1.65867G	-52.08	2.4G	-35.77	2.4G	-34.54	2.5067G	-50.04	5.79383G	-46.56	3

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43741G	16.24	-13.76	1.8241G	-52.02	2.4G	-32.06	2.4G	-31.64	2.50006G	-49.02	5.84159G	-47.01	1
2412MHz	Pass	2.43741G	16.24	-13.76	2.30292G	-50.39	2.4G	-33.51	2.4G	-33.35	2.50006G	-47.64	24.99438G	-47.29	2
2412MHz	Pass	2.43741G	16.24	-13.76	826.86M	-51.73	2.4G	-32.22	2.4G	-31.36	2.50854G	-48.60	16.34374G	-46.77	3
2412MHz	Pass	2.43741G	16.24	-13.76	2.1969G	-50.75	2.4G	-32.27	2.4G	-33.10	2.50006G	-49.31	6.65075G	-47.08	4
2437MHz	Pass	2.43741G	16.24	-13.76	2.30408G	-49.52	2.39952G	-42.24	2.4G	-44.28	2.50182G	-46.43	6.85865G	-46.97	1
2437MHz	Pass	2.43741G	16.24	-13.76	2.30292G	-49.52	2.39952G	-42.20	2.4G	-45.00	2.51614G	-46.56	6.92608G	-46.79	2
2437MHz	Pass	2.43741G	16.24	-13.76	2.30874G	-49.10	2.39992G	-43.58	2.4G	-44.36	2.50582G	-45.74	6.84461G	-46.83	3
2437MHz	Pass	2.43741G	16.24	-13.76	2.30175G	-49.64	2.39952G	-42.49	2.4G	-44.24	2.50222G	-46.29	17.44228G	-46.94	4
2462MHz	Pass	2.43741G	16.24	-13.76	2.17593G	-51.68	2.3988G	-49.25	2.4G	-49.91	2.51006G	-47.42	6.96823G	-47.35	1
2462MHz	Pass	2.43741G	16.24	-13.76	858.32M	-51.76	2.39904G	-49.25	2.4G	-50.08	2.50006G	-45.94	6.91204G	-45.98	2
2462MHz	Pass	2.43741G	16.24	-13.76	2.03264G	-51.35	2.39856G	-48.42	2.4G	-50.93	2.50198G	-47.14	16.35779G	-47.25	3
2462MHz	Pass	2.43741G	16.24	-13.76	2.30874G	-52.19	2.39608G	-47.55	2.4G	-50.13	2.50006G	-44.93	5.88936G	-47.41	4
802.11g_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	11.01	-18.99	2.15846G	-51.79	2.39992G	-37.70	2.4G	-33.59	2.50006G	-49.18	17.67266G	-46.47	1
2412MHz	Pass	2.44192G	11.01	-18.99	2.0606G	-51.82	2.4G	-37.28	2.4G	-33.88	2.50006G	-47.22	16.3606G	-46.42	2
2412MHz	Pass	2.44192G	11.01	-18.99	2.06642G	-52.42	2.39992G	-34.44	2.4G	-32.41	2.51846G	-49.97	6.88113G	-46.58	3
2412MHz	Pass	2.44192G	11.01	-18.99	2.30408G	-51.59	2.39992G	-35.92	2.4G	-32.13	2.50006G	-49.03	17.67266G	-45.86	4
2437MHz	Pass	2.44192G	11.01	-18.99	2.30408G	-50.72	2.3992G	-40.49	2.4G	-41.31	2.50014G	-48.10	6.96823G	-45.80	1
2437MHz	Pass	2.44192G	11.01	-18.99	847.83M	-51.71	2.39944G	-37.49	2.4G	-40.36	2.50038G	-47.19	17.66704G	-46.48	2
2437MHz	Pass	2.44192G	11.01	-18.99	2.30991G	-49.05	2.39952G	-37.57	2.4G	-35.18	2.5023G	-46.77	5.78821G	-46.56	3
2437MHz	Pass	2.44192G	11.01	-18.99	2.19224G	-51.37	2.39864G	-37.67	2.4G	-37.55	2.50006G	-48.03	5.89778G	-45.76	4
2462MHz	Pass	2.44192G	11.01	-18.99	738.32M	-51.77	2.39696G	-49.83	2.4G	-51.25	2.50006G	-46.08	24.44652G	-47.17	1
2462MHz	Pass	2.44192G	11.01	-18.99	1.82993G	-51.70	2.39672G	-49.62	2.4G	-52.12	2.50182G	-48.37	6.9907G	-47.16	2
2462MHz	Pass	2.44192G	11.01	-18.99	2.16312G	-51.91	2.39832G	-49.70	2.4G	-52.13	2.50006G	-48.84	24.38471G	-47.22	3
2462MHz	Pass	2.44192G	11.01	-18.99	2.30874G	-52.02	2.39928G	-49.91	2.4G	-51.68	2.50006G	-48.70	16.47579G	-46.91	4
802.11ax HEW20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.70	-20.30	2.30059G	-51.53	2.4G	-36.50	2.4G	-34.73	2.50006G	-47.83	6.4906G	-46.44	1
2412MHz	Pass	2.44192G	9.70	-20.30	2.05827G	-51.69	2.4G	-37.07	2.4G	-36.49	2.50006G	-48.00	6.94013G	-46.64	2
2412MHz	Pass	2.44192G	9.70	-20.30	1.65867G	-52.08	2.4G	-35.77	2.4G	-34.54	2.5067G	-50.04	5.79383G	-46.56	3
2412MHz	Pass	2.44192G	9.70	-20.30	695.22M	-52.00	2.39992G	-37.29	2.4G	-34.98	2.50006G	-49.62	17.68109G	-46.82	4
2437MHz	Pass	2.44192G	9.70	-20.30	2.30874G	-50.82	2.3992G	-40.02	2.4G	-40.96	2.50006G	-47.95	6.98228G	-46.31	1
2437MHz	Pass	2.44192G	9.70	-20.30	2.30991G	-50.83	2.39856G	-39.13	2.4G	-41.51	2.50006G	-48.20	14.87153G	-45.90	2
2437MHz	Pass	2.44192G	9.70	-20.30	2.19108G	-51.66	2.39432G	-37.98	2.4G	-39.33	2.50022G	-46.78	5.91183G	-47.43	3
2437MHz	Pass	2.44192G	9.70	-20.30	2.30408G	-52.21	2.39624G	-40.16	2.4G	-41.26	2.50006G	-48.46	5.88093G	-46.83	4
2462MHz	Pass	2.44192G	9.70	-20.30	758.13M	-52.42	2.39512G	-50.17	2.4G	-52.41	2.50006G	-48.05	17.25404G	-47.37	1
2462MHz	Pass	2.44192G	9.70	-20.30	2.19807G	-52.42	2.39504G	-50.23	2.4G	-52.11	2.50006G	-47.18	5.9315G	-47.04	2
2462MHz	Pass	2.44192G	9.70	-20.30	2.1969G	-52.05	2.3992G	-50.62	2.4G	-52.70	2.5007G	-48.27	16.6865G	-46.72	3
2462MHz	Pass	2.44192G	9.70	-20.30	2.30175G	-50.52	2.39936G	-49.31	2.4G	-50.18	2.50006G	-47.88	16.27069G	-46.95	4

802.11b_Nss1,(1Mbps)_4TX

CSEndB

2412MHz

09/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	16.24	-13.76	1.8241G	-52.02	2.4G	-32.06	2.4G	-31.64	2.50006G	-49.02	5.84159G	-47.01	1
2.43741G	16.24	-13.76	2.30292G	-50.39	2.4G	-33.51	2.4G	-33.35	2.50006G	-47.64	24.99438G	-47.29	2
2.43741G	16.24	-13.76	826.86M	-51.73	2.4G	-32.22	2.4G	-31.36	2.50854G	-48.60	16.34374G	-46.77	3
2.43741G	16.24	-13.76	2.1969G	-50.75	2.4G	-32.27	2.4G	-33.10	2.50006G	-49.31	6.65075G	-47.08	4

802.11b_Nss1,(1Mbps)_4TX

CSEndB

2437MHz

09/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	16.24	-13.76	2.30408G	-49.52	2.39952G	-42.24	2.4G	-44.28	2.50182G	-46.43	6.85865G	-46.97	1
2.43741G	16.24	-13.76	2.30292G	-49.52	2.39952G	-42.20	2.4G	-45.00	2.51614G	-46.56	6.92608G	-46.79	2
2.43741G	16.24	-13.76	2.30874G	-49.10	2.39992G	-43.58	2.4G	-44.36	2.50582G	-45.74	6.84461G	-46.83	3
2.43741G	16.24	-13.76	2.30175G	-49.64	2.39952G	-42.49	2.4G	-44.24	2.50222G	-46.29	17.44228G	-46.94	4

802.11b_Nss1,(1Mbps)_4TX


2462MHz

CSEndB

09/07/2022



Port 1
Port 2
Port 3
Port 4



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	16.24	-13.76	2.17593G	-51.68	2.3988G	-49.25	2.4G	-49.91	2.51006G	-47.42	6.96823G	-47.35	1
2.43741G	16.24	-13.76	858.32M	-51.76	2.39904G	-49.25	2.4G	-50.08	2.50006G	-45.94	6.91204G	-45.98	2
2.43741G	16.24	-13.76	2.03264G	-51.35	2.39856G	-48.42	2.4G	-50.93	2.50198G	-47.14	16.35779G	-47.25	3
2.43741G	16.24	-13.76	2.30874G	-52.19	2.39608G	-47.55	2.4G	-50.13	2.50006G	-44.93	5.88936G	-47.41	4

802.11g_Nss1,(6Mbps)_4TX


2412MHz

CSEndB

09/07/2022



Port 1
Port 2
Port 3
Port 4



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	11.01	-18.99	2.15846G	-51.79	2.39992G	-37.70	2.4G	-33.59	2.50006G	-49.18	17.67266G	-46.47	1
2.44192G	11.01	-18.99	2.0606G	-51.82	2.4G	-37.28	2.4G	-33.88	2.50006G	-47.22	16.3606G	-46.42	2
2.44192G	11.01	-18.99	2.06642G	-52.42	2.39992G	-34.44	2.4G	-32.41	2.51846G	-49.97	6.88113G	-46.58	3
2.44192G	11.01	-18.99	2.30408G	-51.59	2.39992G	-35.92	2.4G	-32.13	2.50006G	-49.03	17.67266G	-45.86	4

802.11g_Nss1,(6Mbps)_4TX


CSENdB

2437MHz

09/07/2022



Port 1
Port 2
Port 3
Port 4



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	11.01	-18.99	2.30408G	-50.72	2.3992G	-40.49	2.4G	-41.31	2.50014G	-48.10	6.96823G	-45.80	1
2.44192G	11.01	-18.99	847.83M	-51.71	2.39944G	-37.49	2.4G	-40.36	2.50038G	-47.19	17.66704G	-46.48	2
2.44192G	11.01	-18.99	2.30991G	-49.05	2.39952G	-37.57	2.4G	-35.18	2.5023G	-46.77	5.78821G	-46.56	3
2.44192G	11.01	-18.99	2.19224G	-51.37	2.39864G	-37.67	2.4G	-37.55	2.50006G	-48.03	5.89778G	-45.76	4

802.11g_Nss1,(6Mbps)_4TX


CSENdB

2462MHz

09/07/2022



Port 1
Port 2
Port 3
Port 4




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	11.01	-18.99	738.32M	-51.77	2.39696G	-49.83	2.4G	-51.25	2.50006G	-46.08	24.4652G	-47.17	1
2.44192G	11.01	-18.99	1.82993G	-51.70	2.39672G	-49.62	2.4G	-52.12	2.50182G	-48.37	6.9907G	-47.16	2
2.44192G	11.01	-18.99	2.16312G	-51.91	2.39832G	-49.70	2.4G	-52.13	2.50006G	-48.84	24.38471G	-47.22	3
2.44192G	11.01	-18.99	2.30874G	-52.02	2.39928G	-49.91	2.4G	-51.68	2.50006G	-48.70	16.47579G	-46.91	4

802.11ax HEW20_Nss1,(MCS0)_4TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSENdB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_4TX

CSEndB

2462MHz

09/07/2022





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	2.4319G	9.00	-21.00	2.30874G	-51.78	2.4G	-33.86	2.4G	-33.15	2.50078G	-49.79	17.69514G	-45.96	3

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4319G	9.00	-21.00	2.10254G	-52.10	2.39992G	-38.03	2.4G	-35.84	2.50606G	-49.76	6.82494G	-46.91	1
2412MHz	Pass	2.4319G	9.00	-21.00	2.19457G	-51.78	2.4G	-37.75	2.4G	-35.99	2.50006G	-48.10	5.85283G	-47.10	2
2412MHz	Pass	2.4319G	9.00	-21.00	2.30874G	-51.78	2.4G	-33.86	2.4G	-33.15	2.50078G	-49.79	17.69514G	-45.96	3
2412MHz	Pass	2.4319G	9.00	-21.00	2.16894G	-51.97	2.4G	-38.12	2.4G	-34.19	2.50006G	-49.98	16.34936G	-46.98	4
2437MHz	Pass	2.4319G	9.00	-21.00	2.18991G	-51.41	2.39688G	-42.47	2.4G	-44.64	2.50006G	-48.30	17.66423G	-46.67	1
2437MHz	Pass	2.4319G	9.00	-21.00	2.30292G	-51.89	2.39824G	-43.32	2.4G	-43.91	2.50014G	-47.98	6.98228G	-46.73	2
2437MHz	Pass	2.4319G	9.00	-21.00	2.16894G	-51.61	2.39944G	-43.34	2.4G	-42.17	2.50382G	-48.22	5.87531G	-46.88	3
2437MHz	Pass	2.4319G	9.00	-21.00	2.30175G	-51.47	2.39984G	-42.17	2.4G	-44.55	2.50006G	-48.39	6.99632G	-46.70	4
2462MHz	Pass	2.4319G	9.00	-21.00	203.59M	-52.52	2.39408G	-50.11	2.4G	-51.66	2.50678G	-48.60	21.81115G	-47.07	1
2462MHz	Pass	2.4319G	9.00	-21.00	2.1538G	-52.38	2.39648G	-50.49	2.4G	-52.74	2.50006G	-48.75	5.87812G	-46.95	2
2462MHz	Pass	2.4319G	9.00	-21.00	776.77M	-52.64	2.39136G	-50.35	2.4G	-50.75	2.50006G	-49.27	5.94555G	-47.16	3
2462MHz	Pass	2.4319G	9.00	-21.00	2.30292G	-52.34	2.39976G	-49.13	2.4G	-51.82	2.50006G	-46.99	16.47298G	-47.01	4

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz

CSEndB

09/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4319G	9.00	-21.00	2.10254G	-52.10	2.39992G	-38.03	2.4G	-35.84	2.50606G	-49.76	6.82494G	-46.91	1
2.4319G	9.00	-21.00	2.19457G	-51.78	2.4G	-37.75	2.4G	-35.99	2.50006G	-48.10	5.85283G	-47.10	2
2.4319G	9.00	-21.00	2.30874G	-51.78	2.4G	-33.86	2.4G	-33.15	2.50078G	-49.79	17.69514G	-45.96	3
2.4319G	9.00	-21.00	2.16894G	-51.97	2.4G	-38.12	2.4G	-34.19	2.50006G	-49.98	16.34936G	-46.98	4

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz

CSEndB

09/07/2022






Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4319G	9.00	-21.00	2.18991G	-51.41	2.39688G	-42.47	2.4G	-44.64	2.50006G	-48.30	17.66423G	-46.67	1
2.4319G	9.00	-21.00	2.30292G	-51.89	2.39824G	-43.32	2.4G	-43.91	2.50014G	-47.98	6.98228G	-46.73	2
2.4319G	9.00	-21.00	2.16894G	-51.61	2.39944G	-43.34	2.4G	-42.17	2.50382G	-48.22	5.87531G	-46.88	3
2.4319G	9.00	-21.00	2.30175G	-51.47	2.39984G	-42.17	2.4G	-44.55	2.50006G	-48.39	6.99632G	-46.70	4

802.11ax HEW20_Nss4,(MCS0)_4TX

CSEndB

2462MHz

09/07/2022



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4319G	9.00	-21.00	203.59M	-52.52	2.39408G	-50.11	2.4G	-51.66	2.50678G	-48.60	21.81115G	-47.07	1
2.4319G	9.00	-21.00	2.1538G	-52.38	2.39648G	-50.49	2.4G	-52.74	2.50006G	-48.75	5.87812G	-46.95	2
2.4319G	9.00	-21.00	776.77M	-52.64	2.39136G	-50.35	2.4G	-50.75	2.50006G	-49.27	5.94555G	-47.16	3
2.4319G	9.00	-21.00	2.30292G	-52.34	2.39976G	-49.13	2.4G	-51.82	2.50006G	-46.99	16.47298G	-47.01	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43591G	16.95	-13.05	2.30175G	-51.78	2.4G	-25.54	2.4G	-25.13	2.51294G	-48.39	6.91485G	-46.55	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.44192G	13.25	-16.75	2.04429G	-51.53	2.39976G	-28.10	2.4G	-25.73	2.50742G	-48.57	17.65299G	-46.41	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.44075G	11.91	-18.09	2.19341G	-51.63	2.4G	-30.76	2.4G	-28.16	2.50022G	-49.28	17.67547G	-46.43	1


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1.(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43591G	16.95	-13.05	2.30175G	-51.78	2.4G	-25.54	2.4G	-25.13	2.51294G	-48.39	6.91485G	-46.55	1
2437MHz	Pass	2.43591G	16.95	-13.05	2.30874G	-49.82	2.396G	-38.40	2.4G	-40.61	2.51022G	-45.76	5.83036G	-47.09	1
2462MHz	Pass	2.43591G	16.95	-13.05	2.17593G	-52.14	2.39616G	-48.02	2.4G	-49.39	2.5019G	-47.04	16.44769G	-46.83	1
802.11g_Nss1.(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	13.25	-16.75	2.04429G	-51.53	2.39976G	-28.10	2.4G	-25.73	2.50742G	-48.57	17.65299G	-46.41	1
2437MHz	Pass	2.44192G	13.25	-16.75	2.30874G	-51.90	2.3996G	-32.40	2.4G	-33.43	2.50142G	-43.93	21.72686G	-47.34	1
2462MHz	Pass	2.44192G	13.25	-16.75	727.84M	-51.98	2.39928G	-49.51	2.4G	-51.68	2.50062G	-48.45	5.93712G	-47.02	1
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44075G	11.91	-18.09	2.19341G	-51.63	2.4G	-30.76	2.4G	-28.16	2.50022G	-49.28	17.67547G	-46.43	1
2437MHz	Pass	2.44075G	11.91	-18.09	2.19108G	-51.03	2.3996G	-29.68	2.4G	-30.00	2.50038G	-41.51	6.47936G	-46.39	1
2462MHz	Pass	2.44075G	11.91	-18.09	893.27M	-52.00	2.3996G	-49.28	2.4G	-51.09	2.50102G	-48.00	17.65861G	-46.46	1

802.11b_Nss1,(1Mbps)_1TX

CSEndB


2412MHz



802.11b_Nss1,(1Mbps)_1TX

CSEndB

2437MHz





802.11b_Nss1,(1Mbps)_1TX

2462MHz

CSEndB

11/07/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43591G	16.95	-13.05	2.17593G	-52.14	2.39616G	-48.02	2.4G	-49.39	2.5019G	-47.04	16.44769G	-46.83	1



802.11g_Nss1,(6Mbps)_1TX

2412MHz

CSEndB

11/07/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	13.25	-16.75	2.04429G	-51.53	2.39976G	-28.10	2.4G	-25.73	2.50742G	-48.57	17.65299G	-46.41	1



802.11g_Nss1,(6Mbps)_1TX

2437MHz

CSEndB

11/07/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	13.25	-16.75	2.30874G	-51.90	2.3996G	-32.40	2.4G	-33.43	2.50142G	-43.93	2.72686G	-47.34	1



802.11g_Nss1,(6Mbps)_1TX

2462MHz

CSEndB

11/07/2022

Port 1




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	13.25	-16.75	727.84M	-51.98	2.39928G	-49.51	2.4G	-51.68	2.50062G	-48.45	5.93712G	-47.02	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2437MHz





802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz

CSEndB

11/07/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44075G	11.91	-18.09	893.27M	-52.00	2.3996G	-49.28	2.4G	-51.09	2.50102G	-48.00	17.65861G	-46.46	1



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43758G	16.90	-13.10	2.30641G	-51.57	2.4G	-30.38	2.4G	-30.24	2.50062G	-48.83	5.78821G	-46.81	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44192G	11.66	-18.34	1.9872G	-51.93	2.39992G	-32.78	2.4G	-30.10	2.5015G	-49.24	6.16469G	-47.02	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1.(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43758G	16.90	-13.10	2.30641G	-51.57	2.4G	-30.38	2.4G	-30.24	2.50062G	-48.83	5.78821G	-46.81	1
2412MHz	Pass	2.43758G	16.90	-13.10	2.30991G	-50.85	2.4G	-31.89	2.4G	-31.92	2.5003G	-49.09	5.70112G	-47.17	2
2437MHz	Pass	2.43758G	16.90	-13.10	2.30408G	-50.01	2.39608G	-39.32	2.4G	-41.37	2.50006G	-45.27	6.96261G	-47.37	1
2437MHz	Pass	2.43758G	16.90	-13.10	2.14914G	-49.79	2.39976G	-40.70	2.4G	-40.11	2.51582G	-45.61	17.69795G	-47.23	2
2462MHz	Pass	2.43758G	16.90	-13.10	895.6M	-51.97	2.39528G	-49.26	2.4G	-51.11	2.50206G	-46.76	16.96746G	-47.48	1
2462MHz	Pass	2.43758G	16.90	-13.10	1.65518G	-51.16	2.39696G	-48.63	2.4G	-50.36	2.50262G	-46.65	6.20403G	-46.32	2
802.11g_Nss1.(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	11.66	-18.34	1.9872G	-51.93	2.39992G	-32.78	2.4G	-30.10	2.5015G	-49.24	6.16469G	-47.02	1
2412MHz	Pass	2.44192G	11.66	-18.34	2.30525G	-51.55	2.4G	-32.94	2.4G	-30.32	2.51646G	-48.92	6.97947G	-46.61	2
2437MHz	Pass	2.44192G	11.66	-18.34	1.96973G	-51.82	2.39984G	-35.74	2.4G	-38.33	2.50078G	-47.09	6.97385G	-45.76	1
2437MHz	Pass	2.44192G	11.66	-18.34	774.44M	-52.20	2.39928G	-35.28	2.4G	-37.52	2.50198G	-45.28	16.84665G	-46.89	2
2462MHz	Pass	2.44192G	11.66	-18.34	942.2M	-51.71	2.39608G	-49.49	2.4G	-50.25	2.50062G	-47.21	16.46174G	-47.18	1
2462MHz	Pass	2.44192G	11.66	-18.34	2.30758G	-51.42	2.3936G	-49.24	2.4G	-50.57	2.50022G	-47.52	16.45331G	-46.79	2

802.11b_Nss1,(1Mbps)_2TX

2412MHz

CSENdB

11/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43758G	16.90	-13.10	2.30641G	-51.57	2.4G	-30.38	2.4G	-30.24	2.50062G	-48.83	5.78821G	-46.81	1
2.43758G	16.90	-13.10	2.30991G	-50.85	2.4G	-31.89	2.4G	-31.92	2.5003G	-49.09	5.70112G	-47.17	2

802.11b_Nss1,(1Mbps)_2TX

2437MHz

CSENdB

11/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43758G	16.90	-13.10	2.30408G	-50.01	2.39608G	-39.32	2.4G	-41.37	2.50006G	-45.27	6.96261G	-47.37	1
2.43758G	16.90	-13.10	2.14914G	-49.79	2.39976G	-40.70	2.4G	-40.11	2.51582G	-45.61	17.69795G	-47.23	2

802.11b_Nss1,(1Mbps)_2TX


2462MHz

CSEndB

11/07/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43758G	16.90	-13.10	895.8M	-51.97	2.39528G	-49.26	2.4G	-51.11	2.50206G	-46.76	16.96746G	-47.48	1
2.43758G	16.90	-13.10	1.65518G	-51.16	2.39696G	-48.63	2.4G	-50.36	2.50262G	-46.65	6.20403G	-46.32	2

802.11g_Nss1,(6Mbps)_2TX


2412MHz

CSEndB

11/07/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	11.66	-18.34	1.9872G	-51.93	2.39992G	-32.78	2.4G	-30.10	2.5015G	-49.24	6.16469G	-47.02	1
2.44192G	11.66	-18.34	2.30525G	-51.55	2.4G	-32.94	2.4G	-30.32	2.51646G	-48.92	6.97947G	-46.61	2

802.11g_Nss1,(6Mbps)_2TX


2437MHz

CSEndB

11/07/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	11.66	-18.34	1.96973G	-51.82	2.39984G	-35.74	2.4G	-38.33	2.50078G	-47.09	6.97385G	-45.76	1
2.44192G	11.66	-18.34	774.44M	-52.20	2.39928G	-35.28	2.4G	-37.52	2.50198G	-45.28	16.84665G	-46.89	2

802.11g_Nss1,(6Mbps)_2TX


2462MHz

CSEndB

11/07/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	11.66	-18.34	942.2M	-51.71	2.39608G	-49.49	2.4G	-50.25	2.50062G	-47.21	16.46174G	-47.18	1
2.44192G	11.66	-18.34	2.30758G	-51.42	2.3936G	-49.24	2.4G	-50.57	2.50022G	-47.52	16.45331G	-46.79	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	2.44208G	11.11	-18.89	2.17477G	-52.21	2.4G	-34.26	2.4G	-30.48	2.50406G	-49.41	17.67547G	-46.61	1


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44208G	11.11	-18.89	2.17477G	-52.21	2.4G	-34.26	2.4G	-30.48	2.50406G	-49.41	17.67547G	-46.61	1
2412MHz	Pass	2.44208G	11.11	-18.89	2.13865G	-51.71	2.39992G	-34.33	2.4G	-32.15	2.5187G	-49.49	16.37464G	-47.05	2
2437MHz	Pass	2.44208G	11.11	-18.89	2.30874G	-50.54	2.39912G	-33.85	2.4G	-38.29	2.50262G	-47.52	5.89217G	-46.50	1
2437MHz	Pass	2.44208G	11.11	-18.89	2.30525G	-51.78	2.4G	-34.87	2.4G	-36.67	2.50062G	-44.99	5.84159G	-46.82	2
2462MHz	Pass	2.44208G	11.11	-18.89	2.30758G	-52.03	2.39624G	-49.54	2.4G	-51.75	2.50726G	-48.74	6.63951G	-46.63	1
2462MHz	Pass	2.44208G	11.11	-18.89	859.48M	-52.53	2.39752G	-49.57	2.4G	-50.73	2.50102G	-47.70	6.41755G	-46.80	2

802.11ax HEW20_Nss2,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss2,(MCS0)_2TX

CSENdB

2437MHz




802.11ax HEW20_Nss2,(MCS0)_2TX

CSEndB

2462MHz

09/07/2022



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.43607G	16.30	-13.70	2.30641G	-51.52	2.4G	-30.32	2.4G	-28.93	2.50534G	-48.01	16.25945G	-46.92	3
802.11g_Nss1,(6Mbps)_4TX	Pass	2.4319G	11.16	-18.84	2.18875G	-51.75	2.39984G	-34.12	2.4G	-30.61	2.50286G	-48.15	6.77718G	-46.63	3
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	2.44192G	8.91	-21.09	2.30874G	-51.94	2.4G	-35.61	2.4G	-33.19	2.5223G	-50.21	17.67266G	-46.94	3

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43607G	16.30	-13.70	2.30059G	-52.29	2.4G	-31.98	2.4G	-30.62	2.50006G	-49.37	5.84159G	-46.40	1
2412MHz	Pass	2.43607G	16.30	-13.70	2.30525G	-51.46	2.4G	-30.77	2.4G	-30.82	2.50238G	-49.33	5.82755G	-46.77	2
2412MHz	Pass	2.43607G	16.30	-13.70	2.30641G	-51.52	2.4G	-30.32	2.4G	-28.93	2.50534G	-48.01	16.25945G	-46.92	3
2412MHz	Pass	2.43607G	16.30	-13.70	2.30874G	-51.89	2.4G	-32.08	2.4G	-32.00	2.51582G	-49.13	24.39594G	-45.70	4
2437MHz	Pass	2.43607G	16.30	-13.70	2.18292G	-50.36	2.3996G	-41.89	2.4G	-42.77	2.50286G	-46.47	21.71562G	-47.17	1
2437MHz	Pass	2.43607G	16.30	-13.70	2.30758G	-51.33	2.39952G	-43.63	2.4G	-45.65	2.50582G	-46.30	17.66704G	-47.16	2
2437MHz	Pass	2.43607G	16.30	-13.70	2.30059G	-49.82	2.39952G	-41.00	2.4G	-41.48	2.51422G	-45.98	16.91408G	-46.54	3
2437MHz	Pass	2.43607G	16.30	-13.70	2.30525G	-49.70	2.39952G	-42.24	2.4G	-43.83	2.50702G	-45.90	6.87551G	-47.05	4
2462MHz	Pass	2.43607G	16.30	-13.70	2.30641G	-50.36	2.39576G	-48.91	2.4G	-50.85	2.50534G	-46.99	16.2735G	-46.65	1
2462MHz	Pass	2.43607G	16.30	-13.70	619.49M	-52.20	2.39944G	-49.27	2.4G	-50.89	2.50662G	-47.19	5.8444G	-46.89	2
2462MHz	Pass	2.43607G	16.30	-13.70	2.15846G	-52.48	2.39352G	-47.49	2.4G	-51.96	2.50006G	-46.82	17.66423G	-46.72	3
2462MHz	Pass	2.43607G	16.30	-13.70	956.18M	-52.63	2.3932G	-48.14	2.4G	-50.38	2.50502G	-47.52	17.66142G	-46.33	4
802.11g_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4319G	11.16	-18.84	2.18059G	-51.84	2.39992G	-35.85	2.4G	-32.31	2.50766G	-49.97	6.4906G	-46.92	1
2412MHz	Pass	2.4319G	11.16	-18.84	2.30525G	-51.26	2.4G	-35.63	2.4G	-33.83	2.50006G	-49.88	17.68671G	-46.18	2
2412MHz	Pass	2.4319G	11.16	-18.84	2.18875G	-51.75	2.39984G	-34.12	2.4G	-30.61	2.50286G	-48.15	6.77718G	-46.63	3
2412MHz	Pass	2.4319G	11.16	-18.84	2.30874G	-51.66	2.4G	-35.03	2.4G	-32.11	2.52046G	-50.06	5.89778G	-46.36	4
2437MHz	Pass	2.4319G	11.16	-18.84	2.19807G	-51.40	2.3976G	-35.88	2.4G	-37.79	2.5007G	-47.00	16.20888G	-47.24	1
2437MHz	Pass	2.4319G	11.16	-18.84	2.30758G	-51.52	2.39984G	-36.10	2.4G	-37.18	2.50158G	-47.48	5.83036G	-47.20	2
2437MHz	Pass	2.4319G	11.16	-18.84	2.30641G	-51.25	2.39704G	-35.95	2.4G	-36.58	2.50054G	-46.32	6.96542G	-46.76	3
2437MHz	Pass	2.4319G	11.16	-18.84	2.30758G	-51.73	2.39888G	-36.64	2.4G	-38.67	2.50078G	-46.16	5.76293G	-46.24	4
2462MHz	Pass	2.4319G	11.16	-18.84	2.19923G	-51.99	2.39856G	-49.88	2.4G	-51.33	2.51126G	-48.16	6.73222G	-46.72	1
2462MHz	Pass	2.4319G	11.16	-18.84	2.17011G	-52.09	2.39224G	-49.89	2.4G	-52.51	2.50182G	-48.07	5.90059G	-47.19	2
2462MHz	Pass	2.4319G	11.16	-18.84	851.33M	-52.22	2.39864G	-49.92	2.4G	-52.67	2.5027G	-48.27	16.98713G	-47.82	3
2462MHz	Pass	2.4319G	11.16	-18.84	701.04M	-51.96	2.39984G	-49.61	2.4G	-51.57	2.50054G	-48.63	17.65299G	-46.70	4
802.11ax HEW20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	8.91	-21.09	915.4M	-52.00	2.4G	-36.59	2.4G	-34.53	2.51646G	-50.20	16.44488G	-47.29	1
2412MHz	Pass	2.44192G	8.91	-21.09	2.30874G	-50.88	2.39992G	-36.66	2.4G	-35.34	2.51766G	-50.35	6.7547G	-47.13	2
2412MHz	Pass	2.44192G	8.91	-21.09	2.30874G	-51.94	2.4G	-35.61	2.4G	-33.19	2.5223G	-50.21	17.67266G	-46.94	3
2412MHz	Pass	2.44192G	8.91	-21.09	774.44M	-51.83	2.4G	-35.48	2.4G	-34.31	2.52278G	-50.31	16.3325G	-47.25	4
2437MHz	Pass	2.44192G	8.91	-21.09	2.18176G	-52.03	2.3968G	-41.38	2.4G	-42.74	2.51646G	-48.54	16.27631G	-46.76	1
2437MHz	Pass	2.44192G	8.91	-21.09	1.88585G	-52.19	2.39912G	-41.86	2.4G	-43.21	2.50838G	-48.94	16.48422G	-47.46	2
2437MHz	Pass	2.44192G	8.91	-21.09	2.19341G	-52.23	2.398G	-40.34	2.4G	-42.26	2.50166G	-48.82	16.99556G	-47.03	3
2437MHz	Pass	2.44192G	8.91	-21.09	2.30525G	-51.77	2.3992G	-41.80	2.4G	-44.06	2.5019G	-49.04	6.98789G	-46.72	4
2462MHz	Pass	2.44192G	8.91	-21.09	2.13399G	-52.27	2.39584G	-49.90	2.4G	-52.34	2.52086G	-49.19	17.69795G	-47.52	1
2462MHz	Pass	2.44192G	8.91	-21.09	812.88M	-51.81	2.4G	-50.53	2.4G	-50.82	2.5019G	-49.18	6.98228G	-47.25	2
2462MHz	Pass	2.44192G	8.91	-21.09	1.64469G	-51.56	2.3912G	-49.92	2.4G	-52.38	2.50086G	-48.84	16.45331G	-47.05	3
2462MHz	Pass	2.44192G	8.91	-21.09	853.66M	-51.88	2.39912G	-49.70	2.4G	-51.82	2.50158G	-48.84	6.20684G	-47.25	4

802.11b_Nss1,(1Mbps)_4TX

2412MHz

CSENdB

11/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	16.30	-13.70	2.30059G	-52.29	2.4G	-31.98	2.4G	-30.62	2.50006G	-49.37	5.84159G	-46.40	1
2.43607G	16.30	-13.70	2.30525G	-51.46	2.4G	-30.77	2.4G	-30.82	2.50238G	-49.33	5.82755G	-46.77	2
2.43607G	16.30	-13.70	2.30641G	-51.52	2.4G	-30.32	2.4G	-28.93	2.50534G	-48.01	16.25945G	-46.92	3
2.43607G	16.30	-13.70	2.30874G	-51.89	2.4G	-32.08	2.4G	-32.00	2.51582G	-49.13	24.39594G	-45.70	4

802.11b_Nss1,(1Mbps)_4TX

2437MHz

CSENdB

11/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	16.30	-13.70	2.18292G	-50.36	2.3996G	-41.89	2.4G	-42.77	2.50286G	-46.47	21.71562G	-47.17	1
2.43607G	16.30	-13.70	2.30758G	-51.33	2.39952G	-43.63	2.4G	-45.65	2.50582G	-46.30	17.66704G	-47.16	2
2.43607G	16.30	-13.70	2.30059G	-49.82	2.39952G	-41.00	2.4G	-41.48	2.51422G	-45.98	16.91408G	-46.54	3
2.43607G	16.30	-13.70	2.30525G	-49.70	2.39952G	-42.24	2.4G	-43.83	2.50702G	-45.90	6.87551G	-47.05	4

802.11b_Nss1,(1Mbps)_4TX

CSENdB

2462MHz



802.11g_Nss1,(6Mbps)_4TX

CSENdB


2412MHz



802.11g_Nss1,(6Mbps)_4TX

CSENdB


2437MHz



802.11g_Nss1,(6Mbps)_4TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSENdB

2437MHz






802.11ax HEW20_Nss1,(MCS0)_4TX

CSEndB

2462MHz

11/07/2022



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	8.91	-21.09	2.13399G	-52.27	2.39584G	-49.90	2.4G	-52.34	2.52086G	-49.19	17.69795G	-47.52	1
2.44192G	8.91	-21.09	812.88M	-51.81	2.4G	-50.53	2.4G	-50.82	2.5019G	-49.18	6.98228G	-47.25	2
2.44192G	8.91	-21.09	1.64469G	-51.56	2.3912G	-49.92	2.4G	-52.38	2.50086G	-48.84	16.45331G	-47.05	3
2.44192G	8.91	-21.09	853.66M	-51.88	2.39912G	-49.70	2.4G	-51.82	2.50158G	-48.84	6.20684G	-47.25	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	2.44192G	10.04	-19.96	2.30175G	-51.92	2.4G	-34.06	2.4G	-32.10	2.51846G	-50.20	5.7854G	-46.50	3

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	10.04	-19.96	2.1736G	-52.28	2.39984G	-36.97	2.4G	-34.04	2.50022G	-49.54	16.35217G	-46.99	1
2412MHz	Pass	2.44192G	10.04	-19.96	2.14448G	-52.32	2.4G	-34.77	2.4G	-33.48	2.51942G	-49.77	5.74045G	-46.69	2
2412MHz	Pass	2.44192G	10.04	-19.96	2.30175G	-51.92	2.4G	-34.06	2.4G	-32.10	2.51846G	-50.20	5.7854G	-46.50	3
2412MHz	Pass	2.44192G	10.04	-19.96	2.10254G	-51.90	2.4G	-34.66	2.4G	-33.01	2.50782G	-49.97	17.65299G	-46.59	4
2437MHz	Pass	2.44192G	10.04	-19.96	1.81828G	-51.50	2.39992G	-39.78	2.4G	-41.07	2.51246G	-48.57	5.86126G	-47.83	1
2437MHz	Pass	2.44192G	10.04	-19.96	2.30758G	-51.07	2.39688G	-37.94	2.4G	-41.03	2.50406G	-47.89	21.86453G	-46.37	2
2437MHz	Pass	2.44192G	10.04	-19.96	763.95M	-52.22	2.39872G	-38.42	2.4G	-38.67	2.50062G	-46.46	5.72921G	-47.08	3
2437MHz	Pass	2.44192G	10.04	-19.96	2.30641G	-51.55	2.39752G	-38.28	2.4G	-41.56	2.50742G	-46.94	14.60462G	-47.40	4
2462MHz	Pass	2.44192G	10.04	-19.96	934.04M	-51.72	2.39792G	-49.79	2.4G	-52.46	2.5019G	-48.98	6.9598G	-47.20	1
2462MHz	Pass	2.44192G	10.04	-19.96	909.58M	-52.28	2.39344G	-49.62	2.4G	-51.81	2.5043G	-48.66	6.69851G	-46.46	2
2462MHz	Pass	2.44192G	10.04	-19.96	840.84M	-52.40	2.39824G	-48.85	2.4G	-51.76	2.5095G	-48.34	17.67547G	-46.08	3
2462MHz	Pass	2.44192G	10.04	-19.96	826.86M	-52.18	2.3968G	-50.24	2.4G	-52.20	2.50254G	-49.01	5.83597G	-47.35	4

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz

CSEndB

11/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	10.04	-19.96	2.1736G	-52.28	2.39984G	-36.97	2.4G	-34.04	2.50022G	-49.54	16.35217G	-46.99	1
2.44192G	10.04	-19.96	2.14448G	-52.32	2.4G	-34.77	2.4G	-33.48	2.51942G	-49.77	5.74045G	-46.69	2
2.44192G	10.04	-19.96	2.30175G	-51.92	2.4G	-34.06	2.4G	-32.10	2.51846G	-50.20	5.7854G	-46.50	3
2.44192G	10.04	-19.96	2.10254G	-51.90	2.4G	-34.66	2.4G	-33.01	2.50782G	-49.97	17.65299G	-46.59	4

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz

CSEndB

11/07/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	10.04	-19.96	1.81828G	-51.50	2.39992G	-39.78	2.4G	-41.07	2.51246G	-48.57	5.86126G	-47.83	1
2.44192G	10.04	-19.96	2.30758G	-51.07	2.39688G	-37.94	2.4G	-41.03	2.50406G	-47.89	21.86453G	-46.37	2
2.44192G	10.04	-19.96	763.95M	-52.22	2.39872G	-38.42	2.4G	-38.67	2.50062G	-46.46	5.72921G	-47.08	3
2.44192G	10.04	-19.96	2.30641G	-51.55	2.39752G	-38.28	2.4G	-41.56	2.50742G	-46.94	14.60462G	-47.40	4

802.11ax HEW20_Nss4,(MCS0)_4TX

CSEndB

2462MHz

11/07/2022






Radiated Emissions below 1GHz

Appendix F.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	60.18M	36.90	40.00	-3.10	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30.26M	35.07	40.00	-4.93	-2.87	3	Vertical	97	1.00	-	37.94	24.30	0.71	27.88
PK	60.18M	36.90	40.00	-3.10	-14.56	3	Vertical	104	1.00	"Worst"	51.46	11.91	1.30	27.77
PK	123.08M	32.95	43.50	-10.55	-7.80	3	Vertical	342	1.00	-	40.75	17.56	2.26	27.62
PK	176.97M	33.32	43.50	-10.18	-9.12	3	Vertical	203	1.00	-	42.44	15.22	3.05	27.39
PK	193.29M	38.50	43.50	-5.00	-9.32	3	Vertical	8	3.00	-	47.82	14.81	3.17	27.30
PK	882.8M	40.94	46.00	-5.06	5.77	3	Vertical	360	1.00	-	35.17	26.22	6.27	26.72
PK	953.2M	40.83	46.00	-5.17	6.81	3	Vertical	7	1.00	-	34.02	26.64	6.51	26.34

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30.34M	29.32	40.00	-10.68	-2.92	3	Horizontal	266	3.00	-	32.24	24.25	0.71	27.88
PK	130.9M	24.79	43.50	-18.71	-7.47	3	Horizontal	272	1.00	-	32.26	17.70	2.42	27.59
PK	204M	26.27	43.50	-17.23	-8.47	3	Horizontal	149	4.00	-	34.74	15.16	2.93	26.56
PK	260.4M	30.48	46.00	-15.52	-3.41	3	Horizontal	283	1.00	-	33.89	19.59	3.34	26.34
PK	880.4M	40.04	46.00	-5.96	5.73	3	Horizontal	248	1.00	"Worst"	34.31	26.20	6.26	26.73
PK	963.6M	41.44	54.00	-12.56	6.97	3	Horizontal	143	1.00	-	34.47	26.75	6.55	26.33




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.3892G	53.95	54.00	-0.05	3	Vertical	6	1.80	89

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 89
88\108\98\93\91\90\89
0.77\ -40.37\ -10.08\ -3.20\ -1.24\ -1.11\ 0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3878G	63.10	74.00	-10.90	30.46	3	Vertical	6	1.80	89	28.25	4.39	-	
AV	2.3892G	53.95	54.00	-0.05	21.30	3	Vertical	6	1.80	89	28.26	4.39	-	
PK	2.413G	115.43	Inf	-Inf	82.72	3	Vertical	6	1.80	89	28.30	4.41	-	
AV	2.4112G	111.46	Inf	-Inf	78.75	3	Vertical	6	1.80	89	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 89
89
1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3888G	62.30	74.00	-11.70	29.65	3	Horizontal	10	2.16	89	28.26	4.39	-	
AV	2.3892G	52.73	54.00	-1.27	20.08	3	Horizontal	10	2.16	89	28.26	4.39	-	
PK	2.4111G	114.38	Inf	-Inf	81.67	3	Horizontal	10	2.16	89	28.30	4.41	-	
AV	2.4112G	110.65	Inf	-Inf	77.94	3	Horizontal	10	2.16	89	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82416G	46.24	74.00	-27.76	41.22	3	Vertical	351	1.17	89	33.34	7.10	35.42
AV	4.82396G	36.07	54.00	-17.93	31.05	3	Vertical	351	1.17	89	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	46.48	74.00	-27.52	41.46	3	Horizontal	332	1.87	89	33.34	7.10	35.42
AV	4.82396G	36.49	54.00	-17.51	31.47	3	Horizontal	332	1.87	89	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
SET 93
80\108\94\87\90\91\92\93
5.66\ -39.00\ -0.13\ 4.49\ 2.01\ 2.05\ 1.92\ 1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	62.77	74.00	-11.23	30.13	3	Vertical	4	1.80	93	28.25	4.39	-
AV	2.3872G	52.92	54.00	-1.08	20.28	3	Vertical	4	1.80	93	28.25	4.39	-
PK	2.418G	116.11	Inf	-Inf	83.40	3	Vertical	4	1.80	93	28.30	4.41	-
AV	2.4163G	112.33	Inf	-Inf	79.62	3	Vertical	4	1.80	93	28.30	4.41	-

802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT Y_1TX
SET 93
93
2.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3872G	62.37	74.00	-11.63	29.73	3	Horizontal	10	1.67	93	28.25	4.39	-	
AV	2.3872G	51.81	54.00	-2.19	19.17	3	Horizontal	10	1.67	93	28.25	4.39	-	
PK	2.418G	114.99	Inf	-Inf	82.28	3	Horizontal	10	1.67	93	28.30	4.41	-	
AV	2.4162G	111.16	Inf	-Inf	78.45	3	Horizontal	10	1.67	93	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 99
80\108\94\100\98\99
6.56\ -22.63\5.61\ -0.32\4.27\3.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.76	74.00	-12.24	29.11	3	Vertical	6	1.99	99	28.26	4.39	-
AV	2.38996G	50.05	54.00	-3.95	17.40	3	Vertical	6	1.99	99	28.26	4.39	-
PK	2.43604G	116.66	Inf	-Inf	83.94	3	Vertical	6	1.99	99	28.30	4.42	-
AV	2.4362G	112.91	Inf	-Inf	80.19	3	Vertical	6	1.99	99	28.30	4.42	-
PK	2.48724G	61.70	74.00	-12.30	28.81	3	Vertical	6	1.99	99	28.45	4.44	-
AV	2.48372G	50.24	54.00	-3.76	17.37	3	Vertical	6	1.99	99	28.43	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 99
99
4.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	60.88	74.00	-13.12	28.25	3	Horizontal	9	1.70	99	28.24	4.39	-
AV	2.38996G	49.58	54.00	-4.42	16.93	3	Horizontal	9	1.70	99	28.26	4.39	-
PK	2.43604G	115.84	Inf	-Inf	83.12	3	Horizontal	9	1.70	99	28.30	4.42	-
AV	2.4362G	112.10	Inf	-Inf	79.38	3	Horizontal	9	1.70	99	28.30	4.42	-
PK	2.48372G	60.78	74.00	-13.22	27.91	3	Horizontal	9	1.70	99	28.43	4.44	-
AV	2.4835G	49.43	54.00	-4.57	16.56	3	Horizontal	9	1.70	99	28.43	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87396G	50.17	74.00	-23.83	44.87	3	Vertical	297	1.86	99	33.60	7.10	35.40
AV	4.87396G	42.84	54.00	-11.16	37.54	3	Vertical	297	1.86	99	33.60	7.10	35.40
PK	7.3116G	56.80	74.00	-17.20	47.03	3	Vertical	333	1.87	99	36.92	8.42	35.57
AV	7.31024G	49.80	54.00	-4.20	40.03	3	Vertical	333	1.87	99	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87428G	49.80	74.00	-24.20	44.50	3	Horizontal	332	1.94	99	33.60	7.10	35.40	
AV	4.874G	41.92	54.00	-12.08	36.62	3	Horizontal	332	1.94	99	33.60	7.10	35.40	
PK	7.313G	56.27	74.00	-17.73	46.48	3	Horizontal	297	1.80	99	36.93	8.43	35.57	
AV	7.31028G	49.12	54.00	-4.88	39.35	3	Horizontal	297	1.80	99	36.92	8.42	35.57	

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
SET 90
80\108\94\87\90\91\90
5.44\ -39.99\ -1.65\ 3.71\ 1.62\ -0.02\ 1.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	116.30	Inf	-Inf	83.54	3	Vertical	1	1.79	90	28.33	4.43	-
AV	2.4562G	112.39	Inf	-Inf	79.64	3	Vertical	1	1.79	90	28.32	4.43	-
PK	2.4839G	62.10	74.00	-11.90	29.22	3	Vertical	1	1.79	90	28.44	4.44	-
AV	2.4836G	52.26	54.00	-1.74	19.39	3	Vertical	1	1.79	90	28.43	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT Y_1TX
SET 90
90
3.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4561G	114.67	Inf	-Inf	81.92	3	Horizontal	10	1.90	90	28.32	4.43	-	
AV	2.4562G	110.92	Inf	-Inf	78.17	3	Horizontal	10	1.90	90	28.32	4.43	-	
PK	2.4835G	61.12	74.00	-12.88	28.25	3	Horizontal	10	1.90	90	28.43	4.44	-	
AV	2.4837G	50.90	54.00	-3.10	18.03	3	Horizontal	10	1.90	90	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 88
80\108\94\87\90\89\88
5.06\ -40.29\ -7.74\ 2.75\ -2.96\ -0.92\ 1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	116.16	Inf	-Inf	83.38	3	Vertical	1	1.79	88	28.35	4.43	-
AV	2.4612G	112.22	Inf	-Inf	79.45	3	Vertical	1	1.79	88	28.34	4.43	-
PK	2.4843G	63.31	74.00	-10.69	30.43	3	Vertical	1	1.79	88	28.44	4.44	-
AV	2.4835G	52.92	54.00	-1.08	20.05	3	Vertical	1	1.79	88	28.43	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 88
88
2.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	114.58	Inf	-Inf	81.80	3	Horizontal	8	1.52	88	28.35	4.43	-	
AV	2.4613G	110.74	Inf	-Inf	77.96	3	Horizontal	8	1.52	88	28.35	4.43	-	
PK	2.4837G	61.31	74.00	-12.69	28.44	3	Horizontal	8	1.52	88	28.43	4.44	-	
AV	2.4835G	51.77	54.00	-2.23	18.90	3	Horizontal	8	1.52	88	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92372G	47.56	74.00	-26.44	42.08	3	Vertical	156	1.38	88	33.75	7.10	35.37
AV	4.92408G	38.66	54.00	-15.34	33.18	3	Vertical	156	1.38	88	33.75	7.10	35.37
PK	7.38452G	54.86	74.00	-19.14	44.88	3	Vertical	334	1.80	88	37.00	8.57	35.59
AV	7.38676G	45.77	54.00	-8.23	35.79	3	Vertical	334	1.80	88	37.00	8.57	35.59

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92728G	47.26	74.00	-26.74	41.78	3	Horizontal	222	1.80	88	33.75	7.10	35.37
AV	4.92392G	34.76	54.00	-19.24	29.28	3	Horizontal	222	1.80	88	33.75	7.10	35.37
PK	7.38712G	54.17	74.00	-19.83	44.19	3	Horizontal	297	1.79	88	37.00	8.57	35.59
AV	7.38736G	44.07	54.00	-9.93	34.09	3	Horizontal	297	1.79	88	37.00	8.57	35.59

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 79
80\42\61\70\74\76\77\78\79
-0.79\7.68\6.47\5.28\3.73\2.65\2.30\1.22\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	67.02	74.00	-6.98	34.37	3	Vertical	6	1.80	79	28.26	4.39	-	
AV	2.39G	53.56	54.00	-0.44	20.91	3	Vertical	6	1.80	79	28.26	4.39	-	
PK	2.41G	112.76	Inf	-Inf	80.05	3	Vertical	6	1.80	79	28.30	4.41	-	
AV	2.4161G	103.03	Inf	-Inf	70.32	3	Vertical	6	1.80	79	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 79
79
1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	68.55	74.00	-5.45	35.90	3	Horizontal	9	1.92	79	28.26	4.39	-	
AV	2.39G	52.50	54.00	-1.50	19.85	3	Horizontal	9	1.92	79	28.26	4.39	-	
PK	2.4091G	112.11	Inf	-Inf	79.41	3	Horizontal	9	1.92	79	28.30	4.40	-	
AV	2.4095G	101.97	Inf	-Inf	69.27	3	Horizontal	9	1.92	79	28.30	4.40	-	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUTY_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8364G	46.67	74.00	-27.33	41.57	3	Vertical	151	1.80	79	33.42	7.10	35.42
AV	4.82232G	33.47	54.00	-20.53	28.46	3	Vertical	151	1.80	79	33.33	7.10	35.42

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUTY_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83972G	46.38	74.00	-27.62	41.25	3	Horizontal	244	1.80	79	33.44	7.10	35.41
AV	4.84008G	33.61	54.00	-20.39	28.48	3	Horizontal	244	1.80	79	33.44	7.10	35.41

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
SET 84
80\108\94\87\84
3.58\ -35.17\ -7.86\ -3.04\ 0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3849G	66.19	74.00	-7.81	33.57	3	Vertical	6	1.80	84	28.24	4.38	-
AV	2.3897G	53.86	54.00	-0.14	21.21	3	Vertical	6	1.80	84	28.26	4.39	-
PK	2.4217G	114.12	Inf	-Inf	81.41	3	Vertical	6	1.80	84	28.30	4.41	-
AV	2.4185G	104.18	Inf	-Inf	71.47	3	Vertical	6	1.80	84	28.30	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT Y_1TX
SET 84
84
1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3893G	64.98	74.00	-9.02	32.33	3	Horizontal	7	2.59	84	28.26	4.39	-	
AV	2.3898G	52.89	54.00	-1.11	20.24	3	Horizontal	7	2.59	84	28.26	4.39	-	
PK	2.419G	113.02	Inf	-Inf	80.31	3	Horizontal	7	2.59	84	28.30	4.41	-	
AV	2.4182G	103.11	Inf	-Inf	70.40	3	Horizontal	7	2.59	84	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 93
80\108\94\87\90\91\92\93
5.71\ -27.22\ -0.74\ 3.72\ 2.03\ 0.97\ 0.95\ 0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38148G	70.97	74.00	-3.03	38.36	3	Vertical	5	2.00	93	28.23	4.38	-
AV	2.38996G	53.85	54.00	-0.15	21.20	3	Vertical	5	2.00	93	28.26	4.39	-
PK	2.44212G	115.81	Inf	-Inf	83.09	3	Vertical	5	2.00	93	28.30	4.42	-
AV	2.44116G	106.23	Inf	-Inf	73.51	3	Vertical	5	2.00	93	28.30	4.42	-
PK	2.4866G	70.81	74.00	-3.19	37.92	3	Vertical	5	2.00	93	28.45	4.44	-
AV	2.4835G	53.33	54.00	-0.67	20.46	3	Vertical	5	2.00	93	28.43	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUTY_1TX
SET 93
93
0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38436G	70.43	74.00	-3.57	37.81	3	Horizontal	9	1.71	93	28.24	4.38	-
AV	2.3898G	53.23	54.00	-0.77	20.58	3	Horizontal	9	1.71	93	28.26	4.39	-
PK	2.43908G	115.10	Inf	-Inf	82.38	3	Horizontal	9	1.71	93	28.30	4.42	-
AV	2.43364G	105.34	Inf	-Inf	72.62	3	Horizontal	9	1.71	93	28.30	4.42	-
PK	2.48484G	71.19	74.00	-2.81	38.31	3	Horizontal	9	1.71	93	28.44	4.44	-
AV	2.48388G	52.24	54.00	-1.76	19.36	3	Horizontal	9	1.71	93	28.44	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8788G	47.32	74.00	-26.68	41.99	3	Vertical	297	1.85	93	33.62	7.10	35.39	
AV	4.87116G	34.37	54.00	-19.63	29.09	3	Vertical	297	1.85	93	33.58	7.10	35.40	
PK	7.31856G	55.02	74.00	-18.98	45.21	3	Vertical	334	1.80	91	36.94	8.44	35.57	
AV	7.31428G	41.30	54.00	-12.70	31.51	3	Vertical	334	1.80	91	36.93	8.43	35.57	

802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX


EUT Y_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.88316G	47.11	74.00	-26.89	41.77	3	Horizontal	329	1.80	93	33.63	7.10	35.39	
AV	4.87684G	34.40	54.00	-19.60	29.08	3	Horizontal	329	1.80	93	33.61	7.10	35.39	
PK	7.31392G	54.76	74.00	-19.24	44.97	3	Horizontal	296	1.81	92	36.93	8.43	35.57	
AV	7.31372G	40.94	54.00	-13.06	31.15	3	Horizontal	296	1.81	92	36.93	8.43	35.57	

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT Y_1TX
SET 83
80\108\94\87\84\83
2.81\ -35.43\ -8.07\ -2.53\ -0.66\ 0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4611G	114.26	Inf	-Inf	81.49	3	Vertical	1	1.80	83	28.34	4.43	-
AV	2.4601G	104.46	Inf	-Inf	71.69	3	Vertical	1	1.80	83	28.34	4.43	-
PK	2.4875G	65.91	74.00	-8.09	33.02	3	Vertical	1	1.80	83	28.45	4.44	-
AV	2.4837G	53.50	54.00	-0.50	20.63	3	Vertical	1	1.80	83	28.43	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT Y_1TX
SET 83
83
1.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.455G	113.01	Inf	-Inf	80.26	3	Horizontal	11	1.89	83	28.32	4.43	-	
AV	2.4586G	103.00	Inf	-Inf	70.24	3	Horizontal	11	1.89	83	28.33	4.43	-	
PK	2.487G	64.13	74.00	-9.87	31.24	3	Horizontal	11	1.89	83	28.45	4.44	-	
AV	2.4839G	52.08	54.00	-1.92	19.20	3	Horizontal	11	1.89	83	28.44	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUTY_1TX
SET 80
80
0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.462G	114.74	Inf	-Inf	81.96	3	Vertical	2	1.80	80	28.35	4.43	-	
AV	2.46G	103.78	Inf	-Inf	71.01	3	Vertical	2	1.80	80	28.34	4.43	-	
PK	2.484G	67.76	74.00	-6.24	34.88	3	Vertical	2	1.80	80	28.44	4.44	-	
AV	2.4835G	53.87	54.00	-0.13	21.00	3	Vertical	2	1.80	80	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUTY_1TX
SET 80
80
2.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4675G	112.09	Inf	-Inf	79.29	3	Horizontal	5	2.27	80	28.37	4.43	-	
AV	2.4632G	102.55	Inf	-Inf	69.77	3	Horizontal	5	2.27	80	28.35	4.43	-	
PK	2.4837G	65.64	74.00	-8.36	32.77	3	Horizontal	5	2.27	80	28.43	4.44	-	
AV	2.4835G	51.85	54.00	-2.15	18.98	3	Horizontal	5	2.27	80	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91476G	46.52	74.00	-27.48	41.06	3	Vertical	353	1.35	80	33.73	7.10	35.37
AV	4.90836G	33.69	54.00	-20.31	28.25	3	Vertical	353	1.35	80	33.72	7.10	35.38
PK	7.37428G	52.38	74.00	-21.62	42.42	3	Vertical	6	1.80	80	37.00	8.55	35.59
AV	7.39644G	39.32	54.00	-14.68	29.32	3	Vertical	6	1.80	80	37.00	8.59	35.59

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94288G	46.96	74.00	-27.04	41.43	3	Horizontal	222	1.80	80	33.79	7.10	35.36
AV	4.93732G	33.62	54.00	-20.38	28.11	3	Horizontal	222	1.80	80	33.77	7.10	35.36
PK	7.38524G	52.36	74.00	-21.64	42.38	3	Horizontal	132	2.75	80	37.00	8.57	35.59
AV	7.38956G	39.16	54.00	-14.84	29.17	3	Horizontal	132	2.75	80	37.00	8.58	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 77
79\75\77\78\77
-1.75\2.16\1.16\0.19\1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	66.41	74.00	-7.59	33.77	3	Vertical	4	1.80	77	28.25	4.39	-
AV	2.39G	52.76	54.00	-1.24	20.11	3	Vertical	4	1.80	77	28.26	4.39	-
PK	2.406G	114.37	Inf	-Inf	81.67	3	Vertical	4	1.80	77	28.30	4.40	-
AV	2.416G	100.69	Inf	-Inf	67.98	3	Vertical	4	1.80	77	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
SET 77
77
2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3885G	64.29	74.00	-9.71	31.65	3	Horizontal	9	2.14	77	28.25	4.39	-	
AV	2.3898G	51.51	54.00	-2.49	18.86	3	Horizontal	9	2.14	77	28.26	4.39	-	
PK	2.409G	113.06	Inf	-Inf	80.36	3	Horizontal	9	2.14	77	28.30	4.40	-	
AV	2.4096G	99.87	Inf	-Inf	67.17	3	Horizontal	9	2.14	77	28.30	4.40	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8076G	46.46	74.00	-27.54	41.54	3	Vertical	1	2.44	77	33.25	7.10	35.43
AV	4.8364G	33.43	54.00	-20.57	28.33	3	Vertical	1	2.44	77	33.42	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUTY_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8266G	46.35	74.00	-27.65	41.31	3	Horizontal	336	1.80	77	33.36	7.10	35.42
AV	4.84036G	33.55	54.00	-20.45	28.42	3	Horizontal	336	1.80	77	33.44	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT Y_1TX
SET 83
84\80\82\83
-0.42\3.22\1.71\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	70.76	74.00	-3.24	38.11	3	Vertical	6	1.80	83	28.26	4.39	-	
AV	2.39G	53.61	54.00	-0.39	20.96	3	Vertical	6	1.80	83	28.26	4.39	-	
PK	2.4092G	115.90	Inf	-Inf	83.20	3	Vertical	6	1.80	83	28.30	4.40	-	
AV	2.4156G	102.26	Inf	-Inf	69.55	3	Vertical	6	1.80	83	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT Y_1TX
SET 83
83
1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3899G	67.56	74.00	-6.44	34.91	3	Horizontal	9	1.73	83	28.26	4.39	-	
AV	2.39G	52.84	54.00	-1.16	20.19	3	Horizontal	9	1.73	83	28.26	4.39	-	
PK	2.4179G	114.39	Inf	-Inf	81.68	3	Horizontal	9	1.73	83	28.30	4.41	-	
AV	2.4188G	101.01	Inf	-Inf	68.30	3	Horizontal	9	1.73	83	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
SET 90
93\89\91\90
-1.89\0.66\ -0.78\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	72.14	74.00	-1.86	39.50	3	Vertical	4	1.80	90	28.25	4.39	-
AV	2.3898G	53.87	54.00	-0.13	21.22	3	Vertical	4	1.80	90	28.26	4.39	-
PK	2.44132G	117.62	Inf	-Inf	84.90	3	Vertical	4	1.80	90	28.30	4.42	-
AV	2.44372G	104.01	Inf	-Inf	71.29	3	Vertical	4	1.80	90	28.30	4.42	-
PK	2.48372G	70.53	74.00	-3.47	37.66	3	Vertical	4	1.80	90	28.43	4.44	-
AV	2.4835G	53.62	54.00	-0.38	20.75	3	Vertical	4	1.80	90	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
SET 90
90
0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38676G	70.74	74.00	-3.26	38.10	3	Horizontal	10	1.71	90	28.25	4.39	-
AV	2.38996G	53.35	54.00	-0.65	20.70	3	Horizontal	10	1.71	90	28.26	4.39	-
PK	2.44228G	116.57	Inf	-Inf	83.85	3	Horizontal	10	1.71	90	28.30	4.42	-
AV	2.433G	103.26	Inf	-Inf	70.54	3	Horizontal	10	1.71	90	28.30	4.42	-
PK	2.48452G	71.83	74.00	-2.17	38.95	3	Horizontal	10	1.71	90	28.44	4.44	-
AV	2.4835G	52.32	54.00	-1.68	19.45	3	Horizontal	10	1.71	90	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8724G	47.31	74.00	-26.69	42.02	3	Vertical	327	2.49	90	33.59	7.10	35.40
AV	4.87384G	34.24	54.00	-19.76	28.94	3	Vertical	327	2.49	90	33.60	7.10	35.40
PK	7.31164G	54.06	74.00	-19.94	44.29	3	Vertical	333	1.83	90	36.92	8.42	35.57
AV	7.31548G	40.79	54.00	-13.21	31.00	3	Vertical	333	1.83	90	36.93	8.43	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87876G	46.76	74.00	-27.24	41.43	3	Horizontal	221	1.80	90	33.62	7.10	35.39
AV	4.874G	33.95	54.00	-20.05	28.65	3	Horizontal	221	1.80	90	33.60	7.10	35.40
PK	7.31176G	53.72	74.00	-20.28	43.95	3	Horizontal	296	1.79	90	36.92	8.42	35.57
AV	7.31576G	40.82	54.00	-13.18	31.03	3	Horizontal	296	1.79	90	36.93	8.43	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX
SET 83
83\87\85\84\83
1.28\3.13\1.07\0.31\1.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4598G	116.43	Inf	-Inf	83.66	3	Vertical	-0	1.80	83	28.34	4.43	-
AV	2.4591G	102.54	Inf	-Inf	69.77	3	Vertical	-0	1.80	83	28.34	4.43	-
PK	2.4841G	64.91	74.00	-9.09	32.03	3	Vertical	-0	1.80	83	28.44	4.44	-
AV	2.4835G	52.78	54.00	-1.22	19.91	3	Vertical	-0	1.80	83	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT Y_1TX
SET 83
83
2.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4531G	115.14	Inf	-Inf	82.40	3	Horizontal	7	1.86	83	28.31	4.43	-	
AV	2.4533G	101.26	Inf	-Inf	68.52	3	Horizontal	7	1.86	83	28.31	4.43	-	
PK	2.4837G	64.85	74.00	-9.15	31.98	3	Horizontal	7	1.86	83	28.43	4.44	-	
AV	2.4835G	51.54	54.00	-2.46	18.67	3	Horizontal	7	1.86	83	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
SET 93
80\108\94\87\90\91\92\93
5.71\ -27.22\ -0.74\ 3.72\ 2.03\ 0.97\ 0.95\ 0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38148G	70.97	74.00	-3.03	38.36	3	Vertical	5	2.00	93	28.23	4.38	-
AV	2.38996G	53.85	54.00	-0.15	21.20	3	Vertical	5	2.00	93	28.26	4.39	-
PK	2.44212G	115.81	Inf	-Inf	83.09	3	Vertical	5	2.00	93	28.30	4.42	-
AV	2.44116G	106.23	Inf	-Inf	73.51	3	Vertical	5	2.00	93	28.30	4.42	-
PK	2.4866G	70.81	74.00	-3.19	37.92	3	Vertical	5	2.00	93	28.45	4.44	-
AV	2.4835G	53.33	54.00	-0.67	20.46	3	Vertical	5	2.00	93	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUTY_1TX
SET 93
93
0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.38436G	70.43	74.00	-3.57	37.81	3	Horizontal	9	1.71	93	28.24	4.38	-	
AV	2.3898G	53.23	54.00	-0.77	20.58	3	Horizontal	9	1.71	93	28.26	4.39	-	
PK	2.43908G	115.10	Inf	-Inf	82.38	3	Horizontal	9	1.71	93	28.30	4.42	-	
AV	2.43364G	105.34	Inf	-Inf	72.62	3	Horizontal	9	1.71	93	28.30	4.42	-	
PK	2.48484G	71.19	74.00	-2.81	38.31	3	Horizontal	9	1.71	93	28.44	4.44	-	
AV	2.48388G	52.24	54.00	-1.76	19.36	3	Horizontal	9	1.71	93	28.44	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX


2462MHz_TX


EUT Y_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91292G	47.18	74.00	-26.82	41.73	3	Vertical	1	2.78	80	33.73	7.10	35.38
AV	4.93568G	33.63	54.00	-20.37	28.12	3	Vertical	1	2.78	80	33.77	7.10	35.36
PK	7.39416G	53.01	74.00	-20.99	43.01	3	Vertical	2	1.80	80	37.00	8.59	35.59
AV	7.39352G	39.39	54.00	-14.61	29.39	3	Vertical	2	1.80	80	37.00	8.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX



EUT Y_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93968G	46.76	74.00	-27.24	41.24	3	Horizontal	176	1.80	80	33.78	7.10	35.36	
AV	4.94092G	33.73	54.00	-20.27	28.21	3	Horizontal	176	1.80	80	33.78	7.10	35.36	
PK	7.38532G	52.67	74.00	-21.33	42.69	3	Horizontal	278	1.82	80	37.00	8.57	35.59	
AV	7.39932G	39.56	54.00	-14.44	29.55	3	Horizontal	278	1.82	80	37.00	8.60	35.59	



**RSE TX above 1GHz_Set 1 antenna with 30 degree_
R1_2T1S_2T2S**


Appendix F.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	2.3899G	53.95	54.00	-0.05	3	Vertical	1	1.80	80

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 86
80\108\94\87\84\85\86
2.63\ -43.71\ -6.71\ -0.32\ 2.94\ 2.26\ 1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	64.56	74.00	-9.44	31.92	3	Vertical	360	1.80	86	28.25	4.39	-
AV	2.3871G	52.89	54.00	-1.11	20.25	3	Vertical	360	1.80	86	28.25	4.39	-
PK	2.413G	119.71	Inf	-Inf	87.00	3	Vertical	360	1.80	86	28.30	4.41	-
AV	2.4112G	115.82	Inf	-Inf	83.11	3	Vertical	360	1.80	86	28.30	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 86
86
2.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3866G	62.86	74.00	-11.14	30.22	3	Horizontal	360	1.79	86	28.25	4.39	-	
AV	2.3869G	51.87	54.00	-2.13	19.23	3	Horizontal	360	1.79	86	28.25	4.39	-	
PK	2.4111G	118.25	Inf	-Inf	85.54	3	Horizontal	360	1.79	86	28.30	4.41	-	
AV	2.4113G	114.47	Inf	-Inf	81.76	3	Horizontal	360	1.79	86	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82412G	47.40	74.00	-26.60	42.38	3	Vertical	352	1.80	86	33.34	7.10	35.42
AV	4.824G	37.96	54.00	-16.04	32.94	3	Vertical	352	1.80	86	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82408G	47.65	74.00	-26.35	42.63	3	Horizontal	338	1.75	86	33.34	7.10	35.42	
AV	4.82404G	37.86	54.00	-16.14	32.84	3	Horizontal	338	1.75	86	33.34	7.10	35.42	

802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT Y_2TX
SET 89
80\108\94\87\90\89
4.27\42.80\5.07\1.33\1.31\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	63.57	74.00	-10.43	30.93	3	Vertical	359	1.65	89	28.25	4.39	-
AV	2.39G	53.87	54.00	-0.13	21.22	3	Vertical	359	1.65	89	28.26	4.39	-
PK	2.418G	120.75	Inf	-Inf	88.04	3	Vertical	359	1.65	89	28.30	4.41	-
AV	2.4162G	116.96	Inf	-Inf	84.25	3	Vertical	359	1.65	89	28.30	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT Y_2TX
SET 89
89
1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3899G	62.15	74.00	-11.85	29.50	3	Horizontal	359	1.80	89	28.26	4.39	-	
AV	2.39G	52.47	54.00	-1.53	19.82	3	Horizontal	359	1.80	89	28.26	4.39	-	
PK	2.418G	118.83	Inf	-Inf	86.12	3	Horizontal	359	1.80	89	28.30	4.41	-	
AV	2.4163G	115.07	Inf	-Inf	82.36	3	Horizontal	359	1.80	89	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 99
80\108\94\101\98\99\100\99
5.22\ -29.05\3.65\ -1.45\2.31\1.92\ -0.19\1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38804G	64.00	74.00	-10.00	31.36	3	Vertical	358	1.85	99	28.25	4.39	-
AV	2.38532G	51.83	54.00	-2.17	19.20	3	Vertical	358	1.85	99	28.24	4.39	-
PK	2.43604G	121.80	Inf	-Inf	89.08	3	Vertical	358	1.85	99	28.30	4.42	-
AV	2.4362G	118.07	Inf	-Inf	85.35	3	Vertical	358	1.85	99	28.30	4.42	-
PK	2.48804G	63.32	74.00	-10.68	30.43	3	Vertical	358	1.85	99	28.45	4.44	-
AV	2.48372G	52.52	54.00	-1.48	19.65	3	Vertical	358	1.85	99	28.43	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 99
99
3.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	62.43	74.00	-11.57	29.79	3	Horizontal	360	1.76	99	28.25	4.39	-
AV	2.385G	50.51	54.00	-3.49	17.88	3	Horizontal	360	1.76	99	28.24	4.39	-
PK	2.43604G	120.34	Inf	-Inf	87.62	3	Horizontal	360	1.76	99	28.30	4.42	-
AV	2.4362G	116.67	Inf	-Inf	83.95	3	Horizontal	360	1.76	99	28.30	4.42	-
PK	2.48884G	61.95	74.00	-12.05	29.05	3	Horizontal	360	1.76	99	28.46	4.44	-
AV	2.4835G	50.79	54.00	-3.21	17.92	3	Horizontal	360	1.76	99	28.43	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87384G	52.15	74.00	-21.85	46.85	3	Vertical	300	1.84	99	33.60	7.10	35.40
AV	4.87404G	46.83	54.00	-7.17	41.53	3	Vertical	300	1.84	99	33.60	7.10	35.40
PK	7.3118G	58.18	74.00	-15.82	48.41	3	Vertical	338	1.88	99	36.92	8.42	35.57
AV	7.31168G	51.14	54.00	-2.86	41.37	3	Vertical	338	1.88	99	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87388G	52.25	74.00	-21.75	46.95	3	Horizontal	334	1.83	99	33.60	7.10	35.40
AV	4.874G	46.05	54.00	-7.95	40.75	3	Horizontal	334	1.83	99	33.60	7.10	35.40
PK	7.3116G	57.02	74.00	-16.98	47.25	3	Horizontal	297	1.82	99	36.92	8.42	35.57
AV	7.31032G	49.90	54.00	-4.10	40.13	3	Horizontal	297	1.82	99	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
SET 88
80\108\94\87\90\89\88
3.97\ -45.03\ -6.46\ 1.86\ -2.46\ -0.67\ 1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	120.82	Inf	-Inf	88.06	3	Vertical	358	1.78	88	28.33	4.43	-	
AV	2.4577G	116.97	Inf	-Inf	84.21	3	Vertical	358	1.78	88	28.33	4.43	-	
PK	2.4838G	63.35	74.00	-10.65	30.47	3	Vertical	358	1.78	88	28.44	4.44	-	
AV	2.4836G	52.84	54.00	-1.16	19.97	3	Vertical	358	1.78	88	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT Y_2TX
SET 88
88
2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	119.39	Inf	-Inf	86.63	3	Horizontal	360	1.70	88	28.33	4.43	-	
AV	2.4562G	115.50	Inf	-Inf	82.75	3	Horizontal	360	1.70	88	28.32	4.43	-	
PK	2.488G	62.44	74.00	-11.56	29.55	3	Horizontal	360	1.70	88	28.45	4.44	-	
AV	2.4836G	51.75	54.00	-2.25	18.88	3	Horizontal	360	1.70	88	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 86
80\108\94\87\84\85\86
3.53\ -45.17\ -11.77\ -0.64\ 1.98\ 1.34\ 0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	120.79	Inf	-Inf	88.01	3	Vertical	360	1.65	86	28.35	4.43	-
AV	2.4612G	116.72	Inf	-Inf	83.95	3	Vertical	360	1.65	86	28.34	4.43	-
PK	2.4835G	63.73	74.00	-10.27	30.86	3	Vertical	360	1.65	86	28.43	4.44	-
AV	2.4868G	53.48	54.00	-0.52	20.59	3	Vertical	360	1.65	86	28.45	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 86
86
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	119.29	Inf	-Inf	86.51	3	Horizontal	360	1.70	86	28.35	4.43	-	
AV	2.4627G	115.40	Inf	-Inf	82.62	3	Horizontal	360	1.70	86	28.35	4.43	-	
PK	2.4882G	62.75	74.00	-11.25	29.86	3	Horizontal	360	1.70	86	28.45	4.44	-	
AV	2.4835G	52.21	54.00	-1.79	19.34	3	Horizontal	360	1.70	86	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92396G	48.20	74.00	-25.80	42.72	3	Vertical	298	1.83	86	33.75	7.10	35.37
AV	4.92404G	38.52	54.00	-15.48	33.04	3	Vertical	298	1.83	86	33.75	7.10	35.37
PK	7.38772G	54.94	74.00	-19.06	44.95	3	Vertical	336	1.86	86	37.00	8.58	35.59
AV	7.38728G	45.28	54.00	-8.72	35.30	3	Vertical	336	1.86	86	37.00	8.57	35.59

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.925G	46.84	74.00	-27.16	41.36	3	Horizontal	59	1.80	86	33.75	7.10	35.37
AV	4.92392G	36.64	54.00	-17.36	31.16	3	Horizontal	59	1.80	86	33.75	7.10	35.37
PK	7.387G	54.34	74.00	-19.66	44.36	3	Horizontal	298	1.79	86	37.00	8.57	35.59
AV	7.38728G	44.16	54.00	-9.84	34.18	3	Horizontal	298	1.79	86	37.00	8.57	35.59

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 78
80\42\61\70\74\76\77\78
-0.42\7.69\5.88\4.45\3.09\2.26\1.42\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3895G	67.03	74.00	-6.97	34.38	3	Vertical	-0	2.08	78	28.26	4.39	-
AV	2.3882G	53.72	54.00	-0.28	21.08	3	Vertical	-0	2.08	78	28.25	4.39	-
PK	2.4076G	117.41	Inf	-Inf	84.71	3	Vertical	-0	2.08	78	28.30	4.40	-
AV	2.408G	107.66	Inf	-Inf	74.96	3	Vertical	-0	2.08	78	28.30	4.40	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 77
78\48\63\70\73\74\75\76\77
-0.20\7.41\5.87\4.52\3.37\2.79\2.15\1.72\0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	67.16	74.00	-6.84	34.51	3	Horizontal	360	2.70	77	28.26	4.39	-
AV	2.3897G	53.49	54.00	-0.51	20.84	3	Horizontal	360	2.70	77	28.26	4.39	-
PK	2.4139G	115.78	Inf	-Inf	83.07	3	Horizontal	360	2.70	77	28.30	4.41	-
AV	2.4089G	106.25	Inf	-Inf	73.55	3	Horizontal	360	2.70	77	28.30	4.40	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83888G	47.04	74.00	-26.96	41.92	3	Vertical	250	1.80	77	33.43	7.10	35.41
AV	4.8188G	33.23	54.00	-20.77	28.24	3	Vertical	250	1.80	77	33.31	7.10	35.42

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81444G	46.42	74.00	-27.58	41.46	3	Horizontal	140	1.80	77	33.29	7.10	35.43
AV	4.82236G	33.20	54.00	-20.80	28.19	3	Horizontal	140	1.80	77	33.33	7.10	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT Y_2TX
SET 81
80\108\94\87\84\83\82\81
1.79\ -39.04\ -11.09\ -5.92\ -2.88\ -1.39\ -0.62\ 0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3879G	65.65	74.00	-8.35	33.01	3	Vertical	360	1.86	81	28.25	4.39	-
AV	2.3878G	53.22	54.00	-0.78	20.58	3	Vertical	360	1.86	81	28.25	4.39	-
PK	2.4127G	118.00	Inf	-Inf	85.29	3	Vertical	360	1.86	81	28.30	4.41	-
AV	2.4177G	108.19	Inf	-Inf	75.48	3	Vertical	360	1.86	81	28.30	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT Y_2TX
SET 81
81
1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3837G	64.68	74.00	-9.32	32.07	3	Horizontal	7	1.79	81	28.23	4.38	-	
AV	2.389G	52.72	54.00	-1.28	20.07	3	Horizontal	7	1.79	81	28.26	4.39	-	
PK	2.4138G	116.64	Inf	-Inf	83.93	3	Horizontal	7	1.79	81	28.30	4.41	-	
AV	2.4187G	106.90	Inf	-Inf	74.19	3	Horizontal	7	1.79	81	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 87
80\108\94\87\90\89\88\87
3.71\ -31.72\ -4.53\ 0.98\ -1.37\ -0.57\ -0.10\ 0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38772G	71.11	74.00	-2.89	38.47	3	Vertical	-0	2.19	87	28.25	4.39	-
AV	2.38804G	51.99	54.00	-2.01	19.35	3	Vertical	-0	2.19	87	28.25	4.39	-
PK	2.44308G	119.42	Inf	-Inf	86.70	3	Vertical	-0	2.19	87	28.30	4.42	-
AV	2.44324G	110.00	Inf	-Inf	77.28	3	Vertical	-0	2.19	87	28.30	4.42	-
PK	2.48724G	70.45	74.00	-3.55	37.56	3	Vertical	-0	2.19	87	28.45	4.44	-
AV	2.4835G	53.39	54.00	-0.61	20.52	3	Vertical	-0	2.19	87	28.43	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 87
87
1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.37892G	71.02	74.00	-2.98	38.42	3	Horizontal	-0	2.38	87	28.22	4.38	-
AV	2.389G	51.71	54.00	-2.29	19.06	3	Horizontal	-0	2.38	87	28.26	4.39	-
PK	2.4434G	118.52	Inf	-Inf	85.80	3	Horizontal	-0	2.38	87	28.30	4.42	-
AV	2.43828G	108.77	Inf	-Inf	76.05	3	Horizontal	-0	2.38	87	28.30	4.42	-
PK	2.4835G	68.98	74.00	-5.02	36.11	3	Horizontal	-0	2.38	87	28.43	4.44	-
AV	2.4835G	52.69	54.00	-1.31	19.82	3	Horizontal	-0	2.38	87	28.43	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87312G	47.24	74.00	-26.76	41.95	3	Vertical	300	1.80	87	33.59	7.10	35.40
AV	4.87372G	34.51	54.00	-19.49	29.22	3	Vertical	300	1.80	87	33.59	7.10	35.40
PK	7.31496G	54.02	74.00	-19.98	44.23	3	Vertical	336	1.88	87	36.93	8.43	35.57
AV	7.31512G	40.33	54.00	-13.67	30.54	3	Vertical	336	1.88	87	36.93	8.43	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87752G	48.01	74.00	-25.99	42.69	3	Horizontal	333	1.80	87	33.61	7.10	35.39
AV	4.87412G	34.29	54.00	-19.71	28.99	3	Horizontal	333	1.80	87	33.60	7.10	35.40
PK	7.30984G	52.30	74.00	-21.70	42.53	3	Horizontal	295	1.15	87	36.92	8.42	35.57
AV	7.31056G	39.43	54.00	-14.57	29.66	3	Horizontal	295	1.15	87	36.92	8.42	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
SET 80
80\108\94\87\84\83\82\81\80
0.78\ -39.96\ -11.96\ -6.77\ -3.54\ -2.88\ -1.14\ -0.10\ 0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4532G	117.82	Inf	-Inf	85.08	3	Vertical	0	2.38	80	28.31	4.43	-
AV	2.4586G	108.22	Inf	-Inf	75.46	3	Vertical	0	2.38	80	28.33	4.43	-
PK	2.4836G	64.72	74.00	-9.28	31.85	3	Vertical	0	2.38	80	28.43	4.44	-
AV	2.4835G	53.37	54.00	-0.63	20.50	3	Vertical	0	2.38	80	28.43	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
SET 80
80
0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4632G	116.67	Inf	-Inf	83.89	3	Horizontal	0	2.32	80	28.35	4.43	-	
AV	2.4583G	107.25	Inf	-Inf	74.49	3	Horizontal	0	2.32	80	28.33	4.43	-	
PK	2.4841G	64.74	74.00	-9.26	31.86	3	Horizontal	0	2.32	80	28.44	4.44	-	
AV	2.4837G	53.20	54.00	-0.80	20.33	3	Horizontal	0	2.32	80	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 77
80\42\61\70\74\76\77
-2.80\7.08\4.74\3.27\1.99\1.32\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4632G	117.85	Inf	-Inf	85.07	3	Vertical	2	2.03	77	28.35	4.43	-	
AV	2.4633G	107.71	Inf	-Inf	74.93	3	Vertical	2	2.03	77	28.35	4.43	-	
PK	2.4837G	65.16	74.00	-8.84	32.29	3	Vertical	2	2.03	77	28.43	4.44	-	
AV	2.4835G	53.58	54.00	-0.42	20.71	3	Vertical	2	2.03	77	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 77
77
1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4684G	116.04	Inf	-Inf	83.24	3	Horizontal	-0	2.10	77	28.37	4.43	-	
AV	2.4632G	106.64	Inf	-Inf	73.86	3	Horizontal	-0	2.10	77	28.35	4.43	-	
PK	2.4835G	64.08	74.00	-9.92	31.21	3	Horizontal	-0	2.10	77	28.43	4.44	-	
AV	2.4836G	52.70	54.00	-1.30	19.83	3	Horizontal	-0	2.10	77	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93848G	46.99	74.00	-27.01	41.47	3	Vertical	42	2.17	77	33.78	7.10	35.36
AV	4.92648G	33.35	54.00	-20.65	27.87	3	Vertical	42	2.17	77	33.75	7.10	35.37
PK	7.39328G	51.95	74.00	-22.05	41.95	3	Vertical	344	2.10	77	37.00	8.59	35.59
AV	7.39604G	39.08	54.00	-14.92	29.08	3	Vertical	344	2.10	77	37.00	8.59	35.59

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90648G	46.63	74.00	-27.37	41.20	3	Horizontal	254	1.80	77	33.71	7.10	35.38
AV	4.93668G	33.39	54.00	-20.61	27.88	3	Horizontal	254	1.80	77	33.77	7.10	35.36
PK	7.39692G	52.35	74.00	-21.65	42.35	3	Horizontal	357	1.81	77	37.00	8.59	35.59
AV	7.40528G	39.00	54.00	-15.00	29.01	3	Horizontal	357	1.81	77	36.99	8.60	35.60

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 74
77\73\75\74
-2.63\0.80\0.38\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	64.59	74.00	-9.41	31.94	3	Vertical	1	2.09	74	28.26	4.39	-	
AV	2.3898G	53.93	54.00	-0.07	21.28	3	Vertical	1	2.09	74	28.26	4.39	-	
PK	2.4126G	115.16	Inf	-Inf	82.45	3	Vertical	1	2.09	74	28.30	4.41	-	
AV	2.4074G	104.16	Inf	-Inf	71.46	3	Vertical	1	2.09	74	28.30	4.40	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 74
74
0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3895G	64.27	74.00	-9.73	31.62	3	Horizontal	4	2.45	74	28.26	4.39	-	
AV	2.39G	53.34	54.00	-0.66	20.69	3	Horizontal	4	2.45	74	28.26	4.39	-	
PK	2.4107G	114.60	Inf	-Inf	81.89	3	Horizontal	4	2.45	74	28.30	4.41	-	
AV	2.4159G	102.99	Inf	-Inf	70.28	3	Horizontal	4	2.45	74	28.30	4.41	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82264G	46.72	74.00	-27.28	41.70	3	Vertical	349	2.77	74	33.34	7.10	35.42
AV	4.83996G	33.38	54.00	-20.62	28.25	3	Vertical	349	2.77	74	33.44	7.10	35.41

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83056G	46.78	74.00	-27.22	41.72	3	Horizontal	69	2.95	74	33.38	7.10	35.42
AV	4.83984G	33.32	54.00	-20.68	28.19	3	Horizontal	69	2.95	74	33.44	7.10	35.41

802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
SET 80
81\77\79\80
-0.41\2.49\1.25\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	67.04	74.00	-6.96	34.39	3	Vertical	1	1.80	80	28.26	4.39	-
AV	2.3899G	53.95	54.00	-0.05	21.30	3	Vertical	1	1.80	80	28.26	4.39	-
PK	2.4227G	117.13	Inf	-Inf	84.42	3	Vertical	1	1.80	80	28.30	4.41	-
AV	2.4149G	105.69	Inf	-Inf	72.98	3	Vertical	1	1.80	80	28.30	4.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT Y_2TX
SET 80
80
1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	64.09	74.00	-9.91	31.44	3	Horizontal	7	1.79	80	28.26	4.39	-	
AV	2.39G	52.94	54.00	-1.06	20.29	3	Horizontal	7	1.79	80	28.26	4.39	-	
PK	2.4181G	117.39	Inf	-Inf	84.68	3	Horizontal	7	1.79	80	28.30	4.41	-	
AV	2.4154G	104.35	Inf	-Inf	71.64	3	Horizontal	7	1.79	80	28.30	4.41	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 84
88\84
-1.83\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	69.59	74.00	-4.41	36.94	3	Vertical	-0	2.21	84	28.26	4.39	-
AV	2.38964G	52.58	54.00	-1.42	19.93	3	Vertical	-0	2.21	84	28.26	4.39	-
PK	2.43652G	119.15	Inf	-Inf	86.43	3	Vertical	-0	2.21	84	28.30	4.42	-
AV	2.44148G	107.37	Inf	-Inf	74.65	3	Vertical	-0	2.21	84	28.30	4.42	-
PK	2.48468G	71.37	74.00	-2.63	38.49	3	Vertical	-0	2.21	84	28.44	4.44	-
AV	2.4835G	53.70	54.00	-0.30	20.83	3	Vertical	-0	2.21	84	28.43	4.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 84
84
1.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38996G	67.09	74.00	-6.91	34.44	3	Horizontal	6	2.39	84	28.26	4.39	-
AV	2.38948G	52.12	54.00	-1.88	19.47	3	Horizontal	6	2.39	84	28.26	4.39	-
PK	2.44116G	117.53	Inf	-Inf	84.81	3	Horizontal	6	2.39	84	28.30	4.42	-
AV	2.44068G	105.74	Inf	-Inf	73.02	3	Horizontal	6	2.39	84	28.30	4.42	-
PK	2.4835G	65.80	74.00	-8.20	32.93	3	Horizontal	6	2.39	84	28.43	4.44	-
AV	2.48372G	52.05	54.00	-1.95	19.18	3	Horizontal	6	2.39	84	28.43	4.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88968G	46.93	74.00	-27.07	41.56	3	Vertical	1	1.80	84	33.66	7.10	35.39
AV	4.88216G	33.73	54.00	-20.27	28.39	3	Vertical	1	1.80	84	33.63	7.10	35.39
PK	7.3278G	52.59	74.00	-21.41	42.75	3	Vertical	335	1.79	84	36.96	8.46	35.58
AV	7.31744G	39.14	54.00	-14.86	29.35	3	Vertical	335	1.79	84	36.93	8.43	35.57

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89112G	46.76	74.00	-27.24	41.39	3	Horizontal	198	1.80	84	33.66	7.10	35.39
AV	4.88304G	33.54	54.00	-20.46	28.20	3	Horizontal	198	1.80	84	33.63	7.10	35.39
PK	7.31756G	52.51	74.00	-21.49	42.70	3	Horizontal	297	1.81	84	36.94	8.44	35.57
AV	7.3136G	38.99	54.00	-15.01	29.20	3	Horizontal	297	1.81	84	36.93	8.43	35.57

802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
SET 80
80\84\82\81\80
1.40\3.13\1.22\0.21\1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4554G	117.69	Inf	-Inf	84.94	3	Vertical	4	2.01	80	28.32	4.43	-
AV	2.4553G	105.92	Inf	-Inf	73.17	3	Vertical	4	2.01	80	28.32	4.43	-
PK	2.4839G	63.61	74.00	-10.39	30.73	3	Vertical	4	2.01	80	28.44	4.44	-
AV	2.4837G	52.95	54.00	-1.05	20.08	3	Vertical	4	2.01	80	28.43	4.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
SET 80
80
2.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4634G	115.93	Inf	-Inf	83.15	3	Horizontal	3	2.12	80	28.35	4.43	-	
AV	2.4604G	104.62	Inf	-Inf	71.85	3	Horizontal	3	2.12	80	28.34	4.43	-	
PK	2.4839G	62.31	74.00	-11.69	29.43	3	Horizontal	3	2.12	80	28.44	4.44	-	
AV	2.4836G	51.93	54.00	-2.07	19.06	3	Horizontal	3	2.12	80	28.43	4.44	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
SET 80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	

802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
SET 80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 78
77\81\79\78
0.93\4.50\0.12\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4647G	116.76	Inf	-Inf	83.97	3	Vertical	2	2.02	78	28.36	4.43	-
AV	2.4599G	105.69	Inf	-Inf	72.92	3	Vertical	2	2.02	78	28.34	4.43	-
PK	2.4845G	65.98	74.00	-8.02	33.10	3	Vertical	2	2.02	78	28.44	4.44	-
AV	2.4838G	53.95	54.00	-0.05	21.07	3	Vertical	2	2.02	78	28.44	4.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 78
78
1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4628G	115.90	Inf	-Inf	83.12	3	Horizontal	1	2.60	78	28.35	4.43	-	
AV	2.4655G	104.53	Inf	-Inf	71.74	3	Horizontal	1	2.60	78	28.36	4.43	-	
PK	2.4852G	63.96	74.00	-10.04	31.08	3	Horizontal	1	2.60	78	28.44	4.44	-	
AV	2.4835G	52.89	54.00	-1.11	20.02	3	Horizontal	1	2.60	78	28.43	4.44	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90976G	46.41	74.00	-27.59	40.97	3	Vertical	360	1.80	78	33.72	7.10	35.38
AV	4.93564G	33.41	54.00	-20.59	27.90	3	Vertical	360	1.80	78	33.77	7.10	35.36
PK	7.39984G	52.17	74.00	-21.83	42.16	3	Vertical	32	1.71	78	37.00	8.60	35.59
AV	7.38788G	39.21	54.00	-14.79	29.22	3	Vertical	32	1.71	78	37.00	8.58	35.59

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX



EUT Y_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9276G	46.47	74.00	-27.53	40.98	3	Horizontal	230	2.08	78	33.76	7.10	35.37
AV	4.94316G	33.57	54.00	-20.43	28.04	3	Horizontal	230	2.08	78	33.79	7.10	35.36
PK	7.38884G	52.35	74.00	-21.65	42.36	3	Horizontal	302	1.93	78	37.00	8.58	35.59
AV	7.39744G	39.12	54.00	-14.88	29.12	3	Horizontal	302	1.93	78	37.00	8.59	35.59




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	360	1.91	84

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 84
80\108\94\87\84\85\84
1.67\ -46.58\ -10.70\ -3.96\ 0.79\ -1.05\ 0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3843G	64.85	74.00	-9.15	32.23	3	Vertical	360	1.82	84	28.24	4.38	-
AV	2.387G	53.30	54.00	-0.70	20.66	3	Vertical	360	1.82	84	28.25	4.39	-
PK	2.413G	123.57	Inf	-Inf	90.86	3	Vertical	360	1.82	84	28.30	4.41	-
AV	2.4113G	119.73	Inf	-Inf	87.02	3	Vertical	360	1.82	84	28.30	4.41	-

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 84
84
3.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	63.54	74.00	-10.46	30.89	3	Horizontal	2	1.98	84	28.26	4.39	-	
AV	2.3848G	50.72	54.00	-3.28	18.10	3	Horizontal	2	1.98	84	28.24	4.38	-	
PK	2.413G	116.16	Inf	-Inf	83.45	3	Horizontal	2	1.98	84	28.30	4.41	-	
AV	2.4112G	112.23	Inf	-Inf	79.52	3	Horizontal	2	1.98	84	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT Y_4TX
SET 84
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.824G	48.30	74.00	-25.70	43.28	3	Vertical	347	1.17	84	33.34	7.10	35.42
AV	4.824G	40.80	54.00	-13.20	35.78	3	Vertical	347	1.17	84	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT Y_4TX
SET 84
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82404G	47.85	74.00	-26.15	42.83	3	Horizontal	332	1.67	84	33.34	7.10	35.42
AV	4.82396G	39.95	54.00	-14.05	34.93	3	Horizontal	332	1.67	84	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT Y_4TX
SET 86
80\108\94\87\84\85\86
2.65\ -45.89\ -7.65\ -0.58\ 1.61\ 1.24\ 0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	64.02	74.00	-9.98	31.37	3	Vertical	0	1.85	86	28.26	4.39	-
AV	2.39G	53.42	54.00	-0.58	20.77	3	Vertical	0	1.85	86	28.26	4.39	-
PK	2.4161G	124.09	Inf	-Inf	91.38	3	Vertical	0	1.85	86	28.30	4.41	-
AV	2.4177G	120.16	Inf	-Inf	87.45	3	Vertical	0	1.85	86	28.30	4.41	-

802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 86
86
2.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3753G	63.45	74.00	-10.55	30.87	3	Horizontal	4	1.53	86	28.20	4.38	-	
AV	2.3899G	51.04	54.00	-2.96	18.39	3	Horizontal	4	1.53	86	28.26	4.39	-	
PK	2.418G	116.75	Inf	-Inf	84.04	3	Horizontal	4	1.53	86	28.30	4.41	-	
AV	2.4162G	112.81	Inf	-Inf	80.10	3	Horizontal	4	1.53	86	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 98
80\108\94\101\98\99\98
4.12\ -32.84\2.14\ -5.60\0.71\ -0.41\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38756G	65.05	74.00	-8.95	32.41	3	Vertical	360	1.80	98	28.25	4.39	-
AV	2.38804G	52.93	54.00	-1.07	20.29	3	Vertical	360	1.80	98	28.25	4.39	-
PK	2.43604G	125.22	Inf	-Inf	92.50	3	Vertical	360	1.80	98	28.30	4.42	-
AV	2.43636G	121.13	Inf	-Inf	88.41	3	Vertical	360	1.80	98	28.30	4.42	-
PK	2.48788G	64.85	74.00	-9.15	31.96	3	Vertical	360	1.80	98	28.45	4.44	-
AV	2.48404G	53.23	54.00	-0.77	20.35	3	Vertical	360	1.80	98	28.44	4.44	-

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 98
98
1.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.36388G	63.29	74.00	-10.71	30.77	3	Horizontal	-0	2.14	98	28.16	4.36	-
AV	2.38532G	51.71	54.00	-2.29	19.08	3	Horizontal	-0	2.14	98	28.24	4.39	-
PK	2.43604G	118.85	Inf	-Inf	86.13	3	Horizontal	-0	2.14	98	28.30	4.42	-
AV	2.4362G	115.06	Inf	-Inf	82.34	3	Horizontal	-0	2.14	98	28.30	4.42	-
PK	2.48996G	63.84	74.00	-10.16	30.94	3	Horizontal	-0	2.14	98	28.46	4.44	-
AV	2.48388G	52.04	54.00	-1.96	19.16	3	Horizontal	-0	2.14	98	28.44	4.44	-

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 98
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87384G	50.36	74.00	-23.64	45.06	3	Vertical	296	1.88	98	33.60	7.10	35.40
AV	4.874G	42.93	54.00	-11.07	37.63	3	Vertical	296	1.88	98	33.60	7.10	35.40
PK	7.31192G	57.59	74.00	-16.41	47.82	3	Vertical	335	1.80	98	36.92	8.42	35.57
AV	7.31168G	50.85	54.00	-3.15	41.08	3	Vertical	335	1.80	98	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 98
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87376G	50.25	74.00	-23.75	44.95	3	Horizontal	332	1.80	98	33.60	7.10	35.40
AV	4.87396G	43.65	54.00	-10.35	38.35	3	Horizontal	332	1.80	98	33.60	7.10	35.40
PK	7.312G	57.03	74.00	-16.97	47.26	3	Horizontal	300	1.81	98	36.92	8.42	35.57
AV	7.31024G	49.81	54.00	-4.19	40.04	3	Horizontal	300	1.81	98	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 90
80\108\94\87\90\91\90
4.46\ -40.72\ -3.62\ 3.92\ 1.10\ -1.09\ 1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4561G	119.00	Inf	-Inf	86.25	3	Vertical	14	2.15	90	28.32	4.43	-	
AV	2.4562G	115.25	Inf	-Inf	82.50	3	Vertical	14	2.15	90	28.32	4.43	-	
PK	2.4836G	63.06	74.00	-10.94	30.19	3	Vertical	14	2.15	90	28.43	4.44	-	
AV	2.4837G	52.88	54.00	-1.12	20.01	3	Vertical	14	2.15	90	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 86
90\60\75\82\85\86\87\86
-5.04\5.98\4.17\2.96\2.22\1.33\0.19\1.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4561G	123.16	Inf	-Inf	90.41	3	Horizontal	1	2.37	86	28.32	4.43	-
AV	2.4563G	119.41	Inf	-Inf	86.65	3	Horizontal	1	2.37	86	28.33	4.43	-
PK	2.4838G	63.98	74.00	-10.02	31.10	3	Horizontal	1	2.37	86	28.44	4.44	-
AV	2.4835G	52.56	54.00	-1.44	19.69	3	Horizontal	1	2.37	86	28.43	4.44	-

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 84
80\108\94\87\84
0.78\ -47.95\ -13.85\ -3.57\ 0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	123.80	Inf	-Inf	91.02	3	Vertical	360	1.91	84	28.35	4.43	-	
AV	2.4627G	119.78	Inf	-Inf	87.00	3	Vertical	360	1.91	84	28.35	4.43	-	
PK	2.4854G	65.94	74.00	-8.06	33.06	3	Vertical	360	1.91	84	28.44	4.44	-	
AV	2.4835G	53.97	54.00	-0.03	21.10	3	Vertical	360	1.91	84	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 84
84
2.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	118.13	Inf	-Inf	85.35	3	Horizontal	360	1.91	84	28.35	4.43	-	
AV	2.4613G	114.13	Inf	-Inf	81.35	3	Horizontal	360	1.91	84	28.35	4.43	-	
PK	2.4876G	62.74	74.00	-11.26	29.85	3	Horizontal	360	1.91	84	28.45	4.44	-	
AV	2.4835G	51.21	54.00	-2.79	18.34	3	Horizontal	360	1.91	84	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT Y_4TX
SET 84
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92408G	48.61	74.00	-25.39	43.13	3	Vertical	156	1.39	84	33.75	7.10	35.37	
AV	4.924G	41.51	54.00	-12.49	36.03	3	Vertical	156	1.39	84	33.75	7.10	35.37	
PK	7.38508G	54.12	74.00	-19.88	44.14	3	Vertical	330	1.80	84	37.00	8.57	35.59	
AV	7.38684G	44.01	54.00	-9.99	34.03	3	Vertical	330	1.80	84	37.00	8.57	35.59	

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 84
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92384G	46.93	74.00	-27.07	41.45	3	Horizontal	47	1.77	84	33.75	7.10	35.37
AV	4.924G	36.96	54.00	-17.04	31.48	3	Horizontal	47	1.77	84	33.75	7.10	35.37
PK	7.3882G	54.21	74.00	-19.79	44.22	3	Horizontal	353	1.78	84	37.00	8.58	35.59
AV	7.38728G	44.09	54.00	-9.91	34.11	3	Horizontal	353	1.78	84	37.00	8.57	35.59

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 74
80\42\61\70\74
-4.60\6.98\4.34\1.91\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	64.34	74.00	-9.66	31.69	3	Vertical	360	1.84	74	28.26	4.39	-	
AV	2.39G	53.68	54.00	-0.32	21.03	3	Vertical	360	1.84	74	28.26	4.39	-	
PK	2.4132G	121.69	Inf	-Inf	88.98	3	Vertical	360	1.84	74	28.30	4.41	-	
AV	2.4136G	111.68	Inf	-Inf	78.97	3	Vertical	360	1.84	74	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 73
74\44\59\66\69\70\71\72\73
-0.43\7.10\4.56\2.90\2.12\1.64\1.46\0.75\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3899G	67.34	74.00	-6.66	34.69	3	Horizontal	1	1.96	73	28.26	4.39	-	
AV	2.39G	53.83	54.00	-0.17	21.18	3	Horizontal	1	1.96	73	28.26	4.39	-	
PK	2.4177G	118.04	Inf	-Inf	85.33	3	Horizontal	1	1.96	73	28.30	4.41	-	
AV	2.418G	108.38	Inf	-Inf	75.67	3	Horizontal	1	1.96	73	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 73
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82564G	46.55	74.00	-27.45	41.52	3	Vertical	48	1.80	73	33.35	7.10	35.42
AV	4.83836G	33.58	54.00	-20.42	28.46	3	Vertical	48	1.80	73	33.43	7.10	35.41

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 73
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.806G	46.61	74.00	-27.39	41.70	3	Horizontal	152	1.89	73	33.24	7.10	35.43
AV	4.8046G	33.39	54.00	-20.61	28.49	3	Horizontal	152	1.89	73	33.23	7.10	35.43

802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 83
80\108\94\87\84\83
2.09\ -38.76\ -9.97\ -3.01\ -0.50\ 0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38G	68.56	74.00	-5.44	35.96	3	Vertical	360	1.85	83	28.22	4.38	-
AV	2.3859G	53.65	54.00	-0.35	21.02	3	Vertical	360	1.85	83	28.24	4.39	-
PK	2.4188G	123.47	Inf	-Inf	90.76	3	Vertical	360	1.85	83	28.30	4.41	-
AV	2.4181G	113.95	Inf	-Inf	81.24	3	Vertical	360	1.85	83	28.30	4.41	-

802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 79
83\53\68\75\78\79
-4.13\6.58\4.08\2.24\0.84\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	66.78	74.00	-7.22	34.13	3	Horizontal	1	2.78	79	28.26	4.39	-
AV	2.389G	53.67	54.00	-0.33	21.02	3	Horizontal	1	2.78	79	28.26	4.39	-
PK	2.4097G	119.03	Inf	-Inf	86.33	3	Horizontal	1	2.78	79	28.30	4.40	-
AV	2.4094G	109.63	Inf	-Inf	76.93	3	Horizontal	1	2.78	79	28.30	4.40	-

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 89
80\108\94\87\90\89
3.70\ -29.74\ -3.25\ 1.41\ -2.58\ 0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38612G	70.00	74.00	-4.00	37.37	3	Vertical	360	1.80	89	28.24	4.39	-
AV	2.37828G	53.72	54.00	-0.28	21.13	3	Vertical	360	1.80	89	28.21	4.38	-
PK	2.4378G	123.86	Inf	-Inf	91.14	3	Vertical	360	1.80	89	28.30	4.42	-
AV	2.43828G	114.61	Inf	-Inf	81.89	3	Vertical	360	1.80	89	28.30	4.42	-
PK	2.49796G	72.84	74.00	-1.16	39.90	3	Vertical	360	1.80	89	28.49	4.45	-
AV	2.48628G	53.35	54.00	-0.65	20.46	3	Vertical	360	1.80	89	28.45	4.44	-

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 86
89\59\74\81\84\85\86
-1.77\6.73\5.10\3.00\1.29\0.85\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.381G	71.35	74.00	-2.65	38.75	3	Horizontal	-0	1.92	86	28.22	4.38	-
AV	2.38276G	52.82	54.00	-1.18	20.21	3	Horizontal	-0	1.92	86	28.23	4.38	-
PK	2.44292G	121.42	Inf	-Inf	88.70	3	Horizontal	-0	1.92	86	28.30	4.42	-
AV	2.44324G	111.80	Inf	-Inf	79.08	3	Horizontal	-0	1.92	86	28.30	4.42	-
PK	2.4835G	72.26	74.00	-1.74	39.39	3	Horizontal	-0	1.92	86	28.43	4.44	-
AV	2.48372G	53.75	54.00	-0.25	20.88	3	Horizontal	-0	1.92	86	28.43	4.44	-

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT Y_4TX
SET 86
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87028G	48.86	74.00	-25.14	43.58	3	Vertical	294	1.95	86	33.58	7.10	35.40	
AV	4.8718G	35.79	54.00	-18.21	30.50	3	Vertical	294	1.95	86	33.59	7.10	35.40	
PK	7.3282G	54.31	74.00	-19.69	44.47	3	Vertical	332	1.88	86	36.96	8.46	35.58	
AV	7.30892G	41.07	54.00	-12.93	31.30	3	Vertical	332	1.88	86	36.92	8.42	35.57	

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT Y_4TX
SET 86
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87244G	47.99	74.00	-26.01	42.70	3	Horizontal	331	1.80	86	33.59	7.10	35.40
AV	4.87188G	35.50	54.00	-18.50	30.21	3	Horizontal	331	1.80	86	33.59	7.10	35.40
PK	7.309G	53.75	74.00	-20.25	43.98	3	Horizontal	297	1.78	86	36.92	8.42	35.57
AV	7.31896G	40.78	54.00	-13.22	30.97	3	Horizontal	297	1.78	86	36.94	8.44	35.57

802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 83
80\108\94\87\84\83
2.07\ -38.30\ -9.24\ -2.65\ -0.17\ 0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4589G	123.07	Inf	-Inf	90.30	3	Vertical	-0	1.92	83	28.34	4.43	-
AV	2.4584G	114.03	Inf	-Inf	81.27	3	Vertical	-0	1.92	83	28.33	4.43	-
PK	2.4851G	66.48	74.00	-7.52	33.60	3	Vertical	-0	1.92	83	28.44	4.44	-
AV	2.4838G	53.61	54.00	-0.39	20.73	3	Vertical	-0	1.92	83	28.44	4.44	-

802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 80
83\53\68\75\78\79\80\81\80
-2.06\6.38\5.21\3.70\2.28\1.60\1.03\0.23\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4495G	119.82	Inf	-Inf	87.10	3	Horizontal	2	2.95	80	28.30	4.42	-	
AV	2.4493G	110.16	Inf	-Inf	77.44	3	Horizontal	2	2.95	80	28.30	4.42	-	
PK	2.4891G	66.69	74.00	-7.31	33.79	3	Horizontal	2	2.95	80	28.46	4.44	-	
AV	2.4879G	52.89	54.00	-1.11	20.00	3	Horizontal	2	2.95	80	28.45	4.44	-	

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 70
80\42\61\70
-9.50\6.06\2.71\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4637G	120.14	Inf	-Inf	87.36	3	Vertical	-0	1.80	70	28.35	4.43	-
AV	2.4637G	110.79	Inf	-Inf	78.01	3	Vertical	-0	1.80	70	28.35	4.43	-
PK	2.484G	66.48	74.00	-7.52	33.60	3	Vertical	-0	1.80	70	28.44	4.44	-
AV	2.4835G	53.97	54.00	-0.03	21.10	3	Vertical	-0	1.80	70	28.43	4.44	-

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 70
70
4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4544G	117.63	Inf	-Inf	84.88	3	Horizontal	5	2.87	70	28.32	4.43	-	
AV	2.4547G	108.01	Inf	-Inf	75.26	3	Horizontal	5	2.87	70	28.32	4.43	-	
PK	2.4926G	61.38	74.00	-12.62	28.46	3	Horizontal	5	2.87	70	28.47	4.45	-	
AV	2.4835G	49.40	54.00	-4.60	16.53	3	Horizontal	5	2.87	70	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 70
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93896G	47.04	74.00	-26.96	41.52	3	Vertical	137	1.80	70	33.78	7.10	35.36	
AV	4.9378G	33.85	54.00	-20.15	28.33	3	Vertical	137	1.80	70	33.78	7.10	35.36	
PK	7.3842G	53.18	74.00	-20.82	43.20	3	Vertical	360	1.81	70	37.00	8.57	35.59	
AV	7.39972G	39.54	54.00	-14.46	29.53	3	Vertical	360	1.81	70	37.00	8.60	35.59	

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 70
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.90724G	46.53	74.00	-27.47	41.10	3	Horizontal	40	1.80	70	33.71	7.10	35.38	
AV	4.93772G	33.94	54.00	-20.06	28.42	3	Horizontal	40	1.80	70	33.78	7.10	35.36	
PK	7.39508G	52.32	74.00	-21.68	42.32	3	Horizontal	182	2.29	70	37.00	8.59	35.59	
AV	7.39176G	39.31	54.00	-14.69	29.32	3	Horizontal	182	2.29	70	37.00	8.58	35.59	

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 71
73\69\71
-0.75\1.40\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3874G	67.08	74.00	-6.92	34.44	3	Vertical	-0	1.80	71	28.25	4.39	-	
AV	2.3873G	53.64	54.00	-0.36	21.00	3	Vertical	-0	1.80	71	28.25	4.39	-	
PK	2.4175G	121.31	Inf	-Inf	88.60	3	Vertical	-0	1.80	71	28.30	4.41	-	
AV	2.4173G	107.64	Inf	-Inf	74.93	3	Vertical	-0	1.80	71	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 69
71\41\56\63\66\67\68\69
-1.05\7.38\4.59\2.56\1.52\1.05\0.68\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	66.30	74.00	-7.70	33.65	3	Horizontal	0	1.96	69	28.26	4.39	-	
AV	2.3897G	53.80	54.00	-0.20	21.15	3	Horizontal	0	1.96	69	28.26	4.39	-	
PK	2.4149G	120.05	Inf	-Inf	87.34	3	Horizontal	0	1.96	69	28.30	4.41	-	
AV	2.4099G	106.73	Inf	-Inf	74.03	3	Horizontal	0	1.96	69	28.30	4.40	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 69
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81028G	46.35	74.00	-27.65	41.42	3	Vertical	360	1.05	69	33.26	7.10	35.43
AV	4.83812G	33.84	54.00	-20.16	28.72	3	Vertical	360	1.05	69	33.43	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 69
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82644G	46.66	74.00	-27.34	41.62	3	Horizontal	-0	1.80	69	33.36	7.10	35.42
AV	4.83416G	33.65	54.00	-20.35	28.57	3	Horizontal	-0	1.80	69	33.40	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
SET 79
79\83\81\80\79
0.55\ -3.08\ -0.85\ -0.12\ 0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3871G	65.13	74.00	-8.87	32.49	3	Vertical	-0	1.94	79	28.25	4.39	-	
AV	2.3872G	53.42	54.00	-0.58	20.78	3	Vertical	-0	1.94	79	28.25	4.39	-	
PK	2.4177G	121.94	Inf	-Inf	89.23	3	Vertical	-0	1.94	79	28.30	4.41	-	
AV	2.4123G	109.31	Inf	-Inf	76.60	3	Vertical	-0	1.94	79	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2417MHz_TX



EUT_Y_4TX
SET 77
79\49\64\71\74\75\76\77
-0.98\7.43\4.94\3.03\2.01\1.47\0.92\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3895G	67.81	74.00	-6.19	35.16	3	Horizontal	-0	1.94	77	28.26	4.39	-
AV	2.3899G	53.78	54.00	-0.22	21.13	3	Horizontal	-0	1.94	77	28.26	4.39	-
PK	2.4199G	121.83	Inf	-Inf	89.12	3	Horizontal	-0	1.94	77	28.30	4.41	-
AV	2.4149G	108.49	Inf	-Inf	75.78	3	Horizontal	-0	1.94	77	28.30	4.41	-