


802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT X_1TX
SET 98
80\98\107\102\99\97\98
4.70\0.60\5.79\2.09\0.24\0.68\0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.85	74.00	-8.15	58.35	3	Vertical	5	2.95	98	33.70	6.46	32.66
AV	5.4588G	53.49	54.00	-0.51	45.99	3	Vertical	5	2.95	98	33.70	6.46	32.66
PK	5.4696G	67.60	68.20	-0.60	60.08	3	Vertical	5	2.95	98	33.70	6.47	32.65
PK	5.5472G	113.09	Inf	-Inf	105.31	3	Vertical	5	2.95	98	33.89	6.55	32.66
AV	5.5396G	101.45	Inf	-Inf	93.71	3	Vertical	5	2.95	98	33.86	6.54	32.66
PK	5.7284G	61.46	68.20	-6.74	53.36	3	Vertical	5	2.95	98	34.23	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT X_1TX
SET 87
98\80\89\84\87\88\87
-3.67\3.31\0.33\2.59\0.89\0.14\1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.81	74.00	-8.19	58.31	3	Horizontal	315	1.78	87	33.70	6.46	32.66
AV	5.4596G	52.59	54.00	-1.41	45.09	3	Horizontal	315	1.78	87	33.70	6.46	32.66
PK	5.468G	67.06	68.20	-1.14	59.54	3	Horizontal	315	1.78	87	33.70	6.47	32.65
PK	5.5444G	116.67	Inf	-Inf	108.91	3	Horizontal	315	1.78	87	33.88	6.54	32.66
AV	5.5436G	104.95	Inf	-Inf	97.20	3	Horizontal	315	1.78	87	33.87	6.54	32.66
PK	5.7452G	61.12	68.20	-7.08	52.90	3	Horizontal	315	1.78	87	34.36	6.60	32.74

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX


EUT X_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.08864G	57.59	74.00	-16.41	42.40	3	Vertical	360	2.36	87	38.41	8.77	31.99	
AV	11.10104G	44.22	54.00	-9.78	29.02	3	Vertical	360	2.36	87	38.40	8.78	31.98	
PK	16.62152G	68.00	68.20	-0.20	46.14	3	Vertical	8	1.35	87	40.32	10.69	29.15	

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT X_1TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10056G	58.22	74.00	-15.78	43.02	3	Horizontal	314	2.95	87	38.40	8.78	31.98
AV	11.09536G	44.76	54.00	-9.24	29.57	3	Horizontal	314	2.95	87	38.40	8.77	31.98
PK	16.63496G	67.72	68.20	-0.48	45.87	3	Horizontal	290	2.90	75	40.33	10.69	29.17

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT X_1TX
SET 80
80
0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65672G	108.33	Inf	-Inf	100.34	3	Vertical	360	2.95	80	34.09	6.60	32.70
AV	5.66168G	96.17	Inf	-Inf	88.19	3	Vertical	360	2.95	80	34.08	6.60	32.70
PK	5.726G	67.75	68.20	-0.45	59.67	3	Vertical	360	2.95	80	34.21	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_X_1TX
SET 73
80\62\71\76\73\75\74\73
-3.79\4.98\0.78\0.55\1.32\0.31\0.10\1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66152G	111.88	Inf	-Inf	103.90	3	Horizontal	287	1.74	73	34.08	6.60	32.70
AV	5.66168G	99.78	Inf	-Inf	91.80	3	Horizontal	287	1.74	73	34.08	6.60	32.70
PK	5.73336G	66.69	68.20	-1.51	58.55	3	Horizontal	287	1.74	73	34.27	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT X_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3544G	56.16	74.00	-17.84	40.75	3	Vertical	285	1.80	73	38.40	8.84	31.83	
AV	11.31088G	43.51	54.00	-10.49	28.13	3	Vertical	285	1.80	73	38.40	8.83	31.85	
PK	16.97648G	67.50	68.20	-0.70	45.40	3	Vertical	88	1.80	73	41.08	10.79	29.77	

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT X_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.30136G	56.30	74.00	-17.70	40.93	3	Horizontal	161	1.80	73	38.40	8.83	31.86	
AV	11.31064G	43.38	54.00	-10.62	28.00	3	Horizontal	161	1.80	73	38.40	8.83	31.85	
PK	17.04368G	67.31	68.20	-0.89	45.15	3	Horizontal	292	1.80	73	41.23	10.81	29.88	

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 108
80\98\107\108
5.13\4.87\2.64\2.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	61.31	74.00	-12.69	53.81	3	Vertical	8	2.95	108	33.70	6.46	32.66
AV	5.45936G	49.47	54.00	-4.53	41.97	3	Vertical	8	2.95	108	33.70	6.46	32.66
PK	5.46612G	61.54	68.20	-6.66	54.02	3	Vertical	8	2.95	108	33.70	6.47	32.65
PK	5.723G	114.50	Inf	-Inf	106.45	3	Vertical	8	2.95	108	34.18	6.60	32.73
AV	5.71208G	102.76	Inf	-Inf	94.78	3	Vertical	8	2.95	108	34.10	6.60	32.72
PK	5.85404G	65.47	68.20	-2.73	56.84	3	Vertical	8	2.95	108	34.81	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 108
108
3.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45312G	61.08	74.00	-12.92	53.59	3	Horizontal	320	1.90	108	33.70	6.45	32.66
AV	5.4526G	50.12	54.00	-3.88	42.63	3	Horizontal	320	1.90	108	33.70	6.45	32.66
PK	5.46664G	60.93	68.20	-7.27	53.41	3	Horizontal	320	1.90	108	33.70	6.47	32.65
PK	5.70324G	116.71	Inf	-Inf	108.80	3	Horizontal	320	1.90	108	34.03	6.60	32.72
AV	5.70272G	105.38	Inf	-Inf	97.48	3	Horizontal	320	1.90	108	34.02	6.60	32.72
PK	5.86236G	63.61	68.20	-4.59	54.97	3	Horizontal	320	1.90	108	34.82	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.39736G	56.98	74.00	-17.02	41.53	3	Vertical	84	1.80	108	38.40	8.85	31.80	
AV	11.44176G	43.55	54.00	-10.45	28.06	3	Vertical	84	1.80	108	38.40	8.86	31.77	
PK	17.16952G	68.00	68.20	-0.20	45.68	3	Vertical	299	1.85	90	41.54	10.85	30.07	

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43008G	56.77	74.00	-17.23	41.29	3	Horizontal	275	1.05	90	38.40	8.86	31.78
AV	11.42112G	43.51	54.00	-10.49	28.04	3	Horizontal	275	1.05	90	38.40	8.86	31.79
PK	17.12448G	68.00	68.20	-0.20	45.71	3	Horizontal	299	1.80	87	41.45	10.84	30.00

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT X_1TX
SET 84
80\92\86\83\85\84
2.56\ -10.42\ -0.40\ 1.13\ -0.20\ 0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	59.06	74.00	-14.94	52.77	3	Vertical	360	1.83	84	32.71	6.37	32.79
AV	5.14824G	47.76	54.00	-6.24	41.48	3	Vertical	360	1.83	84	32.70	6.37	32.79
PK	5.3268G	106.60	Inf	-Inf	99.96	3	Vertical	360	1.83	84	32.95	6.40	32.71
AV	5.32136G	94.96	Inf	-Inf	88.34	3	Vertical	360	1.83	84	32.94	6.40	32.72
PK	5.35976G	64.23	74.00	-9.77	57.49	3	Vertical	360	1.83	84	33.04	6.40	32.70
AV	5.35G	53.26	54.00	-0.74	46.56	3	Vertical	360	1.83	84	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_X_1TX
SET 75
84\66\75\80\77\76\75
-3.03\2.68\0.54\0.97\0.53\0.07\0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14824G	60.44	74.00	-13.56	54.16	3	Horizontal	306	1.80	75	32.70	6.37	32.79
AV	5.14536G	48.68	54.00	-5.32	42.39	3	Horizontal	306	1.80	75	32.71	6.37	32.79
PK	5.27752G	109.61	Inf	-Inf	103.08	3	Horizontal	306	1.80	75	32.86	6.40	32.73
AV	5.2804G	97.21	Inf	-Inf	90.68	3	Horizontal	306	1.80	75	32.86	6.40	32.73
PK	5.35592G	64.15	74.00	-9.85	57.43	3	Horizontal	306	1.80	75	33.02	6.40	32.70
AV	5.35016G	53.49	54.00	-0.51	46.79	3	Horizontal	306	1.80	75	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX


EUT X_1TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.61952G	57.90	74.00	-16.10	42.39	3	Vertical	327	1.53	75	38.60	8.65	31.74	
AV	10.60304G	44.58	54.00	-9.42	29.05	3	Vertical	327	1.53	75	38.60	8.65	31.72	
PK	15.92824G	62.19	74.00	-11.81	43.91	3	Vertical	14	1.80	75	38.40	10.48	30.60	
AV	15.92152G	49.47	54.00	-4.53	31.19	3	Vertical	14	1.80	75	38.40	10.48	30.60	

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT X_1TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55664G	57.94	68.20	-10.26	42.43	3	Horizontal	299	1.80	75	38.56	8.64	31.69
AV	10.60176G	44.85	54.00	-9.15	29.32	3	Horizontal	299	1.80	75	38.60	8.65	31.72
PK	15.8316G	62.71	74.00	-11.29	44.56	3	Horizontal	95	1.80	75	38.33	10.45	30.63
AV	15.94008G	49.45	54.00	-4.55	31.17	3	Horizontal	95	1.80	75	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT X_1TX
SET 85
80\92\86\83\85
2.97\9.94\0.31\1.94\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45992G	65.57	74.00	-8.43	58.07	3	Vertical	6	2.95	85	33.70	6.46	32.66	
AV	5.45768G	53.97	54.00	-0.03	46.47	3	Vertical	6	2.95	85	33.70	6.46	32.66	
PK	5.46872G	67.43	68.20	-0.77	59.91	3	Vertical	6	2.95	85	33.70	6.47	32.65	
PK	5.50072G	107.78	Inf	-Inf	100.22	3	Vertical	6	2.95	85	33.70	6.50	32.64	
AV	5.53224G	95.68	Inf	-Inf	87.97	3	Vertical	6	2.95	85	33.83	6.53	32.65	

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_X_1TX
SET 79
85\67\76\81\78\80\79
-4.59\3.41\1.18\0.06\0.84\0.30\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	64.58	74.00	-9.42	57.09	3	Horizontal	316	1.79	79	33.70	6.45	32.66
AV	5.45992G	53.71	54.00	-0.29	46.21	3	Horizontal	316	1.79	79	33.70	6.46	32.66
PK	5.46968G	66.57	68.20	-1.63	59.05	3	Horizontal	316	1.79	79	33.70	6.47	32.65
PK	5.54312G	112.25	Inf	-Inf	104.50	3	Horizontal	316	1.79	79	33.87	6.54	32.66
AV	5.538G	100.07	Inf	-Inf	92.34	3	Horizontal	316	1.79	79	33.85	6.54	32.66

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT X_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07744G	56.56	74.00	-17.44	41.36	3	Vertical	15	1.80	79	38.42	8.77	31.99
AV	11.104G	43.70	54.00	-10.30	28.50	3	Vertical	15	1.80	79	38.40	8.78	31.98
PK	16.59096G	67.57	68.20	-0.63	45.69	3	Vertical	309	2.81	79	40.30	10.68	29.10

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT X_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.132G	56.70	74.00	-17.30	41.51	3	Horizontal	112	1.08	79	38.37	8.78	31.96
AV	11.11776G	44.07	54.00	-9.93	28.88	3	Horizontal	112	1.08	79	38.38	8.78	31.97
PK	16.66536G	67.36	68.20	-0.84	45.52	3	Horizontal	94	2.38	79	40.37	10.70	29.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_X_1TX
SET 90
80\98\89\94\91\90
4.83\5.66\1.41\1.43\1.14\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	62.16	74.00	-11.84	54.66	3	Vertical	1	1.80	90	33.70	6.46	32.66
AV	5.45192G	50.76	54.00	-3.24	43.27	3	Vertical	1	1.80	90	33.70	6.45	32.66
PK	5.46792G	62.44	68.20	-5.76	54.92	3	Vertical	1	1.80	90	33.70	6.47	32.65
PK	5.60776G	107.04	Inf	-Inf	99.27	3	Vertical	1	1.80	90	33.85	6.60	32.68
AV	5.59848G	95.66	Inf	-Inf	87.94	3	Vertical	1	1.80	90	33.80	6.60	32.68
PK	5.73192G	67.81	68.20	-0.39	59.68	3	Vertical	1	1.80	90	34.26	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_X_1TX
SET 83
90\72\81\86\83
-2.66\3.78\0.60\0.27\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.54	74.00	-10.46	56.04	3	Horizontal	316	1.80	83	33.70	6.46	32.66
AV	5.45704G	51.72	54.00	-2.28	44.22	3	Horizontal	316	1.80	83	33.70	6.46	32.66
PK	5.46248G	64.56	68.20	-3.64	57.06	3	Horizontal	316	1.80	83	33.70	6.46	32.66
PK	5.58088G	110.82	Inf	-Inf	103.07	3	Horizontal	316	1.80	83	33.84	6.58	32.67
AV	5.57288G	99.29	Inf	-Inf	91.54	3	Horizontal	316	1.80	83	33.85	6.57	32.67
PK	5.72552G	68.13	68.20	-0.07	60.06	3	Horizontal	316	1.80	83	34.20	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT X_1TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14304G	57.24	74.00	-16.76	42.04	3	Vertical	308	1.80	83	38.36	8.79	31.95
AV	11.156G	43.80	54.00	-10.20	28.62	3	Vertical	308	1.80	83	38.34	8.79	31.95
PK	16.89912G	66.58	68.20	-1.62	44.44	3	Vertical	267	1.46	83	41.00	10.77	29.63

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT X_1TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.14064G	57.34	74.00	-16.66	42.15	3	Horizontal	15	1.80	83	38.36	8.79	31.96	
AV	11.14128G	43.86	54.00	-10.14	28.67	3	Horizontal	15	1.80	83	38.36	8.79	31.96	
PK	16.90776G	66.73	68.20	-1.47	44.60	3	Horizontal	275	1.72	83	41.01	10.77	29.65	

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 100
80\98\107\102\99\101\100
4.89\0.85\6.56\1.26\0.62\0.51\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	63.39	74.00	-10.61	55.89	3	Vertical	8	2.84	100	33.70	6.46	32.66
AV	5.45816G	51.88	54.00	-2.12	44.38	3	Vertical	8	2.84	100	33.70	6.46	32.66
PK	5.46632G	63.54	68.20	-4.66	56.02	3	Vertical	8	2.84	100	33.70	6.47	32.65
PK	5.66744G	110.39	Inf	-Inf	102.43	3	Vertical	8	2.84	100	34.07	6.60	32.71
AV	5.68232G	98.82	Inf	-Inf	90.89	3	Vertical	8	2.84	100	34.04	6.60	32.71
PK	5.85032G	68.05	68.20	-0.15	59.43	3	Vertical	8	2.84	100	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 96
100\82\91\96
-3.52\4.72\2.26\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	61.59	74.00	-12.41	54.10	3	Horizontal	288	1.80	96	33.70	6.45	32.66
AV	5.45864G	50.46	54.00	-3.54	42.96	3	Horizontal	288	1.80	96	33.70	6.46	32.66
PK	5.4692G	62.73	68.20	-5.47	55.21	3	Horizontal	288	1.80	96	33.70	6.47	32.65
PK	5.6636G	112.73	Inf	-Inf	104.77	3	Horizontal	288	1.80	96	34.07	6.60	32.71
AV	5.65832G	100.84	Inf	-Inf	92.86	3	Horizontal	288	1.80	96	34.08	6.60	32.70
PK	5.85752G	68.18	68.20	-0.02	59.54	3	Horizontal	288	1.80	96	34.82	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4584G	57.46	74.00	-16.54	41.96	3	Vertical	207	2.44	96	38.40	8.86	31.76
AV	11.42752G	43.49	54.00	-10.51	28.01	3	Vertical	207	2.44	96	38.40	8.86	31.78
PK	17.04728G	67.87	68.20	-0.33	45.70	3	Vertical	308	1.80	96	41.24	10.81	29.88

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34208G	56.89	74.00	-17.11	41.48	3	Horizontal	283	1.80	96	38.40	8.84	31.83
AV	11.30016G	43.42	54.00	-10.58	28.05	3	Horizontal	283	1.80	96	38.40	8.83	31.86
PK	17.01336G	67.97	68.20	-0.23	45.86	3	Horizontal	315	1.80	96	41.14	10.80	29.83

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
SET 71
80\62\71
-7.11\4.03\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14392G	64.96	74.00	-9.04	58.67	3	Vertical	8	1.90	71	32.71	6.37	32.79
AV	5.14368G	53.57	54.00	-0.43	47.28	3	Vertical	8	1.90	71	32.71	6.37	32.79
PK	5.24064G	102.02	Inf	-Inf	95.59	3	Vertical	8	1.90	71	32.78	6.40	32.75
AV	5.2344G	90.31	Inf	-Inf	83.89	3	Vertical	8	1.90	71	32.77	6.40	32.75
PK	5.36544G	65.52	74.00	-8.48	58.76	3	Vertical	8	1.90	71	33.06	6.40	32.70
AV	5.35632G	53.76	54.00	-0.24	47.03	3	Vertical	8	1.90	71	33.03	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_1TX
SET 62
71\53\62
-5.40\2.97\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14392G	64.21	74.00	-9.79	57.92	3	Horizontal	306	1.80	62	32.71	6.37	32.79
AV	5.14632G	53.57	54.00	-0.43	47.28	3	Horizontal	306	1.80	62	32.71	6.37	32.79
PK	5.27592G	105.00	Inf	-Inf	98.48	3	Horizontal	306	1.80	62	32.85	6.40	32.73
AV	5.27688G	93.31	Inf	-Inf	86.79	3	Horizontal	306	1.80	62	32.85	6.40	32.73
PK	5.36256G	62.83	74.00	-11.17	56.08	3	Horizontal	306	1.80	62	33.05	6.40	32.70
AV	5.36256G	51.92	54.00	-2.08	45.17	3	Horizontal	306	1.80	62	33.05	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_1TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57392G	56.86	68.20	-11.34	41.35	3	Vertical	13	2.82	62	38.57	8.64	31.70
PK	15.63672G	62.34	74.00	-11.66	44.88	3	Vertical	341	1.80	62	37.76	10.39	30.69
AV	15.59416G	49.60	54.00	-4.40	32.10	3	Vertical	341	1.80	62	37.82	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_1TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59312G	57.56	68.20	-10.64	42.03	3	Horizontal	74	2.73	62	38.59	8.65	31.71
PK	15.59224G	62.53	74.00	-11.47	45.02	3	Horizontal	201	1.85	62	37.83	10.38	30.70
AV	15.59032G	49.65	54.00	-4.35	32.13	3	Horizontal	201	1.85	62	37.84	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_X_1TX
SET 67
80\62\71\66\69\67
-7.67\2.00\ -2.05\0.96\ -1.15\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	63.46	74.00	-10.54	55.97	3	Vertical	1	1.80	67	33.70	6.45	32.66
AV	5.45624G	53.95	54.00	-0.05	46.45	3	Vertical	1	1.80	67	33.70	6.46	32.66
PK	5.4602G	62.92	68.20	-5.28	55.42	3	Vertical	1	1.80	67	33.70	6.46	32.66
PK	5.59268G	99.82	Inf	-Inf	92.10	3	Vertical	1	1.80	67	33.81	6.59	32.68
AV	5.59844G	88.96	Inf	-Inf	81.24	3	Vertical	1	1.80	67	33.80	6.60	32.68
PK	5.74136G	61.70	68.20	-6.50	53.51	3	Vertical	1	1.80	67	34.33	6.60	32.74

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_X_1TX
SET 54
67\49\58\53\56\54
-4.54\2.06\0.76\0.54\0.73\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	63.33	74.00	-10.67	55.83	3	Horizontal	315	1.80	54	33.70	6.46	32.66
AV	5.45624G	53.99	54.00	-0.01	46.49	3	Horizontal	315	1.80	54	33.70	6.46	32.66
PK	5.46668G	62.72	68.20	-5.48	55.20	3	Horizontal	315	1.80	54	33.70	6.47	32.65
PK	5.55236G	102.33	Inf	-Inf	94.54	3	Horizontal	315	1.80	54	33.90	6.55	32.66
AV	5.54372G	91.60	Inf	-Inf	83.85	3	Horizontal	315	1.80	54	33.87	6.54	32.66
PK	5.72804G	61.46	68.20	-6.74	53.37	3	Horizontal	315	1.80	54	34.22	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT X_1TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27216G	57.08	74.00	-16.92	41.77	3	Vertical	266	1.80	54	38.37	8.82	31.88
AV	11.13616G	43.70	54.00	-10.30	28.52	3	Vertical	266	1.80	54	38.36	8.78	31.96
PK	16.55608G	67.18	68.20	-1.02	45.25	3	Vertical	231	2.89	54	40.30	10.67	29.04

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



EUT X_1TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17136G	56.48	74.00	-17.52	41.30	3	Horizontal	6	1.80	54	38.33	8.79	31.94
AV	11.09648G	43.73	54.00	-10.27	28.54	3	Horizontal	6	1.80	54	38.40	8.77	31.98
PK	16.65688G	67.48	68.20	-0.72	45.63	3	Horizontal	333	2.70	54	40.36	10.70	29.21




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	PK	5.4642G	68.18	68.20	-0.02	3	Horizontal	317	1.77	86

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT X_2TX
SET 105
105
4.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14586G	59.14	74.00	-14.86	52.85	3	Vertical	352	2.95	105	32.71	6.37	32.79
AV	5.15G	47.18	54.00	-6.82	40.90	3	Vertical	352	2.95	105	32.70	6.37	32.79
PK	5.25532G	119.87	Inf	-Inf	113.40	3	Vertical	352	2.95	105	32.81	6.40	32.74
AV	5.25532G	109.73	Inf	-Inf	103.26	3	Vertical	352	2.95	105	32.81	6.40	32.74
PK	5.35022G	63.27	74.00	-10.73	56.57	3	Vertical	352	2.95	105	33.00	6.40	32.70
AV	5.35516G	49.41	54.00	-4.59	42.69	3	Vertical	352	2.95	105	33.02	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
SET 105
80\98\107\102\105
4.18\2.27\2.46\1.73\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	62.56	74.00	-11.44	56.28	3	Horizontal	312	1.80	105	32.70	6.37	32.79
AV	5.1482G	49.66	54.00	-4.34	43.38	3	Horizontal	312	1.80	105	32.70	6.37	32.79
PK	5.2548G	126.63	Inf	-Inf	120.16	3	Horizontal	312	1.80	105	32.81	6.40	32.74
AV	5.26468G	115.57	Inf	-Inf	109.08	3	Horizontal	312	1.80	105	32.83	6.40	32.74
PK	5.35G	68.14	74.00	-5.86	61.44	3	Horizontal	312	1.80	105	33.00	6.40	32.70
AV	5.35G	53.51	54.00	-0.49	46.81	3	Horizontal	312	1.80	105	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51952G	61.16	68.20	-7.04	45.67	3	Vertical	360	2.70	105	38.52	8.63	31.66
PK	15.7914G	66.63	74.00	-7.37	48.58	3	Vertical	319	1.80	98	38.25	10.44	30.64
AV	15.78196G	53.85	54.00	-0.15	35.88	3	Vertical	319	1.80	98	38.19	10.43	30.65

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX


EUT Y_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52512G	61.95	68.20	-6.25	46.45	3	Horizontal	301	1.79	98	38.53	8.63	31.66
PK	15.78544G	67.33	74.00	-6.67	49.32	3	Horizontal	322	1.80	96	38.21	10.44	30.64
AV	15.7858G	53.81	54.00	-0.19	35.80	3	Horizontal	322	1.80	96	38.21	10.44	30.64

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT X_2TX
SET 89
89
5.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29496G	114.89	Inf	-Inf	108.33	3	Vertical	354	2.89	89	32.89	6.40	32.73
AV	5.29566G	105.49	Inf	-Inf	98.93	3	Vertical	354	2.89	89	32.89	6.40	32.73
PK	5.35516G	61.53	74.00	-12.47	54.81	3	Vertical	354	2.89	89	33.02	6.40	32.70
AV	5.3504G	48.76	54.00	-5.24	42.06	3	Vertical	354	2.89	89	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT X_2TX
SET 89
80\92\86\89
2.96\1.04\1.31\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.30434G	122.17	Inf	-Inf	115.58	3	Horizontal	314	1.77	89	32.91	6.40	32.72	
AV	5.30462G	112.55	Inf	-Inf	105.96	3	Horizontal	314	1.77	89	32.91	6.40	32.72	
PK	5.35012G	69.44	74.00	-4.56	62.74	3	Horizontal	314	1.77	89	33.00	6.40	32.70	
AV	5.35G	53.97	54.00	-0.03	47.27	3	Horizontal	314	1.77	89	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX


EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59076G	63.01	68.20	-5.19	47.48	3	Vertical	346	2.08	89	38.59	8.65	31.71
AV	10.60068G	49.33	54.00	-4.67	33.80	3	Vertical	346	2.08	89	38.60	8.65	31.72
PK	15.90184G	68.94	74.00	-5.06	50.68	3	Vertical	320	1.80	89	38.40	10.47	30.61
AV	15.90116G	53.73	54.00	-0.27	35.47	3	Vertical	320	1.80	89	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX


EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59508G	65.15	68.20	-3.05	49.62	3	Horizontal	303	1.80	89	38.60	8.65	31.72
AV	10.6002G	51.66	54.00	-2.34	36.13	3	Horizontal	303	1.80	89	38.60	8.65	31.72
PK	15.90016G	64.62	74.00	-9.38	46.36	3	Horizontal	318	1.80	89	38.40	10.47	30.61
AV	15.90124G	50.92	54.00	-3.08	32.66	3	Horizontal	318	1.80	89	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT X_2TX
SET 83
83
4.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3151G	113.71	Inf	-Inf	107.10	3	Vertical	350	2.85	83	32.93	6.40	32.72	
AV	5.3151G	104.11	Inf	-Inf	97.50	3	Vertical	350	2.85	83	32.93	6.40	32.72	
PK	5.3504G	62.11	74.00	-11.89	55.41	3	Vertical	350	2.85	83	33.00	6.40	32.70	
AV	5.35G	49.67	54.00	-4.33	42.97	3	Vertical	350	2.85	83	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT X_2TX
SET 83
80\89\84\81\83
1.15\ -4.55\ -0.20\ 0.91\ 0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	120.65	Inf	-Inf	114.04	3	Horizontal	317	1.80	83	32.93	6.40	32.72
AV	5.3144G	111.09	Inf	-Inf	104.48	3	Horizontal	317	1.80	83	32.93	6.40	32.72
PK	5.3593G	67.29	74.00	-6.71	60.55	3	Horizontal	317	1.80	83	33.04	6.40	32.70
AV	5.35G	53.88	54.00	-0.12	47.18	3	Horizontal	317	1.80	83	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX


EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63792G	58.60	74.00	-15.40	43.09	3	Vertical	346	2.64	83	38.60	8.66	31.75
AV	10.63872G	45.36	54.00	-8.64	29.85	3	Vertical	346	2.64	83	38.60	8.66	31.75
PK	15.94724G	62.86	74.00	-11.14	44.58	3	Vertical	14	1.80	83	38.40	10.48	30.60
AV	15.97844G	49.88	54.00	-4.12	31.58	3	Vertical	14	1.80	83	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63504G	60.85	74.00	-13.15	45.34	3	Horizontal	301	1.83	83	38.60	8.66	31.75
AV	10.63976G	48.27	54.00	-5.73	32.76	3	Horizontal	301	1.83	83	38.60	8.66	31.75
PK	15.96504G	62.68	74.00	-11.32	44.38	3	Horizontal	237	1.80	83	38.40	10.49	30.59
AV	15.9776G	49.84	54.00	-4.16	31.54	3	Horizontal	237	1.80	83	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT X_2TX
SET 86
86
2.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	64.35	74.00	-9.65	56.85	3	Vertical	7	2.92	86	33.70	6.46	32.66
AV	5.4591G	50.47	54.00	-3.53	42.97	3	Vertical	7	2.92	86	33.70	6.46	32.66
PK	5.4689G	65.54	68.20	-2.66	58.02	3	Vertical	7	2.92	86	33.70	6.47	32.65
PK	5.4943G	116.35	Inf	-Inf	108.80	3	Vertical	7	2.92	86	33.70	6.49	32.64
AV	5.4945G	106.97	Inf	-Inf	99.42	3	Vertical	7	2.92	86	33.70	6.49	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_X_2TX
SET 86
80\92\86
2.23\~7.57\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4593G	66.34	74.00	-7.66	58.84	3	Horizontal	317	1.77	86	33.70	6.46	32.66	
AV	5.4597G	53.34	54.00	-0.66	45.84	3	Horizontal	317	1.77	86	33.70	6.46	32.66	
PK	5.4642G	68.18	68.20	-0.02	60.68	3	Horizontal	317	1.77	86	33.70	6.46	32.66	
PK	5.5043G	121.17	Inf	-Inf	113.59	3	Horizontal	317	1.77	86	33.72	6.50	32.64	
AV	5.504G	111.76	Inf	-Inf	104.18	3	Horizontal	317	1.77	86	33.72	6.50	32.64	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99648G	57.73	74.00	-16.27	42.52	3	Vertical	346	1.77	86	38.50	8.75	32.04
AV	11.00156G	44.27	54.00	-9.73	29.06	3	Vertical	346	1.77	86	38.50	8.75	32.04
PK	16.5102G	67.00	68.20	-1.20	45.01	3	Vertical	313	1.05	86	40.30	10.65	28.96

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99756G	58.83	74.00	-15.17	43.62	3	Horizontal	67	1.80	86	38.50	8.75	32.04
AV	10.99856G	45.91	54.00	-8.09	30.70	3	Horizontal	67	1.80	86	38.50	8.75	32.04
PK	16.51168G	67.36	68.20	-0.84	45.37	3	Horizontal	310	1.80	86	40.30	10.65	28.96

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_X_2TX
SET 108
108
5.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45072G	60.51	74.00	-13.49	53.02	3	Vertical	19	1.80	108	33.70	6.45	32.66
PK	5.46736G	60.42	68.20	-7.78	52.90	3	Vertical	19	1.80	108	33.70	6.47	32.65
AV	5.46G	48.33	54.00	-5.67	40.83	3	Vertical	19	1.80	108	33.70	6.46	32.66
PK	5.58192G	119.01	Inf	-Inf	111.26	3	Vertical	19	1.80	108	33.84	6.58	32.67
AV	5.58128G	109.05	Inf	-Inf	101.30	3	Vertical	19	1.80	108	33.84	6.58	32.67
PK	5.73456G	60.94	68.20	-7.26	52.79	3	Vertical	19	1.80	108	34.28	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_X_2TX
SET 108
80\98\107\108
4.46\3.16\2.56\2.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45968G	65.59	74.00	-8.41	58.09	3	Horizontal	319	1.80	108	33.70	6.46	32.66
AV	5.46G	51.53	54.00	-2.47	44.03	3	Horizontal	319	1.80	108	33.70	6.46	32.66
PK	5.46608G	65.78	68.20	-2.42	58.26	3	Horizontal	319	1.80	108	33.70	6.47	32.65
PK	5.58448G	126.30	Inf	-Inf	118.56	3	Horizontal	319	1.80	108	33.83	6.58	32.67
AV	5.57456G	116.38	Inf	-Inf	108.63	3	Horizontal	319	1.80	108	33.85	6.57	32.67
PK	5.73232G	63.58	68.20	-4.62	55.45	3	Horizontal	319	1.80	108	34.26	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1516G	57.05	74.00	-16.95	41.86	3	Vertical	343	1.71	108	38.35	8.79	31.95
AV	11.16056G	44.09	54.00	-9.91	28.90	3	Vertical	343	1.71	108	38.34	8.79	31.94
PK	16.74488G	67.61	68.20	-0.59	45.82	3	Vertical	16	1.80	85	40.44	10.72	29.37

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX


EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16344G	57.18	74.00	-16.82	41.99	3	Horizontal	65	1.80	85	38.34	8.79	31.94
AV	11.16256G	44.08	54.00	-9.92	28.89	3	Horizontal	65	1.80	85	38.34	8.79	31.94
PK	16.73392G	67.50	68.20	-0.70	45.70	3	Horizontal	299	1.80	85	40.43	10.72	29.35

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT X_2TX
SET 61
61
4.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7048G	109.46	Inf	-Inf	101.54	3	Vertical	5	2.84	61	34.04	6.60	32.72	
AV	5.6992G	99.99	Inf	-Inf	92.11	3	Vertical	5	2.84	61	34.00	6.60	32.72	
PK	5.7254G	63.74	68.20	-4.46	55.67	3	Vertical	5	2.84	61	34.20	6.60	32.73	

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_X_2TX
SET 61
80\62\53\58\61\63\61
-10.33\ -0.46\6.26\3.27\1.37\ -0.34\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	114.28	Inf	-Inf	106.37	3	Horizontal	318	1.90	61	34.03	6.60	32.72
AV	5.6987G	104.55	Inf	-Inf	96.67	3	Horizontal	318	1.90	61	34.00	6.60	32.72
PK	5.7288G	67.74	68.20	-0.46	59.64	3	Horizontal	318	1.90	61	34.23	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUTY_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4174G	55.99	74.00	-18.01	40.53	3	Vertical	237	1.80	61	38.40	8.85	31.79
AV	11.41704G	43.21	54.00	-10.79	27.75	3	Vertical	237	1.80	61	38.40	8.85	31.79
PK	17.11992G	67.33	68.20	-0.87	45.05	3	Vertical	41	1.79	61	41.44	10.84	30.00

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUTY_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.384G	56.78	74.00	-17.22	41.34	3	Horizontal	303	1.80	61	38.40	8.85	31.81
AV	11.40284G	43.10	54.00	-10.90	27.65	3	Horizontal	303	1.80	61	38.40	8.85	31.80
PK	17.117G	67.74	68.20	-0.46	45.46	3	Horizontal	28	1.26	61	41.43	10.84	29.99

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 108
108
4.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	60.50	74.00	-13.50	53.00	3	Vertical	7	2.95	108	33.70	6.46	32.66
AV	5.45702G	49.07	54.00	-4.93	41.57	3	Vertical	7	2.95	108	33.70	6.46	32.66
PK	5.46458G	60.61	68.20	-7.59	53.10	3	Vertical	7	2.95	108	33.70	6.46	32.65
PK	5.71406G	119.66	Inf	-Inf	111.68	3	Vertical	7	2.95	108	34.11	6.60	32.73
AV	5.72432G	110.14	Inf	-Inf	102.08	3	Vertical	7	2.95	108	34.19	6.60	32.73
PK	5.85662G	64.07	68.20	-4.13	55.44	3	Vertical	7	2.95	108	34.81	6.60	32.78

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 108
80\98\107\108
4.20\3.03\3.86\3.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	61.65	74.00	-12.35	54.16	3	Horizontal	320	1.87	108	33.70	6.45	32.66
PK	5.46836G	61.58	68.20	-6.62	54.06	3	Horizontal	320	1.87	108	33.70	6.47	32.65
AV	5.45972G	50.23	54.00	-3.77	42.73	3	Horizontal	320	1.87	108	33.70	6.46	32.66
PK	5.71892G	124.76	Inf	-Inf	116.74	3	Horizontal	320	1.87	108	34.15	6.60	32.73
AV	5.71892G	113.83	Inf	-Inf	105.81	3	Horizontal	320	1.87	108	34.15	6.60	32.73
PK	5.85608G	62.81	68.20	-5.39	54.18	3	Horizontal	320	1.87	108	34.81	6.60	32.78

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43412G	57.28	74.00	-16.72	41.80	3	Vertical	341	1.80	108	38.40	8.86	31.78
AV	11.44004G	44.32	54.00	-9.68	28.84	3	Vertical	341	1.80	108	38.40	8.86	31.78
PK	17.1692G	67.47	68.20	-0.73	45.15	3	Vertical	11	1.81	73	41.54	10.85	30.07

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43648G	56.66	74.00	-17.34	41.18	3	Horizontal	55	1.80	73	38.40	8.86	31.78
AV	11.43748G	43.44	54.00	-10.56	27.96	3	Horizontal	55	1.80	73	38.40	8.86	31.78
PK	17.17576G	68.15	68.20	-0.05	45.83	3	Horizontal	313	1.79	61	41.55	10.85	30.08

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
SET 101
101
5.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13728G	59.08	74.00	-14.92	52.77	3	Vertical	354	2.90	101	32.73	6.37	32.79
AV	5.14612G	47.87	54.00	-6.13	41.58	3	Vertical	354	2.90	101	32.71	6.37	32.79
PK	5.25532G	118.05	Inf	-Inf	111.58	3	Vertical	354	2.90	101	32.81	6.40	32.74
AV	5.25896G	106.47	Inf	-Inf	99.99	3	Vertical	354	2.90	101	32.82	6.40	32.74
PK	5.37882G	60.81	74.00	-13.19	53.98	3	Vertical	354	2.90	101	33.12	6.40	32.69
AV	5.35178G	48.91	54.00	-5.09	42.20	3	Vertical	354	2.90	101	33.01	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
SET 101
80\98\107\102\99\101
3.44\1.27\4.93\0.23\1.29\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	61.21	74.00	-12.79	54.93	3	Horizontal	314	1.79	101	32.70	6.37	32.79
AV	5.14664G	49.99	54.00	-4.01	43.70	3	Horizontal	314	1.79	101	32.71	6.37	32.79
PK	5.25714G	124.13	Inf	-Inf	117.66	3	Horizontal	314	1.79	101	32.81	6.40	32.74
AV	5.26546G	112.88	Inf	-Inf	106.39	3	Horizontal	314	1.79	101	32.83	6.40	32.74
PK	5.351G	67.74	74.00	-6.26	61.04	3	Horizontal	314	1.79	101	33.00	6.40	32.70
AV	5.35074G	53.51	54.00	-0.49	46.81	3	Horizontal	314	1.79	101	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX


EUT Y_2TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5236G	58.90	68.20	-9.30	43.41	3	Vertical	343	2.16	101	38.52	8.63	31.66
PK	15.78544G	67.13	74.00	-6.87	49.12	3	Vertical	318	1.79	101	38.21	10.44	30.64
AV	15.78128G	53.17	54.00	-0.83	35.20	3	Vertical	318	1.79	101	38.19	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5186G	60.71	68.20	-7.49	45.21	3	Horizontal	304	1.78	101	38.52	8.63	31.65
PK	15.786G	68.12	74.00	-5.88	50.10	3	Horizontal	323	1.80	98	38.22	10.44	30.64
AV	15.78404G	53.95	54.00	-0.05	35.95	3	Horizontal	323	1.80	98	38.20	10.44	30.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT X_2TX
SET 85
85
4.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.29272G	113.84	Inf	-Inf	107.28	3	Vertical	350	2.88	85	32.89	6.40	32.73	
AV	5.2951G	103.12	Inf	-Inf	96.56	3	Vertical	350	2.88	85	32.89	6.40	32.73	
PK	5.35698G	61.74	74.00	-12.26	55.01	3	Vertical	350	2.88	85	33.03	6.40	32.70	
AV	5.35054G	49.17	54.00	-4.83	42.47	3	Vertical	350	2.88	85	33.00	6.40	32.70	

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT X_2TX
SET 85
80\92\86\83\85
1.46\3.25\0.21\0.73\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30686G	121.68	Inf	-Inf	115.09	3	Horizontal	318	1.78	85	32.91	6.40	32.72
AV	5.3021G	109.54	Inf	-Inf	102.96	3	Horizontal	318	1.78	85	32.90	6.40	32.72
PK	5.35418G	66.68	74.00	-7.32	59.96	3	Horizontal	318	1.78	85	33.02	6.40	32.70
AV	5.35012G	53.75	54.00	-0.25	47.05	3	Horizontal	318	1.78	85	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX


EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59992G	60.49	68.20	-7.71	44.96	3	Vertical	0	2.70	85	38.60	8.65	31.72
PK	15.91204G	65.78	74.00	-8.22	47.52	3	Vertical	321	1.80	85	38.40	10.47	30.61
AV	15.9012G	50.91	54.00	-3.09	32.65	3	Vertical	321	1.80	85	38.40	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX


EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59584G	63.18	68.20	-5.02	47.65	3	Horizontal	302	1.80	85	38.60	8.65	31.72
PK	15.90236G	63.45	74.00	-10.55	45.19	3	Horizontal	319	1.80	85	38.40	10.47	30.61
AV	15.90572G	49.83	54.00	-4.17	31.57	3	Horizontal	319	1.80	85	38.40	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT X_2TX
SET 80
80
4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3174G	111.59	Inf	-Inf	104.98	3	Vertical	360	1.75	80	32.93	6.40	32.72
AV	5.3218G	99.86	Inf	-Inf	93.23	3	Vertical	360	1.75	80	32.94	6.40	32.71
PK	5.35G	61.34	74.00	-12.66	54.64	3	Vertical	360	1.75	80	33.00	6.40	32.70
AV	5.3605G	49.16	54.00	-4.84	42.42	3	Vertical	360	1.75	80	33.04	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT X_2TX
SET 80
80
0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3173G	120.07	Inf	-Inf	113.46	3	Horizontal	315	1.80	80	32.93	6.40	32.72
AV	5.3136G	108.29	Inf	-Inf	101.68	3	Horizontal	315	1.80	80	32.93	6.40	32.72
PK	5.3532G	64.93	74.00	-9.07	58.22	3	Horizontal	315	1.80	80	33.01	6.40	32.70
AV	5.35G	53.69	54.00	-0.31	46.99	3	Horizontal	315	1.80	80	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX


EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6462G	58.33	74.00	-15.67	42.83	3	Vertical	345	1.93	80	38.60	8.66	31.76
AV	10.64048G	45.14	54.00	-8.86	29.63	3	Vertical	345	1.93	80	38.60	8.66	31.75
PK	15.95972G	63.08	74.00	-10.92	44.78	3	Vertical	146	2.50	80	38.40	10.49	30.59
AV	15.97996G	49.94	54.00	-4.06	31.64	3	Vertical	146	2.50	80	38.40	10.49	30.59

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX


EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64288G	59.83	74.00	-14.17	44.32	3	Horizontal	308	2.36	80	38.60	8.66	31.75
AV	10.6382G	46.89	54.00	-7.11	31.38	3	Horizontal	308	2.36	80	38.60	8.66	31.75
PK	15.94548G	63.24	74.00	-10.76	44.96	3	Horizontal	35	1.80	80	38.40	10.48	30.60
AV	15.9768G	49.74	54.00	-4.26	31.44	3	Horizontal	35	1.80	80	38.40	10.49	30.59

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT X_2TX
SET 84
84
3.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.20	74.00	-11.80	54.70	3	Vertical	4	2.91	84	33.70	6.46	32.66
AV	5.4595G	50.69	54.00	-3.31	43.19	3	Vertical	4	2.91	84	33.70	6.46	32.66
PK	5.4698G	62.97	68.20	-5.23	55.45	3	Vertical	4	2.91	84	33.70	6.47	32.65
PK	5.507G	116.95	Inf	-Inf	109.35	3	Vertical	4	2.91	84	33.73	6.51	32.64
AV	5.4945G	104.25	Inf	-Inf	96.70	3	Vertical	4	2.91	84	33.70	6.49	32.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
SET 84
80\89\84
0.97\2.36\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4556G	65.37	74.00	-8.63	57.87	3	Horizontal	316	1.80	84	33.70	6.46	32.66	
AV	5.4577G	53.53	54.00	-0.47	46.03	3	Horizontal	316	1.80	84	33.70	6.46	32.66	
PK	5.4691G	66.57	68.20	-1.63	59.05	3	Horizontal	316	1.80	84	33.70	6.47	32.65	
PK	5.4973G	121.53	Inf	-Inf	113.97	3	Horizontal	316	1.80	84	33.70	6.50	32.64	
AV	5.497G	109.27	Inf	-Inf	101.71	3	Horizontal	316	1.80	84	33.70	6.50	32.64	

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9932G	56.42	74.00	-17.58	41.20	3	Vertical	342	1.80	84	38.50	8.75	32.03
AV	10.9994G	43.36	54.00	-10.64	28.15	3	Vertical	342	1.80	84	38.50	8.75	32.04
PK	16.4956G	67.50	68.20	-0.70	45.52	3	Vertical	200	2.95	84	40.28	10.65	28.95

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99892G	58.01	74.00	-15.99	42.80	3	Horizontal	70	1.78	84	38.50	8.75	32.04
AV	10.99896G	45.18	54.00	-8.82	29.97	3	Horizontal	70	1.78	84	38.50	8.75	32.04
PK	16.50788G	67.22	68.20	-0.98	45.22	3	Horizontal	249	1.71	84	40.30	10.65	28.95

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT X_2TX
SET 107
107
4.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	60.69	74.00	-13.31	53.27	3	Vertical	16	1.71	107	33.64	6.44	32.66
PK	5.46768G	61.14	68.20	-7.06	53.62	3	Vertical	16	1.71	107	33.70	6.47	32.65
AV	5.45968G	49.15	54.00	-4.85	41.65	3	Vertical	16	1.71	107	33.70	6.46	32.66
PK	5.58224G	117.45	Inf	-Inf	109.70	3	Vertical	16	1.71	107	33.84	6.58	32.67
AV	5.57488G	106.85	Inf	-Inf	99.10	3	Vertical	16	1.71	107	33.85	6.57	32.67
PK	5.73008G	61.08	68.20	-7.12	52.97	3	Vertical	16	1.71	107	34.24	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
SET 107
80\98\107\108\107
3.93\2.62\1.41\0.05\1.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45776G	64.99	74.00	-9.01	57.49	3	Horizontal	317	1.80	107	33.70	6.46	32.66
AV	5.45488G	52.66	54.00	-1.34	45.17	3	Horizontal	317	1.80	107	33.70	6.45	32.66
PK	5.46992G	65.52	68.20	-2.68	58.00	3	Horizontal	317	1.80	107	33.70	6.47	32.65
PK	5.57136G	124.58	Inf	-Inf	116.82	3	Horizontal	317	1.80	107	33.86	6.57	32.67
AV	5.57744G	113.88	Inf	-Inf	106.12	3	Horizontal	317	1.80	107	33.85	6.58	32.67
PK	5.7256G	63.12	68.20	-5.08	55.05	3	Horizontal	317	1.80	107	34.20	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX


EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14712G	57.71	74.00	-16.29	42.52	3	Vertical	12	1.49	107	38.35	8.79	31.95
AV	11.14744G	43.68	54.00	-10.32	28.49	3	Vertical	12	1.49	107	38.35	8.79	31.95
PK	16.74744G	67.80	68.20	-0.40	46.00	3	Vertical	18	1.80	85	40.45	10.72	29.37

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX


EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.17512G	56.83	74.00	-17.17	41.65	3	Horizontal	74	2.72	85	38.32	8.79	31.93	
AV	11.15984G	43.84	54.00	-10.16	28.65	3	Horizontal	74	2.72	85	38.34	8.79	31.94	
PK	16.74032G	67.52	68.20	-0.68	45.72	3	Horizontal	72	2.86	84	40.44	10.72	29.36	

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.701G	110.88	Inf	-Inf	102.99	3	Vertical	6	2.95	60	34.01	6.60	32.72
AV	5.7043G	97.45	Inf	-Inf	89.54	3	Vertical	6	2.95	60	34.03	6.60	32.72
PK	5.7256G	64.48	68.20	-3.72	56.41	3	Vertical	6	2.95	60	34.20	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6941G	114.67	Inf	-Inf	106.78	3	Horizontal	320	1.80	60	34.01	6.60	32.72	
AV	5.7034G	102.23	Inf	-Inf	94.32	3	Horizontal	320	1.80	60	34.03	6.60	32.72	
PK	5.7253G	67.77	68.20	-0.43	59.70	3	Horizontal	320	1.80	60	34.20	6.60	32.73	

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4132G	56.86	74.00	-17.14	41.40	3	Vertical	358	1.80	60	38.40	8.85	31.79
AV	11.41572G	43.07	54.00	-10.93	27.61	3	Vertical	358	1.80	60	38.40	8.85	31.79
PK	17.10588G	67.13	68.20	-1.07	44.87	3	Vertical	53	1.35	60	41.41	10.83	29.98

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41468G	56.21	74.00	-17.79	40.75	3	Horizontal	1	2.52	60	38.40	8.85	31.79
AV	11.41436G	43.12	54.00	-10.88	27.66	3	Horizontal	1	2.52	60	38.40	8.85	31.79
PK	17.11784G	67.17	68.20	-1.03	44.88	3	Horizontal	256	1.80	60	41.44	10.84	29.99

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
SET 108
108
4.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	61.78	74.00	-12.22	54.28	3	Vertical	9	2.95	108	33.70	6.46	32.66
AV	5.45648G	49.56	54.00	-4.44	42.06	3	Vertical	9	2.95	108	33.70	6.46	32.66
PK	5.46296G	60.27	68.20	-7.93	52.77	3	Vertical	9	2.95	108	33.70	6.46	32.66
PK	5.72594G	118.22	Inf	-Inf	110.14	3	Vertical	9	2.95	108	34.21	6.60	32.73
AV	5.7254G	107.81	Inf	-Inf	99.74	3	Vertical	9	2.95	108	34.20	6.60	32.73
PK	5.85G	63.71	68.20	-4.49	55.09	3	Vertical	9	2.95	108	34.80	6.60	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 108
80\98\107\108
3.46\2.51\3.07\2.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	61.91	74.00	-12.09	54.42	3	Horizontal	317	1.77	108	33.70	6.45	32.66
PK	5.46188G	62.46	68.20	-5.74	54.96	3	Horizontal	317	1.77	108	33.70	6.46	32.66
AV	5.46G	51.09	54.00	-2.91	43.59	3	Horizontal	317	1.77	108	33.70	6.46	32.66
PK	5.72378G	121.98	Inf	-Inf	113.92	3	Horizontal	317	1.77	108	34.19	6.60	32.73
AV	5.72108G	111.17	Inf	-Inf	103.13	3	Horizontal	317	1.77	108	34.17	6.60	32.73
PK	5.85122G	64.28	68.20	-3.92	55.66	3	Horizontal	317	1.77	108	34.80	6.60	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT Y_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43872G	57.66	74.00	-16.34	42.18	3	Vertical	351	2.40	108	38.40	8.86	31.78
AV	11.44204G	44.31	54.00	-9.69	28.82	3	Vertical	351	2.40	108	38.40	8.86	31.77
PK	17.16636G	67.91	68.20	-0.29	45.60	3	Vertical	11	1.78	76	41.53	10.85	30.07

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4408G	57.14	74.00	-16.86	41.66	3	Horizontal	57	1.79	76	38.40	8.86	31.78
AV	11.44016G	43.47	54.00	-10.53	27.99	3	Horizontal	57	1.79	76	38.40	8.86	31.78
PK	17.17748G	67.77	68.20	-0.43	45.46	3	Horizontal	355	2.35	76	41.55	10.85	30.09

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT X_2TX
SET 82
82
4.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14652G	58.73	74.00	-15.27	52.44	3	Vertical	4	2.90	82	32.71	6.37	32.79
AV	5.1342G	47.57	54.00	-6.43	41.26	3	Vertical	4	2.90	82	32.73	6.37	32.79
PK	5.25376G	109.57	Inf	-Inf	103.10	3	Vertical	4	2.90	82	32.81	6.40	32.74
AV	5.277G	98.09	Inf	-Inf	91.57	3	Vertical	4	2.90	82	32.85	6.40	32.73
PK	5.3512G	60.64	74.00	-13.36	53.94	3	Vertical	4	2.90	82	33.00	6.40	32.70
AV	5.40272G	49.53	54.00	-4.47	42.58	3	Vertical	4	2.90	82	33.23	6.40	32.68

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT X_2TX
SET 82
80\89\84\81\83\82
1.01\ -3.57\ -0.61\ 0.64\ -0.26\ 0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.25	74.00	-12.75	54.97	3	Horizontal	312	1.80	82	32.70	6.37	32.79
AV	5.14904G	49.53	54.00	-4.47	43.25	3	Horizontal	312	1.80	82	32.70	6.37	32.79
PK	5.26244G	116.98	Inf	-Inf	110.50	3	Horizontal	312	1.80	82	32.82	6.40	32.74
AV	5.27868G	106.26	Inf	-Inf	99.73	3	Horizontal	312	1.80	82	32.86	6.40	32.73
PK	5.35204G	67.23	74.00	-6.77	60.52	3	Horizontal	312	1.80	82	33.01	6.40	32.70
AV	5.35176G	53.64	54.00	-0.36	46.93	3	Horizontal	312	1.80	82	33.01	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX


EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53096G	57.49	68.20	-10.71	41.99	3	Vertical	342	2.08	82	38.53	8.63	31.66
PK	15.79136G	62.99	74.00	-11.01	44.94	3	Vertical	314	1.80	82	38.25	10.44	30.64
AV	15.85G	49.39	54.00	-4.61	31.21	3	Vertical	314	1.80	82	38.35	10.45	30.62

802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX


EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5436G	59.46	68.20	-8.74	43.95	3	Horizontal	308	1.58	82	38.54	8.64	31.67
PK	15.83376G	61.97	74.00	-12.03	43.82	3	Horizontal	354	1.48	82	38.33	10.45	30.63
AV	15.7916G	49.09	54.00	-4.91	31.04	3	Horizontal	354	1.48	82	38.25	10.44	30.64

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT X_2TX
SET 67
67
4.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.31912G	107.44	Inf	-Inf	100.82	3	Vertical	352	2.88	67	32.94	6.40	32.72	
AV	5.3052G	94.81	Inf	-Inf	88.22	3	Vertical	352	2.88	67	32.91	6.40	32.72	
PK	5.35044G	61.00	74.00	-13.00	54.30	3	Vertical	352	2.88	67	33.00	6.40	32.70	
AV	5.35008G	49.47	54.00	-4.53	42.77	3	Vertical	352	2.88	67	33.00	6.40	32.70	

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
SET 67
80\62\71\66\69\67
-4.41\1.10\0.64\0.79\0.23\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30664G	114.34	Inf	-Inf	107.75	3	Horizontal	315	1.80	67	32.91	6.40	32.72
AV	5.3172G	102.09	Inf	-Inf	95.48	3	Horizontal	315	1.80	67	32.93	6.40	32.72
PK	5.35152G	64.80	74.00	-9.20	58.09	3	Horizontal	315	1.80	67	33.01	6.40	32.70
AV	5.35032G	53.71	54.00	-0.29	47.01	3	Horizontal	315	1.80	67	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.9684G	62.78	74.00	-11.22	44.48	3	Vertical	246	2.00	67	38.40	10.49	30.59	
AV	15.94528G	49.77	54.00	-4.23	31.49	3	Vertical	246	2.00	67	38.40	10.48	30.60	

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX


EUT Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9112G	62.16	74.00	-11.84	43.90	3	Horizontal	314	1.26	67	38.40	10.47	30.61
AV	15.92304G	49.77	54.00	-4.23	31.49	3	Horizontal	314	1.26	67	38.40	10.48	30.60

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45228G	61.44	74.00	-12.56	53.95	3	Vertical	3	2.91	70	33.70	6.45	32.66	
AV	5.459G	50.15	54.00	-3.85	42.65	3	Vertical	3	2.91	70	33.70	6.46	32.66	
PK	5.46872G	62.82	68.20	-5.38	55.30	3	Vertical	3	2.91	70	33.70	6.47	32.65	
PK	5.50856G	110.34	Inf	-Inf	102.74	3	Vertical	3	2.91	70	33.73	6.51	32.64	
AV	5.51468G	97.74	Inf	-Inf	90.12	3	Vertical	3	2.91	70	33.76	6.51	32.65	

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45624G	63.85	74.00	-10.15	56.35	3	Horizontal	317	1.80	70	33.70	6.46	32.66	
AV	5.45996G	52.93	54.00	-1.07	45.43	3	Horizontal	317	1.80	70	33.70	6.46	32.66	
PK	5.46824G	67.91	68.20	-0.29	60.39	3	Horizontal	317	1.80	70	33.70	6.47	32.65	
PK	5.50184G	114.90	Inf	-Inf	107.33	3	Horizontal	317	1.80	70	33.71	6.50	32.64	
AV	5.52704G	103.39	Inf	-Inf	95.70	3	Horizontal	317	1.80	70	33.81	6.53	32.65	

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0128G	56.03	74.00	-17.97	40.82	3	Vertical	230	1.80	70	38.49	8.75	32.03
AV	11.0552G	42.95	54.00	-11.05	27.76	3	Vertical	230	1.80	70	38.44	8.76	32.01
PK	16.56992G	66.77	68.20	-1.43	44.86	3	Vertical	57	1.81	61	40.30	10.67	29.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99088G	56.97	74.00	-17.03	41.75	3	Horizontal	68	2.18	61	38.50	8.75	32.03	
AV	11.00832G	43.03	54.00	-10.97	27.83	3	Horizontal	68	2.18	61	38.49	8.75	32.04	
PK	16.55432G	66.79	68.20	-1.41	44.85	3	Horizontal	22	1.80	55	40.30	10.67	29.03	

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT X_2TX
SET 80
80
4.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	60.65	74.00	-13.35	53.30	3	Vertical	17	2.95	80	33.58	6.44	32.67
PK	5.4688G	62.83	68.20	-5.37	55.31	3	Vertical	17	2.95	80	33.70	6.47	32.65
AV	5.4536G	49.65	54.00	-4.35	42.16	3	Vertical	17	2.95	80	33.70	6.45	32.66
PK	5.558G	109.44	Inf	-Inf	101.66	3	Vertical	17	2.95	80	33.88	6.56	32.66
AV	5.5656G	98.27	Inf	-Inf	90.50	3	Vertical	17	2.95	80	33.87	6.57	32.67
PK	5.7448G	61.11	68.20	-7.09	52.89	3	Vertical	17	2.95	80	34.36	6.60	32.74

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT X_2TX
SET 80
80
0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	63.57	74.00	-10.43	56.08	3	Horizontal	316	1.77	80	33.70	6.45	32.66
AV	5.458G	52.12	54.00	-1.88	44.62	3	Horizontal	316	1.77	80	33.70	6.46	32.66
PK	5.4684G	67.84	68.20	-0.36	60.32	3	Horizontal	316	1.77	80	33.70	6.47	32.65
PK	5.5392G	117.10	Inf	-Inf	109.36	3	Horizontal	316	1.77	80	33.86	6.54	32.66
AV	5.5436G	105.95	Inf	-Inf	98.20	3	Horizontal	316	1.77	80	33.87	6.54	32.66
PK	5.7496G	61.41	68.20	-6.79	53.15	3	Horizontal	316	1.77	80	34.40	6.60	32.74

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08224G	56.63	74.00	-17.37	41.43	3	Vertical	344	2.56	80	38.42	8.77	31.99
AV	11.09616G	43.51	54.00	-10.49	28.32	3	Vertical	344	2.56	80	38.40	8.77	31.98
PK	16.63416G	67.32	68.20	-0.88	45.47	3	Vertical	63	1.72	80	40.33	10.69	29.17

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10568G	57.29	74.00	-16.71	42.10	3	Horizontal	62	2.42	80	38.39	8.78	31.98
AV	11.09744G	43.90	54.00	-10.10	28.71	3	Horizontal	62	2.42	80	38.40	8.77	31.98
PK	16.62744G	67.07	68.20	-1.13	45.21	3	Horizontal	69	2.76	66	40.33	10.69	29.16

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT X_2TX
SET 68
68
3.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65448G	108.74	Inf	-Inf	100.75	3	Vertical	3	2.88	68	34.09	6.60	32.70
AV	5.65672G	97.14	Inf	-Inf	89.15	3	Vertical	3	2.88	68	34.09	6.60	32.70
PK	5.72536G	64.57	68.20	-3.63	56.50	3	Vertical	3	2.88	68	34.20	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
SET 68
80\62\71\66\69\67\68
-7.81\4.96\1.63\0.92\0.43\1.36\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66712G	114.02	Inf	-Inf	106.06	3	Horizontal	316	1.80	68	34.07	6.60	32.71
AV	5.65688G	102.22	Inf	-Inf	94.23	3	Horizontal	316	1.80	68	34.09	6.60	32.70
PK	5.7284G	68.18	68.20	-0.02	60.08	3	Horizontal	316	1.80	68	34.23	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX


5670MHz_TX


EUT Y_2TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.314G	56.33	74.00	-17.67	40.95	3	Vertical	172	1.21	68	38.40	8.83	31.85
AV	11.33232G	43.18	54.00	-10.82	27.79	3	Vertical	172	1.21	68	38.40	8.83	31.84
PK	17.00032G	67.04	68.20	-1.16	44.95	3	Vertical	145	1.75	68	41.10	10.80	29.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30216G	56.92	74.00	-17.08	41.55	3	Horizontal	97	1.80	68	38.40	8.83	31.86
AV	11.33136G	43.10	54.00	-10.90	27.71	3	Horizontal	97	1.80	68	38.40	8.83	31.84
PK	17.0492G	66.94	68.20	-1.26	44.77	3	Horizontal	302	2.16	68	41.25	10.81	29.89

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
SET 104
104
3.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45884G	61.06	74.00	-12.94	53.56	3	Vertical	5	2.95	104	33.70	6.46	32.66
AV	5.45884G	50.29	54.00	-3.71	42.79	3	Vertical	5	2.95	104	33.70	6.46	32.66
PK	5.46612G	61.82	68.20	-6.38	54.30	3	Vertical	5	2.95	104	33.70	6.47	32.65
PK	5.72612G	115.10	Inf	-Inf	107.02	3	Vertical	5	2.95	104	34.21	6.60	32.73
AV	5.7256G	103.81	Inf	-Inf	95.74	3	Vertical	5	2.95	104	34.20	6.60	32.73
PK	5.85G	64.38	68.20	-3.82	55.76	3	Vertical	5	2.95	104	34.80	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
SET 104
80\98\107\102\105\103\104
3.39\2.15\3.78\1.69\0.20\1.36\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45468G	63.54	74.00	-10.46	56.05	3	Horizontal	318	1.80	104	33.70	6.45	32.66
PK	5.46248G	63.79	68.20	-4.41	56.29	3	Horizontal	318	1.80	104	33.70	6.46	32.66
AV	5.45884G	52.26	54.00	-1.74	44.76	3	Horizontal	318	1.80	104	33.70	6.46	32.66
PK	5.697G	119.91	Inf	-Inf	112.02	3	Horizontal	318	1.80	104	34.01	6.60	32.72
AV	5.69856G	108.19	Inf	-Inf	100.31	3	Horizontal	318	1.80	104	34.00	6.60	32.72
PK	5.85144G	66.92	68.20	-1.28	58.30	3	Horizontal	318	1.80	104	34.80	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41664G	56.08	74.00	-17.92	40.62	3	Vertical	31	1.80	104	38.40	8.85	31.79
AV	11.4156G	43.40	54.00	-10.60	27.94	3	Vertical	31	1.80	104	38.40	8.85	31.79
PK	17.15848G	68.18	68.20	-0.02	45.87	3	Vertical	12	1.80	77	41.52	10.85	30.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41768G	56.89	74.00	-17.11	41.43	3	Horizontal	48	1.08	77	38.40	8.85	31.79
AV	11.42056G	43.24	54.00	-10.76	27.77	3	Horizontal	48	1.08	77	38.40	8.86	31.79
PK	17.15248G	67.99	68.20	-0.21	45.69	3	Horizontal	306	2.93	73	41.50	10.85	30.05

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
SET 58
58
3.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13288G	58.53	74.00	-15.47	52.22	3	Vertical	349	2.92	58	32.73	6.37	32.79
AV	5.14728G	48.61	54.00	-5.39	42.32	3	Vertical	349	2.92	58	32.71	6.37	32.79
PK	5.32104G	102.46	Inf	-Inf	95.84	3	Vertical	349	2.92	58	32.94	6.40	32.72
AV	5.29128G	91.37	Inf	-Inf	84.82	3	Vertical	349	2.92	58	32.88	6.40	32.73
PK	5.442G	61.03	74.00	-12.97	53.63	3	Vertical	349	2.92	58	33.62	6.44	32.66
AV	5.42344G	50.45	54.00	-3.55	43.27	3	Vertical	349	2.92	58	33.43	6.42	32.67

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
SET 58
80\62\53\58\61\59\58
-8.46\ -0.30\1.53\0.67\ -0.42\ -0.20\0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	59.31	74.00	-14.69	53.02	3	Horizontal	313	1.80	58	32.71	6.37	32.79
AV	5.14952G	49.41	54.00	-4.59	43.13	3	Horizontal	313	1.80	58	32.70	6.37	32.79
PK	5.32232G	108.87	Inf	-Inf	102.24	3	Horizontal	313	1.80	58	32.94	6.40	32.71
AV	5.31752G	98.18	Inf	-Inf	91.56	3	Horizontal	313	1.80	58	32.94	6.40	32.72
PK	5.35176G	62.42	74.00	-11.58	55.71	3	Horizontal	313	1.80	58	33.01	6.40	32.70
AV	5.35G	53.12	54.00	-0.88	46.42	3	Horizontal	313	1.80	58	33.00	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUTY_2TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.5504G	57.28	68.20	-10.92	41.77	3	Vertical	218	1.80	58	38.55	8.64	31.68	
PK	15.79096G	62.38	74.00	-11.62	44.33	3	Vertical	240	2.75	58	38.25	10.44	30.64	
AV	15.94312G	49.62	54.00	-4.38	31.34	3	Vertical	240	2.75	58	38.40	10.48	30.60	

802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX


EUT Y_2TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62048G	57.71	74.00	-16.29	42.19	3	Horizontal	45	1.80	58	38.60	8.66	31.74
PK	15.91448G	62.61	74.00	-11.39	44.35	3	Horizontal	61	1.80	58	38.40	10.47	30.61
AV	15.94616G	49.54	54.00	-4.46	31.26	3	Horizontal	61	1.80	58	38.40	10.48	30.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
SET 71
71
2.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4556G	61.42	74.00	-12.58	53.92	3	Vertical	7	2.90	71	33.70	6.46	32.66	
AV	5.4556G	51.60	54.00	-2.40	44.10	3	Vertical	7	2.90	71	33.70	6.46	32.66	
PK	5.46856G	62.99	68.20	-5.21	55.47	3	Vertical	7	2.90	71	33.70	6.47	32.65	
PK	5.52488G	107.41	Inf	-Inf	99.74	3	Vertical	7	2.90	71	33.80	6.52	32.65	
AV	5.54264G	96.23	Inf	-Inf	88.48	3	Vertical	7	2.90	71	33.87	6.54	32.66	

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
SET 71
80\62\71
-3.29\1.76\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45464G	63.96	74.00	-10.04	56.47	3	Horizontal	313	1.80	71	33.70	6.45	32.66	
AV	5.45928G	53.87	54.00	-0.13	46.37	3	Horizontal	313	1.80	71	33.70	6.46	32.66	
PK	5.4676G	64.55	68.20	-3.65	57.03	3	Horizontal	313	1.80	71	33.70	6.47	32.65	
PK	5.50728G	112.24	Inf	-Inf	104.64	3	Horizontal	313	1.80	71	33.73	6.51	32.64	
AV	5.53704G	101.89	Inf	-Inf	94.15	3	Horizontal	313	1.80	71	33.85	6.54	32.65	

802.11ax HEW80_Nss2,(MCS0)_2TX


5530MHz_TX


EUT Y_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11344G	56.83	74.00	-17.17	41.63	3	Vertical	113	1.80	71	38.39	8.78	31.97
AV	11.13568G	43.36	54.00	-10.64	28.18	3	Vertical	113	1.80	71	38.36	8.78	31.96
PK	16.61528G	67.63	68.20	-0.57	45.77	3	Vertical	189	1.81	71	40.32	10.68	29.14

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13184G	56.21	74.00	-17.79	41.02	3	Horizontal	188	1.80	71	38.37	8.78	31.96
AV	11.12576G	43.34	54.00	-10.66	28.15	3	Horizontal	188	1.80	71	38.37	8.78	31.96
PK	16.618G	67.56	68.20	-0.64	45.70	3	Horizontal	127	1.80	71	40.32	10.69	29.15

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
SET 75
75
3.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	60.63	74.00	-13.37	53.13	3	Vertical	20	1.80	75	33.70	6.46	32.66
AV	5.45064G	50.09	54.00	-3.91	42.60	3	Vertical	20	1.80	75	33.70	6.45	32.66
PK	5.46344G	60.23	68.20	-7.97	52.73	3	Vertical	20	1.80	75	33.70	6.46	32.66
PK	5.5732G	104.08	Inf	-Inf	96.33	3	Vertical	20	1.80	75	33.85	6.57	32.67
AV	5.58184G	94.27	Inf	-Inf	86.52	3	Vertical	20	1.80	75	33.84	6.58	32.67
PK	5.74216G	61.31	68.20	-6.89	53.11	3	Vertical	20	1.80	75	34.34	6.60	32.74

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
SET 75
80\68\74\77\79\78\77\76\75
-1.19\2.13\1.19\0.62\1.21\0.47\0.56\0.41\1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45064G	63.75	74.00	-10.25	56.26	3	Horizontal	319	1.80	75	33.70	6.45	32.66
AV	5.45352G	52.54	54.00	-1.46	45.05	3	Horizontal	319	1.80	75	33.70	6.45	32.66
PK	5.46376G	63.07	68.20	-5.13	55.57	3	Horizontal	319	1.80	75	33.70	6.46	32.66
PK	5.61096G	112.47	Inf	-Inf	104.68	3	Horizontal	319	1.80	75	33.87	6.60	32.68
AV	5.59336G	102.08	Inf	-Inf	94.36	3	Horizontal	319	1.80	75	33.81	6.59	32.68
PK	5.72904G	67.18	68.20	-1.02	59.08	3	Horizontal	319	1.80	75	34.23	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17808G	56.37	74.00	-17.63	41.19	3	Vertical	325	1.84	75	38.32	8.79	31.93
AV	11.14048G	43.37	54.00	-10.63	28.18	3	Vertical	325	1.84	75	38.36	8.79	31.96
PK	16.7996G	66.14	68.20	-2.06	44.36	3	Vertical	196	1.58	75	40.50	10.74	29.46

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16784G	56.05	74.00	-17.95	40.87	3	Horizontal	102	2.57	75	38.33	8.79	31.94
AV	11.17264G	43.30	54.00	-10.70	28.12	3	Horizontal	102	2.57	75	38.33	8.79	31.94
PK	16.7852G	67.54	68.20	-0.66	45.75	3	Horizontal	210	1.77	75	40.49	10.74	29.44

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
SET 88
88
2.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45336G	61.09	74.00	-12.91	53.60	3	Vertical	5	2.74	88	33.70	6.45	32.66
AV	5.45816G	51.15	54.00	-2.85	43.65	3	Vertical	5	2.74	88	33.70	6.46	32.66
PK	5.47G	61.17	68.20	-7.03	53.65	3	Vertical	5	2.74	88	33.70	6.47	32.65
PK	5.69672G	108.74	Inf	-Inf	100.85	3	Vertical	5	2.74	88	34.01	6.60	32.72
AV	5.65976G	98.43	Inf	-Inf	90.45	3	Vertical	5	2.74	88	34.08	6.60	32.70
PK	5.85416G	63.38	68.20	-4.82	54.75	3	Vertical	5	2.74	88	34.81	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
SET 88
80\92\86\89\87\88
1.41\1.48\0.76\0.01\0.53\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45816G	64.12	74.00	-9.88	56.62	3	Horizontal	318	1.80	88	33.70	6.46	32.66
AV	5.45528G	53.70	54.00	-0.30	46.20	3	Horizontal	318	1.80	88	33.70	6.46	32.66
PK	5.4668G	64.41	68.20	-3.79	56.89	3	Horizontal	318	1.80	88	33.70	6.47	32.65
PK	5.67896G	114.31	Inf	-Inf	106.38	3	Horizontal	318	1.80	88	34.04	6.60	32.71
AV	5.66072G	104.10	Inf	-Inf	96.12	3	Horizontal	318	1.80	88	34.08	6.60	32.70
PK	5.85272G	64.93	68.20	-3.27	56.30	3	Horizontal	318	1.80	88	34.81	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44112G	57.44	74.00	-16.56	41.96	3	Vertical	360	2.15	88	38.40	8.86	31.78
AV	11.44608G	43.13	54.00	-10.87	27.64	3	Vertical	360	2.15	88	38.40	8.86	31.77
PK	17.07096G	67.74	68.20	-0.46	45.53	3	Vertical	240	1.22	88	41.31	10.82	29.92

802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4104G	56.37	74.00	-17.63	40.91	3	Horizontal	109	1.80	88	38.40	8.85	31.79
AV	11.4256G	43.30	54.00	-10.70	27.82	3	Horizontal	109	1.80	88	38.40	8.86	31.78
PK	17.07832G	67.53	68.20	-0.67	45.31	3	Horizontal	182	2.01	88	41.33	10.82	29.93

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
SET 50
50
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14608G	59.93	74.00	-14.07	53.64	3	Vertical	351	2.91	50	32.71	6.37	32.79
AV	5.14608G	50.38	54.00	-3.62	44.09	3	Vertical	351	2.91	50	32.71	6.37	32.79
PK	5.2188G	98.74	Inf	-Inf	92.36	3	Vertical	351	2.91	50	32.74	6.40	32.76
AV	5.22624G	88.67	Inf	-Inf	82.27	3	Vertical	351	2.91	50	32.75	6.40	32.75
PK	5.36184G	60.03	74.00	-13.97	53.28	3	Vertical	351	2.91	50	33.05	6.40	32.70
AV	5.36424G	49.88	54.00	-4.12	43.12	3	Vertical	351	2.91	50	33.06	6.40	32.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
SET 50
80\50
-17.00\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	63.06	74.00	-10.94	56.77	3	Horizontal	315	1.80	50	32.71	6.37	32.79
AV	5.14416G	52.85	54.00	-1.15	46.56	3	Horizontal	315	1.80	50	32.71	6.37	32.79
PK	5.27376G	105.42	Inf	-Inf	98.91	3	Horizontal	315	1.80	50	32.85	6.40	32.74
AV	5.27328G	94.58	Inf	-Inf	88.07	3	Horizontal	315	1.80	50	32.85	6.40	32.74
PK	5.35344G	63.20	74.00	-10.80	56.49	3	Horizontal	315	1.80	50	33.01	6.40	32.70
AV	5.364G	53.76	54.00	-0.24	47.00	3	Horizontal	315	1.80	50	33.06	6.40	32.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48528G	57.16	68.20	-11.04	41.71	3	Vertical	74	2.67	50	38.49	8.62	31.66
PK	15.6428G	62.73	74.00	-11.27	45.27	3	Vertical	331	1.70	50	37.76	10.39	30.69
AV	15.62232G	49.67	54.00	-4.33	32.19	3	Vertical	331	1.70	50	37.78	10.39	30.69

802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT Y_2TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60656G	57.22	74.00	-16.78	41.70	3	Horizontal	111	1.80	50	38.60	8.65	31.73
PK	15.63864G	62.73	74.00	-11.27	45.27	3	Horizontal	289	2.34	50	37.76	10.39	30.69
AV	15.62104G	49.62	54.00	-4.38	32.14	3	Horizontal	289	2.34	50	37.78	10.39	30.69

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT X_2TX
SET 45
45
2.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45408G	62.02	74.00	-11.98	54.53	3	Vertical	7	2.95	45	33.70	6.45	32.66
AV	5.45408G	51.92	54.00	-2.08	44.43	3	Vertical	7	2.95	45	33.70	6.45	32.66
PK	5.4656G	61.75	68.20	-6.45	54.23	3	Vertical	7	2.95	45	33.70	6.47	32.65
PK	5.57396G	97.18	Inf	-Inf	89.43	3	Vertical	7	2.95	45	33.85	6.57	32.67
AV	5.5952G	86.74	Inf	-Inf	79.01	3	Vertical	7	2.95	45	33.81	6.60	32.68
PK	5.74532G	60.74	68.20	-7.46	52.52	3	Vertical	7	2.95	45	34.36	6.60	32.74

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
SET 45
80\50\40\45
-16.08\ -1.41\0.88\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45984G	64.79	74.00	-9.21	57.29	3	Horizontal	317	1.78	45	33.70	6.46	32.66
AV	5.45876G	53.61	54.00	-0.39	46.11	3	Horizontal	317	1.78	45	33.70	6.46	32.66
PK	5.46416G	64.55	68.20	-3.65	57.05	3	Horizontal	317	1.78	45	33.70	6.46	32.66
PK	5.59376G	103.12	Inf	-Inf	95.40	3	Horizontal	317	1.78	45	33.81	6.59	32.68
AV	5.53832G	92.40	Inf	-Inf	84.67	3	Horizontal	317	1.78	45	33.85	6.54	32.66
PK	5.7284G	61.20	68.20	-7.00	53.10	3	Horizontal	317	1.78	45	34.23	6.60	32.73

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUTY_2TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11024G	56.82	74.00	-17.18	41.62	3	Vertical	64	2.95	45	38.39	8.78	31.97
AV	11.12368G	43.56	54.00	-10.44	28.37	3	Vertical	64	2.95	45	38.38	8.78	31.97
PK	16.60664G	67.64	68.20	-0.56	45.78	3	Vertical	211	1.69	45	40.31	10.68	29.13

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX


EUT Y_2TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11248G	58.02	74.00	-15.98	42.82	3	Horizontal	112	1.41	45	38.39	8.78	31.97
AV	11.13584G	43.42	54.00	-10.58	28.24	3	Horizontal	112	1.41	45	38.36	8.78	31.96
PK	16.6348G	67.37	68.20	-0.83	45.52	3	Horizontal	274	1.80	45	40.33	10.69	29.17




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	AV	5.35348G	53.99	54.00	-0.01	3	Horizontal	306	1.76	93

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
SET 106
106
4.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14794G	60.04	74.00	-13.96	53.76	3	Vertical	322	1.95	106	32.70	6.37	32.79
AV	5.1482G	47.84	54.00	-6.16	41.56	3	Vertical	322	1.95	106	32.70	6.37	32.79
PK	5.25376G	122.19	Inf	-Inf	115.72	3	Vertical	322	1.95	106	32.81	6.40	32.74
AV	5.25324G	112.11	Inf	-Inf	105.64	3	Vertical	322	1.95	106	32.81	6.40	32.74
PK	5.35282G	65.20	74.00	-8.80	58.49	3	Vertical	322	1.95	106	33.01	6.40	32.70
AV	5.35308G	49.95	54.00	-4.05	43.24	3	Vertical	322	1.95	106	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
SET 106
80\98\107\102\105\106
4.82\3.36\1.41\2.84\1.15\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13988G	63.77	74.00	-10.23	57.47	3	Horizontal	302	1.62	106	32.72	6.37	32.79
AV	5.15G	50.77	54.00	-3.23	44.49	3	Horizontal	302	1.62	106	32.70	6.37	32.79
PK	5.25922G	129.20	Inf	-Inf	122.72	3	Horizontal	302	1.62	106	32.82	6.40	32.74
AV	5.2587G	119.56	Inf	-Inf	113.08	3	Horizontal	302	1.62	106	32.82	6.40	32.74
PK	5.3588G	70.67	74.00	-3.33	63.93	3	Horizontal	302	1.62	106	33.04	6.40	32.70
AV	5.35932G	53.83	54.00	-0.17	47.09	3	Horizontal	302	1.62	106	33.04	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52164G	63.65	68.20	-4.55	48.16	3	Vertical	358	2.47	106	38.52	8.63	31.66
PK	15.77424G	69.72	74.00	-4.28	51.79	3	Vertical	45	1.79	92	38.15	10.43	30.65
AV	15.77552G	53.68	54.00	-0.32	35.75	3	Vertical	45	1.79	92	38.15	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52048G	65.66	68.20	-2.54	50.17	3	Horizontal	56	2.46	92	38.52	8.63	31.66
PK	15.78188G	69.30	74.00	-4.70	51.33	3	Horizontal	266	2.03	89	38.19	10.43	30.65
AV	15.77976G	53.66	54.00	-0.34	35.70	3	Horizontal	266	2.03	89	38.18	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
SET 93
93
4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2993G	118.00	Inf	-Inf	111.42	3	Vertical	324	1.80	93	32.90	6.40	32.72	
AV	5.29944G	107.90	Inf	-Inf	101.32	3	Vertical	324	1.80	93	32.90	6.40	32.72	
PK	5.35432G	64.38	74.00	-9.62	57.66	3	Vertical	324	1.80	93	33.02	6.40	32.70	
AV	5.35348G	49.83	54.00	-4.17	43.12	3	Vertical	324	1.80	93	33.01	6.40	32.70	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
SET 93
80\98\89\94\91\93
3.32\3.77\1.52\0.67\0.94\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29916G	126.04	Inf	-Inf	119.46	3	Horizontal	306	1.76	93	32.90	6.40	32.72
AV	5.2986G	116.88	Inf	-Inf	110.30	3	Horizontal	306	1.76	93	32.90	6.40	32.72
PK	5.3574G	70.58	74.00	-3.42	63.85	3	Horizontal	306	1.76	93	33.03	6.40	32.70
AV	5.35348G	53.99	54.00	-0.01	47.28	3	Horizontal	306	1.76	93	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.901G	68.97	74.00	-5.03	50.71	3	Vertical	234	1.78	89	38.40	10.47	30.61	
AV	15.90056G	53.72	54.00	-0.28	35.46	3	Vertical	234	1.78	89	38.40	10.47	30.61	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91324G	70.12	74.00	-3.88	51.86	3	Horizontal	33	1.65	84	38.40	10.47	30.61
AV	15.89908G	53.77	54.00	-0.23	35.51	3	Horizontal	33	1.65	84	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
SET 85
85
4.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3189G	116.88	Inf	-Inf	110.26	3	Vertical	314	1.21	85	32.94	6.40	32.72	
AV	5.3193G	107.05	Inf	-Inf	100.43	3	Vertical	314	1.21	85	32.94	6.40	32.72	
PK	5.3587G	62.42	74.00	-11.58	55.69	3	Vertical	314	1.21	85	33.03	6.40	32.70	
AV	5.3602G	49.49	54.00	-4.51	42.75	3	Vertical	314	1.21	85	33.04	6.40	32.70	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
SET 85
80\92\86\83\85
1.46\ -5.07\ -0.62\ 0.86\ 0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	123.39	Inf	-Inf	116.77	3	Horizontal	308	1.80	85	32.94	6.40	32.72
AV	5.3182G	114.10	Inf	-Inf	107.48	3	Horizontal	308	1.80	85	32.94	6.40	32.72
PK	5.3563G	68.35	74.00	-5.65	61.62	3	Horizontal	308	1.80	85	33.03	6.40	32.70
AV	5.352G	53.86	54.00	-0.14	47.15	3	Horizontal	308	1.80	85	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6408G	61.87	74.00	-12.13	46.36	3	Vertical	360	2.18	85	38.60	8.66	31.75
AV	10.64148G	48.54	54.00	-5.46	33.03	3	Vertical	360	2.18	85	38.60	8.66	31.75
PK	15.96332G	64.39	74.00	-9.61	46.09	3	Vertical	316	1.76	85	38.40	10.49	30.59
AV	15.96312G	51.05	54.00	-2.95	32.75	3	Vertical	316	1.76	85	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX


EUT X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64296G	62.80	74.00	-11.20	47.29	3	Horizontal	332	2.01	85	38.60	8.66	31.75
AV	10.64356G	49.62	54.00	-4.38	34.11	3	Horizontal	332	2.01	85	38.60	8.66	31.75
PK	15.96072G	66.09	74.00	-7.91	47.79	3	Horizontal	33	1.80	85	38.40	10.49	30.59
AV	15.9588G	52.70	54.00	-1.30	34.40	3	Horizontal	33	1.80	85	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT X_4TX
SET 83
83
4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4591G	63.46	74.00	-10.54	55.96	3	Vertical	329	1.94	83	33.70	6.46	32.66	
AV	5.4594G	49.66	54.00	-4.34	42.16	3	Vertical	329	1.94	83	33.70	6.46	32.66	
PK	5.467G	62.07	68.20	-6.13	54.55	3	Vertical	329	1.94	83	33.70	6.47	32.65	
PK	5.493G	115.67	Inf	-Inf	108.12	3	Vertical	329	1.94	83	33.70	6.49	32.64	
AV	5.4933G	106.09	Inf	-Inf	98.54	3	Vertical	329	1.94	83	33.70	6.49	32.64	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
SET 83
80\86\83
0.74\1.72\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	67.32	74.00	-6.68	59.82	3	Horizontal	305	1.74	83	33.70	6.46	32.66
AV	5.4588G	53.74	54.00	-0.26	46.24	3	Horizontal	305	1.74	83	33.70	6.46	32.66
PK	5.4697G	66.63	68.20	-1.57	59.11	3	Horizontal	305	1.74	83	33.70	6.47	32.65
PK	5.4982G	123.48	Inf	-Inf	115.92	3	Horizontal	305	1.74	83	33.70	6.50	32.64
AV	5.499G	114.07	Inf	-Inf	106.51	3	Horizontal	305	1.74	83	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00172G	59.78	74.00	-14.22	44.57	3	Vertical	360	2.45	83	38.50	8.75	32.04
AV	11.00048G	46.47	54.00	-7.53	31.26	3	Vertical	360	2.45	83	38.50	8.75	32.04
PK	16.4832G	67.81	68.20	-0.39	45.95	3	Vertical	179	1.80	83	40.22	10.64	29.00

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9992G	59.33	74.00	-14.67	44.12	3	Horizontal	347	1.73	83	38.50	8.75	32.04
AV	10.99916G	46.71	54.00	-7.29	31.50	3	Horizontal	347	1.73	83	38.50	8.75	32.04
PK	16.50132G	67.33	68.20	-0.87	45.32	3	Horizontal	276	1.85	83	40.30	10.65	28.94

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
SET 108
108
5.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45808G	60.06	74.00	-13.94	52.56	3	Vertical	346	1.78	108	33.70	6.46	32.66
AV	5.45744G	48.19	54.00	-5.81	40.69	3	Vertical	346	1.78	108	33.70	6.46	32.66
PK	5.46416G	61.12	68.20	-7.08	53.62	3	Vertical	346	1.78	108	33.70	6.46	32.66
PK	5.5864G	122.80	Inf	-Inf	115.05	3	Vertical	346	1.78	108	33.83	6.59	32.67
AV	5.58608G	111.71	Inf	-Inf	103.96	3	Vertical	346	1.78	108	33.83	6.59	32.67
PK	5.7336G	60.62	68.20	-7.58	52.48	3	Vertical	346	1.78	108	34.27	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
SET 108
80\98\107\108
4.12\2.70\1.35\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45712G	68.83	74.00	-5.17	61.33	3	Horizontal	306	1.70	108	33.70	6.46	32.66
AV	5.45712G	53.93	54.00	-0.07	46.43	3	Horizontal	306	1.70	108	33.70	6.46	32.66
PK	5.46032G	66.28	68.20	-1.92	58.78	3	Horizontal	306	1.70	108	33.70	6.46	32.66
PK	5.57776G	128.59	Inf	-Inf	120.84	3	Horizontal	306	1.70	108	33.84	6.58	32.67
AV	5.57872G	118.87	Inf	-Inf	111.12	3	Horizontal	306	1.70	108	33.84	6.58	32.67
PK	5.73456G	64.98	68.20	-3.22	56.83	3	Horizontal	306	1.70	108	34.28	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16104G	58.90	74.00	-15.10	43.71	3	Vertical	354	2.44	108	38.34	8.79	31.94
AV	11.16028G	45.85	54.00	-8.15	30.66	3	Vertical	354	2.44	108	38.34	8.79	31.94
PK	16.74668G	67.84	68.20	-0.36	46.04	3	Vertical	254	1.94	86	40.45	10.72	29.37

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16352G	57.58	74.00	-16.42	42.39	3	Horizontal	332	1.80	86	38.34	8.79	31.94
AV	11.16384G	44.52	54.00	-9.48	29.33	3	Horizontal	332	1.80	86	38.34	8.79	31.94
PK	16.73392G	67.68	68.20	-0.52	45.88	3	Horizontal	290	1.76	77	40.43	10.72	29.35

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
Setting 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7024G	114.08	Inf	-Inf	106.18	3	Vertical	344	3.00	-	34.02	6.60	32.72	
AV	5.7026G	103.89	Inf	-Inf	95.99	3	Vertical	344	3.00	-	34.02	6.60	32.72	
PK	5.7258G	68.12	68.20	-0.08	60.04	3	Vertical	344	3.00	-	34.21	6.60	32.73	

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
Setting 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6985G	117.21	Inf	-Inf	109.33	3	Horizontal	51	1.80	-	34.00	6.60	32.72	
AV	5.6986G	107.21	Inf	-Inf	99.33	3	Horizontal	51	1.80	-	34.00	6.60	32.72	
PK	5.7379G	65.71	68.20	-2.49	57.55	3	Horizontal	51	1.80	-	34.30	6.60	32.74	

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
Setting 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41452G	56.87	74.00	-17.13	41.41	3	Vertical	343	1.80	65	38.40	8.85	31.79
AV	11.41172G	44.07	54.00	-9.93	28.61	3	Vertical	343	1.80	65	38.40	8.85	31.79
PK	17.10308G	67.14	68.20	-1.06	44.87	3	Vertical	326	1.81	65	41.41	10.83	29.97

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
Setting 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3936G	57.60	74.00	-16.40	42.15	3	Horizontal	58	1.80	65	38.40	8.85	31.80
AV	11.3912G	44.09	54.00	-9.91	28.65	3	Horizontal	58	1.80	65	38.40	8.85	31.81
PK	17.10456G	66.73	68.20	-1.47	44.46	3	Horizontal	52	1.81	65	41.41	10.83	29.97

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 108
108
4.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45216G	59.19	74.00	-14.81	51.70	3	Vertical	355	1.59	108	33.70	6.45	32.66	
AV	5.45702G	48.10	54.00	-5.90	40.60	3	Vertical	355	1.59	108	33.70	6.46	32.66	
PK	5.4689G	60.04	68.20	-8.16	52.52	3	Vertical	355	1.59	108	33.70	6.47	32.65	
PK	5.72486G	121.66	Inf	-Inf	113.59	3	Vertical	355	1.59	108	34.20	6.60	32.73	
AV	5.72486G	110.89	Inf	-Inf	102.82	3	Vertical	355	1.59	108	34.20	6.60	32.73	
PK	5.85122G	63.46	68.20	-4.74	54.84	3	Vertical	355	1.59	108	34.80	6.60	32.78	

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 108
80\98\107\108
4.10\2.80\3.61\3.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45054G	62.73	74.00	-11.27	55.24	3	Horizontal	306	1.80	108	33.70	6.45	32.66
PK	5.46026G	62.15	68.20	-6.05	54.65	3	Horizontal	306	1.80	108	33.70	6.46	32.66
AV	5.45648G	50.33	54.00	-3.67	42.83	3	Horizontal	306	1.80	108	33.70	6.46	32.66
PK	5.72G	125.00	Inf	-Inf	116.97	3	Horizontal	306	1.80	108	34.16	6.60	32.73
AV	5.71784G	115.13	Inf	-Inf	107.12	3	Horizontal	306	1.80	108	34.14	6.60	32.73
PK	5.85986G	61.60	68.20	-6.60	52.96	3	Horizontal	306	1.80	108	34.82	6.60	32.78

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4368G	58.82	74.00	-15.18	43.34	3	Vertical	353	2.94	108	38.40	8.86	31.78
AV	11.43784G	45.72	54.00	-8.28	30.24	3	Vertical	353	2.94	108	38.40	8.86	31.78
PK	17.1572G	68.05	68.20	-0.15	45.75	3	Vertical	302	1.70	84	41.51	10.85	30.06

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4514G	58.59	74.00	-15.41	43.10	3	Horizontal	295	2.88	84	38.40	8.86	31.77
AV	11.43768G	45.57	54.00	-8.43	30.09	3	Horizontal	295	2.88	84	38.40	8.86	31.78
PK	17.15956G	67.98	68.20	-0.22	45.67	3	Horizontal	294	1.69	73	41.52	10.85	30.06

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
SET 103
103
4.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14352G	61.44	74.00	-12.56	55.15	3	Vertical	325	1.94	103	32.71	6.37	32.79
AV	5.14768G	47.31	54.00	-6.69	41.03	3	Vertical	325	1.94	103	32.70	6.37	32.79
PK	5.26182G	120.56	Inf	-Inf	114.08	3	Vertical	325	1.94	103	32.82	6.40	32.74
AV	5.25662G	109.87	Inf	-Inf	103.40	3	Vertical	325	1.94	103	32.81	6.40	32.74
PK	5.35334G	64.30	74.00	-9.70	57.59	3	Vertical	325	1.94	103	33.01	6.40	32.70
AV	5.35178G	49.38	54.00	-4.62	42.67	3	Vertical	325	1.94	103	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
SET 103
106\88\97\102\105\103\104\103
-2.98\4.64\3.68\1.75\1.12\0.66\0.39\1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14612G	62.55	74.00	-11.45	56.26	3	Horizontal	45	1.80	103	32.71	6.37	32.79
AV	5.14612G	49.48	54.00	-4.52	43.19	3	Horizontal	45	1.80	103	32.71	6.37	32.79
PK	5.25636G	126.95	Inf	-Inf	120.48	3	Horizontal	45	1.80	103	32.81	6.40	32.74
AV	5.25636G	116.40	Inf	-Inf	109.93	3	Horizontal	45	1.80	103	32.81	6.40	32.74
PK	5.35152G	69.90	74.00	-4.10	63.19	3	Horizontal	45	1.80	103	33.01	6.40	32.70
AV	5.35126G	52.98	54.00	-1.02	46.27	3	Horizontal	45	1.80	103	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT X_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52016G	62.40	68.20	-5.80	46.91	3	Vertical	360	2.45	103	38.52	8.63	31.66
PK	15.78624G	68.44	74.00	-5.56	50.42	3	Vertical	28	1.74	90	38.22	10.44	30.64
AV	15.78164G	53.78	54.00	-0.22	35.81	3	Vertical	28	1.74	90	38.19	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52036G	63.85	68.20	-4.35	48.36	3	Horizontal	62	2.26	90	38.52	8.63	31.66
PK	15.77972G	68.58	74.00	-5.42	50.62	3	Horizontal	268	2.01	89	38.18	10.43	30.65
AV	15.78012G	53.04	54.00	-0.96	35.08	3	Horizontal	268	2.01	89	38.18	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
SET 88
88
3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2972G	117.56	Inf	-Inf	111.00	3	Vertical	326	1.79	88	32.89	6.40	32.73	
AV	5.2951G	105.82	Inf	-Inf	99.26	3	Vertical	326	1.79	88	32.89	6.40	32.73	
PK	5.35G	63.75	74.00	-10.25	57.05	3	Vertical	326	1.79	88	33.00	6.40	32.70	
AV	5.35G	50.05	54.00	-3.95	43.35	3	Vertical	326	1.79	88	33.00	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
SET 88
93\75\84\89\86\88
-3.34\4.28\1.97\0.40\1.30\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30658G	125.44	Inf	-Inf	118.85	3	Horizontal	46	1.80	88	32.91	6.40	32.72
AV	5.3014G	112.88	Inf	-Inf	106.30	3	Horizontal	46	1.80	88	32.90	6.40	32.72
PK	5.35138G	68.93	74.00	-5.07	62.22	3	Horizontal	46	1.80	88	33.01	6.40	32.70
AV	5.35138G	53.76	54.00	-0.24	47.05	3	Horizontal	46	1.80	88	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX


EUT X_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59084G	63.49	68.20	-4.71	47.96	3	Vertical	360	2.40	88	38.59	8.65	31.71
AV	10.6004G	50.05	54.00	-3.95	34.52	3	Vertical	360	2.40	88	38.60	8.65	31.72
PK	15.91068G	68.76	74.00	-5.24	50.50	3	Vertical	42	1.84	88	38.40	10.47	30.61
AV	15.90164G	53.62	54.00	-0.38	35.36	3	Vertical	42	1.84	88	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.59088G	64.47	68.20	-3.73	48.94	3	Horizontal	291	1.31	88	38.59	8.65	31.71	
AV	10.60072G	52.15	54.00	-1.85	36.62	3	Horizontal	291	1.31	88	38.60	8.65	31.72	
PK	15.89668G	71.50	74.00	-2.50	53.24	3	Horizontal	35	1.79	82	38.40	10.47	30.61	
AV	15.90152G	53.63	54.00	-0.37	35.37	3	Horizontal	35	1.79	82	38.40	10.47	30.61	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 82
82
4.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3212G	116.44	Inf	-Inf	109.82	3	Vertical	360	1.74	82	32.94	6.40	32.72	
AV	5.3214G	104.96	Inf	-Inf	98.34	3	Vertical	360	1.74	82	32.94	6.40	32.72	
PK	5.3613G	61.31	74.00	-12.69	54.56	3	Vertical	360	1.74	82	33.05	6.40	32.70	
AV	5.3515G	49.62	54.00	-4.38	42.91	3	Vertical	360	1.74	82	33.01	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 82
85\76\81\84\82
-0.74\1.59\0.66\0.83\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3213G	123.49	Inf	-Inf	116.87	3	Horizontal	50	1.91	82	32.94	6.40	32.72
AV	5.3162G	111.29	Inf	-Inf	104.68	3	Horizontal	50	1.91	82	32.93	6.40	32.72
PK	5.3563G	65.87	74.00	-8.13	59.14	3	Horizontal	50	1.91	82	33.03	6.40	32.70
AV	5.3513G	53.56	54.00	-0.44	46.85	3	Horizontal	50	1.91	82	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64056G	60.35	74.00	-13.65	44.84	3	Vertical	1	2.43	82	38.60	8.66	31.75
AV	10.64004G	46.96	54.00	-7.04	31.45	3	Vertical	1	2.43	82	38.60	8.66	31.75
PK	15.97704G	64.23	74.00	-9.77	45.93	3	Vertical	350	1.80	82	38.40	10.49	30.59
AV	15.95904G	50.44	54.00	-3.56	32.14	3	Vertical	350	1.80	82	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64564G	63.11	74.00	-10.89	47.61	3	Horizontal	288	1.36	82	38.60	8.66	31.76
AV	10.6406G	48.86	54.00	-5.14	33.35	3	Horizontal	288	1.36	82	38.60	8.66	31.75
PK	15.95976G	64.44	74.00	-9.56	46.14	3	Horizontal	32	1.80	82	38.40	10.49	30.59
AV	15.95984G	51.33	54.00	-2.67	33.03	3	Horizontal	32	1.80	82	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT X_4TX
SET 80
80
3.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4577G	61.76	74.00	-12.24	54.26	3	Vertical	336	2.46	80	33.70	6.46	32.66	
AV	5.4578G	50.09	54.00	-3.91	42.59	3	Vertical	336	2.46	80	33.70	6.46	32.66	
PK	5.4672G	62.59	68.20	-5.61	55.07	3	Vertical	336	2.46	80	33.70	6.47	32.65	
PK	5.5063G	118.15	Inf	-Inf	110.55	3	Vertical	336	2.46	80	33.73	6.51	32.64	
AV	5.5012G	105.73	Inf	-Inf	98.17	3	Vertical	336	2.46	80	33.70	6.50	32.64	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
SET 80
83\71\77\80
-1.78\2.31\0.53\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4599G	67.19	74.00	-6.81	59.69	3	Horizontal	295	1.56	80	33.70	6.46	32.66	
AV	5.4599G	53.74	54.00	-0.26	46.24	3	Horizontal	295	1.56	80	33.70	6.46	32.66	
PK	5.47G	66.69	68.20	-1.51	59.17	3	Horizontal	295	1.56	80	33.70	6.47	32.65	
PK	5.5052G	123.22	Inf	-Inf	115.63	3	Horizontal	295	1.56	80	33.72	6.51	32.64	
AV	5.5051G	111.38	Inf	-Inf	103.79	3	Horizontal	295	1.56	80	33.72	6.51	32.64	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT X_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.00404G	57.11	74.00	-16.89	41.90	3	Vertical	337	2.44	80	38.50	8.75	32.04	
AV	11.00408G	44.56	54.00	-9.44	29.35	3	Vertical	337	2.44	80	38.50	8.75	32.04	
PK	16.49404G	67.20	68.20	-1.00	45.24	3	Vertical	155	2.95	80	40.27	10.65	28.96	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT X_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00308G	58.17	74.00	-15.83	42.96	3	Horizontal	330	1.75	80	38.50	8.75	32.04
AV	10.99804G	45.56	54.00	-8.44	30.35	3	Horizontal	330	1.75	80	38.50	8.75	32.04
PK	16.48492G	67.48	68.20	-0.72	45.60	3	Horizontal	69	1.80	80	40.22	10.65	28.99

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
SET 106
106
3.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4472G	62.45	74.00	-11.55	54.99	3	Vertical	0	2.95	106	33.67	6.45	32.66	
AV	5.45584G	49.44	54.00	-4.56	41.94	3	Vertical	0	2.95	106	33.70	6.46	32.66	
PK	5.46768G	64.63	68.20	-3.57	57.11	3	Vertical	0	2.95	106	33.70	6.47	32.65	
PK	5.57712G	123.66	Inf	-Inf	115.90	3	Vertical	0	2.95	106	33.85	6.58	32.67	
AV	5.58736G	112.17	Inf	-Inf	104.42	3	Vertical	0	2.95	106	33.83	6.59	32.67	
PK	5.73744G	60.56	68.20	-7.64	52.39	3	Vertical	0	2.95	106	34.30	6.60	32.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
SET 106
108\90\99\104\107\105\106
-5.89\3.34\2.84\2.09\~0.92\1.87\1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45008G	65.61	74.00	-8.39	58.12	3	Horizontal	306	1.68	106	33.70	6.45	32.66
AV	5.45616G	52.69	54.00	-1.31	45.19	3	Horizontal	306	1.68	106	33.70	6.46	32.66
PK	5.46544G	65.48	68.20	-2.72	57.96	3	Horizontal	306	1.68	106	33.70	6.47	32.65
PK	5.5848G	126.79	Inf	-Inf	119.05	3	Horizontal	306	1.68	106	33.83	6.58	32.67
AV	5.57488G	115.63	Inf	-Inf	107.88	3	Horizontal	306	1.68	106	33.85	6.57	32.67
PK	5.72976G	62.21	68.20	-5.99	54.10	3	Horizontal	306	1.68	106	34.24	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT X_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16624G	55.85	74.00	-18.15	40.67	3	Vertical	6	1.80	106	38.33	8.79	31.94
AV	11.15904G	43.42	54.00	-10.58	28.23	3	Vertical	6	1.80	106	38.34	8.79	31.94
PK	16.73788G	67.22	68.20	-0.98	45.41	3	Vertical	262	1.93	83	40.44	10.72	29.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT X_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15904G	57.23	74.00	-16.77	42.04	3	Horizontal	64	1.78	83	38.34	8.79	31.94
AV	11.15908G	44.49	54.00	-9.51	29.30	3	Horizontal	64	1.78	83	38.34	8.79	31.94
PK	16.73484G	67.56	68.20	-0.64	45.76	3	Horizontal	290	1.80	80	40.43	10.72	29.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT X_4TX
SET 56
56
6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6975G	112.80	Inf	-Inf	104.91	3	Vertical	2	2.88	56	34.01	6.60	32.72	
AV	5.6973G	100.15	Inf	-Inf	92.26	3	Vertical	2	2.88	56	34.01	6.60	32.72	
PK	5.727G	61.96	68.20	-6.24	53.87	3	Vertical	2	2.88	56	34.22	6.60	32.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
SET 56
65\47\56
-3.92\6.31\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	115.10	Inf	-Inf	107.18	3	Horizontal	307	1.80	56	34.04	6.60	32.72
AV	5.6947G	103.52	Inf	-Inf	95.63	3	Horizontal	307	1.80	56	34.01	6.60	32.72
PK	5.7255G	67.84	68.20	-0.36	59.77	3	Horizontal	307	1.80	56	34.20	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT X_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39368G	57.09	74.00	-16.91	41.64	3	Vertical	281	1.80	56	38.40	8.85	31.80
AV	11.4198G	43.61	54.00	-10.39	28.15	3	Vertical	281	1.80	56	38.40	8.85	31.79
PK	17.08332G	66.93	68.20	-1.27	44.70	3	Vertical	332	1.80	56	41.35	10.82	29.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39592G	57.73	74.00	-16.27	42.28	3	Horizontal	330	1.80	56	38.40	8.85	31.80
AV	11.41644G	43.60	54.00	-10.40	28.14	3	Horizontal	330	1.80	56	38.40	8.85	31.79
PK	17.11968G	67.23	68.20	-0.97	44.95	3	Horizontal	360	1.80	56	41.44	10.84	30.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 108
108
4.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	60.78	74.00	-13.22	53.28	3	Vertical	2	2.95	108	33.70	6.46	32.66
AV	5.45594G	48.50	54.00	-5.50	41.00	3	Vertical	2	2.95	108	33.70	6.46	32.66
PK	5.46728G	61.02	68.20	-7.18	53.50	3	Vertical	2	2.95	108	33.70	6.47	32.65
PK	5.72756G	121.81	Inf	-Inf	113.72	3	Vertical	2	2.95	108	34.22	6.60	32.73
AV	5.72702G	110.74	Inf	-Inf	102.65	3	Vertical	2	2.95	108	34.22	6.60	32.73
PK	5.8523G	63.53	68.20	-4.67	54.91	3	Vertical	2	2.95	108	34.80	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 108
108
3.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	62.10	74.00	-11.90	54.61	3	Horizontal	290	1.76	108	33.70	6.45	32.66
PK	5.46188G	62.54	68.20	-5.66	55.04	3	Horizontal	290	1.76	108	33.70	6.46	32.66
AV	5.45864G	49.72	54.00	-4.28	42.22	3	Horizontal	290	1.76	108	33.70	6.46	32.66
PK	5.71514G	123.98	Inf	-Inf	115.99	3	Horizontal	290	1.76	108	34.12	6.60	32.73
AV	5.72486G	113.35	Inf	-Inf	105.28	3	Horizontal	290	1.76	108	34.20	6.60	32.73
PK	5.85G	65.07	68.20	-3.13	56.45	3	Horizontal	290	1.76	108	34.80	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42308G	57.65	74.00	-16.35	42.18	3	Vertical	19	1.80	73	38.40	8.86	31.79
AV	11.44744G	43.69	54.00	-10.31	28.20	3	Vertical	19	1.80	73	38.40	8.86	31.77
PK	17.1602G	67.77	68.20	-0.43	45.46	3	Vertical	317	1.80	73	41.52	10.85	30.06

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43192G	57.09	74.00	-16.91	41.61	3	Horizontal	331	1.80	73	38.40	8.86	31.78
AV	11.43732G	43.76	54.00	-10.24	28.28	3	Horizontal	331	1.80	73	38.40	8.86	31.78
PK	17.15644G	65.32	68.20	-2.88	43.01	3	Horizontal	293	1.80	73	41.51	10.85	30.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 82
82
4.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13868G	58.69	74.00	-15.31	52.39	3	Vertical	324	1.92	82	32.72	6.37	32.79
AV	5.14932G	48.26	54.00	-5.74	41.98	3	Vertical	324	1.92	82	32.70	6.37	32.79
PK	5.26664G	114.03	Inf	-Inf	107.54	3	Vertical	324	1.92	82	32.83	6.40	32.74
AV	5.27196G	102.46	Inf	-Inf	95.96	3	Vertical	324	1.92	82	32.84	6.40	32.74
PK	5.3526G	61.83	74.00	-12.17	55.12	3	Vertical	324	1.92	82	33.01	6.40	32.70
AV	5.35G	49.84	54.00	-4.16	43.14	3	Vertical	324	1.92	82	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 82
80\89\84\81\83\82
1.02\ -4.16\ -0.96\ 1.21\ -0.44\ 0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	60.43	74.00	-13.57	54.14	3	Horizontal	48	1.91	82	32.71	6.37	32.79
AV	5.1468G	49.42	54.00	-4.58	43.13	3	Horizontal	48	1.91	82	32.71	6.37	32.79
PK	5.27672G	120.07	Inf	-Inf	113.55	3	Horizontal	48	1.91	82	32.85	6.40	32.73
AV	5.27644G	109.81	Inf	-Inf	103.29	3	Horizontal	48	1.91	82	32.85	6.40	32.73
PK	5.3568G	68.65	74.00	-5.35	61.92	3	Horizontal	48	1.91	82	33.03	6.40	32.70
AV	5.35148G	53.50	54.00	-0.50	46.79	3	Horizontal	48	1.91	82	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX


EUT X_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54104G	59.85	68.20	-8.35	44.34	3	Vertical	360	2.44	82	38.54	8.64	31.67
PK	15.7976G	62.47	74.00	-11.53	44.38	3	Vertical	46	1.85	82	38.29	10.44	30.64
AV	15.81728G	49.86	54.00	-4.14	31.72	3	Vertical	46	1.85	82	38.32	10.45	30.63

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53296G	59.34	68.20	-8.86	43.85	3	Horizontal	48	1.80	82	38.53	8.63	31.67
PK	15.81688G	64.96	74.00	-9.04	46.82	3	Horizontal	34	1.76	82	38.32	10.45	30.63
AV	15.82192G	50.58	54.00	-3.42	32.44	3	Horizontal	34	1.76	82	38.32	10.45	30.63

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT X_4TX
SET 62
62
3.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29992G	108.29	Inf	-Inf	101.71	3	Vertical	328	1.79	62	32.90	6.40	32.72
AV	5.30508G	96.68	Inf	-Inf	90.09	3	Vertical	328	1.79	62	32.91	6.40	32.72
PK	5.3532G	60.83	74.00	-13.17	54.12	3	Vertical	328	1.79	62	33.01	6.40	32.70
AV	5.35G	50.21	54.00	-3.79	43.51	3	Vertical	328	1.79	62	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
SET 62
80\62
-6.41\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.30628G	116.25	Inf	-Inf	109.66	3	Horizontal	51	1.80	62	32.91	6.40	32.72
AV	5.31132G	103.98	Inf	-Inf	97.38	3	Horizontal	51	1.80	62	32.92	6.40	32.72
PK	5.35164G	64.94	74.00	-9.06	58.23	3	Horizontal	51	1.80	62	33.01	6.40	32.70
AV	5.3514G	53.60	54.00	-0.40	46.89	3	Horizontal	51	1.80	62	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63312G	56.32	74.00	-17.68	40.81	3	Vertical	1	2.48	62	38.60	8.66	31.75
AV	10.62016G	43.66	54.00	-10.34	28.14	3	Vertical	1	2.48	62	38.60	8.66	31.74
PK	15.91712G	63.34	74.00	-10.66	45.06	3	Vertical	246	1.05	62	38.40	10.48	30.60
AV	15.94128G	50.30	54.00	-3.70	32.02	3	Vertical	246	1.05	62	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6076G	57.15	74.00	-16.85	41.63	3	Horizontal	283	1.84	62	38.60	8.65	31.73
AV	10.6136G	43.81	54.00	-10.19	28.29	3	Horizontal	283	1.84	62	38.60	8.65	31.73
PK	15.96272G	63.38	74.00	-10.62	45.08	3	Horizontal	100	2.37	62	38.40	10.49	30.59
AV	15.9232G	50.20	54.00	-3.80	31.92	3	Horizontal	100	2.37	62	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT X_4TX
SET 67
67
3.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	63.00	74.00	-11.00	55.50	3	Vertical	0	2.92	67	33.70	6.46	32.66
AV	5.45768G	50.33	54.00	-3.67	42.83	3	Vertical	0	2.92	67	33.70	6.46	32.66
PK	5.46752G	65.19	68.20	-3.01	57.67	3	Vertical	0	2.92	67	33.70	6.47	32.65
PK	5.51744G	113.69	Inf	-Inf	106.05	3	Vertical	0	2.92	67	33.77	6.52	32.65
AV	5.49716G	102.55	Inf	-Inf	94.99	3	Vertical	0	2.92	67	33.70	6.50	32.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
SET 67
80\62\71\66\69\67
-6.20\1.73\1.69\0.56\0.92\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45996G	65.66	74.00	-8.34	58.16	3	Horizontal	306	1.71	67	33.70	6.46	32.66
AV	5.45996G	53.88	54.00	-0.12	46.38	3	Horizontal	306	1.71	67	33.70	6.46	32.66
PK	5.4698G	67.93	68.20	-0.27	60.41	3	Horizontal	306	1.71	67	33.70	6.47	32.65
PK	5.50484G	117.05	Inf	-Inf	109.47	3	Horizontal	306	1.71	67	33.72	6.50	32.64
AV	5.50496G	106.14	Inf	-Inf	98.56	3	Horizontal	306	1.71	67	33.72	6.50	32.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT X_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00104G	55.53	74.00	-18.47	40.32	3	Vertical	330	1.07	67	38.50	8.75	32.04
AV	10.98264G	42.32	54.00	-11.68	27.10	3	Vertical	330	1.07	67	38.50	8.75	32.03
PK	16.5188G	65.78	68.20	-2.42	43.79	3	Vertical	214	1.80	67	40.30	10.66	28.97

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02552G	56.15	74.00	-17.85	40.94	3	Horizontal	301	1.32	67	38.47	8.76	32.02
AV	11.01544G	43.17	54.00	-10.83	27.97	3	Horizontal	301	1.32	67	38.48	8.75	32.03
PK	16.5152G	66.78	68.20	-1.42	44.80	3	Horizontal	334	1.80	67	40.30	10.65	28.97

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT X_4TX
SET 81
81
2.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.56	74.00	-12.44	54.06	3	Vertical	0	2.88	81	33.70	6.46	32.66
AV	5.4572G	51.12	54.00	-2.88	43.62	3	Vertical	0	2.88	81	33.70	6.46	32.66
PK	5.462G	62.85	68.20	-5.35	55.35	3	Vertical	0	2.88	81	33.70	6.46	32.66
PK	5.5572G	115.16	Inf	-Inf	107.37	3	Vertical	0	2.88	81	33.89	6.56	32.66
AV	5.5372G	104.75	Inf	-Inf	97.01	3	Vertical	0	2.88	81	33.85	6.54	32.65
PK	5.7276G	60.23	68.20	-7.97	52.14	3	Vertical	0	2.88	81	34.22	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
SET 81
80\89\84\81\83\82\81
1.11\ -4.60\ -1.35\ 0.51\ -3.03\ -0.30\ 0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	64.97	74.00	-9.03	57.47	3	Horizontal	314	1.80	81	33.70	6.46	32.66
AV	5.4548G	53.33	54.00	-0.67	45.84	3	Horizontal	314	1.80	81	33.70	6.45	32.66
PK	5.4692G	66.82	68.20	-1.38	59.30	3	Horizontal	314	1.80	81	33.70	6.47	32.65
PK	5.5444G	119.91	Inf	-Inf	112.15	3	Horizontal	314	1.80	81	33.88	6.54	32.66
AV	5.56G	108.49	Inf	-Inf	100.71	3	Horizontal	314	1.80	81	33.88	6.56	32.66
PK	5.7348G	61.97	68.20	-6.23	53.82	3	Horizontal	314	1.80	81	34.28	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT X_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10128G	56.10	74.00	-17.90	40.90	3	Vertical	349	1.74	81	38.40	8.78	31.98
AV	11.1004G	42.97	54.00	-11.03	27.77	3	Vertical	349	1.74	81	38.40	8.78	31.98
PK	16.62928G	65.09	68.20	-3.11	43.23	3	Vertical	360	1.76	81	40.33	10.69	29.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT X_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09856G	57.11	74.00	-16.89	41.92	3	Horizontal	305	2.93	81	38.40	8.77	31.98
AV	11.10176G	43.99	54.00	-10.01	28.79	3	Horizontal	305	2.93	81	38.40	8.78	31.98
PK	16.65136G	63.50	68.20	-4.70	41.65	3	Horizontal	291	1.80	81	40.35	10.70	29.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT X_4TX
SET 65
65
5.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66248G	112.24	Inf	-Inf	104.26	3	Vertical	1	2.87	65	34.08	6.60	32.70
AV	5.66248G	100.75	Inf	-Inf	92.77	3	Vertical	1	2.87	65	34.08	6.60	32.70
PK	5.72728G	62.75	68.20	-5.45	54.66	3	Vertical	1	2.87	65	34.22	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
SET 65
80\62\71\66\69\67\66\65
-6.84\2.94\2.98\1.85\0.58\1.37\1.36\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6516G	115.26	Inf	-Inf	107.26	3	Horizontal	320	1.80	65	34.10	6.60	32.70
AV	5.66152G	103.95	Inf	-Inf	95.97	3	Horizontal	320	1.80	65	34.08	6.60	32.70
PK	5.72696G	67.88	68.20	-0.32	59.79	3	Horizontal	320	1.80	65	34.22	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34528G	55.31	74.00	-18.69	39.90	3	Vertical	165	2.95	65	38.40	8.84	31.83
AV	11.31208G	42.72	54.00	-11.28	27.34	3	Vertical	165	2.95	65	38.40	8.83	31.85
PK	17.03024G	62.90	68.20	-5.30	40.76	3	Vertical	360	1.80	65	41.19	10.81	29.86

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34896G	55.74	74.00	-18.26	40.33	3	Horizontal	143	1.56	65	38.40	8.84	31.83
AV	11.30008G	41.73	54.00	-12.27	26.36	3	Horizontal	143	1.56	65	38.40	8.83	31.86
PK	17.0092G	63.23	68.20	-4.97	41.12	3	Horizontal	170	1.80	65	41.13	10.80	29.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 101
101
4.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45728G	61.62	74.00	-12.38	54.12	3	Vertical	0	2.87	101	33.70	6.46	32.66
AV	5.45988G	49.75	54.00	-4.25	42.25	3	Vertical	0	2.87	101	33.70	6.46	32.66
PK	5.46716G	60.00	68.20	-8.20	52.48	3	Vertical	0	2.87	101	33.70	6.47	32.65
PK	5.697G	117.10	Inf	-Inf	109.21	3	Vertical	0	2.87	101	34.01	6.60	32.72
AV	5.7022G	106.70	Inf	-Inf	98.80	3	Vertical	0	2.87	101	34.02	6.60	32.72
PK	5.853G	61.89	68.20	-6.31	53.26	3	Vertical	0	2.87	101	34.81	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 101
80\92\98\101
2.76\2.25\1.86\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	63.49	74.00	-10.51	56.00	3	Horizontal	308	1.78	101	33.70	6.45	32.66
PK	5.46456G	63.93	68.20	-4.27	56.42	3	Horizontal	308	1.78	101	33.70	6.46	32.65
AV	5.45988G	52.47	54.00	-1.53	44.97	3	Horizontal	308	1.78	101	33.70	6.46	32.66
PK	5.70012G	121.24	Inf	-Inf	113.36	3	Horizontal	308	1.78	101	34.00	6.60	32.72
AV	5.7152G	110.35	Inf	-Inf	102.36	3	Horizontal	308	1.78	101	34.12	6.60	32.73
PK	5.85G	68.16	68.20	-0.04	59.54	3	Horizontal	308	1.78	101	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3912G	56.04	74.00	-17.96	40.60	3	Vertical	360	2.70	101	38.40	8.85	31.81
AV	11.41984G	42.82	54.00	-11.18	27.36	3	Vertical	360	2.70	101	38.40	8.85	31.79
PK	17.14792G	64.71	68.20	-3.49	42.41	3	Vertical	300	1.79	101	41.50	10.84	30.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41376G	56.63	74.00	-17.37	41.17	3	Horizontal	58	1.76	101	38.40	8.85	31.79
AV	11.4088G	43.14	54.00	-10.86	27.68	3	Horizontal	58	1.76	101	38.40	8.85	31.79
PK	17.12496G	68.11	68.20	-0.09	45.82	3	Horizontal	307	1.80	101	41.45	10.84	30.00

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_X_4TX
SET 62
62
4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13672G	58.23	74.00	-15.77	51.92	3	Vertical	323	2.06	62	32.73	6.37	32.79
AV	5.14792G	47.15	54.00	-6.85	40.87	3	Vertical	323	2.06	62	32.70	6.37	32.79
PK	5.28168G	105.17	Inf	-Inf	98.64	3	Vertical	323	2.06	62	32.86	6.40	32.73
AV	5.27656G	94.21	Inf	-Inf	87.69	3	Vertical	323	2.06	62	32.85	6.40	32.73
PK	5.35208G	60.59	74.00	-13.41	53.88	3	Vertical	323	2.06	62	33.01	6.40	32.70
AV	5.35624G	49.42	54.00	-4.58	42.70	3	Vertical	323	2.06	62	33.02	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_X_4TX
SET 62
80\62
-6.95\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14504G	59.69	74.00	-14.31	53.40	3	Horizontal	47	1.80	62	32.71	6.37	32.79
AV	5.14408G	48.36	54.00	-5.64	42.07	3	Horizontal	47	1.80	62	32.71	6.37	32.79
PK	5.28168G	113.23	Inf	-Inf	106.70	3	Horizontal	47	1.80	62	32.86	6.40	32.73
AV	5.30152G	101.29	Inf	-Inf	94.71	3	Horizontal	47	1.80	62	32.90	6.40	32.72
PK	5.35656G	64.32	74.00	-9.68	57.59	3	Horizontal	47	1.80	62	33.03	6.40	32.70
AV	5.35176G	53.80	54.00	-0.20	47.09	3	Horizontal	47	1.80	62	33.01	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_X_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59024G	56.17	68.20	-12.03	40.64	3	Vertical	1	2.39	62	38.59	8.65	31.71
PK	15.93928G	62.87	74.00	-11.13	44.59	3	Vertical	304	1.80	62	38.40	10.48	30.60
AV	15.91976G	50.25	54.00	-3.75	31.97	3	Vertical	304	1.80	62	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_X_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51648G	56.37	68.20	-11.83	40.87	3	Horizontal	66	1.36	62	38.52	8.63	31.65
PK	15.93464G	62.74	74.00	-11.26	44.46	3	Horizontal	3	1.80	62	38.40	10.48	30.60
AV	15.93464G	50.10	54.00	-3.90	31.82	3	Horizontal	3	1.80	62	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_X_4TX
SET 65
65
3.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	61.84	74.00	-12.16	54.34	3	Vertical	0	2.92	65	33.70	6.46	32.66
AV	5.45752G	50.99	54.00	-3.01	43.49	3	Vertical	0	2.92	65	33.70	6.46	32.66
PK	5.46744G	62.79	68.20	-5.41	55.27	3	Vertical	0	2.92	65	33.70	6.47	32.65
PK	5.5124G	110.61	Inf	-Inf	102.99	3	Vertical	0	2.92	65	33.75	6.51	32.64
AV	5.4972G	98.32	Inf	-Inf	90.76	3	Vertical	0	2.92	65	33.70	6.50	32.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_X_4TX
SET 65
80\62\71\66\63\65
-5.80\1.36\1.58\0.18\1.26\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45752G	65.27	74.00	-8.73	57.77	3	Horizontal	309	1.80	65	33.70	6.46	32.66
AV	5.45288G	53.50	54.00	-0.50	46.01	3	Horizontal	309	1.80	65	33.70	6.45	32.66
PK	5.46952G	65.76	68.20	-2.44	58.24	3	Horizontal	309	1.80	65	33.70	6.47	32.65
PK	5.5148G	113.96	Inf	-Inf	106.34	3	Horizontal	309	1.80	65	33.76	6.51	32.65
AV	5.51976G	101.59	Inf	-Inf	93.94	3	Horizontal	309	1.80	65	33.78	6.52	32.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09152G	55.20	74.00	-18.80	40.01	3	Vertical	124	1.79	65	38.41	8.77	31.99
AV	11.09856G	42.46	54.00	-11.54	27.27	3	Vertical	124	1.79	65	38.40	8.77	31.98
PK	16.5388G	65.77	68.20	-2.43	43.82	3	Vertical	132	1.80	65	40.30	10.66	29.01

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11936G	55.87	74.00	-18.13	40.68	3	Horizontal	251	1.80	65	38.38	8.78	31.97
AV	11.1168G	42.71	54.00	-11.29	27.52	3	Horizontal	251	1.80	65	38.38	8.78	31.97
PK	16.52152G	65.77	68.20	-2.43	43.79	3	Horizontal	272	1.80	65	40.30	10.66	28.98

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT X_4TX
SET 76
76
2.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45128G	60.69	74.00	-13.31	53.20	3	Vertical	0	2.95	76	33.70	6.45	32.66	
AV	5.45192G	50.39	54.00	-3.61	42.90	3	Vertical	0	2.95	76	33.70	6.45	32.66	
PK	5.46664G	61.94	68.20	-6.26	54.42	3	Vertical	0	2.95	76	33.70	6.47	32.65	
PK	5.5972G	111.61	Inf	-Inf	103.88	3	Vertical	0	2.95	76	33.81	6.60	32.68	
AV	5.5972G	100.73	Inf	-Inf	93.00	3	Vertical	0	2.95	76	33.81	6.60	32.68	
PK	5.72776G	65.25	68.20	-2.95	57.16	3	Vertical	0	2.95	76	34.22	6.60	32.73	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_X_4TX
SET 76
80\62\71\76
-2.51\4.15\3.20\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45512G	63.19	74.00	-10.81	55.69	3	Horizontal	295	1.73	76	33.70	6.46	32.66
AV	5.45992G	51.79	54.00	-2.21	44.29	3	Horizontal	295	1.73	76	33.70	6.46	32.66
PK	5.46792G	64.48	68.20	-3.72	56.96	3	Horizontal	295	1.73	76	33.70	6.47	32.65
PK	5.61992G	115.09	Inf	-Inf	107.26	3	Horizontal	295	1.73	76	33.92	6.60	32.69
AV	5.61992G	104.07	Inf	-Inf	96.24	3	Horizontal	295	1.73	76	33.92	6.60	32.69
PK	5.7252G	67.86	68.20	-0.34	59.79	3	Horizontal	295	1.73	76	34.20	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT X_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.156G	55.94	74.00	-18.06	40.76	3	Vertical	147	2.42	76	38.34	8.79	31.95	
AV	11.29904G	43.32	54.00	-10.68	27.96	3	Vertical	147	2.42	76	38.40	8.82	31.86	
PK	16.75624G	64.14	68.20	-4.06	42.34	3	Vertical	1	2.42	76	40.46	10.73	29.39	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_X_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27856G	56.41	74.00	-17.59	41.08	3	Horizontal	297	2.81	76	38.38	8.82	31.87
AV	11.21232G	43.24	54.00	-10.76	28.04	3	Horizontal	297	2.81	76	38.31	8.80	31.91
PK	16.81768G	64.96	68.20	-3.24	43.11	3	Horizontal	360	2.76	76	40.59	10.75	29.49

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 86
86
3.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45816G	61.21	74.00	-12.79	53.71	3	Vertical	0	2.91	86	33.70	6.46	32.66	
AV	5.4572G	50.10	54.00	-3.90	42.60	3	Vertical	0	2.91	86	33.70	6.46	32.66	
PK	5.46728G	61.12	68.20	-7.08	53.60	3	Vertical	0	2.91	86	33.70	6.47	32.65	
PK	5.65208G	111.52	Inf	-Inf	103.52	3	Vertical	0	2.91	86	34.10	6.60	32.70	
AV	5.65208G	102.07	Inf	-Inf	94.07	3	Vertical	0	2.91	86	34.10	6.60	32.70	
PK	5.85272G	62.95	68.20	-5.25	54.32	3	Vertical	0	2.91	86	34.81	6.60	32.78	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 86
80\98\89\84\87\85\86
3.74\ -4.62\ -0.79\ 1.51\ -0.56\ 2.44\ 1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	63.91	74.00	-10.09	56.42	3	Horizontal	325	1.80	86	33.70	6.45	32.66
AV	5.45432G	51.08	54.00	-2.92	43.59	3	Horizontal	325	1.80	86	33.70	6.45	32.66
PK	5.46632G	62.20	68.20	-6.00	54.68	3	Horizontal	325	1.80	86	33.70	6.47	32.65
PK	5.68184G	115.18	Inf	-Inf	107.25	3	Horizontal	325	1.80	86	34.04	6.60	32.71
AV	5.66168G	105.16	Inf	-Inf	97.18	3	Horizontal	325	1.80	86	34.08	6.60	32.70
PK	5.85128G	66.77	68.20	-1.43	58.15	3	Horizontal	325	1.80	86	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3744G	56.81	74.00	-17.19	41.39	3	Vertical	105	1.80	86	38.40	8.84	31.82
AV	11.38576G	43.71	54.00	-10.29	28.27	3	Vertical	105	1.80	86	38.40	8.85	31.81
PK	17.054G	66.19	68.20	-2.01	44.00	3	Vertical	1	1.80	86	41.26	10.82	29.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.37056G	57.04	74.00	-16.96	41.62	3	Horizontal	360	1.80	86	38.40	8.84	31.82	
AV	11.4048G	43.88	54.00	-10.12	28.43	3	Horizontal	360	1.80	86	38.40	8.85	31.80	
PK	17.07048G	66.86	68.20	-1.34	44.65	3	Horizontal	313	1.80	86	41.31	10.82	29.92	

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
SET 45
45
4.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	58.22	74.00	-15.78	51.93	3	Vertical	325	1.96	45	32.71	6.37	32.79
AV	5.1432G	49.07	54.00	-4.93	42.78	3	Vertical	325	1.96	45	32.71	6.37	32.79
PK	5.23224G	99.37	Inf	-Inf	92.96	3	Vertical	325	1.96	45	32.76	6.40	32.75
AV	5.23176G	90.04	Inf	-Inf	83.63	3	Vertical	325	1.96	45	32.76	6.40	32.75
PK	5.36304G	59.96	74.00	-14.04	53.21	3	Vertical	325	1.96	45	33.05	6.40	32.70
AV	5.36448G	49.26	54.00	-4.74	42.50	3	Vertical	325	1.96	45	33.06	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 45
80\50\40\45\48\46\45
-20.49\ -1.09\2.32\0.57\ -0.33\ -0.27\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	63.50	74.00	-10.50	57.21	3	Horizontal	311	1.80	45	32.71	6.37	32.79
AV	5.14752G	53.80	54.00	-0.20	47.52	3	Horizontal	311	1.80	45	32.70	6.37	32.79
PK	5.24496G	105.87	Inf	-Inf	99.43	3	Horizontal	311	1.80	45	32.79	6.40	32.75
AV	5.27496G	95.93	Inf	-Inf	89.41	3	Horizontal	311	1.80	45	32.85	6.40	32.73
PK	5.36904G	62.04	74.00	-11.96	55.26	3	Horizontal	311	1.80	45	33.08	6.40	32.70
AV	5.36256G	51.43	54.00	-2.57	44.68	3	Horizontal	311	1.80	45	33.05	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53008G	56.33	68.20	-11.87	40.83	3	Vertical	342	1.80	45	38.53	8.63	31.66
PK	15.5932G	61.83	74.00	-12.17	44.32	3	Vertical	37	1.80	45	37.83	10.38	30.70
AV	15.59192G	49.38	54.00	-4.62	31.87	3	Vertical	37	1.80	45	37.83	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50384G	56.34	68.20	-11.86	40.85	3	Horizontal	224	1.80	45	38.50	8.63	31.64
PK	15.72088G	62.19	74.00	-11.81	44.60	3	Horizontal	149	1.80	45	37.83	10.42	30.66
AV	15.60056G	49.24	54.00	-4.76	31.76	3	Horizontal	149	1.80	45	37.80	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_X_4TX
SET 45
45
3.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41772G	60.74	74.00	-13.26	53.61	3	Vertical	1	2.92	45	33.38	6.42	32.67
PK	5.46704G	60.93	68.20	-7.27	53.41	3	Vertical	1	2.92	45	33.70	6.47	32.65
AV	5.45732G	50.69	54.00	-3.31	43.19	3	Vertical	1	2.92	45	33.70	6.46	32.66
PK	5.5124G	100.97	Inf	-Inf	93.35	3	Vertical	1	2.92	45	33.75	6.51	32.64
AV	5.51204G	90.95	Inf	-Inf	83.33	3	Vertical	1	2.92	45	33.75	6.51	32.64
PK	5.7392G	60.43	68.20	-7.77	52.26	3	Vertical	1	2.92	45	34.31	6.60	32.74

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_X_4TX
SET 45
80\50\40\45
-17.34\0.73\1.47\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43968G	62.93	74.00	-11.07	55.56	3	Horizontal	311	1.80	45	33.60	6.44	32.67
AV	5.44724G	53.85	54.00	-0.15	46.39	3	Horizontal	311	1.80	45	33.67	6.45	32.66
PK	5.4674G	64.05	68.20	-4.15	56.53	3	Horizontal	311	1.80	45	33.70	6.47	32.65
PK	5.51456G	104.85	Inf	-Inf	97.23	3	Horizontal	311	1.80	45	33.76	6.51	32.65
AV	5.5448G	94.10	Inf	-Inf	86.34	3	Horizontal	311	1.80	45	33.88	6.54	32.66
PK	5.73272G	60.98	68.20	-7.22	52.85	3	Horizontal	311	1.80	45	34.26	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_X_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.284G	56.46	74.00	-17.54	41.13	3	Vertical	167	1.80	45	38.38	8.82	31.87
AV	11.2952G	43.86	54.00	-10.14	28.50	3	Vertical	167	1.80	45	38.40	8.82	31.86
PK	16.57432G	66.29	68.20	-1.91	44.39	3	Vertical	7	1.80	45	40.30	10.67	29.07

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_X_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.29968G	56.46	74.00	-17.54	41.10	3	Horizontal	349	1.80	45	38.40	8.82	31.86
AV	11.29392G	43.75	54.00	-10.25	28.40	3	Horizontal	349	1.80	45	38.39	8.82	31.86
PK	16.56856G	67.12	68.20	-1.08	45.21	3	Horizontal	276	1.80	45	40.30	10.67	29.06




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.14704G	53.98	54.00	-0.02	3	Horizontal	307	1.80	45

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT X_4TX
SET 104
104
4.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	60.33	74.00	-13.67	54.04	3	Vertical	323	1.74	104	32.71	6.37	32.79
AV	5.14898G	46.84	54.00	-7.16	40.56	3	Vertical	323	1.74	104	32.70	6.37	32.79
PK	5.2587G	119.52	Inf	-Inf	113.04	3	Vertical	323	1.74	104	32.82	6.40	32.74
AV	5.2535G	103.47	Inf	-Inf	97.00	3	Vertical	323	1.74	104	32.81	6.40	32.74
PK	5.35334G	62.76	74.00	-11.24	56.05	3	Vertical	323	1.74	104	33.01	6.40	32.70
AV	5.35G	49.05	54.00	-4.95	42.35	3	Vertical	323	1.74	104	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT X_4TX
SET 104
80\98\107\102\105\103\104
5.31\3.40\3.35\1.96\0.64\1.38\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14898G	63.28	74.00	-10.72	57.00	3	Horizontal	310	1.84	104	32.70	6.37	32.79
AV	5.14976G	49.44	54.00	-4.56	43.16	3	Horizontal	310	1.84	104	32.70	6.37	32.79
PK	5.2587G	127.27	Inf	-Inf	120.79	3	Horizontal	310	1.84	104	32.82	6.40	32.74
AV	5.2574G	109.76	Inf	-Inf	103.29	3	Horizontal	310	1.84	104	32.81	6.40	32.74
PK	5.35386G	67.08	74.00	-6.92	60.36	3	Horizontal	310	1.84	104	33.02	6.40	32.70
AV	5.35G	53.55	54.00	-0.45	46.85	3	Horizontal	310	1.84	104	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51876G	59.49	68.20	-8.71	44.00	3	Vertical	2	1.74	92	38.52	8.63	31.66
PK	15.77948G	66.48	74.00	-7.52	48.52	3	Vertical	27	1.80	92	38.18	10.43	30.65
AV	15.7816G	51.64	54.00	-2.36	33.67	3	Vertical	27	1.80	92	38.19	10.43	30.65

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5198G	64.55	68.20	-3.65	49.06	3	Horizontal	58	2.19	104	38.52	8.63	31.66
PK	15.78612G	68.45	74.00	-5.55	50.43	3	Horizontal	269	1.80	92	38.22	10.44	30.64
AV	15.78416G	53.32	54.00	-0.68	35.32	3	Horizontal	269	1.80	92	38.20	10.44	30.64

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT X_4TX
SET 90
90
5.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2923G	116.89	Inf	-Inf	110.34	3	Vertical	325	1.80	90	32.88	6.40	32.73
AV	5.30112G	100.70	Inf	-Inf	94.12	3	Vertical	325	1.80	90	32.90	6.40	32.72
PK	5.35082G	63.84	74.00	-10.16	57.14	3	Vertical	325	1.80	90	33.00	6.40	32.70
AV	5.35G	48.73	54.00	-5.27	42.03	3	Vertical	325	1.80	90	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
SET 90
80\98\89\94\91\90
3.77\5.35\0.86\2.06\0.22\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29874G	124.86	Inf	-Inf	118.28	3	Horizontal	308	1.79	90	32.90	6.40	32.72
AV	5.29762G	106.28	Inf	-Inf	99.70	3	Horizontal	308	1.79	90	32.90	6.40	32.72
PK	5.35096G	69.00	74.00	-5.00	62.30	3	Horizontal	308	1.79	90	33.00	6.40	32.70
AV	5.35G	53.63	54.00	-0.37	46.93	3	Horizontal	308	1.79	90	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59976G	59.80	68.20	-8.40	44.27	3	Vertical	4	1.80	85	38.60	8.65	31.72
PK	15.8996G	68.06	74.00	-5.94	49.80	3	Vertical	265	1.35	85	38.40	10.47	30.61
AV	15.89932G	52.95	54.00	-1.05	34.69	3	Vertical	265	1.35	85	38.40	10.47	30.61

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59656G	64.71	68.20	-3.49	49.18	3	Horizontal	298	2.85	90	38.60	8.65	31.72
PK	15.89328G	68.54	74.00	-5.46	50.29	3	Horizontal	35	1.75	85	38.39	10.47	30.61
AV	15.89884G	53.23	54.00	-0.77	34.97	3	Horizontal	35	1.75	85	38.40	10.47	30.61

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT X_4TX
SET 85
85
5.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3269G	115.70	Inf	-Inf	109.06	3	Vertical	324	1.79	85	32.95	6.40	32.71
AV	5.3185G	99.48	Inf	-Inf	92.86	3	Vertical	324	1.79	85	32.94	6.40	32.72
PK	5.3639G	62.00	74.00	-12.00	55.24	3	Vertical	324	1.79	85	33.06	6.40	32.70
AV	5.3501G	48.83	54.00	-5.17	42.13	3	Vertical	324	1.79	85	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 85
80\92\86\83\85
2.08\ -6.14\ -0.43\ 1.73\ 0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3187G	123.18	Inf	-Inf	116.56	3	Horizontal	313	1.80	85	32.94	6.40	32.72	
AV	5.3178G	105.45	Inf	-Inf	98.83	3	Horizontal	313	1.80	85	32.94	6.40	32.72	
PK	5.3571G	67.22	74.00	-6.78	60.49	3	Horizontal	313	1.80	85	33.03	6.40	32.70	
AV	5.3501G	53.13	54.00	-0.87	46.43	3	Horizontal	313	1.80	85	33.00	6.40	32.70	

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX


EUT X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6412G	59.98	74.00	-14.02	44.47	3	Vertical	0	2.19	85	38.60	8.66	31.75
AV	10.63988G	45.16	54.00	-8.84	29.65	3	Vertical	0	2.19	85	38.60	8.66	31.75
PK	15.96424G	64.56	74.00	-9.44	46.26	3	Vertical	333	1.80	85	38.40	10.49	30.59
AV	15.97988G	50.77	54.00	-3.23	32.47	3	Vertical	333	1.80	85	38.40	10.49	30.59

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX


EUT X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63648G	61.57	74.00	-12.43	46.06	3	Horizontal	302	1.55	85	38.60	8.66	31.75
AV	10.6372G	47.08	54.00	-6.92	31.57	3	Horizontal	302	1.55	85	38.60	8.66	31.75
PK	15.94948G	65.07	74.00	-8.93	46.79	3	Horizontal	35	1.82	85	38.40	10.48	30.60
AV	15.96124G	51.56	54.00	-2.44	33.26	3	Horizontal	35	1.82	85	38.40	10.49	30.59

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX



EUT X_4TX
SET 85
85
3.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4574G	63.06	74.00	-10.94	55.56	3	Vertical	360	2.92	85	33.70	6.46	32.66	
AV	5.4595G	49.95	54.00	-4.05	42.45	3	Vertical	360	2.92	85	33.70	6.46	32.66	
PK	5.4695G	64.31	68.20	-3.89	56.79	3	Vertical	360	2.92	85	33.70	6.47	32.65	
PK	5.4954G	119.23	Inf	-Inf	111.67	3	Vertical	360	2.92	85	33.70	6.50	32.64	
AV	5.4973G	101.56	Inf	-Inf	94.00	3	Vertical	360	2.92	85	33.70	6.50	32.64	