


802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 67
68\65\67
-0.01\2.99\2.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7021G	107.16	Inf	-Inf	99.26	3	Vertical	319	1.80	67	34.02	6.60	32.72
AV	5.7019G	95.64	Inf	-Inf	87.74	3	Vertical	319	1.80	67	34.02	6.60	32.72
PK	5.7277G	65.43	68.20	-2.77	57.34	3	Vertical	319	1.80	67	34.22	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 68
80\62\71\66\69\67\68
-7.80\5.76\2.98\3.67\0.24\1.76\1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6967G	109.99	Inf	-Inf	102.10	3	Horizontal	22	1.60	68	34.01	6.60	32.72
AV	5.6982G	96.73	Inf	-Inf	88.85	3	Horizontal	22	1.60	68	34.00	6.60	32.72
PK	5.7255G	67.03	68.20	-1.17	58.96	3	Horizontal	22	1.60	68	34.20	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3932G	56.65	74.00	-17.35	41.20	3	Vertical	258	2.89	67	38.40	8.85	31.80
AV	11.41252G	43.58	54.00	-10.42	28.12	3	Vertical	258	2.89	67	38.40	8.85	31.79
PK	17.09464G	65.12	68.20	-3.08	42.87	3	Vertical	360	1.83	67	41.38	10.83	29.96

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39996G	57.58	74.00	-16.42	42.13	3	Horizontal	195	1.80	67	38.40	8.85	31.80
AV	11.41872G	43.56	54.00	-10.44	28.10	3	Horizontal	195	1.80	67	38.40	8.85	31.79
PK	17.09548G	65.33	68.20	-2.87	43.07	3	Horizontal	290	1.80	67	41.39	10.83	29.96

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
5.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45594G	58.60	74.00	-15.40	51.10	3	Vertical	317	1.76	108	33.70	6.46	32.66
AV	5.4554G	48.38	54.00	-5.62	40.88	3	Vertical	317	1.76	108	33.70	6.46	32.66
PK	5.46782G	59.11	68.20	-9.09	51.59	3	Vertical	317	1.76	108	33.70	6.47	32.65
PK	5.71676G	114.69	Inf	-Inf	106.69	3	Vertical	317	1.76	108	34.13	6.60	32.73
AV	5.71892G	103.31	Inf	-Inf	95.29	3	Vertical	317	1.76	108	34.15	6.60	32.73
PK	5.94086G	61.06	68.20	-7.14	52.22	3	Vertical	317	1.76	108	35.06	6.60	32.82

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 108
80\98\107\108
5.38\5.40\5.54\5.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45486G	59.36	74.00	-14.64	51.87	3	Horizontal	29	1.67	108	33.70	6.45	32.66
AV	5.45702G	48.50	54.00	-5.50	41.00	3	Horizontal	29	1.67	108	33.70	6.46	32.66
PK	5.46944G	60.20	68.20	-8.00	52.68	3	Horizontal	29	1.67	108	33.70	6.47	32.65
PK	5.71892G	115.11	Inf	-Inf	107.09	3	Horizontal	29	1.67	108	34.15	6.60	32.73
AV	5.71298G	103.70	Inf	-Inf	95.73	3	Horizontal	29	1.67	108	34.10	6.60	32.73
PK	5.96462G	62.49	68.20	-5.71	53.56	3	Horizontal	29	1.67	108	35.16	6.60	32.83

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44396G	56.82	74.00	-17.18	41.33	3	Vertical	14	1.11	108	38.40	8.86	31.77
AV	11.4356G	43.58	54.00	-10.42	28.10	3	Vertical	14	1.11	108	38.40	8.86	31.78
PK	17.15116G	67.67	68.20	-0.53	45.37	3	Vertical	349	1.79	108	41.50	10.85	30.05

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44976G	57.37	74.00	-16.63	41.88	3	Horizontal	67	2.92	108	38.40	8.86	31.77
AV	11.43624G	43.67	54.00	-10.33	28.19	3	Horizontal	67	2.92	108	38.40	8.86	31.78
PK	17.16804G	66.96	68.20	-1.24	44.64	3	Horizontal	349	1.83	108	41.54	10.85	30.07

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 92
93\84\89\92
-0.59\4.05\1.56\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14736G	59.34	74.00	-14.66	53.05	3	Vertical	343	1.80	92	32.71	6.37	32.79
AV	5.14736G	47.70	54.00	-6.30	41.41	3	Vertical	343	1.80	92	32.71	6.37	32.79
PK	5.2616G	113.13	Inf	-Inf	106.65	3	Vertical	343	1.80	92	32.82	6.40	32.74
AV	5.2812G	100.64	Inf	-Inf	94.11	3	Vertical	343	1.80	92	32.86	6.40	32.73
PK	5.35288G	68.30	74.00	-5.70	61.59	3	Vertical	343	1.80	92	33.01	6.40	32.70
AV	5.35G	53.96	54.00	-0.04	47.26	3	Vertical	343	1.80	92	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
SET 93
80\98\89\94\91\93
5.18\2.72\2.69\0.42\1.37\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13644G	58.55	74.00	-15.45	52.24	3	Horizontal	311	1.70	93	32.73	6.37	32.79
AV	5.14064G	47.11	54.00	-6.89	40.81	3	Horizontal	311	1.70	93	32.72	6.37	32.79
PK	5.28092G	111.32	Inf	-Inf	104.79	3	Horizontal	311	1.70	93	32.86	6.40	32.73
AV	5.27532G	100.09	Inf	-Inf	93.57	3	Horizontal	311	1.70	93	32.85	6.40	32.73
PK	5.35484G	65.67	74.00	-8.33	58.95	3	Horizontal	311	1.70	93	33.02	6.40	32.70
AV	5.35036G	53.86	54.00	-0.14	47.16	3	Horizontal	311	1.70	93	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5332G	56.81	68.20	-11.39	41.32	3	Vertical	13	1.80	92	38.53	8.63	31.67
PK	15.80328G	61.97	74.00	-12.03	43.87	3	Vertical	353	1.76	92	38.30	10.44	30.64
AV	15.83288G	48.51	54.00	-5.49	30.36	3	Vertical	353	1.76	92	38.33	10.45	30.63

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUTY_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56656G	56.28	68.20	-11.92	40.76	3	Horizontal	329	2.17	92	38.57	8.64	31.69
PK	15.81848G	61.33	74.00	-12.67	43.19	3	Horizontal	319	1.80	92	38.32	10.45	30.63
AV	15.80976G	47.75	54.00	-6.25	29.64	3	Horizontal	319	1.80	92	38.31	10.44	30.64

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 81
81
0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.32644G	110.92	Inf	-Inf	104.28	3	Vertical	344	1.75	81	32.95	6.40	32.71	
AV	5.3136G	99.02	Inf	-Inf	92.41	3	Vertical	344	1.75	81	32.93	6.40	32.72	
PK	5.35476G	64.72	74.00	-9.28	58.00	3	Vertical	344	1.75	81	33.02	6.40	32.70	
AV	5.35G	53.25	54.00	-0.75	46.55	3	Vertical	344	1.75	81	33.00	6.40	32.70	

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 81
80\92\86\83\81\82\81
1.53\14.45\5.08\0.91\1.12\0.35\1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29956G	108.92	Inf	-Inf	102.34	3	Horizontal	312	1.73	81	32.90	6.40	32.72
AV	5.32032G	96.69	Inf	-Inf	90.07	3	Horizontal	312	1.73	81	32.94	6.40	32.72
PK	5.3502G	65.11	74.00	-8.89	58.41	3	Horizontal	312	1.73	81	33.00	6.40	32.70
AV	5.35128G	52.75	54.00	-1.25	46.04	3	Horizontal	312	1.73	81	33.01	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUTY_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94472G	61.53	74.00	-12.47	43.25	3	Vertical	360	1.80	81	38.40	10.48	30.60
AV	15.91872G	48.20	54.00	-5.80	29.92	3	Vertical	360	1.80	81	38.40	10.48	30.60

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUTY_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93272G	62.23	74.00	-11.77	43.95	3	Horizontal	292	1.80	81	38.40	10.48	30.60
AV	15.92432G	48.51	54.00	-5.49	30.23	3	Horizontal	292	1.80	81	38.40	10.48	30.60

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 81
81
2.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45948G	62.39	74.00	-11.61	54.89	3	Vertical	328	2.90	81	33.70	6.46	32.66
AV	5.45936G	50.78	54.00	-3.22	43.28	3	Vertical	328	2.90	81	33.70	6.46	32.66
PK	5.46932G	65.89	68.20	-2.31	58.37	3	Vertical	328	2.90	81	33.70	6.47	32.65
PK	5.5088G	111.36	Inf	-Inf	103.75	3	Vertical	328	2.90	81	33.74	6.51	32.64
AV	5.5226G	98.86	Inf	-Inf	91.20	3	Vertical	328	2.90	81	33.79	6.52	32.65

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 81
80\92\86\83\81\82\81
1.82\12.27\3.28\1.66\1.51\0.77\1.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45888G	61.66	74.00	-12.34	54.16	3	Horizontal	360	1.80	81	33.70	6.46	32.66
AV	5.45948G	50.78	54.00	-3.22	43.28	3	Horizontal	360	1.80	81	33.70	6.46	32.66
PK	5.46992G	66.64	68.20	-1.56	59.12	3	Horizontal	360	1.80	81	33.70	6.47	32.65
PK	5.49908G	109.14	Inf	-Inf	101.58	3	Horizontal	360	1.80	81	33.70	6.50	32.64
AV	5.51288G	97.50	Inf	-Inf	89.89	3	Horizontal	360	1.80	81	33.75	6.51	32.65

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00672G	55.81	74.00	-18.19	40.61	3	Vertical	10	1.80	81	38.49	8.75	32.04
AV	11.0372G	42.67	54.00	-11.33	27.47	3	Vertical	10	1.80	81	38.46	8.76	32.02
PK	16.50992G	64.97	68.20	-3.23	42.98	3	Vertical	18	1.80	81	40.30	10.65	28.96

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05656G	55.49	74.00	-18.51	40.30	3	Horizontal	92	1.80	81	38.44	8.76	32.01
AV	11.04944G	42.74	54.00	-11.26	27.54	3	Horizontal	92	1.80	81	38.45	8.76	32.01
PK	16.55392G	65.86	68.20	-2.34	43.92	3	Horizontal	29	1.80	81	40.30	10.67	29.03

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 96
96
0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.48	74.00	-8.52	57.98	3	Vertical	321	2.00	96	33.70	6.46	32.66
AV	5.4596G	53.14	54.00	-0.86	45.64	3	Vertical	321	2.00	96	33.70	6.46	32.66
PK	5.4684G	67.91	68.20	-0.29	60.39	3	Vertical	321	2.00	96	33.70	6.47	32.65
PK	5.5464G	112.13	Inf	-Inf	104.35	3	Vertical	321	2.00	96	33.89	6.55	32.66
AV	5.544G	101.49	Inf	-Inf	93.73	3	Vertical	321	2.00	96	33.88	6.54	32.66
PK	5.7276G	61.15	68.20	-7.05	53.06	3	Vertical	321	2.00	96	34.22	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 96
80\98\89\94\97\95\96
4.97\0.44\3.72\1.91\0.54\0.89\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.73	74.00	-8.27	58.23	3	Horizontal	338	1.70	96	33.70	6.46	32.66
AV	5.46G	52.97	54.00	-1.03	45.47	3	Horizontal	338	1.70	96	33.70	6.46	32.66
PK	5.4612G	67.33	68.20	-0.87	59.83	3	Horizontal	338	1.70	96	33.70	6.46	32.66
PK	5.5512G	113.00	Inf	-Inf	105.21	3	Horizontal	338	1.70	96	33.90	6.55	32.66
AV	5.5444G	101.37	Inf	-Inf	93.61	3	Horizontal	338	1.70	96	33.88	6.54	32.66
PK	5.7452G	61.14	68.20	-7.06	52.92	3	Horizontal	338	1.70	96	34.36	6.60	32.74

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0772G	55.84	74.00	-18.16	40.64	3	Vertical	62	1.80	96	38.42	8.77	31.99
AV	11.1308G	42.88	54.00	-11.12	27.69	3	Vertical	62	1.80	96	38.37	8.78	31.96
PK	16.65896G	66.22	68.20	-1.98	44.38	3	Vertical	331	1.86	96	40.36	10.70	29.22

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.124G	55.67	74.00	-18.33	40.48	3	Horizontal	301	1.80	96	38.38	8.78	31.97
AV	11.1268G	42.83	54.00	-11.17	27.64	3	Horizontal	301	1.80	96	38.37	8.78	31.96
PK	16.65912G	66.16	68.20	-2.04	44.32	3	Horizontal	44	1.80	96	40.36	10.70	29.22

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 80
81\72\77\80
-0.47\4.23\1.51\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65672G	109.53	Inf	-Inf	101.54	3	Vertical	329	1.65	80	34.09	6.60	32.70
AV	5.66424G	97.97	Inf	-Inf	90.01	3	Vertical	329	1.65	80	34.07	6.60	32.71
PK	5.73288G	67.48	68.20	-0.72	59.35	3	Vertical	329	1.65	80	34.26	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 81
80\86\83\81
0.78\ -3.48\ -0.54\ 0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65544G	110.03	Inf	-Inf	102.04	3	Horizontal	20	1.50	81	34.09	6.60	32.70
AV	5.65288G	98.09	Inf	-Inf	90.10	3	Horizontal	20	1.50	81	34.09	6.60	32.70
PK	5.73608G	68.00	68.20	-0.20	59.84	3	Horizontal	20	1.50	81	34.29	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34552G	56.53	74.00	-17.47	41.12	3	Vertical	312	2.10	80	38.40	8.84	31.83
AV	11.32416G	43.55	54.00	-10.45	28.17	3	Vertical	312	2.10	80	38.40	8.83	31.85
PK	16.9764G	64.50	68.20	-3.70	42.40	3	Vertical	360	1.80	80	41.08	10.79	29.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33536G	57.39	74.00	-16.61	42.00	3	Horizontal	30	1.80	80	38.40	8.83	31.84
AV	11.30592G	43.59	54.00	-10.41	28.22	3	Horizontal	30	1.80	80	38.40	8.83	31.86
PK	17.02184G	64.55	68.20	-3.65	42.41	3	Horizontal	1	1.80	80	41.17	10.81	29.84

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45364G	60.19	74.00	-13.81	52.70	3	Vertical	318	1.80	108	33.70	6.45	32.66
AV	5.45936G	49.01	54.00	-4.99	41.51	3	Vertical	318	1.80	108	33.70	6.46	32.66
PK	5.4682G	60.09	68.20	-8.11	52.57	3	Vertical	318	1.80	108	33.70	6.47	32.65
PK	5.70636G	111.74	Inf	-Inf	103.81	3	Vertical	318	1.80	108	34.05	6.60	32.72
AV	5.7048G	100.29	Inf	-Inf	92.37	3	Vertical	318	1.80	108	34.04	6.60	32.72
PK	5.8504G	67.03	68.20	-1.17	58.41	3	Vertical	318	1.80	108	34.80	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 108
80\98\107\108
5.39\5.10\1.00\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45884G	60.61	74.00	-13.39	53.11	3	Horizontal	20	1.59	108	33.70	6.46	32.66
AV	5.45936G	49.31	54.00	-4.69	41.81	3	Horizontal	20	1.59	108	33.70	6.46	32.66
PK	5.46664G	60.80	68.20	-7.40	53.28	3	Horizontal	20	1.59	108	33.70	6.47	32.65
PK	5.70584G	113.30	Inf	-Inf	105.37	3	Horizontal	20	1.59	108	34.05	6.60	32.72
AV	5.71312G	100.50	Inf	-Inf	92.53	3	Horizontal	20	1.59	108	34.10	6.60	32.73
PK	5.8504G	67.09	68.20	-1.11	58.47	3	Horizontal	20	1.59	108	34.80	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44272G	56.99	74.00	-17.01	41.50	3	Vertical	1	1.98	108	38.40	8.86	31.77
AV	11.41488G	43.72	54.00	-10.28	28.26	3	Vertical	1	1.98	108	38.40	8.85	31.79
PK	17.12024G	66.36	68.20	-1.84	44.08	3	Vertical	349	1.67	108	41.44	10.84	30.00

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41072G	56.47	74.00	-17.53	41.01	3	Horizontal	38	1.73	108	38.40	8.85	31.79
AV	11.41384G	43.79	54.00	-10.21	28.33	3	Horizontal	38	1.73	108	38.40	8.85	31.79
PK	17.11632G	66.15	68.20	-2.05	43.88	3	Horizontal	349	1.80	108	41.43	10.83	29.99

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 79
80\74\77\79
-0.40\1.35\0.87\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14248G	58.22	74.00	-15.78	51.92	3	Vertical	342	1.76	79	32.72	6.37	32.79
AV	5.14792G	48.18	54.00	-5.82	41.90	3	Vertical	342	1.76	79	32.70	6.37	32.79
PK	5.29672G	107.20	Inf	-Inf	100.64	3	Vertical	342	1.76	79	32.89	6.40	32.73
AV	5.32008G	96.45	Inf	-Inf	89.83	3	Vertical	342	1.76	79	32.94	6.40	32.72
PK	5.36232G	65.42	74.00	-8.58	58.67	3	Vertical	342	1.76	79	33.05	6.40	32.70
AV	5.35368G	53.83	54.00	-0.17	47.12	3	Vertical	342	1.76	79	33.01	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 80
80\86\83\81\80
0.79\ -6.87\ -3.27\ -1.10\ 0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	58.37	74.00	-15.63	52.09	3	Horizontal	312	1.77	80	32.70	6.37	32.79
AV	5.14664G	48.41	54.00	-5.59	42.12	3	Horizontal	312	1.77	80	32.71	6.37	32.79
PK	5.306G	105.48	Inf	-Inf	98.89	3	Horizontal	312	1.77	80	32.91	6.40	32.72
AV	5.2788G	94.35	Inf	-Inf	87.82	3	Horizontal	312	1.77	80	32.86	6.40	32.73
PK	5.3588G	63.00	74.00	-11.00	56.26	3	Horizontal	312	1.77	80	33.04	6.40	32.70
AV	5.35176G	53.44	54.00	-0.56	46.73	3	Horizontal	312	1.77	80	33.01	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81864G	61.65	74.00	-12.35	43.51	3	Vertical	184	1.80	79	38.32	10.45	30.63
AV	15.85256G	48.26	54.00	-5.74	30.07	3	Vertical	184	1.80	79	38.35	10.46	30.62

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91592G	61.79	74.00	-12.21	43.53	3	Horizontal	360	1.21	79	38.40	10.47	30.61
AV	15.93544G	48.26	54.00	-5.74	29.98	3	Horizontal	360	1.21	79	38.40	10.48	30.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 81
81
1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45768G	63.04	74.00	-10.96	55.54	3	Vertical	321	1.89	81	33.70	6.46	32.66	
AV	5.45528G	52.92	54.00	-1.08	45.42	3	Vertical	321	1.89	81	33.70	6.46	32.66	
PK	5.4628G	63.99	68.20	-4.21	56.49	3	Vertical	321	1.89	81	33.70	6.46	32.66	
PK	5.53752G	105.99	Inf	-Inf	98.26	3	Vertical	321	1.89	81	33.85	6.54	32.66	
AV	5.5404G	95.67	Inf	-Inf	87.93	3	Vertical	321	1.89	81	33.86	6.54	32.66	

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 81
80\86\83\81
0.66\5.12\1.26\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45736G	63.56	74.00	-10.44	56.06	3	Horizontal	341	1.72	81	33.70	6.46	32.66
AV	5.45928G	53.98	54.00	-0.02	46.48	3	Horizontal	341	1.72	81	33.70	6.46	32.66
PK	5.47G	64.61	68.20	-3.59	57.09	3	Horizontal	341	1.72	81	33.70	6.47	32.65
PK	5.55848G	106.64	Inf	-Inf	98.86	3	Horizontal	341	1.72	81	33.88	6.56	32.66
AV	5.5164G	96.20	Inf	-Inf	88.56	3	Horizontal	341	1.72	81	33.77	6.52	32.65

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10032G	55.74	74.00	-18.26	40.54	3	Vertical	328	1.80	81	38.40	8.78	31.98
AV	11.08336G	42.78	54.00	-11.22	27.58	3	Vertical	328	1.80	81	38.42	8.77	31.99
PK	16.53208G	65.40	68.20	-2.80	43.44	3	Vertical	354	1.80	81	40.30	10.66	29.00

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02016G	56.30	74.00	-17.70	41.09	3	Horizontal	105	1.80	81	38.48	8.76	32.03
AV	11.09184G	42.76	54.00	-11.24	27.56	3	Horizontal	105	1.80	81	38.41	8.77	31.98
PK	16.52136G	65.62	68.20	-2.58	43.64	3	Horizontal	291	1.80	81	40.30	10.66	28.98

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 89
89
0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	64.32	74.00	-9.68	56.82	3	Vertical	330	1.68	89	33.70	6.46	32.66
AV	5.45864G	53.54	54.00	-0.46	46.04	3	Vertical	330	1.68	89	33.70	6.46	32.66
PK	5.46824G	66.14	68.20	-2.06	58.62	3	Vertical	330	1.68	89	33.70	6.47	32.65
PK	5.58408G	108.24	Inf	-Inf	100.50	3	Vertical	330	1.68	89	33.83	6.58	32.67
AV	5.61544G	98.09	Inf	-Inf	90.29	3	Vertical	330	1.68	89	33.89	6.60	32.69
PK	5.72872G	67.98	68.20	-0.22	59.88	3	Vertical	330	1.68	89	34.23	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 89
80\98\89
3.53\5.33\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45608G	63.79	74.00	-10.21	56.29	3	Horizontal	22	1.50	89	33.70	6.46	32.66
AV	5.45608G	53.67	54.00	-0.33	46.17	3	Horizontal	22	1.50	89	33.70	6.46	32.66
PK	5.46024G	63.38	68.20	-4.82	55.88	3	Horizontal	22	1.50	89	33.70	6.46	32.66
PK	5.59816G	108.64	Inf	-Inf	100.92	3	Horizontal	22	1.50	89	33.80	6.60	32.68
AV	5.58184G	97.99	Inf	-Inf	90.24	3	Horizontal	22	1.50	89	33.84	6.58	32.67
PK	5.72648G	67.42	68.20	-0.78	59.34	3	Horizontal	22	1.50	89	34.21	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUTY_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.28848G	56.17	74.00	-17.83	40.83	3	Vertical	41	1.80	89	38.39	8.82	31.87
AV	11.29392G	43.59	54.00	-10.41	28.24	3	Vertical	41	1.80	89	38.39	8.82	31.86
PK	16.77288G	64.33	68.20	-3.87	42.54	3	Vertical	1	1.80	89	40.47	10.73	29.41

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26544G	56.25	74.00	-17.75	40.94	3	Horizontal	231	1.08	89	38.37	8.82	31.88
AV	11.28496G	43.37	54.00	-10.63	28.04	3	Horizontal	231	1.08	89	38.38	8.82	31.87
PK	16.76152G	64.25	68.20	-3.95	42.46	3	Horizontal	360	1.39	89	40.46	10.73	29.40

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 99
100\91\96\99
-0.62\3.55\2.36\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	63.19	74.00	-10.81	55.70	3	Vertical	332	1.77	99	33.70	6.45	32.66
AV	5.46G	53.09	54.00	-0.91	45.59	3	Vertical	332	1.77	99	33.70	6.46	32.66
PK	5.47G	63.64	68.20	-4.56	56.12	3	Vertical	332	1.77	99	33.70	6.47	32.65
PK	5.65832G	107.98	Inf	-Inf	100.00	3	Vertical	332	1.77	99	34.08	6.60	32.70
AV	5.66264G	98.66	Inf	-Inf	90.70	3	Vertical	332	1.77	99	34.07	6.60	32.71
PK	5.8508G	64.14	68.20	-4.06	55.52	3	Vertical	332	1.77	99	34.80	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42096G	56.78	74.00	-17.22	41.31	3	Vertical	1	1.84	99	38.40	8.86	31.79
AV	11.38224G	43.70	54.00	-10.30	28.26	3	Vertical	1	1.84	99	38.40	8.85	31.81
PK	17.05656G	65.41	68.20	-2.79	43.22	3	Vertical	1	1.80	99	41.27	10.82	29.90

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3656G	56.62	74.00	-17.38	41.20	3	Horizontal	149	1.80	99	38.40	8.84	31.82
AV	11.32576G	43.81	54.00	-10.19	28.42	3	Horizontal	149	1.80	99	38.40	8.83	31.84
PK	17.04248G	67.13	68.20	-1.07	44.97	3	Horizontal	26	2.62	99	41.23	10.81	29.88

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 65
66\60\63\65
-0.35\2.63\1.21\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13816G	66.18	74.00	-7.82	59.88	3	Vertical	345	1.75	65	32.72	6.37	32.79
AV	5.14392G	53.74	54.00	-0.26	47.45	3	Vertical	345	1.75	65	32.71	6.37	32.79
PK	5.30568G	101.66	Inf	-Inf	95.07	3	Vertical	345	1.75	65	32.91	6.40	32.72
AV	5.31192G	90.77	Inf	-Inf	84.17	3	Vertical	345	1.75	65	32.92	6.40	32.72
PK	5.36472G	64.81	74.00	-9.19	58.05	3	Vertical	345	1.75	65	33.06	6.40	32.70
AV	5.35872G	53.25	54.00	-0.75	46.52	3	Vertical	345	1.75	65	33.03	6.40	32.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 66
80\62\71\66\69\67\66
-10.00\2.90\3.65\0.71\1.60\0.78\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14608G	64.22	74.00	-9.78	57.93	3	Horizontal	311	1.80	66	32.71	6.37	32.79
AV	5.1444G	52.22	54.00	-1.78	45.93	3	Horizontal	311	1.80	66	32.71	6.37	32.79
PK	5.27784G	100.05	Inf	-Inf	93.52	3	Horizontal	311	1.80	66	32.86	6.40	32.73
AV	5.27544G	89.42	Inf	-Inf	82.90	3	Horizontal	311	1.80	66	32.85	6.40	32.73
PK	5.3664G	65.39	74.00	-8.61	58.62	3	Horizontal	311	1.80	66	33.07	6.40	32.70
AV	5.36664G	53.50	54.00	-0.50	46.73	3	Horizontal	311	1.80	66	33.07	6.40	32.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47856G	56.28	68.20	-11.92	40.84	3	Vertical	180	1.80	65	38.48	8.62	31.66
PK	15.6476G	61.70	74.00	-12.30	44.25	3	Vertical	284	1.80	65	37.75	10.39	30.69
AV	15.62136G	48.47	54.00	-5.53	30.99	3	Vertical	284	1.80	65	37.78	10.39	30.69

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39856G	56.36	68.20	-11.84	41.11	3	Horizontal	27	1.80	65	38.40	8.60	31.75
PK	15.61176G	61.44	74.00	-12.56	43.97	3	Horizontal	1	1.80	65	37.79	10.38	30.70
AV	15.62776G	48.55	54.00	-5.45	31.08	3	Horizontal	1	1.80	65	37.77	10.39	30.69

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
SET 55
55
0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45336G	63.20	74.00	-10.80	55.71	3	Vertical	320	2.00	55	33.70	6.45	32.66
AV	5.45264G	53.40	54.00	-0.60	45.91	3	Vertical	320	2.00	55	33.70	6.45	32.66
PK	5.46776G	62.82	68.20	-5.38	55.30	3	Vertical	320	2.00	55	33.70	6.47	32.65
PK	5.5736G	99.37	Inf	-Inf	91.62	3	Vertical	320	2.00	55	33.85	6.57	32.67
AV	5.54696G	88.37	Inf	-Inf	80.59	3	Vertical	320	2.00	55	33.89	6.55	32.66
PK	5.74532G	60.39	68.20	-7.81	52.17	3	Vertical	320	2.00	55	34.36	6.60	32.74

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
SET 55
80\62\53\58\55
-14.54\ -1.83\0.75\ -0.24\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45552G	62.94	74.00	-11.06	55.44	3	Horizontal	341	1.60	55	33.70	6.46	32.66
AV	5.45624G	53.89	54.00	-0.11	46.39	3	Horizontal	341	1.60	55	33.70	6.46	32.66
PK	5.46128G	63.57	68.20	-4.63	56.07	3	Horizontal	341	1.60	55	33.70	6.46	32.66
PK	5.54192G	100.04	Inf	-Inf	92.29	3	Horizontal	341	1.60	55	33.87	6.54	32.66
AV	5.53616G	88.16	Inf	-Inf	80.43	3	Horizontal	341	1.60	55	33.84	6.54	32.65
PK	5.73056G	61.17	68.20	-7.03	53.06	3	Horizontal	341	1.60	55	34.24	6.60	32.73

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.29296G	56.03	74.00	-17.97	40.68	3	Vertical	300	1.09	55	38.39	8.82	31.86
AV	11.29072G	43.40	54.00	-10.60	28.06	3	Vertical	300	1.09	55	38.39	8.82	31.87
PK	16.62424G	64.51	68.20	-3.69	42.66	3	Vertical	38	1.80	55	40.32	10.69	29.16

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT Y_2TX
SET 55


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.29584G	55.96	74.00	-18.04	40.60	3	Horizontal	253	1.28	55	38.40	8.82	31.86
AV	11.25584G	43.57	54.00	-10.43	28.29	3	Horizontal	253	1.28	55	38.36	8.81	31.89
PK	16.61688G	65.23	68.20	-2.97	43.36	3	Horizontal	226	1.80	55	40.32	10.69	29.14

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	AV	15.77504G	53.99	54.00	-0.01	3	Vertical	350	1.80	92

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 107
108\99\104\107
-0.76\6.55\5.76\3.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14482G	60.06	74.00	-13.94	53.77	3	Vertical	16	1.70	107	32.71	6.37	32.79
AV	5.14638G	46.95	54.00	-7.05	40.66	3	Vertical	16	1.70	107	32.71	6.37	32.79
PK	5.25324G	122.19	Inf	-Inf	115.72	3	Vertical	16	1.70	107	32.81	6.40	32.74
AV	5.25324G	111.46	Inf	-Inf	104.99	3	Vertical	16	1.70	107	32.81	6.40	32.74
PK	5.35282G	66.34	74.00	-7.66	59.63	3	Vertical	16	1.70	107	33.01	6.40	32.70
AV	5.35126G	50.94	54.00	-3.06	44.23	3	Vertical	16	1.70	107	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 108
80\98\107\108
7.37\6.92\2.91\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14066G	59.59	74.00	-14.41	53.29	3	Horizontal	8	1.75	108	32.72	6.37	32.79
AV	5.14118G	46.90	54.00	-7.10	40.60	3	Horizontal	8	1.75	108	32.72	6.37	32.79
PK	5.2613G	120.86	Inf	-Inf	114.38	3	Horizontal	8	1.75	108	32.82	6.40	32.74
AV	5.2613G	110.91	Inf	-Inf	104.43	3	Horizontal	8	1.75	108	32.82	6.40	32.74
PK	5.3614G	66.81	74.00	-7.19	60.06	3	Horizontal	8	1.75	108	33.05	6.40	32.70
AV	5.35932G	53.46	54.00	-0.54	46.72	3	Horizontal	8	1.75	108	33.04	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51168G	57.98	68.20	-10.22	42.49	3	Vertical	10	1.80	100	38.51	8.63	31.65
PK	15.77344G	68.70	74.00	-5.30	50.78	3	Vertical	350	1.80	92	38.14	10.43	30.65
AV	15.77504G	53.99	54.00	-0.01	36.06	3	Vertical	350	1.80	92	38.15	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51908G	58.63	68.20	-9.57	43.14	3	Horizontal	7	1.89	107	38.52	8.63	31.66
PK	15.7744G	67.68	74.00	-6.32	49.75	3	Horizontal	320	1.80	100	38.15	10.43	30.65
AV	15.7746G	53.91	54.00	-0.09	35.98	3	Horizontal	320	1.80	100	38.15	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
SET 99
102\90\96\99
-2.46\5.22\2.66\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29258G	119.23	Inf	-Inf	112.67	3	Vertical	16	1.78	99	32.89	6.40	32.73
AV	5.29328G	109.56	Inf	-Inf	103.00	3	Vertical	16	1.78	99	32.89	6.40	32.73
PK	5.35348G	71.71	74.00	-2.29	65.00	3	Vertical	16	1.78	99	33.01	6.40	32.70
AV	5.35264G	53.80	54.00	-0.20	47.09	3	Vertical	16	1.78	99	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
SET 102
80\98\107\102\105\103\102
7.28\4.15\6.22\0.64\3.03\0.30\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3007G	120.16	Inf	-Inf	113.58	3	Horizontal	10	1.64	102	32.90	6.40	32.72
AV	5.30126G	110.36	Inf	-Inf	103.78	3	Horizontal	10	1.64	102	32.90	6.40	32.72
PK	5.35446G	69.58	74.00	-4.42	62.86	3	Horizontal	10	1.64	102	33.02	6.40	32.70
AV	5.35418G	53.08	54.00	-0.92	46.36	3	Horizontal	10	1.64	102	33.02	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59644G	58.07	68.20	-10.13	42.54	3	Vertical	11	1.80	96	38.60	8.65	31.72
PK	15.89828G	67.30	74.00	-6.70	49.04	3	Vertical	350	2.31	93	38.40	10.47	30.61
AV	15.90168G	53.64	54.00	-0.36	35.38	3	Vertical	350	2.31	93	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59392G	57.06	68.20	-11.14	41.54	3	Horizontal	64	1.77	99	38.59	8.65	31.72
PK	15.90636G	67.26	74.00	-6.74	49.00	3	Horizontal	13	1.80	96	38.40	10.47	30.61
AV	15.90496G	53.77	54.00	-0.23	35.51	3	Horizontal	13	1.80	96	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT Y_4TX
SET 89
95\77\86\91\88\90\89
-5.76\5.84\2.91\1.38\1.31\1.02\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3131G	117.28	Inf	-Inf	110.67	3	Vertical	16	1.76	89	32.93	6.40	32.72
AV	5.3128G	107.64	Inf	-Inf	101.03	3	Vertical	16	1.76	89	32.93	6.40	32.72
PK	5.3524G	71.12	74.00	-2.88	64.41	3	Vertical	16	1.76	89	33.01	6.40	32.70
AV	5.3523G	53.81	54.00	-0.19	47.10	3	Vertical	16	1.76	89	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 95
80\98\89\94\97\95
6.47\ -3.24\4.67\0.78\ -2.18\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3213G	118.84	Inf	-Inf	112.22	3	Horizontal	9	1.73	95	32.94	6.40	32.72
AV	5.3212G	109.22	Inf	-Inf	102.60	3	Horizontal	9	1.73	95	32.94	6.40	32.72
PK	5.3595G	70.23	74.00	-3.77	63.49	3	Horizontal	9	1.73	95	33.04	6.40	32.70
AV	5.3538G	53.80	54.00	-0.20	47.08	3	Horizontal	9	1.73	95	33.02	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64768G	56.20	74.00	-17.80	40.70	3	Vertical	14	1.79	89	38.60	8.66	31.76
AV	10.64G	43.27	54.00	-10.73	27.76	3	Vertical	14	1.79	89	38.60	8.66	31.75
PK	15.96148G	62.81	74.00	-11.19	44.51	3	Vertical	351	1.77	89	38.40	10.49	30.59
AV	15.95632G	48.77	54.00	-5.23	30.47	3	Vertical	351	1.77	89	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64424G	56.59	74.00	-17.41	41.09	3	Horizontal	5	1.80	89	38.60	8.66	31.76
AV	10.64632G	43.16	54.00	-10.84	27.66	3	Horizontal	5	1.80	89	38.60	8.66	31.76
PK	15.96616G	61.61	74.00	-12.39	43.31	3	Horizontal	12	1.80	89	38.40	10.49	30.59
AV	15.96436G	48.52	54.00	-5.48	30.22	3	Horizontal	12	1.80	89	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
SET 87
88\85\87
-0.10\2.65\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4535G	63.36	74.00	-10.64	55.87	3	Vertical	13	1.80	87	33.70	6.45	32.66
AV	5.4515G	49.43	54.00	-4.57	41.94	3	Vertical	13	1.80	87	33.70	6.45	32.66
PK	5.4696G	67.09	68.20	-1.11	59.57	3	Vertical	13	1.80	87	33.70	6.47	32.65
PK	5.4925G	117.44	Inf	-Inf	109.89	3	Vertical	13	1.80	87	33.70	6.49	32.64
AV	5.4924G	107.59	Inf	-Inf	100.04	3	Vertical	13	1.80	87	33.70	6.49	32.64

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 88
80\98\89\94\91\90\89\88
5.58\ -8.43\1.21\ -5.14\ -0.85\ -0.07\ -1.36\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4599G	62.12	74.00	-11.88	54.62	3	Horizontal	10	1.70	88	33.70	6.46	32.66
AV	5.46G	49.94	54.00	-4.06	42.44	3	Horizontal	10	1.70	88	33.70	6.46	32.66
PK	5.4629G	68.04	68.20	-0.16	60.54	3	Horizontal	10	1.70	88	33.70	6.46	32.66
PK	5.5014G	118.48	Inf	-Inf	110.91	3	Horizontal	10	1.70	88	33.71	6.50	32.64
AV	5.5011G	108.47	Inf	-Inf	100.91	3	Horizontal	10	1.70	88	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9832G	55.50	74.00	-18.50	40.28	3	Vertical	253	1.80	87	38.50	8.75	32.03
AV	11.01564G	42.36	54.00	-11.64	27.16	3	Vertical	253	1.80	87	38.48	8.75	32.03
PK	16.48324G	65.44	68.20	-2.76	43.57	3	Vertical	180	1.80	87	40.22	10.64	28.99

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98264G	55.84	74.00	-18.16	40.62	3	Horizontal	0	1.43	87	38.50	8.75	32.03
AV	10.98016G	42.34	54.00	-11.66	27.11	3	Horizontal	0	1.43	87	38.50	8.75	32.02
PK	16.50076G	65.19	68.20	-3.01	43.18	3	Horizontal	44	1.80	87	40.30	10.65	28.94

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 108
108
5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45168G	61.79	74.00	-12.21	54.30	3	Vertical	14	1.77	108	33.70	6.45	32.66
AV	5.44208G	48.37	54.00	-5.63	40.97	3	Vertical	14	1.77	108	33.62	6.44	32.66
PK	5.46512G	63.08	68.20	-5.12	55.56	3	Vertical	14	1.77	108	33.70	6.47	32.65
PK	5.572G	120.85	Inf	-Inf	113.09	3	Vertical	14	1.77	108	33.86	6.57	32.67
AV	5.57264G	110.99	Inf	-Inf	103.24	3	Vertical	14	1.77	108	33.85	6.57	32.67
PK	5.73104G	59.67	68.20	-8.53	51.55	3	Vertical	14	1.77	108	34.25	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 108
80\98\107\108
6.94\6.40\5.47\5.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45456G	61.14	74.00	-12.86	53.65	3	Horizontal	18	1.67	108	33.70	6.45	32.66
AV	5.45584G	48.78	54.00	-5.22	41.28	3	Horizontal	18	1.67	108	33.70	6.46	32.66
PK	5.4648G	61.10	68.20	-7.10	53.59	3	Horizontal	18	1.67	108	33.70	6.46	32.65
PK	5.5832G	122.46	Inf	-Inf	114.72	3	Horizontal	18	1.67	108	33.83	6.58	32.67
AV	5.58288G	112.19	Inf	-Inf	104.45	3	Horizontal	18	1.67	108	33.83	6.58	32.67
PK	5.73648G	60.19	68.20	-8.01	52.03	3	Horizontal	18	1.67	108	34.29	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX


EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15924G	56.19	74.00	-17.81	41.00	3	Vertical	35	1.59	91	38.34	8.79	31.94
AV	11.16064G	42.75	54.00	-11.25	27.56	3	Vertical	35	1.59	91	38.34	8.79	31.94
PK	16.73196G	67.68	68.20	-0.52	45.87	3	Vertical	2	1.80	91	40.43	10.72	29.34

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14556G	56.90	74.00	-17.10	41.71	3	Horizontal	332	1.77	108	38.35	8.79	31.95
AV	11.15864G	44.22	54.00	-9.78	29.03	3	Horizontal	332	1.77	108	38.34	8.79	31.94
PK	16.73336G	68.08	68.20	-0.12	46.28	3	Horizontal	42	1.80	91	40.43	10.72	29.35

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
SET 70
70
4.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	111.32	Inf	-Inf	103.43	3	Vertical	330	1.68	70	34.01	6.60	32.72
AV	5.6947G	101.31	Inf	-Inf	93.42	3	Vertical	330	1.68	70	34.01	6.60	32.72
PK	5.7331G	63.70	68.20	-4.50	55.57	3	Vertical	330	1.68	70	34.26	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
SET 70
80\62\71\76\73\72\71\70
-4.98\4.96\0.54\ -1.72\ -3.01\ -1.21\ -0.73\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	112.97	Inf	-Inf	105.07	3	Horizontal	351	1.60	70	34.02	6.60	32.72
AV	5.7023G	103.24	Inf	-Inf	95.34	3	Horizontal	351	1.60	70	34.02	6.60	32.72
PK	5.7255G	67.36	68.20	-0.84	59.29	3	Horizontal	351	1.60	70	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39728G	56.30	74.00	-17.70	40.85	3	Vertical	136	2.14	70	38.40	8.85	31.80
AV	11.40668G	43.55	54.00	-10.45	28.10	3	Vertical	136	2.14	70	38.40	8.85	31.80
PK	17.09276G	64.41	68.20	-3.79	42.15	3	Vertical	1	2.13	70	41.38	10.83	29.95

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39332G	57.16	74.00	-16.84	41.71	3	Horizontal	66	2.70	70	38.40	8.85	31.80
AV	11.41784G	43.54	54.00	-10.46	28.08	3	Horizontal	66	2.70	70	38.40	8.85	31.79
PK	17.09356G	64.89	68.20	-3.31	42.64	3	Horizontal	1	2.64	70	41.38	10.83	29.96

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
108
5.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45594G	60.18	74.00	-13.82	52.68	3	Vertical	320	1.84	108	33.70	6.46	32.66
AV	5.45378G	48.16	54.00	-5.84	40.67	3	Vertical	320	1.84	108	33.70	6.45	32.66
PK	5.46836G	59.73	68.20	-8.47	52.21	3	Vertical	320	1.84	108	33.70	6.47	32.65
PK	5.71298G	120.64	Inf	-Inf	112.67	3	Vertical	320	1.84	108	34.10	6.60	32.73
AV	5.71244G	109.79	Inf	-Inf	101.81	3	Vertical	320	1.84	108	34.10	6.60	32.72
PK	5.9522G	60.79	68.20	-7.41	51.90	3	Vertical	320	1.84	108	35.11	6.60	32.82

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
80\98\107\108
5.93\5.24\5.77\5.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45702G	59.60	74.00	-14.40	52.10	3	Horizontal	352	1.61	108	33.70	6.46	32.66
AV	5.45324G	48.38	54.00	-5.62	40.89	3	Horizontal	352	1.61	108	33.70	6.45	32.66
PK	5.46296G	60.70	68.20	-7.50	53.20	3	Horizontal	352	1.61	108	33.70	6.46	32.66
PK	5.72324G	121.82	Inf	-Inf	113.76	3	Horizontal	352	1.61	108	34.19	6.60	32.73
AV	5.72324G	111.57	Inf	-Inf	103.51	3	Horizontal	352	1.61	108	34.19	6.60	32.73
PK	5.85G	61.46	68.20	-6.74	52.84	3	Horizontal	352	1.61	108	34.80	6.60	32.78

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT Y_4TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4378G	57.23	74.00	-16.77	41.75	3	Vertical	124	2.95	65	38.40	8.86	31.78
AV	11.44744G	42.90	54.00	-11.10	27.41	3	Vertical	124	2.95	65	38.40	8.86	31.77
PK	17.17496G	67.77	68.20	-0.43	45.45	3	Vertical	140	1.07	59	41.55	10.85	30.08

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42872G	56.32	74.00	-17.68	40.84	3	Horizontal	1	1.22	59	38.40	8.86	31.78
AV	11.43876G	43.08	54.00	-10.92	27.60	3	Horizontal	1	1.22	59	38.40	8.86	31.78
PK	17.17264G	67.99	68.20	-0.21	45.67	3	Horizontal	276	1.80	59	41.55	10.85	30.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 107
107
1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14066G	64.43	74.00	-9.57	58.13	3	Vertical	14	1.79	107	32.72	6.37	32.79
AV	5.14794G	47.39	54.00	-6.61	41.11	3	Vertical	14	1.79	107	32.70	6.37	32.79
PK	5.2665G	121.00	Inf	-Inf	114.51	3	Vertical	14	1.79	107	32.83	6.40	32.74
AV	5.25636G	108.55	Inf	-Inf	102.08	3	Vertical	14	1.79	107	32.81	6.40	32.74
PK	5.35152G	70.36	74.00	-3.64	63.65	3	Vertical	14	1.79	107	33.01	6.40	32.70
AV	5.35152G	52.90	54.00	-1.10	46.19	3	Vertical	14	1.79	107	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 107
107
0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14508G	59.78	74.00	-14.22	53.49	3	Horizontal	7	1.72	107	32.71	6.37	32.79
AV	5.14976G	47.25	54.00	-6.75	40.97	3	Horizontal	7	1.72	107	32.70	6.37	32.79
PK	5.2652G	119.79	Inf	-Inf	113.30	3	Horizontal	7	1.72	107	32.83	6.40	32.74
AV	5.25506G	108.08	Inf	-Inf	101.61	3	Horizontal	7	1.72	107	32.81	6.40	32.74
PK	5.3549G	69.61	74.00	-4.39	62.89	3	Horizontal	7	1.72	107	33.02	6.40	32.70
AV	5.35022G	53.65	54.00	-0.35	46.95	3	Horizontal	7	1.72	107	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51624G	58.35	68.20	-9.85	42.85	3	Vertical	13	1.80	104	38.52	8.63	31.65
PK	15.7718G	67.84	74.00	-6.16	49.93	3	Vertical	351	1.80	93	38.13	10.43	30.65
AV	15.78168G	53.91	54.00	-0.09	35.94	3	Vertical	351	1.80	93	38.19	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX


EUT Y_4TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51896G	57.51	68.20	-10.69	42.02	3	Horizontal	8	1.80	107	38.52	8.63	31.66
PK	15.78644G	66.94	74.00	-7.06	48.92	3	Horizontal	7	1.80	104	38.22	10.44	30.64
AV	15.78156G	53.63	54.00	-0.37	35.66	3	Horizontal	7	1.80	104	38.19	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 95
96\90\93\95
-0.27\4.05\1.96\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30602G	118.94	Inf	-Inf	112.35	3	Vertical	14	1.80	95	32.91	6.40	32.72
AV	5.29636G	106.52	Inf	-Inf	99.96	3	Vertical	14	1.80	95	32.89	6.40	32.73
PK	5.35166G	71.84	74.00	-2.16	65.13	3	Vertical	14	1.80	95	33.01	6.40	32.70
AV	5.3511G	53.59	54.00	-0.41	46.89	3	Vertical	14	1.80	95	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 96
99\87\93\96
-1.79\5.59\2.51\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29272G	119.10	Inf	-Inf	112.54	3	Horizontal	326	1.72	96	32.89	6.40	32.73
AV	5.30266G	106.51	Inf	-Inf	99.92	3	Horizontal	326	1.72	96	32.91	6.40	32.72
PK	5.35264G	70.33	74.00	-3.67	63.62	3	Horizontal	326	1.72	96	33.01	6.40	32.70
AV	5.3525G	53.61	54.00	-0.39	46.90	3	Horizontal	326	1.72	96	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5926G	57.26	68.20	-10.94	41.73	3	Vertical	11	1.80	95	38.59	8.65	31.71
PK	15.89608G	67.42	74.00	-6.58	49.16	3	Vertical	350	1.80	92	38.40	10.47	30.61
AV	15.901G	53.50	54.00	-0.50	35.24	3	Vertical	350	1.80	92	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60008G	57.16	74.00	-16.84	41.63	3	Horizontal	60	1.79	95	38.60	8.65	31.72
PK	15.90396G	66.81	74.00	-7.19	48.55	3	Horizontal	12	1.80	95	38.40	10.47	30.61
AV	15.89792G	53.49	54.00	-0.51	35.23	3	Horizontal	12	1.80	95	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 88
89\77\83\86\88
-0.99\6.07\4.91\2.37\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3262G	119.00	Inf	-Inf	112.36	3	Vertical	15	1.76	88	32.95	6.40	32.71
AV	5.3164G	105.76	Inf	-Inf	99.15	3	Vertical	15	1.76	88	32.93	6.40	32.72
PK	5.3512G	67.25	74.00	-6.75	60.55	3	Vertical	15	1.76	88	33.00	6.40	32.70
AV	5.3514G	53.38	54.00	-0.62	46.67	3	Vertical	15	1.76	88	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 89
89\92\90\89
0.53\ -2.63\ -0.73\ 0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3174G	117.42	Inf	-Inf	110.81	3	Horizontal	328	1.80	89	32.93	6.40	32.72
AV	5.3226G	105.09	Inf	-Inf	98.45	3	Horizontal	328	1.80	89	32.95	6.40	32.71
PK	5.3526G	68.18	74.00	-5.82	61.47	3	Horizontal	328	1.80	89	33.01	6.40	32.70
AV	5.3528G	53.52	54.00	-0.48	46.81	3	Horizontal	328	1.80	89	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX


EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6206G	56.62	74.00	-17.38	41.10	3	Vertical	354	1.80	88	38.60	8.66	31.74
AV	10.64908G	43.02	54.00	-10.98	27.52	3	Vertical	354	1.80	88	38.60	8.66	31.76
PK	15.9758G	61.98	74.00	-12.02	43.68	3	Vertical	351	1.80	88	38.40	10.49	30.59
AV	15.9506G	48.49	54.00	-5.51	30.19	3	Vertical	351	1.80	88	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX


EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6542G	55.77	74.00	-18.23	40.27	3	Horizontal	359	1.80	88	38.60	8.66	31.76
AV	10.63912G	42.85	54.00	-11.15	27.34	3	Horizontal	359	1.80	88	38.60	8.66	31.75
PK	15.95584G	61.78	74.00	-12.22	43.48	3	Horizontal	24	1.80	88	38.40	10.49	30.59
AV	15.96524G	48.34	54.00	-5.66	30.04	3	Horizontal	24	1.80	88	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 86
86
2.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4566G	63.09	74.00	-10.91	55.59	3	Vertical	14	1.80	86	33.70	6.46	32.66	
AV	5.4564G	49.56	54.00	-4.44	42.06	3	Vertical	14	1.80	86	33.70	6.46	32.66	
PK	5.47G	65.34	68.20	-2.86	57.82	3	Vertical	14	1.80	86	33.70	6.47	32.65	
PK	5.4966G	117.73	Inf	-Inf	110.17	3	Vertical	14	1.80	86	33.70	6.50	32.64	
AV	5.4965G	104.71	Inf	-Inf	97.15	3	Vertical	14	1.80	86	33.70	6.50	32.64	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 86
87\84\86
-0.12\4.26\1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	63.73	74.00	-10.27	56.23	3	Horizontal	357	1.72	86	33.70	6.46	32.66
AV	5.4579G	49.85	54.00	-4.15	42.35	3	Horizontal	357	1.72	86	33.70	6.46	32.66
PK	5.468G	66.23	68.20	-1.97	58.71	3	Horizontal	357	1.72	86	33.70	6.47	32.65
PK	5.4927G	119.60	Inf	-Inf	112.05	3	Horizontal	357	1.72	86	33.70	6.49	32.64
AV	5.4978G	105.93	Inf	-Inf	98.37	3	Horizontal	357	1.72	86	33.70	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX


EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99524G	55.69	74.00	-18.31	40.48	3	Vertical	177	1.80	86	38.50	8.75	32.04
AV	10.98G	42.38	54.00	-11.62	27.15	3	Vertical	177	1.80	86	38.50	8.75	32.02
PK	16.48628G	65.17	68.20	-3.03	43.28	3	Vertical	298	1.80	86	40.23	10.65	28.99

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.98696G	55.77	74.00	-18.23	40.55	3	Horizontal	190	1.97	86	38.50	8.75	32.03	
AV	10.9852G	42.46	54.00	-11.54	27.24	3	Horizontal	190	1.97	86	38.50	8.75	32.03	
PK	16.51532G	64.82	68.20	-3.38	42.84	3	Horizontal	158	1.80	86	40.30	10.65	28.97	

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 108
108
2.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45616G	63.57	74.00	-10.43	56.07	3	Vertical	14	1.79	108	33.70	6.46	32.66
AV	5.45552G	49.51	54.00	-4.49	42.01	3	Vertical	14	1.79	108	33.70	6.46	32.66
PK	5.46544G	65.73	68.20	-2.47	58.21	3	Vertical	14	1.79	108	33.70	6.47	32.65
PK	5.58608G	120.58	Inf	-Inf	112.83	3	Vertical	14	1.79	108	33.83	6.59	32.67
AV	5.57648G	108.20	Inf	-Inf	100.44	3	Vertical	14	1.79	108	33.85	6.58	32.67
PK	5.73872G	59.83	68.20	-8.37	51.66	3	Vertical	14	1.79	108	34.31	6.60	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 108
108
2.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45456G	62.33	74.00	-11.67	54.84	3	Horizontal	329	1.80	108	33.70	6.45	32.66
AV	5.45936G	48.72	54.00	-5.28	41.22	3	Horizontal	329	1.80	108	33.70	6.46	32.66
PK	5.46672G	65.26	68.20	-2.94	57.74	3	Horizontal	329	1.80	108	33.70	6.47	32.65
PK	5.57776G	121.99	Inf	-Inf	114.24	3	Horizontal	329	1.80	108	33.84	6.58	32.67
AV	5.57776G	109.31	Inf	-Inf	101.56	3	Horizontal	329	1.80	108	33.84	6.58	32.67
PK	5.73168G	61.81	68.20	-6.39	53.69	3	Horizontal	329	1.80	108	34.25	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17464G	56.55	74.00	-17.45	41.37	3	Vertical	7	1.80	94	38.33	8.79	31.94
AV	11.15596G	42.96	54.00	-11.04	27.78	3	Vertical	7	1.80	94	38.34	8.79	31.95
PK	16.73636G	67.49	68.20	-0.71	45.68	3	Vertical	1	1.80	94	40.44	10.72	29.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.17136G	56.56	74.00	-17.44	41.38	3	Horizontal	85	1.80	108	38.33	8.79	31.94	
AV	11.16072G	43.56	54.00	-10.44	28.37	3	Horizontal	85	1.80	108	38.34	8.79	31.94	
PK	16.74632G	67.85	68.20	-0.35	46.05	3	Horizontal	44	1.80	94	40.45	10.72	29.37	

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 65
65
3.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7039G	112.70	Inf	-Inf	104.79	3	Vertical	338	1.60	65	34.03	6.60	32.72
AV	5.6938G	99.01	Inf	-Inf	91.12	3	Vertical	338	1.60	65	34.01	6.60	32.72
PK	5.7288G	64.99	68.20	-3.21	56.89	3	Vertical	338	1.60	65	34.23	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 65
70\52\61\66\63\65
-2.87\8.92\4.40\ -2.47\2.54\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7075G	112.27	Inf	-Inf	104.33	3	Horizontal	333	1.69	65	34.06	6.60	32.72
AV	5.6977G	99.99	Inf	-Inf	92.11	3	Horizontal	333	1.69	65	34.00	6.60	32.72
PK	5.7274G	68.19	68.20	-0.01	60.10	3	Horizontal	333	1.69	65	34.22	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX


EUT Y_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38952G	56.89	74.00	-17.11	41.45	3	Vertical	141	1.80	65	38.40	8.85	31.81
AV	11.41952G	43.59	54.00	-10.41	28.13	3	Vertical	141	1.80	65	38.40	8.85	31.79
PK	17.11884G	64.65	68.20	-3.55	42.37	3	Vertical	39	1.80	65	41.44	10.84	30.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41296G	56.74	74.00	-17.26	41.28	3	Horizontal	108	2.48	65	38.40	8.85	31.79
AV	11.41744G	43.63	54.00	-10.37	28.17	3	Horizontal	108	2.48	65	38.40	8.85	31.79
PK	17.1044G	64.64	68.20	-3.56	42.37	3	Horizontal	1	2.39	65	41.41	10.83	29.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
108
6.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	60.64	74.00	-13.36	53.15	3	Vertical	337	1.80	108	33.70	6.45	32.66
AV	5.45G	47.59	54.00	-6.41	40.10	3	Vertical	337	1.80	108	33.70	6.45	32.66
PK	5.46404G	59.78	68.20	-8.42	52.28	3	Vertical	337	1.80	108	33.70	6.46	32.66
PK	5.71892G	120.05	Inf	-Inf	112.03	3	Vertical	337	1.80	108	34.15	6.60	32.73
AV	5.71406G	107.83	Inf	-Inf	99.85	3	Vertical	337	1.80	108	34.11	6.60	32.73
PK	5.85338G	61.19	68.20	-7.01	52.56	3	Vertical	337	1.80	108	34.81	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
108
5.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	59.74	74.00	-14.26	52.24	3	Horizontal	333	1.72	108	33.70	6.46	32.66
AV	5.45648G	47.74	54.00	-6.26	40.24	3	Horizontal	333	1.72	108	33.70	6.46	32.66
PK	5.46782G	58.91	68.20	-9.29	51.39	3	Horizontal	333	1.72	108	33.70	6.47	32.65
PK	5.7281G	120.26	Inf	-Inf	112.17	3	Horizontal	333	1.72	108	34.22	6.60	32.73
AV	5.7173G	109.03	Inf	-Inf	101.02	3	Horizontal	333	1.72	108	34.14	6.60	32.73
PK	5.8523G	62.39	68.20	-5.81	53.77	3	Horizontal	333	1.72	108	34.80	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT Y_4TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45172G	56.36	74.00	-17.64	40.87	3	Vertical	146	1.80	59	38.40	8.86	31.77
AV	11.45492G	42.87	54.00	-11.13	27.38	3	Vertical	146	1.80	59	38.40	8.86	31.77
PK	17.15244G	67.94	68.20	-0.26	45.64	3	Vertical	294	2.87	58	41.50	10.85	30.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42392G	56.67	74.00	-17.33	41.20	3	Horizontal	276	1.80	58	38.40	8.86	31.79
AV	11.45824G	42.81	54.00	-11.19	27.32	3	Horizontal	276	1.80	58	38.40	8.86	31.77
PK	17.15452G	68.01	68.20	-0.19	45.70	3	Horizontal	30	1.14	54	41.51	10.85	30.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 88
89\83\86\88
-0.37\3.46\1.68\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	58.48	74.00	-15.52	52.20	3	Vertical	15	1.71	88	32.70	6.37	32.79
AV	5.14988G	46.55	54.00	-7.45	40.27	3	Vertical	15	1.71	88	32.70	6.37	32.79
PK	5.2714G	115.66	Inf	-Inf	109.16	3	Vertical	15	1.71	88	32.84	6.40	32.74
AV	5.2714G	104.25	Inf	-Inf	97.75	3	Vertical	15	1.71	88	32.84	6.40	32.74
PK	5.35148G	66.32	74.00	-7.68	59.61	3	Vertical	15	1.71	88	33.01	6.40	32.70
AV	5.3512G	53.11	54.00	-0.89	46.41	3	Vertical	15	1.71	88	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 89
80\98\89
4.75\6.33\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	57.53	74.00	-16.47	51.25	3	Horizontal	6	1.53	89	32.70	6.37	32.79
AV	5.14932G	46.42	54.00	-7.58	40.14	3	Horizontal	6	1.53	89	32.70	6.37	32.79
PK	5.28008G	114.07	Inf	-Inf	107.54	3	Horizontal	6	1.53	89	32.86	6.40	32.73
AV	5.27504G	103.90	Inf	-Inf	97.38	3	Horizontal	6	1.53	89	32.85	6.40	32.73
PK	5.35036G	67.47	74.00	-6.53	60.77	3	Horizontal	6	1.53	89	33.00	6.40	32.70
AV	5.35036G	53.99	54.00	-0.01	47.29	3	Horizontal	6	1.53	89	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.542G	56.17	68.20	-12.03	40.66	3	Vertical	10	1.80	88	38.54	8.64	31.67
PK	15.78336G	61.27	74.00	-12.73	43.27	3	Vertical	350	1.79	88	38.20	10.44	30.64
AV	15.79656G	49.03	54.00	-4.97	30.95	3	Vertical	350	1.79	88	38.28	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX


EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52472G	56.30	68.20	-11.90	40.81	3	Horizontal	5	1.80	88	38.52	8.63	31.66
PK	15.7808G	60.77	74.00	-13.23	42.81	3	Horizontal	26	1.80	88	38.18	10.43	30.65
AV	15.81032G	47.66	54.00	-6.34	29.55	3	Horizontal	26	1.80	88	38.31	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 76
79\67\73\76\78\77\76
-1.26\3.37\1.18\0.69\0.25\0.13\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31636G	113.15	Inf	-Inf	106.54	3	Vertical	13	1.80	76	32.93	6.40	32.72
AV	5.31132G	101.25	Inf	-Inf	94.65	3	Vertical	13	1.80	76	32.92	6.40	32.72
PK	5.35176G	65.39	74.00	-8.61	58.68	3	Vertical	13	1.80	76	33.01	6.40	32.70
AV	5.3514G	53.84	54.00	-0.16	47.13	3	Vertical	13	1.80	76	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 79
80\74\77\79
-0.34\2.38\1.31\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32764G	113.00	Inf	-Inf	106.35	3	Horizontal	328	1.80	79	32.96	6.40	32.71
AV	5.31768G	100.97	Inf	-Inf	94.35	3	Horizontal	328	1.80	79	32.94	6.40	32.72
PK	5.3532G	66.75	74.00	-7.25	60.04	3	Horizontal	328	1.80	79	33.01	6.40	32.70
AV	5.35272G	53.65	54.00	-0.35	46.94	3	Horizontal	328	1.80	79	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89592G	61.00	74.00	-13.00	42.74	3	Vertical	180	1.80	76	38.40	10.47	30.61
AV	15.89064G	47.52	54.00	-6.48	29.27	3	Vertical	180	1.80	76	38.39	10.47	30.61

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92176G	60.50	74.00	-13.50	42.22	3	Horizontal	1	1.43	76	38.40	10.48	30.60
AV	15.93544G	47.52	54.00	-6.48	29.24	3	Horizontal	1	1.43	76	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 77
77
1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.456G	61.78	74.00	-12.22	54.28	3	Vertical	14	1.75	77	33.70	6.46	32.66	
AV	5.45648G	50.73	54.00	-3.27	43.23	3	Vertical	14	1.75	77	33.70	6.46	32.66	
PK	5.46632G	66.58	68.20	-1.62	59.06	3	Vertical	14	1.75	77	33.70	6.47	32.65	
PK	5.51648G	113.28	Inf	-Inf	105.64	3	Vertical	14	1.75	77	33.77	6.52	32.65	
AV	5.51648G	101.39	Inf	-Inf	93.75	3	Vertical	14	1.75	77	33.77	6.52	32.65	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 77
80\68\74\77
-1.13\4.50\2.71\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4578G	63.30	74.00	-10.70	55.80	3	Horizontal	356	1.64	77	33.70	6.46	32.66	
AV	5.45792G	50.72	54.00	-3.28	43.22	3	Horizontal	356	1.64	77	33.70	6.46	32.66	
PK	5.46728G	67.80	68.20	-0.40	60.28	3	Horizontal	356	1.64	77	33.70	6.47	32.65	
PK	5.50244G	113.87	Inf	-Inf	106.30	3	Horizontal	356	1.64	77	33.71	6.50	32.64	
AV	5.50268G	102.82	Inf	-Inf	95.25	3	Horizontal	356	1.64	77	33.71	6.50	32.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01216G	55.70	74.00	-18.30	40.49	3	Vertical	184	1.48	77	38.49	8.75	32.03
AV	10.99712G	42.59	54.00	-11.41	27.38	3	Vertical	184	1.48	77	38.50	8.75	32.04
PK	16.55696G	65.09	68.20	-3.11	43.16	3	Vertical	360	1.48	77	40.30	10.67	29.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02872G	56.81	74.00	-17.19	41.60	3	Horizontal	259	2.77	77	38.47	8.76	32.02
AV	10.98168G	42.65	54.00	-11.35	27.43	3	Horizontal	259	2.77	77	38.50	8.75	32.03
PK	16.52288G	65.51	68.20	-2.69	43.53	3	Horizontal	359	1.80	77	40.30	10.66	28.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 87
87
2.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	64.86	74.00	-9.14	57.37	3	Vertical	14	1.80	87	33.70	6.45	32.66
AV	5.4564G	51.44	54.00	-2.56	43.94	3	Vertical	14	1.80	87	33.70	6.46	32.66
PK	5.4612G	65.28	68.20	-2.92	57.78	3	Vertical	14	1.80	87	33.70	6.46	32.66
PK	5.5364G	114.16	Inf	-Inf	106.42	3	Vertical	14	1.80	87	33.85	6.54	32.65
AV	5.5564G	103.62	Inf	-Inf	95.83	3	Vertical	14	1.80	87	33.89	6.56	32.66
PK	5.7336G	59.62	68.20	-8.58	51.48	3	Vertical	14	1.80	87	34.27	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
SET 87
80\98\89\84\87\88\87
5.36\4.45\1.00\3.95\1.24\0.37\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	64.26	74.00	-9.74	56.77	3	Horizontal	8	1.80	87	33.70	6.45	32.66
AV	5.46G	51.35	54.00	-2.65	43.85	3	Horizontal	8	1.80	87	33.70	6.46	32.66
PK	5.4696G	66.63	68.20	-1.57	59.11	3	Horizontal	8	1.80	87	33.70	6.47	32.65
PK	5.54G	115.22	Inf	-Inf	107.48	3	Horizontal	8	1.80	87	33.86	6.54	32.66
AV	5.5448G	104.61	Inf	-Inf	96.85	3	Horizontal	8	1.80	87	33.88	6.54	32.66
PK	5.7444G	58.98	68.20	-9.22	50.76	3	Horizontal	8	1.80	87	34.36	6.60	32.74

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12736G	55.66	74.00	-18.34	40.47	3	Vertical	6	1.50	87	38.37	8.78	31.96
AV	11.13696G	42.84	54.00	-11.16	27.66	3	Vertical	6	1.50	87	38.36	8.78	31.96
PK	16.61264G	64.46	68.20	-3.74	42.61	3	Vertical	1	1.58	87	40.31	10.68	29.14

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX


EUT Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13912G	55.82	74.00	-18.18	40.64	3	Horizontal	88	1.80	87	38.36	8.78	31.96
AV	11.11192G	42.76	54.00	-11.24	27.56	3	Horizontal	88	1.80	87	38.39	8.78	31.97
PK	16.63384G	65.39	68.20	-2.81	43.54	3	Horizontal	43	1.89	87	40.33	10.69	29.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 72
72
2.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67368G	112.41	Inf	-Inf	104.47	3	Vertical	338	1.70	72	34.05	6.60	32.71
AV	5.66888G	100.84	Inf	-Inf	92.89	3	Vertical	338	1.70	72	34.06	6.60	32.71
PK	5.72872G	65.57	68.20	-2.63	57.47	3	Vertical	338	1.70	72	34.23	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
SET 72
80\62\71\76\73\72
-3.40\7.92\1.40\2.47\2.14\2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65752G	112.83	Inf	-Inf	104.85	3	Horizontal	331	1.70	72	34.08	6.60	32.70
AV	5.65752G	100.65	Inf	-Inf	92.67	3	Horizontal	331	1.70	72	34.08	6.60	32.70
PK	5.73272G	66.08	68.20	-2.12	57.95	3	Horizontal	331	1.70	72	34.26	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35264G	56.74	74.00	-17.26	41.33	3	Vertical	3	1.80	72	38.40	8.84	31.83
AV	11.33536G	43.79	54.00	-10.21	28.40	3	Vertical	3	1.80	72	38.40	8.83	31.84
PK	17.00952G	63.82	68.20	-4.38	41.71	3	Vertical	1	1.80	72	41.13	10.80	29.82

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX


EUT Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36376G	56.66	74.00	-17.34	41.24	3	Horizontal	180	1.74	72	38.40	8.84	31.82
AV	11.31176G	43.65	54.00	-10.35	28.27	3	Horizontal	180	1.74	72	38.40	8.83	31.85
PK	17.03496G	63.72	68.20	-4.48	41.57	3	Horizontal	126	1.80	72	41.20	10.81	29.86

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 106
106
2.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45884G	60.94	74.00	-13.06	53.44	3	Vertical	338	1.70	106	33.70	6.46	32.66
AV	5.45416G	49.92	54.00	-4.08	42.43	3	Vertical	338	1.70	106	33.70	6.45	32.66
PK	5.4682G	62.91	68.20	-5.29	55.39	3	Vertical	338	1.70	106	33.70	6.47	32.65
PK	5.69908G	117.10	Inf	-Inf	109.22	3	Vertical	338	1.70	106	34.00	6.60	32.72
AV	5.70896G	107.08	Inf	-Inf	99.13	3	Vertical	338	1.70	106	34.07	6.60	32.72
PK	5.85248G	65.28	68.20	-2.92	56.66	3	Vertical	338	1.70	106	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 106
80\98\107\102\105\106
5.17\4.59\~1.61\4.34\3.48\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	62.11	74.00	-11.89	54.61	3	Horizontal	333	1.69	106	33.70	6.46	32.66
AV	5.4526G	50.37	54.00	-3.63	42.88	3	Horizontal	333	1.69	106	33.70	6.45	32.66
PK	5.46768G	62.49	68.20	-5.71	54.97	3	Horizontal	333	1.69	106	33.70	6.47	32.65
PK	5.7126G	117.82	Inf	-Inf	109.85	3	Horizontal	333	1.69	106	34.10	6.60	32.73
AV	5.70272G	108.29	Inf	-Inf	100.39	3	Horizontal	333	1.69	106	34.02	6.60	32.72
PK	5.85248G	68.07	68.20	-0.13	59.45	3	Horizontal	333	1.69	106	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.392G	56.38	74.00	-17.62	40.93	3	Vertical	1	1.16	72	38.40	8.85	31.80
AV	11.44304G	42.98	54.00	-11.02	27.49	3	Vertical	1	1.16	72	38.40	8.86	31.77
PK	17.1408G	67.52	68.20	-0.68	45.23	3	Vertical	146	2.66	72	41.48	10.84	30.03

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42912G	56.72	74.00	-17.28	41.24	3	Horizontal	1	2.65	72	38.40	8.86	31.78
AV	11.45184G	43.06	54.00	-10.94	27.57	3	Horizontal	1	2.65	72	38.40	8.86	31.77
PK	17.1368G	68.02	68.20	-0.18	45.73	3	Horizontal	356	2.95	69	41.47	10.84	30.02

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 74
77\68\73\76\74
-0.80\3.08\1.02\0.28\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	57.49	74.00	-16.51	51.20	3	Vertical	16	1.78	74	32.71	6.37	32.79
AV	5.1428G	46.44	54.00	-7.56	40.15	3	Vertical	16	1.78	74	32.71	6.37	32.79
PK	5.2564G	108.86	Inf	-Inf	102.39	3	Vertical	16	1.78	74	32.81	6.40	32.74
AV	5.31656G	98.05	Inf	-Inf	91.44	3	Vertical	16	1.78	74	32.93	6.40	32.72
PK	5.35656G	64.73	74.00	-9.27	58.00	3	Vertical	16	1.78	74	33.03	6.40	32.70
AV	5.35144G	53.51	54.00	-0.49	46.80	3	Vertical	16	1.78	74	33.01	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 77
80\68\74\77
-1.17\3.94\1.57\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	58.16	74.00	-15.84	51.87	3	Horizontal	324	1.80	77	32.71	6.37	32.79
AV	5.14184G	46.34	54.00	-7.66	40.04	3	Horizontal	324	1.80	77	32.72	6.37	32.79
PK	5.32744G	108.34	Inf	-Inf	101.70	3	Horizontal	324	1.80	77	32.95	6.40	32.71
AV	5.31784G	97.37	Inf	-Inf	90.75	3	Horizontal	324	1.80	77	32.94	6.40	32.72
PK	5.3524G	64.83	74.00	-9.17	58.12	3	Horizontal	324	1.80	77	33.01	6.40	32.70
AV	5.35272G	53.58	54.00	-0.42	46.87	3	Horizontal	324	1.80	77	33.01	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUTY_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.94104G	60.72	74.00	-13.28	42.44	3	Vertical	19	1.80	74	38.40	10.48	30.60	
AV	15.93624G	47.80	54.00	-6.20	29.52	3	Vertical	19	1.80	74	38.40	10.48	30.60	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91736G	60.45	74.00	-13.55	42.17	3	Horizontal	1	1.80	74	38.40	10.48	30.60
AV	15.92744G	47.85	54.00	-6.15	29.57	3	Horizontal	1	1.80	74	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 78
78
1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	64.60	74.00	-9.40	57.10	3	Vertical	15	1.80	78	33.70	6.46	32.66
AV	5.45656G	52.92	54.00	-1.08	45.42	3	Vertical	15	1.80	78	33.70	6.46	32.66
PK	5.46648G	64.18	68.20	-4.02	56.66	3	Vertical	15	1.80	78	33.70	6.47	32.65
PK	5.5012G	109.76	Inf	-Inf	102.20	3	Vertical	15	1.80	78	33.70	6.50	32.64
AV	5.54152G	98.55	Inf	-Inf	90.80	3	Vertical	15	1.80	78	33.87	6.54	32.66

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 78
80\71\76\79\77\78
-0.47\3.12\1.02\0.13\1.20\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.76	74.00	-9.24	57.26	3	Horizontal	357	1.69	78	33.70	6.46	32.66
AV	5.45736G	53.55	54.00	-0.45	46.05	3	Horizontal	357	1.69	78	33.70	6.46	32.66
PK	5.46728G	66.06	68.20	-2.14	58.54	3	Horizontal	357	1.69	78	33.70	6.47	32.65
PK	5.54264G	111.13	Inf	-Inf	103.38	3	Horizontal	357	1.69	78	33.87	6.54	32.66
AV	5.52264G	99.66	Inf	-Inf	92.00	3	Horizontal	357	1.69	78	33.79	6.52	32.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9904G	55.84	74.00	-18.16	40.62	3	Vertical	160	1.80	78	38.50	8.75	32.03
AV	10.99576G	42.69	54.00	-11.31	27.48	3	Vertical	160	1.80	78	38.50	8.75	32.04
PK	16.52504G	65.22	68.20	-2.98	43.24	3	Vertical	102	1.80	78	40.30	10.66	28.98

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98616G	56.22	74.00	-17.78	41.00	3	Horizontal	358	2.04	78	38.50	8.75	32.03
AV	10.98912G	42.73	54.00	-11.27	27.51	3	Horizontal	358	2.04	78	38.50	8.75	32.03
PK	16.61G	65.03	68.20	-3.17	43.17	3	Horizontal	207	1.80	78	40.31	10.68	29.13

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 82
82
1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	62.90	74.00	-11.10	55.40	3	Vertical	338	1.70	82	33.70	6.46	32.66
AV	5.45864G	50.68	54.00	-3.32	43.18	3	Vertical	338	1.70	82	33.70	6.46	32.66
PK	5.46376G	63.41	68.20	-4.79	55.91	3	Vertical	338	1.70	82	33.70	6.46	32.66
PK	5.62408G	110.79	Inf	-Inf	102.94	3	Vertical	338	1.70	82	33.94	6.60	32.69
AV	5.62376G	100.05	Inf	-Inf	92.20	3	Vertical	338	1.70	82	33.94	6.60	32.69
PK	5.73448G	66.88	68.20	-1.32	58.73	3	Vertical	338	1.70	82	34.28	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 82
80\92\86\83\81\82
1.67\4.30\1.30\0.12\1.29\1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45736G	62.08	74.00	-11.92	54.58	3	Horizontal	329	1.78	82	33.70	6.46	32.66
AV	5.45768G	51.02	54.00	-2.98	43.52	3	Horizontal	329	1.78	82	33.70	6.46	32.66
PK	5.4676G	63.47	68.20	-4.73	55.95	3	Horizontal	329	1.78	82	33.70	6.47	32.65
PK	5.64232G	110.43	Inf	-Inf	102.48	3	Horizontal	329	1.78	82	34.05	6.60	32.70
AV	5.57256G	99.69	Inf	-Inf	91.94	3	Horizontal	329	1.78	82	33.85	6.57	32.67
PK	5.72744G	67.14	68.20	-1.06	59.05	3	Horizontal	329	1.78	82	34.22	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX


EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.20208G	56.33	74.00	-17.67	41.15	3	Vertical	47	1.80	82	38.30	8.80	31.92	
AV	11.23616G	43.33	54.00	-10.67	28.08	3	Vertical	47	1.80	82	38.34	8.81	31.90	
PK	16.82344G	64.11	68.20	-4.09	42.24	3	Vertical	1	1.80	82	40.62	10.75	29.50	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24432G	56.60	74.00	-17.40	41.34	3	Horizontal	359	1.80	82	38.34	8.81	31.89
AV	11.2864G	43.47	54.00	-10.53	28.13	3	Horizontal	359	1.80	82	38.39	8.82	31.87
PK	16.822G	64.41	68.20	-3.79	42.55	3	Horizontal	202	1.80	82	40.61	10.75	29.50

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 94
94
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45912G	65.11	74.00	-8.89	57.61	3	Vertical	341	1.56	94	33.70	6.46	32.66	
AV	5.45912G	53.60	54.00	-0.40	46.10	3	Vertical	341	1.56	94	33.70	6.46	32.66	
PK	5.46872G	65.63	68.20	-2.57	58.11	3	Vertical	341	1.56	94	33.70	6.47	32.65	
PK	5.67896G	115.02	Inf	-Inf	107.09	3	Vertical	341	1.56	94	34.04	6.60	32.71	
AV	5.6588G	104.48	Inf	-Inf	96.50	3	Vertical	341	1.56	94	34.08	6.60	32.70	
PK	5.85416G	65.16	68.20	-3.04	56.53	3	Vertical	341	1.56	94	34.81	6.60	32.78	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 94
80\98\89\94
4.57\2.00\3.11\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45816G	63.28	74.00	-10.72	55.78	3	Horizontal	332	1.80	94	33.70	6.46	32.66
AV	5.45768G	52.62	54.00	-1.38	45.12	3	Horizontal	332	1.80	94	33.70	6.46	32.66
PK	5.46728G	65.32	68.20	-2.88	57.80	3	Horizontal	332	1.80	94	33.70	6.47	32.65
PK	5.65256G	115.46	Inf	-Inf	107.47	3	Horizontal	332	1.80	94	34.09	6.60	32.70
AV	5.66264G	103.49	Inf	-Inf	95.53	3	Horizontal	332	1.80	94	34.07	6.60	32.71
PK	5.85224G	67.78	68.20	-0.42	59.16	3	Horizontal	332	1.80	94	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42656G	56.14	74.00	-17.86	40.66	3	Vertical	360	2.48	94	38.40	8.86	31.78
AV	11.45808G	43.15	54.00	-10.85	27.66	3	Vertical	360	2.48	94	38.40	8.86	31.77
PK	17.1292G	67.82	68.20	-0.38	45.53	3	Vertical	0	1.80	91	41.46	10.84	30.01

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42816G	56.12	74.00	-17.88	40.64	3	Horizontal	360	1.80	91	38.40	8.86	31.78
AV	11.45776G	43.13	54.00	-10.87	27.64	3	Horizontal	360	1.80	91	38.40	8.86	31.77
PK	17.122G	67.90	68.20	-0.30	45.62	3	Horizontal	357	1.75	86	41.44	10.84	30.00

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 60
63\51\57\60
-1.43\2.75\1.77\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	62.87	74.00	-11.13	56.58	3	Vertical	15	1.62	60	32.71	6.37	32.79
AV	5.14128G	53.87	54.00	-0.13	47.57	3	Vertical	15	1.62	60	32.72	6.37	32.79
PK	5.23632G	105.76	Inf	-Inf	99.34	3	Vertical	15	1.62	60	32.77	6.40	32.75
AV	5.22648G	95.09	Inf	-Inf	88.69	3	Vertical	15	1.62	60	32.75	6.40	32.75
PK	5.35152G	63.47	74.00	-10.53	56.76	3	Vertical	15	1.62	60	33.01	6.40	32.70
AV	5.35176G	52.62	54.00	-1.38	45.91	3	Vertical	15	1.62	60	33.01	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 63
80\50\65\57\61\63
-17.60\3.24\1.36\2.21\0.74\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14632G	64.38	74.00	-9.62	58.09	3	Horizontal	326	1.70	63	32.71	6.37	32.79
AV	5.14704G	53.92	54.00	-0.08	47.63	3	Horizontal	326	1.70	63	32.71	6.37	32.79
PK	5.268G	105.23	Inf	-Inf	98.73	3	Horizontal	326	1.70	63	32.84	6.40	32.74
AV	5.2728G	94.86	Inf	-Inf	88.35	3	Horizontal	326	1.70	63	32.85	6.40	32.74
PK	5.35248G	64.82	74.00	-9.18	58.11	3	Horizontal	326	1.70	63	33.01	6.40	32.70
AV	5.35272G	53.83	54.00	-0.17	47.12	3	Horizontal	326	1.70	63	33.01	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_4TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.564G	56.58	68.20	-11.62	41.07	3	Vertical	360	1.57	60	38.56	8.64	31.69
PK	15.65464G	62.55	74.00	-11.45	45.08	3	Vertical	91	2.24	60	37.75	10.40	30.68
AV	15.646G	49.23	54.00	-4.77	31.78	3	Vertical	91	2.24	60	37.75	10.39	30.69

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_4TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39664G	56.20	68.20	-12.00	40.95	3	Horizontal	259	2.86	60	38.40	8.60	31.75
PK	15.65816G	62.75	74.00	-11.25	45.29	3	Horizontal	93	1.80	60	37.74	10.40	30.68
AV	15.60088G	49.21	54.00	-4.79	31.73	3	Horizontal	93	1.80	60	37.80	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
SET 53
53
2.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.44112G	62.41	74.00	-11.59	55.02	3	Vertical	322	2.00	53	33.61	6.44	32.66	
AV	5.44256G	51.45	54.00	-2.55	44.04	3	Vertical	322	2.00	53	33.63	6.44	32.66	
PK	5.46416G	63.46	68.20	-4.74	55.96	3	Vertical	322	2.00	53	33.70	6.46	32.66	
PK	5.57648G	102.02	Inf	-Inf	94.26	3	Vertical	322	2.00	53	33.85	6.58	32.67	
AV	5.53688G	91.84	Inf	-Inf	84.10	3	Vertical	322	2.00	53	33.85	6.54	32.65	
PK	5.74136G	60.20	68.20	-8.00	52.01	3	Vertical	322	2.00	53	34.33	6.60	32.74	

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 53
80\50\65\57\53
-17.32\1.18\5.16\0.41\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42276G	62.63	74.00	-11.37	55.45	3	Horizontal	331	1.66	53	33.43	6.42	32.67
PK	5.46776G	61.46	68.20	-6.74	53.94	3	Horizontal	331	1.66	53	33.70	6.47	32.65
AV	5.45624G	53.69	54.00	-0.31	46.19	3	Horizontal	331	1.66	53	33.70	6.46	32.66
PK	5.58296G	103.67	Inf	-Inf	95.93	3	Horizontal	331	1.66	53	33.83	6.58	32.67
AV	5.54264G	92.69	Inf	-Inf	84.94	3	Horizontal	331	1.66	53	33.87	6.54	32.66
PK	5.73344G	60.27	68.20	-7.93	52.13	3	Horizontal	331	1.66	53	34.27	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2856G	56.30	74.00	-17.70	40.96	3	Vertical	16	1.06	53	38.39	8.82	31.87
AV	11.28144G	43.23	54.00	-10.77	27.90	3	Vertical	16	1.06	53	38.38	8.82	31.87
PK	16.56216G	64.60	68.20	-3.60	42.68	3	Vertical	12	1.80	53	40.30	10.67	29.05

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12304G	56.54	74.00	-17.46	41.35	3	Horizontal	294	1.80	53	38.38	8.78	31.97
AV	11.28432G	43.31	54.00	-10.69	27.98	3	Horizontal	294	1.80	53	38.38	8.82	31.87
PK	16.59064G	64.72	68.20	-3.48	42.84	3	Horizontal	360	1.80	53	40.30	10.68	29.10




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	16.7408G	68.19	68.20	-0.01	3	Vertical	330	1.82	85

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 104
80\98\107\102\105\103\104
5.51\4.36\3.28\3.04\0.02\2.73\1.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	59.71	74.00	-14.29	53.43	3	Vertical	15	1.80	104	32.70	6.37	32.79
AV	5.14768G	48.00	54.00	-6.00	41.72	3	Vertical	15	1.80	104	32.70	6.37	32.79
PK	5.25298G	119.99	Inf	-Inf	113.52	3	Vertical	15	1.80	104	32.81	6.40	32.74
AV	5.25636G	108.50	Inf	-Inf	102.03	3	Vertical	15	1.80	104	32.81	6.40	32.74
PK	5.3549G	64.49	74.00	-9.51	57.77	3	Vertical	15	1.80	104	33.02	6.40	32.70
AV	5.35G	52.04	54.00	-1.96	45.34	3	Vertical	15	1.80	104	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 104
104
2.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	59.07	74.00	-14.93	52.79	3	Horizontal	360	1.66	104	32.70	6.37	32.79
AV	5.1417G	47.89	54.00	-6.11	41.59	3	Horizontal	360	1.66	104	32.72	6.37	32.79
PK	5.2587G	120.68	Inf	-Inf	114.20	3	Horizontal	360	1.66	104	32.82	6.40	32.74
AV	5.25298G	107.21	Inf	-Inf	100.74	3	Horizontal	360	1.66	104	32.81	6.40	32.74
PK	5.35828G	63.99	74.00	-10.01	57.26	3	Horizontal	360	1.66	104	33.03	6.40	32.70
AV	5.35G	51.30	54.00	-2.70	44.60	3	Horizontal	360	1.66	104	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51716G	58.18	68.20	-10.02	42.68	3	Vertical	13	1.80	104	38.52	8.63	31.65
PK	15.77988G	68.83	74.00	-5.17	50.87	3	Vertical	350	1.80	91	38.18	10.43	30.65
AV	15.78116G	53.68	54.00	-0.32	35.71	3	Vertical	350	1.80	91	38.19	10.43	30.65

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50784G	56.83	68.20	-11.37	41.34	3	Horizontal	5	1.80	91	38.51	8.63	31.65
PK	15.79368G	64.04	74.00	-9.96	45.98	3	Horizontal	316	1.85	91	38.26	10.44	30.64
AV	15.77896G	50.15	54.00	-3.85	32.20	3	Horizontal	316	1.85	91	38.17	10.43	30.65

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 92
80\98\89\94\91\93\92
4.62\ -3.72\ 2.23\ -0.60\ 1.60\ -0.10\ 1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29342G	118.31	Inf	-Inf	111.75	3	Vertical	17	1.80	92	32.89	6.40	32.73
AV	5.30182G	106.17	Inf	-Inf	99.59	3	Vertical	17	1.80	92	32.90	6.40	32.72
PK	5.3532G	66.00	74.00	-8.00	59.29	3	Vertical	17	1.80	92	33.01	6.40	32.70
AV	5.3511G	52.94	54.00	-1.06	46.24	3	Vertical	17	1.80	92	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 92
92
1.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.29874G	119.23	Inf	-Inf	112.65	3	Horizontal	1	1.68	92	32.90	6.40	32.72	
AV	5.29832G	105.02	Inf	-Inf	98.44	3	Horizontal	1	1.68	92	32.90	6.40	32.72	
PK	5.3518G	66.35	74.00	-7.65	59.64	3	Horizontal	1	1.68	92	33.01	6.40	32.70	
AV	5.3504G	52.79	54.00	-1.21	46.09	3	Horizontal	1	1.68	92	33.00	6.40	32.70	

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59252G	58.43	68.20	-9.77	42.90	3	Vertical	13	1.78	92	38.59	8.65	31.71
PK	15.89628G	67.36	74.00	-6.64	49.10	3	Vertical	16	1.79	92	38.40	10.47	30.61
AV	15.89936G	53.84	54.00	-0.16	35.58	3	Vertical	16	1.79	92	38.40	10.47	30.61

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59752G	57.44	68.20	-10.76	41.91	3	Horizontal	218	1.80	92	38.60	8.65	31.72
PK	15.91052G	67.70	74.00	-6.30	49.44	3	Horizontal	28	1.86	91	38.40	10.47	30.61
AV	15.90196G	53.40	54.00	-0.60	35.14	3	Horizontal	28	1.86	91	38.40	10.47	30.61

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 87
80\98\89\84\87
3.44\13.80\1.59\2.76\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3134G	117.68	Inf	-Inf	111.07	3	Vertical	15	1.80	87	32.93	6.40	32.72
AV	5.3215G	105.36	Inf	-Inf	98.73	3	Vertical	15	1.80	87	32.94	6.40	32.71
PK	5.3517G	65.94	74.00	-8.06	59.23	3	Vertical	15	1.80	87	33.01	6.40	32.70
AV	5.35G	53.71	54.00	-0.29	47.01	3	Vertical	15	1.80	87	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 87
87
1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3187G	116.97	Inf	-Inf	110.35	3	Horizontal	1	1.80	87	32.94	6.40	32.72
AV	5.3187G	103.18	Inf	-Inf	96.56	3	Horizontal	1	1.80	87	32.94	6.40	32.72
PK	5.3527G	64.15	74.00	-9.85	57.44	3	Horizontal	1	1.80	87	33.01	6.40	32.70
AV	5.35G	52.38	54.00	-1.62	45.68	3	Horizontal	1	1.80	87	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64692G	56.95	74.00	-17.05	41.45	3	Vertical	28	1.14	87	38.60	8.66	31.76
AV	10.62044G	43.76	54.00	-10.24	28.24	3	Vertical	28	1.14	87	38.60	8.66	31.74
PK	15.9496G	63.76	74.00	-10.24	45.48	3	Vertical	351	1.80	87	38.40	10.48	30.60
AV	15.9746G	50.31	54.00	-3.69	32.01	3	Vertical	351	1.80	87	38.40	10.49	30.59

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX


EUT Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64012G	57.05	74.00	-16.95	41.54	3	Horizontal	160	1.80	87	38.60	8.66	31.75
AV	10.62024G	43.58	54.00	-10.42	28.06	3	Horizontal	160	1.80	87	38.60	8.66	31.74
PK	15.96908G	64.01	74.00	-9.99	45.71	3	Horizontal	317	2.31	87	38.40	10.49	30.59
AV	15.9572G	50.11	54.00	-3.89	31.81	3	Horizontal	317	2.31	87	38.40	10.49	30.59

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 86
80\98\89\84\87\85\86
3.07\ -15.01\ -2.97\ 2.19\ -0.02\ 1.64\ 1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.76	74.00	-9.24	57.26	3	Vertical	14	1.66	86	33.70	6.46	32.66
AV	5.4587G	52.40	54.00	-1.60	44.90	3	Vertical	14	1.66	86	33.70	6.46	32.66
PK	5.4674G	67.18	68.20	-1.02	59.66	3	Vertical	14	1.66	86	33.70	6.47	32.65
PK	5.4971G	117.68	Inf	-Inf	110.12	3	Vertical	14	1.66	86	33.70	6.50	32.64
AV	5.4966G	105.62	Inf	-Inf	98.06	3	Vertical	14	1.66	86	33.70	6.50	32.64

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 86
86
1.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4568G	65.81	74.00	-8.19	58.31	3	Horizontal	360	1.66	86	33.70	6.46	32.66	
AV	5.458G	51.92	54.00	-2.08	44.42	3	Horizontal	360	1.66	86	33.70	6.46	32.66	
PK	5.4673G	66.37	68.20	-1.83	58.85	3	Horizontal	360	1.66	86	33.70	6.47	32.65	
PK	5.4986G	118.35	Inf	-Inf	110.79	3	Horizontal	360	1.66	86	33.70	6.50	32.64	
AV	5.4984G	105.45	Inf	-Inf	97.89	3	Horizontal	360	1.66	86	33.70	6.50	32.64	

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00644G	55.39	74.00	-18.61	40.19	3	Vertical	1	2.05	86	38.49	8.75	32.04
AV	11.01192G	42.48	54.00	-11.52	27.27	3	Vertical	1	2.05	86	38.49	8.75	32.03
PK	16.49836G	67.66	68.20	-0.54	45.67	3	Vertical	301	1.80	86	40.29	10.65	28.95

802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX


EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98876G	55.96	74.00	-18.04	40.74	3	Horizontal	179	1.80	86	38.50	8.75	32.03
AV	11.01872G	42.36	54.00	-11.64	27.16	3	Horizontal	179	1.80	86	38.48	8.75	32.03
PK	16.50384G	66.95	68.20	-1.25	44.95	3	Horizontal	110	2.56	86	40.30	10.65	28.95

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 106
80\98\107\102\105\106
4.96\4.15\~1.48\3.93\3.74\3.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44976G	62.42	74.00	-11.58	54.93	3	Vertical	13	1.73	106	33.70	6.45	32.66
AV	5.45712G	50.75	54.00	-3.25	43.25	3	Vertical	13	1.73	106	33.70	6.46	32.66
PK	5.46992G	63.91	68.20	-4.29	56.39	3	Vertical	13	1.73	106	33.70	6.47	32.65
PK	5.57328G	121.44	Inf	-Inf	113.69	3	Vertical	13	1.73	106	33.85	6.57	32.67
AV	5.57616G	109.44	Inf	-Inf	101.68	3	Vertical	13	1.73	106	33.85	6.58	32.67
PK	5.73328G	61.45	68.20	-6.75	53.31	3	Vertical	13	1.73	106	34.27	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 106
106
3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45616G	61.85	74.00	-12.15	54.35	3	Horizontal	335	1.80	106	33.70	6.46	32.66
AV	5.45776G	50.20	54.00	-3.80	42.70	3	Horizontal	335	1.80	106	33.70	6.46	32.66
PK	5.46288G	62.54	68.20	-5.66	55.04	3	Horizontal	335	1.80	106	33.70	6.46	32.66
PK	5.57872G	121.31	Inf	-Inf	113.56	3	Horizontal	335	1.80	106	33.84	6.58	32.67
AV	5.57296G	108.94	Inf	-Inf	101.19	3	Horizontal	335	1.80	106	33.85	6.57	32.67
PK	5.73584G	61.43	68.20	-6.77	53.27	3	Horizontal	335	1.80	106	34.29	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15472G	57.00	74.00	-17.00	41.81	3	Vertical	0	2.33	106	38.35	8.79	31.95
AV	11.16048G	43.20	54.00	-10.80	28.01	3	Vertical	0	2.33	106	38.34	8.79	31.94
PK	16.7408G	68.19	68.20	-0.01	46.39	3	Vertical	330	1.82	85	40.44	10.72	29.36

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16832G	55.94	74.00	-18.06	40.76	3	Horizontal	343	2.89	85	38.33	8.79	31.94
AV	11.16108G	42.87	54.00	-11.13	27.68	3	Horizontal	343	2.89	85	38.34	8.79	31.94
PK	16.73924G	67.21	68.20	-0.99	45.41	3	Horizontal	42	1.85	85	40.44	10.72	29.36

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 69
80\62\71\66\69\70\69
-7.23\4.93\2.30\1.06\1.01\1.97\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	110.50	Inf	-Inf	102.61	3	Vertical	30	1.79	69	34.01	6.60	32.72
AV	5.7036G	98.97	Inf	-Inf	91.06	3	Vertical	30	1.79	69	34.03	6.60	32.72
PK	5.7251G	68.12	68.20	-0.08	60.05	3	Vertical	30	1.79	69	34.20	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 67
69\57\63\66\68\67
-1.56\4.61\3.03\0.72\0.42\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6986G	113.22	Inf	-Inf	105.34	3	Horizontal	337	1.66	67	34.00	6.60	32.72
AV	5.6959G	100.21	Inf	-Inf	92.32	3	Horizontal	337	1.66	67	34.01	6.60	32.72
PK	5.726G	67.66	68.20	-0.54	59.58	3	Horizontal	337	1.66	67	34.21	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41056G	55.75	74.00	-18.25	40.29	3	Vertical	110	1.80	67	38.40	8.85	31.79
AV	11.41884G	42.85	54.00	-11.15	27.39	3	Vertical	110	1.80	67	38.40	8.85	31.79
PK	17.1148G	67.78	68.20	-0.42	45.51	3	Vertical	132	2.91	67	41.43	10.83	29.99

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX


EUT Y_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.412G	55.49	74.00	-18.51	40.03	3	Horizontal	1	2.90	67	38.40	8.85	31.79
AV	11.41992G	42.72	54.00	-11.28	27.26	3	Horizontal	1	2.90	67	38.40	8.85	31.79
PK	17.10972G	68.02	68.20	-0.18	45.75	3	Horizontal	169	2.93	67	41.42	10.83	29.98

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
SET 108
80\98\107\108
5.07\4.71\4.88\4.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	59.86	74.00	-14.14	52.37	3	Vertical	0	2.65	108	33.70	6.45	32.66
AV	5.45864G	49.19	54.00	-4.81	41.69	3	Vertical	0	2.65	108	33.70	6.46	32.66
PK	5.46512G	60.78	68.20	-7.42	53.26	3	Vertical	0	2.65	108	33.70	6.47	32.65
PK	5.72324G	118.15	Inf	-Inf	110.09	3	Vertical	0	2.65	108	34.19	6.60	32.73
AV	5.72918G	107.05	Inf	-Inf	98.95	3	Vertical	0	2.65	108	34.23	6.60	32.73
PK	5.86202G	61.44	68.20	-6.76	52.80	3	Vertical	0	2.65	108	34.82	6.60	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
SET 108
108
5.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45324G	60.34	74.00	-13.66	52.85	3	Horizontal	333	1.80	108	33.70	6.45	32.66
AV	5.45054G	48.80	54.00	-5.20	41.31	3	Horizontal	333	1.80	108	33.70	6.45	32.66
PK	5.46728G	59.85	68.20	-8.35	52.33	3	Horizontal	333	1.80	108	33.70	6.47	32.65
PK	5.71568G	118.79	Inf	-Inf	110.79	3	Horizontal	333	1.80	108	34.13	6.60	32.73
AV	5.7146G	107.49	Inf	-Inf	99.50	3	Horizontal	333	1.80	108	34.12	6.60	32.73
PK	5.855G	61.28	68.20	-6.92	52.65	3	Horizontal	333	1.80	108	34.81	6.60	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43668G	55.75	74.00	-18.25	40.27	3	Vertical	1	1.42	86	38.40	8.86	31.78
AV	11.45084G	42.84	54.00	-11.16	27.35	3	Vertical	1	1.42	86	38.40	8.86	31.77
PK	17.154G	67.87	68.20	-0.33	45.56	3	Vertical	173	2.44	86	41.51	10.85	30.05

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4524G	56.14	74.00	-17.86	40.65	3	Horizontal	356	1.80	86	38.40	8.86	31.77
AV	11.43796G	43.09	54.00	-10.91	27.61	3	Horizontal	356	1.80	86	38.40	8.86	31.78
PK	17.15439G	68.07	68.20	-0.13	45.76	3	Horizontal	11	1.90	86	41.51	10.85	30.05

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 87
80\98\89\84\87
3.39\ -8.11\ -1.97\ 2.17\ 0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14064G	59.62	74.00	-14.38	53.32	3	Vertical	347	1.81	87	32.72	6.37	32.79
AV	5.14092G	49.30	54.00	-4.70	43.00	3	Vertical	347	1.81	87	32.72	6.37	32.79
PK	5.26244G	114.23	Inf	-Inf	107.75	3	Vertical	347	1.81	87	32.82	6.40	32.74
AV	5.28148G	102.69	Inf	-Inf	96.16	3	Vertical	347	1.81	87	32.86	6.40	32.73
PK	5.3624G	65.77	74.00	-8.23	59.02	3	Vertical	347	1.81	87	33.05	6.40	32.70
AV	5.36268G	53.65	54.00	-0.35	46.90	3	Vertical	347	1.81	87	33.05	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 87
87
1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13616G	58.70	74.00	-15.30	52.39	3	Horizontal	326	1.70	87	32.73	6.37	32.79
AV	5.14456G	48.54	54.00	-5.46	42.25	3	Horizontal	326	1.70	87	32.71	6.37	32.79
PK	5.27532G	111.90	Inf	-Inf	105.38	3	Horizontal	326	1.70	87	32.85	6.40	32.73
AV	5.27308G	101.72	Inf	-Inf	95.21	3	Horizontal	326	1.70	87	32.85	6.40	32.74
PK	5.35428G	65.36	74.00	-8.64	58.64	3	Horizontal	326	1.70	87	33.02	6.40	32.70
AV	5.3526G	52.94	54.00	-1.06	46.23	3	Horizontal	326	1.70	87	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX


EUT Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.566G	56.98	68.20	-11.22	41.46	3	Vertical	352	2.14	87	38.57	8.64	31.69
PK	15.79592G	64.07	74.00	-9.93	45.99	3	Vertical	350	1.80	87	38.28	10.44	30.64
AV	15.79584G	50.51	54.00	-3.49	32.43	3	Vertical	350	1.80	87	38.28	10.44	30.64

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.548G	57.65	68.20	-10.55	42.14	3	Horizontal	5	1.80	87	38.55	8.64	31.68
PK	15.81472G	61.94	74.00	-12.06	43.83	3	Horizontal	21	1.78	87	38.31	10.44	30.64
AV	15.79608G	48.85	54.00	-5.15	30.77	3	Horizontal	21	1.78	87	38.28	10.44	30.64

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 76
80\68\74\77\75\76
-1.58\2.30\0.69\0.12\0.89\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32236G	112.44	Inf	-Inf	105.81	3	Vertical	15	1.80	76	32.94	6.40	32.71
AV	5.31636G	100.75	Inf	-Inf	94.14	3	Vertical	15	1.80	76	32.93	6.40	32.72
PK	5.35032G	64.88	74.00	-9.12	58.18	3	Vertical	15	1.80	76	33.00	6.40	32.70
AV	5.35068G	53.69	54.00	-0.31	46.99	3	Vertical	15	1.80	76	33.00	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 76
76
1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32776G	110.33	Inf	-Inf	103.68	3	Horizontal	357	1.71	76	32.96	6.40	32.71
AV	5.31864G	99.42	Inf	-Inf	92.80	3	Horizontal	357	1.71	76	32.94	6.40	32.72
PK	5.35056G	63.45	74.00	-10.55	56.75	3	Horizontal	357	1.71	76	33.00	6.40	32.70
AV	5.35308G	52.76	54.00	-1.24	46.05	3	Horizontal	357	1.71	76	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX


EUT_Y_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59472G	57.26	68.20	-10.94	41.74	3	Vertical	161	2.25	76	38.59	8.65	31.72
PK	15.9536G	63.32	74.00	-10.68	45.02	3	Vertical	0	1.53	76	38.40	10.49	30.59
AV	15.96296G	49.87	54.00	-4.13	31.57	3	Vertical	0	1.53	76	38.40	10.49	30.59

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX


EUT_Y_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59832G	56.90	68.20	-11.30	41.37	3	Horizontal	173	2.89	76	38.60	8.65	31.72
PK	15.94528G	63.06	74.00	-10.94	44.78	3	Horizontal	360	1.31	76	38.40	10.48	30.60
AV	15.96624G	49.80	54.00	-4.20	31.50	3	Horizontal	360	1.31	76	38.40	10.49	30.59

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 76
80\68\74\77\75\76
-2.48\2.32\1.12\0.34\0.90\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	62.96	74.00	-11.04	55.46	3	Vertical	13	1.76	76	33.70	6.46	32.66
AV	5.45912G	52.71	54.00	-1.29	45.21	3	Vertical	13	1.76	76	33.70	6.46	32.66
PK	5.46992G	67.80	68.20	-0.40	60.28	3	Vertical	13	1.76	76	33.70	6.47	32.65
PK	5.52224G	112.92	Inf	-Inf	105.26	3	Vertical	13	1.76	76	33.79	6.52	32.65
AV	5.52128G	101.25	Inf	-Inf	93.59	3	Vertical	13	1.76	76	33.79	6.52	32.65

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 76
76
1.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45792G	62.26	74.00	-11.74	54.76	3	Horizontal	328	1.80	76	33.70	6.46	32.66	
AV	5.45732G	52.14	54.00	-1.86	44.64	3	Horizontal	328	1.80	76	33.70	6.46	32.66	
PK	5.46836G	65.44	68.20	-2.76	57.92	3	Horizontal	328	1.80	76	33.70	6.47	32.65	
PK	5.51276G	112.56	Inf	-Inf	104.95	3	Horizontal	328	1.80	76	33.75	6.51	32.65	
AV	5.51288G	101.83	Inf	-Inf	94.22	3	Horizontal	328	1.80	76	33.75	6.51	32.65	

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9908G	55.97	74.00	-18.03	40.75	3	Vertical	212	1.80	76	38.50	8.75	32.03
AV	11.00024G	42.74	54.00	-11.26	27.53	3	Vertical	212	1.80	76	38.50	8.75	32.04
PK	16.54392G	67.41	68.20	-0.79	45.47	3	Vertical	85	1.48	76	40.30	10.66	29.02

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX


EUT Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05064G	56.38	74.00	-17.62	41.18	3	Horizontal	1	1.50	76	38.45	8.76	32.01
AV	11.0488G	42.54	54.00	-11.46	27.34	3	Horizontal	1	1.50	76	38.45	8.76	32.01
PK	16.56592G	68.04	68.20	-0.16	46.12	3	Horizontal	87	1.95	75	40.30	10.67	29.05

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 86
80\92\86\89\87\86
2.46\3.08\0.95\1.32\0.07\1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.07	74.00	-10.93	55.57	3	Vertical	14	1.78	86	33.70	6.46	32.66
AV	5.46G	52.99	54.00	-1.01	45.49	3	Vertical	14	1.78	86	33.70	6.46	32.66
PK	5.4636G	66.90	68.20	-1.30	59.40	3	Vertical	14	1.78	86	33.70	6.46	32.66
PK	5.5424G	115.66	Inf	-Inf	107.91	3	Vertical	14	1.78	86	33.87	6.54	32.66
AV	5.5572G	103.60	Inf	-Inf	95.81	3	Vertical	14	1.78	86	33.89	6.56	32.66
PK	5.7296G	60.71	68.20	-7.49	52.60	3	Vertical	14	1.78	86	34.24	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 86
86
0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.18	74.00	-8.82	57.68	3	Horizontal	328	1.80	86	33.70	6.46	32.66
AV	5.4536G	53.09	54.00	-0.91	45.60	3	Horizontal	328	1.80	86	33.70	6.45	32.66
PK	5.4664G	64.21	68.20	-3.99	56.69	3	Horizontal	328	1.80	86	33.70	6.47	32.65
PK	5.534G	114.27	Inf	-Inf	106.55	3	Horizontal	328	1.80	86	33.84	6.53	32.65
AV	5.5424G	103.72	Inf	-Inf	95.97	3	Horizontal	328	1.80	86	33.87	6.54	32.66
PK	5.74G	61.11	68.20	-7.09	52.93	3	Horizontal	328	1.80	86	34.32	6.60	32.74

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX


EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.126G	56.06	74.00	-17.94	40.87	3	Vertical	89	2.84	86	38.37	8.78	31.96
AV	11.11944G	42.95	54.00	-11.05	27.76	3	Vertical	89	2.84	86	38.38	8.78	31.97
PK	16.64632G	67.62	68.20	-0.58	45.77	3	Vertical	329	1.78	86	40.35	10.69	29.19

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11352G	56.64	74.00	-17.36	41.44	3	Horizontal	146	2.74	86	38.39	8.78	31.97
AV	11.10056G	42.89	54.00	-11.11	27.69	3	Horizontal	146	2.74	86	38.40	8.78	31.98
PK	16.63608G	67.97	68.20	-0.23	46.12	3	Horizontal	338	1.80	86	40.34	10.69	29.18

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 75
80\74\77\75
-0.18\1.13\ -0.78\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65864G	113.48	Inf	-Inf	105.50	3	Vertical	340	1.61	75	34.08	6.60	32.70
AV	5.6588G	100.88	Inf	-Inf	92.90	3	Vertical	340	1.61	75	34.08	6.60	32.70
PK	5.72696G	67.79	68.20	-0.41	59.70	3	Vertical	340	1.61	75	34.22	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 72
75\63\69\72
-2.48\6.36\4.16\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67416G	111.51	Inf	-Inf	103.57	3	Horizontal	336	1.60	72	34.05	6.60	32.71
AV	5.6572G	100.67	Inf	-Inf	92.68	3	Horizontal	336	1.60	72	34.09	6.60	32.70
PK	5.72776G	67.85	68.20	-0.35	59.76	3	Horizontal	336	1.60	72	34.22	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX


EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3536G	55.59	74.00	-18.41	40.18	3	Vertical	360	1.80	72	38.40	8.84	31.83
AV	11.35312G	42.66	54.00	-11.34	27.25	3	Vertical	360	1.80	72	38.40	8.84	31.83
PK	17.04672G	67.44	68.20	-0.76	45.27	3	Vertical	334	1.10	72	41.24	10.81	29.88

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX


EUT Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3044G	55.62	74.00	-18.38	40.25	3	Horizontal	360	1.75	72	38.40	8.83	31.86
AV	11.32584G	42.73	54.00	-11.27	27.34	3	Horizontal	360	1.75	72	38.40	8.83	31.84
PK	17.00368G	67.56	68.20	-0.64	45.47	3	Horizontal	12	2.84	72	41.11	10.80	29.82

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 107
80\98\107
3.04\3.27\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	62.12	74.00	-11.88	54.62	3	Vertical	357	2.49	107	33.70	6.46	32.66
AV	5.45728G	52.13	54.00	-1.87	44.63	3	Vertical	357	2.49	107	33.70	6.46	32.66
PK	5.46716G	63.57	68.20	-4.63	56.05	3	Vertical	357	2.49	107	33.70	6.47	32.65
PK	5.70792G	116.29	Inf	-Inf	108.35	3	Vertical	357	2.49	107	34.06	6.60	32.72
AV	5.69752G	105.56	Inf	-Inf	97.68	3	Vertical	357	2.49	107	34.00	6.60	32.72
PK	5.85664G	68.09	68.20	-0.11	59.46	3	Vertical	357	2.49	107	34.81	6.60	32.78

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 107
107
0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	61.52	74.00	-12.48	54.02	3	Horizontal	334	1.79	107	33.70	6.46	32.66
AV	5.45728G	52.51	54.00	-1.49	45.01	3	Horizontal	334	1.79	107	33.70	6.46	32.66
PK	5.46456G	62.59	68.20	-5.61	55.08	3	Horizontal	334	1.79	107	33.70	6.46	32.65
PK	5.70168G	116.94	Inf	-Inf	109.05	3	Horizontal	334	1.79	107	34.01	6.60	32.72
AV	5.7126G	106.33	Inf	-Inf	98.36	3	Horizontal	334	1.79	107	34.10	6.60	32.73
PK	5.8504G	67.75	68.20	-0.45	59.13	3	Horizontal	334	1.79	107	34.80	6.60	32.78

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45G	56.00	74.00	-18.00	40.51	3	Vertical	214	1.80	107	38.40	8.86	31.77
AV	11.45768G	43.04	54.00	-10.96	27.55	3	Vertical	214	1.80	107	38.40	8.86	31.77
PK	17.11632G	68.14	68.20	-0.06	45.87	3	Vertical	348	1.79	75	41.43	10.83	29.99

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45928G	56.55	74.00	-17.45	41.05	3	Horizontal	236	1.80	75	38.40	8.86	31.76
AV	11.42192G	42.97	54.00	-11.03	27.50	3	Horizontal	236	1.80	75	38.40	8.86	31.79
PK	17.15504G	67.81	68.20	-0.39	45.50	3	Horizontal	120	2.31	75	41.51	10.85	30.05

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 74
80\68\74
-2.12\1.81\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14152G	58.83	74.00	-15.17	52.53	3	Vertical	16	1.77	74	32.72	6.37	32.79
AV	5.14824G	48.69	54.00	-5.31	42.41	3	Vertical	16	1.77	74	32.70	6.37	32.79
PK	5.32232G	109.06	Inf	-Inf	102.43	3	Vertical	16	1.77	74	32.94	6.40	32.71
AV	5.32136G	97.84	Inf	-Inf	91.22	3	Vertical	16	1.77	74	32.94	6.40	32.72
PK	5.3604G	63.21	74.00	-10.79	56.47	3	Vertical	16	1.77	74	33.04	6.40	32.70
AV	5.35592G	53.74	54.00	-0.26	47.02	3	Vertical	16	1.77	74	33.02	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 74
74
0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14536G	58.00	74.00	-16.00	51.71	3	Horizontal	360	1.70	74	32.71	6.37	32.79
AV	5.146G	48.57	54.00	-5.43	42.28	3	Horizontal	360	1.70	74	32.71	6.37	32.79
PK	5.3012G	107.51	Inf	-Inf	100.93	3	Horizontal	360	1.70	74	32.90	6.40	32.72
AV	5.3012G	96.29	Inf	-Inf	89.71	3	Horizontal	360	1.70	74	32.90	6.40	32.72
PK	5.36104G	63.93	74.00	-10.07	57.19	3	Horizontal	360	1.70	74	33.04	6.40	32.70
AV	5.38792G	53.72	54.00	-0.28	46.86	3	Horizontal	360	1.70	74	33.15	6.40	32.69

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52608G	57.49	68.20	-10.71	41.99	3	Vertical	29	2.90	74	38.53	8.63	31.66
PK	15.88136G	62.74	74.00	-11.26	44.52	3	Vertical	21	1.80	74	38.38	10.46	30.62
AV	15.92408G	49.50	54.00	-4.50	31.22	3	Vertical	21	1.80	74	38.40	10.48	30.60

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX


EUT Y_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52016G	56.86	68.20	-11.34	41.37	3	Horizontal	360	1.34	74	38.52	8.63	31.66
PK	15.93672G	62.57	74.00	-11.43	44.29	3	Horizontal	87	1.06	74	38.40	10.48	30.60
AV	15.91832G	49.56	54.00	-4.44	31.28	3	Horizontal	87	1.06	74	38.40	10.48	30.60

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 77
80\68\74\77
-1.04\2.22\0.80\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.00	74.00	-10.00	56.51	3	Vertical	13	1.80	77	33.70	6.45	32.66
AV	5.45832G	53.69	54.00	-0.31	46.19	3	Vertical	13	1.80	77	33.70	6.46	32.66
PK	5.46936G	64.46	68.20	-3.74	56.94	3	Vertical	13	1.80	77	33.70	6.47	32.65
PK	5.54152G	111.03	Inf	-Inf	103.28	3	Vertical	13	1.80	77	33.87	6.54	32.66
AV	5.54136G	98.56	Inf	-Inf	90.81	3	Vertical	13	1.80	77	33.87	6.54	32.66

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 77
77
0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45496G	63.81	74.00	-10.19	56.32	3	Horizontal	329	1.73	77	33.70	6.45	32.66
AV	5.45496G	53.55	54.00	-0.45	46.06	3	Horizontal	329	1.73	77	33.70	6.45	32.66
PK	5.46744G	63.84	68.20	-4.36	56.32	3	Horizontal	329	1.73	77	33.70	6.47	32.65
PK	5.54504G	109.66	Inf	-Inf	101.89	3	Horizontal	329	1.73	77	33.88	6.55	32.66
AV	5.51752G	98.90	Inf	-Inf	91.26	3	Horizontal	329	1.73	77	33.77	6.52	32.65

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX


EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07312G	55.70	74.00	-18.30	40.50	3	Vertical	360	1.80	77	38.43	8.77	32.00
AV	11.09664G	42.74	54.00	-11.26	27.55	3	Vertical	360	1.80	77	38.40	8.77	31.98
PK	16.5788G	67.52	68.20	-0.68	45.63	3	Vertical	208	1.07	77	40.30	10.67	29.08

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX


EUT Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10944G	56.06	74.00	-17.94	40.86	3	Horizontal	280	2.28	77	38.39	8.78	31.97
AV	11.09904G	42.71	54.00	-11.29	27.52	3	Horizontal	280	2.28	77	38.40	8.77	31.98
PK	16.59144G	67.22	68.20	-0.98	45.34	3	Horizontal	254	2.00	77	40.30	10.68	29.10

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 83
80\92\86\83
1.61\ -5.54\ -1.44\ 0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	64.72	74.00	-9.28	57.22	3	Vertical	12	1.73	83	33.70	6.46	32.66
AV	5.45896G	53.72	54.00	-0.28	46.22	3	Vertical	12	1.73	83	33.70	6.46	32.66
PK	5.4612G	67.26	68.20	-0.94	59.76	3	Vertical	12	1.73	83	33.70	6.46	32.66
PK	5.58152G	112.38	Inf	-Inf	104.63	3	Vertical	12	1.73	83	33.84	6.58	32.67
AV	5.58152G	100.15	Inf	-Inf	92.40	3	Vertical	12	1.73	83	33.84	6.58	32.67
PK	5.7252G	65.88	68.20	-2.32	57.81	3	Vertical	12	1.73	83	34.20	6.60	32.73

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 83
83
0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	64.79	74.00	-9.21	57.29	3	Horizontal	1	1.80	83	33.70	6.46	32.66
AV	5.45896G	53.58	54.00	-0.42	46.08	3	Horizontal	1	1.80	83	33.70	6.46	32.66
PK	5.46824G	65.69	68.20	-2.51	58.17	3	Horizontal	1	1.80	83	33.70	6.47	32.65
PK	5.6212G	110.75	Inf	-Inf	102.91	3	Horizontal	1	1.80	83	33.93	6.60	32.69
AV	5.62248G	98.94	Inf	-Inf	91.10	3	Horizontal	1	1.80	83	33.93	6.60	32.69
PK	5.72904G	68.12	68.20	-0.08	60.02	3	Horizontal	1	1.80	83	34.23	6.60	32.73

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX


EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14256G	55.58	74.00	-18.42	40.38	3	Vertical	235	2.16	83	38.36	8.79	31.95
AV	11.20432G	42.65	54.00	-11.35	27.47	3	Vertical	235	2.16	83	38.30	8.80	31.92
PK	16.84616G	65.99	68.20	-2.21	44.05	3	Vertical	360	1.66	83	40.73	10.75	29.54

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16224G	56.21	74.00	-17.79	41.02	3	Horizontal	246	1.80	83	38.34	8.79	31.94
AV	11.15056G	42.78	54.00	-11.22	27.59	3	Horizontal	246	1.80	83	38.35	8.79	31.95
PK	16.76312G	66.42	68.20	-1.78	44.63	3	Horizontal	45	1.80	83	40.46	10.73	29.40

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 98
80\98\107\102\99\97\98
3.57\0.62\10.68\2.34\0.21\0.84\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	63.02	74.00	-10.98	55.52	3	Vertical	339	1.80	98	33.70	6.46	32.66
AV	5.45912G	53.56	54.00	-0.44	46.06	3	Vertical	339	1.80	98	33.70	6.46	32.66
PK	5.46968G	64.52	68.20	-3.68	57.00	3	Vertical	339	1.80	98	33.70	6.47	32.65
PK	5.6588G	115.07	Inf	-Inf	107.09	3	Vertical	339	1.80	98	34.08	6.60	32.70
AV	5.65832G	101.45	Inf	-Inf	93.47	3	Vertical	339	1.80	98	34.08	6.60	32.70
PK	5.85416G	66.86	68.20	-1.34	58.23	3	Vertical	339	1.80	98	34.81	6.60	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 97
98\95\97
-0.15\1.22\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.32	74.00	-10.68	55.82	3	Horizontal	335	1.70	97	33.70	6.46	32.66
AV	5.45912G	53.57	54.00	-0.43	46.07	3	Horizontal	335	1.70	97	33.70	6.46	32.66
PK	5.46728G	65.03	68.20	-3.17	57.51	3	Horizontal	335	1.70	97	33.70	6.47	32.65
PK	5.66648G	112.46	Inf	-Inf	104.50	3	Horizontal	335	1.70	97	34.07	6.60	32.71
AV	5.65544G	102.30	Inf	-Inf	94.31	3	Horizontal	335	1.70	97	34.09	6.60	32.70
PK	5.85752G	67.88	68.20	-0.32	59.24	3	Horizontal	335	1.70	97	34.82	6.60	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34096G	56.11	74.00	-17.89	40.71	3	Vertical	133	1.80	97	38.40	8.84	31.84
AV	11.34624G	43.15	54.00	-10.85	27.74	3	Vertical	133	1.80	97	38.40	8.84	31.83
PK	17.05832G	67.71	68.20	-0.49	45.52	3	Vertical	0	1.80	91	41.27	10.82	29.90

802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34192G	55.73	74.00	-18.27	40.32	3	Horizontal	0	1.80	91	38.40	8.84	31.83
AV	11.34064G	43.25	54.00	-10.75	27.85	3	Horizontal	0	1.80	91	38.40	8.84	31.84
PK	17.11064G	67.61	68.20	-0.59	45.34	3	Horizontal	209	2.07	91	41.42	10.83	29.98

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 59
80\62\53\58\61\59
-14.85\ -1.16\2.44\0.68\ -0.71\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14224G	64.04	74.00	-9.96	57.74	3	Vertical	343	1.80	59	32.72	6.37	32.79
AV	5.14104G	53.97	54.00	-0.03	47.67	3	Vertical	343	1.80	59	32.72	6.37	32.79
PK	5.22216G	102.93	Inf	-Inf	96.55	3	Vertical	343	1.80	59	32.74	6.40	32.76
AV	5.24136G	92.29	Inf	-Inf	85.86	3	Vertical	343	1.80	59	32.78	6.40	32.75
PK	5.36232G	63.01	74.00	-10.99	56.26	3	Vertical	343	1.80	59	33.05	6.40	32.70
AV	5.3628G	51.59	54.00	-2.41	44.84	3	Vertical	343	1.80	59	33.05	6.40	32.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 59
59
1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14752G	63.07	74.00	-10.93	56.79	3	Horizontal	360	1.75	59	32.70	6.37	32.79
AV	5.14704G	52.45	54.00	-1.55	46.16	3	Horizontal	360	1.75	59	32.71	6.37	32.79
PK	5.22744G	102.74	Inf	-Inf	96.34	3	Horizontal	360	1.75	59	32.75	6.40	32.75
AV	5.27712G	90.22	Inf	-Inf	83.70	3	Horizontal	360	1.75	59	32.85	6.40	32.73
PK	5.36904G	63.74	74.00	-10.26	56.96	3	Horizontal	360	1.75	59	33.08	6.40	32.70
AV	5.3676G	51.20	54.00	-2.80	44.43	3	Horizontal	360	1.75	59	33.07	6.40	32.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7504G	62.26	74.00	-11.74	44.48	3	Vertical	156	2.08	59	38.00	10.43	30.65
AV	15.75432G	49.22	54.00	-4.78	31.41	3	Vertical	156	2.08	59	38.03	10.43	30.65

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75336G	62.67	74.00	-11.33	44.87	3	Horizontal	344	1.32	59	38.02	10.43	30.65
AV	15.7504G	49.38	54.00	-4.62	31.60	3	Horizontal	344	1.32	59	38.00	10.43	30.65

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
SET 50
80\50
-20.46\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4422G	64.80	74.00	-9.20	57.40	3	Vertical	14	1.72	50	33.62	6.44	32.66
AV	5.44112G	53.74	54.00	-0.26	46.35	3	Vertical	14	1.72	50	33.61	6.44	32.66
PK	5.462G	65.20	68.20	-3.00	57.70	3	Vertical	14	1.72	50	33.70	6.46	32.66
PK	5.54228G	102.00	Inf	-Inf	94.25	3	Vertical	14	1.72	50	33.87	6.54	32.66
AV	5.5412G	91.47	Inf	-Inf	83.73	3	Vertical	14	1.72	50	33.86	6.54	32.66
PK	5.75G	61.43	68.20	-6.77	53.17	3	Vertical	14	1.72	50	34.40	6.60	32.74

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 50
50
1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45552G	62.59	74.00	-11.41	55.09	3	Horizontal	0	1.79	50	33.70	6.46	32.66
AV	5.45516G	52.92	54.00	-1.08	45.42	3	Horizontal	0	1.79	50	33.70	6.46	32.66
PK	5.46632G	63.81	68.20	-4.39	56.29	3	Horizontal	0	1.79	50	33.70	6.47	32.65
PK	5.58764G	101.58	Inf	-Inf	93.85	3	Horizontal	0	1.79	50	33.82	6.59	32.68
AV	5.5484G	90.43	Inf	-Inf	82.65	3	Horizontal	0	1.79	50	33.89	6.55	32.66
PK	5.72768G	60.29	68.20	-7.91	52.20	3	Horizontal	0	1.79	50	34.22	6.60	32.73

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23088G	56.56	74.00	-17.44	41.32	3	Vertical	22	1.80	50	38.33	8.81	31.90
AV	11.23952G	42.81	54.00	-11.19	27.56	3	Vertical	22	1.80	50	38.34	8.81	31.90
PK	16.69304G	67.43	68.20	-0.77	45.61	3	Vertical	190	2.31	50	40.39	10.71	29.28

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09904G	55.99	74.00	-18.01	40.80	3	Horizontal	334	2.94	50	38.40	8.77	31.98
AV	11.08528G	42.68	54.00	-11.32	27.49	3	Horizontal	334	2.94	50	38.41	8.77	31.99
PK	16.56856G	67.70	68.20	-0.50	45.79	3	Horizontal	150	2.09	50	40.30	10.67	29.06



**RSE TX above 1GHz_Set 5 antenna with 70 degree_
Scanning R1_2T1S_2T2S**


Appendix D.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35178G	53.99	54.00	-0.01	3	Vertical	354	1.80	100

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 103
80\98\107\102\105\103\104\103
5.76\4.11\1.09\0.58\1.55\0.98\0.16\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14846G	65.50	74.00	-8.50	59.22	3	Vertical	353	1.79	103	32.70	6.37	32.79
AV	5.14976G	50.77	54.00	-3.23	44.49	3	Vertical	353	1.79	103	32.70	6.37	32.79
PK	5.25324G	122.86	Inf	-Inf	116.39	3	Vertical	353	1.79	103	32.81	6.40	32.74
AV	5.25766G	111.57	Inf	-Inf	105.09	3	Vertical	353	1.79	103	32.82	6.40	32.74
PK	5.35126G	69.12	74.00	-4.88	62.41	3	Vertical	353	1.79	103	33.01	6.40	32.70
AV	5.35048G	53.11	54.00	-0.89	46.41	3	Vertical	353	1.79	103	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT V_2TX
SET 103
103
2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14794G	63.22	74.00	-10.78	56.94	3	Horizontal	37	1.80	103	32.70	6.37	32.79
AV	5.14846G	49.45	54.00	-4.55	43.17	3	Horizontal	37	1.80	103	32.70	6.37	32.79
PK	5.26286G	120.88	Inf	-Inf	114.39	3	Horizontal	37	1.80	103	32.83	6.40	32.74
AV	5.25272G	109.87	Inf	-Inf	103.40	3	Horizontal	37	1.80	103	32.81	6.40	32.74
PK	5.35022G	65.63	74.00	-8.37	58.93	3	Horizontal	37	1.80	103	33.00	6.40	32.70
AV	5.35G	51.63	54.00	-2.37	44.93	3	Horizontal	37	1.80	103	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52608G	57.35	68.20	-10.85	41.85	3	Vertical	1	1.77	84	38.53	8.63	31.66
PK	15.78092G	64.29	74.00	-9.71	46.32	3	Vertical	46	1.80	84	38.19	10.43	30.65
AV	15.78404G	50.62	54.00	-3.38	32.62	3	Vertical	46	1.80	84	38.20	10.44	30.64

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5276G	57.30	68.20	-10.90	41.80	3	Horizontal	209	2.55	103	38.53	8.63	31.66
PK	15.78736G	69.41	74.00	-4.59	51.39	3	Horizontal	36	2.87	84	38.22	10.44	30.64
AV	15.7776G	53.88	54.00	-0.12	35.93	3	Horizontal	36	2.87	84	38.17	10.43	30.65

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 88
80\98\89\84\87\88
4.43\ -6.80\ -0.38\ 2.79\ 1.16\ 0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.30266G	119.49	Inf	-Inf	112.90	3	Vertical	353	1.73	88	32.91	6.40	32.72	
AV	5.30238G	109.23	Inf	-Inf	102.65	3	Vertical	353	1.73	88	32.90	6.40	32.72	
PK	5.35152G	70.18	74.00	-3.82	63.47	3	Vertical	353	1.73	88	33.01	6.40	32.70	
AV	5.35166G	53.38	54.00	-0.62	46.67	3	Vertical	353	1.73	88	33.01	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT V_2TX
SET 88
88
0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30126G	117.98	Inf	-Inf	111.40	3	Horizontal	32	1.77	88	32.90	6.40	32.72
AV	5.30168G	108.35	Inf	-Inf	101.77	3	Horizontal	32	1.77	88	32.90	6.40	32.72
PK	5.35124G	71.26	74.00	-2.74	64.56	3	Horizontal	32	1.77	88	33.00	6.40	32.70
AV	5.35068G	53.42	54.00	-0.58	46.72	3	Horizontal	32	1.77	88	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59324G	57.27	68.20	-10.93	41.74	3	Vertical	231	1.93	85	38.59	8.65	31.71
PK	15.90048G	67.57	74.00	-6.43	49.31	3	Vertical	1	1.79	85	38.40	10.47	30.61
AV	15.90256G	53.60	54.00	-0.40	35.34	3	Vertical	1	1.79	85	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58732G	57.31	68.20	-10.89	41.78	3	Horizontal	189	1.80	88	38.59	8.65	31.71
PK	15.89476G	67.54	74.00	-6.46	49.29	3	Horizontal	317	1.80	85	38.39	10.47	30.61
AV	15.89864G	53.64	54.00	-0.36	35.38	3	Horizontal	317	1.80	85	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 80
80\86\83\81\80
0.89\6.11\3.14\0.25\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	116.80	Inf	-Inf	110.16	3	Vertical	355	1.80	80	32.95	6.40	32.71
AV	5.3225G	106.98	Inf	-Inf	100.34	3	Vertical	355	1.80	80	32.95	6.40	32.71
PK	5.3531G	68.92	74.00	-5.08	62.21	3	Vertical	355	1.80	80	33.01	6.40	32.70
AV	5.3518G	53.19	54.00	-0.81	46.48	3	Vertical	355	1.80	80	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 80
80
0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3157G	116.51	Inf	-Inf	109.90	3	Horizontal	30	1.79	80	32.93	6.40	32.72
AV	5.316G	106.35	Inf	-Inf	99.74	3	Horizontal	30	1.79	80	32.93	6.40	32.72
PK	5.3558G	66.95	74.00	-7.05	60.23	3	Horizontal	30	1.79	80	33.02	6.40	32.70
AV	5.3505G	53.57	54.00	-0.43	46.87	3	Horizontal	30	1.79	80	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62208G	56.89	74.00	-17.11	41.37	3	Vertical	321	1.87	80	38.60	8.66	31.74
AV	10.62268G	43.36	54.00	-10.64	27.84	3	Vertical	321	1.87	80	38.60	8.66	31.74
PK	15.97156G	65.03	74.00	-8.97	46.73	3	Vertical	44	1.76	80	38.40	10.49	30.59
AV	15.95748G	50.75	54.00	-3.25	32.45	3	Vertical	44	1.76	80	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63592G	56.84	74.00	-17.16	41.33	3	Horizontal	290	2.61	80	38.60	8.66	31.75
AV	10.62156G	43.40	54.00	-10.60	27.88	3	Horizontal	290	2.61	80	38.60	8.66	31.74
PK	15.9628G	63.32	74.00	-10.68	45.02	3	Horizontal	42	1.80	80	38.40	10.49	30.59
AV	15.97408G	50.50	54.00	-3.50	32.20	3	Horizontal	42	1.80	80	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
SET 82
80\92\86\83\81\82
2.55\ -8.24\ -3.73\ -0.18\ 0.93\ 0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	64.11	74.00	-9.89	56.61	3	Vertical	360	1.80	82	33.70	6.46	32.66
AV	5.4586G	52.10	54.00	-1.90	44.60	3	Vertical	360	1.80	82	33.70	6.46	32.66
PK	5.4689G	67.61	68.20	-0.59	60.09	3	Vertical	360	1.80	82	33.70	6.47	32.65
PK	5.4986G	118.28	Inf	-Inf	110.72	3	Vertical	360	1.80	82	33.70	6.50	32.64
AV	5.4983G	108.86	Inf	-Inf	101.30	3	Vertical	360	1.80	82	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 82
82
3.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	62.14	74.00	-11.86	54.64	3	Horizontal	32	1.62	82	33.70	6.46	32.66
AV	5.4563G	50.44	54.00	-3.56	42.94	3	Horizontal	32	1.62	82	33.70	6.46	32.66
PK	5.4698G	64.83	68.20	-3.37	57.31	3	Horizontal	32	1.62	82	33.70	6.47	32.65
PK	5.4962G	116.50	Inf	-Inf	108.94	3	Horizontal	32	1.62	82	33.70	6.50	32.64
AV	5.496G	107.08	Inf	-Inf	99.52	3	Horizontal	32	1.62	82	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01096G	55.95	74.00	-18.05	40.74	3	Vertical	1	1.80	82	38.49	8.75	32.03
AV	11.01796G	43.13	54.00	-10.87	27.93	3	Vertical	1	1.80	82	38.48	8.75	32.03
PK	16.50828G	67.75	68.20	-0.45	45.75	3	Vertical	264	2.58	82	40.30	10.65	28.95

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01824G	55.69	74.00	-18.31	40.49	3	Horizontal	360	2.74	82	38.48	8.75	32.03
AV	10.9932G	42.82	54.00	-11.18	27.60	3	Horizontal	360	2.74	82	38.50	8.75	32.03
PK	16.5088G	68.00	68.20	-0.20	46.01	3	Horizontal	9	1.59	82	40.30	10.65	28.96

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
SET 108
80\98\107\108
4.99\4.30\3.79\3.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	63.55	74.00	-10.45	56.05	3	Vertical	15	1.80	108	33.70	6.46	32.66
AV	5.45744G	49.92	54.00	-4.08	42.42	3	Vertical	15	1.80	108	33.70	6.46	32.66
PK	5.4632G	64.84	68.20	-3.36	57.34	3	Vertical	15	1.80	108	33.70	6.46	32.66
PK	5.57648G	123.06	Inf	-Inf	115.30	3	Vertical	15	1.80	108	33.85	6.58	32.67
AV	5.5816G	113.03	Inf	-Inf	105.28	3	Vertical	15	1.80	108	33.84	6.58	32.67
PK	5.73712G	60.94	68.20	-7.26	52.77	3	Vertical	15	1.80	108	34.30	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 108
108
4.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45072G	62.94	74.00	-11.06	55.45	3	Horizontal	31	1.68	108	33.70	6.45	32.66
PK	5.4616G	63.69	68.20	-4.51	56.19	3	Horizontal	31	1.68	108	33.70	6.46	32.66
AV	5.46G	49.38	54.00	-4.62	41.88	3	Horizontal	31	1.68	108	33.70	6.46	32.66
PK	5.58608G	122.34	Inf	-Inf	114.59	3	Horizontal	31	1.68	108	33.83	6.59	32.67
AV	5.57616G	112.31	Inf	-Inf	104.55	3	Horizontal	31	1.68	108	33.85	6.58	32.67
PK	5.73936G	60.63	68.20	-7.57	52.46	3	Horizontal	31	1.68	108	34.31	6.60	32.74

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15972G	56.48	74.00	-17.52	41.29	3	Vertical	0	1.80	85	38.34	8.79	31.94
AV	11.1448G	42.75	54.00	-11.25	27.55	3	Vertical	0	1.80	85	38.36	8.79	31.95
PK	16.74292G	67.78	68.20	-0.42	45.98	3	Vertical	322	1.80	85	40.44	10.72	29.36