


5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 63
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.887G	60.54	88.20	-27.66	51.22	3	Horizontal	299.2	2.19	-	34.15	6.18	31.01			
RMS	5.9242G	49.88	68.20	-18.32	40.45	3	Horizontal	299.2	2.19	-	34.25	6.22	31.04			
PK	5.9638G	107.91	Inf	-Inf	98.42	3	Horizontal	299.2	2.19	-	34.30	6.26	31.07			
RMS	5.9638G	99.03	Inf	-Inf	89.54	3	Horizontal	299.2	2.19	-	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 63
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91018G	54.82	74.00	-19.18	37.40	3	Vertical	360	1.80	-	38.81	11.07	32.46			
AV	11.9196G	41.89	54.00	-12.11	24.45	3	Vertical	360	1.80	-	38.82	11.08	32.46			
PK	17.86446G	62.49	74.00	-11.51	36.70	3	Vertical	283	1.66	-	42.69	13.41	30.31			
AV	17.87958G	49.68	54.00	-4.32	23.80	3	Vertical	283	1.66	-	42.74	13.41	30.27			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 63
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.8974G	55.13	74.00	-18.87	37.73	3	Horizontal	330	1.80	-	38.80	11.06	32.46			
AV	11.89968G	42.08	54.00	-11.92	24.68	3	Horizontal	330	1.80	-	38.80	11.06	32.46			
PK	17.87406G	62.67	74.00	-11.33	36.83	3	Horizontal	262	1.95	-	42.72	13.41	30.29			
AV	17.8794G	48.96	54.00	-5.04	23.08	3	Horizontal	262	1.95	-	42.74	13.41	30.27			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 63
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8118G	46.34	83.54	-37.20	38.87	1	Vertical	71	1.85	-	38.80	18.95	50.28			
AV	23.8164G	32.85	63.54	-30.69	25.36	1	Vertical	71	1.85	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 63
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8444G	46.24	83.54	-37.30	38.73	1	Horizontal	293	1.82	-	38.80	18.97	50.26			
AV	23.8431G	32.83	63.54	-30.71	25.32	1	Horizontal	293	1.82	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40061G	54.52	74.00	-19.48	36.32	3	Vertical	55	1.80	-	39.00	11.27	32.07			
AV	12.39971G	41.72	54.00	-12.28	23.52	3	Vertical	55	1.80	-	39.00	11.27	32.07			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40127G	54.33	74.00	-19.67	36.12	3	Horizontal	102	1.80	-	39.00	11.27	32.06			
AV	12.38957G	41.27	54.00	-12.73	23.10	3	Horizontal	102	1.80	-	38.98	11.27	32.08			

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58557G	44.15	83.54	-39.39	37.94	1	Vertical	315	1.51	-	37.70	18.90	50.39			
AV	18.58471G	31.28	63.54	-32.26	25.06	1	Vertical	315	1.51	-	37.70	18.90	50.38			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58451G	44.27	83.54	-39.27	38.05	1	Horizontal	261	1.52	-	37.70	18.90	50.38			
AV	18.58568G	31.36	63.54	-32.18	25.15	1	Horizontal	261	1.52	-	37.70	18.90	50.39			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84356G	54.57	88.20	-33.63	34.87	3	Vertical	315	1.80	-	39.64	11.44	31.38			
AV	12.81661G	42.26	68.20	-25.94	22.64	3	Vertical	315	1.80	-	39.62	11.43	31.43			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81938G	55.61	88.20	-32.59	35.98	3	Horizontal	137	1.80	-	39.62	11.43	31.42			
RMS	12.84011G	42.26	88.20	-45.94	22.57	3	Horizontal	137	1.80	-	39.64	11.44	31.39			

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24738G	45.71	83.54	-37.83	39.54	1	Vertical	265	1.57	-	37.91	19.36	51.10			
AV	19.24961G	31.51	63.54	-32.03	25.35	1	Vertical	265	1.57	-	37.90	19.36	51.10			

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24756G	45.77	83.54	-37.77	39.61	1	Horizontal	331	1.58	-	37.90	19.36	51.10			
AV	19.24771G	32.63	63.54	-30.91	26.47	1	Horizontal	331	1.58	-	37.90	19.36	51.10			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07528G	56.38	88.20	-31.82	35.87	3	Vertical	332	1.91	-	39.98	11.53	31.00			
RMS	13.07561G	44.21	68.20	-23.99	23.70	3	Vertical	332	1.91	-	39.98	11.53	31.00			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07771G	56.51	88.20	-31.69	35.99	3	Horizontal	68	1.80	-	39.98	11.53	30.99			
RMS	13.07763G	43.65	68.20	-24.55	23.14	3	Horizontal	68	1.80	-	39.98	11.53	31.00			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60318G	45.71	83.54	-37.83	39.79	1	Vertical	158	1.51	-	37.82	19.60	51.50			
AV	19.60861G	31.38	63.54	-32.16	25.43	1	Vertical	158	1.51	-	37.85	19.61	51.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60513G	44.61	83.54	-38.93	38.68	1	Horizontal	351	1.50	-	37.83	19.61	51.51			
AV	19.60261G	31.78	63.54	-31.76	25.86	1	Horizontal	351	1.50	-	37.82	19.60	51.50			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38583G	58.37	74.00	-15.63	36.87	3	Vertical	11	1.59	-	40.39	11.65	30.54			
AV	13.39626G	44.57	54.00	-9.43	23.04	3	Vertical	11	1.59	-	40.40	11.65	30.52			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38617G	57.29	74.00	-16.71	35.79	3	Horizontal	27	1.80	-	40.39	11.65	30.54			
AV	13.38536G	44.50	54.00	-9.50	23.00	3	Horizontal	27	1.80	-	40.39	11.65	30.54			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08617G	44.68	83.54	-38.86	38.89	1	Vertical	71	1.50	-	37.84	19.87	51.92			
AV	20.08713G	31.56	63.54	-31.98	25.76	1	Vertical	71	1.50	-	37.85	19.87	51.92			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08671G	44.71	83.54	-38.83	38.91	1	Horizontal	56	1.53	-	37.85	19.87	51.92			
AV	20.08581G	31.21	63.54	-32.33	25.42	1	Horizontal	56	1.53	-	37.84	19.87	51.92			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71318G	58.55	88.20	-29.65	36.76	3	Vertical	47	1.71	-	40.44	11.77	30.42			
RMS	13.71269G	46.38	68.20	-21.82	24.59	3	Vertical	47	1.71	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71493G	55.27	88.20	-32.93	33.48	3	Horizontal	127	1.80	-	40.44	11.77	30.42			
RMS	13.71361G	44.28	68.20	-23.92	22.49	3	Horizontal	127	1.80	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56271G	56.37	83.54	-27.17	50.62	1	Vertical	201	1.51	-	37.93	19.83	52.01			
AV	20.56561G	41.55	63.54	-21.99	35.80	1	Vertical	201	1.51	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 30
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56377G	54.38	83.54	-29.16	50.95	1	Horizontal	99	1.56	-	37.93	17.51	52.01			
AV	20.56571G	41.29	63.54	-22.25	37.86	1	Horizontal	99	1.56	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	66.26	88.20	-21.94	56.19	3	Vertical	286	1.80	-	35.40	7.64	32.97			
RMS	5.925G	53.01	68.20	-15.19	42.94	3	Vertical	286	1.80	-	35.40	7.64	32.97			
PK	5.9602G	107.93	Inf	-Inf	97.76	3	Vertical	286	1.80	-	35.50	7.66	32.99			
RMS	5.9594G	95.63	Inf	-Inf	85.46	3	Vertical	286	1.80	-	35.50	7.66	32.99			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9206G	67.12	88.20	-21.08	57.07	3	Horizontal	286	1.80	-	35.38	7.64	32.97			
RMS	5.9246G	52.76	68.20	-15.44	42.69	3	Horizontal	286	1.80	-	35.40	7.64	32.97			
PK	5.9594G	107.92	Inf	-Inf	97.75	3	Horizontal	286	1.80	-	35.50	7.66	32.99			
RMS	5.9594G	95.92	Inf	-Inf	85.75	3	Horizontal	286	1.80	-	35.50	7.66	32.99			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91661G	54.28	74.00	-19.72	36.85	3	Vertical	153	1.33	-	38.82	11.07	32.46			
AV	11.94428G	41.11	54.00	-12.89	23.64	3	Vertical	153	1.33	-	38.84	11.09	32.46			
PK	17.90367G	62.71	74.00	-11.29	36.69	3	Vertical	227	1.47	-	42.82	13.42	30.22			
AV	17.89451G	49.45	54.00	-4.55	23.49	3	Vertical	227	1.47	-	42.78	13.42	30.24			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93753G	54.41	74.00	-19.59	36.94	3	Horizontal	333	2.94	-	38.84	11.09	32.46			
AV	11.93656G	41.36	54.00	-12.64	23.89	3	Horizontal	333	2.94	-	38.84	11.09	32.46			
PK	17.90513G	62.81	74.00	-11.19	36.78	3	Horizontal	162	1.59	-	42.83	13.42	30.22			
AV	17.89362G	49.58	54.00	-4.42	23.62	3	Horizontal	162	1.59	-	42.78	13.42	30.24			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.89081G	44.58	83.54	-38.96	38.08	1	Vertical	311	1.55	-	37.37	18.43	49.30			
AV	17.89317G	30.32	63.54	-33.22	23.82	1	Vertical	311	1.55	-	37.38	18.43	49.31			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.89371G	44.81	83.54	-38.73	38.30	1	Horizontal	216	1.55	-	37.38	18.44	49.31			
AV	17.8955G	30.37	63.54	-33.17	23.86	1	Horizontal	216	1.55	-	37.38	18.44	49.31			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42072G	55.71	74.00	-18.29	37.46	3	Vertical	114	1.80	-	39.02	11.28	32.05			
AV	12.42062G	41.27	54.00	-12.73	23.02	3	Vertical	114	1.80	-	39.02	11.28	32.05			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42051G	55.00	74.00	-19.00	36.75	3	Horizontal	177	1.80	-	39.02	11.28	32.05			
AV	12.42073G	41.35	54.00	-12.65	23.10	3	Horizontal	177	1.80	-	39.02	11.28	32.05			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61718G	44.37	83.54	-39.17	38.14	1	Vertical	90	1.55	-	37.73	18.92	50.42			
AV	18.61851G	31.18	63.54	-32.36	24.94	1	Vertical	90	1.55	-	37.74	18.92	50.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61716G	45.32	83.54	-38.22	39.09	1	Horizontal	91	1.57	-	37.73	18.92	50.42			
AV	18.61572G	31.61	63.54	-31.93	25.38	1	Horizontal	91	1.57	-	37.73	18.92	50.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 33
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82661G	55.57	88.20	-32.63	35.92	3	Vertical	135	1.80	-	39.63	11.43	31.41			
RMS	12.81583G	41.34	68.20	-26.86	21.72	3	Vertical	135	1.80	-	39.62	11.43	31.43			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 33
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81281G	54.56	88.20	-33.64	34.95	3	Horizontal	261	2.32	-	39.61	11.43	31.43			
RMS	12.81366G	41.56	68.20	-26.64	21.95	3	Horizontal	261	2.32	-	39.61	11.43	31.43			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 33
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21058G	45.68	83.54	-37.86	39.42	1	Vertical	65	1.58	-	37.98	19.33	51.05			
AV	19.21578G	31.98	63.54	-31.56	25.74	1	Vertical	65	1.58	-	37.97	19.33	51.06			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 33
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21189G	45.61	83.54	-37.93	39.35	1	Horizontal	171	1.54	-	37.98	19.33	51.05			
AV	19.21163G	31.37	63.54	-32.17	25.11	1	Horizontal	171	1.54	-	37.98	19.33	51.05			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.14371G	56.47	88.20	-31.73	35.73	3	Vertical	261	1.30	-	40.09	11.55	30.90			
RMS	13.14355G	43.46	68.20	-24.74	22.72	3	Vertical	261	1.30	-	40.09	11.55	30.90			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13861G	56.46	88.20	-31.74	35.73	3	Horizontal	222	1.63	-	40.08	11.55	30.90			
RMS	13.13453G	43.81	68.20	-24.39	23.10	3	Horizontal	222	1.63	-	40.07	11.55	30.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69571G	44.73	83.54	-38.81	38.83	1	Vertical	251	1.53	-	37.83	19.67	51.60			
AV	19.69461G	31.55	63.54	-31.99	25.64	1	Vertical	251	1.53	-	37.83	19.67	51.59			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69389G	44.55	83.54	-38.99	38.63	1	Horizontal	271	1.55	-	37.84	19.67	51.59			
AV	19.69561G	31.78	63.54	-31.76	25.88	1	Horizontal	271	1.55	-	37.83	19.67	51.60			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
02-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35914G	56.85	74.00	-17.15	38.93	3	Vertical	49	1.09	-	40.42	9.48	31.98			
AV	13.38056G	43.67	54.00	-10.33	25.71	3	Vertical	49	1.09	-	40.46	9.48	31.98			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
02-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38044G	57.85	74.00	-16.15	39.89	3	Horizontal	191	1.80	-	40.46	9.48	31.98			
AV	13.38146G	43.57	54.00	-10.43	25.61	3	Horizontal	191	1.80	-	40.46	9.48	31.98			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05216G	44.71	83.54	-38.83	41.90	1	Vertical	151	1.50	-	37.44	17.28	51.91			
AV	20.05122G	30.93	63.54	-32.61	28.12	1	Vertical	151	1.50	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05126G	44.94	83.54	-38.60	42.13	1	Horizontal	296	1.54	-	37.44	17.28	51.91			
AV	20.0599G	31.01	63.54	-32.53	28.18	1	Horizontal	296	1.54	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69561G	54.58	88.20	-33.62	32.83	3	Vertical	37	1.50	-	40.40	11.76	30.41			
RMS	13.69481G	42.35	68.20	-25.85	20.60	3	Vertical	37	1.50	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69571G	53.56	88.20	-34.64	31.81	3	Horizontal	281	1.58	-	40.40	11.76	30.41			
RMS	13.69533G	44.36	68.20	-23.84	22.61	3	Horizontal	281	1.58	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.535371G	53.28	83.54	-30.26	47.65	1	Vertical	156	1.63	-	37.81	19.83	52.01			
AV	20.535631G	41.91	63.54	-21.63	36.28	1	Vertical	156	1.63	-	37.81	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 29
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53371G	53.37	83.54	-30.17	47.75	1	Horizontal	268	1.50	-	37.80	19.83	52.01			
AV	20.53357G	41.37	63.54	-22.17	35.75	1	Horizontal	268	1.50	-	37.80	19.83	52.01			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
02-F-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.85	88.20	-12.35	66.42	3	Vertical	154	2.54	-	34.25	6.22	31.04			
RMS	5.925G	61.36	68.20	-6.84	51.93	3	Vertical	154	2.54	-	34.25	6.22	31.04			
PK	5.961G	108.75	Inf	-Inf	99.26	3	Vertical	154	2.54	-	34.30	6.26	31.07			
RMS	5.96G	96.88	Inf	-Inf	87.39	3	Vertical	154	2.54	-	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
02-F-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	62.85	88.20	-25.35	53.42	3	Horizontal	119	2.20	-	34.25	6.22	31.04			
RMS	5.925G	49.98	68.20	-18.22	40.55	3	Horizontal	119	2.20	-	34.25	6.22	31.04			
PK	6.021G	99.01	Inf	-Inf	89.44	3	Horizontal	119	2.20	-	34.38	6.30	31.11			
RMS	6.022G	88.09	Inf	-Inf	78.51	3	Horizontal	119	2.20	-	34.39	6.30	31.11			

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97352G	55.09	74.00	-18.91	39.19	3	Vertical	55	1.29	-	39.30	8.99	32.39			
AV	11.97256G	41.06	54.00	-12.94	25.16	3	Vertical	55	1.29	-	39.30	8.99	32.39			
PK	17.96796G	62.09	74.00	-11.91	32.99	3	Vertical	314	1.99	-	46.60	11.19	28.69			
AV	17.96688G	49.46	54.00	-4.54	20.37	3	Vertical	314	1.99	-	46.60	11.19	28.70			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97268G	55.28	74.00	-18.72	39.38	3	Horizontal	109	1.76	-	39.30	8.99	32.39			
AV	11.97316G	41.09	54.00	-12.91	25.19	3	Horizontal	109	1.76	-	39.30	8.99	32.39			
PK	17.96388G	62.32	74.00	-11.68	33.24	3	Horizontal	232	1.64	-	46.60	11.19	28.71			
AV	17.96892G	49.61	54.00	-4.39	20.51	3	Horizontal	232	1.64	-	46.60	11.19	28.69			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92722G	45.54	83.54	-38.00	37.96	1	Vertical	141	1.50	-	38.80	19.01	50.23			
AV	23.95404G	31.66	63.54	-31.88	24.06	1	Vertical	141	1.50	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9448G	45.21	83.54	-38.33	37.62	1	Horizontal	36	1.89	-	38.80	19.01	50.22			
AV	23.93304G	31.76	63.54	-31.78	24.18	1	Horizontal	36	1.89	-	38.80	19.01	50.23			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44618G	54.74	74.00	-19.26	39.10	3	Vertical	158	2.04	-	38.60	9.16	32.12			
AV	12.44888G	40.79	54.00	-13.21	25.15	3	Vertical	158	2.04	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45334G	54.09	74.00	-19.91	38.45	3	Horizontal	261	2.91	-	38.60	9.16	32.12			
AV	12.44906G	40.81	54.00	-13.19	25.17	3	Horizontal	261	2.91	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67434G	60.82	83.54	-22.72	56.90	1	Vertical	176	1.65	-	37.67	16.72	50.47			
AV	18.67128G	46.02	63.54	-17.52	42.10	1	Vertical	176	1.65	-	37.67	16.72	50.47			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67248G	60.90	83.54	-22.64	56.98	1	Horizontal	202	1.65	-	37.67	16.72	50.47			
AV	18.68568G	47.02	63.54	-16.52	43.12	1	Horizontal	202	1.65	-	37.67	16.72	50.49			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77158G	54.53	88.20	-33.67	38.44	3	Vertical	354	2.48	-	38.79	9.27	31.97			
RMS	12.76564G	41.06	68.20	-27.14	25.00	3	Vertical	354	2.48	-	38.76	9.27	31.97			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77196G	54.40	88.20	-33.80	38.31	3	Horizontal	349	2.52	-	38.79	9.27	31.97			
RMS	12.7714G	40.96	68.20	-27.24	24.87	3	Horizontal	349	2.52	-	38.79	9.27	31.97			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX



EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14762G	59.24	83.54	-24.30	55.75	1	Vertical	175	1.67	-	37.56	16.91	50.98			
AV	19.1469G	45.18	63.54	-18.36	41.69	1	Vertical	175	1.67	-	37.56	16.91	50.98			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14162G	61.00	83.54	-22.54	57.50	1	Horizontal	208	1.75	-	37.56	16.91	50.97			
AV	19.14048G	47.21	63.54	-16.33	43.71	1	Horizontal	208	1.75	-	37.56	16.91	50.97			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25886G	56.79	74.00	-17.21	38.98	3	Vertical	333	1.50	-	40.32	9.44	31.95			
AV	13.2518G	43.28	54.00	-10.72	25.49	3	Vertical	333	1.50	-	40.30	9.44	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2533G	56.95	74.00	-17.05	39.15	3	Horizontal	195	2.16	-	40.31	9.44	31.95			
AV	13.25182G	43.21	54.00	-10.79	25.42	3	Horizontal	195	2.16	-	40.30	9.44	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86348G	52.75	83.54	-30.79	49.80	1	Vertical	268	1.59	-	37.51	17.20	51.76			
AV	19.87056G	39.61	63.54	-23.93	36.67	1	Vertical	268	1.59	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86696G	53.19	83.54	-30.35	50.24	1	Horizontal	177	1.69	-	37.51	17.21	51.77			
AV	19.86546G	39.64	63.54	-23.90	36.70	1	Horizontal	177	1.69	-	37.51	17.20	51.77			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40762G	57.48	88.20	-30.72	39.48	3	Vertical	34	2.09	-	40.50	9.49	31.99			
RMS	13.4068G	43.29	68.20	-24.91	25.29	3	Vertical	34	2.09	-	40.50	9.49	31.99			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41426G	56.66	88.20	-31.54	38.66	3	Horizontal	146	1.18	-	40.50	9.49	31.99			
RMS	13.40822G	43.26	68.20	-24.94	25.26	3	Horizontal	146	1.18	-	40.50	9.49	31.99			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11254G	51.25	83.54	-32.29	48.37	1	Vertical	245	1.31	-	37.49	17.31	51.92			
AV	20.1207G	38.01	63.54	-25.53	35.12	1	Vertical	245	1.31	-	37.50	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10684G	51.78	83.54	-31.76	48.90	1	Horizontal	196	1.67	-	37.49	17.31	51.92			
AV	20.11632G	37.97	63.54	-25.57	35.09	1	Horizontal	196	1.67	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56656G	57.47	88.20	-30.73	39.18	3	Vertical	299	2.79	-	40.70	9.55	31.96			
RMS	13.57342G	43.90	68.20	-24.30	25.60	3	Vertical	299	2.79	-	40.70	9.55	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56536G	58.12	88.20	-30.08	39.83	3	Horizontal	347	1.76	-	40.70	9.55	31.96			
RMS	13.57298G	43.89	68.20	-24.31	25.59	3	Horizontal	347	1.76	-	40.70	9.55	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3593G	54.74	83.54	-28.80	51.65	1	Vertical	34	1.54	-	37.64	17.42	51.97			
AV	20.35714G	41.33	63.54	-22.21	38.24	1	Vertical	34	1.54	-	37.64	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35174G	54.78	83.54	-28.76	51.70	1	Horizontal	1	1.54	-	37.64	17.41	51.97			
AV	20.35748G	41.28	63.54	-22.26	38.19	1	Horizontal	1	1.54	-	37.64	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 52
02-F-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9002G	61.10	88.20	-27.10	51.72	3	Vertical	50.6	1.80	-	34.20	6.20	31.02			
RMS	5.9242G	50.92	68.20	-17.28	41.49	3	Vertical	50.6	1.80	-	34.25	6.22	31.04			
PK	6.049G	108.77	Inf	-Inf	99.08	3	Vertical	50.6	1.80	-	34.50	6.30	31.11			
RMS	6.049G	98.01	Inf	-Inf	88.32	3	Vertical	50.6	1.80	-	34.50	6.30	31.11			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 52
02-F-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7722G	59.95	88.20	-28.25	50.78	3	Horizontal	300.2	2.13	-	34.00	6.10	30.93			
RMS	5.7706G	49.28	68.20	-18.92	40.11	3	Horizontal	300.2	2.13	-	34.00	6.10	30.93			
PK	6.0922G	98.46	Inf	-Inf	88.79	3	Horizontal	300.2	2.13	-	34.50	6.30	31.13			
RMS	6.089G	88.39	Inf	-Inf	78.72	3	Horizontal	300.2	2.13	-	34.50	6.30	31.13			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 52
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04846G	54.24	74.00	-19.76	38.49	3	Vertical	261	1.55	-	39.11	9.02	32.38			
AV	12.05462G	40.78	54.00	-13.22	25.06	3	Vertical	261	1.55	-	39.08	9.02	32.38			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 52
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05318G	54.98	74.00	-19.02	39.25	3	Horizontal	58	2.51	-	39.09	9.02	32.38			
AV	12.04706G	40.83	54.00	-13.17	25.08	3	Horizontal	58	2.51	-	39.11	9.02	32.38			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 52
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07836G	45.15	83.54	-38.39	40.89	1	Vertical	120	1.57	-	37.50	16.47	49.71			
AV	18.0648G	31.22	63.54	-32.32	26.94	1	Vertical	120	1.57	-	37.50	16.47	49.69			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 52
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07452G	44.82	83.54	-38.72	40.55	1	Horizontal	284	1.77	-	37.50	16.47	49.70			
AV	18.0675G	31.19	63.54	-32.35	26.91	1	Horizontal	284	1.77	-	37.50	16.47	49.69			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36868G	54.59	74.00	-19.41	38.97	3	Vertical	4	1.00	-	38.66	9.13	32.17			
AV	12.36522G	40.74	54.00	-13.26	25.12	3	Vertical	4	1.00	-	38.67	9.13	32.18			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36874G	54.48	74.00	-19.52	38.86	3	Horizontal	241	1.30	-	38.66	9.13	32.17			
AV	12.36688G	40.78	54.00	-13.22	25.16	3	Horizontal	241	1.30	-	38.67	9.13	32.18			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54984G	56.15	83.54	-27.39	52.21	1	Vertical	180	1.77	-	37.62	16.67	50.35			
AV	18.55038G	41.87	63.54	-21.67	37.93	1	Vertical	180	1.77	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55944G	57.20	83.54	-26.34	53.27	1	Horizontal	202	1.72	-	37.62	16.67	50.36			
AV	18.54912G	43.20	63.54	-20.34	39.26	1	Horizontal	202	1.72	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68634G	54.99	74.00	-19.01	39.16	3	Vertical	246	2.04	-	38.60	9.24	32.01			
AV	12.68526G	41.09	54.00	-12.91	25.26	3	Vertical	246	2.04	-	38.60	9.24	32.01			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69396G	54.86	74.00	-19.14	39.02	3	Horizontal	262	2.60	-	38.60	9.24	32.00			
AV	12.6863G	41.13	54.00	-12.87	25.30	3	Horizontal	262	2.60	-	38.60	9.24	32.01			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02984G	57.46	83.54	-26.08	53.93	1	Vertical	28	1.71	-	37.51	16.86	50.84			
AV	19.04598G	43.98	63.54	-19.56	40.45	1	Vertical	28	1.71	-	37.52	16.87	50.86			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04004G	57.98	83.54	-25.56	54.44	1	Horizontal	207	1.63	-	37.52	16.87	50.85			
AV	19.04172G	44.08	63.54	-19.46	40.54	1	Horizontal	207	1.63	-	37.52	16.87	50.85			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32834G	56.75	74.00	-17.25	38.86	3	Vertical	171	2.72	-	40.40	9.46	31.97			
AV	13.3265G	43.39	54.00	-10.61	25.50	3	Vertical	171	2.72	-	40.40	9.46	31.97			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32708G	57.38	74.00	-16.62	39.49	3	Horizontal	351	2.61	-	40.40	9.46	31.97			
AV	13.33074G	43.39	54.00	-10.61	25.49	3	Horizontal	351	2.61	-	40.40	9.47	31.97			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00022G	45.64	83.54	-37.90	42.88	1	Vertical	195	1.68	-	37.40	17.26	51.90			
AV	19.99986G	34.37	63.54	-29.17	31.61	1	Vertical	195	1.68	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



EUT_Z_4TX
Setting 108
01-U-J-8


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9935G	47.64	83.54	-35.90	44.86	1	Horizontal	198	1.71	-	37.41	17.26	51.89			
AV	19.9998G	36.10	63.54	-27.44	33.34	1	Horizontal	198	1.71	-	37.40	17.26	51.90			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

12/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

12/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

12/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412601G	-4.11	6.43095G	-34.79	-27.27	-7.52	1
6.419474G	-3.89	6.40185G	-32.76	-24.67	-8.09	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

12/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.530776G	-3.60	6.54905G	-32.55	-25.54	-7.01	1
6.529926G	-4.05	6.51485G	-38.73	-30.98	-7.75	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

12/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690201G	-3.66	6.70985G	-33.45	-26.60	-6.85	1
6.692376G	-3.99	6.67765G	-36.07	-28.55	-7.52	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

12/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85625G	-3.86	6.841125G	-32.59	-25.34	-7.25	1
6.8557G	-4.59	6.87025G	-34.88	-27.84	-7.04	2

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

12/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.677552G	-2.86	6.7066G	-30.34	-22.87	-7.47	1
6.681351G	-3.89	6.64725G	-38.09	-30.59	-7.50	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852248G	-2.67	6.82355G	-29.71	-22.47	-7.24	1
6.841101G	-2.80	6.8073G	-36.77	-29.56	-7.21	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3999G	-2.57	6.4296G	-31.06	-22.90	-8.16	1
6.3738G	-3.27	6.3435G	-29.69	-23.34	-6.35	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6114G	-2.64	6.5836G	-28.99	-22.69	-6.30	1
6.6112G	-3.17	6.583G	-29.98	-23.23	-6.75	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9736G	3.17	6.0816G	-34.09	-28.64	-5.45	1

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2376G	3.55	6.1559G	-29.29	-21.50	-7.79	1

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

13/09/2023





5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

13/09/2023





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.197499G	-5.97	6.179325G	-36.14	-29.38	-6.76	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.413698G	-7.95	6.38405G	-33.60	-28.09	-5.51	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.2125G	-5.12	6.1835G	-31.41	-25.15	-6.26	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.32001G	-5.23	6.041G	-51.87	-45.23	-6.64	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.5355G	-6.02	6.51775G	-36.97	-30.93	-6.04	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.562451G	-6.47	6.54355G	-33.45	-26.65	-6.80	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.67691G	-4.69	6.6636G	-30.71	-24.70	-6.01	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.64061G	-5.18	6.9846G	-51.25	-45.18	-6.07	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958874G	-5.71	5.93777G	-37.36	-29.88	-7.48	1
5955MHz	Pass	5.95615G	-7.40	5.938575G	-38.78	-30.97	-7.81	2
6195MHz	Pass	6.197499G	-5.97	6.179325G	-36.14	-29.38	-6.76	1
6195MHz	Pass	6.193775G	-6.49	6.1789G	-36.96	-29.83	-7.13	2
6415MHz	Pass	6.407552G	-6.34	6.40025G	-35.61	-28.83	-6.78	1
6415MHz	Pass	6.412426G	-6.27	6.430925G	-37.03	-28.33	-8.70	2
6535MHz	Pass	6.5355G	-6.02	6.51775G	-36.97	-30.93	-6.04	1
6535MHz	Pass	6.538099G	-7.52	6.517775G	-39.18	-32.29	-6.89	2
6695MHz	Pass	6.690201G	-5.92	6.6813G	-35.11	-27.21	-7.90	1
6695MHz	Pass	6.702798G	-6.53	6.677475G	-39.26	-31.52	-7.74	2
6855MHz	Pass	6.852626G	-5.75	6.872175G	-37.92	-30.60	-7.32	1
6855MHz	Pass	6.851126G	-6.98	6.8408G	-36.30	-28.72	-7.58	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.970899G	-4.70	5.94375G	-31.94	-24.75	-7.19	1
5965MHz	Pass	5.967599G	-5.26	5.9436G	-32.13	-25.33	-6.80	2
6205MHz	Pass	6.202401G	-4.89	6.1707G	-37.68	-30.02	-7.66	1
6205MHz	Pass	6.200801G	-5.36	6.1674G	-38.74	-32.08	-6.66	2
6405MHz	Pass	6.397002G	-7.30	6.38375G	-33.73	-27.42	-6.31	1
6405MHz	Pass	6.413698G	-7.95	6.38405G	-33.60	-28.09	-5.51	2
6565MHz	Pass	6.551453G	-4.65	6.5349G	-35.47	-28.23	-7.24	1
6565MHz	Pass	6.562451G	-6.47	6.54355G	-33.45	-26.65	-6.80	2
6685MHz	Pass	6.678002G	-4.79	6.6508G	-37.29	-30.22	-7.07	1
6685MHz	Pass	6.680401G	-5.20	6.66365G	-33.05	-25.29	-7.76	2
6845MHz	Pass	6.841051G	-4.60	6.8239G	-31.41	-24.61	-6.80	1
6845MHz	Pass	6.835752G	-5.87	6.81575G	-36.45	-29.23	-7.22	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9927G	-4.60	6.0267G	-31.77	-24.71	-7.06	1
5985MHz	Pass	5.9997G	-5.83	5.9417G	-33.52	-25.91	-7.61	2
6225MHz	Pass	6.2133G	-5.26	6.1832G	-32.39	-25.28	-7.11	1
6225MHz	Pass	6.2125G	-5.12	6.1835G	-31.41	-25.15	-6.26	2
6385MHz	Pass	6.3749G	-5.13	6.3429G	-32.35	-25.19	-7.16	1
6385MHz	Pass	6.3706G	-6.20	6.3434G	-33.03	-26.22	-6.81	2
6625MHz	Pass	6.6144G	-4.54	6.5836G	-30.75	-24.59	-6.16	1
6625MHz	Pass	6.6196G	-5.77	6.5838G	-31.95	-25.78	-6.17	2
6705MHz	Pass	6.67691G	-4.69	6.6636G	-30.71	-24.70	-6.01	1
6705MHz	Pass	6.693G	-5.65	6.6632G	-32.58	-25.71	-6.87	2
6785MHz	Pass	6.7737G	-4.73	6.743G	-31.69	-24.77	-6.92	1
6785MHz	Pass	6.7702G	-5.61	6.7436G	-32.12	-25.62	-6.50	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05079G	-4.14	6.3488G	-51.48	-44.14	-7.34	1
6025MHz	Pass	6.05379G	-5.14	6.3686G	-52.64	-45.14	-7.50	2
6185MHz	Pass	6.15881G	-4.70	5.94G	-52.16	-44.70	-7.46	1
6185MHz	Pass	6.15821G	-4.46	5.9418G	-52.52	-44.46	-8.06	2
6345MHz	Pass	6.32001G	-5.23	6.041G	-51.87	-45.23	-6.64	1
6345MHz	Pass	6.31781G	-4.79	6.0924G	-51.74	-44.79	-6.95	2
6665MHz	Pass	6.63841G	-4.11	6.3836G	-50.46	-44.11	-6.35	1
6665MHz	Pass	6.64061G	-5.18	6.9846G	-51.25	-45.18	-6.07	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

18/10/2023

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958874G	-5.71	5.9377G	-37.36	-29.88	-7.48	1
5.95615G	-7.40	5.938575G	-38.78	-30.97	-7.81	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

18/10/2023

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 ☐

Port 2 ☐


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197499G	-5.97	6.179325G	-36.14	-29.38	-6.76	1
6.193775G	-6.49	6.1789G	-36.96	-29.83	-7.13	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

18/10/2023




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

18/10/2023




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690201G	-5.92	6.6813G	-35.11	-27.21	-7.90	1
6.702798G	-6.53	6.677475G	-39.26	-31.52	-7.74	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852626G	-5.75	6.872175G	-37.92	-30.60	-7.32	1
6.851126G	-6.98	6.8408G	-36.30	-28.72	-7.58	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

18/10/2023




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

18/10/2023




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

18/10/2023




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

18/10/2023




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

18/10/2023

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.678002G	-4.79	6.6508G	-37.29	-30.22	-7.07	1
6.680401G	-5.20	6.66365G	-33.05	-25.29	-7.76	2


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

18/10/2023

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.841051G	-4.60	6.8239G	-31.41	-24.61	-6.80	1
6.835752G	-5.87	6.81575G	-36.45	-29.23	-7.22	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9927G	-4.60	6.0267G	-31.77	-24.71	-7.06	1
5.9997G	-5.83	5.9417G	-33.52	-25.91	-7.61	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

18/10/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2133G	-5.26	6.1832G	-32.39	-25.28	-7.11	1
6.2125G	-5.12	6.1835G	-31.41	-25.15	-6.26	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

18/10/2023

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3749G	-5.13	6.3429G	-32.35	-25.19	-7.16	1
6.3706G	-6.20	6.3434G	-33.03	-26.22	-6.81	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

18/10/2023

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6144G	-4.54	6.5836G	-30.75	-24.59	-6.16	1
6.6196G	-5.77	6.5838G	-31.95	-25.78	-6.17	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

18/10/2023




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

18/10/2023




5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05079G	-4.14	6.3488G	-51.48	-44.14	-7.34	1
6.05379G	-5.14	6.3686G	-52.64	-45.14	-7.50	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15881G	-4.70	5.94G	-52.16	-44.70	-7.46	1
6.15821G	-4.46	5.9418G	-52.52	-44.46	-8.06	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32001G	-5.23	6.041G	-51.87	-45.23	-6.64	1
6.31781G	-4.79	6.0924G	-51.74	-44.79	-6.95	2

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

18/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63841G	-4.11	6.3836G	-50.46	-44.11	-6.35	1
6.64061G	-5.18	6.9846G	-51.25	-45.18	-6.07	2

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412851G	-4.87	6.400175G	-34.42	-27.60	-6.82	1
6.411901G	-5.53	6.401075G	-35.04	-26.77	-8.27	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537524G	-4.83	6.518875G	-35.92	-28.32	-7.60	1
6.530001G	-5.88	6.517G	-38.56	-31.12	-7.44	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.996G	-3.82	5.9429G	-30.52	-23.86	-6.66	1
5.9741G	-4.79	5.9435G	-30.66	-24.79	-5.87	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2376G	-4.14	6.1692G	-35.64	-26.63	-9.01	1
6.214G	-4.12	6.1836G	-30.92	-24.15	-6.77	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3967G	-4.28	6.3167G	-37.00	-28.58	-8.42	1
6.3961G	-4.58	6.3429G	-31.87	-24.59	-7.28	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6138G	-3.33	6.5823G	-32.13	-23.33	-8.80	1
6.611G	-4.71	6.5833G	-31.69	-24.73	-6.96	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04879G	-3.39	6.3566G	-51.24	-43.39	-7.85	1
6.05079G	-3.97	6.355G	-52.44	-43.97	-8.47	2

5.925-6.425GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16121G	-3.68	5.9406G	-51.39	-43.61	-7.78	1
6.15941G	-4.08	5.9348G	-52.13	-44.08	-8.05	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31741G	-3.57	6.0596G	-51.32	-43.57	-7.75	1
6.31621G	-3.30	6.0732G	-50.86	-43.30	-7.56	2

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

13/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64281G	-3.15	6.3318G	-49.51	-43.15	-6.36	1
6.63841G	-3.99	6.4082G	-50.96	-43.99	-6.97	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.953625G	-7.71	5.937975G	-39.20	-32.11	-7.09	3
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	5.948652G	-8.65	5.9699G	-38.63	-31.32	-7.31	4
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.402851G	-7.21	6.38385G	-34.00	-27.24	-6.76	4
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	6.399951G	-7.56	6.37255G	-38.86	-32.11	-6.75	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	5.9769G	-7.26	6.0273G	-33.85	-27.36	-6.49	4
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	6.3714G	-7.38	6.342G	-33.92	-27.44	-6.48	1
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.16021G	-7.64	6.4476G	-50.35	-47.64	-2.71	4
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	6.15941G	-7.45	5.935G	-49.30	-47.45	-1.85	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.536325G	-8.26	6.518675G	-38.83	-32.08	-6.75	4
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	6.692476G	-8.53	6.6771G	-41.45	-33.61	-7.84	4
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.856197G	-8.60	6.8237G	-35.03	-28.62	-6.41	4
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	6.687499G	-8.21	6.6514G	-39.76	-33.27	-6.49	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.58821G	-6.84	6.5836G	-32.88	-26.85	-6.03	3
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	6.6116G	-8.09	6.5823G	-34.74	-28.09	-6.65	2
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.63721G	-7.88	6.3302G	-53.13	-47.88	-5.25	4
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	6.64281G	-7.47	6.9946G	-52.68	-47.47	-5.21	2

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.952351G	-7.63	5.969925G	-37.41	-30.26	-7.15	1
5955MHz	Pass	5.95435G	-9.45	5.96865G	-38.69	-31.03	-7.66	2
5955MHz	Pass	5.953625G	-7.71	5.937975G	-39.20	-32.11	-7.09	3
5955MHz	Pass	5.959374G	-7.77	5.97205G	-39.46	-31.74	-7.72	4
6195MHz	Pass	6.195475G	-7.72	6.177025G	-40.66	-33.21	-7.45	1
6195MHz	Pass	6.193375G	-8.29	6.175125G	-42.26	-34.55	-7.71	2
6195MHz	Pass	6.198799G	-7.75	6.182675G	-35.50	-28.24	-7.26	3
6195MHz	Pass	6.192201G	-8.97	6.17985G	-39.24	-31.10	-8.14	4
6415MHz	Pass	6.41335G	-8.03	6.3979G	-40.04	-32.63	-7.41	1
6415MHz	Pass	6.41375G	-8.38	6.400675G	-37.68	-30.24	-7.44	2
6415MHz	Pass	6.41365G	-8.13	6.39775G	-39.77	-31.72	-8.05	3
6415MHz	Pass	6.418674G	-7.99	6.399425G	-38.65	-31.42	-7.23	4
6535MHz	Pass	6.530701G	-7.67	6.520825G	-36.90	-29.72	-7.18	1
6535MHz	Pass	6.533425G	-9.01	6.51885G	-39.89	-32.56	-7.33	2
6535MHz	Pass	6.532526G	-8.01	6.517925G	-39.83	-32.41	-7.42	3
6535MHz	Pass	6.536325G	-8.26	6.518675G	-38.83	-32.08	-6.75	4
6695MHz	Pass	6.692826G	-8.49	6.711825G	-39.87	-31.76	-8.11	1
6695MHz	Pass	6.690276G	-9.09	6.676225G	-41.56	-34.69	-6.87	2
6695MHz	Pass	6.691201G	-7.89	6.6801G	-37.88	-30.44	-7.44	3
6695MHz	Pass	6.691176G	-8.17	6.676325G	-41.20	-33.02	-8.18	4
6855MHz	Pass	6.855675G	-8.00	6.868075G	-36.89	-29.09	-7.80	1
6855MHz	Pass	6.846802G	-9.39	6.8725G	-41.27	-34.07	-7.20	2
6855MHz	Pass	6.853725G	-7.98	6.8712G	-39.06	-31.73	-7.33	3
6855MHz	Pass	6.852701G	-8.85	6.8377G	-40.44	-33.30	-7.14	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961901G	-7.60	5.94385G	-34.75	-27.61	-7.14	1
5965MHz	Pass	5.949804G	-8.27	5.9317G	-40.41	-32.55	-7.86	2
5965MHz	Pass	5.972298G	-7.28	5.94135G	-35.73	-27.46	-8.27	3
5965MHz	Pass	5.969249G	-7.09	5.99835G	-39.20	-31.76	-7.44	4
6205MHz	Pass	6.213598G	-7.51	6.2262G	-34.91	-27.56	-7.35	1
6205MHz	Pass	6.213448G	-7.25	6.1716G	-39.40	-31.84	-7.56	2
6205MHz	Pass	6.211398G	-6.94	6.17085G	-39.73	-32.27	-7.46	3
6205MHz	Pass	6.212198G	-7.76	6.16745G	-40.99	-33.93	-7.06	4
6405MHz	Pass	6.398752G	-7.17	6.37685G	-37.71	-29.89	-7.82	1
6405MHz	Pass	6.393703G	-7.25	6.37G	-40.18	-32.23	-7.95	2
6405MHz	Pass	6.397602G	-6.34	6.3833G	-34.14	-26.35	-7.79	3
6405MHz	Pass	6.402851G	-7.21	6.38385G	-34.00	-27.24	-6.76	4
6565MHz	Pass	6.568949G	-6.65	6.54355G	-33.30	-26.45	-6.85	1
6565MHz	Pass	6.570249G	-8.06	6.5386G	-37.20	-29.79	-7.41	2
6565MHz	Pass	6.577047G	-7.49	6.5981G	-39.57	-32.24	-7.33	3
6565MHz	Pass	6.557352G	-6.87	6.59755G	-38.24	-31.19	-7.05	4
6685MHz	Pass	6.68405G	-7.22	6.6638G	-34.31	-27.23	-7.08	1
6685MHz	Pass	6.680151G	-7.59	6.66355G	-34.67	-27.72	-6.95	2
6685MHz	Pass	6.677652G	-7.02	6.6637G	-34.12	-27.09	-7.03	3
6685MHz	Pass	6.678852G	-8.06	6.6508G	-39.76	-32.97	-6.79	4
6845MHz	Pass	6.851298G	-6.82	6.80605G	-41.52	-34.23	-7.29	1
6845MHz	Pass	6.849949G	-7.78	6.87745G	-39.42	-31.60	-7.82	2
6845MHz	Pass	6.8463G	-7.27	6.86645G	-34.14	-27.07	-7.07	3
6845MHz	Pass	6.856197G	-8.60	6.8237G	-35.03	-28.62	-6.41	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9771G	-7.19	6.027G	-34.00	-27.25	-6.75	1
5985MHz	Pass	5.95651G	-7.71	5.9428G	-35.42	-27.74	-7.68	2
5985MHz	Pass	5.9766G	-6.83	6.0272G	-34.12	-26.98	-7.14	3
5985MHz	Pass	5.9769G	-7.26	6.0273G	-33.85	-27.36	-6.49	4

**Mask_R5_4T1S-For Non-beamforming mode, 4T4S****Appendix E.9**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2384G	-7.25	6.2673G	-34.97	-27.35	-7.62	1
6225MHz	Pass	6.2121G	-7.11	6.183G	-34.18	-27.17	-7.01	2
6225MHz	Pass	6.2313G	-7.20	6.2669G	-34.42	-27.22	-7.20	3
6225MHz	Pass	6.2295G	-6.44	6.1833G	-33.50	-26.48	-7.02	4
6385MHz	Pass	6.37G	-7.03	6.3204G	-39.52	-31.37	-8.15	1
6385MHz	Pass	6.3783G	-7.65	6.3429G	-34.69	-27.66	-7.03	2
6385MHz	Pass	6.3703G	-6.86	6.3428G	-33.62	-26.89	-6.73	3
6385MHz	Pass	6.3978G	-6.98	6.3433G	-33.47	-26.98	-6.49	4
6625MHz	Pass	6.6105G	-7.00	6.5829G	-34.40	-27.06	-7.34	1
6625MHz	Pass	6.6173G	-7.77	6.5826G	-35.16	-27.78	-7.38	2
6625MHz	Pass	6.58821G	-6.84	6.5836G	-32.88	-26.85	-6.03	3
6625MHz	Pass	6.6124G	-6.63	6.5829G	-33.51	-26.71	-6.80	4
6705MHz	Pass	6.6891G	-7.21	6.6628G	-34.63	-27.27	-7.36	1
6705MHz	Pass	6.6905G	-8.07	6.6634G	-34.67	-28.12	-6.55	2
6705MHz	Pass	6.7011G	-6.81	6.6625G	-34.18	-26.84	-7.34	3
6705MHz	Pass	6.6927G	-7.34	6.6629G	-34.15	-27.38	-6.77	4
6785MHz	Pass	6.7685G	-6.33	6.7426G	-34.25	-26.36	-7.89	1
6785MHz	Pass	6.7705G	-7.24	6.743G	-34.61	-27.32	-7.29	2
6785MHz	Pass	6.7679G	-7.03	6.7432G	-34.56	-26.83	-7.73	3
6785MHz	Pass	6.7715G	-7.92	6.742G	-35.03	-27.98	-7.05	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04959G	-6.85	6.3628G	-53.30	-46.85	-6.45	1
6025MHz	Pass	6.05019G	-7.74	6.3572G	-54.21	-47.74	-6.47	2
6025MHz	Pass	6.04939G	-7.03	6.368G	-54.00	-47.03	-6.97	3
6025MHz	Pass	6.04819G	-7.19	6.2914G	-50.55	-47.19	-3.36	4
6185MHz	Pass	6.15761G	-7.81	6.5066G	-54.12	-47.81	-6.31	1
6185MHz	Pass	6.15861G	-7.80	5.9306G	-54.34	-47.80	-6.54	2
6185MHz	Pass	6.16081G	-6.73	5.939G	-54.01	-46.70	-7.31	3
6185MHz	Pass	6.16021G	-7.64	6.4476G	-50.35	-47.64	-2.71	4
6345MHz	Pass	6.32121G	-7.68	5.9824G	-53.75	-47.68	-6.07	1
6345MHz	Pass	6.31921G	-7.34	6.0658G	-53.65	-47.34	-6.31	2
6345MHz	Pass	6.31881G	-6.42	6.0774G	-53.52	-46.42	-7.10	3
6345MHz	Pass	6.32061G	-7.85	6.0456G	-53.65	-47.85	-5.80	4
6665MHz	Pass	6.63641G	-6.64	6.3484G	-52.25	-46.64	-5.61	1
6665MHz	Pass	6.64221G	-7.48	7.0078G	-52.87	-47.48	-5.39	2
6665MHz	Pass	6.63821G	-7.27	7.0086G	-52.77	-47.27	-5.50	3
6665MHz	Pass	6.63721G	-7.88	6.3302G	-53.13	-47.88	-5.25	4
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.949951G	-7.73	5.96965G	-38.64	-29.82	-8.82	1
5955MHz	Pass	5.958724G	-9.08	5.93875G	-40.96	-32.64	-8.32	2
5955MHz	Pass	5.956225G	-7.81	5.938425G	-39.98	-32.08	-7.90	3
5955MHz	Pass	5.948652G	-8.65	5.9699G	-38.63	-31.32	-7.31	4
6195MHz	Pass	6.19615G	-7.95	6.180775G	-38.65	-30.01	-8.64	1
6195MHz	Pass	6.191226G	-8.42	6.210075G	-39.30	-31.24	-8.06	2
6195MHz	Pass	6.193675G	-7.83	6.211175G	-39.63	-31.43	-8.20	3
6195MHz	Pass	6.197399G	-9.36	6.178675G	-40.51	-32.40	-8.11	4
6415MHz	Pass	6.412476G	-8.18	6.400725G	-38.82	-30.00	-8.82	1
6415MHz	Pass	6.408727G	-8.74	6.397075G	-42.06	-33.84	-8.22	2
6415MHz	Pass	6.417474G	-8.20	6.3972G	-41.24	-33.58	-7.66	3
6415MHz	Pass	6.409901G	-8.65	6.397225G	-41.45	-33.70	-7.75	4
6535MHz	Pass	6.5337G	-7.77	6.515975G	-41.86	-33.82	-8.04	1
6535MHz	Pass	6.530051G	-9.03	6.551275G	-40.77	-32.30	-8.47	2
6535MHz	Pass	6.531201G	-8.41	6.549875G	-38.95	-30.79	-8.16	3
6535MHz	Pass	6.531201G	-8.16	6.5173G	-40.48	-31.97	-8.51	4
6695MHz	Pass	6.691226G	-8.62	6.680775G	-38.85	-30.68	-8.17	1
6695MHz	Pass	6.696225G	-9.01	6.709675G	-39.37	-31.44	-7.93	2



Mask_R5_4T1S-For Non-beamforming mode, 4T4S

Appendix E.9

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6695MHz	Pass	6.697449G	-8.03	6.67715G	-41.27	-33.04	-8.23	3
6695MHz	Pass	6.692476G	-8.53	6.6771G	-41.45	-33.61	-7.84	4
6855MHz	Pass	6.856225G	-8.30	6.83775G	-41.27	-32.95	-8.32	1
6855MHz	Pass	6.856175G	-9.18	6.841725G	-38.89	-30.18	-8.71	2
6855MHz	Pass	6.857449G	-8.40	6.86965G	-38.70	-30.60	-8.10	3
6855MHz	Pass	6.861173G	-9.01	6.869675G	-39.19	-30.59	-8.60	4
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.962451G	-8.13	5.99185G	-37.63	-29.31	-8.32	1
5965MHz	Pass	5.968849G	-8.37	5.94385G	-35.52	-28.38	-7.14	2
5965MHz	Pass	5.959901G	-7.60	5.99985G	-40.34	-33.07	-7.27	3
5965MHz	Pass	5.967499G	-7.58	5.99695G	-38.58	-31.02	-7.56	4
6205MHz	Pass	6.208699G	-7.54	6.2426G	-41.20	-34.22	-6.98	1
6205MHz	Pass	6.209499G	-7.20	6.1675G	-40.89	-33.35	-7.54	2
6205MHz	Pass	6.207549G	-6.71	6.2425G	-40.61	-33.35	-7.26	3
6205MHz	Pass	6.207699G	-7.70	6.24G	-39.92	-32.61	-7.31	4
6405MHz	Pass	6.397552G	-7.64	6.36745G	-41.39	-34.59	-6.80	1
6405MHz	Pass	6.401251G	-7.95	6.3726G	-39.30	-32.10	-7.20	2
6405MHz	Pass	6.400051G	-6.99	6.36725G	-40.64	-33.60	-7.04	3
6405MHz	Pass	6.399951G	-7.56	6.37255G	-38.86	-32.11	-6.75	4
6565MHz	Pass	6.567399G	-6.84	6.5274G	-40.40	-33.64	-6.76	1
6565MHz	Pass	6.569599G	-8.24	6.6025G	-41.76	-35.09	-6.67	2
6565MHz	Pass	6.567599G	-7.63	6.53255G	-39.25	-32.22	-7.03	3
6565MHz	Pass	6.573798G	-7.31	6.53245G	-38.37	-31.10	-7.27	4
6685MHz	Pass	6.677402G	-7.70	6.6476G	-41.13	-34.34	-6.79	1
6685MHz	Pass	6.689999G	-7.80	6.6474G	-41.67	-34.15	-7.52	2
6685MHz	Pass	6.679901G	-7.29	6.65275G	-39.37	-31.94	-7.43	3
6685MHz	Pass	6.687499G	-8.21	6.6514G	-39.76	-33.27	-6.49	4
6845MHz	Pass	6.847499G	-7.02	6.80745G	-41.24	-33.72	-7.52	1
6845MHz	Pass	6.849699G	-7.75	6.8773G	-39.55	-32.10	-7.45	2
6845MHz	Pass	6.851148G	-7.64	6.88245G	-41.23	-34.42	-6.81	3
6845MHz	Pass	6.853798G	-8.75	6.80735G	-42.21	-34.96	-7.25	4
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.97G	-7.35	6.0268G	-34.08	-27.15	-6.93	1
5985MHz	Pass	5.9703G	-7.93	5.9417G	-36.26	-27.96	-8.30	2
5985MHz	Pass	5.9961G	-7.27	6.0267G	-34.02	-27.29	-6.73	3
5985MHz	Pass	6G	-7.67	6.0826G	-47.47	-39.54	-7.93	4
6225MHz	Pass	6.2363G	-7.84	6.0974G	-56.20	-47.72	-8.48	1
6225MHz	Pass	6.2136G	-7.38	6.1817G	-35.09	-27.39	-7.70	2
6225MHz	Pass	6.2126G	-7.61	6.1673G	-38.62	-30.36	-8.26	3
6225MHz	Pass	6.2397G	-7.02	6.1833G	-33.86	-27.02	-6.84	4
6385MHz	Pass	6.3714G	-7.38	6.342G	-33.92	-27.44	-6.48	1
6385MHz	Pass	6.3761G	-7.92	6.3273G	-38.45	-30.70	-7.75	2
6385MHz	Pass	6.3713G	-7.01	6.3273G	-38.10	-29.70	-8.40	3
6385MHz	Pass	6.3761G	-7.64	6.3417G	-34.93	-27.69	-7.24	4
6625MHz	Pass	6.6109G	-7.38	6.5814G	-35.47	-27.39	-8.08	1
6625MHz	Pass	6.6116G	-8.09	6.5823G	-34.74	-28.09	-6.65	2
6625MHz	Pass	6.6107G	-6.99	6.5819G	-34.58	-27.03	-7.55	3
6625MHz	Pass	6.6096G	-7.10	6.5816G	-34.83	-27.13	-7.70	4
6705MHz	Pass	6.6909G	-7.58	6.6617G	-35.18	-27.61	-7.57	1
6705MHz	Pass	6.6922G	-8.52	6.6619G	-35.93	-28.54	-7.39	2
6705MHz	Pass	6.6923G	-7.06	6.6622G	-34.66	-27.06	-7.60	3
6705MHz	Pass	6.6913G	-7.48	6.6134G	-44.71	-37.71	-7.00	4
6785MHz	Pass	6.7712G	-6.45	6.7276G	-37.37	-29.08	-8.29	1
6785MHz	Pass	6.7738G	-7.46	6.9133G	-55.30	-47.46	-7.84	2
6785MHz	Pass	6.7717G	-7.20	6.9204G	-55.38	-47.20	-8.18	3
6785MHz	Pass	6.75601G	-7.85	6.7285G	-38.10	-30.34	-7.76	4


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05019G	-6.45	6.3516G	-53.09	-46.45	-6.64	1
6025MHz	Pass	6.05239G	-7.33	6.351G	-53.80	-47.33	-6.47	2
6025MHz	Pass	6.04999G	-6.53	6.3506G	-53.90	-46.53	-7.37	3
6025MHz	Pass	6.05099G	-7.04	6.3234G	-51.22	-47.04	-4.18	4
6185MHz	Pass	6.15961G	-7.50	6.466G	-53.95	-47.50	-6.45	1
6185MHz	Pass	6.16101G	-7.80	6.5052G	-54.45	-47.80	-6.65	2
6185MHz	Pass	6.16001G	-7.01	5.937G	-54.25	-47.01	-7.24	3
6185MHz	Pass	6.15941G	-7.45	5.935G	-49.30	-47.45	-1.85	4
6345MHz	Pass	6.31881G	-7.31	5.987G	-53.47	-47.31	-6.16	1
6345MHz	Pass	6.31981G	-7.06	6.0808G	-53.32	-47.06	-6.26	2
6345MHz	Pass	6.31921G	-6.16	6.0702G	-53.19	-46.16	-7.03	3
6345MHz	Pass	6.32001G	-7.54	6.0686G	-53.33	-47.54	-5.79	4
6665MHz	Pass	6.63761G	-6.62	6.3218G	-52.09	-46.62	-5.47	1
6665MHz	Pass	6.64281G	-7.47	6.9946G	-52.68	-47.47	-5.21	2
6665MHz	Pass	6.63981G	-6.93	7.0068G	-52.70	-46.93	-5.77	3
6665MHz	Pass	6.63881G	-7.71	6.3596G	-53.09	-47.71	-5.38	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41335G	-8.03	6.3979G	-40.04	-32.63	-7.41	1
6.41375G	-8.38	6.400675G	-37.68	-30.24	-7.44	2
6.41365G	-8.13	6.39775G	-39.77	-31.72	-8.05	3
6.418674G	-7.99	6.399425G	-38.65	-31.42	-7.23	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.530701G	-7.67	6.520825G	-36.90	-29.72	-7.18	1
6.533425G	-9.01	6.51885G	-39.89	-32.56	-7.33	2
6.532526G	-8.01	6.517925G	-39.83	-32.41	-7.42	3
6.536325G	-8.26	6.518675G	-38.83	-32.08	-6.75	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9771G	-7.19	6.027G	-34.00	-27.25	-6.75	1
5.95651G	-7.71	5.9428G	-35.42	-27.74	-7.68	2
5.9766G	-6.83	6.0272G	-34.12	-26.98	-7.14	3
5.9769G	-7.26	6.0273G	-33.85	-27.36	-6.49	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2384G	-7.25	6.2673G	-34.97	-27.35	-7.62	1
6.2121G	-7.11	6.183G	-34.18	-27.17	-7.01	2
6.2313G	-7.20	6.2669G	-34.42	-27.22	-7.20	3
6.2295G	-6.44	6.1833G	-33.50	-26.48	-7.02	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37G	-7.03	6.3204G	-39.52	-31.37	-8.15	1
6.3783G	-7.65	6.3429G	-34.69	-27.66	-7.03	2
6.3703G	-6.86	6.3428G	-33.62	-26.89	-6.73	3
6.3978G	-6.98	6.3433G	-33.47	-26.98	-6.49	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6105G	-7.00	6.5829G	-34.40	-27.06	-7.34	1
6.6173G	-7.77	6.5826G	-35.16	-27.78	-7.38	2
6.58821G	-6.84	6.5836G	-32.88	-26.85	-6.03	3
6.6124G	-6.63	6.5829G	-33.51	-26.71	-6.80	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.949951G	-7.73	5.96965G	-38.64	-29.82	-8.82	1
5.958724G	-9.08	5.93875G	-40.96	-32.64	-8.32	2
5.956225G	-7.81	5.938425G	-39.98	-32.08	-7.90	3
5.948652G	-8.65	5.9699G	-38.63	-31.32	-7.31	4

5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19615G	-7.95	6.180775G	-38.65	-30.01	-8.64	1
6.191226G	-8.42	6.210075G	-39.30	-31.24	-8.06	2
6.193675G	-7.83	6.211175G	-39.63	-31.43	-8.20	3
6.197399G	-9.36	6.178675G	-40.51	-32.40	-8.11	4

5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412476G	-8.18	6.400725G	-38.82	-30.00	-8.82	1
6.408727G	-8.74	6.397075G	-42.06	-33.84	-8.22	2
6.417474G	-8.20	6.3972G	-41.24	-33.58	-7.66	3
6.409901G	-8.65	6.397225G	-41.45	-33.70	-7.75	4

6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5337G	-7.77	6.515975G	-41.86	-33.82	-8.04	1
6.530051G	-9.03	6.551275G	-40.77	-32.30	-8.47	2
6.531201G	-8.41	6.549875G	-38.95	-30.79	-8.16	3
6.531201G	-8.16	6.5173G	-40.48	-31.97	-8.51	4

6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397552G	-7.64	6.36745G	-41.39	-34.59	-6.80	1
6.401251G	-7.95	6.3726G	-39.30	-32.10	-7.20	2
6.400051G	-6.99	6.36725G	-40.64	-33.60	-7.04	3
6.399951G	-7.56	6.37255G	-38.86	-32.11	-6.75	4

6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.567399G	-6.84	6.5274G	-40.40	-33.64	-6.76	1
6.569599G	-8.24	6.6025G	-41.76	-35.09	-6.67	2
6.567599G	-7.63	6.53255G	-39.25	-32.22	-7.03	3
6.573798G	-7.31	6.53245G	-38.37	-31.10	-7.27	4

6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

13/09/2023



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.192326G	-12.40	6.21125G	-42.90	-35.96	-6.94	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.397552G	-10.23	6.38365G	-37.11	-30.23	-6.88	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	5.9965G	-10.27	6.0272G	-36.66	-30.35	-6.31	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.15881G	-9.88	6.4272G	-51.46	-49.30	-2.16	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.531276G	-11.21	6.518625G	-41.89	-34.97	-6.92	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.851448G	-11.37	6.86635G	-37.85	-31.37	-6.48	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.7725G	-10.48	6.9077G	-56.38	-50.48	-5.90	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.63621G	-9.86	6.9972G	-53.30	-49.86	-3.44	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.952476G	-10.66	5.940275G	-40.60	-33.10	-7.50	1
5955MHz	Pass	5.956125G	-12.24	5.938475G	-43.38	-35.99	-7.39	2
5955MHz	Pass	5.9546G	-10.65	5.9378G	-42.53	-34.98	-7.55	3
5955MHz	Pass	5.957449G	-11.23	5.969675G	-40.79	-33.37	-7.42	4
6195MHz	Pass	6.197424G	-10.92	6.180525G	-40.98	-31.98	-9.00	1
6195MHz	Pass	6.192851G	-11.25	6.178175G	-42.67	-34.85	-7.82	2
6195MHz	Pass	6.1938G	-10.87	6.208675G	-40.18	-32.45	-7.73	3
6195MHz	Pass	6.192326G	-12.40	6.21125G	-42.90	-35.96	-6.94	4
6415MHz	Pass	6.412501G	-11.43	6.397675G	-43.13	-35.49	-7.64	1
6415MHz	Pass	6.418699G	-11.79	6.40035G	-41.52	-33.91	-7.61	2
6415MHz	Pass	6.409926G	-11.15	6.39785G	-42.97	-35.44	-7.53	3
6415MHz	Pass	6.417474G	-11.43	6.399775G	-41.35	-33.81	-7.54	4
6535MHz	Pass	6.53375G	-11.33	6.51765G	-43.03	-34.53	-8.50	1
6535MHz	Pass	6.53565G	-12.18	6.520675G	-41.86	-34.21	-7.65	2
6535MHz	Pass	6.532501G	-11.14	6.5197G	-41.58	-33.23	-8.35	3
6535MHz	Pass	6.531276G	-11.21	6.518625G	-41.89	-34.97	-6.92	4
6695MHz	Pass	6.692376G	-11.02	6.6778G	-42.86	-34.37	-8.49	1
6695MHz	Pass	6.69555G	-11.31	6.71055G	-41.91	-34.09	-7.82	2
6695MHz	Pass	6.69375G	-10.59	6.68065G	-40.12	-32.39	-7.73	3
6695MHz	Pass	6.697424G	-11.39	6.679375G	-41.79	-34.44	-7.35	4
6855MHz	Pass	6.8537G	-10.61	6.839275G	-41.35	-32.67	-8.68	1
6855MHz	Pass	6.850526G	-11.46	6.8402G	-41.16	-33.30	-7.86	2
6855MHz	Pass	6.853525G	-10.66	6.87025G	-41.18	-33.23	-7.95	3
6855MHz	Pass	6.851126G	-11.69	6.871225G	-42.59	-34.77	-7.82	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961451G	-10.17	5.94345G	-37.64	-30.23	-7.41	1
5965MHz	Pass	5.957552G	-10.36	5.9434G	-37.96	-30.37	-7.59	2
5965MHz	Pass	5.957552G	-9.71	5.94375G	-36.79	-29.71	-7.08	3
5965MHz	Pass	5.969749G	-10.14	5.9994G	-42.56	-34.78	-7.78	4
6205MHz	Pass	6.199651G	-10.64	6.1833G	-38.17	-30.69	-7.48	1
6205MHz	Pass	6.209949G	-10.04	6.17385G	-41.57	-33.63	-7.94	2
6205MHz	Pass	6.207999G	-9.90	6.1833G	-37.73	-29.91	-7.82	3
6205MHz	Pass	6.209149G	-10.39	6.23985G	-42.95	-35.86	-7.09	4
6405MHz	Pass	6.397552G	-10.23	6.38365G	-37.11	-30.23	-6.88	1
6405MHz	Pass	6.402551G	-10.63	6.37135G	-42.98	-35.46	-7.52	2
6405MHz	Pass	6.410049G	-9.51	6.3735G	-41.32	-33.37	-7.95	3
6405MHz	Pass	6.408449G	-10.38	6.3742G	-41.56	-33.71	-7.85	4
6565MHz	Pass	6.556852G	-9.67	6.5435G	-36.91	-29.71	-7.20	1
6565MHz	Pass	6.560551G	-10.84	6.53325G	-42.37	-34.42	-7.95	2
6565MHz	Pass	6.573198G	-10.28	6.53355G	-41.91	-34.15	-7.76	3
6565MHz	Pass	6.561751G	-9.84	6.5437G	-36.56	-29.84	-6.72	4
6685MHz	Pass	6.677502G	-9.99	6.6486G	-43.65	-35.90	-7.75	1
6685MHz	Pass	6.689899G	-9.74	6.6637G	-37.02	-29.74	-7.28	2
6685MHz	Pass	6.682551G	-10.14	6.66355G	-37.47	-30.16	-7.31	3
6685MHz	Pass	6.691248G	-10.42	6.6512G	-42.72	-35.46	-7.26	4
6845MHz	Pass	6.852248G	-9.75	6.8667G	-37.19	-29.80	-7.39	1
6845MHz	Pass	6.840251G	-10.33	6.87755G	-42.69	-34.92	-7.77	2
6845MHz	Pass	6.848699G	-10.44	6.87865G	-42.78	-35.31	-7.47	3
6845MHz	Pass	6.851448G	-11.37	6.86635G	-37.85	-31.37	-6.48	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9963G	-9.92	6.0274G	-36.99	-29.93	-7.06	1
5985MHz	Pass	5.95641G	-10.68	6.1078G	-57.49	-50.60	-6.89	2
5985MHz	Pass	5.9717G	-9.76	6.0274G	-36.80	-29.77	-7.03	3
5985MHz	Pass	5.9965G	-10.27	6.0272G	-36.66	-30.35	-6.31	4


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2371G	-10.51	6.351G	-57.56	-50.51	-7.05	1
6225MHz	Pass	6.2156G	-10.33	6.1008G	-57.13	-50.33	-6.80	2
6225MHz	Pass	6.2383G	-10.52	6.183G	-37.68	-30.56	-7.12	3
6225MHz	Pass	6.2332G	-10.04	6.0993G	-57.58	-50.03	-7.55	4
6385MHz	Pass	6.3755G	-10.44	6.2575G	-57.52	-50.44	-7.08	1
6385MHz	Pass	6.3709G	-10.61	6.3433G	-37.07	-30.61	-6.46	2
6385MHz	Pass	6.3701G	-9.45	6.342G	-37.24	-29.47	-7.77	3
6385MHz	Pass	6.3741G	-10.54	6.343G	-37.39	-30.56	-6.83	4
6625MHz	Pass	6.6101G	-10.11	6.5025G	-56.24	-49.94	-6.30	1
6625MHz	Pass	6.6104G	-10.51	6.5015G	-56.88	-50.51	-6.37	2
6625MHz	Pass	6.6105G	-9.48	6.5833G	-36.37	-29.50	-6.87	3
6625MHz	Pass	6.6112G	-9.62	6.4988G	-56.62	-49.62	-7.00	4
6705MHz	Pass	6.6913G	-10.11	6.5818G	-56.93	-50.11	-6.82	1
6705MHz	Pass	6.6901G	-10.88	6.8893G	-57.14	-50.88	-6.26	2
6705MHz	Pass	6.6935G	-9.53	6.8946G	-57.06	-49.53	-7.53	3
6705MHz	Pass	6.6918G	-10.17	6.5787G	-57.16	-50.17	-6.99	4
6785MHz	Pass	6.7731G	-9.52	6.743G	-36.34	-29.54	-6.80	1
6785MHz	Pass	6.7725G	-10.48	6.9077G	-56.38	-50.48	-5.90	2
6785MHz	Pass	6.75361G	-10.40	6.9144G	-56.62	-50.40	-6.22	3
6785MHz	Pass	6.7716G	-10.85	6.9121G	-56.95	-50.85	-6.10	4
802.11ax HEW160-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05059G	-9.11	6.367G	-54.26	-49.11	-5.15	1
6025MHz	Pass	6.04999G	-10.20	6.3634G	-54.97	-50.20	-4.77	2
6025MHz	Pass	6.04939G	-9.54	6.3522G	-55.03	-49.54	-5.49	3
6025MHz	Pass	6.05299G	-9.48	6.2764G	-52.88	-49.48	-3.40	4
6185MHz	Pass	6.15881G	-10.04	6.4992G	-54.74	-50.04	-4.70	1
6185MHz	Pass	6.16081G	-10.02	6.5038G	-54.83	-50.02	-4.81	2
6185MHz	Pass	6.15841G	-9.11	6.4556G	-54.85	-49.11	-5.74	3
6185MHz	Pass	6.15881G	-9.88	6.4272G	-51.46	-49.30	-2.16	4
6345MHz	Pass	6.32021G	-10.23	6.0122G	-55.01	-50.23	-4.78	1
6345MHz	Pass	6.31601G	-10.00	6.0892G	-54.77	-50.00	-4.77	2
6345MHz	Pass	6.31821G	-9.22	6.0806G	-54.83	-49.22	-5.61	3
6345MHz	Pass	6.31961G	-10.55	6.0058G	-54.98	-50.55	-4.43	4
6665MHz	Pass	6.63861G	-9.10	6.3474G	-53.62	-49.10	-4.52	1
6665MHz	Pass	6.63621G	-9.86	6.9972G	-53.30	-49.86	-3.44	2
6665MHz	Pass	6.63201G	-9.76	7.0018G	-53.35	-49.76	-3.59	3
6665MHz	Pass	6.63861G	-10.21	7.0072G	-53.65	-50.21	-3.44	4

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

13/09/2023



5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

13/09/2023

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412501G	-11.43	6.397675G	-43.13	-35.49	-7.64	1
6.418699G	-11.79	6.40035G	-41.52	-33.91	-7.61	2
6.409926G	-11.15	6.39785G	-42.97	-35.44	-7.53	3
6.417474G	-11.43	6.399775G	-41.35	-33.81	-7.54	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

13/09/2023

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53375G	-11.33	6.51765G	-43.03	-34.53	-8.50	1
6.53565G	-12.18	6.520675G	-41.86	-34.21	-7.65	2
6.532501G	-11.14	6.5197G	-41.58	-33.23	-8.35	3
6.531276G	-11.21	6.518625G	-41.89	-34.97	-6.92	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

13/09/2023

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.692376G	-11.02	6.6778G	-42.86	-34.37	-8.49	1
6.69555G	-11.31	6.71055G	-41.91	-34.09	-7.82	2
6.69375G	-10.59	6.68065G	-40.12	-32.39	-7.73	3
6.697424G	-11.39	6.679375G	-41.79	-34.44	-7.35	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

13/09/2023

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8537G	-10.61	6.839275G	-41.35	-32.67	-8.68	1
6.850526G	-11.46	6.8402G	-41.16	-33.30	-7.86	2
6.853525G	-10.66	6.87025G	-41.18	-33.23	-7.95	3
6.851126G	-11.69	6.871225G	-42.59	-34.77	-7.82	4

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961451G	-10.17	5.94345G	-37.64	-30.23	-7.41	1
5.957552G	-10.36	5.9434G	-37.96	-30.37	-7.59	2
5.957552G	-9.71	5.94375G	-36.79	-29.71	-7.08	3
5.969749G	-10.14	5.9994G	-42.56	-34.78	-7.78	4

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199651G	-10.64	6.1833G	-38.17	-30.69	-7.48	1
6.209949G	-10.04	6.17385G	-41.57	-33.63	-7.94	2
6.207999G	-9.90	6.1833G	-37.73	-29.91	-7.82	3
6.209149G	-10.39	6.23985G	-42.95	-35.86	-7.09	4

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397552G	-10.23	6.38365G	-37.11	-30.23	-6.88	1
6.402551G	-10.63	6.37135G	-42.98	-35.46	-7.52	2
6.410049G	-9.51	6.3735G	-41.32	-33.37	-7.95	3
6.408449G	-10.38	6.3742G	-41.56	-33.71	-7.85	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

13/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.556852G	-9.67	6.5435G	-36.91	-29.71	-7.20	1
6.560551G	-10.84	6.53325G	-42.37	-34.42	-7.95	2
6.573198G	-10.28	6.53355G	-41.91	-34.15	-7.76	3
6.561751G	-9.84	6.5437G	-36.56	-29.84	-6.72	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

13/09/2023




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

13/09/2023




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

14/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9963G	-9.92	6.0274G	-36.99	-29.93	-7.06	1
5.95641G	-10.68	6.1078G	-57.49	-50.60	-6.89	2
5.9717G	-9.76	6.0274G	-36.80	-29.77	-7.03	3
5.9965G	-10.27	6.0272G	-36.66	-30.35	-6.31	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

14/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2371G	-10.51	6.351G	-57.56	-50.51	-7.05	1
6.2156G	-10.33	6.1008G	-57.13	-50.33	-6.80	2
6.2383G	-10.52	6.183G	-37.68	-30.56	-7.12	3
6.2332G	-10.04	6.0993G	-57.58	-50.03	-7.55	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

14/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3755G	-10.44	6.2575G	-57.52	-50.44	-7.08	1
6.3709G	-10.61	6.3433G	-37.07	-30.61	-6.46	2
6.3701G	-9.45	6.342G	-37.24	-29.47	-7.77	3
6.3741G	-10.54	6.343G	-37.39	-30.56	-6.83	4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

14/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6101G	-10.11	6.5025G	-56.24	-49.94	-6.30	1
6.6104G	-10.51	6.5015G	-56.88	-50.51	-6.37	2
6.6105G	-9.48	6.5833G	-36.37	-29.50	-6.87	3
6.6112G	-9.62	6.4988G	-56.62	-49.62	-7.00	4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

14/09/2023




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

14/09/2023




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

14/09/2023




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

14/09/2023




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

14/09/2023



6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

14/09/2023

