


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 77
 77
 8.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	73.93	88.20	-14.27	64.50	3	Horizontal	34	1.65	77	34.25	6.22	31.04			
RMS	5.9228G	59.69	68.20	-8.51	50.26	3	Horizontal	34	1.65	77	34.25	6.22	31.04			
PK	5.9476G	109.50	Inf	-Inf	100.02	3	Horizontal	34	1.65	77	34.30	6.24	31.06			
RMS	5.9678G	97.73	Inf	-Inf	88.24	3	Horizontal	34	1.65	77	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95608G	54.30	74.00	-19.70	38.82	3	Vertical	334	2.95	77	38.86	9.08	32.46			
AV	11.94192G	42.00	54.00	-12.00	26.54	3	Vertical	334	2.95	77	38.84	9.08	32.46			
PK	17.90988G	62.53	74.00	-11.47	38.43	3	Vertical	184	1.85	-	42.85	11.46	30.21			
AV	17.90754G	49.00	54.00	-5.00	24.91	3	Vertical	184	1.85	-	42.84	11.46	30.21			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91616G	53.86	74.00	-20.14	38.43	3	Horizontal	235	1.09	77	38.82	9.07	32.46				
AV	11.92832G	41.98	54.00	-12.02	26.54	3	Horizontal	235	1.09	77	38.83	9.07	32.46				
PK	17.90805G	62.52	74.00	-11.48	38.43	3	Horizontal	226	1.63	-	42.84	11.46	30.21				
AV	17.90721G	49.47	54.00	-4.53	25.38	3	Horizontal	226	1.63	-	42.84	11.46	30.21				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 77
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87467G	46.60	83.54	-36.94	39.07	1	Vertical	78	2.11	-	38.80	18.98	50.25			
AV	23.86594G	34.32	63.54	-29.22	26.79	1	Vertical	78	2.11	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 77
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8468G	46.86	83.54	-36.68	39.35	1	Horizontal	131	1.55	-	38.80	18.97	50.26			
AV	23.87419G	34.45	63.54	-29.09	26.92	1	Horizontal	131	1.55	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42256G	54.76	74.00	-19.24	39.15	3	Vertical	360	1.80	108	38.60	9.15	32.14			
AV	12.43176G	42.20	54.00	-11.80	26.58	3	Vertical	360	1.80	108	38.60	9.15	32.13			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43344G	54.87	74.00	-19.13	39.25	3	Horizontal	352	1.80	108	38.60	9.15	32.13			
AV	12.41832G	42.27	54.00	-11.73	26.66	3	Horizontal	352	1.80	108	38.60	9.15	32.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61704G	63.58	83.54	-19.96	59.66	1	Vertical	155	1.66	-	37.65	16.69	50.42			
AV	18.61677G	51.58	63.54	-11.96	47.66	1	Vertical	155	1.66	-	37.65	16.69	50.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60603G	65.59	83.54	-17.95	61.67	1	Horizontal	196	1.73	-	37.64	16.69	50.41			
AV	18.61596G	53.82	63.54	-9.72	49.90	1	Horizontal	196	1.73	-	37.65	16.69	50.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81656G	54.06	88.20	-34.14	37.79	3	Vertical	118	1.50	108	38.93	9.29	31.95			
RMS	12.84264G	42.05	68.20	-26.15	25.71	3	Vertical	118	1.50	108	38.99	9.29	31.94			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX



EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83216G	54.44	88.20	-33.76	38.13	3	Horizontal	105	2.94	108	38.96	9.29	31.94			
RMS	12.84864G	41.94	68.20	-26.26	25.58	3	Horizontal	105	2.94	108	39.00	9.30	31.94			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20804G	62.56	83.54	-20.98	59.09	1	Vertical	196	1.61	-	37.58	16.94	51.05			
AV	19.20789G	50.57	63.54	-12.97	47.10	1	Vertical	196	1.61	-	37.58	16.94	51.05			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22535G	60.22	83.54	-23.32	56.76	1	Horizontal	203	1.73	-	37.59	16.94	51.07			
AV	19.22547G	48.99	63.54	-14.55	45.53	1	Horizontal	203	1.73	-	37.59	16.94	51.07			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79912G	60.33	88.20	-27.87	41.43	3	Vertical	197	2.49	-	41.00	9.63	31.73			
RMS	13.78181G	47.62	68.20	-20.58	28.75	3	Vertical	197	2.49	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78271G	59.66	88.20	-28.54	40.79	3	Horizontal	90	2.72	-	41.00	9.62	31.75			
RMS	13.80086G	47.42	68.20	-20.78	28.52	3	Horizontal	90	2.72	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX



EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70088G	54.57	83.54	-28.97	51.41	1	Vertical	174	1.76	-	37.62	17.14	51.60			
AV	19.70088G	42.34	63.54	-21.20	39.18	1	Vertical	174	1.76	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.71G	54.44	83.54	-29.10	51.29	1	Horizontal	358	1.62	-	37.62	17.14	51.61			
AV	19.69587G	42.21	63.54	-21.33	39.05	1	Horizontal	358	1.62	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77524G	60.35	88.20	-27.85	41.49	3	Vertical	354	2.49	-	41.00	9.62	31.76			
RMS	13.79468G	47.29	68.20	-20.91	28.40	3	Vertical	354	2.49	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78967G	59.76	88.20	-28.44	40.87	3	Horizontal	228	2.32	-	41.00	9.63	31.74			
RMS	13.77767G	47.35	68.20	-20.85	28.48	3	Horizontal	228	2.32	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05689G	52.70	83.54	-30.84	49.88	1	Vertical	201	1.62	-	37.45	17.28	51.91			
AV	20.04726G	41.20	63.54	-22.34	38.39	1	Vertical	201	1.62	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04687G	53.44	83.54	-30.10	50.63	1	Horizontal	198	1.76	-	37.44	17.28	51.91			
AV	20.04729G	41.63	63.54	-21.91	38.82	1	Horizontal	198	1.76	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69571G	54.37	88.20	-33.83	32.62	3	Vertical	81	1.50	-	40.40	11.76	30.41			
RMS	13.69562G	42.71	68.20	-25.49	20.96	3	Vertical	81	1.50	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.692371G	53.21	88.20	-34.99	31.46	3	Horizontal	135	1.52	-	40.40	11.76	30.41			
RMS	13.692516G	44.78	68.20	-23.42	23.03	3	Horizontal	135	1.52	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53621G	53.71	83.54	-29.83	48.07	1	Vertical	155	1.68	-	37.82	19.83	52.01			
AV	20.536831G	41.28	63.54	-22.26	35.64	1	Vertical	155	1.68	-	37.82	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53619G	53.01	83.54	-30.53	47.37	1	Horizontal	283	1.50	-	37.82	19.83	52.01			
AV	20.53622G	41.39	63.54	-22.15	35.75	1	Horizontal	283	1.50	-	37.82	19.83	52.01			

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 62
 80\62
 -4.57\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.21	88.20	-8.99	69.78	3	Vertical	142	1.99	62	34.25	6.22	31.04			
RMS	5.9238G	67.81	68.20	-0.39	58.38	3	Vertical	142	1.99	62	34.25	6.22	31.04			
PK	5.979G	111.80	Inf	-Inf	102.30	3	Vertical	142	1.99	62	34.30	6.28	31.08			
RMS	5.9942G	100.40	Inf	-Inf	90.91	3	Vertical	142	1.99	62	34.30	6.29	31.10			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 62
 62
 11.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	68.17	88.20	-20.03	58.75	3	Horizontal	34	1.63	62	34.24	6.22	31.04			
RMS	5.923G	56.67	68.20	-11.53	47.24	3	Horizontal	34	1.63	62	34.25	6.22	31.04			
PK	5.9674G	100.71	Inf	-Inf	91.22	3	Horizontal	34	1.63	62	34.30	6.27	31.08			
RMS	5.9926G	90.58	Inf	-Inf	81.08	3	Horizontal	34	1.63	62	34.30	6.29	31.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.02264G	54.09	74.00	-19.91	38.53	3	Vertical	309	1.05	62	38.88	9.11	32.43			
AV	12.00328G	42.14	54.00	-11.86	26.59	3	Vertical	309	1.05	62	38.90	9.10	32.45			
PK	17.95323G	62.81	74.00	-11.19	38.37	3	Vertical	196	1.78	-	43.07	11.48	30.11			
AV	17.96253G	49.55	54.00	-4.45	25.04	3	Vertical	196	1.78	-	43.11	11.49	30.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.02392G	54.18	74.00	-19.82	38.62	3	Horizontal	105	1.80	62	38.88	9.11	32.43			
AV	11.96968G	42.23	54.00	-11.77	26.72	3	Horizontal	105	1.80	62	38.87	9.09	32.45			
PK	17.9673G	62.85	74.00	-11.15	38.29	3	Horizontal	241	1.93	-	43.14	11.49	30.07			
AV	17.96565G	49.65	54.00	-4.35	25.11	3	Horizontal	241	1.93	-	43.13	11.49	30.08			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 62
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93692G	47.05	83.54	-36.49	39.47	1	Vertical	322	1.17	-	38.80	19.01	50.23			
AV	23.94808G	34.15	63.54	-29.39	26.55	1	Vertical	322	1.17	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 62
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9312G	46.44	83.54	-37.10	38.86	1	Horizontal	118	1.11	-	38.80	19.01	50.23			
AV	23.94708G	34.11	63.54	-29.43	26.51	1	Horizontal	118	1.11	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.50952G	54.53	74.00	-19.47	38.84	3	Vertical	300	1.80	108	38.60	9.18	32.09			
AV	12.45112G	42.53	54.00	-11.47	26.89	3	Vertical	300	1.80	108	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3884G	54.42	74.00	-19.58	38.82	3	Horizontal	86	2.17	108	38.62	9.14	32.16			
AV	12.42984G	42.26	54.00	-11.74	26.64	3	Horizontal	86	2.17	108	38.60	9.15	32.13			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6782G	50.02	83.54	-33.52	46.11	1	Vertical	155	1.66	-	37.67	16.72	50.48			
AV	18.66866G	38.17	63.54	-25.37	34.26	1	Vertical	155	1.66	-	37.67	16.71	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66852G	49.92	83.54	-33.62	46.01	1	Horizontal	240	2.47	-	37.67	16.71	50.47			
AV	18.6687G	38.01	63.54	-25.53	34.10	1	Horizontal	240	2.47	-	37.67	16.71	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75544G	53.79	88.20	-34.41	37.79	3	Vertical	360	1.80	108	38.72	9.26	31.98			
RMS	12.79192G	42.22	68.20	-25.98	26.03	3	Vertical	360	1.80	108	38.87	9.28	31.96			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81464G	55.26	88.20	-32.94	38.99	3	Horizontal	1	1.80	108	38.93	9.29	31.95			
RMS	12.8192G	42.00	68.20	-26.20	25.72	3	Horizontal	1	1.80	108	38.94	9.29	31.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1532G	50.07	83.54	-33.47	46.58	1	Vertical	211	1.61	-	37.56	16.91	50.98			
AV	19.16308G	37.59	63.54	-25.95	34.10	1	Vertical	211	1.61	-	37.57	16.92	51.00			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16314G	49.07	83.54	-34.47	45.58	1	Horizontal	133	2.49	-	37.57	16.92	51.00			
AV	19.16312G	37.31	63.54	-26.23	33.82	1	Horizontal	133	2.49	-	37.57	16.92	51.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77941G	59.42	88.20	-28.78	40.55	3	Vertical	229	1.40	-	41.00	9.62	31.75			
RMS	13.78211G	47.70	68.20	-20.50	28.83	3	Vertical	229	1.40	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79177G	59.35	88.20	-28.85	40.46	3	Horizontal	183	1.41	-	41.00	9.63	31.74			
RMS	13.79966G	47.75	68.20	-20.45	28.85	3	Horizontal	183	1.41	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87175G	45.71	83.54	-37.83	42.77	1	Vertical	199	1.55	-	37.50	17.21	51.77			
AV	19.87109G	33.41	63.54	-30.13	30.47	1	Vertical	199	1.55	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87488G	45.94	83.54	-37.60	43.00	1	Horizontal	187	1.54	-	37.50	17.21	51.77			
AV	19.87364G	33.33	63.54	-30.21	30.39	1	Horizontal	187	1.54	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77671G	60.19	88.20	-28.01	41.32	3	Vertical	140	1.96	-	41.00	9.62	31.75			
RMS	13.78868G	47.64	68.20	-20.56	28.75	3	Vertical	140	1.96	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78889G	59.70	88.20	-28.50	40.81	3	Horizontal	12	2.26	-	41.00	9.63	31.74			
RMS	13.7948G	47.47	68.20	-20.73	28.58	3	Horizontal	12	2.26	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11294G	49.75	83.54	-33.79	46.87	1	Vertical	201	1.63	-	37.49	17.31	51.92			
AV	20.12274G	37.23	63.54	-26.31	34.34	1	Vertical	201	1.63	-	37.50	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12308G	49.86	83.54	-33.68	46.97	1	Horizontal	322	1.67	-	37.50	17.31	51.92			
AV	20.12288G	37.32	63.54	-26.22	34.43	1	Horizontal	322	1.67	-	37.50	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79951G	60.24	88.20	-27.96	41.34	3	Vertical	113	2.19	-	41.00	9.63	31.73			
RMS	13.79021G	47.30	68.20	-20.90	28.41	3	Vertical	113	2.19	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78511G	59.44	88.20	-28.76	40.57	3	Horizontal	239	2.68	-	41.00	9.62	31.75			
RMS	13.80158G	47.60	68.20	-20.60	28.70	3	Horizontal	239	2.68	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35318G	50.33	83.54	-33.21	47.25	1	Vertical	10	1.53	-	37.64	17.41	51.97			
AV	20.35282G	38.87	63.54	-24.67	35.79	1	Vertical	10	1.53	-	37.64	17.41	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35283G	51.27	83.54	-32.27	48.19	1	Horizontal	359	1.53	-	37.64	17.41	51.97			
AV	20.35772G	39.06	63.54	-24.48	35.97	1	Horizontal	359	1.53	-	37.64	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 76
 80\62\71\75\77\76
 -4.94\13.76\6.80\2.78\ -0.05\1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	82.67	88.20	-5.53	73.27	3	Vertical	48	1.80	76	34.23	6.21	31.04			
RMS	5.9245G	67.01	68.20	-1.19	57.58	3	Vertical	48	1.80	76	34.25	6.22	31.04			
PK	6.0335G	111.42	Inf	-Inf	101.80	3	Vertical	48	1.80	76	34.43	6.30	31.11			
RMS	6.054G	102.70	Inf	-Inf	93.02	3	Vertical	48	1.80	76	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 76
 76
 8.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	74.05	88.20	-14.15	64.63	3	Horizontal	32	1.69	76	34.24	6.22	31.04			
RMS	5.922G	60.01	68.20	-8.19	50.59	3	Horizontal	32	1.69	76	34.24	6.22	31.04			
PK	6.038G	102.49	Inf	-Inf	92.85	3	Horizontal	32	1.69	76	34.45	6.30	31.11			
RMS	6.003G	92.53	Inf	-Inf	83.02	3	Horizontal	32	1.69	76	34.31	6.30	31.10			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.10696G	54.25	74.00	-19.75	38.65	3	Vertical	356	1.80	76	38.90	9.04	32.34			
AV	12.10836G	43.34	54.00	-10.66	27.74	3	Vertical	356	1.80	76	38.90	9.04	32.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.1684G	54.33	74.00	-19.67	38.71	3	Horizontal	5	1.80	76	38.86	9.06	32.30			
AV	12.16696G	43.64	54.00	-10.36	28.01	3	Horizontal	5	1.80	76	38.87	9.06	32.30			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 76
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07176G	45.47	83.54	-38.07	41.20	1	Vertical	43	1.55	-	37.50	16.47	49.70			
AV	18.07444G	35.26	63.54	-28.28	30.99	1	Vertical	43	1.55	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 76
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07013G	45.79	83.54	-37.75	41.52	1	Horizontal	168	1.51	-	37.50	16.47	49.70			
AV	18.07571G	34.85	63.54	-28.69	30.59	1	Horizontal	168	1.51	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44616G	54.52	74.00	-19.48	38.88	3	Vertical	54	1.82	108	38.60	9.16	32.12			
AV	12.40424G	43.92	54.00	-10.08	28.33	3	Vertical	54	1.82	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43336G	54.37	74.00	-19.63	38.75	3	Horizontal	289	1.78	108	38.60	9.15	32.13			
AV	12.4328G	43.72	54.00	-10.28	28.10	3	Horizontal	289	1.78	108	38.60	9.15	32.13			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54552G	60.15	83.54	-23.39	56.22	1	Vertical	183	1.63	-	37.62	16.66	50.35			
AV	18.54986G	50.10	63.54	-13.44	46.16	1	Vertical	183	1.63	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56408G	46.08	83.54	-37.46	42.14	1	Horizontal	31	1.21	-	37.63	16.67	50.36			
AV	18.54938G	35.09	63.54	-28.45	31.15	1	Horizontal	31	1.21	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.56904G	54.12	74.00	-19.88	38.38	3	Vertical	309	1.80	108	38.60	9.20	32.06			
AV	12.55688G	43.83	54.00	-10.17	28.10	3	Vertical	309	1.80	108	38.60	9.19	32.06			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.578G	54.57	74.00	-19.43	38.83	3	Horizontal	267	1.80	108	38.60	9.20	32.06			
AV	12.5668G	43.71	54.00	-10.29	27.97	3	Horizontal	267	1.80	108	38.60	9.20	32.06			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03676G	45.93	83.54	-37.61	42.39	1	Vertical	212	1.93	-	37.51	16.87	50.84			
AV	19.03582G	34.72	63.54	-28.82	31.19	1	Vertical	212	1.93	-	37.51	16.86	50.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0265G	45.63	83.54	-37.91	42.09	1	Horizontal	180	1.29	-	37.51	16.86	50.83			
AV	19.03406G	34.95	63.54	-28.59	31.42	1	Horizontal	180	1.29	-	37.51	16.86	50.84			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78568G	60.00	88.20	-28.20	41.13	3	Vertical	22	1.16	-	41.00	9.62	31.75			
RMS	13.79G	49.50	68.20	-18.70	30.61	3	Vertical	22	1.16	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.799G	59.34	88.20	-28.86	40.44	3	Horizontal	55	2.74	-	41.00	9.63	31.73			
RMS	13.78376G	48.86	68.20	-19.34	29.99	3	Horizontal	55	2.74	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0009G	45.70	83.54	-37.84	42.94	1	Vertical	211	1.90	-	37.40	17.26	51.90			
AV	19.99728G	34.79	63.54	-28.75	32.03	1	Vertical	211	1.90	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99794G	45.58	83.54	-37.96	42.82	1	Horizontal	311	2.18	-	37.40	17.26	51.90			
AV	19.98546G	36.12	63.54	-27.42	33.35	1	Horizontal	311	2.18	-	37.41	17.25	51.89			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 89
 80\98\89\93\91\90\89
 8.03\ -20.29\0.75\ -17.24\ -17.12\ -0.56\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	78.67	88.20	-9.53	69.24	3	Vertical	146	1.93	89	34.25	6.22	31.04			
RMS	5.9248G	67.44	68.20	-0.76	58.01	3	Vertical	146	1.93	89	34.25	6.22	31.04			
PK	5.9578G	120.95	Inf	-Inf	111.46	3	Vertical	146	1.93	89	34.30	6.26	31.07			
RMS	5.9574G	109.90	Inf	-Inf	100.41	3	Vertical	146	1.93	89	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 89
 89
 9.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	72.08	88.20	-16.12	62.65	3	Horizontal	294	1.75	89	34.25	6.22	31.04			
RMS	5.9244G	58.43	68.20	-9.77	49.00	3	Horizontal	294	1.75	89	34.25	6.22	31.04			
PK	5.9538G	111.25	Inf	-Inf	101.76	3	Horizontal	294	1.75	89	34.30	6.25	31.06			
RMS	5.9572G	99.20	Inf	-Inf	89.71	3	Horizontal	294	1.75	89	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.918G	53.65	74.00	-20.35	38.22	3	Vertical	32	1.80	89	38.82	9.07	32.46			
AV	11.92276G	41.43	54.00	-12.57	26.00	3	Vertical	32	1.80	89	38.82	9.07	32.46			
PK	17.871G	63.87	74.00	-10.13	40.00	3	Vertical	360	1.80	-	42.71	11.45	30.29			
AV	17.87763G	50.35	54.00	-3.65	26.45	3	Vertical	360	1.80	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91784G	53.59	74.00	-20.41	38.16	3	Horizontal	175	1.72	89	38.82	9.07	32.46			
AV	11.89732G	41.26	54.00	-12.74	25.86	3	Horizontal	175	1.72	89	38.80	9.06	32.46			
PK	17.87688G	53.89	74.00	-20.11	29.99	3	Horizontal	302	1.42	-	42.73	11.45	30.28			
AV	17.8704G	50.36	54.00	-3.64	26.50	3	Horizontal	302	1.42	-	42.71	11.45	30.30			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 Setting 89
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81956G	51.27	83.54	-32.27	43.78	1	Vertical	190	1.77	-	38.80	18.96	50.27			
AV	23.81972G	38.80	63.54	-24.74	31.31	1	Vertical	190	1.77	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 Setting 89
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81976G	51.12	83.54	-32.42	43.63	1	Horizontal	104	1.88	-	38.80	18.96	50.27			
AV	23.81952G	38.72	63.54	-24.82	31.23	1	Horizontal	104	1.88	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37108G	54.52	74.00	-19.48	38.90	3	Vertical	313	1.80	108	38.66	9.13	32.17			
AV	12.40904G	41.66	54.00	-12.34	26.07	3	Vertical	313	1.80	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39088G	54.01	74.00	-19.99	38.41	3	Horizontal	216	1.80	108	38.62	9.14	32.16			
AV	12.37912G	41.96	54.00	-12.04	26.36	3	Horizontal	216	1.80	108	38.64	9.13	32.17			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5843G	66.91	83.54	-16.63	62.98	1	Vertical	183	1.63	-	37.63	16.68	50.38			
AV	18.58522G	53.27	63.54	-10.27	49.35	1	Vertical	183	1.63	-	37.63	16.68	50.39			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58414G	64.62	83.54	-18.92	60.69	1	Horizontal	197	1.72	-	37.63	16.68	50.38			
AV	18.58552G	51.86	63.54	-11.68	47.94	1	Horizontal	197	1.72	-	37.63	16.68	50.39			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84812G	53.37	88.20	-34.83	37.01	3	Vertical	172	1.80	108	39.00	9.30	31.94			
RMS	12.84888G	41.76	68.20	-26.44	25.40	3	Vertical	172	1.80	108	39.00	9.30	31.94			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81764G	53.59	88.20	-34.61	37.31	3	Horizontal	198	1.80	108	38.94	9.29	31.95			
RMS	12.81584G	41.57	68.20	-26.63	25.30	3	Horizontal	198	1.80	108	38.93	9.29	31.95			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25116G	63.50	83.54	-20.04	60.05	1	Vertical	194	1.78	-	37.60	16.95	51.10			
AV	19.24314G	50.97	63.54	-12.57	47.51	1	Vertical	194	1.78	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24078G	63.97	83.54	-19.57	60.51	1	Horizontal	165	1.64	-	37.60	16.95	51.09			
AV	19.24798G	51.01	63.54	-12.53	47.56	1	Horizontal	165	1.64	-	37.60	16.95	51.10			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77998G	59.58	88.20	-28.62	40.71	3	Vertical	196	2.17	-	41.00	9.62	31.75			
RMS	13.79219G	47.77	68.20	-20.43	28.88	3	Vertical	196	2.17	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79486G	59.13	88.20	-29.07	40.24	3	Horizontal	34	2.76	-	41.00	9.63	31.74			
RMS	13.79486G	47.61	68.20	-20.59	28.72	3	Horizontal	34	2.76	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5994G	53.90	83.54	-29.64	50.64	1	Vertical	256	1.76	-	37.66	17.10	51.50			
AV	19.6016G	40.33	63.54	-23.21	37.07	1	Vertical	256	1.76	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59754G	56.42	83.54	-27.12	53.17	1	Horizontal	174.8	1.74	-	37.66	17.09	51.50			
AV	19.60188G	43.67	63.54	-19.87	40.41	1	Horizontal	174.8	1.74	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80173G	59.93	88.20	-28.27	41.03	3	Vertical	344	2.09	-	41.00	9.63	31.73			
RMS	13.79402G	47.48	68.20	-20.72	28.59	3	Vertical	344	2.09	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79366G	59.54	88.20	-28.66	40.65	3	Horizontal	45	2.70	-	41.00	9.63	31.74			
RMS	13.7804G	47.78	68.20	-20.42	28.91	3	Horizontal	45	2.70	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08392G	56.39	83.54	-27.15	53.54	1	Vertical	250	1.58	-	37.47	17.30	51.92			
AV	20.09026G	41.84	63.54	-21.70	38.99	1	Vertical	250	1.58	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.084G	56.88	83.54	-26.66	54.03	1	Horizontal	199	1.76	-	37.47	17.30	51.92			
AV	20.09138G	41.99	63.54	-21.55	39.14	1	Horizontal	199	1.76	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71201G	56.71	88.20	-31.49	34.92	3	Vertical	32	1.80	-	40.44	11.77	30.42			
RMS	13.71241G	44.02	68.20	-24.18	22.23	3	Vertical	32	1.80	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.712333G	56.31	88.20	-31.89	34.52	3	Horizontal	183	1.80	-	40.44	11.77	30.42			
RMS	13.71157G	45.02	68.20	-23.18	23.24	3	Horizontal	183	1.80	-	40.43	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56317G	55.31	83.54	-28.23	49.56	1	Vertical	87	1.50	-	37.93	19.83	52.01			
AV	20.56366G	41.95	63.54	-21.59	36.20	1	Vertical	87	1.50	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56196G	54.28	83.54	-29.26	50.87	1	Horizontal	55	1.58	-	37.92	17.50	52.01			
AV	20.56207G	41.27	63.54	-22.27	37.86	1	Horizontal	55	1.58	-	37.92	17.50	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 76
 80\62\71\75\77\76
 -3.27\4.72\3.16\0.97\1.66\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	78.72	88.20	-9.48	69.30	3	Vertical	144	1.90	76	34.24	6.22	31.04			
RMS	5.924G	67.67	68.20	-0.53	58.24	3	Vertical	144	1.90	76	34.25	6.22	31.04			
PK	5.977G	115.28	Inf	-Inf	105.78	3	Vertical	144	1.90	76	34.30	6.28	31.08			
RMS	5.9586G	105.49	Inf	-Inf	96.00	3	Vertical	144	1.90	76	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 76
 76
 10.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	67.90	88.20	-20.30	58.47	3	Horizontal	293	1.77	76	34.25	6.22	31.04			
RMS	5.925G	57.93	68.20	-10.27	48.50	3	Horizontal	293	1.77	76	34.25	6.22	31.04			
PK	5.9618G	104.57	Inf	-Inf	95.08	3	Horizontal	293	1.77	76	34.30	6.26	31.07			
RMS	5.9774G	94.35	Inf	-Inf	84.85	3	Horizontal	293	1.77	76	34.30	6.28	31.08			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91408G	54.33	74.00	-19.67	38.91	3	Vertical	31	1.80	76	38.81	9.07	32.46			
AV	11.96768G	43.92	54.00	-10.08	28.41	3	Vertical	31	1.80	76	38.87	9.09	32.45			
PK	17.90346G	63.16	74.00	-10.84	39.10	3	Vertical	288	1.36	-	42.82	11.46	30.22			
AV	17.90475G	50.95	54.00	-3.05	26.89	3	Vertical	288	1.36	-	42.82	11.46	30.22			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95264G	54.65	74.00	-19.35	39.18	3	Horizontal	214	1.80	76	38.85	9.08	32.46			
AV	11.9284G	43.99	54.00	-10.01	28.55	3	Horizontal	214	1.80	76	38.83	9.07	32.46			
PK	17.88657G	63.43	74.00	-10.57	39.48	3	Horizontal	277	1.39	-	42.76	11.45	30.26			
AV	17.8848G	50.67	54.00	-3.33	26.73	3	Horizontal	277	1.39	-	42.75	11.45	30.26			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 Setting 76
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86748G	46.44	83.54	-37.10	38.91	1	Vertical	321	1.59	-	38.80	18.98	50.25			
AV	23.86782G	35.68	63.54	-27.86	28.15	1	Vertical	321	1.59	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 Setting 76
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85258G	47.34	83.54	-36.20	39.83	1	Horizontal	243	1.88	-	38.80	18.97	50.26			
AV	23.86108G	35.71	63.54	-27.83	28.19	1	Horizontal	243	1.88	-	38.80	18.98	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43304G	54.46	74.00	-19.54	38.84	3	Vertical	328	1.80	108	38.60	9.15	32.13			
AV	12.44712G	44.01	54.00	-9.99	28.37	3	Vertical	328	1.80	108	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4168G	54.71	74.00	-19.29	39.10	3	Horizontal	114	1.80	108	38.60	9.15	32.14			
AV	12.40768G	43.97	54.00	-10.03	28.38	3	Horizontal	114	1.80	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60822G	59.93	83.54	-23.61	56.01	1	Vertical	156.5	1.67	-	37.64	16.69	50.41			
AV	18.60748G	50.72	63.54	-12.82	46.80	1	Vertical	156.5	1.67	-	37.64	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62418G	62.58	83.54	-20.96	58.65	1	Horizontal	198	1.62	-	37.65	16.70	50.42			
AV	18.61324G	51.62	63.54	-11.92	47.69	1	Horizontal	198	1.62	-	37.65	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79616G	54.65	88.20	-33.55	38.45	3	Vertical	322	1.80	108	38.88	9.28	31.96			
RMS	12.84104G	43.51	68.20	-24.69	27.18	3	Vertical	322	1.80	108	38.98	9.29	31.94			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7704G	54.93	88.20	-33.27	38.85	3	Horizontal	150	1.39	108	38.78	9.27	31.97			
RMS	12.84712G	43.84	68.20	-24.36	27.49	3	Horizontal	150	1.39	108	38.99	9.30	31.94			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22G	61.96	83.54	-21.58	58.49	1	Vertical	194	1.64	-	37.59	16.94	51.06			
AV	19.21946G	50.35	63.54	-13.19	46.88	1	Vertical	194	1.64	-	37.59	16.94	51.06			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22098G	66.52	83.54	-17.02	63.06	1	Horizontal	171	1.65	-	37.59	16.94	51.07			
AV	19.2135G	56.46	63.54	-7.08	52.99	1	Horizontal	171	1.65	-	37.59	16.94	51.06			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79801G	59.90	88.20	-28.30	41.00	3	Vertical	47	1.84	-	41.00	9.63	31.73			
RMS	13.80038G	48.96	68.20	-19.24	30.06	3	Vertical	47	1.84	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78784G	59.72	88.20	-28.48	40.83	3	Horizontal	232	1.17	-	41.00	9.63	31.74			
RMS	13.80083G	49.08	68.20	-19.12	30.18	3	Horizontal	232	1.17	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6932G	54.81	83.54	-28.73	51.65	1	Vertical	215	1.60	-	37.62	17.13	51.59			
AV	19.6933G	44.62	63.54	-18.92	41.46	1	Vertical	215	1.60	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69296G	54.39	83.54	-29.15	51.23	1	Horizontal	185	1.73	-	37.62	17.13	51.59			
AV	19.6931G	44.80	63.54	-18.74	41.64	1	Horizontal	185	1.73	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79675G	59.46	88.20	-28.74	40.57	3	Vertical	65	1.07	-	41.00	9.63	31.74			
RMS	13.79906G	48.89	68.20	-19.31	29.99	3	Vertical	65	1.07	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78109G	60.35	88.20	-27.85	41.48	3	Horizontal	310	1.11	-	41.00	9.62	31.75			
RMS	13.79171G	48.69	68.20	-19.51	29.80	3	Horizontal	310	1.11	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0542G	52.73	83.54	-30.81	49.92	1	Vertical	143	1.72	-	37.44	17.28	51.91			
AV	20.05116G	42.01	63.54	-21.53	39.20	1	Vertical	143	1.72	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05422G	52.78	83.54	-30.76	49.97	1	Horizontal	199	1.76	-	37.44	17.28	51.91			
AV	20.0512G	42.08	63.54	-21.46	39.27	1	Horizontal	199	1.76	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69532G	54.67	88.20	-33.53	32.92	3	Vertical	181	1.52	-	40.40	11.76	30.41			
RMS	13.69559G	42.66	68.20	-25.54	20.91	3	Vertical	181	1.52	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69308G	53.62	88.20	-34.58	31.87	3	Horizontal	111	1.50	-	40.40	11.76	30.41			
RMS	13.69357G	44.58	68.20	-23.62	22.83	3	Horizontal	111	1.50	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53522G	53.91	83.54	-29.63	48.28	1	Vertical	183	1.50	-	37.81	19.83	52.01			
AV	20.53538G	41.52	63.54	-22.02	35.89	1	Vertical	183	1.50	-	37.81	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.535271G	52.61	83.54	-30.93	46.98	1	Horizontal	222	1.50	-	37.81	19.83	52.01			
AV	20.535316G	40.95	63.54	-22.59	35.32	1	Horizontal	222	1.50	-	37.81	19.83	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 74
 80\62\71\75\77\76\75\74
 -2.93\3.28\1.98\0.61\ -0.85\ -0.08\ -0.22\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	77.14	88.20	-11.06	67.72	3	Vertical	144	1.91	74	34.24	6.22	31.04			
RMS	5.923G	67.13	68.20	-1.07	57.70	3	Vertical	144	1.91	74	34.25	6.22	31.04			
PK	5.9806G	111.58	Inf	-Inf	102.09	3	Vertical	144	1.91	74	34.30	6.28	31.09			
RMS	5.999G	101.33	Inf	-Inf	91.83	3	Vertical	144	1.91	74	34.30	6.30	31.10			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 74
 74
 12.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	67.33	88.20	-20.87	57.91	3	Horizontal	295	1.74	74	34.24	6.22	31.04			
RMS	5.9238G	55.74	68.20	-12.46	46.31	3	Horizontal	295	1.74	74	34.25	6.22	31.04			
PK	6.0022G	100.92	Inf	-Inf	91.41	3	Horizontal	295	1.74	74	34.31	6.30	31.10			
RMS	5.9958G	90.71	Inf	-Inf	81.21	3	Horizontal	295	1.74	74	34.30	6.30	31.10			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0208G	54.72	74.00	-19.28	39.16	3	Vertical	343	1.80	74	38.88	9.11	32.43			
AV	12.0268G	43.49	54.00	-10.51	27.93	3	Vertical	343	1.80	74	38.87	9.11	32.42			
PK	17.95479G	63.38	74.00	-10.62	38.93	3	Vertical	40	1.73	-	43.07	11.48	30.10			
AV	17.96838G	50.87	54.00	-3.13	26.31	3	Vertical	40	1.73	-	43.14	11.49	30.07			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.00552G	54.15	74.00	-19.85	38.60	3	Horizontal	311	1.80	74	38.89	9.10	32.44			
AV	12.00584G	43.92	54.00	-10.08	28.37	3	Horizontal	311	1.80	74	38.89	9.10	32.44			
PK	17.95941G	63.98	74.00	-10.02	39.49	3	Horizontal	346	1.45	-	43.10	11.48	30.09			
AV	17.96799G	50.44	54.00	-3.56	25.88	3	Horizontal	346	1.45	-	43.14	11.49	30.07			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 74
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93864G	46.53	83.54	-37.01	38.94	1	Vertical	93	1.48	-	38.80	19.01	50.22			
AV	23.93138G	35.58	63.54	-27.96	28.00	1	Vertical	93	1.48	-	38.80	19.01	50.23			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 74
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94602G	47.00	83.54	-36.54	39.40	1	Horizontal	232	1.42	-	38.80	19.02	50.22			
AV	23.93428G	35.96	63.54	-27.58	28.38	1	Horizontal	232	1.42	-	38.80	19.01	50.23			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.47624G	54.30	74.00	-19.70	38.64	3	Vertical	254	1.80	108	38.60	9.17	32.11			
AV	12.45192G	43.68	54.00	-10.32	28.04	3	Vertical	254	1.80	108	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX



EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.51416G	54.59	74.00	-19.41	38.89	3	Horizontal	74	1.80	108	38.60	9.18	32.08			
AV	12.5112G	43.77	54.00	-10.23	28.08	3	Horizontal	74	1.80	108	38.60	9.18	32.09			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67268G	59.70	83.54	-23.84	55.78	1	Vertical	190	1.63	-	37.67	16.72	50.47			
AV	18.67738G	48.98	63.54	-14.56	45.07	1	Vertical	190	1.63	-	37.67	16.72	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67274G	60.98	83.54	-22.56	57.06	1	Horizontal	186	1.61	-	37.67	16.72	50.47			
AV	18.66716G	49.16	63.54	-14.38	45.25	1	Horizontal	186	1.61	-	37.67	16.71	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.72512G	54.39	88.20	-33.81	38.48	3	Vertical	356	2.00	108	38.65	9.25	31.99			
RMS	12.72576G	43.67	68.20	-24.53	27.76	3	Vertical	356	2.00	108	38.65	9.25	31.99			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.72168G	53.23	88.20	-34.97	37.33	3	Horizontal	68	1.80	108	38.64	9.25	31.99			
RMS	12.72728G	43.47	68.20	-24.73	27.56	3	Horizontal	68	1.80	108	38.65	9.25	31.99			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15264G	58.23	83.54	-25.31	54.74	1	Vertical	209	1.56	-	37.56	16.91	50.98			
AV	19.14512G	46.52	63.54	-17.02	43.02	1	Vertical	209	1.56	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15256G	58.11	83.54	-25.43	54.62	1	Horizontal	189	1.78	-	37.56	16.91	50.98			
AV	19.145G	46.59	63.54	-16.95	43.09	1	Horizontal	189	1.78	-	37.56	16.91	50.97			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78331G	60.01	88.20	-28.19	41.14	3	Vertical	284	1.87	-	41.00	9.62	31.75			
RMS	13.8026G	49.05	68.20	-19.15	30.14	3	Vertical	284	1.87	-	41.01	9.63	31.73			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79051G	59.79	88.20	-28.41	40.90	3	Horizontal	247	2.84	-	41.00	9.63	31.74			
RMS	13.7984G	48.89	68.20	-19.31	29.99	3	Horizontal	247	2.84	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86584G	49.35	83.54	-34.19	46.41	1	Vertical	317	1.99	-	37.51	17.20	51.77			
AV	19.88106G	38.62	63.54	-24.92	35.69	1	Vertical	317	1.99	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86676G	49.56	83.54	-33.98	46.61	1	Horizontal	160	1.75	-	37.51	17.21	51.77			
AV	19.86618G	38.50	63.54	-25.04	35.55	1	Horizontal	160	1.75	-	37.51	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77689G	59.54	88.20	-28.66	40.67	3	Vertical	80	2.62	-	41.00	9.62	31.75			
RMS	13.7765G	49.00	68.20	-19.20	30.13	3	Vertical	80	2.62	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78706G	59.23	88.20	-28.97	40.34	3	Horizontal	228	2.35	-	41.00	9.63	31.74			
RMS	13.78376G	48.88	68.20	-19.32	30.01	3	Horizontal	228	2.35	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11866G	50.04	83.54	-33.50	47.16	1	Vertical	252	2.00	-	37.49	17.31	51.92			
AV	20.11336G	39.95	63.54	-23.59	37.07	1	Vertical	252	2.00	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11036G	50.79	83.54	-32.75	47.91	1	Horizontal	198	1.71	-	37.49	17.31	51.92			
AV	20.11312G	39.95	63.54	-23.59	37.07	1	Horizontal	198	1.71	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77968G	60.14	88.20	-28.06	41.27	3	Vertical	126	1.74	-	41.00	9.62	31.75			
RMS	13.79582G	48.87	68.20	-19.33	29.98	3	Vertical	126	1.74	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78805G	59.31	88.20	-28.89	40.42	3	Horizontal	265	1.80	-	41.00	9.63	31.74			
RMS	13.79387G	49.09	68.20	-19.11	30.20	3	Horizontal	265	1.80	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35264G	48.16	83.54	-35.38	45.08	1	Vertical	263	1.39	-	37.64	17.41	51.97			
AV	20.34848G	36.29	63.54	-27.25	33.21	1	Vertical	263	1.39	-	37.64	17.41	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3561G	47.18	83.54	-36.36	44.10	1	Horizontal	161	1.50	-	37.64	17.41	51.97			
AV	20.34928G	36.06	63.54	-27.48	32.98	1	Horizontal	161	1.50	-	37.64	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 76
 80\62\71\75\77\76
 -3.61\13.41\5.77\2.32\-.071\1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	83.95	88.20	-4.25	74.55	3	Vertical	47	1.78	76	34.23	6.21	31.04			
RMS	5.916G	67.06	68.20	-1.14	57.66	3	Vertical	47	1.78	76	34.23	6.21	31.04			
PK	6.053G	110.16	Inf	-Inf	100.48	3	Vertical	47	1.78	76	34.50	6.30	31.12			
RMS	6.054G	100.15	Inf	-Inf	90.47	3	Vertical	47	1.78	76	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 76
 76
 8.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	74.34	88.20	-13.86	64.94	3	Horizontal	292	1.85	76	34.23	6.21	31.04			
RMS	5.9165G	59.86	68.20	-8.34	50.46	3	Horizontal	292	1.85	76	34.23	6.21	31.04			
PK	6.0495G	99.07	Inf	-Inf	89.38	3	Horizontal	292	1.85	76	34.50	6.30	31.11			
RMS	6.0535G	88.60	Inf	-Inf	78.92	3	Horizontal	292	1.85	76	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05608G	53.91	74.00	-20.09	38.18	3	Vertical	186	1.38	76	39.08	9.02	32.37			
AV	12.05568G	43.62	54.00	-10.38	27.89	3	Vertical	186	1.38	76	39.08	9.02	32.37			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.02344G	53.91	74.00	-20.09	38.08	3	Horizontal	9	2.61	76	39.21	9.01	32.39			
AV	11.9988G	43.43	54.00	-10.57	27.54	3	Horizontal	9	2.61	76	39.30	9.00	32.41			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 76
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08006G	46.52	83.54	-37.02	42.26	1	Vertical	164	1.77	-	37.50	16.47	49.71			
AV	18.0795G	35.39	63.54	-28.15	31.13	1	Vertical	164	1.77	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 76
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08158G	46.30	83.54	-37.24	42.04	1	Horizontal	94	1.58	-	37.50	16.47	49.71			
AV	18.08284G	34.67	63.54	-28.87	30.42	1	Horizontal	94	1.58	-	37.50	16.47	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.49448G	54.15	74.00	-19.85	38.47	3	Vertical	292	1.80	108	38.60	9.17	32.09			
AV	12.49484G	43.59	54.00	-10.41	27.91	3	Vertical	292	1.80	108	38.60	9.17	32.09			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3796G	54.38	74.00	-19.62	38.78	3	Horizontal	291	2.17	108	38.64	9.13	32.17			
AV	12.4164G	43.79	54.00	-10.21	28.18	3	Horizontal	291	2.17	108	38.60	9.15	32.14			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55046G	55.60	83.54	-27.94	51.66	1	Vertical	178	1.35	-	37.62	16.67	50.35			
AV	18.55356G	45.38	63.54	-18.16	41.44	1	Vertical	178	1.35	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55426G	56.14	83.54	-27.40	52.20	1	Horizontal	204	1.75	-	37.62	16.67	50.35			
AV	18.5519G	45.70	63.54	-17.84	41.76	1	Horizontal	204	1.75	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5492G	53.42	74.00	-20.58	37.70	3	Vertical	4	1.27	108	38.60	9.19	32.07			
AV	12.54216G	43.20	54.00	-10.80	27.48	3	Vertical	4	1.27	108	38.60	9.19	32.07			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.58408G	53.53	74.00	-20.47	37.78	3	Horizontal	164	2.15	108	38.60	9.20	32.05			
AV	12.55464G	43.31	54.00	-10.69	27.59	3	Horizontal	164	2.15	108	38.60	9.19	32.07			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0303G	56.32	83.54	-27.22	52.79	1	Vertical	187	1.65	-	37.51	16.86	50.84			
AV	19.02734G	44.61	63.54	-18.93	41.07	1	Vertical	187	1.65	-	37.51	16.86	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03016G	56.38	83.54	-27.16	52.85	1	Horizontal	211	1.62	-	37.51	16.86	50.84			
AV	19.02844G	45.13	63.54	-18.41	41.59	1	Horizontal	211	1.62	-	37.51	16.86	50.83			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7876G	59.66	88.20	-28.54	40.77	3	Vertical	353	2.70	-	41.00	9.63	31.74			
RMS	13.77599G	49.13	68.20	-19.07	30.27	3	Vertical	353	2.70	-	41.00	9.62	31.76			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.802G	59.74	88.20	-28.46	40.84	3	Horizontal	297	2.74	-	41.00	9.63	31.73			
RMS	13.80416G	49.10	68.20	-19.10	30.19	3	Horizontal	297	2.74	-	41.01	9.63	31.73			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99132G	46.39	83.54	-37.15	43.61	1	Vertical	186	1.90	-	37.41	17.26	51.89			
AV	19.99968G	36.27	63.54	-27.27	33.51	1	Vertical	186	1.90	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX



EUT_Z_4TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99172G	46.90	83.54	-36.64	44.12	1	Horizontal	208	1.64	-	37.41	17.26	51.89			
AV	19.99974G	36.28	63.54	-27.26	33.52	1	Horizontal	208	1.64	-	37.40	17.26	51.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	68.09	68.20	-0.11	3	Horizontal	300	1.18	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	70.83	88.20	-17.37	61.40	3	Vertical	322	3.00	-	34.25	6.22	31.04			
RMS	5.9244G	57.84	68.20	-10.36	48.41	3	Vertical	322	3.00	-	34.25	6.22	31.04			
PK	5.9482G	110.63	Inf	-Inf	101.14	3	Vertical	322	3.00	-	34.30	6.25	31.06			
RMS	5.9626G	100.13	Inf	-Inf	90.64	3	Vertical	322	3.00	-	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	80.14	88.20	-8.06	70.71	3	Horizontal	308	2.04	-	34.25	6.22	31.04			
RMS	5.925G	66.49	68.20	-1.71	57.06	3	Horizontal	308	2.04	-	34.25	6.22	31.04			
PK	5.9458G	120.08	Inf	-Inf	110.61	3	Horizontal	308	2.04	-	34.29	6.24	31.06			
RMS	5.9458G	112.23	Inf	-Inf	102.76	3	Horizontal	308	2.04	-	34.29	6.24	31.06			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90962G	55.16	74.00	-18.84	39.75	3	Vertical	43	2.43	-	38.81	9.06	32.46			
AV	11.90634G	41.61	54.00	-12.39	26.20	3	Vertical	43	2.43	-	38.81	9.06	32.46			
PK	17.85852G	61.50	74.00	-12.50	37.70	3	Vertical	312	1.92	-	42.68	11.44	30.32			
AV	17.87748G	48.84	54.00	-5.16	24.94	3	Vertical	312	1.92	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90688G	54.77	74.00	-19.23	39.36	3	Horizontal	98	2.93	-	38.81	9.06	32.46			
AV	11.90666G	41.75	54.00	-12.25	26.34	3	Horizontal	98	2.93	-	38.81	9.06	32.46			
PK	17.87262G	61.32	74.00	-12.68	37.44	3	Horizontal	94	1.63	-	42.72	11.45	30.29			
AV	17.87508G	48.87	54.00	-5.13	24.97	3	Horizontal	94	1.63	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83248G	46.60	83.54	-36.94	39.11	1	Vertical	17	1.75	-	38.80	18.96	50.27			
AV	23.81982G	36.05	63.54	-27.49	28.56	1	Vertical	17	1.75	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81976G	46.38	83.54	-37.16	38.89	1	Horizontal	204	1.40	-	38.80	18.96	50.27			
AV	23.82G	35.45	63.54	-28.09	27.96	1	Horizontal	204	1.40	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 95
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38938G	54.69	74.00	-19.31	39.09	3	Vertical	319	2.26	-	38.62	9.14	32.16			
AV	12.39436G	41.62	54.00	-12.38	26.03	3	Vertical	319	2.26	-	38.61	9.14	32.16			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 95
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39054G	54.79	74.00	-19.21	39.19	3	Horizontal	312	2.16	-	38.62	9.14	32.16			
AV	12.39056G	41.53	54.00	-12.47	25.93	3	Horizontal	312	2.16	-	38.62	9.14	32.16			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57282G	55.06	83.54	-28.48	51.13	1	Vertical	360	1.59	-	37.63	16.67	50.37			
AV	18.58314G	42.37	63.54	-21.17	38.44	1	Vertical	360	1.59	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5748G	53.61	83.54	-29.93	49.67	1	Horizontal	141	1.40	-	37.63	16.68	50.37			
AV	18.58068G	42.77	63.54	-20.77	38.84	1	Horizontal	141	1.40	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83264G	55.70	88.20	-32.50	39.38	3	Vertical	341	1.82	-	38.97	9.29	31.94			
RMS	12.83404G	42.33	68.20	-25.87	26.01	3	Vertical	341	1.82	-	38.97	9.29	31.94			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX



EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83188G	55.09	88.20	-33.11	38.78	3	Horizontal	181	1.06	-	38.96	9.29	31.94			
RMS	12.83344G	42.16	68.20	-26.04	25.84	3	Horizontal	181	1.06	-	38.97	9.29	31.94			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX



EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24302G	58.82	83.54	-24.72	55.36	1	Vertical	35	1.80	-	37.60	16.95	51.09			
AV	19.24818G	45.54	63.54	-18.00	42.09	1	Vertical	35	1.80	-	37.60	16.95	51.10			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.245G	61.73	83.54	-21.81	58.27	1	Horizontal	346	1.53	-	37.60	16.95	51.09			
AV	19.23636G	48.07	63.54	-15.47	44.61	1	Horizontal	346	1.53	-	37.59	16.95	51.08			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.535G	16.46	36.00	-19.54	-6.29	3	Horizontal	280	1.80	CP 20MHz	-10.46	7.91	33.05			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07314G	57.09	88.20	-31.11	39.96	3	Vertical	138	2.30	-	39.64	9.38	31.89			
RMS	13.07306G	43.52	68.20	-24.68	26.39	3	Vertical	138	2.30	-	39.64	9.38	31.89			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX



EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06962G	56.75	88.20	-31.45	39.65	3	Horizontal	77	1.91	-	39.62	9.37	31.89			
RMS	13.07474G	43.55	68.20	-24.65	26.41	3	Horizontal	77	1.91	-	39.65	9.38	31.89			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5995G	56.20	83.54	-27.34	52.94	1	Vertical	29	1.81	-	37.66	17.10	51.50			
AV	19.6102G	42.79	63.54	-20.75	39.54	1	Vertical	29	1.81	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6231G	56.24	83.54	-27.30	53.00	1	Horizontal	13	1.43	-	37.65	17.11	51.52			
AV	19.6004G	42.39	63.54	-21.15	39.13	1	Horizontal	13	1.43	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.53689G	0.10	23.00	-22.90	-22.66	3	Vertical	12	1.80	RBW 1MH	-10.45	7.91	33.05			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.53017G	4.28	23.00	-18.72	-18.44	3	Horizontal	280	1.80	RBW 1MH	-10.48	7.91	33.05			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.535G	12.98	36.00	-23.02	-9.77	3	Vertical	12	1.77	CP 20MHz	-10.46	7.91	33.05			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.695G	16.29	36.00	-19.71	-6.94	3	Horizontal	70	1.80	CP 20MHz	-10.40	8.10	33.03			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39174G	56.68	74.00	-17.32	38.70	3	Vertical	243	2.02	-	40.48	9.49	31.99			
AV	13.3946G	44.17	54.00	-9.83	26.18	3	Vertical	243	2.02	-	40.49	9.49	31.99			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39284G	57.45	74.00	-16.55	39.46	3	Horizontal	346	1.23	-	40.49	9.49	31.99			
AV	13.39344G	44.09	54.00	-9.91	26.10	3	Horizontal	346	1.23	-	40.49	9.49	31.99			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0701G	50.25	83.54	-33.29	47.41	1	Vertical	5	1.52	-	37.46	17.29	51.91			
AV	20.0723G	36.80	63.54	-26.74	33.96	1	Vertical	5	1.52	-	37.46	17.29	51.91			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0699G	49.34	83.54	-34.20	46.50	1	Horizontal	2	1.42	-	37.46	17.29	51.91			
AV	20.0728G	36.74	63.54	-26.80	33.90	1	Horizontal	2	1.42	-	37.46	17.29	51.91			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.70322G	-0.35	23.00	-23.35	-23.62	3	Vertical	18	1.80	RBW 1MH	-10.39	8.12	33.03			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.70313G	3.40	23.00	-19.60	-19.87	3	Horizontal	66	1.80	RBW 1MH	-10.39	8.12	33.03			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.695G	13.09	36.00	-22.91	-10.14	3	Vertical	13	1.80	CP 20MHz	-10.40	8.10	33.03			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.855G	15.70	36.00	-20.30	-8.05	3	Horizontal	68	1.80	CP 20MHz	-10.40	8.41	33.02			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 47
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71357G	58.71	88.20	-29.49	36.92	3	Vertical	31	1.61	-	40.44	11.77	30.42			
RMS	13.71016G	46.42	68.20	-21.78	24.64	3	Vertical	31	1.61	-	40.43	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 47
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71171G	55.87	88.20	-32.33	34.08	3	Horizontal	111	1.81	-	40.44	11.77	30.42			
RMS	13.71291G	44.85	68.20	-23.35	23.06	3	Horizontal	111	1.81	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 47
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56166G	56.35	83.54	-27.19	50.61	1	Vertical	217	1.57	-	37.92	19.83	52.01			
AV	20.56387G	41.61	63.54	-21.93	35.86	1	Vertical	217	1.57	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 47
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56471G	54.38	83.54	-29.16	50.95	1	Horizontal	51	1.53	-	37.93	17.51	52.01			
AV	20.56453G	41.11	63.54	-22.43	37.68	1	Horizontal	51	1.53	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.86361G	-0.03	23.00	-23.03	-23.80	3	Vertical	14	2.74	RBW 1MH	-10.40	8.42	33.02			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.84642G	6.06	23.00	-16.94	-17.68	3	Horizontal	79	1.80	RBW 1MH	-10.39	8.40	33.02			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.855G	12.60	36.00	-23.40	-11.15	3	Vertical	19	1.80	CP 20MHz	-10.40	8.41	33.02			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 88
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.27	88.20	-8.93	69.84	3	Vertical	9.5	3.00	-	34.25	6.22	31.04			
RMS	5.925G	67.77	68.20	-0.43	58.34	3	Vertical	9.5	3.00	-	34.25	6.22	31.04			
PK	5.955G	110.80	Inf	-Inf	101.32	3	Vertical	9.5	3.00	-	34.30	6.25	31.07			
RMS	5.9558G	101.52	Inf	-Inf	92.04	3	Vertical	9.5	3.00	-	34.30	6.25	31.07			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 48
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.965G	18.43	36.00	-17.57	-3.59	3	Horizontal	293	1.06	CP 40MHz	-10.20	7.66	32.99			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 88
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	83.19	88.20	-5.01	73.77	3	Horizontal	300	1.18	-	34.24	6.22	31.04			
RMS	5.925G	68.09	68.20	-0.11	58.66	3	Horizontal	300	1.18	-	34.25	6.22	31.04			
PK	5.979G	115.62	Inf	-Inf	106.12	3	Horizontal	300	1.18	-	34.30	6.28	31.08			
RMS	5.9798G	106.07	Inf	-Inf	96.57	3	Horizontal	300	1.18	-	34.30	6.28	31.08			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 88
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92932G	55.29	74.00	-18.71	39.85	3	Vertical	266	1.80	-	38.83	9.07	32.46			
AV	11.9314G	40.93	54.00	-13.07	25.49	3	Vertical	266	1.80	-	38.83	9.07	32.46			
PK	17.89452G	61.20	74.00	-12.80	37.20	3	Vertical	165	1.31	-	42.78	11.46	30.24			
AV	17.89482G	48.72	54.00	-5.28	24.72	3	Vertical	165	1.31	-	42.78	11.46	30.24			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 88
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9287G	54.54	74.00	-19.46	39.10	3	Horizontal	18	1.40	-	38.83	9.07	32.46			
AV	11.93386G	40.99	54.00	-13.01	25.55	3	Horizontal	18	1.40	-	38.83	9.07	32.46			
PK	17.89026G	61.48	74.00	-12.52	37.50	3	Horizontal	190	1.95	-	42.77	11.46	30.25			
AV	17.9082G	48.61	54.00	-5.39	24.52	3	Horizontal	190	1.95	-	42.84	11.46	30.21			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 88
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8757G	46.28	83.54	-37.26	38.75	1	Vertical	335	1.80	-	38.80	18.98	50.25			
AV	23.8625G	32.61	63.54	-30.93	25.09	1	Vertical	335	1.80	-	38.80	18.98	50.26			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 88
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.858G	46.08	83.54	-37.46	38.56	1	Horizontal	294	1.31	-	38.80	18.98	50.26			
AV	23.8538G	32.50	63.54	-31.04	24.99	1	Horizontal	294	1.31	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 48
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.95834G	-6.99	23.00	-29.99	-29.00	3	Vertical	5	1.80	RBW 1MH	-10.20	7.66	32.99			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 48
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.96734G	1.84	23.00	-21.16	-20.19	3	Horizontal	293	1.34	RBW 1MH	-10.20	7.66	32.99			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 48
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.965G	8.68	36.00	-27.32	-13.34	3	Vertical	16	1.80	CP 40MHz	-10.20	7.66	32.99			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.205G	16.42	36.00	-19.58	-5.88	3	Horizontal	304	1.80	CP 40MHz	-10.31	7.73	33.02			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41168G	54.20	74.00	-19.80	38.61	3	Vertical	207	1.96	-	38.60	9.14	32.15			
AV	12.41466G	41.09	54.00	-12.91	25.48	3	Vertical	207	1.96	-	38.60	9.15	32.14			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41134G	54.44	74.00	-19.56	38.85	3	Horizontal	328	2.21	-	38.60	9.14	32.15			
AV	12.41252G	41.10	54.00	-12.90	25.51	3	Horizontal	328	2.21	-	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5909G	59.14	83.54	-24.40	55.21	1	Vertical	2	1.71	-	37.64	16.68	50.39			
AV	18.6154G	42.17	63.54	-21.37	38.25	1	Vertical	2	1.71	-	37.65	16.69	50.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.581G	60.58	83.54	-22.96	56.65	1	Horizontal	51	1.92	-	37.63	16.68	50.38			
AV	18.581G	42.59	63.54	-20.95	38.66	1	Horizontal	51	1.92	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.21106G	-4.98	23.00	-27.98	-27.28	3	Vertical	5	2.21	RBW 1MH	-10.32	7.73	33.02			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.22102G	1.34	23.00	-21.66	-20.97	3	Horizontal	299	1.80	RBW 1MH	-10.34	7.75	33.02			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.205G	9.03	36.00	-26.97	-13.27	3	Vertical	329	1.80	CP 40MHz	-10.31	7.73	33.02			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.405G	16.04	36.00	-19.96	-6.47	3	Horizontal	300	1.80	CP 40MHz	-10.61	7.99	33.04			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81476G	54.99	88.20	-33.21	38.72	3	Vertical	93	1.33	-	38.93	9.29	31.95			
RMS	12.81412G	41.38	68.20	-26.82	25.12	3	Vertical	93	1.33	-	38.93	9.28	31.95			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8071G	55.47	88.20	-32.73	39.23	3	Horizontal	270	1.50	-	38.91	9.28	31.95			
RMS	12.81428G	41.33	68.20	-26.87	25.07	3	Horizontal	270	1.50	-	38.93	9.28	31.95			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX



EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2208G	56.46	83.54	-27.08	52.99	1	Vertical	345	1.69	-	37.59	16.94	51.06			
AV	19.2248G	42.45	63.54	-21.09	38.99	1	Vertical	345	1.69	-	37.59	16.94	51.07			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2112G	58.56	83.54	-24.98	55.09	1	Horizontal	50	1.70	-	37.58	16.94	51.05			
AV	19.2117G	44.71	63.54	-18.83	41.24	1	Horizontal	50	1.70	-	37.58	16.94	51.05			

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.40266G	-2.71	23.00	-25.71	-25.22	3	Vertical	15	1.80	RBW 1MH	-10.61	7.99	33.04			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.3921G	2.53	23.00	-20.47	-19.95	3	Horizontal	297	1.78	RBW 1MH	-10.62	7.98	33.04			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.405G	12.32	36.00	-23.68	-10.19	3	Vertical	12	1.80	CP 40MHz	-10.61	7.99	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 44
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.565G	17.12	36.00	-18.88	-5.72	3	Horizontal	280	1.47	CP 40MHz	-10.40	7.89	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1312G	56.89	88.20	-31.31	39.54	3	Vertical	183	2.73	-	39.86	9.40	31.91			
RMS	13.13384G	43.20	68.20	-25.00	25.84	3	Vertical	183	2.73	-	39.87	9.40	31.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1261G	56.77	88.20	-31.43	39.44	3	Horizontal	40	1.47	-	39.85	9.39	31.91			
RMS	13.12728G	43.15	68.20	-25.05	25.82	3	Horizontal	40	1.47	-	39.85	9.39	31.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6907G	53.56	83.54	-29.98	50.40	1	Vertical	296	1.98	-	37.62	17.13	51.59			
AV	19.6974G	39.67	63.54	-23.87	36.51	1	Vertical	296	1.98	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6738G	53.75	83.54	-29.79	50.56	1	Horizontal	348	1.80	-	37.63	17.13	51.57			
AV	19.6976G	39.97	63.54	-23.57	36.81	1	Horizontal	348	1.80	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 44
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.55966G	-3.40	23.00	-26.40	-26.22	3	Vertical	10	1.80	RBW 1MH	-10.40	7.89	33.05			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 44
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.54988G	0.81	23.00	-22.19	-22.01	3	Horizontal	290	1.78	RBW 1MH	-10.40	7.90	33.05			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 44
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.565G	12.24	36.00	-23.76	-10.60	3	Vertical	13	1.80	CP 40MHz	-10.40	7.89	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 46
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.685G	15.88	36.00	-20.12	-7.29	3	Horizontal	69	1.80	CP 40MHz	-10.40	8.07	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37402G	57.32	74.00	-16.68	39.37	3	Vertical	138	1.78	-	40.45	9.48	31.98			
AV	13.3661G	43.30	54.00	-10.70	25.37	3	Vertical	138	1.78	-	40.43	9.48	31.98			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36564G	56.91	74.00	-17.09	38.98	3	Horizontal	23	2.76	-	40.43	9.48	31.98			
AV	13.37098G	43.28	54.00	-10.72	25.34	3	Horizontal	23	2.76	-	40.44	9.48	31.98			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0651G	46.90	83.54	-36.64	44.07	1	Vertical	91	1.34	-	37.45	17.29	51.91			
AV	20.0649G	34.08	63.54	-29.46	31.25	1	Vertical	91	1.34	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0596G	47.20	83.54	-36.34	44.37	1	Horizontal	3	1.80	-	37.45	17.29	51.91			
AV	20.0625G	34.04	63.54	-29.50	31.21	1	Horizontal	3	1.80	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 46
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.67684G	-2.97	23.00	-25.97	-26.11	3	Vertical	11	1.80	RBW 1MH	-10.40	8.05	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 46
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.68278G	-0.22	23.00	-23.22	-23.39	3	Horizontal	290	1.80	RBW 1MH	-10.40	8.07	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 46
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.685G	12.59	36.00	-23.41	-10.58	3	Vertical	11	1.80	CP 40MHz	-10.40	8.07	33.04			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.845G	16.34	36.00	-19.66	-7.40	3	Horizontal	68	1.80	CP 40MHz	-10.39	8.40	33.02			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 45
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69428G	54.51	88.20	-33.69	32.76	3	Vertical	37	1.50	-	40.40	11.76	30.41			
RMS	13.69373G	42.71	68.20	-25.49	20.96	3	Vertical	37	1.50	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 45
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69273G	53.81	88.20	-34.39	32.06	3	Horizontal	221	1.58	-	40.40	11.76	30.41			
RMS	13.69315G	44.71	68.20	-23.49	22.96	3	Horizontal	221	1.58	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 45
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.535179G	53.18	83.54	-30.36	47.55	1	Vertical	138	1.63	-	37.81	19.83	52.01			
AV	20.535281G	41.19	63.54	-22.35	35.56	1	Vertical	138	1.63	-	37.81	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 45
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53617G	53.07	83.54	-30.47	47.43	1	Horizontal	322	1.51	-	37.82	19.83	52.01			
AV	20.53641G	41.82	63.54	-21.72	36.18	1	Horizontal	322	1.51	-	37.82	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.84296G	-2.89	23.00	-25.89	-26.63	3	Vertical	357	2.56	RBW 1MH	-10.39	8.40	33.02			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.83144G	1.54	23.00	-21.46	-22.19	3	Horizontal	62	1.80	RBW 1MH	-10.36	8.38	33.02			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 45
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.845G	13.39	36.00	-22.61	-10.35	3	Vertical	357	2.63	CP 40MHz	-10.39	8.40	33.02			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 85
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	74.94	88.20	-13.26	65.51	3	Vertical	9.2	2.93	-	34.25	6.22	31.04			
RMS	5.9242G	61.51	68.20	-6.69	52.08	3	Vertical	9.2	2.93	-	34.25	6.22	31.04			
PK	6.0138G	105.15	Inf	-Inf	95.59	3	Vertical	9.2	2.93	-	34.36	6.30	31.10			
RMS	6.0154G	94.75	Inf	-Inf	85.19	3	Vertical	9.2	2.93	-	34.36	6.30	31.10			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.985G	18.23	36.00	-17.77	-3.83	3	Horizontal	293	1.04	CP 80MHz	-10.20	7.67	32.99			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 85
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.54	88.20	-8.66	70.11	3	Horizontal	305.5	1.96	-	34.25	6.22	31.04			
RMS	5.925G	67.98	68.20	-0.22	58.55	3	Horizontal	305.5	1.96	-	34.25	6.22	31.04			
PK	5.957G	112.82	Inf	-Inf	103.34	3	Horizontal	305.5	1.96	-	34.30	6.25	31.07			
RMS	6.0218G	102.48	Inf	-Inf	92.90	3	Horizontal	305.5	1.96	-	34.39	6.30	31.11			

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 85
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9703G	54.84	74.00	-19.16	39.33	3	Vertical	23	2.63	-	38.87	9.09	32.45			
AV	11.97498G	41.17	54.00	-12.83	25.66	3	Vertical	23	2.63	-	38.87	9.09	32.45			
PK	17.95644G	62.61	74.00	-11.39	38.15	3	Vertical	192	1.97	-	43.08	11.48	30.10			
AV	17.96658G	48.86	54.00	-5.14	24.32	3	Vertical	192	1.97	-	43.13	11.49	30.08			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 85
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97244G	54.74	74.00	-19.26	38.84	3	Horizontal	49	2.80	-	39.30	8.99	32.39			
AV	11.97324G	41.14	54.00	-12.86	25.24	3	Horizontal	49	2.80	-	39.30	8.99	32.39			
PK	17.96364G	62.43	74.00	-11.57	33.35	3	Horizontal	274	1.93	-	46.60	11.19	28.71			
AV	17.96742G	48.69	54.00	-5.31	19.60	3	Horizontal	274	1.93	-	46.60	11.19	28.70			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 85
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9373G	45.10	83.54	-38.44	37.52	1	Vertical	198	1.39	-	38.80	19.01	50.23			
AV	23.9165G	32.13	63.54	-31.41	24.56	1	Vertical	198	1.39	-	38.80	19.00	50.23			

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 85
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9152G	45.54	83.54	-38.00	37.97	1	Horizontal	94	2.00	-	38.80	19.00	50.23			
AV	23.9176G	32.12	63.54	-31.42	24.55	1	Horizontal	94	2.00	-	38.80	19.00	50.23			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.9478G	-10.18	23.00	-33.18	-32.18	3	Vertical	13	1.80	RBW 1MH	-10.20	7.65	32.98				

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.97324G	-2.08	23.00	-25.08	-24.13	3	Horizontal	299	1.50	RBW 1MH	-10.20	7.67	32.99			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 49
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.985G	9.57	36.00	-26.43	-12.49	3	Vertical	16	1.99	CP 80MHz	-10.20	7.67	32.99			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.225G	14.65	36.00	-21.35	-7.66	3	Horizontal	56	1.80	CP 80MHz	-10.35	7.75	33.02			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4488G	55.03	74.00	-18.97	39.39	3	Vertical	351	2.73	-	38.60	9.16	32.12			
AV	12.45384G	41.21	54.00	-12.79	25.57	3	Vertical	351	2.73	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4458G	54.43	74.00	-19.57	38.79	3	Horizontal	298	2.22	-	38.60	9.16	32.12			
AV	12.45162G	41.06	54.00	-12.94	25.42	3	Horizontal	298	2.22	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6509G	53.85	83.54	-29.69	49.93	1	Vertical	53	1.76	-	37.66	16.71	50.45			
AV	18.65G	39.94	63.54	-23.60	36.02	1	Vertical	53	1.76	-	37.66	16.71	50.45			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6507G	54.14	83.54	-29.40	50.22	1	Horizontal	49	1.92	-	37.66	16.71	50.45			
AV	18.651G	41.37	63.54	-22.17	37.45	1	Horizontal	49	1.92	-	37.66	16.71	50.45			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 47
01-H-R-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.225G	8.87	36.00	-27.13	-13.44	3	Vertical	328	1.80	CP 80MHz	-10.35	7.75	33.02			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7714G	55.00	88.20	-33.20	38.91	3	Vertical	300	2.21	-	38.79	9.27	31.97			
RMS	12.76956G	41.11	68.20	-27.09	25.03	3	Vertical	300	2.21	-	38.78	9.27	31.97			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76636G	54.94	88.20	-33.26	38.87	3	Horizontal	352	2.07	-	38.77	9.27	31.97			
RMS	12.77432G	41.04	68.20	-27.16	24.94	3	Horizontal	352	2.07	-	38.80	9.27	31.97			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1316G	55.23	83.54	-28.31	51.74	1	Vertical	293	1.38	-	37.55	16.90	50.96			
AV	19.1302G	42.65	63.54	-20.89	39.16	1	Vertical	293	1.38	-	37.55	16.90	50.96			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1347G	56.94	83.54	-26.60	53.44	1	Horizontal	54	1.55	-	37.55	16.91	50.96			
AV	19.1303G	42.89	63.54	-20.65	39.40	1	Horizontal	54	1.55	-	37.55	16.90	50.96			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25428G	57.12	74.00	-16.88	39.32	3	Vertical	296	1.22	-	40.31	9.44	31.95			
AV	13.25424G	43.28	54.00	-10.72	25.48	3	Vertical	296	1.22	-	40.31	9.44	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24886G	56.53	88.20	-31.67	38.74	3	Horizontal	301	2.44	-	40.29	9.44	31.94			
AV	13.2525G	43.27	54.00	-10.73	25.48	3	Horizontal	301	2.44	-	40.30	9.44	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8774G	54.38	83.54	-29.16	51.45	1	Vertical	353	1.56	-	37.50	17.21	51.78			
AV	19.87264G	41.49	63.54	-22.05	38.55	1	Vertical	353	1.56	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8798G	54.26	83.54	-29.28	51.33	1	Horizontal	125	1.56	-	37.50	17.21	51.78			
AV	19.87964G	41.40	63.54	-22.14	38.47	1	Horizontal	125	1.56	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41344G	56.99	88.20	-31.21	38.99	3	Vertical	58	1.08	-	40.50	9.49	31.99			
RMS	13.40878G	43.29	68.20	-24.91	25.29	3	Vertical	58	1.08	-	40.50	9.49	31.99			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40752G	57.36	88.20	-30.84	39.36	3	Horizontal	135	1.04	-	40.50	9.49	31.99			
RMS	13.40744G	43.29	68.20	-24.91	25.29	3	Horizontal	135	1.04	-	40.50	9.49	31.99			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11812G	54.89	83.54	-28.65	52.01	1	Vertical	141	1.54	-	37.49	17.31	51.92			
AV	20.12G	41.66	63.54	-21.88	38.77	1	Vertical	141	1.54	-	37.50	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11022G	55.56	83.54	-27.98	52.68	1	Horizontal	232	1.57	-	37.49	17.31	51.92			
AV	20.1173G	42.93	63.54	-20.61	40.05	1	Horizontal	232	1.57	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56788G	58.22	88.20	-29.98	39.92	3	Vertical	22	2.58	-	40.70	9.55	31.95			
RMS	13.5737G	43.99	68.20	-24.21	25.69	3	Vertical	22	2.58	-	40.70	9.55	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56636G	57.31	88.20	-30.89	39.02	3	Horizontal	84	1.83	-	40.70	9.55	31.96			
RMS	13.574G	44.03	68.20	-24.17	25.73	3	Horizontal	84	1.83	-	40.70	9.55	31.95			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3584G	54.93	83.54	-28.61	51.84	1	Vertical	136	1.51	-	37.64	17.42	51.97			
AV	20.35788G	41.96	63.54	-21.58	38.87	1	Vertical	136	1.51	-	37.64	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35974G	56.43	83.54	-27.11	53.34	1	Horizontal	45	1.51	-	37.64	17.42	51.97			
AV	20.3597G	43.02	63.54	-20.52	39.93	1	Horizontal	45	1.51	-	37.64	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 85
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	73.04	88.20	-15.16	63.62	3	Vertical	9.9	2.41	-	34.24	6.22	31.04			
RMS	5.925G	61.09	68.20	-7.11	51.66	3	Vertical	9.9	2.41	-	34.25	6.22	31.04			
PK	6.034G	103.34	Inf	-Inf	93.71	3	Vertical	9.9	2.41	-	34.44	6.30	31.11			
RMS	6.053G	93.89	Inf	-Inf	84.21	3	Vertical	9.9	2.41	-	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 85
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	82.66	88.20	-5.54	73.26	3	Horizontal	306	1.91	-	34.22	6.21	31.03			
RMS	5.925G	67.46	68.20	-0.74	58.03	3	Horizontal	306	1.91	-	34.25	6.22	31.04			
PK	6.082G	110.08	Inf	-Inf	100.40	3	Horizontal	306	1.91	-	34.50	6.30	31.12			
RMS	6.063G	99.75	Inf	-Inf	90.07	3	Horizontal	306	1.91	-	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 85
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0539G	55.07	74.00	-18.93	39.35	3	Vertical	331	2.80	-	39.08	9.02	32.38			
AV	12.04714G	41.10	54.00	-12.90	25.35	3	Vertical	331	2.80	-	39.11	9.02	32.38			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 85
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05246G	55.20	74.00	-18.80	39.47	3	Horizontal	62	2.48	-	39.09	9.02	32.38			
AV	12.04704G	41.11	54.00	-12.89	25.36	3	Horizontal	62	2.48	-	39.11	9.02	32.38			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 85
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.075G	45.51	83.54	-38.03	41.24	1	Vertical	140	1.57	-	37.50	16.47	49.70			
AV	18.07994G	31.02	63.54	-32.52	26.76	1	Vertical	140	1.57	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 85
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07812G	44.84	83.54	-38.70	40.58	1	Horizontal	59	1.51	-	37.50	16.47	49.71			
AV	18.07172G	31.03	63.54	-32.51	26.76	1	Horizontal	59	1.51	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 85
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36744G	54.54	74.00	-19.46	38.91	3	Vertical	67	1.73	-	38.67	9.13	32.17			
AV	12.36528G	40.66	54.00	-13.34	25.04	3	Vertical	67	1.73	-	38.67	9.13	32.18			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 85
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3737G	54.15	74.00	-19.85	38.54	3	Horizontal	129	2.05	-	38.65	9.13	32.17			
AV	12.36816G	40.68	54.00	-13.32	25.06	3	Horizontal	129	2.05	-	38.66	9.13	32.17			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5395G	52.16	83.54	-31.38	48.22	1	Vertical	353	1.70	-	37.62	16.66	50.34			
AV	18.541G	38.87	63.54	-24.67	34.93	1	Vertical	353	1.70	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5326G	51.87	83.54	-31.67	47.93	1	Horizontal	35	2.00	-	37.61	16.66	50.33			
AV	18.5426G	38.67	63.54	-24.87	34.73	1	Horizontal	35	2.00	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68856G	55.13	74.00	-18.87	39.30	3	Vertical	306	1.33	-	38.60	9.24	32.01			
AV	12.68914G	41.14	54.00	-12.86	25.31	3	Vertical	306	1.33	-	38.60	9.24	32.01			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69052G	54.29	74.00	-19.71	38.46	3	Horizontal	224	1.23	-	38.60	9.24	32.01			
AV	12.68648G	41.09	54.00	-12.91	25.26	3	Horizontal	224	1.23	-	38.60	9.24	32.01			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02G	53.16	83.54	-30.38	49.61	1	Vertical	348	1.70	-	37.51	16.86	50.82			
AV	19.0161G	38.91	63.54	-24.63	35.36	1	Vertical	348	1.70	-	37.51	16.86	50.82			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0537G	54.01	83.54	-29.53	50.48	1	Horizontal	56	1.56	-	37.52	16.87	50.86			
AV	19.0409G	39.74	63.54	-23.80	36.20	1	Horizontal	56	1.56	-	37.52	16.87	50.85			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.326G	56.84	74.00	-17.16	38.95	3	Vertical	194	1.46	-	40.40	9.46	31.97			
AV	13.32956G	43.36	54.00	-10.64	25.46	3	Vertical	194	1.46	-	40.40	9.47	31.97			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3271G	56.85	74.00	-17.15	38.96	3	Horizontal	68	2.09	-	40.40	9.46	31.97			
AV	13.3312G	43.35	54.00	-10.65	25.45	3	Horizontal	68	2.09	-	40.40	9.47	31.97			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99254G	51.65	83.54	-31.89	48.87	1	Vertical	24	1.56	-	37.41	17.26	51.89			
AV	19.99994G	38.66	63.54	-24.88	35.90	1	Vertical	24	1.56	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99422G	51.38	83.54	-32.16	48.61	1	Horizontal	7	1.50	-	37.40	17.26	51.89			
AV	19.99992G	38.71	63.54	-24.83	35.95	1	Horizontal	7	1.50	-	37.40	17.26	51.90			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX



EUT_Z_4TX
Setting 63
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	67.11	88.20	-21.09	57.68	3	Vertical	148.7	2.36	-	34.25	6.22	31.04			
RMS	5.9242G	54.77	68.20	-13.43	45.34	3	Vertical	148.7	2.36	-	34.25	6.22	31.04			
PK	5.957G	119.16	Inf	-Inf	109.68	3	Vertical	148.7	2.36	-	34.30	6.25	31.07			
RMS	5.9566G	109.75	Inf	-Inf	100.27	3	Vertical	148.7	2.36	-	34.30	6.25	31.07			