


5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5594G	57.33	83.54	-26.21	53.40	1	Horizontal	15	1.59	-	37.62	16.67	50.36			
AV	18.5474G	47.70	63.54	-15.84	43.77	1	Horizontal	15	1.59	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70482G	57.86	88.20	-30.34	52.02	3	Vertical	21	1.80	-	39.41	9.38	42.95			
RMS	12.70059G	47.89	68.20	-20.31	42.06	3	Vertical	21	1.80	-	39.40	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70461G	58.05	88.20	-30.15	52.21	3	Horizontal	119	2.22	-	39.41	9.38	42.95			
RMS	12.70071G	47.49	68.20	-20.71	41.66	3	Horizontal	119	2.22	-	39.40	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0534G	58.06	83.54	-25.48	54.53	1	Vertical	8	1.51	-	37.52	16.87	50.86			
AV	19.0477G	48.28	63.54	-15.26	44.75	1	Vertical	8	1.51	-	37.52	16.87	50.86			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.9867G	56.65	83.54	-26.89	53.09	1	Horizontal	15	1.45	-	37.51	16.84	50.79			
AV	19.0276G	46.20	63.54	-17.34	42.66	1	Horizontal	15	1.45	-	37.51	16.86	50.83			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32625G	55.52	74.00	-18.48	48.28	3	Vertical	14	1.80	-	40.33	9.63	42.72			
AV	13.34122G	45.89	54.00	-8.11	38.64	3	Vertical	14	1.80	-	40.34	9.64	42.73			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33078G	55.06	74.00	-18.94	47.82	3	Horizontal	57	1.12	-	40.33	9.63	42.72			
AV	13.34083G	45.48	54.00	-8.52	38.22	3	Horizontal	57	1.12	-	40.34	9.64	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0379G	50.19	83.54	-33.35	47.39	1	Vertical	325	1.55	-	37.43	17.28	51.91			
AV	20.0353G	39.57	63.54	-23.97	36.77	1	Vertical	325	1.55	-	37.43	17.28	51.91			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0415G	49.57	83.54	-33.97	46.77	1	Horizontal	312	1.45	-	37.43	17.28	51.91			
AV	20.0408G	38.73	63.54	-24.81	35.93	1	Horizontal	312	1.45	-	37.43	17.28	51.91			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	78.72	88.20	-9.48	69.78	3	Vertical	335	1.80	-	35.39	6.36	32.81			
RMS	5.9218G	64.23	68.20	-3.97	55.29	3	Vertical	335	1.80	-	35.39	6.36	32.81			
PK	5.952G	116.33	Inf	-Inf	107.27	3	Vertical	335	1.80	-	35.50	6.38	32.82			
RMS	5.957G	106.04	Inf	-Inf	96.98	3	Vertical	335	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	75.62	88.20	-12.58	66.69	3	Horizontal	28	1.94	-	35.38	6.36	32.81			
RMS	5.925G	62.98	68.20	-5.22	54.03	3	Horizontal	28	1.94	-	35.40	6.36	32.81			
PK	5.9512G	115.64	Inf	-Inf	106.58	3	Horizontal	28	1.94	-	35.50	6.38	32.82			
RMS	5.9558G	104.94	Inf	-Inf	95.88	3	Horizontal	28	1.94	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91648G	64.68	74.00	-9.32	60.02	3	Vertical	344	1.80	-	38.82	9.07	43.23			
AV	11.91138G	51.86	54.00	-2.14	47.22	3	Vertical	344	1.80	-	38.81	9.06	43.23			
PK	17.86059G	61.13	74.00	-12.87	48.42	3	Vertical	347	1.80	-	42.68	11.44	41.41			
AV	17.86548G	47.81	54.00	-6.19	35.06	3	Vertical	347	1.80	-	42.70	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90829G	63.31	74.00	-10.69	58.67	3	Horizontal	10	1.80	-	38.81	9.06	43.23			
AV	11.90817G	50.72	54.00	-3.28	46.08	3	Horizontal	10	1.80	-	38.81	9.06	43.23			
PK	17.86623G	61.69	74.00	-12.31	48.94	3	Horizontal	320	2.43	-	42.70	11.45	41.40			
AV	17.8581G	47.78	54.00	-6.22	35.08	3	Horizontal	320	2.43	-	42.67	11.44	41.41			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.80644G	51.15	83.54	-32.39	43.68	1	Vertical	336	1.81	-	38.80	18.95	50.28			
AV	23.81904G	37.97	63.54	-25.57	30.48	1	Vertical	336	1.81	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.80779G	51.25	83.54	-32.29	43.78	1	Horizontal	43	1.80	-	38.80	18.95	50.28			
AV	23.81727G	37.45	63.54	-26.09	29.96	1	Horizontal	43	1.80	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39282G	65.71	74.00	-8.29	49.04	3	Vertical	335	1.88	-	38.99	9.26	31.58			
AV	12.38805G	51.48	54.00	-2.52	34.82	3	Vertical	335	1.88	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38853G	65.81	74.00	-8.19	49.15	3	Horizontal	348	1.84	-	38.98	9.26	31.58			
AV	12.38853G	51.55	54.00	-2.45	34.89	3	Horizontal	348	1.84	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58162G	64.83	83.54	-18.71	60.90	1	Vertical	13	1.60	-	37.63	16.68	50.38			
AV	18.58136G	52.29	63.54	-11.25	48.36	1	Vertical	13	1.60	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57922G	62.95	83.54	-20.59	59.02	1	Horizontal	336	1.47	-	37.63	16.68	50.38			
AV	18.58426G	50.53	63.54	-13.01	46.60	1	Horizontal	336	1.47	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82247G	62.69	88.20	-25.51	56.47	3	Vertical	333	1.80	-	39.62	9.43	42.83			
RMS	12.82754G	50.13	68.20	-18.07	43.89	3	Vertical	333	1.80	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83975G	65.79	88.20	-22.41	59.52	3	Horizontal	292	1.80	-	39.64	9.44	42.81			
RMS	12.82961G	54.03	68.20	-14.17	47.79	3	Horizontal	292	1.80	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.25322G	63.30	83.54	-20.24	59.85	1	Vertical	7	1.82	-	37.60	16.95	51.10			
AV	19.24326G	49.33	63.54	-14.21	45.87	1	Vertical	7	1.82	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24299G	66.93	83.54	-16.61	63.47	1	Horizontal	358	1.82	-	37.60	16.95	51.09			
AV	19.24827G	52.24	63.54	-11.30	48.79	1	Horizontal	358	1.82	-	37.60	16.95	51.10			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07444G	61.95	88.20	-26.25	55.12	3	Vertical	7	1.83	-	39.97	9.53	42.67			
RMS	13.06949G	50.02	68.20	-18.18	43.19	3	Vertical	7	1.83	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06889G	65.03	88.20	-23.17	58.20	3	Horizontal	43	1.80	-	39.97	9.53	42.67			
RMS	13.06853G	52.66	68.20	-15.54	45.83	3	Horizontal	43	1.80	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60338G	63.89	83.54	-19.65	60.63	1	Vertical	217	1.50	-	37.66	17.10	51.50			
AV	19.60314G	48.32	63.54	-15.22	45.06	1	Vertical	217	1.50	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60833G	63.05	83.54	-20.49	59.80	1	Horizontal	325	1.82	-	37.66	17.10	51.51			
AV	19.59822G	48.36	63.54	-15.18	45.10	1	Horizontal	325	1.82	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 98
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38829G	62.31	74.00	-11.69	55.00	3	Vertical	23	1.75	-	40.39	9.66	42.74			
AV	13.38886G	49.91	54.00	-4.09	42.60	3	Vertical	23	1.75	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 98
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38766G	66.29	74.00	-7.71	58.98	3	Horizontal	33	2.13	-	40.39	9.66	42.74			
AV	13.3912G	53.73	54.00	-0.27	46.42	3	Horizontal	33	2.13	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07789G	54.78	83.54	-28.76	51.95	1	Vertical	161	1.76	-	37.46	17.29	51.92			
AV	20.08782G	41.79	63.54	-21.75	38.94	1	Vertical	161	1.76	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08845G	55.05	83.54	-28.49	52.20	1	Horizontal	55	1.79	-	37.47	17.30	51.92			
AV	20.0877G	41.80	63.54	-21.74	38.95	1	Horizontal	55	1.79	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7042G	57.40	88.20	-30.80	42.63	3	Vertical	245	1.76	-	40.30	9.45	34.98			
RMS	13.71254G	44.83	68.20	-23.37	30.05	3	Vertical	245	1.76	-	40.31	9.46	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70352G	57.58	88.20	-30.62	42.81	3	Horizontal	11	2.95	-	40.30	9.45	34.98			
RMS	13.71248G	44.83	68.20	-23.37	30.05	3	Horizontal	11	2.95	-	40.31	9.46	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56749G	62.93	83.54	-20.61	59.50	1	Vertical	349	1.52	-	37.93	17.51	52.01			
AV	20.56731G	50.62	63.54	-12.92	47.19	1	Vertical	349	1.52	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56749G	62.48	83.54	-21.06	59.05	1	Horizontal	20	1.94	-	37.93	17.51	52.01			
AV	20.56734G	50.44	63.54	-13.10	47.01	1	Horizontal	20	1.94	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 84
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	79.43	88.20	-8.77	70.49	3	Vertical	333	1.80	-	35.39	6.36	32.81			
RMS	5.9218G	67.57	68.20	-0.63	58.63	3	Vertical	333	1.80	-	35.39	6.36	32.81			
PK	5.9622G	111.79	Inf	-Inf	102.73	3	Vertical	333	1.80	-	35.50	6.38	32.82			
RMS	5.957G	101.49	Inf	-Inf	92.43	3	Vertical	333	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 84
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9208G	80.08	88.20	-8.12	71.15	3	Horizontal	27	1.95	-	35.38	6.36	32.81			
RMS	5.9206G	66.01	68.20	-2.19	57.08	3	Horizontal	27	1.95	-	35.38	6.36	32.81			
PK	5.9504G	111.24	Inf	-Inf	102.18	3	Horizontal	27	1.95	-	35.50	6.38	32.82			
RMS	5.9538G	100.15	Inf	-Inf	91.09	3	Horizontal	27	1.95	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 86
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93642G	59.07	74.00	-14.93	54.39	3	Vertical	343	1.80	-	38.84	9.07	43.23			
AV	11.93132G	47.85	54.00	-6.15	43.18	3	Vertical	343	1.80	-	38.83	9.07	43.23			
PK	17.89503G	61.01	74.00	-12.99	48.11	3	Vertical	52	1.77	-	42.79	11.46	41.35			
AV	17.8929G	49.49	54.00	-4.51	36.61	3	Vertical	52	1.77	-	42.78	11.46	41.36			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 86
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92838G	58.92	74.00	-15.08	54.25	3	Horizontal	9	1.80	-	38.83	9.07	43.23			
AV	11.93315G	47.36	54.00	-6.64	42.69	3	Horizontal	9	1.80	-	38.83	9.07	43.23			
PK	17.90649G	60.40	74.00	-13.60	47.45	3	Horizontal	334	1.36	-	42.83	11.46	41.34			
AV	17.88786G	49.20	54.00	-4.80	36.34	3	Horizontal	334	1.36	-	42.76	11.46	41.36			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 86
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.8495G	50.64	83.54	-32.90	43.13	1	Vertical	171	1.32	-	38.80	18.97	50.26			
AV	23.85889G	38.40	63.54	-25.14	30.88	1	Vertical	171	1.32	-	38.80	18.98	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 86
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86417G	50.59	83.54	-32.95	43.06	1	Horizontal	318	1.85	-	38.80	18.98	50.25			
AV	23.8651G	38.33	63.54	-25.21	30.80	1	Horizontal	318	1.85	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39797G	63.85	74.00	-10.15	47.17	3	Vertical	360	2.22	-	39.00	9.26	31.58			
AV	12.4076G	52.00	54.00	-2.00	35.31	3	Vertical	360	2.22	-	39.01	9.26	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42311G	62.90	74.00	-11.10	46.19	3	Horizontal	342	1.80	-	39.02	9.27	31.58			
AV	12.40328G	51.19	54.00	-2.81	34.51	3	Horizontal	342	1.80	-	39.00	9.26	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60414G	60.95	83.54	-22.59	57.02	1	Vertical	8	1.80	-	37.64	16.69	50.40			
AV	18.60429G	49.36	63.54	-14.18	45.43	1	Vertical	8	1.80	-	37.64	16.69	50.40			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61461G	62.33	83.54	-21.21	58.40	1	Horizontal	34	1.63	-	37.65	16.69	50.41			
AV	18.60423G	50.31	63.54	-13.23	46.38	1	Horizontal	34	1.63	-	37.64	16.69	50.40			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81144G	65.21	88.20	-22.99	59.02	3	Vertical	92	2.45	-	39.61	9.42	42.84			
RMS	12.80511G	54.20	68.20	-14.00	48.01	3	Vertical	92	2.45	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81138G	65.23	88.20	-22.97	59.04	3	Horizontal	292	2.01	-	39.61	9.42	42.84			
RMS	12.81036G	53.70	68.20	-14.50	47.51	3	Horizontal	292	2.01	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22313G	61.35	83.54	-22.19	57.89	1	Vertical	320	2.31	-	37.59	16.94	51.07			
AV	19.22844G	48.70	63.54	-14.84	45.24	1	Vertical	320	2.31	-	37.59	16.94	51.07			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22865G	61.37	83.54	-22.17	57.91	1	Horizontal	360	1.82	-	37.59	16.94	51.07			
AV	19.22322G	48.97	63.54	-14.57	45.51	1	Horizontal	360	1.82	-	37.59	16.94	51.07			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13384G	63.50	88.20	-24.70	56.56	3	Vertical	32	2.50	-	40.07	9.55	42.68			
RMS	13.12844G	52.99	68.20	-15.21	46.06	3	Vertical	32	2.50	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12868G	63.30	88.20	-24.90	56.37	3	Horizontal	42	1.80	-	40.06	9.55	42.68			
RMS	13.13363G	52.70	68.20	-15.50	45.76	3	Horizontal	42	1.80	-	40.07	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70374G	58.96	83.54	-24.58	55.80	1	Vertical	12	1.55	-	37.62	17.14	51.60			
AV	19.68886G	47.76	63.54	-15.78	44.60	1	Vertical	12	1.55	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7024G	54.35	83.54	-29.19	51.19	1	Horizontal	17	1.80	-	37.62	17.14	51.60			
AV	19.70232G	43.98	63.54	-19.56	40.82	1	Horizontal	17	1.80	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36343G	60.18	74.00	-13.82	52.90	3	Vertical	16	1.80	-	40.36	9.65	42.73			
AV	13.35827G	49.78	54.00	-4.22	42.51	3	Vertical	16	1.80	-	40.36	9.64	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36898G	63.74	74.00	-10.26	56.45	3	Horizontal	27	2.13	-	40.37	9.65	42.73			
AV	13.36589G	53.35	54.00	-0.65	46.06	3	Horizontal	27	2.13	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05738G	50.23	83.54	-33.31	47.41	1	Vertical	1	1.65	-	37.45	17.28	51.91			
AV	20.05734G	39.73	63.54	-23.81	36.91	1	Vertical	1	1.65	-	37.45	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05788G	49.84	83.54	-33.70	47.01	1	Horizontal	37	1.63	-	37.45	17.29	51.91			
AV	20.0613G	39.00	63.54	-24.54	36.17	1	Horizontal	37	1.63	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68884G	57.55	88.20	-30.65	42.79	3	Vertical	107	2.20	-	40.29	9.44	34.97			
RMS	13.68164G	46.46	68.20	-21.74	31.70	3	Vertical	107	2.20	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68158G	57.62	88.20	-30.58	42.86	3	Horizontal	140	1.62	-	40.28	9.44	34.96			
RMS	13.6974G	46.27	68.20	-21.93	31.50	3	Horizontal	140	1.62	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5368G	59.58	83.54	-23.96	56.28	1	Vertical	350	1.50	-	37.82	17.49	52.01			
AV	20.54214G	48.15	63.54	-15.39	44.81	1	Vertical	350	1.50	-	37.85	17.50	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53716G	58.82	83.54	-24.72	55.52	1	Horizontal	262	1.52	-	37.82	17.49	52.01			
AV	20.53167G	48.23	63.54	-15.31	44.96	1	Horizontal	262	1.52	-	37.79	17.49	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 82
01-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	78.02	88.20	-10.18	69.08	3	Vertical	25	1.01	-	35.39	6.36	32.81			
RMS	5.9218G	67.42	68.20	-0.78	58.48	3	Vertical	25	1.01	-	35.39	6.36	32.81			
PK	5.977G	109.81	Inf	-Inf	100.75	3	Vertical	25	1.01	-	35.50	6.39	32.83			
RMS	5.997G	98.94	Inf	-Inf	89.88	3	Vertical	25	1.01	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 82
01-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.21	88.20	-11.99	67.28	3	Horizontal	36	1.80	-	35.38	6.36	32.81			
RMS	5.921G	64.10	68.20	-4.10	55.17	3	Horizontal	36	1.80	-	35.38	6.36	32.81			
PK	6.0158G	107.77	Inf	-Inf	98.67	3	Horizontal	36	1.80	-	35.53	6.41	32.84			
RMS	6.0162G	97.90	Inf	-Inf	88.80	3	Horizontal	36	1.80	-	35.53	6.41	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 82
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96535G	55.32	74.00	-18.68	50.59	3	Vertical	349	2.64	-	38.87	9.09	43.23			
AV	11.96031G	43.06	54.00	-10.94	38.35	3	Vertical	349	2.64	-	38.86	9.08	43.23			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 82
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97993G	54.95	74.00	-19.05	50.20	3	Horizontal	360	1.62	-	38.88	9.09	43.22			
AV	11.96571G	43.50	54.00	-10.50	38.77	3	Horizontal	360	1.62	-	38.87	9.09	43.23			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 73
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.9343G	44.89	83.54	-38.65	37.31	1	Vertical	342	1.80	-	38.80	19.01	50.23			
AV	23.93962G	34.54	63.54	-29.00	26.95	1	Vertical	342	1.80	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 73
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94328G	45.27	83.54	-38.27	37.68	1	Horizontal	21	1.80	-	38.80	19.01	50.22			
AV	23.93946G	34.42	63.54	-29.12	26.83	1	Horizontal	21	1.80	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44262G	61.91	74.00	-12.09	45.17	3	Vertical	359	1.80	-	39.04	9.28	31.58			
AV	12.43791G	50.16	54.00	-3.84	33.42	3	Vertical	359	1.80	-	39.04	9.28	31.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.4608G	62.22	74.00	-11.78	45.47	3	Horizontal	351	1.75	-	39.06	9.28	31.59			
AV	12.45582G	50.53	54.00	-3.47	33.78	3	Horizontal	351	1.75	-	39.06	9.28	31.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67224G	57.85	83.54	-25.69	53.93	1	Vertical	316	1.78	-	37.67	16.72	50.47			
AV	18.68218G	47.37	63.54	-16.17	43.46	1	Vertical	316	1.78	-	37.67	16.72	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66688G	56.63	83.54	-26.91	52.72	1	Horizontal	54	1.80	-	37.67	16.71	50.47			
AV	18.66688G	46.39	63.54	-17.15	42.48	1	Horizontal	54	1.80	-	37.67	16.71	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78353G	56.86	88.20	-31.34	50.75	3	Vertical	172	2.56	-	39.57	9.41	42.87			
RMS	12.75632G	44.77	68.20	-23.43	38.75	3	Vertical	172	2.56	-	39.51	9.40	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78293G	57.33	88.20	-30.87	51.22	3	Horizontal	259	2.88	-	39.57	9.41	42.87			
RMS	12.78161G	44.78	68.20	-23.42	38.68	3	Horizontal	259	2.88	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15276G	56.47	83.54	-27.07	52.98	1	Vertical	0	1.48	-	37.56	16.91	50.98			
AV	19.14748G	45.90	63.54	-17.64	42.41	1	Vertical	0	1.48	-	37.56	16.91	50.98			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14754G	60.15	83.54	-23.39	56.66	1	Horizontal	49	1.54	-	37.56	16.91	50.98			
AV	19.16276G	48.54	63.54	-15.00	45.05	1	Horizontal	49	1.54	-	37.57	16.92	51.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24337G	58.68	88.20	-29.52	51.54	3	Vertical	17	1.80	-	40.24	9.60	42.70			
RMS	13.23785G	46.04	68.20	-22.16	38.90	3	Vertical	17	1.80	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24772G	59.22	88.20	-28.98	52.07	3	Horizontal	323	1.24	-	40.25	9.60	42.70			
RMS	13.24223G	48.07	68.20	-20.13	40.93	3	Horizontal	323	1.24	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86832G	50.63	83.54	-32.91	47.68	1	Vertical	16	1.72	-	37.51	17.21	51.77			
AV	19.87816G	39.87	63.54	-23.67	36.94	1	Vertical	16	1.72	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86706G	51.69	83.54	-31.85	48.74	1	Horizontal	338	1.81	-	37.51	17.21	51.77			
AV	19.86688G	40.15	63.54	-23.39	37.20	1	Horizontal	338	1.81	-	37.51	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40526G	57.22	88.20	-30.98	49.90	3	Vertical	295	2.07	-	40.40	9.66	42.74			
RMS	13.41054G	45.51	68.20	-22.69	38.19	3	Vertical	295	2.07	-	40.40	9.66	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41042G	57.26	88.20	-30.94	49.94	3	Horizontal	92	1.71	-	40.40	9.66	42.74			
RMS	13.42041G	45.30	68.20	-22.90	37.97	3	Horizontal	92	1.71	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11906G	46.86	83.54	-36.68	43.97	1	Vertical	14	1.69	-	37.50	17.31	51.92			
AV	20.11952G	36.16	63.54	-27.38	33.27	1	Vertical	14	1.69	-	37.50	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12418G	45.29	83.54	-38.25	42.40	1	Horizontal	331	1.80	-	37.50	17.31	51.92			
AV	20.11442G	35.07	63.54	-28.47	32.19	1	Horizontal	331	1.80	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55923G	56.17	88.20	-32.03	48.77	3	Vertical	9	2.71	-	40.40	9.72	42.72			
RMS	13.55611G	43.61	68.20	-24.59	36.22	3	Vertical	9	2.71	-	40.40	9.72	42.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57105G	56.03	88.20	-32.17	48.62	3	Horizontal	90	2.19	-	40.40	9.73	42.72			
RMS	13.56667G	43.54	68.20	-24.66	36.13	3	Horizontal	90	2.19	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36344G	49.08	83.54	-34.46	45.98	1	Vertical	1	1.51	-	37.65	17.42	51.97			
AV	20.35824G	38.80	63.54	-24.74	35.71	1	Vertical	1	1.51	-	37.64	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35642G	50.29	83.54	-33.25	47.20	1	Horizontal	345	1.75	-	37.64	17.42	51.97			
AV	20.3614G	39.03	63.54	-24.51	35.94	1	Horizontal	345	1.75	-	37.64	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 85
01-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	81.60	88.20	-6.60	72.68	3	Vertical	330	1.80	-	35.37	6.36	32.81			
RMS	5.9178G	67.74	68.20	-0.46	58.82	3	Vertical	330	1.80	-	35.37	6.36	32.81			
PK	6.0626G	108.44	Inf	-Inf	99.25	3	Vertical	330	1.80	-	35.60	6.43	32.84			
RMS	6.0874G	98.66	Inf	-Inf	89.46	3	Vertical	330	1.80	-	35.60	6.44	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 85
01-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.38	88.20	-9.82	69.45	3	Horizontal	33	1.80	-	35.38	6.36	32.81			
RMS	5.921G	66.97	68.20	-1.23	58.04	3	Horizontal	33	1.80	-	35.38	6.36	32.81			
PK	6.0818G	107.14	Inf	-Inf	97.94	3	Horizontal	33	1.80	-	35.60	6.44	32.84			
RMS	6.0762G	96.45	Inf	-Inf	87.25	3	Horizontal	33	1.80	-	35.60	6.44	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 85
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04589G	52.44	74.00	-21.56	47.68	3	Vertical	31	2.32	-	38.85	9.12	43.21			
AV	12.05597G	41.92	54.00	-12.08	37.17	3	Vertical	31	2.32	-	38.84	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 85
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03605G	53.32	74.00	-20.68	48.56	3	Horizontal	253	1.17	-	38.86	9.11	43.21			
AV	12.0407G	41.97	54.00	-12.03	37.20	3	Horizontal	253	1.17	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 85
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0745G	50.61	83.54	-32.93	46.34	1	Vertical	356	1.59	-	37.50	16.47	49.70			
AV	18.0844G	41.74	63.54	-21.80	37.49	1	Vertical	356	1.59	-	37.50	16.47	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 85
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07264G	50.64	83.54	-32.90	46.37	1	Vertical	351	1.56	-	37.50	16.47	49.70			
AV	18.08276G	40.71	63.54	-22.83	36.46	1	Vertical	351	1.56	-	37.50	16.47	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37867G	55.72	74.00	-18.28	50.68	3	Vertical	359	1.74	-	38.96	9.25	43.17			
AV	12.38122G	45.39	54.00	-8.61	40.35	3	Vertical	359	1.74	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38077G	55.19	74.00	-18.81	50.15	3	Horizontal	7	2.87	-	38.96	9.25	43.17			
AV	12.38098G	45.40	54.00	-8.60	40.36	3	Horizontal	7	2.87	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 85
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54964G	54.80	83.54	-28.74	50.86	1	Vertical	22	1.78	-	37.62	16.67	50.35			
AV	18.54746G	47.02	63.54	-16.52	43.09	1	Vertical	22	1.78	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 85
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54736G	54.74	83.54	-28.80	50.81	1	Horizontal	355	1.77	-	37.62	16.66	50.35			
AV	18.54738G	47.96	63.54	-15.58	44.03	1	Horizontal	355	1.77	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6849G	53.82	74.00	-20.18	48.05	3	Vertical	299	1.20	-	39.37	9.37	42.97			
AV	12.69021G	43.00	54.00	-11.00	37.20	3	Vertical	299	1.20	-	39.38	9.38	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69042G	53.59	74.00	-20.41	47.79	3	Horizontal	249	2.70	-	39.38	9.38	42.96			
AV	12.69438G	43.20	54.00	-10.80	37.39	3	Horizontal	249	2.70	-	39.39	9.38	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03344G	50.22	83.54	-33.32	46.69	1	Vertical	22	1.78	-	37.51	16.86	50.84			
AV	19.02888G	40.91	63.54	-22.63	37.37	1	Vertical	22	1.78	-	37.51	16.86	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04344G	53.75	83.54	-29.79	50.21	1	Horizontal	322	1.80	-	37.52	16.87	50.85			
AV	19.04308G	44.08	63.54	-19.46	40.54	1	Horizontal	322	1.80	-	37.52	16.87	50.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32202G	55.29	74.00	-18.71	48.06	3	Vertical	216	1.89	-	40.32	9.63	42.72			
AV	13.33738G	45.69	54.00	-8.31	38.44	3	Vertical	216	1.89	-	40.34	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33357G	55.92	74.00	-18.08	48.68	3	Horizontal	134	2.98	-	40.33	9.63	42.72			
AV	13.33618G	44.74	54.00	-9.26	37.49	3	Horizontal	134	2.98	-	40.34	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98732G	45.07	83.54	-38.47	42.30	1	Vertical	10	1.80	-	37.41	17.25	51.89			
AV	19.99236G	35.54	63.54	-28.00	32.76	1	Vertical	10	1.80	-	37.41	17.26	51.89			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.9919G	46.76	83.54	-36.78	43.98	1	Horizontal	352	1.66	-	37.41	17.26	51.89			
AV	19.98742G	37.27	63.54	-26.27	34.50	1	Horizontal	352	1.66	-	37.41	17.25	51.89			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	74.34	88.20	-13.86	65.39	3	Vertical	331	1.72	-	35.40	6.36	32.81			
RMS	5.925G	63.34	68.20	-4.86	54.39	3	Vertical	331	1.72	-	35.40	6.36	32.81			
PK	5.9576G	113.73	Inf	-Inf	104.67	3	Vertical	331	1.72	-	35.50	6.38	32.82			
RMS	5.9562G	103.34	Inf	-Inf	94.28	3	Vertical	331	1.72	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	74.00	88.20	-14.20	65.05	3	Horizontal	29	1.92	-	35.40	6.36	32.81			
RMS	5.925G	62.12	68.20	-6.08	53.17	3	Horizontal	29	1.92	-	35.40	6.36	32.81			
PK	5.9542G	113.41	Inf	-Inf	104.35	3	Horizontal	29	1.92	-	35.50	6.38	32.82			
RMS	5.9574G	102.48	Inf	-Inf	93.42	3	Horizontal	29	1.92	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90778G	62.92	74.00	-11.08	58.28	3	Vertical	343	1.80	-	38.81	9.06	43.23			
AV	11.90928G	50.76	54.00	-3.24	46.12	3	Vertical	343	1.80	-	38.81	9.06	43.23			
PK	17.86152G	59.37	74.00	-14.63	46.66	3	Vertical	360	2.91	-	42.68	11.44	41.41			
AV	17.856G	47.92	54.00	-6.08	35.22	3	Vertical	360	2.91	-	42.67	11.44	41.41			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91312G	62.31	74.00	-11.69	57.66	3	Horizontal	13	1.62	-	38.81	9.07	43.23			
AV	11.90877G	49.97	54.00	-4.03	45.33	3	Horizontal	13	1.62	-	38.81	9.06	43.23			
PK	17.86758G	59.95	74.00	-14.05	47.20	3	Horizontal	0	1.80	-	42.70	11.45	41.40			
AV	17.85837G	47.43	54.00	-6.57	34.72	3	Horizontal	0	1.80	-	42.68	11.44	41.41			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81998G	45.58	83.54	-37.96	38.09	1	Vertical	206	1.50	-	38.80	18.96	50.27			
AV	23.81954G	34.18	63.54	-29.36	26.69	1	Vertical	206	1.50	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 94
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81332G	45.08	83.54	-38.46	37.59	1	Horizontal	170	1.49	-	38.80	18.96	50.27			
AV	23.81952G	34.06	63.54	-29.48	26.57	1	Horizontal	170	1.49	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40116G	63.73	74.00	-10.27	47.05	3	Vertical	11	1.66	-	39.00	9.26	31.58			
AV	12.38928G	51.02	54.00	-2.98	34.36	3	Vertical	11	1.66	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39696G	64.43	74.00	-9.57	47.76	3	Horizontal	342	1.79	-	38.99	9.26	31.58			
AV	12.39375G	51.50	54.00	-2.50	34.83	3	Horizontal	342	1.79	-	38.99	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58434G	62.06	83.54	-21.48	58.13	1	Vertical	22	1.77	-	37.63	16.68	50.38			
AV	18.58046G	50.64	63.54	-12.90	46.71	1	Vertical	22	1.77	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58416G	60.75	83.54	-22.79	56.82	1	Horizontal	336	1.47	-	37.63	16.68	50.38			
AV	18.5791G	49.37	63.54	-14.17	45.44	1	Horizontal	336	1.47	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83246G	66.37	88.20	-21.83	60.13	3	Vertical	254	1.53	-	39.63	9.43	42.82			
RMS	12.8297G	53.10	68.20	-15.10	46.86	3	Vertical	254	1.53	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83774G	66.54	88.20	-21.66	60.27	3	Horizontal	20	1.78	-	39.64	9.44	42.81			
RMS	12.8309G	53.15	68.20	-15.05	46.91	3	Horizontal	20	1.78	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24966G	61.38	83.54	-22.16	57.93	1	Vertical	20	1.78	-	37.60	16.95	51.10			
AV	19.246G	49.95	63.54	-13.59	46.50	1	Vertical	20	1.78	-	37.60	16.95	51.10			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24436G	55.85	83.54	-27.69	52.39	1	Horizontal	7	1.80	-	37.60	16.95	51.09			
AV	19.24894G	44.49	63.54	-19.05	41.04	1	Horizontal	7	1.80	-	37.60	16.95	51.10			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07123G	59.80	88.20	-28.40	52.97	3	Vertical	102	1.50	-	39.97	9.53	42.67			
RMS	13.06847G	47.09	68.20	-21.11	40.26	3	Vertical	102	1.50	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07786G	59.33	88.20	-28.87	52.49	3	Horizontal	303	2.86	-	39.98	9.53	42.67			
RMS	13.06973G	46.93	68.20	-21.27	40.10	3	Horizontal	303	2.86	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60053G	54.18	83.54	-29.36	50.92	1	Vertical	139	1.54	-	37.66	17.10	51.50			
AV	19.60839G	43.09	63.54	-20.45	39.84	1	Vertical	139	1.54	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60611G	53.77	83.54	-29.77	50.52	1	Horizontal	206	1.56	-	37.66	17.10	51.51			
AV	19.60891G	43.17	63.54	-20.37	39.92	1	Horizontal	206	1.56	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39873G	60.42	74.00	-13.58	53.10	3	Vertical	307	1.49	-	40.40	9.66	42.74			
AV	13.38853G	47.92	54.00	-6.08	40.61	3	Vertical	307	1.49	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39018G	60.15	74.00	-13.85	52.84	3	Horizontal	252	1.62	-	40.39	9.66	42.74			
AV	13.38709G	47.43	54.00	-6.57	40.13	3	Horizontal	252	1.62	-	40.39	9.65	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08688G	53.70	83.54	-29.84	50.85	1	Vertical	223	1.55	-	37.47	17.30	51.92			
AV	20.08234G	42.49	63.54	-21.05	39.64	1	Vertical	223	1.55	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08626G	53.77	83.54	-29.77	50.92	1	Vertical	204	1.52	-	37.47	17.30	51.92			
AV	20.08205G	42.33	63.54	-21.21	39.48	1	Vertical	204	1.52	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71086G	58.07	88.20	-30.13	43.29	3	Vertical	117	1.78	-	40.31	9.46	34.99			
RMS	13.70974G	46.17	68.20	-22.03	31.40	3	Vertical	117	1.78	-	40.31	9.45	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70674G	57.56	88.20	-30.64	42.79	3	Horizontal	214	1.58	-	40.31	9.45	34.99			
RMS	13.70976G	46.17	68.20	-22.03	31.40	3	Horizontal	214	1.58	-	40.31	9.45	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56704G	60.52	83.54	-23.02	57.09	1	Vertical	268	1.22	-	37.93	17.51	52.01			
AV	20.56461G	50.03	63.54	-13.51	46.60	1	Vertical	268	1.22	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57241G	60.63	83.54	-22.91	57.19	1	Horizontal	215	1.54	-	37.94	17.51	52.01			
AV	20.56389G	50.03	63.54	-13.51	46.60	1	Horizontal	215	1.54	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	81.26	88.20	-6.94	72.32	3	Vertical	331	1.80	-	35.39	6.36	32.81			
RMS	5.925G	68.15	68.20	-0.05	59.20	3	Vertical	331	1.80	-	35.40	6.36	32.81			
PK	5.9686G	110.10	Inf	-Inf	101.05	3	Vertical	331	1.80	-	35.50	6.38	32.83			
RMS	5.9598G	99.53	Inf	-Inf	90.47	3	Vertical	331	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.28	88.20	-9.92	69.33	3	Horizontal	34	1.80	-	35.40	6.36	32.81			
RMS	5.925G	65.94	68.20	-2.26	56.99	3	Horizontal	34	1.80	-	35.40	6.36	32.81			
PK	5.9758G	108.71	Inf	-Inf	99.65	3	Horizontal	34	1.80	-	35.50	6.39	32.83			
RMS	5.9762G	98.52	Inf	-Inf	89.46	3	Horizontal	34	1.80	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94254G	54.68	74.00	-19.32	49.99	3	Vertical	335	1.73	-	38.84	9.08	43.23			
AV	11.94227G	44.63	54.00	-9.37	39.94	3	Vertical	335	1.73	-	38.84	9.08	43.23			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93027G	54.71	74.00	-19.29	50.04	3	Horizontal	129	2.88	-	38.83	9.07	43.23			
AV	11.94263G	45.55	54.00	-8.45	40.86	3	Horizontal	129	2.88	-	38.84	9.08	43.23			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86304G	54.74	83.54	-28.80	47.21	1	Vertical	154	1.98	-	38.80	18.98	50.25			
AV	23.86552G	45.13	63.54	-18.41	37.60	1	Vertical	154	1.98	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86372G	55.34	83.54	-28.20	47.81	1	Horizontal	199	1.43	-	38.80	18.98	50.25			
AV	23.86268G	45.56	63.54	-17.98	38.03	1	Horizontal	199	1.43	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41051G	62.96	74.00	-11.04	46.27	3	Vertical	10	1.72	-	39.01	9.26	31.58			
AV	12.41084G	52.85	54.00	-1.15	36.16	3	Vertical	10	1.72	-	39.01	9.26	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41873G	63.40	74.00	-10.60	46.69	3	Horizontal	350	1.80	-	39.02	9.27	31.58			
AV	12.41066G	51.91	54.00	-2.09	35.22	3	Horizontal	350	1.80	-	39.01	9.26	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62374G	58.12	83.54	-25.42	54.19	1	Vertical	15	1.70	-	37.65	16.70	50.42			
AV	18.6075G	50.71	63.54	-12.83	46.79	1	Vertical	15	1.70	-	37.64	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62478G	56.83	83.54	-26.71	52.90	1	Horizontal	356	1.78	-	37.65	16.70	50.42			
AV	18.60758G	48.98	63.54	-14.56	45.06	1	Horizontal	356	1.78	-	37.64	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80859G	62.96	88.20	-25.24	56.77	3	Vertical	198	1.66	-	39.61	9.42	42.84			
RMS	12.81495G	55.43	68.20	-12.77	49.23	3	Vertical	198	1.66	-	39.61	9.43	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81156G	64.52	88.20	-23.68	58.33	3	Horizontal	19	1.80	-	39.61	9.42	42.84			
RMS	12.8067G	54.17	68.20	-14.03	47.98	3	Horizontal	19	1.80	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21113G	58.89	83.54	-24.65	55.42	1	Vertical	98	1.55	-	37.58	16.94	51.05			
AV	19.21483G	49.53	63.54	-14.01	46.06	1	Vertical	98	1.55	-	37.59	16.94	51.06			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21771G	59.10	83.54	-24.44	55.63	1	Horizontal	156	1.53	-	37.59	16.94	51.06			
AV	19.21421G	49.53	63.54	-14.01	46.06	1	Horizontal	156	1.53	-	37.59	16.94	51.06			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13153G	61.55	88.20	-26.65	54.62	3	Vertical	299	1.44	-	40.06	9.55	42.68			
RMS	13.13111G	51.20	68.20	-17.00	44.27	3	Vertical	299	1.44	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13129G	60.89	88.20	-27.31	53.96	3	Horizontal	50	1.18	-	40.06	9.55	42.68			
RMS	13.12685G	50.71	68.20	-17.49	43.79	3	Horizontal	50	1.18	-	40.05	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69293G	43.92	83.54	-39.62	40.76	1	Vertical	26	1.58	-	37.62	17.13	51.59			
AV	19.69428G	33.96	63.54	-29.58	30.80	1	Vertical	26	1.58	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69563G	43.93	83.54	-39.61	40.77	1	Horizontal	137	1.52	-	37.62	17.14	51.60			
AV	19.69237G	34.18	63.54	-29.36	31.02	1	Horizontal	137	1.52	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36739G	60.00	74.00	-14.00	52.71	3	Vertical	270	1.68	-	40.37	9.65	42.73			
AV	13.36745G	50.52	54.00	-3.48	43.23	3	Vertical	270	1.68	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36742G	60.18	74.00	-13.82	52.89	3	Horizontal	237	1.52	-	40.37	9.65	42.73			
AV	13.36388G	50.49	54.00	-3.51	43.21	3	Horizontal	237	1.52	-	40.36	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0501G	43.60	83.54	-39.94	40.79	1	Vertical	305	1.54	-	37.44	17.28	51.91			
AV	20.05331G	33.73	63.54	-29.81	30.92	1	Vertical	305	1.54	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05681G	44.18	83.54	-39.36	41.36	1	Horizontal	335	1.51	-	37.45	17.28	51.91			
AV	20.0547G	33.87	63.54	-29.67	31.06	1	Horizontal	335	1.51	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68638G	57.88	88.20	-30.32	43.12	3	Vertical	69	1.68	-	40.29	9.44	34.97			
RMS	13.68744G	47.41	68.20	-20.79	32.65	3	Vertical	69	1.68	-	40.29	9.44	34.97			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.685G	57.57	88.20	-30.63	42.82	3	Horizontal	69	2.45	-	40.28	9.44	34.97			
RMS	13.68214G	47.77	68.20	-20.43	33.01	3	Horizontal	69	2.45	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54763G	57.86	83.54	-25.68	54.48	1	Vertical	355	1.59	-	37.89	17.50	52.01			
AV	20.53344G	48.59	63.54	-14.95	45.31	1	Vertical	355	1.59	-	37.80	17.49	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54739G	58.15	83.54	-25.39	54.78	1	Horizontal	10	1.50	-	37.88	17.50	52.01			
AV	20.54244G	48.81	63.54	-14.73	45.47	1	Horizontal	10	1.50	-	37.85	17.50	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.10	88.20	-9.10	70.16	3	Vertical	27	1.79	-	35.39	6.36	32.81			
RMS	5.925G	67.85	68.20	-0.35	58.90	3	Vertical	27	1.79	-	35.40	6.36	32.81			
PK	6.0158G	107.51	Inf	-Inf	98.41	3	Vertical	27	1.79	-	35.53	6.41	32.84			
RMS	5.9922G	97.57	Inf	-Inf	88.51	3	Vertical	27	1.79	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	77.89	88.20	-10.31	68.96	3	Horizontal	32	1.80	-	35.38	6.36	32.81			
RMS	5.9226G	66.48	68.20	-1.72	57.54	3	Horizontal	32	1.80	-	35.39	6.36	32.81			
PK	6.0154G	107.23	Inf	-Inf	98.13	3	Horizontal	32	1.80	-	35.53	6.41	32.84			
RMS	6.0162G	96.84	Inf	-Inf	87.74	3	Horizontal	32	1.80	-	35.53	6.41	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97891G	55.02	74.00	-18.98	50.27	3	Vertical	38	1.97	-	38.88	9.09	43.22			
AV	11.9787G	46.64	54.00	-7.36	41.89	3	Vertical	38	1.97	-	38.88	9.09	43.22			
PK	17.94681G	60.30	74.00	-13.70	47.06	3	Vertical	353	2.71	-	43.03	11.48	41.27			
AV	17.95836G	51.00	54.00	-3.00	37.68	3	Vertical	353	2.71	-	43.09	11.48	41.25			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97939G	55.71	74.00	-18.29	50.96	3	Horizontal	50	1.87	-	38.88	9.09	43.22			
AV	11.97864G	46.42	54.00	-7.58	41.67	3	Horizontal	50	1.87	-	38.88	9.09	43.22			
PK	17.94432G	60.89	74.00	-13.11	47.67	3	Horizontal	295	1.03	-	43.02	11.48	41.28			
AV	17.95944G	51.02	54.00	-2.98	37.69	3	Horizontal	295	1.03	-	43.10	11.48	41.25			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.95449G	44.92	83.54	-38.62	40.56	1	Vertical	135	1.54	-	37.41	16.42	49.47			
AV	17.95046G	35.53	63.54	-28.01	31.17	1	Vertical	135	1.54	-	37.40	16.42	49.46			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.95816G	45.66	83.54	-37.88	41.31	1	Horizontal	219	1.57	-	37.41	16.42	49.48			
AV	17.95129G	35.58	63.54	-27.96	31.23	1	Horizontal	219	1.57	-	37.40	16.42	49.47			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.46026G	61.62	74.00	-12.38	44.87	3	Vertical	10	1.65	-	39.06	9.28	31.59			
AV	12.46032G	52.29	54.00	-1.71	35.54	3	Vertical	10	1.65	-	39.06	9.28	31.59			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.46119G	62.14	74.00	-11.86	45.39	3	Horizontal	352	1.78	-	39.06	9.28	31.59			
AV	12.46041G	52.09	54.00	-1.91	35.34	3	Horizontal	352	1.78	-	39.06	9.28	31.59			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67383G	44.95	83.54	-38.59	41.03	1	Vertical	329	1.56	-	37.67	16.72	50.47			
AV	18.67164G	34.87	63.54	-28.67	30.95	1	Vertical	329	1.56	-	37.67	16.72	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67537G	45.06	83.54	-38.48	41.15	1	Horizontal	46	1.52	-	37.67	16.72	50.48			
AV	18.67575G	35.05	63.54	-28.49	31.14	1	Horizontal	46	1.52	-	37.67	16.72	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77918G	55.73	88.20	-32.47	49.63	3	Vertical	287	2.46	-	39.56	9.41	42.87			
RMS	12.75938G	46.84	68.20	-21.36	40.81	3	Vertical	287	2.46	-	39.52	9.40	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78191G	55.70	88.20	-32.50	49.60	3	Horizontal	233	2.46	-	39.56	9.41	42.87			
RMS	12.75935G	46.77	68.20	-21.43	40.74	3	Horizontal	233	2.46	-	39.52	9.40	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15234G	44.48	83.54	-39.06	40.99	1	Vertical	148	1.56	-	37.56	16.91	50.98			
AV	19.1542G	34.53	63.54	-29.01	31.05	1	Vertical	148	1.56	-	37.56	16.91	50.99			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15429G	43.92	83.54	-39.62	40.44	1	Horizontal	99	1.56	-	37.56	16.91	50.99			
AV	19.15612G	34.95	63.54	-28.59	31.47	1	Horizontal	99	1.56	-	37.56	16.91	50.99			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24622G	56.45	88.20	-31.75	49.30	3	Vertical	124	2.23	-	40.25	9.60	42.70			
RMS	13.23626G	47.03	68.20	-21.17	39.90	3	Vertical	124	2.23	-	40.24	9.59	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23716G	56.10	88.20	-32.10	48.97	3	Horizontal	101	2.21	-	40.24	9.59	42.70			
RMS	13.23947G	47.42	68.20	-20.78	40.28	3	Horizontal	101	2.21	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87141G	44.31	83.54	-39.23	41.37	1	Vertical	240	1.52	-	37.50	17.21	51.77			
AV	19.87995G	33.93	63.54	-29.61	31.00	1	Vertical	240	1.52	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87462G	43.96	83.54	-39.58	41.02	1	Horizontal	221	1.54	-	37.50	17.21	51.77			
AV	19.87057G	34.06	63.54	-29.48	31.12	1	Horizontal	221	1.54	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4166G	56.40	88.20	-31.80	49.07	3	Vertical	333	1.97	-	40.40	9.67	42.74			
RMS	13.42032G	48.65	68.20	-19.55	41.32	3	Vertical	333	1.97	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41723G	55.90	88.20	-32.30	48.57	3	Horizontal	40	2.70	-	40.40	9.67	42.74			
RMS	13.42011G	47.97	68.20	-20.23	40.64	3	Horizontal	40	2.70	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11011G	43.70	83.54	-39.84	40.82	1	Vertical	109	1.57	-	37.49	17.31	51.92			
AV	20.11697G	33.82	63.54	-29.72	30.94	1	Vertical	109	1.57	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11203G	44.02	83.54	-39.52	41.14	1	Horizontal	134	1.52	-	37.49	17.31	51.92			
AV	20.11432G	33.82	63.54	-29.72	30.94	1	Horizontal	134	1.52	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56256G	56.59	88.20	-31.61	49.18	3	Vertical	331	1.07	-	40.40	9.73	42.72			
RMS	13.5595G	48.02	68.20	-20.18	40.62	3	Vertical	331	1.07	-	40.40	9.72	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56973G	55.91	88.20	-32.29	48.50	3	Horizontal	237	2.70	-	40.40	9.73	42.72			
RMS	13.56298G	45.96	68.20	-22.24	38.55	3	Horizontal	237	2.70	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35479G	44.14	83.54	-39.40	41.06	1	Vertical	142	1.52	-	37.64	17.41	51.97			
AV	20.35514G	34.21	63.54	-29.33	31.13	1	Vertical	142	1.52	-	37.64	17.41	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3525G	43.73	83.54	-39.81	40.65	1	Horizontal	149	1.50	-	37.64	17.41	51.97			
AV	20.35615G	34.20	63.54	-29.34	31.12	1	Horizontal	149	1.50	-	37.64	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	81.33	88.20	-6.87	72.41	3	Vertical	332	1.80	-	35.37	6.36	32.81			
RMS	5.9178G	67.84	68.20	-0.36	58.92	3	Vertical	332	1.80	-	35.37	6.36	32.81			
PK	6.101G	105.76	Inf	-Inf	96.55	3	Vertical	332	1.80	-	35.60	6.45	32.84			
RMS	6.1002G	96.42	Inf	-Inf	87.21	3	Vertical	332	1.80	-	35.60	6.45	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	79.35	88.20	-8.85	70.45	3	Horizontal	347	1.92	-	35.34	6.36	32.80			
RMS	5.9082G	65.50	68.20	-2.70	56.62	3	Horizontal	347	1.92	-	35.33	6.35	32.80			
PK	6.0906G	105.61	Inf	-Inf	96.40	3	Horizontal	347	1.92	-	35.60	6.45	32.84			
RMS	6.0506G	96.31	Inf	-Inf	87.12	3	Horizontal	347	1.92	-	35.60	6.43	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06353G	52.97	74.00	-21.03	48.21	3	Vertical	151	1.26	-	38.84	9.13	43.21			
AV	12.04022G	43.63	54.00	-10.37	38.86	3	Vertical	151	1.26	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05819G	53.36	74.00	-20.64	48.61	3	Horizontal	263	1.31	-	38.84	9.12	43.21			
AV	12.04424G	43.71	54.00	-10.29	38.94	3	Horizontal	263	1.31	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07758G	45.12	83.54	-38.42	40.86	1	Vertical	219	1.50	-	37.50	16.47	49.71			
AV	18.07803G	35.90	63.54	-27.64	31.64	1	Vertical	219	1.50	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07749G	45.15	83.54	-38.39	40.89	1	Horizontal	153	1.58	-	37.50	16.47	49.71			
AV	18.07751G	35.71	63.54	-27.83	31.45	1	Horizontal	153	1.58	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37888G	57.17	74.00	-16.83	52.13	3	Vertical	175	1.05	-	38.96	9.25	43.17			
AV	12.37873G	48.12	54.00	-5.88	43.08	3	Vertical	175	1.05	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37879G	56.82	74.00	-17.18	51.78	3	Horizontal	292	1.70	-	38.96	9.25	43.17			
AV	12.37876G	48.54	54.00	-5.46	43.50	3	Horizontal	292	1.70	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55675G	44.99	83.54	-38.55	41.06	1	Vertical	170	1.58	-	37.62	16.67	50.36			
AV	18.55198G	35.47	63.54	-28.07	31.53	1	Vertical	170	1.58	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55794G	44.52	83.54	-39.02	40.59	1	Horizontal	234	1.54	-	37.62	16.67	50.36			
AV	18.55711G	35.23	63.54	-28.31	31.30	1	Horizontal	234	1.54	-	37.62	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70251G	54.82	88.20	-33.38	48.98	3	Vertical	72	1.33	-	39.41	9.38	42.95			
RMS	12.70296G	45.69	68.20	-22.51	39.85	3	Vertical	72	1.33	-	39.41	9.38	42.95			

5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70104G	55.61	88.20	-32.59	49.78	3	Horizontal	169	2.01	-	39.40	9.38	42.95			
RMS	12.70239G	45.27	68.20	-22.93	39.44	3	Horizontal	169	2.01	-	39.40	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03362G	44.49	83.54	-39.05	40.96	1	Vertical	330	1.50	-	37.51	16.86	50.84			
AV	19.03198G	34.94	63.54	-28.60	31.41	1	Vertical	330	1.50	-	37.51	16.86	50.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03037G	44.30	83.54	-39.24	40.77	1	Horizontal	32	1.50	-	37.51	16.86	50.84			
AV	19.03292G	34.68	63.54	-28.86	31.15	1	Horizontal	32	1.50	-	37.51	16.86	50.84			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33894G	55.51	74.00	-18.49	48.25	3	Vertical	169	1.79	-	40.34	9.64	42.72			
AV	13.33351G	46.00	54.00	-8.00	38.76	3	Vertical	169	1.79	-	40.33	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34401G	55.06	74.00	-18.94	47.81	3	Horizontal	152	2.06	-	40.34	9.64	42.73			
AV	13.3387G	46.01	54.00	-7.99	38.75	3	Horizontal	152	2.06	-	40.34	9.64	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99703G	43.69	83.54	-39.85	40.93	1	Vertical	256	1.51	-	37.40	17.26	51.90			
AV	19.99806G	33.74	63.54	-29.80	30.98	1	Vertical	256	1.51	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX



EUT Y_4TX
Setting 108
01-R-R-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99745G	43.91	83.54	-39.63	41.15	1	Horizontal	171	1.58	-	37.40	17.26	51.90			
AV	19.9964G	33.67	63.54	-29.87	30.91	1	Horizontal	171	1.58	-	37.40	17.26	51.90			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.415825G	-0.71	6.42935G	-30.67	-22.76	-7.91	3
6.412451G	0.00	6.3977G	-32.17	-24.76	-7.41	4

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538649G	-0.24	6.552525G	-32.77	-24.66	-8.11	3
6.53445G	-0.73	6.516575G	-32.73	-26.09	-6.64	4

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.696225G	-0.91	6.7115G	-32.90	-24.57	-8.33	3
6.692751G	-0.22	6.67725G	-32.25	-25.18	-7.07	4

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852551G	-0.72	6.837875G	-32.38	-24.10	-8.28	3
6.856125G	-0.42	6.83885G	-31.70	-24.06	-7.64	4

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962501G	1.27	5.94385G	-25.56	-18.74	-6.82	3
5.971298G	0.70	5.92755G	-32.37	-25.36	-7.01	4

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.207499G	1.14	6.18375G	-26.57	-18.89	-7.68	3
6.199901G	1.06	6.2413G	-33.07	-24.81	-8.26	4

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3996G	0.55	6.2608G	-46.56	-39.45	-7.11	3
6.3728G	1.04	6.3436G	-25.76	-18.97	-6.79	4

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6421G	0.49	6.752G	-46.33	-39.51	-6.82	3
6.6152G	1.12	6.5833G	-25.47	-18.88	-6.59	4

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

01/09/2023

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99961G	1.42	5.7724G	-44.14	-38.58	-5.56	3
5.99601G	1.69	6.2758G	-43.38	-38.31	-5.07	4


5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

01/09/2023

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20979G	1.30	5.9192G	-42.86	-38.70	-4.16	3
6.20879G	0.96	5.9258G	-39.48	-39.04	-0.44	4

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32001G	0.93	5.9806G	-43.43	-39.07	-4.36	3
6.31261G	1.84	6.1G	-43.19	-38.08	-5.11	4

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69199G	1.21	6.9608G	-43.34	-38.79	-4.55	3
6.63901G	2.12	6.4188G	-43.14	-37.79	-5.35	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

05/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

05/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

05/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417499G	7.07	6.396G	-23.01	-13.23	-9.78	1
6.417524G	6.98	6.398675G	-21.04	-14.21	-6.83	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

01/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538674G	6.99	6.5168G	-20.73	-13.08	-7.65	1
6.536175G	7.03	6.517475G	-20.72	-14.03	-6.69	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

01/09/2023

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.696125G	7.27	6.678225G	-20.97	-12.98	-7.99	1
6.69615G	6.64	6.676325G	-21.77	-15.05	-6.72	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

01/09/2023

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849426G	7.33	6.8374G	-20.29	-12.78	-7.51	1
6.860049G	6.14	6.87325G	-22.83	-16.49	-6.34	2

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

05/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.398752G	6.39	6.3724G	-21.82	-17.33	-4.49	1
6.410849G	6.28	6.37185G	-22.00	-14.35	-7.65	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.553703G	6.58	6.52555G	-20.67	-13.42	-7.25	1
6.571298G	5.81	6.5272G	-24.11	-19.83	-4.28	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689899G	6.33	6.64725G	-21.70	-14.09	-7.61	1
6.681151G	6.18	6.7274G	-24.16	-14.29	-9.87	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

01/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.841251G	6.75	6.80415G	-22.47	-13.32	-9.15	1
6.853548G	5.10	6.80895G	-23.37	-15.56	-7.81	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

05/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

01/09/2023



6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

01/09/2023

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6912G	6.31	6.6335G	-21.33	-13.94	-7.39	1
6.719G	5.41	6.7764G	-21.44	-15.19	-6.25	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

01/09/2023

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7777G	6.20	6.8618G	-21.45	-14.31	-7.14	1
6.7715G	5.53	6.7116G	-21.76	-15.27	-6.49	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

05/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04979G	5.11	6.1696G	-20.88	-15.17	-5.71	1
6.05299G	4.52	6.17G	-22.42	-16.00	-6.42	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

01/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16181G	8.53	6.0086G	-18.69	-11.52	-7.17	1
6.20959G	7.64	6.0156G	-18.75	-12.36	-6.39	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

01/09/2023

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31721G	7.31	6.1872G	-21.84	-12.70	-9.14	1
6.31861G	7.97	6.5042G	-20.33	-12.04	-8.29	2

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

01/09/2023

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63681G	8.31	6.4816G	-19.61	-11.78	-7.83	1
6.63921G	7.49	6.4866G	-20.14	-12.54	-7.60	2

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

01/09/2023

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690001G	1.50	6.68095G	-28.50	-20.22	-8.28	1
6.697699G	0.77	6.712675G	-31.76	-24.02	-7.74	2
6.696025G	1.89	6.68G	-29.64	-20.48	-9.16	3
6.692351G	1.34	6.67715G	-31.57	-23.37	-8.20	4


6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

01/09/2023

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.855625G	1.62	6.841475G	-28.51	-19.70	-8.81	1
6.852426G	0.47	6.837225G	-32.70	-24.69	-8.01	2
6.8535G	1.56	6.839675G	-30.51	-21.31	-9.20	3
6.8561G	0.92	6.838675G	-30.76	-22.90	-7.86	4


5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

01/09/2023

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96375G	3.09	6.0259G	-44.92	-36.91	-8.01	1
5.951303G	3.21	6.0264G	-44.87	-36.71	-8.16	2
5.947604G	3.74	6.0276G	-43.77	-36.01	-7.76	3
5.971698G	3.26	6.02525G	-44.66	-36.74	-7.92	4


5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

01/09/2023

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202351G	1.98	6.1711G	-31.21	-22.99	-8.22	1
6.200001G	2.10	6.23085G	-27.82	-19.62	-8.20	2
6.200001G	5.05	6.171G	-27.08	-19.08	-8.00	3
6.201351G	1.69	6.1837G	-25.62	-18.36	-7.26	4


5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

01/09/2023

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401001G	3.21	6.3734G	-29.02	-20.34	-8.68	1
6.411048G	3.17	6.36985G	-30.22	-22.42	-7.80	2
6.398002G	3.55	6.33655G	-46.49	-36.18	-10.31	3
6.408399G	2.93	6.38355G	-25.40	-17.11	-8.29	4


6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

01/09/2023

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568649G	2.91	6.53335G	-28.16	-19.96	-8.20	1
6.561601G	2.42	6.5357G	-28.91	-20.65	-8.26	2
6.561151G	3.12	6.53405G	-29.43	-20.75	-8.68	3
6.560951G	3.63	6.53405G	-28.60	-20.17	-8.43	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

01/09/2023



5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

01/09/2023

