


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56484G	58.14	88.20	-30.06	50.73	3	Vertical	27	1.80	-	40.40	9.73	42.72			
RMS	13.58005G	47.63	68.20	-20.57	40.21	3	Vertical	27	1.80	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57897G	57.83	88.20	-30.37	50.41	3	Horizontal	321	1.25	-	40.40	9.73	42.71			
RMS	13.58014G	47.40	68.20	-20.80	39.98	3	Horizontal	321	1.25	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35764G	46.31	83.54	-37.23	43.22	1	Vertical	359	1.07	-	37.64	17.42	51.97			
AV	20.35861G	35.26	63.54	-28.28	32.17	1	Vertical	359	1.07	-	37.64	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35729G	46.40	83.54	-37.14	43.31	1	Horizontal	79	2.86	-	37.64	17.42	51.97			
AV	20.35666G	35.14	63.54	-28.40	32.05	1	Horizontal	79	2.86	-	37.64	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	77.80	88.20	-10.40	68.89	3	Vertical	350	1.80	-	35.36	6.36	32.81			
RMS	5.9154G	67.52	68.20	-0.68	58.61	3	Vertical	350	1.80	-	35.36	6.36	32.81			
PK	6.077G	107.99	Inf	-Inf	98.79	3	Vertical	350	1.80	-	35.60	6.44	32.84			
RMS	6.0874G	98.26	Inf	-Inf	89.06	3	Vertical	350	1.80	-	35.60	6.44	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	82.07	88.20	-6.13	73.15	3	Horizontal	360	2.08	-	35.37	6.36	32.81			
RMS	5.921G	67.90	68.20	-0.30	58.97	3	Horizontal	360	2.08	-	35.38	6.36	32.81			
PK	6.0866G	111.90	Inf	-Inf	102.70	3	Horizontal	360	2.08	-	35.60	6.44	32.84			
RMS	6.0458G	100.34	Inf	-Inf	91.17	3	Horizontal	360	2.08	-	35.59	6.42	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 79
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04799G	54.36	74.00	-19.64	49.60	3	Vertical	359	1.80	-	38.85	9.12	43.21			
AV	12.04472G	44.36	54.00	-9.64	39.59	3	Vertical	359	1.80	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04295G	54.10	74.00	-19.90	49.33	3	Horizontal	358	1.14	-	38.86	9.12	43.21			
AV	12.04298G	43.99	54.00	-10.01	39.22	3	Horizontal	358	1.14	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08388G	50.67	83.54	-32.87	46.42	1	Vertical	345	1.76	-	37.50	16.47	49.72			
AV	18.0786G	39.77	63.54	-23.77	35.51	1	Vertical	345	1.76	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06204G	46.92	83.54	-36.62	42.64	1	Horizontal	24	1.50	-	37.50	16.47	49.69			
AV	18.08256G	35.64	63.54	-27.90	31.39	1	Horizontal	24	1.50	-	37.50	16.47	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.379G	57.23	74.00	-16.77	52.19	3	Vertical	330	1.65	-	38.96	9.25	43.17			
AV	12.3787G	48.72	54.00	-5.28	43.68	3	Vertical	330	1.65	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37864G	57.54	74.00	-16.46	52.50	3	Horizontal	343	1.80	-	38.96	9.25	43.17			
AV	12.37864G	48.31	54.00	-5.69	43.27	3	Horizontal	343	1.80	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55998G	59.67	83.54	-23.87	55.74	1	Vertical	332	1.50	-	37.62	16.67	50.36			
AV	18.555G	49.55	63.54	-13.99	45.61	1	Vertical	332	1.50	-	37.62	16.67	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54867G	62.07	83.54	-21.47	58.14	1	Horizontal	6	1.50	-	37.62	16.66	50.35			
AV	18.55827G	51.53	63.54	-12.01	47.60	1	Horizontal	6	1.50	-	37.62	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68538G	58.18	74.00	-15.82	52.40	3	Vertical	7	1.80	-	39.37	9.37	42.96			
AV	12.69864G	48.99	54.00	-5.01	43.16	3	Vertical	7	1.80	-	39.40	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68049G	56.52	74.00	-17.48	50.76	3	Horizontal	330	1.80	-	39.36	9.37	42.97			
AV	12.67554G	48.39	54.00	-5.61	42.64	3	Horizontal	330	1.80	-	39.35	9.37	42.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02909G	59.10	83.54	-24.44	55.56	1	Vertical	360	1.50	-	37.51	16.86	50.83			
AV	19.03095G	49.81	63.54	-13.73	46.28	1	Vertical	360	1.50	-	37.51	16.86	50.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02852G	62.87	83.54	-20.67	59.33	1	Horizontal	32.3	1.88	-	37.51	16.86	50.83			
AV	19.04406G	52.07	63.54	-11.47	48.53	1	Horizontal	32.3	1.88	-	37.52	16.87	50.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33504G	55.72	74.00	-18.28	48.47	3	Vertical	329	1.80	-	40.34	9.63	42.72			
AV	13.34449G	46.58	54.00	-7.42	39.33	3	Vertical	329	1.80	-	40.34	9.64	42.73			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3237G	55.89	74.00	-18.11	48.66	3	Horizontal	333	1.80	-	40.32	9.63	42.72			
AV	13.34422G	46.64	54.00	-7.36	39.39	3	Horizontal	333	1.80	-	40.34	9.64	42.73			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98693G	48.87	83.54	-34.67	46.10	1	Vertical	3	1.50	-	37.41	17.25	51.89			
AV	19.9875G	37.47	63.54	-26.07	34.70	1	Vertical	3	1.50	-	37.41	17.25	51.89			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98183G	48.26	83.54	-35.28	45.48	1	Horizontal	357	1.50	-	37.41	17.25	51.88			
AV	19.98684G	37.43	63.54	-26.11	34.66	1	Horizontal	357	1.50	-	37.41	17.25	51.89			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 93
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	77.53	88.20	-10.67	68.58	3	Vertical	355	1.80	-	35.40	6.36	32.81			
RMS	5.925G	66.04	68.20	-2.16	57.09	3	Vertical	355	1.80	-	35.40	6.36	32.81			
PK	5.9572G	117.07	Inf	-Inf	108.01	3	Vertical	355	1.80	-	35.50	6.38	32.82			
RMS	5.9574G	106.96	Inf	-Inf	97.90	3	Vertical	355	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 93
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.84	88.20	-9.36	69.89	3	Horizontal	3	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.87	68.20	-0.33	58.92	3	Horizontal	3	1.80	-	35.40	6.36	32.81			
PK	5.9582G	119.90	Inf	-Inf	110.84	3	Horizontal	3	1.80	-	35.50	6.38	32.82			
RMS	5.9538G	108.94	Inf	-Inf	99.88	3	Horizontal	3	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 87
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91003G	57.19	74.00	-16.81	52.55	3	Vertical	19	1.72	-	38.81	9.06	43.23			
AV	11.90598G	46.67	54.00	-7.33	42.04	3	Vertical	19	1.72	-	38.81	9.06	43.24			
PK	17.85795G	62.34	74.00	-11.66	49.64	3	Vertical	355	1.80	-	42.67	11.44	41.41			
AV	17.85966G	51.28	54.00	-2.72	38.57	3	Vertical	355	1.80	-	42.68	11.44	41.41			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 87
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90637G	56.95	74.00	-17.05	52.31	3	Horizontal	64	1.80	-	38.81	9.06	43.23			
AV	11.90856G	46.01	54.00	-7.99	41.37	3	Horizontal	64	1.80	-	38.81	9.06	43.23			
PK	17.8704G	65.12	74.00	-8.88	52.35	3	Horizontal	22	1.35	-	42.71	11.45	41.39			
AV	17.86521G	53.94	54.00	-0.06	41.19	3	Horizontal	22	1.35	-	42.70	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 87
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81193G	48.55	74.00	-25.45	41.08	1	Vertical	273	1.20	-	38.80	18.95	50.28			
AV	23.8332G	35.55	54.00	-18.45	28.06	1	Vertical	273	1.20	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 87
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80836G	47.65	74.00	-26.35	40.18	1	Horizontal	76	1.56	-	38.80	18.95	50.28			
AV	23.81907G	35.53	54.00	-18.47	28.04	1	Horizontal	76	1.56	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34628G	62.07	74.00	-11.93	57.11	3	Vertical	346	1.73	-	38.89	9.24	43.17			
AV	12.34883G	51.19	54.00	-2.81	46.22	3	Vertical	346	1.73	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34643G	62.56	74.00	-11.44	57.60	3	Horizontal	343	1.80	-	38.89	9.24	43.17			
AV	12.34826G	52.90	54.00	-1.10	47.93	3	Horizontal	343	1.80	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.52569G	66.56	83.54	-16.98	62.62	1	Vertical	331	1.49	-	37.61	16.66	50.33			
AV	18.52845G	51.40	63.54	-12.14	47.46	1	Vertical	331	1.49	-	37.61	16.66	50.33			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.52794G	66.98	83.54	-16.56	63.04	1	Horizontal	6	1.50	-	37.61	16.66	50.33			
AV	18.52947G	55.20	63.54	-8.34	51.26	1	Horizontal	6	1.50	-	37.61	16.66	50.33			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82907G	65.44	88.20	-22.76	59.20	3	Vertical	1	1.80	-	39.63	9.43	42.82			
RMS	12.83225G	52.87	68.20	-15.33	46.63	3	Vertical	1	1.80	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82874G	64.09	88.20	-24.11	57.85	3	Horizontal	28	1.79	-	39.63	9.43	42.82			
RMS	12.82862G	54.51	68.20	-13.69	48.27	3	Horizontal	28	1.79	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24659G	67.38	83.54	-16.16	63.93	1	Vertical	359	1.56	-	37.60	16.95	51.10			
AV	19.24281G	54.39	63.54	-9.15	50.93	1	Vertical	359	1.56	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24908G	65.24	83.54	-18.30	61.79	1	Horizontal	351	1.50	-	37.60	16.95	51.10			
AV	19.24083G	53.18	63.54	-10.36	49.72	1	Horizontal	351	1.50	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07717G	60.44	88.20	-27.76	53.60	3	Vertical	335	1.77	-	39.98	9.53	42.67			
RMS	13.06838G	49.75	68.20	-18.45	42.92	3	Vertical	335	1.77	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07021G	61.87	88.20	-26.33	55.04	3	Horizontal	335	1.80	-	39.97	9.53	42.67			
RMS	13.06832G	51.41	68.20	-16.79	44.58	3	Horizontal	335	1.80	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61106G	61.56	83.54	-21.98	58.31	1	Vertical	335	1.52	-	37.66	17.10	51.51			
AV	19.60077G	49.34	63.54	-14.20	46.08	1	Vertical	335	1.52	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6062G	62.65	83.54	-20.89	59.40	1	Horizontal	357	1.50	-	37.66	17.10	51.51			
AV	19.60386G	50.08	63.54	-13.46	46.82	1	Horizontal	357	1.50	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39717G	57.96	74.00	-16.04	50.64	3	Vertical	33	1.79	-	40.40	9.66	42.74			
AV	13.38982G	46.37	54.00	-7.63	39.06	3	Vertical	33	1.79	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39192G	58.17	74.00	-15.83	50.86	3	Horizontal	332	1.78	-	40.39	9.66	42.74			
AV	13.38853G	48.21	54.00	-5.79	40.90	3	Horizontal	332	1.78	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09127G	67.10	83.54	-16.44	64.25	1	Vertical	18	1.47	-	37.47	17.30	51.92			
AV	20.08317G	54.17	63.54	-9.37	51.32	1	Vertical	18	1.47	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08743G	68.17	83.54	-15.37	65.32	1	Horizontal	23	1.45	-	37.47	17.30	51.92			
AV	20.08374G	55.69	63.54	-7.85	52.84	1	Horizontal	23	1.45	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70271G	57.92	88.20	-30.28	43.15	3	Vertical	29	2.50	-	40.30	9.45	34.98			
RMS	13.70313G	46.79	68.20	-21.41	32.02	3	Vertical	29	2.50	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70976G	57.69	88.20	-30.51	42.92	3	Horizontal	99	2.80	-	40.31	9.45	34.99			
RMS	13.72401G	46.47	68.20	-21.73	31.69	3	Horizontal	99	2.80	-	40.32	9.46	35.00			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56689G	60.88	83.54	-22.66	57.45	1	Vertical	24	1.50	-	37.93	17.51	52.01			
AV	20.56455G	49.80	63.54	-13.74	46.37	1	Vertical	24	1.50	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56083G	62.23	83.54	-21.31	58.82	1	Horizontal	55	1.53	-	37.92	17.50	52.01			
AV	20.56779G	51.68	63.54	-11.86	48.24	1	Horizontal	55	1.53	-	37.94	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 79
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	76.99	88.20	-11.21	68.05	3	Vertical	352	1.79	-	35.39	6.36	32.81			
RMS	5.925G	64.71	68.20	-3.49	55.76	3	Vertical	352	1.79	-	35.40	6.36	32.81			
PK	5.9608G	111.98	Inf	-Inf	102.92	3	Vertical	352	1.79	-	35.50	6.38	32.82			
RMS	5.9674G	102.05	Inf	-Inf	93.00	3	Vertical	352	1.79	-	35.50	6.38	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 79
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	80.62	88.20	-7.58	71.67	3	Horizontal	0	2.04	-	35.40	6.36	32.81			
RMS	5.925G	67.79	68.20	-0.41	58.84	3	Horizontal	0	2.04	-	35.40	6.36	32.81			
PK	5.9696G	115.62	Inf	-Inf	106.57	3	Horizontal	0	2.04	-	35.50	6.38	32.83			
RMS	5.971G	104.47	Inf	-Inf	95.41	3	Horizontal	0	2.04	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.93564G	54.46	74.00	-19.54	49.78	3	Vertical	25	1.80	-	38.84	9.07	43.23				
AV	11.93147G	44.57	54.00	-9.43	39.90	3	Vertical	25	1.80	-	38.83	9.07	43.23				
PK	17.90097G	62.29	74.00	-11.71	49.37	3	Vertical	0	1.18	-	42.80	11.46	41.34				
AV	17.9046G	52.84	54.00	-1.16	39.90	3	Vertical	0	1.18	-	42.82	11.46	41.34				

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 79
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94482G	54.68	74.00	-19.32	49.99	3	Horizontal	29	1.83	-	38.84	9.08	43.23			
AV	11.93954G	44.85	54.00	-9.15	40.16	3	Horizontal	29	1.83	-	38.84	9.08	43.23			
PK	17.88006G	63.55	74.00	-10.45	50.74	3	Horizontal	23	1.39	-	42.74	11.45	41.38			
AV	17.90454G	53.83	54.00	-0.17	40.89	3	Horizontal	23	1.39	-	42.82	11.46	41.34			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.90442G	47.38	74.00	-26.62	43.02	1	Vertical	297	2.94	-	37.30	16.40	49.34			
AV	17.90775G	36.39	54.00	-17.61	32.02	1	Vertical	297	2.94	-	37.31	16.41	49.35			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.90373G	48.25	74.00	-25.75	43.88	1	Horizontal	58	2.94	-	37.30	16.40	49.33			
AV	17.90463G	36.38	54.00	-17.62	32.02	1	Horizontal	58	2.94	-	37.30	16.40	49.34			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.32748G	61.91	74.00	-12.09	57.00	3	Vertical	347	1.70	-	38.85	9.23	43.17			
AV	12.32751G	53.07	54.00	-0.93	48.15	3	Vertical	347	1.70	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.32886G	61.83	74.00	-12.17	56.91	3	Horizontal	344	1.80	-	38.86	9.23	43.17			
AV	12.32868G	53.63	54.00	-0.37	48.71	3	Horizontal	344	1.80	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.50484G	63.83	83.54	-19.71	59.88	1	Vertical	11	1.50	-	37.60	16.65	50.30			
AV	18.50448G	52.66	63.54	-10.88	48.71	1	Vertical	11	1.50	-	37.60	16.65	50.30			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.50478G	67.52	83.54	-16.02	63.57	1	Horizontal	6	1.88	-	37.60	16.65	50.30			
AV	18.49512G	53.15	63.54	-10.39	49.20	1	Horizontal	6	1.88	-	37.60	16.64	50.29			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80799G	63.99	88.20	-24.21	57.80	3	Vertical	340	2.36	-	39.61	9.42	42.84			
RMS	12.80859G	55.75	68.20	-12.45	49.56	3	Vertical	340	2.36	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80805G	63.86	88.20	-24.34	57.67	3	Horizontal	27	1.80	-	39.61	9.42	42.84			
RMS	12.80865G	55.90	68.20	-12.30	49.71	3	Horizontal	27	1.80	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20474G	66.14	83.54	-17.40	62.68	1	Vertical	354	1.50	-	37.58	16.93	51.05			
AV	19.20267G	54.05	63.54	-9.49	50.58	1	Vertical	354	1.50	-	37.58	16.93	51.04			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21992G	66.01	83.54	-17.53	62.54	1	Horizontal	349	1.50	-	37.59	16.94	51.06			
AV	19.21971G	54.31	63.54	-9.23	50.84	1	Horizontal	349	1.50	-	37.59	16.94	51.06			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12784G	63.11	88.20	-25.09	56.18	3	Vertical	2	2.53	-	40.06	9.55	42.68			
RMS	13.12856G	54.45	68.20	-13.75	47.52	3	Vertical	2	2.53	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12787G	63.77	88.20	-24.43	56.84	3	Horizontal	333	1.80	-	40.06	9.55	42.68			
RMS	13.12865G	54.50	68.20	-13.70	47.57	3	Horizontal	333	1.80	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69341G	58.85	83.54	-24.69	55.69	1	Vertical	4	1.54	-	37.62	17.13	51.59			
AV	19.68252G	47.57	63.54	-15.97	44.39	1	Vertical	4	1.54	-	37.63	17.13	51.58			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70757G	59.67	83.54	-23.87	56.52	1	Horizontal	344	1.49	-	37.62	17.14	51.61			
AV	19.6935G	50.01	63.54	-13.53	46.85	1	Horizontal	344	1.49	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3679G	60.04	74.00	-13.96	52.75	3	Vertical	89	1.13	-	40.37	9.65	42.73			
AV	13.36853G	49.69	54.00	-4.31	42.40	3	Vertical	89	1.13	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36826G	60.40	74.00	-13.60	53.11	3	Horizontal	332	1.80	-	40.37	9.65	42.73			
AV	13.36865G	50.78	54.00	-3.22	43.49	3	Horizontal	332	1.80	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06208G	66.67	83.54	-16.87	63.84	1	Vertical	351	1.52	-	37.45	17.29	51.91			
AV	20.05323G	56.24	63.54	-7.30	53.43	1	Vertical	351	1.52	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05011G	67.29	83.54	-16.25	64.48	1	Horizontal	27	1.47	-	37.44	17.28	51.91			
AV	20.05323G	57.35	63.54	-6.19	54.54	1	Horizontal	27	1.47	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69828G	58.27	88.20	-29.93	43.50	3	Vertical	157	2.22	-	40.30	9.45	34.98			
RMS	13.68634G	48.59	68.20	-19.61	33.83	3	Vertical	157	2.22	-	40.29	9.44	34.97			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70341G	58.05	88.20	-30.15	43.28	3	Horizontal	2	1.52	-	40.30	9.45	34.98			
RMS	13.67857G	48.07	68.20	-20.13	33.31	3	Horizontal	2	1.52	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54481G	58.68	83.54	-24.86	55.32	1	Vertical	27	1.52	-	37.87	17.50	52.01			
AV	20.54463G	50.26	63.54	-13.28	46.90	1	Vertical	27	1.52	-	37.87	17.50	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53386G	58.02	83.54	-25.52	54.74	1	Horizontal	21	1.59	-	37.80	17.49	52.01			
AV	20.54472G	50.33	63.54	-13.21	46.97	1	Horizontal	21	1.59	-	37.87	17.50	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 80
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	75.07	88.20	-13.13	66.12	3	Vertical	356	2.47	-	35.40	6.36	32.81			
RMS	5.925G	63.67	68.20	-4.53	54.72	3	Vertical	356	2.47	-	35.40	6.36	32.81			
PK	5.9682G	109.14	Inf	-Inf	100.09	3	Vertical	356	2.47	-	35.50	6.38	32.83			
RMS	5.9674G	98.99	Inf	-Inf	89.94	3	Vertical	356	2.47	-	35.50	6.38	32.83			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 80
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	78.86	88.20	-9.34	69.92	3	Horizontal	0	1.80	-	35.39	6.36	32.81			
RMS	5.9242G	67.41	68.20	-0.79	58.46	3	Horizontal	0	1.80	-	35.40	6.36	32.81			
PK	6.0158G	111.70	Inf	-Inf	102.60	3	Horizontal	0	1.80	-	35.53	6.41	32.84			
RMS	5.9986G	101.11	Inf	-Inf	92.05	3	Horizontal	0	1.80	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 80
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96946G	54.28	74.00	-19.72	49.54	3	Vertical	251	2.17	-	38.87	9.09	43.22			
AV	11.96178G	44.61	54.00	-9.39	39.90	3	Vertical	251	2.17	-	38.86	9.08	43.23			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 80
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96298G	54.50	74.00	-19.50	49.78	3	Horizontal	330	1.87	-	38.86	9.09	43.23			
AV	11.9607G	45.01	54.00	-8.99	40.30	3	Horizontal	330	1.87	-	38.86	9.08	43.23			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 80
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94016G	48.48	83.54	-35.06	40.89	1	Vertical	342	1.80	-	38.80	19.01	50.22			
AV	23.94098G	38.40	63.54	-25.14	30.81	1	Vertical	342	1.80	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 80
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94151G	47.72	83.54	-35.82	40.13	1	Horizontal	25	1.80	-	38.80	19.01	50.22			
AV	23.93984G	38.33	63.54	-25.21	30.74	1	Horizontal	25	1.80	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3005G	57.52	74.00	-16.48	52.68	3	Vertical	351	2.76	-	38.80	9.22	43.18			
AV	12.30041G	51.15	54.00	-2.85	46.31	3	Vertical	351	2.76	-	38.80	9.22	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.29945G	57.99	74.00	-16.01	53.15	3	Horizontal	34	1.80	-	38.80	9.22	43.18			
AV	12.30035G	50.92	54.00	-3.08	46.08	3	Horizontal	34	1.80	-	38.80	9.22	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.43497G	61.51	83.54	-22.03	57.53	1	Vertical	15	1.80	-	37.57	16.62	50.21			
AV	18.43493G	51.86	63.54	-11.68	47.88	1	Vertical	15	1.80	-	37.57	16.62	50.21			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.43496G	59.97	83.54	-23.57	55.99	1	Horizontal	230	1.80	-	37.57	16.62	50.21			
AV	18.43485G	50.35	63.54	-13.19	46.37	1	Horizontal	230	1.80	-	37.57	16.62	50.21			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78032G	58.72	88.20	-29.48	52.62	3	Vertical	331	1.13	-	39.56	9.41	42.87			
RMS	12.75941G	52.47	68.20	-15.73	46.44	3	Vertical	331	1.13	-	39.52	9.40	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX



EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75917G	59.56	88.20	-28.64	53.53	3	Horizontal	24	1.77	-	39.52	9.40	42.89			
RMS	12.75938G	52.27	68.20	-15.93	46.24	3	Horizontal	24	1.77	-	39.52	9.40	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15248G	60.52	83.54	-23.02	57.03	1	Vertical	29	1.80	-	37.56	16.91	50.98			
AV	19.15269G	52.46	63.54	-11.08	48.97	1	Vertical	29	1.80	-	37.56	16.91	50.98			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15468G	67.85	83.54	-15.69	64.37	1	Horizontal	15	1.74	-	37.56	16.91	50.99			
AV	19.15468G	58.29	63.54	-5.25	54.81	1	Horizontal	15	1.74	-	37.56	16.91	50.99			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25855G	56.36	74.00	-17.64	49.21	3	Vertical	284	2.01	-	40.26	9.60	42.71			
AV	13.26035G	47.11	54.00	-6.89	39.96	3	Vertical	284	2.01	-	40.26	9.60	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25621G	57.55	74.00	-16.45	50.40	3	Horizontal	244	1.34	-	40.26	9.60	42.71			
AV	13.2605G	46.79	54.00	-7.21	39.64	3	Horizontal	244	1.34	-	40.26	9.60	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87125G	61.83	83.54	-21.71	58.89	1	Vertical	11	1.78	-	37.50	17.21	51.77			
AV	19.87632G	52.53	63.54	-11.01	49.60	1	Vertical	11	1.78	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87166G	62.76	83.54	-20.78	59.82	1	Horizontal	344	1.82	-	37.50	17.21	51.77			
AV	19.87166G	53.16	63.54	-10.38	50.22	1	Horizontal	344	1.82	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41069G	55.93	88.20	-32.27	48.61	3	Vertical	307	2.33	-	40.40	9.66	42.74			
RMS	13.40553G	45.77	68.20	-22.43	38.45	3	Vertical	307	2.33	-	40.40	9.66	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41669G	55.13	88.20	-33.07	47.80	3	Horizontal	44	1.65	-	40.40	9.67	42.74			
RMS	13.41336G	46.25	68.20	-21.95	38.92	3	Horizontal	44	1.65	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11497G	61.55	83.54	-21.99	58.67	1	Vertical	10	1.72	-	37.49	17.31	51.92			
AV	20.11226G	51.60	63.54	-11.94	48.72	1	Vertical	10	1.72	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11265G	48.12	83.54	-35.42	45.24	1	Horizontal	31	1.55	-	37.49	17.31	51.92			
AV	20.11703G	38.65	63.54	-24.89	35.77	1	Horizontal	31	1.55	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56169G	56.89	88.20	-31.31	49.49	3	Vertical	179	2.24	-	40.40	9.72	42.72			
RMS	13.5745G	47.33	68.20	-20.87	39.92	3	Vertical	179	2.24	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57948G	56.93	88.20	-31.27	49.51	3	Horizontal	324	2.97	-	40.40	9.73	42.71			
RMS	13.5754G	47.37	68.20	-20.83	39.95	3	Horizontal	324	2.97	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35249G	60.02	83.54	-23.52	56.94	1	Vertical	347	1.56	-	37.64	17.41	51.97			
AV	20.3577G	50.25	63.54	-13.29	47.16	1	Vertical	347	1.56	-	37.64	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35251G	52.26	83.54	-31.28	49.18	1	Horizontal	111.3	1.80	-	37.64	17.41	51.97			
AV	20.35279G	40.79	63.54	-22.75	37.71	1	Horizontal	111.3	1.80	-	37.64	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	80.05	88.20	-8.15	71.14	3	Vertical	351	1.79	-	35.36	6.36	32.81			
RMS	5.921G	65.13	68.20	-3.07	56.20	3	Vertical	351	1.79	-	35.38	6.36	32.81			
PK	6.053G	106.60	Inf	-Inf	97.41	3	Vertical	351	1.79	-	35.60	6.43	32.84			
RMS	6.0474G	96.50	Inf	-Inf	87.33	3	Vertical	351	1.79	-	35.59	6.42	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 79
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	83.86	88.20	-4.34	74.92	3	Horizontal	0	1.80	-	35.39	6.36	32.81			
RMS	5.9242G	67.78	68.20	-0.42	58.83	3	Horizontal	0	1.80	-	35.40	6.36	32.81			
PK	6.041G	108.77	Inf	-Inf	99.61	3	Horizontal	0	1.80	-	35.58	6.42	32.84			
RMS	5.9978G	98.52	Inf	-Inf	89.46	3	Horizontal	0	1.80	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 79
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05975G	54.17	74.00	-19.83	49.42	3	Vertical	187	2.37	-	38.84	9.12	43.21			
AV	12.04469G	43.32	54.00	-10.68	38.55	3	Vertical	187	2.37	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 79
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04508G	54.73	74.00	-19.27	49.97	3	Horizontal	328	1.80	-	38.85	9.12	43.21			
AV	12.03788G	43.58	54.00	-10.42	38.81	3	Horizontal	328	1.80	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07803G	55.65	83.54	-27.89	51.39	1	Vertical	348	1.53	-	37.50	16.47	49.71			
AV	18.07361G	46.56	63.54	-16.98	42.29	1	Vertical	348	1.53	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07538G	52.87	83.54	-30.67	48.61	1	Horizontal	11	1.80	-	37.50	16.47	49.71			
AV	18.07826G	43.67	63.54	-19.87	39.41	1	Horizontal	11	1.80	-	37.50	16.47	49.71			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37843G	55.33	74.00	-18.67	50.29	3	Vertical	144	2.39	-	38.96	9.25	43.17			
AV	12.37867G	44.61	54.00	-9.39	39.57	3	Vertical	144	2.39	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38089G	54.57	74.00	-19.43	49.53	3	Horizontal	240	1.92	-	38.96	9.25	43.17			
AV	12.38398G	43.52	54.00	-10.48	38.47	3	Horizontal	240	1.92	-	38.97	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55853G	60.19	83.54	-23.35	56.26	1	Vertical	44	1.80	-	37.62	16.67	50.36			
AV	18.55871G	50.67	63.54	-12.87	46.74	1	Vertical	44	1.80	-	37.62	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55515G	58.74	83.54	-24.80	54.81	1	Horizontal	26	1.80	-	37.62	16.67	50.36			
AV	18.55966G	49.82	63.54	-13.72	45.89	1	Horizontal	26	1.80	-	37.62	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70074G	55.34	88.20	-32.86	49.51	3	Vertical	308	2.85	-	39.40	9.38	42.95			
RMS	12.70494G	44.29	68.20	-23.91	38.45	3	Vertical	308	2.85	-	39.41	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70434G	54.17	88.20	-34.03	48.33	3	Horizontal	360	2.44	-	39.41	9.38	42.95			
RMS	12.70368G	44.89	68.20	-23.31	39.05	3	Horizontal	360	2.44	-	39.41	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03304G	64.86	83.54	-18.68	61.33	1	Vertical	316	1.80	-	37.51	16.86	50.84			
AV	19.03634G	55.99	63.54	-7.55	52.46	1	Vertical	316	1.80	-	37.51	16.86	50.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03356G	67.76	83.54	-15.78	64.23	1	Horizontal	14	1.80	-	37.51	16.86	50.84			
AV	19.03817G	59.14	63.54	-4.40	55.60	1	Horizontal	14	1.80	-	37.52	16.87	50.85			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31917G	55.01	74.00	-18.99	47.78	3	Vertical	139	2.69	-	40.32	9.63	42.72			
AV	13.32391G	44.36	54.00	-9.64	37.13	3	Vertical	139	2.69	-	40.32	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33861G	55.17	74.00	-18.83	47.91	3	Horizontal	198	2.22	-	40.34	9.64	42.72			
AV	13.31605G	44.56	54.00	-9.44	37.33	3	Horizontal	198	2.22	-	40.32	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99291G	58.55	83.54	-24.99	55.77	1	Vertical	10	1.72	-	37.41	17.26	51.89			
AV	19.99724G	50.06	63.54	-13.48	47.30	1	Vertical	10	1.72	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX



EUT Y_4TX
Setting 108
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99306G	61.80	83.54	-21.74	59.02	1	Horizontal	113	1.78	-	37.41	17.26	51.89			
AV	19.99317G	52.04	63.54	-11.50	49.26	1	Horizontal	113	1.78	-	37.41	17.26	51.89			



**RSE TX above 1GHz_Set 7 antenna with 70 degree_R5_1T1S,
2T2S, 4T1S, 4T4S**


Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	RMS	5.925G	68.15	68.20	-0.05	3	Vertical	331	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 95
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	73.79	88.20	-14.41	64.84	3	Vertical	353	1.80	-	35.40	6.36	32.81			
RMS	5.925G	59.99	68.20	-8.21	51.04	3	Vertical	353	1.80	-	35.40	6.36	32.81			
PK	5.9578G	109.76	Inf	-Inf	100.70	3	Vertical	353	1.80	-	35.50	6.38	32.82			
RMS	5.9562G	98.71	Inf	-Inf	89.65	3	Vertical	353	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 95
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9212G	73.26	88.20	-14.94	64.33	3	Horizontal	25	1.95	-	35.38	6.36	32.81			
RMS	5.925G	60.82	68.20	-7.38	51.87	3	Horizontal	25	1.95	-	35.40	6.36	32.81			
PK	5.9576G	110.66	Inf	-Inf	101.60	3	Horizontal	25	1.95	-	35.50	6.38	32.82			
RMS	5.9534G	99.83	Inf	-Inf	90.77	3	Horizontal	25	1.95	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 95
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9004G	62.02	74.00	-11.98	57.40	3	Vertical	343	1.79	-	38.80	9.06	43.24			
AV	11.90904G	49.71	54.00	-4.29	45.07	3	Vertical	343	1.79	-	38.81	9.06	43.23			
PK	17.85045G	60.65	74.00	-13.35	47.98	3	Vertical	331	1.80	-	42.65	11.44	41.42			
AV	17.86965G	47.74	54.00	-6.26	34.97	3	Vertical	331	1.80	-	42.71	11.45	41.39			

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 95
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90115G	62.16	74.00	-11.84	57.54	3	Horizontal	5	1.30	-	38.80	9.06	43.24			
AV	11.90814G	49.58	54.00	-4.42	44.94	3	Horizontal	5	1.30	-	38.81	9.06	43.23			
PK	17.86338G	60.45	74.00	-13.55	47.71	3	Horizontal	24	1.76	-	42.69	11.45	41.40			
AV	17.86776G	47.51	54.00	-6.49	34.76	3	Horizontal	24	1.76	-	42.70	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 95
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82754G	45.97	83.54	-37.57	38.48	1	Vertical	100	1.70	-	38.80	18.96	50.27			
AV	23.8189G	32.90	63.54	-30.64	25.41	1	Vertical	100	1.70	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 95
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82928G	45.08	83.54	-38.46	37.59	1	Horizontal	286	1.88	-	38.80	18.96	50.27			
AV	23.82746G	32.85	63.54	-30.69	25.36	1	Horizontal	286	1.88	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39318G	62.25	74.00	-11.75	45.58	3	Vertical	9	1.72	-	38.99	9.26	31.58			
AV	12.39099G	48.84	54.00	-5.16	32.18	3	Vertical	9	1.72	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39036G	61.95	74.00	-12.05	45.29	3	Horizontal	46	1.80	-	38.98	9.26	31.58			
AV	12.39102G	48.53	54.00	-5.47	31.87	3	Horizontal	46	1.80	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57584G	61.29	83.54	-22.25	57.36	1	Vertical	13	1.80	-	37.63	16.68	50.38			
AV	18.58258G	48.28	63.54	-15.26	44.35	1	Vertical	13	1.80	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5849G	57.20	83.54	-26.34	53.27	1	Horizontal	310	1.80	-	37.63	16.68	50.38			
AV	18.58134G	45.00	63.54	-18.54	41.07	1	Horizontal	310	1.80	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83528G	63.20	88.20	-25.00	56.94	3	Vertical	347	1.80	-	39.64	9.43	42.81			
RMS	12.82883G	50.49	68.20	-17.71	44.25	3	Vertical	347	1.80	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83171G	62.85	88.20	-25.35	56.61	3	Horizontal	21	1.80	-	39.63	9.43	42.82			
RMS	12.83054G	50.57	68.20	-17.63	44.33	3	Horizontal	21	1.80	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2456G	56.87	83.54	-26.67	53.41	1	Vertical	28	1.50	-	37.60	16.95	51.09			
AV	19.24272G	44.01	63.54	-19.53	40.55	1	Vertical	28	1.50	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2435G	60.74	83.54	-22.80	57.28	1	Horizontal	336	1.52	-	37.60	16.95	51.09			
AV	19.24479G	47.94	63.54	-15.60	44.48	1	Horizontal	336	1.52	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06325G	57.83	88.20	-30.37	51.00	3	Vertical	326	1.80	-	39.96	9.53	42.66			
RMS	13.07054G	44.89	68.20	-23.31	38.06	3	Vertical	326	1.80	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05605G	57.23	88.20	-30.97	50.41	3	Horizontal	19	2.58	-	39.96	9.52	42.66			
RMS	13.07063G	44.91	68.20	-23.29	38.08	3	Horizontal	19	2.58	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59261G	58.77	83.54	-24.77	55.51	1	Vertical	350	1.61	-	37.66	17.09	51.49			
AV	19.60107G	45.83	63.54	-17.71	42.57	1	Vertical	350	1.61	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60641G	60.68	83.54	-22.86	57.43	1	Horizontal	349	1.51	-	37.66	17.10	51.51			
AV	19.6047G	47.37	63.54	-16.17	44.11	1	Horizontal	349	1.51	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38814G	55.76	74.00	-18.24	48.45	3	Vertical	14	1.79	-	40.39	9.66	42.74			
AV	13.38841G	42.70	54.00	-11.30	35.39	3	Vertical	14	1.79	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38538G	54.92	74.00	-19.08	47.61	3	Horizontal	0	1.11	-	40.39	9.65	42.73			
AV	13.38895G	42.70	54.00	-11.30	35.39	3	Horizontal	0	1.11	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08977G	52.43	83.54	-31.11	49.58	1	Vertical	351	1.51	-	37.47	17.30	51.92			
AV	20.08494G	40.36	63.54	-23.18	37.51	1	Vertical	351	1.51	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09445G	53.79	83.54	-29.75	50.93	1	Horizontal	70	1.54	-	37.48	17.30	51.92			
AV	20.08491G	41.15	63.54	-22.39	38.30	1	Horizontal	70	1.54	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7199G	57.39	88.20	-30.81	42.61	3	Vertical	145	1.86	-	40.32	9.46	35.00			
RMS	13.69878G	45.02	68.20	-23.18	30.25	3	Vertical	145	1.86	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7152G	57.12	88.20	-31.08	42.33	3	Horizontal	264	1.36	-	40.32	9.46	34.99			
RMS	13.70934G	44.94	68.20	-23.26	30.17	3	Horizontal	264	1.36	-	40.31	9.45	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5709G	50.85	83.54	-32.69	47.41	1	Vertical	142	1.10	-	37.94	17.51	52.01			
AV	20.56364G	38.39	63.54	-25.15	34.96	1	Vertical	142	1.10	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56016G	51.10	83.54	-32.44	47.69	1	Horizontal	200	1.91	-	37.92	17.50	52.01			
AV	20.56412G	38.39	63.54	-25.15	34.96	1	Horizontal	200	1.91	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	78.82	88.20	-9.38	69.87	3	Vertical	352	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.00	68.20	-1.20	58.05	3	Vertical	352	1.80	-	35.40	6.36	32.81			
PK	5.9588G	105.13	Inf	-Inf	96.07	3	Vertical	352	1.80	-	35.50	6.38	32.82			
RMS	5.9574G	94.90	Inf	-Inf	85.84	3	Vertical	352	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.12	88.20	-9.08	70.17	3	Horizontal	26	1.96	-	35.40	6.36	32.81			
RMS	5.925G	67.87	68.20	-0.33	58.92	3	Horizontal	26	1.96	-	35.40	6.36	32.81			
PK	5.9512G	106.08	Inf	-Inf	97.02	3	Horizontal	26	1.96	-	35.50	6.38	32.82			
RMS	5.9562G	95.45	Inf	-Inf	86.39	3	Horizontal	26	1.96	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93108G	56.36	74.00	-17.64	51.69	3	Vertical	51	2.10	-	38.83	9.07	43.23			
AV	11.92871G	47.61	54.00	-6.39	42.94	3	Vertical	51	2.10	-	38.83	9.07	43.23			
PK	17.88483G	59.74	74.00	-14.26	46.91	3	Vertical	265	1.31	-	42.75	11.45	41.37			
AV	17.89446G	50.57	54.00	-3.43	37.68	3	Vertical	265	1.31	-	42.78	11.46	41.35			

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93075G	57.07	74.00	-16.93	52.40	3	Horizontal	10	1.80	-	38.83	9.07	43.23			
AV	11.93114G	47.51	54.00	-6.49	42.84	3	Horizontal	10	1.80	-	38.83	9.07	43.23			
PK	17.89695G	60.44	74.00	-13.56	47.54	3	Horizontal	19	2.53	-	42.79	11.46	41.35			
AV	17.90313G	50.50	54.00	-3.50	37.56	3	Horizontal	19	2.53	-	42.82	11.46	41.34			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_2TX
Setting 91
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84908G	47.76	74.00	-26.24	40.25	1	Vertical	41	2.58	-	38.80	18.97	50.26			
AV	23.84545G	37.92	54.00	-16.08	30.41	1	Vertical	41	2.58	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_2TX
Setting 91
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84527G	47.31	74.00	-26.69	39.80	1	Horizontal	302	2.22	-	38.80	18.97	50.26			
AV	23.84617G	38.00	54.00	-16.00	30.49	1	Horizontal	302	2.22	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42029G	61.89	74.00	-12.11	45.18	3	Vertical	346	1.80	-	39.02	9.27	31.58			
AV	12.4118G	50.22	54.00	-3.78	33.53	3	Vertical	346	1.80	-	39.01	9.26	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41621G	61.61	74.00	-12.39	44.90	3	Horizontal	47	1.79	-	39.02	9.27	31.58			
AV	12.41141G	50.37	54.00	-3.63	33.68	3	Horizontal	47	1.79	-	39.01	9.26	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60906G	56.19	83.54	-27.35	52.27	1	Vertical	15	1.78	-	37.64	16.69	50.41			
AV	18.61354G	47.65	63.54	-15.89	43.72	1	Vertical	15	1.78	-	37.65	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60672G	53.68	83.54	-29.86	49.76	1	Horizontal	311	1.80	-	37.64	16.69	50.41			
AV	18.605G	44.12	63.54	-19.42	40.19	1	Horizontal	311	1.80	-	37.64	16.69	50.40			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81747G	53.21	88.20	-34.99	46.99	3	Vertical	226	2.08	-	39.62	9.43	42.83			
RMS	12.81792G	43.76	68.20	-24.44	37.54	3	Vertical	226	2.08	-	39.62	9.43	42.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.79692G	53.91	88.20	-34.29	47.75	3	Horizontal	189	2.14	-	39.59	9.42	42.85			
RMS	12.795G	43.79	68.20	-24.41	37.63	3	Horizontal	189	2.14	-	39.59	9.42	42.85			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22484G	55.73	83.54	-27.81	52.27	1	Vertical	28	1.54	-	37.59	16.94	51.07			
AV	19.2249G	47.01	63.54	-16.53	43.55	1	Vertical	28	1.54	-	37.59	16.94	51.07			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21677G	57.67	83.54	-25.87	54.20	1	Horizontal	335	1.52	-	37.59	16.94	51.06			
AV	19.22487G	49.09	63.54	-14.45	45.63	1	Horizontal	335	1.52	-	37.59	16.94	51.07			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12817G	55.23	88.20	-32.97	48.30	3	Vertical	10	1.61	-	40.06	9.55	42.68			
RMS	13.14134G	49.03	68.20	-19.17	42.07	3	Vertical	10	1.61	-	40.08	9.56	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12778G	59.31	88.20	-28.89	52.38	3	Horizontal	44	1.80	-	40.06	9.55	42.68			
RMS	13.12628G	49.51	68.20	-18.69	42.59	3	Horizontal	44	1.80	-	40.05	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68336G	55.76	83.54	-27.78	52.58	1	Vertical	39	1.55	-	37.63	17.13	51.58			
AV	19.70481G	45.74	63.54	-17.80	42.58	1	Vertical	39	1.55	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68681G	56.56	83.54	-26.98	53.39	1	Horizontal	333	1.75	-	37.63	17.13	51.59			
AV	19.69347G	47.25	63.54	-16.29	44.09	1	Horizontal	333	1.75	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35902G	54.98	74.00	-19.02	47.71	3	Vertical	299	1.05	-	40.36	9.64	42.73			
AV	13.37396G	45.15	54.00	-8.85	37.86	3	Vertical	299	1.05	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35794G	55.06	74.00	-18.94	47.79	3	Horizontal	162	2.17	-	40.36	9.64	42.73			
AV	13.3586G	44.98	54.00	-9.02	37.71	3	Horizontal	162	2.17	-	40.36	9.64	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0472G	50.96	83.54	-32.58	48.15	1	Vertical	352	1.53	-	37.44	17.28	51.91			
AV	20.06472G	41.67	63.54	-21.87	38.84	1	Vertical	352	1.53	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04717G	51.80	83.54	-31.74	48.99	1	Horizontal	16.9	1.54	-	37.44	17.28	51.91			
AV	20.04669G	42.56	63.54	-20.98	39.75	1	Horizontal	16.9	1.54	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68102G	57.11	88.20	-31.09	42.35	3	Vertical	177	1.62	-	40.28	9.44	34.96			
RMS	13.68204G	48.13	68.20	-20.07	33.37	3	Vertical	177	1.62	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6992G	57.77	88.20	-30.43	43.00	3	Horizontal	71	2.95	-	40.30	9.45	34.98			
RMS	13.69784G	47.57	68.20	-20.63	32.80	3	Horizontal	71	2.95	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54616G	49.72	83.54	-33.82	46.35	1	Vertical	85	2.36	-	37.88	17.50	52.01			
AV	20.52801G	39.96	63.54	-23.58	36.71	1	Vertical	85	2.36	-	37.77	17.49	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54025G	50.38	83.54	-33.16	47.05	1	Horizontal	78	2.11	-	37.84	17.50	52.01			
AV	20.54835G	40.06	63.54	-23.48	36.68	1	Horizontal	78	2.11	-	37.89	17.50	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 90
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	76.97	88.20	-11.23	68.03	3	Vertical	353	1.80	-	35.39	6.36	32.81			
RMS	5.925G	65.83	68.20	-2.37	56.88	3	Vertical	353	1.80	-	35.40	6.36	32.81			
PK	5.9538G	100.83	Inf	-Inf	91.77	3	Vertical	353	1.80	-	35.50	6.38	32.82			
RMS	5.9562G	90.91	Inf	-Inf	81.85	3	Vertical	353	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 90
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	77.51	88.20	-10.69	68.56	3	Horizontal	25	1.96	-	35.40	6.36	32.81			
RMS	5.925G	67.04	68.20	-1.16	58.09	3	Horizontal	25	1.96	-	35.40	6.36	32.81			
PK	5.955G	103.02	Inf	-Inf	93.96	3	Horizontal	25	1.96	-	35.50	6.38	32.82			
RMS	5.9538G	91.88	Inf	-Inf	82.82	3	Horizontal	25	1.96	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9709G	53.78	74.00	-20.22	49.04	3	Vertical	97	2.64	-	38.87	9.09	43.22			
AV	11.96181G	43.67	54.00	-10.33	38.96	3	Vertical	97	2.64	-	38.86	9.08	43.23			
PK	17.95731G	59.98	74.00	-14.02	46.67	3	Vertical	145	2.02	-	43.09	11.48	41.26			
AV	17.95701G	48.99	54.00	-5.01	35.68	3	Vertical	145	2.02	-	43.09	11.48	41.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98296G	54.54	74.00	-19.46	49.79	3	Horizontal	157	2.18	-	38.88	9.09	43.22			
AV	11.95872G	43.42	54.00	-10.58	38.71	3	Horizontal	157	2.18	-	38.86	9.08	43.23			
PK	17.95884G	60.02	74.00	-13.98	46.70	3	Horizontal	308	1.04	-	43.09	11.48	41.25			
AV	17.95965G	49.22	54.00	-4.78	35.89	3	Horizontal	308	1.04	-	43.10	11.48	41.25			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 90
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94092G	45.15	83.54	-38.39	37.56	1	Vertical	344	1.80	-	38.80	19.01	50.22			
AV	23.93986G	34.18	63.54	-29.36	26.59	1	Vertical	344	1.80	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 90
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93652G	45.04	83.54	-38.50	37.46	1	Horizontal	31	1.86	-	38.80	19.01	50.23			
AV	23.946G	33.89	63.54	-29.65	26.29	1	Horizontal	31	1.86	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.43503G	60.51	74.00	-13.49	43.78	3	Vertical	10	1.75	-	39.04	9.27	31.58			
AV	12.43509G	48.03	54.00	-5.97	31.30	3	Vertical	10	1.75	-	39.04	9.27	31.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44007G	60.79	74.00	-13.21	44.05	3	Horizontal	29	1.80	-	39.04	9.28	31.58			
AV	12.44925G	48.16	54.00	-5.84	31.41	3	Horizontal	29	1.80	-	39.05	9.28	31.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6826G	52.03	83.54	-31.51	48.12	1	Vertical	13	1.80	-	37.67	16.72	50.48			
AV	18.67534G	41.03	63.54	-22.51	37.12	1	Vertical	13	1.80	-	37.67	16.72	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.68G	52.87	83.54	-30.67	48.96	1	Horizontal	10	1.53	-	37.67	16.72	50.48			
AV	18.68292G	42.32	63.54	-21.22	38.41	1	Horizontal	10	1.53	-	37.67	16.72	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7715G	54.15	88.20	-34.05	48.08	3	Vertical	195	2.57	-	39.54	9.41	42.88			
RMS	12.77843G	42.37	68.20	-25.83	36.27	3	Vertical	195	2.57	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75812G	54.12	88.20	-34.08	48.09	3	Horizontal	123	2.12	-	39.52	9.40	42.89			
RMS	12.77873G	42.51	68.20	-25.69	36.41	3	Horizontal	123	2.12	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15476G	57.72	83.54	-25.82	54.24	1	Vertical	353	1.54	-	37.56	16.91	50.99			
AV	19.15191G	46.12	63.54	-17.42	42.63	1	Vertical	353	1.54	-	37.56	16.91	50.98			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14213G	53.57	83.54	-29.97	50.07	1	Horizontal	343	1.50	-	37.56	16.91	50.97			
AV	19.15728G	42.48	63.54	-21.06	39.00	1	Horizontal	343	1.50	-	37.56	16.91	50.99			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2461G	55.95	88.20	-32.25	48.80	3	Vertical	236	1.87	-	40.25	9.60	42.70			
RMS	13.24064G	44.94	68.20	-23.26	37.80	3	Vertical	236	1.87	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2425G	56.10	88.20	-32.10	48.96	3	Horizontal	44	1.77	-	40.24	9.60	42.70			
RMS	13.23821G	45.06	68.20	-23.14	37.92	3	Horizontal	44	1.77	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86114G	51.19	83.54	-32.35	48.24	1	Vertical	24	1.57	-	37.51	17.20	51.76			
AV	19.86231G	40.50	63.54	-23.04	37.55	1	Vertical	24	1.57	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86819G	49.26	83.54	-34.28	46.31	1	Horizontal	40	1.64	-	37.51	17.21	51.77			
AV	19.86369G	38.25	63.54	-25.29	35.30	1	Horizontal	40	1.64	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.42176G	54.65	88.20	-33.55	47.32	3	Vertical	332	2.65	-	40.40	9.67	42.74			
RMS	13.41315G	43.40	68.20	-24.80	36.07	3	Vertical	332	2.65	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4181G	54.61	88.20	-33.59	47.28	3	Horizontal	247	2.87	-	40.40	9.67	42.74			
RMS	13.42101G	43.39	68.20	-24.81	36.06	3	Horizontal	247	2.87	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11485G	49.20	83.54	-34.34	46.32	1	Vertical	350	1.50	-	37.49	17.31	51.92			
AV	20.12769G	38.63	63.54	-24.91	35.74	1	Vertical	350	1.50	-	37.50	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11872G	49.63	83.54	-33.91	46.75	1	Horizontal	18	1.54	-	37.49	17.31	51.92			
AV	20.12604G	38.38	63.54	-25.16	35.50	1	Horizontal	18	1.54	-	37.50	17.31	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.58197G	55.66	88.20	-32.54	48.24	3	Vertical	226	1.95	-	40.40	9.73	42.71			
RMS	13.58122G	44.67	68.20	-23.53	37.25	3	Vertical	226	1.95	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57504G	55.30	88.20	-32.90	47.88	3	Horizontal	165	2.88	-	40.40	9.73	42.71			
RMS	13.56472G	44.61	68.20	-23.59	37.20	3	Horizontal	165	2.88	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35551G	52.62	83.54	-30.92	49.54	1	Vertical	28	1.56	-	37.64	17.41	51.97			
AV	20.36451G	41.62	63.54	-21.92	38.52	1	Vertical	28	1.56	-	37.65	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34075G	50.05	83.54	-33.49	46.97	1	Horizontal	54	1.50	-	37.64	17.41	51.97			
AV	20.35398G	39.03	63.54	-24.51	35.95	1	Horizontal	54	1.50	-	37.64	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	77.74	88.20	-10.46	68.81	3	Vertical	354	2.11	-	35.38	6.36	32.81			
RMS	5.9226G	67.68	68.20	-0.52	58.74	3	Vertical	354	2.11	-	35.39	6.36	32.81			
PK	6.0842G	102.75	Inf	-Inf	93.55	3	Vertical	354	2.11	-	35.60	6.44	32.84			
RMS	6.1018G	92.12	Inf	-Inf	82.91	3	Vertical	354	2.11	-	35.60	6.45	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	77.50	88.20	-10.70	68.58	3	Horizontal	351	2.01	-	35.37	6.36	32.81			
RMS	5.9226G	67.02	68.20	-1.18	58.08	3	Horizontal	351	2.01	-	35.39	6.36	32.81			
PK	6.0866G	103.35	Inf	-Inf	94.15	3	Horizontal	351	2.01	-	35.60	6.44	32.84			
RMS	6.1018G	93.08	Inf	-Inf	83.87	3	Horizontal	351	2.01	-	35.60	6.45	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0635G	52.92	74.00	-21.08	48.16	3	Vertical	51	1.56	-	38.84	9.13	43.21			
AV	12.04058G	43.19	54.00	-10.81	38.42	3	Vertical	51	1.56	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 91
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03647G	54.02	74.00	-19.98	49.26	3	Horizontal	149	2.32	-	38.86	9.11	43.21			
AV	12.03803G	43.47	54.00	-10.53	38.70	3	Horizontal	149	2.32	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 91
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0879G	48.68	83.54	-34.86	44.42	1	Vertical	11	1.76	-	37.50	16.48	49.72			
AV	18.08745G	39.83	63.54	-23.71	35.57	1	Vertical	11	1.76	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 91
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06186G	50.98	83.54	-32.56	46.70	1	Horizontal	360	1.69	-	37.50	16.47	49.69			
AV	18.08772G	41.74	63.54	-21.80	37.48	1	Horizontal	360	1.69	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36349G	52.48	74.00	-21.52	47.47	3	Vertical	150	2.81	-	38.93	9.25	43.17			
AV	12.3829G	43.18	54.00	-10.82	38.13	3	Vertical	150	2.81	-	38.97	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36559G	52.85	74.00	-21.15	47.84	3	Horizontal	211	1.48	-	38.93	9.25	43.17			
AV	12.36265G	43.56	54.00	-10.44	38.55	3	Horizontal	211	1.48	-	38.93	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54027G	55.39	83.54	-28.15	51.45	1	Vertical	12	1.59	-	37.62	16.66	50.34			
AV	18.54756G	47.78	63.54	-15.76	43.85	1	Vertical	12	1.59	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56304G	59.17	83.54	-24.37	55.23	1	Horizontal	17	1.54	-	37.63	16.67	50.36			
AV	18.54753G	50.89	63.54	-12.65	46.96	1	Horizontal	17	1.54	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69198G	53.42	74.00	-20.58	47.62	3	Vertical	218	1.95	-	39.38	9.38	42.96			
AV	12.68514G	43.80	54.00	-10.20	38.02	3	Vertical	218	1.95	-	39.37	9.37	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68742G	53.12	74.00	-20.88	47.34	3	Horizontal	162	1.31	-	39.37	9.37	42.96			
AV	12.67551G	44.65	54.00	-9.35	38.90	3	Horizontal	162	1.31	-	39.35	9.37	42.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0383G	57.25	83.54	-26.29	53.71	1	Vertical	8	1.56	-	37.52	16.87	50.85			
AV	19.02762G	49.03	63.54	-14.51	45.49	1	Vertical	8	1.56	-	37.51	16.86	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02963G	53.21	83.54	-30.33	49.68	1	Horizontal	12	1.54	-	37.51	16.86	50.84			
AV	19.02759G	45.30	63.54	-18.24	41.76	1	Horizontal	12	1.54	-	37.51	16.86	50.83			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32097G	54.35	74.00	-19.65	47.12	3	Vertical	111	2.87	-	40.32	9.63	42.72			
AV	13.31728G	44.66	54.00	-9.34	37.43	3	Vertical	111	2.87	-	40.32	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34494G	54.39	74.00	-19.61	47.14	3	Horizontal	276	2.13	-	40.34	9.64	42.73			
AV	13.33084G	44.94	54.00	-9.06	37.70	3	Horizontal	276	2.13	-	40.33	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99869G	47.84	83.54	-35.70	45.08	1	Vertical	352	1.50	-	37.40	17.26	51.90			
AV	20.00553G	37.82	63.54	-25.72	35.06	1	Vertical	352	1.50	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98111G	46.35	83.54	-37.19	43.56	1	Horizontal	332	1.52	-	37.42	17.25	51.88			
AV	19.99866G	37.11	63.54	-26.43	34.35	1	Horizontal	332	1.52	-	37.40	17.26	51.90			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9212G	74.44	88.20	-13.76	65.51	3	Vertical	358	1.99	-	35.38	6.36	32.81			
RMS	5.925G	62.08	68.20	-6.12	53.13	3	Vertical	358	1.99	-	35.40	6.36	32.81			
PK	5.9518G	111.43	Inf	-Inf	102.37	3	Vertical	358	1.99	-	35.50	6.38	32.82			
RMS	5.9586G	101.34	Inf	-Inf	92.28	3	Vertical	358	1.99	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.02	88.20	-13.18	66.07	3	Horizontal	25	1.80	-	35.40	6.36	32.81			
RMS	5.925G	62.74	68.20	-5.46	53.79	3	Horizontal	25	1.80	-	35.40	6.36	32.81			
PK	5.9554G	111.04	Inf	-Inf	101.98	3	Horizontal	25	1.80	-	35.50	6.38	32.82			
RMS	5.9562G	100.05	Inf	-Inf	90.99	3	Horizontal	25	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92191G	53.05	74.00	-20.95	48.39	3	Vertical	79	1.68	-	38.82	9.07	43.23			
AV	11.90667G	41.17	54.00	-12.83	36.53	3	Vertical	79	1.68	-	38.81	9.06	43.23			
PK	17.87283G	60.75	74.00	-13.25	47.97	3	Vertical	195	1.40	-	42.72	11.45	41.39			
AV	17.86233G	48.47	54.00	-5.53	35.74	3	Vertical	195	1.40	-	42.69	11.44	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90019G	53.14	74.00	-20.86	48.52	3	Horizontal	193	1.54	-	38.80	9.06	43.24			
AV	11.90052G	41.07	54.00	-12.93	36.45	3	Horizontal	193	1.54	-	38.80	9.06	43.24			
PK	17.86128G	60.25	74.00	-13.75	47.54	3	Horizontal	82	1.80	-	42.68	11.44	41.41			
AV	17.8788G	48.08	54.00	-5.92	35.27	3	Horizontal	82	1.80	-	42.74	11.45	41.38			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 95
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.80641G	48.16	83.54	-35.38	40.69	1	Vertical	99	2.60	-	38.80	18.95	50.28			
AV	23.80563G	37.30	63.54	-26.24	29.83	1	Vertical	99	2.60	-	38.80	18.95	50.28			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 95
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.80608G	48.24	83.54	-35.30	40.77	1	Horizontal	228	1.07	-	38.80	18.95	50.28			
AV	23.82429G	37.12	63.54	-26.42	29.63	1	Horizontal	228	1.07	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39111G	63.23	74.00	-10.77	46.57	3	Vertical	10	1.76	-	38.98	9.26	31.58			
AV	12.3915G	50.84	54.00	-3.16	34.18	3	Vertical	10	1.76	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39021G	62.11	74.00	-11.89	45.45	3	Horizontal	341	1.79	-	38.98	9.26	31.58			
AV	12.3894G	49.74	54.00	-4.26	33.08	3	Horizontal	341	1.79	-	38.98	9.26	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58676G	62.07	83.54	-21.47	58.15	1	Vertical	14	1.80	-	37.63	16.68	50.39			
AV	18.57914G	51.65	63.54	-11.89	47.72	1	Vertical	14	1.80	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57934G	61.38	83.54	-22.16	57.45	1	Horizontal	301	1.82	-	37.63	16.68	50.38			
AV	18.58206G	50.53	63.54	-13.01	46.60	1	Horizontal	301	1.82	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82646G	53.45	88.20	-34.75	47.21	3	Vertical	289	2.55	-	39.63	9.43	42.82			
RMS	12.81896G	42.34	68.20	-25.86	36.12	3	Vertical	289	2.55	-	39.62	9.43	42.83			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82481G	53.64	88.20	-34.56	47.42	3	Horizontal	132	1.47	-	39.62	9.43	42.83			
RMS	12.81806G	42.30	68.20	-25.90	36.08	3	Horizontal	132	1.47	-	39.62	9.43	42.83			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24911G	62.67	83.54	-20.87	59.22	1	Vertical	12	1.55	-	37.60	16.95	51.10			
AV	19.24872G	51.62	63.54	-11.92	48.17	1	Vertical	12	1.55	-	37.60	16.95	51.10			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 108
01-I-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2435G	61.62	83.54	-21.92	58.16	1	Horizontal	336	1.52	-	37.60	16.95	51.09			
AV	19.24434G	50.87	63.54	-12.67	47.41	1	Horizontal	336	1.52	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05878G	54.97	88.20	-33.23	48.15	3	Vertical	6	2.82	-	39.96	9.52	42.66			
RMS	13.08248G	43.62	68.20	-24.58	36.78	3	Vertical	6	2.82	-	39.98	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07198G	54.56	88.20	-33.64	47.73	3	Horizontal	224	1.75	-	39.97	9.53	42.67			
RMS	13.0742G	43.87	68.20	-24.33	37.04	3	Horizontal	224	1.75	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61G	63.92	83.54	-19.62	60.67	1	Vertical	351	1.53	-	37.66	17.10	51.51			
AV	19.605G	49.58	63.54	-13.96	46.32	1	Vertical	351	1.53	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6103G	65.94	83.54	-17.60	62.69	1	Horizontal	345	1.54	-	37.66	17.10	51.51			
AV	19.6047G	52.45	63.54	-11.09	49.19	1	Horizontal	345	1.54	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3816G	56.59	74.00	-17.41	49.29	3	Vertical	175	1.45	-	40.38	9.65	42.73			
AV	13.38433G	45.37	54.00	-8.63	38.07	3	Vertical	175	1.45	-	40.38	9.65	42.73			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38319G	57.31	74.00	-16.69	50.01	3	Horizontal	40	1.80	-	40.38	9.65	42.73			
AV	13.38439G	45.83	54.00	-8.17	38.53	3	Horizontal	40	1.80	-	40.38	9.65	42.73			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09G	53.95	83.54	-29.59	51.10	1	Vertical	345	1.54	-	37.47	17.30	51.92			
AV	20.0824G	42.34	63.54	-21.20	39.49	1	Vertical	345	1.54	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08G	51.97	83.54	-31.57	49.14	1	Horizontal	335	1.49	-	37.46	17.29	51.92			
AV	20.0867G	39.47	63.54	-24.07	36.62	1	Horizontal	335	1.49	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71634G	57.32	88.20	-30.88	42.53	3	Vertical	62	1.23	-	40.32	9.46	34.99			
RMS	13.70974G	46.34	68.20	-21.86	31.57	3	Vertical	62	1.23	-	40.31	9.45	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70624G	57.03	88.20	-31.17	42.26	3	Horizontal	51	2.14	-	40.31	9.45	34.99			
RMS	13.70656G	46.32	68.20	-21.88	31.55	3	Horizontal	51	2.14	-	40.31	9.45	34.99			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55728G	51.37	83.54	-32.17	47.97	1	Vertical	183	2.22	-	37.91	17.50	52.01			
AV	20.56346G	39.82	63.54	-23.72	36.39	1	Vertical	183	2.22	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56382G	50.84	83.54	-32.70	47.41	1	Horizontal	262	2.82	-	37.93	17.51	52.01			
AV	20.55684G	40.12	63.54	-23.42	36.72	1	Horizontal	262	2.82	-	37.91	17.50	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 90
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	78.21	88.20	-9.99	69.26	3	Vertical	360	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.20	68.20	-1.00	58.25	3	Vertical	360	1.80	-	35.40	6.36	32.81			
PK	5.9554G	108.13	Inf	-Inf	99.07	3	Vertical	360	1.80	-	35.50	6.38	32.82			
RMS	5.9826G	96.44	Inf	-Inf	87.38	3	Vertical	360	1.80	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	79.32	88.20	-8.88	70.37	3	Horizontal	22	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.50	68.20	-0.70	58.55	3	Horizontal	22	1.80	-	35.40	6.36	32.81			
PK	5.963G	105.82	Inf	-Inf	96.77	3	Horizontal	22	1.80	-	35.50	6.38	32.83			
RMS	5.9538G	94.93	Inf	-Inf	85.87	3	Horizontal	22	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92394G	55.28	74.00	-18.72	50.62	3	Vertical	154	1.99	-	38.82	9.07	43.23			
AV	11.92862G	44.79	54.00	-9.21	40.12	3	Vertical	154	1.99	-	38.83	9.07	43.23			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92862G	56.58	74.00	-17.42	51.91	3	Horizontal	261	1.38	-	38.83	9.07	43.23			
AV	11.93147G	44.58	54.00	-9.42	39.91	3	Horizontal	261	1.38	-	38.83	9.07	43.23			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 90
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.8456G	46.30	83.54	-37.24	41.91	1	Vertical	125	1.46	-	37.18	16.38	49.17			
AV	17.9344G	34.21	63.54	-29.33	29.85	1	Vertical	125	1.46	-	37.36	16.42	49.42			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 90
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.8791G	53.08	83.54	-30.46	48.71	1	Horizontal	333	1.52	-	37.25	16.39	49.27			
AV	17.8809G	40.44	63.54	-23.10	36.06	1	Horizontal	333	1.52	-	37.25	16.40	49.27			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40781G	63.06	74.00	-10.94	46.37	3	Vertical	9	1.71	-	39.01	9.26	31.58			
AV	12.41927G	49.57	54.00	-4.43	32.86	3	Vertical	9	1.71	-	39.02	9.27	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41666G	61.82	74.00	-12.18	45.11	3	Horizontal	46	1.80	-	39.02	9.27	31.58			
AV	12.4133G	48.76	54.00	-5.24	32.06	3	Horizontal	46	1.80	-	39.01	9.27	31.58			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60648G	57.05	83.54	-26.49	53.13	1	Vertical	14	1.76	-	37.64	16.69	50.41			
AV	18.61138G	45.92	63.54	-17.62	42.00	1	Vertical	14	1.76	-	37.64	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61682G	56.32	83.54	-27.22	52.40	1	Horizontal	299	1.80	-	37.65	16.69	50.42			
AV	18.61682G	45.74	63.54	-17.80	41.82	1	Horizontal	299	1.80	-	37.65	16.69	50.42			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81003G	61.50	88.20	-26.70	55.31	3	Vertical	348	1.80	-	39.61	9.42	42.84			
RMS	12.81081G	50.13	68.20	-18.07	43.94	3	Vertical	348	1.80	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80757G	60.89	88.20	-27.31	54.70	3	Horizontal	53	1.05	-	39.61	9.42	42.84			
RMS	12.81081G	50.28	68.20	-17.92	44.09	3	Horizontal	53	1.05	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2134G	62.35	83.54	-21.19	58.88	1	Vertical	13	1.58	-	37.59	16.94	51.06			
AV	19.2065G	49.91	63.54	-13.63	46.45	1	Vertical	13	1.58	-	37.58	16.93	51.05			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.205G	55.20	83.54	-28.34	51.74	1	Horizontal	30	1.54	-	37.58	16.93	51.05			
AV	19.205G	41.73	63.54	-21.81	38.27	1	Horizontal	30	1.54	-	37.58	16.93	51.05			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1282G	56.42	88.20	-31.78	49.49	3	Vertical	167	1.70	-	40.06	9.55	42.68			
RMS	13.12706G	45.88	68.20	-22.32	38.96	3	Vertical	167	1.70	-	40.05	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12679G	56.45	88.20	-31.75	49.53	3	Horizontal	189	2.37	-	40.05	9.55	42.68			
RMS	13.13579G	45.74	68.20	-22.46	38.80	3	Horizontal	189	2.37	-	40.07	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6898G	57.71	83.54	-25.83	54.55	1	Vertical	10	1.57	-	37.62	17.13	51.59			
AV	19.6829G	45.43	63.54	-18.11	42.25	1	Vertical	10	1.57	-	37.63	17.13	51.58			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6776G	58.51	83.54	-25.03	55.33	1	Horizontal	45	1.52	-	37.63	17.13	51.58			
AV	19.6934G	45.92	63.54	-17.62	42.76	1	Horizontal	45	1.52	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36559G	54.78	74.00	-19.22	47.49	3	Vertical	44	2.93	-	40.37	9.65	42.73			
AV	13.3709G	43.69	54.00	-10.31	36.40	3	Vertical	44	2.93	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36865G	54.60	74.00	-19.40	47.31	3	Horizontal	58	2.45	-	40.37	9.65	42.73			
AV	13.36226G	43.87	54.00	-10.13	36.60	3	Horizontal	58	2.45	-	40.36	9.64	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0462G	52.19	83.54	-31.35	49.38	1	Vertical	18	1.57	-	37.44	17.28	51.91			
AV	20.0467G	39.62	63.54	-23.92	36.81	1	Vertical	18	1.57	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0662G	50.75	83.54	-32.79	47.92	1	Horizontal	18	1.54	-	37.45	17.29	51.91			
AV	20.049G	38.73	63.54	-24.81	35.92	1	Horizontal	18	1.54	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68034G	56.96	88.20	-31.24	42.20	3	Vertical	49	1.97	-	40.28	9.44	34.96			
RMS	13.69924G	46.50	68.20	-21.70	31.73	3	Vertical	49	1.97	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68078G	57.79	88.20	-30.41	43.03	3	Horizontal	62	1.96	-	40.28	9.44	34.96			
RMS	13.68012G	46.23	68.20	-21.97	31.47	3	Horizontal	62	1.96	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52168G	49.93	83.54	-33.61	46.71	1	Vertical	147	2.43	-	37.73	17.49	52.00			
AV	20.52063G	38.82	63.54	-24.72	35.61	1	Vertical	147	2.43	-	37.72	17.49	52.00			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54196G	49.92	83.54	-33.62	46.58	1	Horizontal	15	1.52	-	37.85	17.50	52.01			
AV	20.54049G	38.65	63.54	-24.89	35.32	1	Horizontal	15	1.52	-	37.84	17.50	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	78.13	88.20	-10.07	69.18	3	Vertical	28	1.80	-	35.40	6.36	32.81			
RMS	5.9226G	67.57	68.20	-0.63	58.63	3	Vertical	28	1.80	-	35.39	6.36	32.81			
PK	6.0162G	104.79	Inf	-Inf	95.69	3	Vertical	28	1.80	-	35.53	6.41	32.84			
RMS	6.0138G	95.25	Inf	-Inf	86.15	3	Vertical	28	1.80	-	35.53	6.41	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.28	88.20	-9.92	69.35	3	Horizontal	350	1.97	-	35.38	6.36	32.81			
RMS	5.921G	66.59	68.20	-1.61	57.66	3	Horizontal	350	1.97	-	35.38	6.36	32.81			
PK	5.9902G	106.12	Inf	-Inf	97.06	3	Horizontal	350	1.97	-	35.50	6.40	32.84			
RMS	6.0162G	95.68	Inf	-Inf	86.58	3	Horizontal	350	1.97	-	35.53	6.41	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97555G	55.10	74.00	-18.90	50.35	3	Vertical	109	2.25	-	38.88	9.09	43.22			
AV	11.9805G	45.22	54.00	-8.78	40.47	3	Vertical	109	2.25	-	38.88	9.09	43.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 90
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97738G	54.61	74.00	-19.39	49.86	3	Horizontal	194	1.91	-	38.88	9.09	43.22			
AV	11.96442G	43.73	54.00	-10.27	39.01	3	Horizontal	194	1.91	-	38.86	9.09	43.23			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 90
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0025G	52.63	83.54	-30.91	48.29	1	Vertical	22	1.45	-	37.50	16.44	49.60			
AV	17.9874G	41.25	63.54	-22.29	36.91	1	Vertical	22	1.45	-	37.47	16.44	49.57			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 90
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.9405G	50.84	83.54	-32.70	46.48	1	Horizontal	45	1.56	-	37.38	16.42	49.44			
AV	17.9712G	39.99	63.54	-23.55	35.64	1	Horizontal	45	1.56	-	37.44	16.43	49.52			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44616G	61.14	74.00	-12.86	44.39	3	Vertical	10	1.68	-	39.05	9.28	31.58			
AV	12.4605G	51.44	54.00	-2.56	34.69	3	Vertical	10	1.68	-	39.06	9.28	31.59			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45165G	61.18	74.00	-12.82	44.44	3	Horizontal	0	2.99	-	39.05	9.28	31.59			
AV	12.46026G	52.38	54.00	-1.62	35.63	3	Horizontal	0	2.99	-	39.06	9.28	31.59			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67636G	55.00	83.54	-28.54	51.09	1	Vertical	14	1.54	-	37.67	16.72	50.48			
AV	18.6715G	45.95	63.54	-17.59	42.03	1	Vertical	14	1.54	-	37.67	16.72	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT Y_4TX
Setting 108
01-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.68G	54.26	83.54	-29.28	50.35	1	Horizontal	29	1.80	-	37.67	16.72	50.48			
AV	18.68004G	45.46	63.54	-18.08	41.55	1	Horizontal	29	1.80	-	37.67	16.72	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78311G	54.01	88.20	-34.19	47.90	3	Vertical	183	1.46	-	39.57	9.41	42.87			
RMS	12.75848G	44.03	68.20	-24.17	38.00	3	Vertical	183	1.46	-	39.52	9.40	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75782G	53.55	88.20	-34.65	47.52	3	Horizontal	333	2.88	-	39.52	9.40	42.89			
RMS	12.78062G	43.80	68.20	-24.40	37.70	3	Horizontal	333	2.88	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1424G	59.25	83.54	-24.29	55.75	1	Vertical	21	1.62	-	37.56	16.91	50.97			
AV	19.1421G	49.52	63.54	-14.02	46.02	1	Vertical	21	1.62	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1342G	53.19	83.54	-30.35	49.69	1	Horizontal	25	1.50	-	37.55	16.91	50.96			
AV	19.1421G	42.71	63.54	-20.83	39.21	1	Horizontal	25	1.50	-	37.56	16.91	50.97			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23602G	54.99	88.20	-33.21	47.86	3	Vertical	26	1.08	-	40.24	9.59	42.70			
RMS	13.23584G	45.26	68.20	-22.94	38.13	3	Vertical	26	1.08	-	40.24	9.59	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24334G	55.13	88.20	-33.07	47.99	3	Horizontal	152	1.86	-	40.24	9.60	42.70			
RMS	13.24745G	45.20	68.20	-23.00	38.05	3	Horizontal	152	1.86	-	40.25	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.855G	50.13	83.54	-33.41	47.16	1	Vertical	326	1.54	-	37.52	17.20	51.75			
AV	19.855G	40.08	63.54	-23.46	37.11	1	Vertical	326	1.54	-	37.52	17.20	51.75			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8496G	50.03	83.54	-33.51	47.06	1	Horizontal	310	1.57	-	37.52	17.20	51.75			
AV	19.8551G	39.86	63.54	-23.68	36.90	1	Horizontal	310	1.57	-	37.52	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4136G	54.86	88.20	-33.34	47.53	3	Vertical	213	2.96	-	40.40	9.67	42.74			
RMS	13.413G	44.66	68.20	-23.54	37.33	3	Vertical	213	2.96	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40124G	54.37	88.20	-33.83	47.05	3	Horizontal	97	2.81	-	40.40	9.66	42.74			
RMS	13.41831G	44.67	68.20	-23.53	37.34	3	Horizontal	97	2.81	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1377G	51.34	83.54	-32.20	48.44	1	Vertical	341	1.53	-	37.51	17.32	51.93			
AV	20.1624G	41.07	63.54	-22.47	38.14	1	Vertical	341	1.53	-	37.53	17.33	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1609G	50.46	83.54	-33.08	47.53	1	Horizontal	350	1.56	-	37.53	17.33	51.93			
AV	20.1425G	39.70	63.54	-23.84	36.80	1	Horizontal	350	1.56	-	37.51	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55509G	55.74	88.20	-32.46	48.35	3	Vertical	39	1.97	-	40.40	9.72	42.73			
RMS	13.57012G	46.16	68.20	-22.04	38.75	3	Vertical	39	1.97	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57714G	55.15	88.20	-33.05	47.73	3	Horizontal	74	1.58	-	40.40	9.73	42.71			
RMS	13.5733G	46.07	68.20	-22.13	38.66	3	Horizontal	74	1.58	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3978G	45.11	83.54	-38.43	42.00	1	Vertical	310	1.49	-	37.66	17.43	51.98			
AV	20.3904G	34.35	63.54	-29.19	31.24	1	Vertical	310	1.49	-	37.66	17.43	51.98			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4023G	49.95	83.54	-33.59	46.83	1	Horizontal	346	1.52	-	37.66	17.44	51.98			
AV	20.3247G	39.13	63.54	-24.41	36.06	1	Horizontal	346	1.52	-	37.63	17.40	51.96			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




11/05/2023

EUT Y_2TX
Setting 88
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	80.35	88.20	-7.85	71.41	3	Vertical	330	1.51	-	35.39	6.36	32.81			
RMS	5.9226G	67.82	68.20	-0.38	58.88	3	Vertical	330	1.51	-	35.39	6.36	32.81			
PK	6.0914G	104.51	Inf	-Inf	95.30	3	Vertical	330	1.51	-	35.60	6.45	32.84			
RMS	6.089G	94.97	Inf	-Inf	85.77	3	Vertical	330	1.51	-	35.60	6.44	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 88
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	78.21	88.20	-9.99	69.27	3	Horizontal	346	1.93	-	35.39	6.36	32.81			
RMS	5.921G	67.18	68.20	-1.02	58.25	3	Horizontal	346	1.93	-	35.38	6.36	32.81			
PK	6.0498G	104.42	Inf	-Inf	95.24	3	Horizontal	346	1.93	-	35.60	6.42	32.84			
RMS	6.0506G	94.80	Inf	-Inf	85.61	3	Horizontal	346	1.93	-	35.60	6.43	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 88
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04115G	53.62	74.00	-20.38	48.85	3	Vertical	340	1.64	-	38.86	9.12	43.21			
AV	12.05G	43.94	54.00	-10.06	39.18	3	Vertical	340	1.64	-	38.85	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 88
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04154G	53.26	74.00	-20.74	48.49	3	Horizontal	179	1.56	-	38.86	9.12	43.21			
AV	12.03575G	43.73	54.00	-10.27	38.97	3	Horizontal	179	1.56	-	38.86	9.11	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 88
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0875G	52.80	83.54	-30.74	48.54	1	Vertical	12	1.58	-	37.50	16.48	49.72			
AV	18.0875G	41.52	63.54	-22.02	37.26	1	Vertical	12	1.58	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 88
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0859G	49.72	83.54	-33.82	45.46	1	Horizontal	16	1.60	-	37.50	16.48	49.72			
AV	18.0731G	39.36	63.54	-24.18	35.09	1	Horizontal	16	1.60	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35695G	53.50	74.00	-20.50	48.52	3	Vertical	67	1.80	-	38.91	9.24	43.17			
AV	12.36151G	44.17	54.00	-9.83	39.18	3	Vertical	67	1.80	-	38.92	9.24	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38257G	53.34	74.00	-20.66	48.29	3	Horizontal	123	1.67	-	38.97	9.25	43.17			
AV	12.37723G	43.77	54.00	-10.23	38.74	3	Horizontal	123	1.67	-	38.95	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX



EUT_Y_2TX
Setting 108
01-E-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.518G	59.37	83.54	-24.17	55.43	1	Vertical	26	1.55	-	37.61	16.65	50.32			
AV	18.5086G	49.25	63.54	-14.29	45.31	1	Vertical	26	1.55	-	37.60	16.65	50.31			