



Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.674	40.640	-31.326	74.000	2.033	PK
2	*	16500.000	46.816	38.077	-27.184	74.000	8.739	PK

Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.584	41.550	-30.416	74.000	2.033	PK
2	*	16500.000	46.556	37.817	-27.444	74.000	8.739	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.563	40.347	-31.437	74.000	2.216	PK
2	*	16740.000	46.237	37.881	-27.763	74.000	8.356	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.193	39.977	-31.807	74.000	2.216	PK
2	*	16740.000	45.703	37.347	-28.297	74.000	8.356	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.639	39.455	-31.361	74.000	3.184	PK
2	*	17100.000	45.571	38.481	-28.429	74.000	7.090	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.557	40.373	-30.443	74.000	3.184	PK
2	*	17100.000	46.467	39.377	-27.533	74.000	7.090	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.792	41.368	-29.208	74.000	3.424	PK
2	*	17160.000	47.468	40.011	-26.532	74.000	7.457	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.891	40.467	-30.109	74.000	3.424	PK
2	*	17160.000	45.918	38.461	-28.082	74.000	7.457	PK

Profile: 20B0117R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.577	40.350	-31.423	74.000	2.226	PK
2	*	16530.000	46.601	37.778	-27.399	74.000	8.823	PK

Profile: 20B0117R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.400	41.173	-30.600	74.000	2.226	PK
2	*	16530.000	47.201	38.378	-26.799	74.000	8.823	PK

Profile: 20B0117R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.302	40.918	-30.698	74.000	2.383	PK
2	*	16770.000	46.049	38.222	-27.951	74.000	7.827	PK

Profile: 20B0117R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.495	40.111	-31.505	74.000	2.383	PK
2	*	16770.000	48.208	40.381	-25.792	74.000	7.827	PK

Profile: 20B0117R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.336	39.308	-31.664	74.000	3.028	PK
2	*	17010.000	47.173	39.593	-26.827	74.000	7.581	PK

Profile: 20B0117R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.834	39.806	-31.166	74.000	3.028	PK
2	*	17010.000	46.962	39.382	-27.038	74.000	7.581	PK

Profile: 20B0117R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.937	40.880	-31.063	74.000	2.057	PK
2	*	16590.000	46.952	37.527	-27.048	74.000	9.426	PK

Profile: 20B0117R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.019	39.962	-31.981	74.000	2.057	PK
2	*	16590.000	46.991	37.566	-27.009	74.000	9.426	PK

Profile: 20B0117R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.131	41.097	-30.869	74.000	2.033	PK
2	*	16500.000	47.081	38.342	-26.919	74.000	8.739	PK

Profile: 20B0117R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	41.942	39.908	-32.058	74.000	2.033	PK
2	*	16500.000	48.535	39.796	-25.465	74.000	8.739	PK

Profile: 20B0117R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	41.737	39.521	-32.263	74.000	2.216	PK
2	*	16740.000	46.782	38.426	-27.218	74.000	8.356	PK

Profile: 20B0117R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.420	40.204	-31.580	74.000	2.216	PK
2	*	16740.000	45.514	37.158	-28.486	74.000	8.356	PK

Profile: 20B0117R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.981	39.797	-31.019	74.000	3.184	PK
2	*	17100.000	46.173	39.083	-27.827	74.000	7.090	PK

Profile: 20B0117R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.341	40.157	-30.659	74.000	3.184	PK
2	*	17100.000	46.642	39.552	-27.358	74.000	7.090	PK

Profile: 20B0117R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.711	41.287	-29.289	74.000	3.424	PK
2	*	17160.000	45.936	38.479	-28.064	74.000	7.457	PK

Profile: 20B0117R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.061	39.637	-30.939	74.000	3.424	PK
2	*	17160.000	45.532	38.075	-28.468	74.000	7.457	PK

Profile: 20B0117R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	41.609	39.382	-32.391	74.000	2.226	PK
2	*	16530.000	48.084	39.261	-25.916	74.000	8.823	PK

Profile: 20B0117R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.628	40.401	-31.372	74.000	2.226	PK
2	*	16530.000	46.799	37.976	-27.201	74.000	8.823	PK

Profile: 20B0117R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.149	40.765	-30.851	74.000	2.383	PK
2	*	16770.000	46.713	38.886	-27.287	74.000	7.827	PK

Profile: 20B0117R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.475	41.091	-30.525	74.000	2.383	PK
2	*	16770.000	46.373	38.546	-27.627	74.000	7.827	PK

Profile: 20B0117R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.564	40.536	-30.436	74.000	3.028	PK
2	*	17010.000	47.092	39.512	-26.908	74.000	7.581	PK

Profile: 20B0117R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.612	40.584	-30.388	74.000	3.028	PK
2	*	17010.000	47.085	39.505	-26.915	74.000	7.581	PK

Profile: 20B0117R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.324	40.267	-31.676	74.000	2.057	PK
2	*	16590.000	47.649	38.224	-26.351	74.000	9.426	PK

Profile: 20B0117R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.228	40.171	-31.772	74.000	2.057	PK
2	*	16590.000	47.227	37.802	-26.773	74.000	9.426	PK

Profile: 20B0117R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	42.332	40.129	-31.668	74.000	2.203	PK
2	*	16710.000	47.502	39.112	-26.498	74.000	8.390	PK

Profile: 20B0117R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	43.749	41.546	-30.251	74.000	2.203	PK
2	*	16710.000	46.478	38.088	-27.522	74.000	8.390	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.471	39.646	-31.529	74.000	2.825	PK
2	*	17235.000	46.493	38.663	-27.507	74.000	7.830	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.365	41.540	-29.635	74.000	2.825	PK
2	*	17235.000	45.595	37.765	-28.405	74.000	7.830	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.214	39.897	-30.786	74.000	3.317	PK
2	*	17355.000	47.808	39.784	-26.192	74.000	8.023	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.423	40.106	-30.577	74.000	3.317	PK
2	*	17355.000	44.788	36.764	-29.212	74.000	8.023	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.613	40.299	-30.387	74.000	3.314	PK
2	*	17475.000	47.282	39.196	-26.718	74.000	8.086	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	42.965	39.651	-31.035	74.000	3.314	PK
2	*	17475.000	47.047	38.961	-26.953	74.000	8.086	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.687	41.862	-29.313	74.000	2.825	PK
2	*	17235.000	45.981	38.151	-28.019	74.000	7.830	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.817	39.992	-31.183	74.000	2.825	PK
2	*	17235.000	46.463	38.633	-27.537	74.000	7.830	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.665	40.348	-30.335	74.000	3.317	PK
2	*	17355.000	45.568	37.544	-28.432	74.000	8.023	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.524	40.207	-30.476	74.000	3.317	PK
2	*	17355.000	46.275	38.251	-27.725	74.000	8.023	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.928	40.614	-30.072	74.000	3.314	PK
2	*	17475.000	47.239	39.153	-26.761	74.000	8.086	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	45.108	41.794	-28.892	74.000	3.314	PK
2	*	17475.000	48.345	40.259	-25.655	74.000	8.086	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.772	41.088	-29.228	74.000	3.684	PK
2	*	17265.000	47.727	38.743	-26.273	74.000	8.984	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.395	40.711	-29.605	74.000	3.684	PK
2	*	17265.000	47.765	38.781	-26.235	74.000	8.984	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	42.987	39.065	-31.013	74.000	3.922	PK
2	*	17385.000	46.077	38.356	-27.923	74.000	7.721	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.205	39.283	-30.795	74.000	3.922	PK
2	*	17385.000	45.933	38.212	-28.067	74.000	7.721	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.091	40.266	-30.909	74.000	2.825	PK
2	*	17235.000	45.795	37.965	-28.205	74.000	7.830	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.275	40.450	-30.725	74.000	2.825	PK
2	*	17235.000	46.647	38.817	-27.353	74.000	7.830	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.103	40.786	-29.897	74.000	3.317	PK
2	*	17355.000	46.873	38.849	-27.127	74.000	8.023	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.454	41.137	-29.546	74.000	3.317	PK
2	*	17355.000	45.428	37.404	-28.572	74.000	8.023	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.188	39.874	-30.812	74.000	3.314	PK
2	*	17475.000	47.939	39.853	-26.061	74.000	8.086	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.914	40.600	-30.086	74.000	3.314	PK
2	*	17475.000	46.807	38.721	-27.193	74.000	8.086	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.833	40.149	-30.167	74.000	3.684	PK
2	*	17265.000	47.425	38.441	-26.575	74.000	8.984	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.359	40.675	-29.641	74.000	3.684	PK
2	*	17265.000	47.264	38.280	-26.736	74.000	8.984	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.197	40.275	-29.803	74.000	3.922	PK
2	*	17385.000	46.554	38.833	-27.446	74.000	7.721	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.005	39.083	-30.995	74.000	3.922	PK
2	*	17385.000	45.646	37.925	-28.354	74.000	7.721	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.351	41.059	-29.649	74.000	3.291	PK
2	*	17325.000	47.361	39.128	-26.639	74.000	8.233	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.742	40.450	-30.258	74.000	3.291	PK
2	*	17325.000	46.541	38.308	-27.459	74.000	8.233	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.092	39.267	-31.908	74.000	2.825	PK
2	*	17235.000	45.276	37.446	-28.724	74.000	7.830	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.454	40.629	-30.546	74.000	2.825	PK
2	*	17235.000	45.763	37.933	-28.237	74.000	7.830	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.533	41.216	-29.467	74.000	3.317	PK
2	*	17355.000	45.745	37.721	-28.255	74.000	8.023	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.425	40.108	-30.575	74.000	3.317	PK
2	*	17355.000	45.954	37.930	-28.046	74.000	8.023	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.781	40.467	-30.219	74.000	3.314	PK
2	*	17475.000	47.413	39.327	-26.587	74.000	8.086	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.882	40.568	-30.118	74.000	3.314	PK
2	*	17475.000	46.543	38.457	-27.457	74.000	8.086	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.669	40.985	-29.331	74.000	3.684	PK
2	*	17265.000	47.017	38.033	-26.983	74.000	8.984	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.395	40.711	-29.605	74.000	3.684	PK
2	*	17265.000	47.385	38.401	-26.615	74.000	8.984	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	42.987	39.065	-31.013	74.000	3.922	PK
2	*	17385.000	46.195	38.474	-27.805	74.000	7.721	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.443	39.521	-30.557	74.000	3.922	PK
2	*	17385.000	45.539	37.818	-28.461	74.000	7.721	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.649	40.357	-30.351	74.000	3.291	PK
2	*	17325.000	46.731	38.498	-27.269	74.000	8.233	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.469	40.177	-30.531	74.000	3.291	PK
2	*	17325.000	48.135	39.902	-25.865	74.000	8.233	PK

Appendix 1: Radiated Surprious Emission


Dipole-ETH7 CDD 2TX

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.241	41.380	-31.759	74.000	0.860	PK
2	*	15540.000	45.808	39.170	-28.192	74.000	6.637	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.441	41.580	-31.559	74.000	0.860	PK
2	*	15540.000	47.454	40.816	-26.546	74.000	6.637	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.502	42.630	-30.498	74.000	0.871	PK
2	*	15600.000	46.537	37.975	-27.463	74.000	8.563	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	44.051	43.179	-29.949	74.000	0.871	PK
2	*	15600.000	46.320	37.758	-27.680	74.000	8.563	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	41.840	40.727	-32.160	74.000	1.114	PK
2	*	15720.000	47.519	38.959	-26.481	74.000	8.561	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.289	41.176	-31.711	74.000	1.114	PK
2	*	15720.000	46.820	38.260	-27.180	74.000	8.561	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.116	42.255	-30.884	74.000	0.860	PK
2	*	15540.000	45.852	39.214	-28.148	74.000	6.637	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.588	40.727	-32.412	74.000	0.860	PK
2	*	15540.000	46.396	39.758	-27.604	74.000	6.637	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.897	43.025	-30.103	74.000	0.871	PK
2	*	15600.000	45.881	37.319	-28.119	74.000	8.563	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	41.902	41.030	-32.098	74.000	0.871	PK
2	*	15600.000	46.084	37.522	-27.916	74.000	8.563	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.188	41.075	-31.812	74.000	1.114	PK
2	*	15720.000	47.521	38.961	-26.479	74.000	8.561	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.692	41.579	-31.308	74.000	1.114	PK
2	*	15720.000	47.510	38.950	-26.490	74.000	8.561	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.405	40.751	-32.595	74.000	0.654	PK
2	*	15570.000	47.860	40.143	-26.140	74.000	7.716	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.385	42.731	-30.615	74.000	0.654	PK
2	*	15570.000	45.669	37.952	-28.331	74.000	7.716	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.992	40.187	-33.008	74.000	0.805	PK
2	*	15690.000	47.211	38.151	-26.789	74.000	9.060	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.070	39.265	-33.930	74.000	0.805	PK
2	*	15690.000	47.780	38.720	-26.220	74.000	9.060	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.228	41.367	-31.772	74.000	0.860	PK
2	*	15540.000	45.322	38.684	-28.678	74.000	6.637	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.062	42.201	-30.938	74.000	0.860	PK
2	*	15540.000	45.819	39.181	-28.181	74.000	6.637	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.093	41.221	-31.907	74.000	0.871	PK
2	*	15600.000	47.259	38.697	-26.741	74.000	8.563	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.352	42.480	-30.648	74.000	0.871	PK
2	*	15600.000	46.996	38.434	-27.004	74.000	8.563	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.565	41.452	-31.435	74.000	1.114	PK
2	*	15720.000	46.460	37.900	-27.540	74.000	8.561	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.219	42.106	-30.781	74.000	1.114	PK
2	*	15720.000	47.261	38.701	-26.739	74.000	8.561	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.295	41.641	-31.705	74.000	0.654	PK
2	*	15570.000	45.543	37.826	-28.457	74.000	7.716	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.925	42.271	-31.075	74.000	0.654	PK
2	*	15570.000	46.775	39.058	-27.225	74.000	7.716	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.365	40.560	-32.635	74.000	0.805	PK
2	*	15690.000	47.520	38.460	-26.480	74.000	9.060	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.314	40.509	-32.686	74.000	0.805	PK
2	*	15690.000	48.229	39.169	-25.771	74.000	9.060	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.761	40.907	-32.239	74.000	0.855	PK
2	*	15630.000	47.912	39.883	-26.088	74.000	8.028	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.788	40.934	-32.212	74.000	0.855	PK
2	*	15630.000	47.280	39.251	-26.720	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.342	41.481	-31.658	74.000	0.860	PK
2	*	15540.000	46.472	39.834	-27.528	74.000	6.637	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.425	41.564	-31.575	74.000	0.860	PK
2	*	15540.000	45.652	39.014	-28.348	74.000	6.637	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.485	41.613	-31.515	74.000	0.871	PK
2	*	15600.000	46.837	38.275	-27.163	74.000	8.563	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	41.317	40.445	-32.683	74.000	0.871	PK
2	*	15600.000	46.984	38.422	-27.016	74.000	8.563	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	41.500	40.387	-32.500	74.000	1.114	PK
2	*	15720.000	46.093	37.533	-27.907	74.000	8.561	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.880	41.767	-31.120	74.000	1.114	PK
2	*	15720.000	47.276	38.716	-26.724	74.000	8.561	PK

Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.671	42.017	-31.329	74.000	0.654	PK
2	*	15570.000	47.551	39.834	-26.449	74.000	7.716	PK

Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.479	42.825	-30.521	74.000	0.654	PK
2	*	15570.000	45.522	37.805	-28.478	74.000	7.716	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	39.886	39.081	-34.114	74.000	0.805	PK
2	*	15690.000	48.175	39.115	-25.825	74.000	9.060	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.673	40.868	-32.327	74.000	0.805	PK
2	*	15690.000	48.069	39.009	-25.931	74.000	9.060	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.771	40.917	-32.229	74.000	0.855	PK
2	*	15630.000	46.691	38.662	-27.309	74.000	8.028	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.002	40.148	-32.998	74.000	0.855	PK
2	*	15630.000	47.622	39.593	-26.378	74.000	8.028	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	42.324	41.671	-31.676	74.000	0.652	PK
2	*	15750.000	47.242	39.499	-26.758	74.000	7.742	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.875	41.222	-32.125	74.000	0.652	PK
2	*	15750.000	47.148	39.405	-26.852	74.000	7.742	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.018	42.284	-29.982	74.000	1.735	PK
2	*	15780.000	47.013	38.173	-26.987	74.000	8.840	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.698	40.964	-31.302	74.000	1.735	PK
2	*	15780.000	47.765	38.925	-26.235	74.000	8.840	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.983	41.667	-31.017	74.000	1.316	PK
2	*	15840.000	47.929	39.704	-26.071	74.000	8.226	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.705	41.389	-31.295	74.000	1.316	PK
2	*	15840.000	48.183	39.958	-25.817	74.000	8.226	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.801	40.967	-31.199	74.000	1.834	PK
2	*	15960.000	46.660	38.448	-27.340	74.000	8.212	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.593	40.759	-31.407	74.000	1.834	PK
2	*	15960.000	45.894	37.682	-28.106	74.000	8.212	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.925	41.191	-31.075	74.000	1.735	PK
2	*	15780.000	46.178	37.338	-27.822	74.000	8.840	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.600	41.866	-30.400	74.000	1.735	PK
2	*	15780.000	47.486	38.646	-26.514	74.000	8.840	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.218	40.902	-31.782	74.000	1.316	PK
2	*	15840.000	47.626	39.401	-26.374	74.000	8.226	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.480	41.164	-31.520	74.000	1.316	PK
2	*	15840.000	47.664	39.439	-26.336	74.000	8.226	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.633	40.799	-31.367	74.000	1.834	PK
2	*	15960.000	46.146	37.934	-27.854	74.000	8.212	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.216	40.382	-31.784	74.000	1.834	PK
2	*	15960.000	46.829	38.617	-27.171	74.000	8.212	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.195	41.843	-30.805	74.000	1.351	PK
2	*	15810.000	47.388	38.449	-26.612	74.000	8.939	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.961	41.609	-31.039	74.000	1.351	PK
2	*	15810.000	47.087	38.148	-26.913	74.000	8.939	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.301	41.082	-31.699	74.000	1.219	PK
2	*	15930.000	48.496	39.568	-25.504	74.000	8.928	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.824	41.605	-31.176	74.000	1.219	PK
2	*	15930.000	48.005	39.077	-25.995	74.000	8.928	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.111	41.377	-30.889	74.000	1.735	PK
2	*	15780.000	47.634	38.794	-26.366	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.109	40.375	-31.891	74.000	1.735	PK
2	*	15780.000	47.434	38.594	-26.566	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.348	42.032	-30.652	74.000	1.316	PK
2	*	15840.000	47.849	39.624	-26.151	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.987	41.671	-31.013	74.000	1.316	PK
2	*	15840.000	46.901	38.676	-27.099	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	44.152	42.318	-29.848	74.000	1.834	PK
2	*	15960.000	46.478	38.266	-27.522	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.759	40.925	-31.241	74.000	1.834	PK
2	*	15960.000	46.257	38.045	-27.743	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.685	42.333	-30.315	74.000	1.351	PK
2	*	15810.000	48.049	39.110	-25.951	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.824	41.472	-31.176	74.000	1.351	PK
2	*	15810.000	46.560	37.621	-27.440	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.060	40.841	-31.940	74.000	1.219	PK
2	*	15930.000	48.714	39.786	-25.286	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.500	41.281	-31.500	74.000	1.219	PK
2	*	15930.000	48.126	39.198	-25.874	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.889	40.446	-32.111	74.000	1.444	PK
2	*	15870.000	46.715	37.962	-27.285	74.000	8.753	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.222	41.779	-30.778	74.000	1.444	PK
2	*	15870.000	47.118	38.365	-26.882	74.000	8.753	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.266	40.532	-31.734	74.000	1.735	PK
2	*	15780.000	48.057	39.217	-25.943	74.000	8.840	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.814	41.080	-31.186	74.000	1.735	PK
2	*	15780.000	47.567	38.727	-26.433	74.000	8.840	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.118	40.802	-31.882	74.000	1.316	PK
2	*	15840.000	47.778	39.553	-26.222	74.000	8.226	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.598	40.282	-32.402	74.000	1.316	PK
2	*	15840.000	47.628	39.403	-26.372	74.000	8.226	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.077	40.243	-31.923	74.000	1.834	PK
2	*	15960.000	46.565	38.353	-27.435	74.000	8.212	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.083	40.249	-31.917	74.000	1.834	PK
2	*	15960.000	47.433	39.221	-26.567	74.000	8.212	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.153	41.801	-30.847	74.000	1.351	PK
2	*	15810.000	46.987	38.048	-27.013	74.000	8.939	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.824	41.472	-31.176	74.000	1.351	PK
2	*	15810.000	46.945	38.006	-27.055	74.000	8.939	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.760	41.541	-31.240	74.000	1.219	PK
2	*	15930.000	47.745	38.817	-26.255	74.000	8.928	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	41.643	40.424	-32.357	74.000	1.219	PK
2	*	15930.000	47.731	38.803	-26.269	74.000	8.928	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.458	40.015	-32.542	74.000	1.444	PK
2	*	15870.000	47.633	38.880	-26.367	74.000	8.753	PK


Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.857	40.414	-32.143	74.000	1.444	PK
2	*	15870.000	46.639	37.886	-27.361	74.000	8.753	PK


Dipole-ETH6 CDD 2TX

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.173	42.312	-30.827	74.000	0.860	PK
2	*	15540.000	46.021	39.383	-27.979	74.000	6.637	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.676	40.815	-32.324	74.000	0.860	PK
2	*	15540.000	46.189	39.551	-27.811	74.000	6.637	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.933	43.061	-30.067	74.000	0.871	PK
2	*	15600.000	46.474	37.912	-27.526	74.000	8.563	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.085	42.213	-30.915	74.000	0.871	PK
2	*	15600.000	47.395	38.833	-26.605	74.000	8.563	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.467	42.354	-30.533	74.000	1.114	PK
2	*	15720.000	46.964	38.404	-27.036	74.000	8.561	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.038	41.925	-30.962	74.000	1.114	PK
2	*	15720.000	47.143	38.583	-26.857	74.000	8.561	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.054	42.193	-30.946	74.000	0.860	PK
2	*	15540.000	45.536	38.898	-28.464	74.000	6.637	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.711	40.850	-32.289	74.000	0.860	PK
2	*	15540.000	45.701	39.063	-28.299	74.000	6.637	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.641	41.769	-31.359	74.000	0.871	PK
2	*	15600.000	47.361	38.799	-26.639	74.000	8.563	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	44.016	43.144	-29.984	74.000	0.871	PK
2	*	15600.000	47.784	39.222	-26.216	74.000	8.563	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.422	41.309	-31.578	74.000	1.114	PK
2	*	15720.000	47.046	38.486	-26.954	74.000	8.561	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.538	41.425	-31.462	74.000	1.114	PK
2	*	15720.000	47.590	39.030	-26.410	74.000	8.561	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.853	42.199	-31.147	74.000	0.654	PK
2	*	15570.000	45.415	37.698	-28.585	74.000	7.716	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.435	40.781	-32.565	74.000	0.654	PK
2	*	15570.000	47.227	39.510	-26.773	74.000	7.716	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.252	40.447	-32.748	74.000	0.805	PK
2	*	15690.000	47.714	38.654	-26.286	74.000	9.060	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.832	40.027	-33.168	74.000	0.805	PK
2	*	15690.000	47.102	38.042	-26.898	74.000	9.060	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.062	41.201	-31.938	74.000	0.860	PK
2	*	15540.000	46.610	39.972	-27.390	74.000	6.637	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.865	41.004	-32.135	74.000	0.860	PK
2	*	15540.000	46.928	40.290	-27.072	74.000	6.637	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.058	41.186	-31.942	74.000	0.871	PK
2	*	15600.000	46.989	38.427	-27.011	74.000	8.563	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.181	42.309	-30.819	74.000	0.871	PK
2	*	15600.000	47.219	38.657	-26.781	74.000	8.563	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.737	42.624	-30.263	74.000	1.114	PK
2	*	15720.000	46.171	37.611	-27.829	74.000	8.561	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.292	41.179	-31.708	74.000	1.114	PK
2	*	15720.000	46.973	38.413	-27.027	74.000	8.561	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.639	40.985	-32.361	74.000	0.654	PK
2	*	15570.000	46.539	38.822	-27.461	74.000	7.716	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.140	42.486	-30.860	74.000	0.654	PK
2	*	15570.000	46.393	38.676	-27.607	74.000	7.716	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.630	39.825	-33.370	74.000	0.805	PK
2	*	15690.000	48.512	39.452	-25.488	74.000	9.060	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.744	39.939	-33.256	74.000	0.805	PK
2	*	15690.000	48.130	39.070	-25.870	74.000	9.060	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.523	40.669	-32.477	74.000	0.855	PK
2	*	15630.000	47.924	39.895	-26.076	74.000	8.028	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.940	41.086	-32.060	74.000	0.855	PK
2	*	15630.000	48.194	40.165	-25.806	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.996	42.135	-31.004	74.000	0.860	PK
2	*	15540.000	45.182	38.544	-28.818	74.000	6.637	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.298	42.437	-30.702	74.000	0.860	PK
2	*	15540.000	46.596	39.958	-27.404	74.000	6.637	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.485	41.613	-31.515	74.000	0.871	PK
2	*	15600.000	46.837	38.275	-27.163	74.000	8.563	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.065	41.193	-31.935	74.000	0.871	PK
2	*	15600.000	47.851	39.289	-26.149	74.000	8.563	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.552	41.439	-31.448	74.000	1.114	PK
2	*	15720.000	47.051	38.491	-26.949	74.000	8.561	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.019	41.906	-30.981	74.000	1.114	PK
2	*	15720.000	46.643	38.083	-27.357	74.000	8.561	PK

Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.366	41.712	-31.634	74.000	0.654	PK
2	*	15570.000	47.132	39.415	-26.868	74.000	7.716	PK

Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.383	41.729	-31.617	74.000	0.654	PK
2	*	15570.000	46.534	38.817	-27.466	74.000	7.716	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.082	39.277	-33.918	74.000	0.805	PK
2	*	15690.000	48.464	39.404	-25.536	74.000	9.060	PK