



Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.294	40.489	-32.706	74.000	0.805	PK
2	*	15690.000	47.539	38.479	-26.461	74.000	9.060	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.771	40.917	-32.229	74.000	0.855	PK
2	*	15630.000	46.691	38.662	-27.309	74.000	8.028	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.923	41.069	-32.077	74.000	0.855	PK
2	*	15630.000	47.022	38.993	-26.978	74.000	8.028	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.677	41.024	-32.323	74.000	0.652	PK
2	*	15750.000	46.202	38.459	-27.798	74.000	7.742	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.771	41.118	-32.229	74.000	0.652	PK
2	*	15750.000	46.607	38.864	-27.393	74.000	7.742	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.563	42.829	-29.437	74.000	1.735	PK
2	*	15780.000	46.721	37.881	-27.279	74.000	8.840	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.093	41.359	-30.907	74.000	1.735	PK
2	*	15780.000	47.377	38.537	-26.623	74.000	8.840	PK


Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.604	41.288	-31.396	74.000	1.316	PK
2	*	15840.000	47.029	38.804	-26.971	74.000	8.226	PK




Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.926	40.610	-32.074	74.000	1.316	PK
2	*	15840.000	47.273	39.048	-26.727	74.000	8.226	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.160	41.326	-30.840	74.000	1.834	PK
2	*	15960.000	48.064	39.852	-25.936	74.000	8.212	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.698	40.864	-31.302	74.000	1.834	PK
2	*	15960.000	47.420	39.208	-26.580	74.000	8.212	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.693	42.959	-29.307	74.000	1.735	PK
2	*	15780.000	47.593	38.753	-26.407	74.000	8.840	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.615	41.881	-30.385	74.000	1.735	PK
2	*	15780.000	46.971	38.131	-27.029	74.000	8.840	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.698	40.382	-32.302	74.000	1.316	PK
2	*	15840.000	47.638	39.413	-26.362	74.000	8.226	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.336	41.020	-31.664	74.000	1.316	PK
2	*	15840.000	46.472	38.247	-27.528	74.000	8.226	PK


Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	44.308	42.474	-29.692	74.000	1.834	PK
2	*	15960.000	47.534	39.322	-26.466	74.000	8.212	PK




Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.686	40.852	-31.314	74.000	1.834	PK
2	*	15960.000	47.156	38.944	-26.844	74.000	8.212	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.955	42.603	-30.045	74.000	1.351	PK
2	*	15810.000	46.572	37.633	-27.428	74.000	8.939	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.597	42.245	-30.403	74.000	1.351	PK
2	*	15810.000	47.392	38.453	-26.608	74.000	8.939	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.282	41.063	-31.718	74.000	1.219	PK
2	*	15930.000	47.626	38.698	-26.374	74.000	8.928	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.233	42.014	-30.767	74.000	1.219	PK
2	*	15930.000	47.995	39.067	-26.005	74.000	8.928	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.792	41.058	-31.208	74.000	1.735	PK
2	*	15780.000	47.240	38.400	-26.760	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.385	42.651	-29.615	74.000	1.735	PK
2	*	15780.000	47.372	38.532	-26.628	74.000	8.840	PK


Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.348	42.032	-30.652	74.000	1.316	PK
2	*	15840.000	47.849	39.624	-26.151	74.000	8.226	PK




Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.753	40.437	-32.247	74.000	1.316	PK
2	*	15840.000	48.292	40.067	-25.708	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.172	41.338	-30.828	74.000	1.834	PK
2	*	15960.000	49.042	40.830	-24.958	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.985	41.151	-31.015	74.000	1.834	PK
2	*	15960.000	46.936	38.724	-27.064	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.319	41.967	-30.681	74.000	1.351	PK
2	*	15810.000	47.568	38.629	-26.432	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.995	41.643	-31.005	74.000	1.351	PK
2	*	15810.000	46.734	37.795	-27.266	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.363	41.144	-31.637	74.000	1.219	PK
2	*	15930.000	47.872	38.944	-26.128	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.662	41.443	-31.338	74.000	1.219	PK
2	*	15930.000	48.195	39.267	-25.805	74.000	8.928	PK


Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.473	41.030	-31.527	74.000	1.444	PK
2	*	15870.000	46.785	38.032	-27.215	74.000	8.753	PK




Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.526	42.083	-30.474	74.000	1.444	PK
2	*	15870.000	48.265	39.512	-25.735	74.000	8.753	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.927	41.193	-31.073	74.000	1.735	PK
2	*	15780.000	47.682	38.842	-26.318	74.000	8.840	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.182	41.448	-30.818	74.000	1.735	PK
2	*	15780.000	46.555	37.715	-27.445	74.000	8.840	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.087	40.771	-31.913	74.000	1.316	PK
2	*	15840.000	48.059	39.834	-25.941	74.000	8.226	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.881	41.565	-31.119	74.000	1.316	PK
2	*	15840.000	47.944	39.719	-26.056	74.000	8.226	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.600	40.766	-31.400	74.000	1.834	PK
2	*	15960.000	46.493	38.281	-27.507	74.000	8.212	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.206	41.372	-30.794	74.000	1.834	PK
2	*	15960.000	47.382	39.170	-26.618	74.000	8.212	PK


Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.126	41.774	-30.874	74.000	1.351	PK
2	*	15810.000	46.699	37.760	-27.301	74.000	8.939	PK




Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.288	41.936	-30.712	74.000	1.351	PK
2	*	15810.000	46.340	37.401	-27.660	74.000	8.939	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.397	41.178	-31.603	74.000	1.219	PK
2	*	15930.000	48.238	39.310	-25.762	74.000	8.928	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.140	40.921	-31.860	74.000	1.219	PK
2	*	15930.000	47.833	38.905	-26.167	74.000	8.928	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.646	42.203	-30.354	74.000	1.444	PK
2	*	15870.000	47.214	38.461	-26.786	74.000	8.753	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.826	40.383	-32.174	74.000	1.444	PK
2	*	15870.000	47.820	39.067	-26.180	74.000	8.753	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5500MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.321	41.287	-30.679	74.000	2.033	PK
2	*	16500.000	48.019	39.280	-25.981	74.000	8.739	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5500MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.021	40.987	-30.979	74.000	2.033	PK
2	*	16500.000	47.163	38.424	-26.837	74.000	8.739	PK


Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5580MHz by 802.11a	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.298	40.082	-31.702	74.000	2.216	PK
2	*	16740.000	48.121	39.765	-25.879	74.000	8.356	PK




Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5580MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.320	41.104	-30.680	74.000	2.216	PK
2	*	16740.000	46.255	37.899	-27.745	74.000	8.356	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5700MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.944	39.760	-31.056	74.000	3.184	PK
2	*	17100.000	45.712	38.622	-28.288	74.000	7.090	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5700MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.676	40.492	-30.324	74.000	3.184	PK
2	*	17100.000	46.559	39.469	-27.441	74.000	7.090	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5720MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.645	40.221	-30.355	74.000	3.424	PK
2	*	17160.000	45.956	38.499	-28.044	74.000	7.457	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5720MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.495	40.071	-30.505	74.000	3.424	PK
2	*	17160.000	47.187	39.730	-26.813	74.000	7.457	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.628	40.594	-31.372	74.000	2.033	PK
2	*	16500.000	47.134	38.395	-26.866	74.000	8.739	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.774	40.740	-31.226	74.000	2.033	PK
2	*	16500.000	47.980	39.241	-26.020	74.000	8.739	PK


Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.617	41.401	-30.383	74.000	2.216	PK
2	*	16740.000	46.500	38.144	-27.500	74.000	8.356	PK




Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.766	40.550	-31.234	74.000	2.216	PK
2	*	16740.000	46.333	37.977	-27.667	74.000	8.356	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	41.914	38.730	-32.086	74.000	3.184	PK
2	*	17100.000	45.573	38.483	-28.427	74.000	7.090	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.498	40.314	-30.502	74.000	3.184	PK
2	*	17100.000	45.289	38.199	-28.711	74.000	7.090	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5720MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.589	41.165	-29.411	74.000	3.424	PK
2	*	17160.000	45.663	38.206	-28.337	74.000	7.457	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5720MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.877	40.453	-30.123	74.000	3.424	PK
2	*	17160.000	46.328	38.871	-27.672	74.000	7.457	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.419	41.192	-30.581	74.000	2.226	PK
2	*	16530.000	47.232	38.409	-26.768	74.000	8.823	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	41.789	39.562	-32.211	74.000	2.226	PK
2	*	16530.000	46.334	37.511	-27.666	74.000	8.823	PK


Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.516	40.132	-31.484	74.000	2.383	PK
2	*	16770.000	47.526	39.699	-26.474	74.000	7.827	PK




Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.931	40.547	-31.069	74.000	2.383	PK
2	*	16770.000	46.208	38.381	-27.792	74.000	7.827	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.826	40.798	-30.174	74.000	3.028	PK
2	*	17010.000	47.695	40.115	-26.305	74.000	7.581	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.310	40.282	-30.690	74.000	3.028	PK
2	*	17010.000	47.375	39.795	-26.625	74.000	7.581	PK

Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.674	40.640	-31.326	74.000	2.033	PK
2	*	16500.000	46.816	38.077	-27.184	74.000	8.739	PK

Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.584	41.550	-30.416	74.000	2.033	PK
2	*	16500.000	46.556	37.817	-27.444	74.000	8.739	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.563	40.347	-31.437	74.000	2.216	PK
2	*	16740.000	46.237	37.881	-27.763	74.000	8.356	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.193	39.977	-31.807	74.000	2.216	PK
2	*	16740.000	45.703	37.347	-28.297	74.000	8.356	PK


Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.639	39.455	-31.361	74.000	3.184	PK
2	*	17100.000	45.571	38.481	-28.429	74.000	7.090	PK




Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.557	40.373	-30.443	74.000	3.184	PK
2	*	17100.000	46.467	39.377	-27.533	74.000	7.090	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.792	41.368	-29.208	74.000	3.424	PK
2	*	17160.000	47.468	40.011	-26.532	74.000	7.457	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.891	40.467	-30.109	74.000	3.424	PK
2	*	17160.000	45.918	38.461	-28.082	74.000	7.457	PK

Profile: 20B0117R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.577	40.350	-31.423	74.000	2.226	PK
2	*	16530.000	46.601	37.778	-27.399	74.000	8.823	PK

Profile: 20B0117R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.400	41.173	-30.600	74.000	2.226	PK
2	*	16530.000	47.201	38.378	-26.799	74.000	8.823	PK

Profile: 20B0117R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.302	40.918	-30.698	74.000	2.383	PK
2	*	16770.000	46.049	38.222	-27.951	74.000	7.827	PK

Profile: 20B0117R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.495	40.111	-31.505	74.000	2.383	PK
2	*	16770.000	48.208	40.381	-25.792	74.000	7.827	PK


Profile: 20B0117R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.336	39.308	-31.664	74.000	3.028	PK
2	*	17010.000	47.173	39.593	-26.827	74.000	7.581	PK




Profile: 20B0117R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.834	39.806	-31.166	74.000	3.028	PK
2	*	17010.000	46.962	39.382	-27.038	74.000	7.581	PK

Profile: 20B0117R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.937	40.880	-31.063	74.000	2.057	PK
2	*	16590.000	46.952	37.527	-27.048	74.000	9.426	PK

Profile: 20B0117R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.019	39.962	-31.981	74.000	2.057	PK
2	*	16590.000	46.991	37.566	-27.009	74.000	9.426	PK

Profile: 20B0117R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.131	41.097	-30.869	74.000	2.033	PK
2	*	16500.000	47.081	38.342	-26.919	74.000	8.739	PK

Profile: 20B0117R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	41.942	39.908	-32.058	74.000	2.033	PK
2	*	16500.000	48.535	39.796	-25.465	74.000	8.739	PK

Profile: 20B0117R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	41.737	39.521	-32.263	74.000	2.216	PK
2	*	16740.000	46.782	38.426	-27.218	74.000	8.356	PK

Profile: 20B0117R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.420	40.204	-31.580	74.000	2.216	PK
2	*	16740.000	45.514	37.158	-28.486	74.000	8.356	PK


Profile: 20B0117R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.981	39.797	-31.019	74.000	3.184	PK
2	*	17100.000	46.173	39.083	-27.827	74.000	7.090	PK




Profile: 20B0117R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.341	40.157	-30.659	74.000	3.184	PK
2	*	17100.000	46.642	39.552	-27.358	74.000	7.090	PK

Profile: 20B0117R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.711	41.287	-29.289	74.000	3.424	PK
2	*	17160.000	45.936	38.479	-28.064	74.000	7.457	PK

Profile: 20B0117R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.061	39.637	-30.939	74.000	3.424	PK
2	*	17160.000	45.532	38.075	-28.468	74.000	7.457	PK

Profile: 20B0117R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	41.609	39.382	-32.391	74.000	2.226	PK
2	*	16530.000	48.084	39.261	-25.916	74.000	8.823	PK

Profile: 20B0117R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.628	40.401	-31.372	74.000	2.226	PK
2	*	16530.000	46.799	37.976	-27.201	74.000	8.823	PK

Profile: 20B0117R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.149	40.765	-30.851	74.000	2.383	PK
2	*	16770.000	46.713	38.886	-27.287	74.000	7.827	PK

Profile: 20B0117R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.475	41.091	-30.525	74.000	2.383	PK
2	*	16770.000	46.373	38.546	-27.627	74.000	7.827	PK


Profile: 20B0117R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.564	40.536	-30.436	74.000	3.028	PK
2	*	17010.000	47.092	39.512	-26.908	74.000	7.581	PK




Profile: 20B0117R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.612	40.584	-30.388	74.000	3.028	PK
2	*	17010.000	47.085	39.505	-26.915	74.000	7.581	PK

Profile: 20B0117R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.324	40.267	-31.676	74.000	2.057	PK
2	*	16590.000	47.649	38.224	-26.351	74.000	9.426	PK

Profile: 20B0117R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.228	40.171	-31.772	74.000	2.057	PK
2	*	16590.000	47.227	37.802	-26.773	74.000	9.426	PK

Profile: 20B0117R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	42.332	40.129	-31.668	74.000	2.203	PK
2	*	16710.000	47.502	39.112	-26.498	74.000	8.390	PK

Profile: 20B0117R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	43.749	41.546	-30.251	74.000	2.203	PK
2	*	16710.000	46.478	38.088	-27.522	74.000	8.390	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.471	39.646	-31.529	74.000	2.825	PK
2	*	17235.000	46.493	38.663	-27.507	74.000	7.830	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5745MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.365	41.540	-29.635	74.000	2.825	PK
2	*	17235.000	45.595	37.765	-28.405	74.000	7.830	PK


Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5785MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.214	39.897	-30.786	74.000	3.317	PK
2	*	17355.000	47.808	39.784	-26.192	74.000	8.023	PK




Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.423	40.106	-30.577	74.000	3.317	PK
2	*	17355.000	44.788	36.764	-29.212	74.000	8.023	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.613	40.299	-30.387	74.000	3.314	PK
2	*	17475.000	47.282	39.196	-26.718	74.000	8.086	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	42.965	39.651	-31.035	74.000	3.314	PK
2	*	17475.000	47.047	38.961	-26.953	74.000	8.086	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.687	41.862	-29.313	74.000	2.825	PK
2	*	17235.000	45.981	38.151	-28.019	74.000	7.830	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.817	39.992	-31.183	74.000	2.825	PK
2	*	17235.000	46.463	38.633	-27.537	74.000	7.830	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.665	40.348	-30.335	74.000	3.317	PK
2	*	17355.000	45.568	37.544	-28.432	74.000	8.023	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.524	40.207	-30.476	74.000	3.317	PK
2	*	17355.000	46.275	38.251	-27.725	74.000	8.023	PK


Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.928	40.614	-30.072	74.000	3.314	PK
2	*	17475.000	47.239	39.153	-26.761	74.000	8.086	PK




Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	45.108	41.794	-28.892	74.000	3.314	PK
2	*	17475.000	48.345	40.259	-25.655	74.000	8.086	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.772	41.088	-29.228	74.000	3.684	PK
2	*	17265.000	47.727	38.743	-26.273	74.000	8.984	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.395	40.711	-29.605	74.000	3.684	PK
2	*	17265.000	47.765	38.781	-26.235	74.000	8.984	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	42.987	39.065	-31.013	74.000	3.922	PK
2	*	17385.000	46.077	38.356	-27.923	74.000	7.721	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.205	39.283	-30.795	74.000	3.922	PK
2	*	17385.000	45.933	38.212	-28.067	74.000	7.721	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.091	40.266	-30.909	74.000	2.825	PK
2	*	17235.000	45.795	37.965	-28.205	74.000	7.830	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.275	40.450	-30.725	74.000	2.825	PK
2	*	17235.000	46.647	38.817	-27.353	74.000	7.830	PK


Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.103	40.786	-29.897	74.000	3.317	PK
2	*	17355.000	46.873	38.849	-27.127	74.000	8.023	PK




Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.454	41.137	-29.546	74.000	3.317	PK
2	*	17355.000	45.428	37.404	-28.572	74.000	8.023	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.188	39.874	-30.812	74.000	3.314	PK
2	*	17475.000	47.939	39.853	-26.061	74.000	8.086	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.914	40.600	-30.086	74.000	3.314	PK
2	*	17475.000	46.807	38.721	-27.193	74.000	8.086	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.833	40.149	-30.167	74.000	3.684	PK
2	*	17265.000	47.425	38.441	-26.575	74.000	8.984	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.359	40.675	-29.641	74.000	3.684	PK
2	*	17265.000	47.264	38.280	-26.736	74.000	8.984	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.197	40.275	-29.803	74.000	3.922	PK
2	*	17385.000	46.554	38.833	-27.446	74.000	7.721	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.005	39.083	-30.995	74.000	3.922	PK
2	*	17385.000	45.646	37.925	-28.354	74.000	7.721	PK


Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.351	41.059	-29.649	74.000	3.291	PK
2	*	17325.000	47.361	39.128	-26.639	74.000	8.233	PK




Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.742	40.450	-30.258	74.000	3.291	PK
2	*	17325.000	46.541	38.308	-27.459	74.000	8.233	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.092	39.267	-31.908	74.000	2.825	PK
2	*	17235.000	45.276	37.446	-28.724	74.000	7.830	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.454	40.629	-30.546	74.000	2.825	PK
2	*	17235.000	45.763	37.933	-28.237	74.000	7.830	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.533	41.216	-29.467	74.000	3.317	PK
2	*	17355.000	45.745	37.721	-28.255	74.000	8.023	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.425	40.108	-30.575	74.000	3.317	PK
2	*	17355.000	45.954	37.930	-28.046	74.000	8.023	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.781	40.467	-30.219	74.000	3.314	PK
2	*	17475.000	47.413	39.327	-26.587	74.000	8.086	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.882	40.568	-30.118	74.000	3.314	PK
2	*	17475.000	46.543	38.457	-27.457	74.000	8.086	PK


Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.669	40.985	-29.331	74.000	3.684	PK
2	*	17265.000	47.017	38.033	-26.983	74.000	8.984	PK




Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.395	40.711	-29.605	74.000	3.684	PK
2	*	17265.000	47.385	38.401	-26.615	74.000	8.984	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	42.987	39.065	-31.013	74.000	3.922	PK
2	*	17385.000	46.195	38.474	-27.805	74.000	7.721	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.443	39.521	-30.557	74.000	3.922	PK
2	*	17385.000	45.539	37.818	-28.461	74.000	7.721	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.649	40.357	-30.351	74.000	3.291	PK
2	*	17325.000	46.731	38.498	-27.269	74.000	8.233	PK


Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.469	40.177	-30.531	74.000	3.291	PK
2	*	17325.000	48.135	39.902	-25.865	74.000	8.233	PK


**Dipole-ETH7 CDD 4TX**

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.998	41.137	-32.002	74.000	0.860	PK
2	*	15540.000	45.380	38.742	-28.620	74.000	6.637	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.550	42.689	-30.450	74.000	0.860	PK
2	*	15540.000	46.034	39.396	-27.966	74.000	6.637	PK


Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.944	42.072	-31.056	74.000	0.871	PK
2	*	15600.000	46.723	38.161	-27.277	74.000	8.563	PK




Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.283	42.411	-30.717	74.000	0.871	PK
2	*	15600.000	47.047	38.485	-26.953	74.000	8.563	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.717	41.604	-31.283	74.000	1.114	PK
2	*	15720.000	47.275	38.715	-26.725	74.000	8.561	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.443	41.330	-31.557	74.000	1.114	PK
2	*	15720.000	47.492	38.932	-26.508	74.000	8.561	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.963	41.102	-32.037	74.000	0.860	PK
2	*	15540.000	46.514	39.876	-27.486	74.000	6.637	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.723	41.862	-31.277	74.000	0.860	PK
2	*	15540.000	46.089	39.451	-27.911	74.000	6.637	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.360	41.488	-31.640	74.000	0.871	PK
2	*	15600.000	47.300	38.738	-26.700	74.000	8.563	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.524	42.652	-30.476	74.000	0.871	PK
2	*	15600.000	47.716	39.154	-26.284	74.000	8.563	PK


Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	41.952	40.839	-32.048	74.000	1.114	PK
2	*	15720.000	47.732	39.172	-26.268	74.000	8.561	PK




Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.292	41.179	-31.708	74.000	1.114	PK
2	*	15720.000	47.139	38.579	-26.861	74.000	8.561	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.248	41.594	-31.752	74.000	0.654	PK
2	*	15570.000	46.187	38.470	-27.813	74.000	7.716	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.156	41.502	-31.844	74.000	0.654	PK
2	*	15570.000	46.464	38.747	-27.536	74.000	7.716	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.285	40.480	-32.715	74.000	0.805	PK
2	*	15690.000	46.558	37.498	-27.442	74.000	9.060	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.693	39.888	-33.307	74.000	0.805	PK
2	*	15690.000	47.567	38.507	-26.433	74.000	9.060	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.271	41.410	-31.729	74.000	0.860	PK
2	*	15540.000	45.585	38.947	-28.415	74.000	6.637	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.672	41.811	-31.328	74.000	0.860	PK
2	*	15540.000	46.011	39.373	-27.989	74.000	6.637	PK


Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.502	42.630	-30.498	74.000	0.871	PK
2	*	15600.000	46.288	37.726	-27.712	74.000	8.563	PK




Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.045	42.173	-30.955	74.000	0.871	PK
2	*	15600.000	47.624	39.062	-26.376	74.000	8.563	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	41.870	40.757	-32.130	74.000	1.114	PK
2	*	15720.000	47.096	38.536	-26.904	74.000	8.561	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.979	41.866	-31.021	74.000	1.114	PK
2	*	15720.000	46.528	37.968	-27.472	74.000	8.561	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.231	42.577	-30.769	74.000	0.654	PK
2	*	15570.000	45.841	38.124	-28.159	74.000	7.716	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.547	41.893	-31.453	74.000	0.654	PK
2	*	15570.000	48.139	40.422	-25.861	74.000	7.716	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.591	39.786	-33.409	74.000	0.805	PK
2	*	15690.000	47.773	38.713	-26.227	74.000	9.060	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.261	39.456	-33.739	74.000	0.805	PK
2	*	15690.000	47.432	38.372	-26.568	74.000	9.060	PK


Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.735	41.881	-31.265	74.000	0.855	PK
2	*	15630.000	46.591	38.562	-27.409	74.000	8.028	PK




Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.392	40.538	-32.608	74.000	0.855	PK
2	*	15630.000	47.306	39.277	-26.694	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.894	42.033	-31.106	74.000	0.860	PK
2	*	15540.000	45.844	39.206	-28.156	74.000	6.637	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.161	41.300	-31.839	74.000	0.860	PK
2	*	15540.000	45.691	39.053	-28.309	74.000	6.637	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.502	42.630	-30.498	74.000	0.871	PK
2	*	15600.000	47.344	38.782	-26.656	74.000	8.563	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.389	42.517	-30.611	74.000	0.871	PK
2	*	15600.000	47.477	38.915	-26.523	74.000	8.563	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.583	42.470	-30.417	74.000	1.114	PK
2	*	15720.000	46.796	38.236	-27.204	74.000	8.561	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.970	41.857	-31.030	74.000	1.114	PK
2	*	15720.000	46.449	37.889	-27.551	74.000	8.561	PK


Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.224	41.570	-31.776	74.000	0.654	PK
2	*	15570.000	47.258	39.541	-26.742	74.000	7.716	PK




Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.434	41.780	-31.566	74.000	0.654	PK
2	*	15570.000	45.295	37.578	-28.705	74.000	7.716	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.902	40.097	-33.098	74.000	0.805	PK
2	*	15690.000	46.688	37.628	-27.312	74.000	9.060	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.402	40.597	-32.598	74.000	0.805	PK
2	*	15690.000	47.288	38.228	-26.712	74.000	9.060	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.351	41.497	-31.649	74.000	0.855	PK
2	*	15630.000	47.131	39.102	-26.869	74.000	8.028	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.542	41.688	-31.458	74.000	0.855	PK
2	*	15630.000	47.729	39.700	-26.271	74.000	8.028	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	42.347	41.694	-31.653	74.000	0.652	PK
2	*	15750.000	47.236	39.493	-26.764	74.000	7.742	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.764	41.111	-32.236	74.000	0.652	PK
2	*	15750.000	46.476	38.733	-27.524	74.000	7.742	PK


Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.775	41.041	-31.225	74.000	1.735	PK
2	*	15780.000	47.743	38.903	-26.257	74.000	8.840	PK




Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.507	41.773	-30.493	74.000	1.735	PK
2	*	15780.000	47.655	38.815	-26.345	74.000	8.840	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.116	40.800	-31.884	74.000	1.316	PK
2	*	15840.000	48.305	40.080	-25.695	74.000	8.226	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.310	40.994	-31.690	74.000	1.316	PK
2	*	15840.000	47.765	39.540	-26.235	74.000	8.226	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.100	41.266	-30.900	74.000	1.834	PK
2	*	15960.000	46.965	38.753	-27.035	74.000	8.212	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.952	41.118	-31.048	74.000	1.834	PK
2	*	15960.000	47.019	38.807	-26.981	74.000	8.212	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.162	41.428	-30.838	74.000	1.735	PK
2	*	15780.000	47.051	38.211	-26.949	74.000	8.840	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz )	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.197	42.463	-29.803	74.000	1.735	PK
2	*	15780.000	47.886	39.046	-26.114	74.000	8.840	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.820	40.504	-32.180	74.000	1.316	PK
2	*	15840.000	47.146	38.921	-26.854	74.000	8.226	PK