



Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.654	40.337	-30.346	74.000	3.317	PK
2	*	17355.000	45.804	37.780	-28.196	74.000	8.023	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	42.519	39.202	-31.481	74.000	3.317	PK
2	*	17355.000	44.721	36.697	-29.279	74.000	8.023	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.781	40.467	-30.219	74.000	3.314	PK
2	*	17475.000	46.629	38.543	-27.371	74.000	8.086	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	44.065	40.751	-29.935	74.000	3.314	PK
2	*	17475.000	47.581	39.495	-26.419	74.000	8.086	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.916	40.232	-30.084	74.000	3.684	PK
2	*	17265.000	47.145	38.161	-26.855	74.000	8.984	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.284	40.600	-29.716	74.000	3.684	PK
2	*	17265.000	46.218	37.234	-27.782	74.000	8.984	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.224	40.302	-29.776	74.000	3.922	PK
2	*	17385.000	44.859	37.138	-29.141	74.000	7.721	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.519	39.597	-30.481	74.000	3.922	PK
2	*	17385.000	46.225	38.504	-27.775	74.000	7.721	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.358	41.066	-29.642	74.000	3.291	PK
2	*	17325.000	46.683	38.450	-27.317	74.000	8.233	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.464	41.172	-29.536	74.000	3.291	PK
2	*	17325.000	46.755	38.522	-27.245	74.000	8.233	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.922	40.097	-31.078	74.000	2.825	PK
2	*	17235.000	45.806	37.976	-28.194	74.000	7.830	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.106	40.281	-30.894	74.000	2.825	PK
2	*	17235.000	45.561	37.731	-28.439	74.000	7.830	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	42.839	39.522	-31.161	74.000	3.317	PK
2	*	17355.000	45.674	37.650	-28.326	74.000	8.023	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.599	40.282	-30.401	74.000	3.317	PK
2	*	17355.000	44.737	36.713	-29.263	74.000	8.023	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.781	40.467	-30.219	74.000	3.314	PK
2	*	17475.000	47.413	39.327	-26.587	74.000	8.086	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.417	40.103	-30.583	74.000	3.314	PK
2	*	17475.000	48.421	40.335	-25.579	74.000	8.086	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.208	40.524	-29.792	74.000	3.684	PK
2	*	17265.000	47.263	38.279	-26.737	74.000	8.984	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.815	40.131	-30.185	74.000	3.684	PK
2	*	17265.000	47.500	38.516	-26.500	74.000	8.984	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.454	40.532	-29.546	74.000	3.922	PK
2	*	17385.000	45.613	37.892	-28.387	74.000	7.721	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.949	40.027	-30.051	74.000	3.922	PK
2	*	17385.000	45.922	38.201	-28.078	74.000	7.721	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.482	41.190	-29.518	74.000	3.291	PK
2	*	17325.000	45.967	37.734	-28.033	74.000	8.233	PK


Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	42.980	39.688	-31.020	74.000	3.291	PK
2	*	17325.000	46.118	37.885	-27.882	74.000	8.233	PK


Dipole-ETH7 CDD 4TX

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.998	41.137	-32.002	74.000	0.860	PK
2	*	15540.000	45.380	38.742	-28.620	74.000	6.637	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.550	42.689	-30.450	74.000	0.860	PK
2	*	15540.000	46.034	39.396	-27.966	74.000	6.637	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.944	42.072	-31.056	74.000	0.871	PK
2	*	15600.000	46.723	38.161	-27.277	74.000	8.563	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.283	42.411	-30.717	74.000	0.871	PK
2	*	15600.000	47.047	38.485	-26.953	74.000	8.563	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.717	41.604	-31.283	74.000	1.114	PK
2	*	15720.000	47.275	38.715	-26.725	74.000	8.561	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.443	41.330	-31.557	74.000	1.114	PK
2	*	15720.000	47.492	38.932	-26.508	74.000	8.561	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.963	41.102	-32.037	74.000	0.860	PK
2	*	15540.000	46.514	39.876	-27.486	74.000	6.637	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.723	41.862	-31.277	74.000	0.860	PK
2	*	15540.000	46.089	39.451	-27.911	74.000	6.637	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.360	41.488	-31.640	74.000	0.871	PK
2	*	15600.000	47.300	38.738	-26.700	74.000	8.563	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.524	42.652	-30.476	74.000	0.871	PK
2	*	15600.000	47.716	39.154	-26.284	74.000	8.563	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	41.952	40.839	-32.048	74.000	1.114	PK
2	*	15720.000	47.732	39.172	-26.268	74.000	8.561	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.292	41.179	-31.708	74.000	1.114	PK
2	*	15720.000	47.139	38.579	-26.861	74.000	8.561	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.248	41.594	-31.752	74.000	0.654	PK
2	*	15570.000	46.187	38.470	-27.813	74.000	7.716	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.156	41.502	-31.844	74.000	0.654	PK
2	*	15570.000	46.464	38.747	-27.536	74.000	7.716	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.285	40.480	-32.715	74.000	0.805	PK
2	*	15690.000	46.558	37.498	-27.442	74.000	9.060	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.693	39.888	-33.307	74.000	0.805	PK
2	*	15690.000	47.567	38.507	-26.433	74.000	9.060	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.271	41.410	-31.729	74.000	0.860	PK
2	*	15540.000	45.585	38.947	-28.415	74.000	6.637	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.672	41.811	-31.328	74.000	0.860	PK
2	*	15540.000	46.011	39.373	-27.989	74.000	6.637	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.502	42.630	-30.498	74.000	0.871	PK
2	*	15600.000	46.288	37.726	-27.712	74.000	8.563	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.045	42.173	-30.955	74.000	0.871	PK
2	*	15600.000	47.624	39.062	-26.376	74.000	8.563	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	41.870	40.757	-32.130	74.000	1.114	PK
2	*	15720.000	47.096	38.536	-26.904	74.000	8.561	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.979	41.866	-31.021	74.000	1.114	PK
2	*	15720.000	46.528	37.968	-27.472	74.000	8.561	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.231	42.577	-30.769	74.000	0.654	PK
2	*	15570.000	45.841	38.124	-28.159	74.000	7.716	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.547	41.893	-31.453	74.000	0.654	PK
2	*	15570.000	48.139	40.422	-25.861	74.000	7.716	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.591	39.786	-33.409	74.000	0.805	PK
2	*	15690.000	47.773	38.713	-26.227	74.000	9.060	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.261	39.456	-33.739	74.000	0.805	PK
2	*	15690.000	47.432	38.372	-26.568	74.000	9.060	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.735	41.881	-31.265	74.000	0.855	PK
2	*	15630.000	46.591	38.562	-27.409	74.000	8.028	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.392	40.538	-32.608	74.000	0.855	PK
2	*	15630.000	47.306	39.277	-26.694	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.894	42.033	-31.106	74.000	0.860	PK
2	*	15540.000	45.844	39.206	-28.156	74.000	6.637	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.161	41.300	-31.839	74.000	0.860	PK
2	*	15540.000	45.691	39.053	-28.309	74.000	6.637	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.502	42.630	-30.498	74.000	0.871	PK
2	*	15600.000	47.344	38.782	-26.656	74.000	8.563	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.389	42.517	-30.611	74.000	0.871	PK
2	*	15600.000	47.477	38.915	-26.523	74.000	8.563	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.583	42.470	-30.417	74.000	1.114	PK
2	*	15720.000	46.796	38.236	-27.204	74.000	8.561	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.970	41.857	-31.030	74.000	1.114	PK
2	*	15720.000	46.449	37.889	-27.551	74.000	8.561	PK

Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.224	41.570	-31.776	74.000	0.654	PK
2	*	15570.000	47.258	39.541	-26.742	74.000	7.716	PK

Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.434	41.780	-31.566	74.000	0.654	PK
2	*	15570.000	45.295	37.578	-28.705	74.000	7.716	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.902	40.097	-33.098	74.000	0.805	PK
2	*	15690.000	46.688	37.628	-27.312	74.000	9.060	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.402	40.597	-32.598	74.000	0.805	PK
2	*	15690.000	47.288	38.228	-26.712	74.000	9.060	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.351	41.497	-31.649	74.000	0.855	PK
2	*	15630.000	47.131	39.102	-26.869	74.000	8.028	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.542	41.688	-31.458	74.000	0.855	PK
2	*	15630.000	47.729	39.700	-26.271	74.000	8.028	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	42.347	41.694	-31.653	74.000	0.652	PK
2	*	15750.000	47.236	39.493	-26.764	74.000	7.742	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.764	41.111	-32.236	74.000	0.652	PK
2	*	15750.000	46.476	38.733	-27.524	74.000	7.742	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.775	41.041	-31.225	74.000	1.735	PK
2	*	15780.000	47.743	38.903	-26.257	74.000	8.840	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.507	41.773	-30.493	74.000	1.735	PK
2	*	15780.000	47.655	38.815	-26.345	74.000	8.840	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.116	40.800	-31.884	74.000	1.316	PK
2	*	15840.000	48.305	40.080	-25.695	74.000	8.226	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.310	40.994	-31.690	74.000	1.316	PK
2	*	15840.000	47.765	39.540	-26.235	74.000	8.226	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.100	41.266	-30.900	74.000	1.834	PK
2	*	15960.000	46.965	38.753	-27.035	74.000	8.212	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.952	41.118	-31.048	74.000	1.834	PK
2	*	15960.000	47.019	38.807	-26.981	74.000	8.212	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.162	41.428	-30.838	74.000	1.735	PK
2	*	15780.000	47.051	38.211	-26.949	74.000	8.840	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.197	42.463	-29.803	74.000	1.735	PK
2	*	15780.000	47.886	39.046	-26.114	74.000	8.840	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.820	40.504	-32.180	74.000	1.316	PK
2	*	15840.000	47.146	38.921	-26.854	74.000	8.226	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.314	41.998	-30.686	74.000	1.316	PK
2	*	15840.000	47.331	39.106	-26.669	74.000	8.226	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.674	40.840	-31.326	74.000	1.834	PK
2	*	15960.000	47.242	39.030	-26.758	74.000	8.212	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.453	41.619	-30.547	74.000	1.834	PK
2	*	15960.000	48.118	39.906	-25.882	74.000	8.212	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.155	41.803	-30.845	74.000	1.351	PK
2	*	15810.000	46.714	37.775	-27.286	74.000	8.939	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.943	41.591	-31.057	74.000	1.351	PK
2	*	15810.000	47.893	38.954	-26.107	74.000	8.939	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.470	42.251	-30.530	74.000	1.219	PK
2	*	15930.000	48.009	39.081	-25.991	74.000	8.928	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.248	41.029	-31.752	74.000	1.219	PK
2	*	15930.000	47.942	39.014	-26.058	74.000	8.928	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.526	41.792	-30.474	74.000	1.735	PK
2	*	15780.000	47.840	39.000	-26.160	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.645	41.911	-30.355	74.000	1.735	PK
2	*	15780.000	46.332	37.492	-27.668	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.136	41.820	-30.864	74.000	1.316	PK
2	*	15840.000	47.293	39.068	-26.707	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.421	41.105	-31.579	74.000	1.316	PK
2	*	15840.000	47.076	38.851	-26.924	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.752	40.918	-31.248	74.000	1.834	PK
2	*	15960.000	46.352	38.140	-27.648	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.383	40.549	-31.617	74.000	1.834	PK
2	*	15960.000	47.059	38.847	-26.941	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.494	42.142	-30.506	74.000	1.351	PK
2	*	15810.000	47.150	38.211	-26.850	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	44.730	43.378	-29.270	74.000	1.351	PK
2	*	15810.000	47.126	38.187	-26.874	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	41.811	40.592	-32.189	74.000	1.219	PK
2	*	15930.000	47.989	39.061	-26.011	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.303	41.084	-31.697	74.000	1.219	PK
2	*	15930.000	47.499	38.571	-26.501	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.006	40.563	-31.994	74.000	1.444	PK
2	*	15870.000	48.157	39.404	-25.843	74.000	8.753	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.644	40.201	-32.356	74.000	1.444	PK
2	*	15870.000	46.842	38.089	-27.158	74.000	8.753	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.014	40.280	-31.986	74.000	1.735	PK
2	*	15780.000	47.925	39.085	-26.075	74.000	8.840	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.352	42.618	-29.648	74.000	1.735	PK
2	*	15780.000	47.572	38.732	-26.428	74.000	8.840	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.440	41.124	-31.560	74.000	1.316	PK
2	*	15840.000	47.665	39.440	-26.335	74.000	8.226	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.378	41.062	-31.622	74.000	1.316	PK
2	*	15840.000	47.435	39.210	-26.565	74.000	8.226	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	44.206	42.372	-29.794	74.000	1.834	PK
2	*	15960.000	47.022	38.810	-26.978	74.000	8.212	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.377	40.543	-31.623	74.000	1.834	PK
2	*	15960.000	47.149	38.937	-26.851	74.000	8.212	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.153	41.801	-30.847	74.000	1.351	PK
2	*	15810.000	46.987	38.048	-27.013	74.000	8.939	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.563	42.211	-30.437	74.000	1.351	PK
2	*	15810.000	47.821	38.882	-26.179	74.000	8.939	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.480	42.261	-30.520	74.000	1.219	PK
2	*	15930.000	47.491	38.563	-26.509	74.000	8.928	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.295	41.076	-31.705	74.000	1.219	PK
2	*	15930.000	47.847	38.919	-26.153	74.000	8.928	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	44.160	42.717	-29.840	74.000	1.444	PK
2	*	15870.000	46.934	38.181	-27.066	74.000	8.753	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.776	41.333	-31.224	74.000	1.444	PK
2	*	15870.000	47.270	38.517	-26.730	74.000	8.753	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.195	41.334	-31.805	74.000	0.860	PK
2	*	15540.000	46.728	40.090	-27.272	74.000	6.637	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.273	42.412	-30.727	74.000	0.860	PK
2	*	15540.000	47.209	40.571	-26.791	74.000	6.637	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	44.035	43.163	-29.965	74.000	0.871	PK
2	*	15600.000	47.266	38.704	-26.734	74.000	8.563	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5200MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.098	42.226	-30.902	74.000	0.871	PK
2	*	15600.000	47.987	39.425	-26.013	74.000	8.563	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.444	42.331	-30.556	74.000	1.114	PK
2	*	15720.000	47.211	38.651	-26.789	74.000	8.561	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.715	41.602	-31.285	74.000	1.114	PK
2	*	15720.000	48.186	39.626	-25.814	74.000	8.561	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.927	41.066	-32.073	74.000	0.860	PK
2	*	15540.000	46.404	39.766	-27.596	74.000	6.637	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.781	40.920	-32.219	74.000	0.860	PK
2	*	15540.000	45.949	39.311	-28.051	74.000	6.637	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.746	41.874	-31.254	74.000	0.871	PK
2	*	15600.000	47.844	39.282	-26.156	74.000	8.563	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.014	42.142	-30.986	74.000	0.871	PK
2	*	15600.000	47.256	38.694	-26.744	74.000	8.563	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.307	42.194	-30.693	74.000	1.114	PK
2	*	15720.000	46.955	38.395	-27.045	74.000	8.561	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.211	42.098	-30.789	74.000	1.114	PK
2	*	15720.000	49.112	40.552	-24.888	74.000	8.561	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.250	42.596	-30.750	74.000	0.654	PK
2	*	15570.000	45.955	38.238	-28.045	74.000	7.716	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.245	41.591	-31.755	74.000	0.654	PK
2	*	15570.000	46.210	38.493	-27.790	74.000	7.716	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	42.213	41.408	-31.787	74.000	0.805	PK
2	*	15690.000	47.266	38.206	-26.734	74.000	9.060	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.037	40.232	-32.963	74.000	0.805	PK
2	*	15690.000	47.912	38.852	-26.088	74.000	9.060	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.404	41.543	-31.596	74.000	0.860	PK
2	*	15540.000	46.473	39.835	-27.527	74.000	6.637	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.833	40.972	-32.167	74.000	0.860	PK
2	*	15540.000	45.439	38.801	-28.561	74.000	6.637	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.683	41.811	-31.317	74.000	0.871	PK
2	*	15600.000	47.431	38.869	-26.569	74.000	8.563	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.528	41.656	-31.472	74.000	0.871	PK
2	*	15600.000	46.783	38.221	-27.217	74.000	8.563	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.290	41.177	-31.710	74.000	1.114	PK
2	*	15720.000	46.571	38.011	-27.429	74.000	8.561	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.762	41.649	-31.238	74.000	1.114	PK
2	*	15720.000	47.572	39.012	-26.428	74.000	8.561	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.906	41.252	-32.094	74.000	0.654	PK
2	*	15570.000	47.309	39.592	-26.691	74.000	7.716	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.109	41.455	-31.891	74.000	0.654	PK
2	*	15570.000	45.735	38.018	-28.265	74.000	7.716	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.279	40.474	-32.721	74.000	0.805	PK
2	*	15690.000	47.779	38.719	-26.221	74.000	9.060	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.221	40.416	-32.779	74.000	0.805	PK
2	*	15690.000	46.976	37.916	-27.024	74.000	9.060	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.809	40.955	-32.191	74.000	0.855	PK
2	*	15630.000	46.777	38.748	-27.223	74.000	8.028	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.124	41.270	-31.876	74.000	0.855	PK
2	*	15630.000	47.509	39.480	-26.491	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.718	41.857	-31.282	74.000	0.860	PK
2	*	15540.000	44.948	38.310	-29.052	74.000	6.637	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.833	40.972	-32.167	74.000	0.860	PK
2	*	15540.000	45.990	39.352	-28.010	74.000	6.637	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.232	41.360	-31.768	74.000	0.871	PK
2	*	15600.000	46.828	38.266	-27.172	74.000	8.563	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	44.920	44.048	-29.080	74.000	0.871	PK
2	*	15600.000	48.233	39.671	-25.767	74.000	8.563	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.860	41.747	-31.140	74.000	1.114	PK
2	*	15720.000	46.556	37.996	-27.444	74.000	8.561	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	44.231	43.118	-29.769	74.000	1.114	PK
2	*	15720.000	46.484	37.924	-27.516	74.000	8.561	PK

Profile: 20B0117R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.422	42.768	-30.578	74.000	0.654	PK
2	*	15570.000	45.917	38.200	-28.083	74.000	7.716	PK

Profile: 20B0117R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	43.339	42.685	-30.661	74.000	0.654	PK
2	*	15570.000	48.070	40.353	-25.930	74.000	7.716	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.669	39.864	-33.331	74.000	0.805	PK
2	*	15690.000	47.769	38.709	-26.231	74.000	9.060	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.512	40.707	-32.488	74.000	0.805	PK
2	*	15690.000	47.147	38.087	-26.853	74.000	9.060	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.508	40.654	-32.492	74.000	0.855	PK
2	*	15630.000	46.860	38.831	-27.140	74.000	8.028	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	43.473	42.619	-30.527	74.000	0.855	PK
2	*	15630.000	46.857	38.828	-27.143	74.000	8.028	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.616	40.963	-32.384	74.000	0.652	PK
2	*	15750.000	46.553	38.810	-27.447	74.000	7.742	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.579	40.926	-32.421	74.000	0.652	PK
2	*	15750.000	45.722	37.979	-28.278	74.000	7.742	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.383	41.649	-30.617	74.000	1.735	PK
2	*	15780.000	47.336	38.496	-26.664	74.000	8.840	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.577	41.843	-30.423	74.000	1.735	PK
2	*	15780.000	46.798	37.958	-27.202	74.000	8.840	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.935	41.619	-31.065	74.000	1.316	PK
2	*	15840.000	46.991	38.766	-27.009	74.000	8.226	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5280MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.526	42.210	-30.474	74.000	1.316	PK
2	*	15840.000	47.647	39.422	-26.353	74.000	8.226	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.778	40.944	-31.222	74.000	1.834	PK
2	*	15960.000	46.825	38.613	-27.175	74.000	8.212	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.755	41.921	-30.245	74.000	1.834	PK
2	*	15960.000	47.280	39.068	-26.720	74.000	8.212	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.128	42.394	-29.872	74.000	1.735	PK
2	*	15780.000	47.112	38.272	-26.888	74.000	8.840	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.840	42.106	-30.160	74.000	1.735	PK
2	*	15780.000	49.210	40.370	-24.790	74.000	8.840	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.213	39.897	-32.787	74.000	1.316	PK
2	*	15840.000	48.682	40.457	-25.318	74.000	8.226	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.045	40.729	-31.955	74.000	1.316	PK
2	*	15840.000	47.165	38.940	-26.835	74.000	8.226	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.896	41.062	-31.104	74.000	1.834	PK
2	*	15960.000	47.804	39.592	-26.196	74.000	8.212	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.587	40.753	-31.413	74.000	1.834	PK
2	*	15960.000	46.953	38.741	-27.047	74.000	8.212	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	44.496	43.144	-29.504	74.000	1.351	PK
2	*	15810.000	47.550	38.611	-26.450	74.000	8.939	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.790	41.438	-31.210	74.000	1.351	PK
2	*	15810.000	47.424	38.485	-26.576	74.000	8.939	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.574	41.355	-31.426	74.000	1.219	PK
2	*	15930.000	48.151	39.223	-25.849	74.000	8.928	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.507	41.288	-31.493	74.000	1.219	PK
2	*	15930.000	48.330	39.402	-25.670	74.000	8.928	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	45.590	43.856	-28.410	74.000	1.735	PK
2	*	15780.000	46.664	37.824	-27.336	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.941	41.207	-31.059	74.000	1.735	PK
2	*	15780.000	46.439	37.599	-27.561	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.019	40.703	-31.981	74.000	1.316	PK
2	*	15840.000	46.937	38.712	-27.063	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.335	41.019	-31.665	74.000	1.316	PK
2	*	15840.000	47.827	39.602	-26.173	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	44.106	42.272	-29.894	74.000	1.834	PK
2	*	15960.000	48.844	40.632	-25.156	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.937	42.103	-30.063	74.000	1.834	PK
2	*	15960.000	46.153	37.941	-27.847	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.901	41.549	-31.099	74.000	1.351	PK
2	*	15810.000	46.564	37.625	-27.436	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	44.119	42.767	-29.881	74.000	1.351	PK
2	*	15810.000	47.043	38.104	-26.957	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.508	41.289	-31.492	74.000	1.219	PK
2	*	15930.000	47.448	38.520	-26.552	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	44.179	42.960	-29.821	74.000	1.219	PK
2	*	15930.000	47.743	38.815	-26.257	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.867	40.424	-32.133	74.000	1.444	PK
2	*	15870.000	47.815	39.062	-26.185	74.000	8.753	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.293	41.850	-30.707	74.000	1.444	PK
2	*	15870.000	47.926	39.173	-26.074	74.000	8.753	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.179	40.445	-31.821	74.000	1.735	PK
2	*	15780.000	46.404	37.564	-27.596	74.000	8.840	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.252	41.518	-30.748	74.000	1.735	PK
2	*	15780.000	46.493	37.653	-27.507	74.000	8.840	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.266	40.950	-31.734	74.000	1.316	PK
2	*	15840.000	48.332	40.107	-25.668	74.000	8.226	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.666	41.350	-31.334	74.000	1.316	PK
2	*	15840.000	48.219	39.994	-25.781	74.000	8.226	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.170	40.336	-31.830	74.000	1.834	PK
2	*	15960.000	45.813	37.601	-28.187	74.000	8.212	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.718	40.884	-31.282	74.000	1.834	PK
2	*	15960.000	47.514	39.302	-26.486	74.000	8.212	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.461	41.109	-31.539	74.000	1.351	PK
2	*	15810.000	48.002	39.063	-25.998	74.000	8.939	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.386	41.034	-31.614	74.000	1.351	PK
2	*	15810.000	46.956	38.017	-27.044	74.000	8.939	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.637	42.418	-30.363	74.000	1.219	PK
2	*	15930.000	48.268	39.340	-25.732	74.000	8.928	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	44.184	42.965	-29.816	74.000	1.219	PK
2	*	15930.000	48.200	39.272	-25.800	74.000	8.928	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.647	42.204	-30.353	74.000	1.444	PK
2	*	15870.000	49.073	40.320	-24.927	74.000	8.753	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.500	40.057	-32.500	74.000	1.444	PK
2	*	15870.000	47.735	38.982	-26.265	74.000	8.753	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5500MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.851	40.817	-31.149	74.000	2.033	PK
2	*	16500.000	48.113	39.374	-25.887	74.000	8.739	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5500MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.244	41.210	-30.756	74.000	2.033	PK
2	*	16500.000	45.993	37.254	-28.007	74.000	8.739	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5580MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.078	40.862	-30.922	74.000	2.216	PK
2	*	16740.000	47.446	39.090	-26.554	74.000	8.356	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5580MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.035	39.819	-31.965	74.000	2.216	PK
2	*	16740.000	46.265	37.909	-27.735	74.000	8.356	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5700MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.827	39.643	-31.173	74.000	3.184	PK
2	*	17100.000	45.612	38.522	-28.388	74.000	7.090	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5700MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.731	39.547	-31.269	74.000	3.184	PK
2	*	17100.000	45.620	38.530	-28.380	74.000	7.090	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5720MHz by 802.11a	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.861	40.437	-30.139	74.000	3.424	PK
2	*	17160.000	45.433	37.976	-28.567	74.000	7.457	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 1 : Transmit at 5720MHz by 802.11a	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.593	40.169	-30.407	74.000	3.424	PK
2	*	17160.000	46.764	39.307	-27.236	74.000	7.457	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.044	41.010	-30.956	74.000	2.033	PK
2	*	16500.000	47.468	38.729	-26.532	74.000	8.739	PK