



Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	42.280	41.627	-31.720	74.000	0.652	PK
2	*	15750.000	47.772	40.029	-26.228	74.000	7.742	PK

Profile: 20B0117R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.094	42.360	-29.906	74.000	1.735	PK
2	*	15780.000	46.343	37.503	-27.657	74.000	8.840	PK

Profile: 20B0117R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.782	41.048	-31.218	74.000	1.735	PK
2	*	15780.000	48.417	39.577	-25.583	74.000	8.840	PK

Profile: 20B0117R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.734	40.418	-32.266	74.000	1.316	PK
2	*	15840.000	47.565	39.340	-26.435	74.000	8.226	PK

Profile: 20B0117R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.343	42.027	-30.657	74.000	1.316	PK
2	*	15840.000	47.626	39.401	-26.374	74.000	8.226	PK

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	44.489	42.655	-29.511	74.000	1.834	PK
2	*	15960.000	45.848	37.636	-28.152	74.000	8.212	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.270	41.436	-30.730	74.000	1.834	PK
2	*	15960.000	47.657	39.445	-26.343	74.000	8.212	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.823	42.471	-30.177	74.000	1.351	PK
2	*	15810.000	47.766	38.827	-26.234	74.000	8.939	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.707	41.355	-31.293	74.000	1.351	PK
2	*	15810.000	47.157	38.218	-26.843	74.000	8.939	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.516	42.297	-30.484	74.000	1.219	PK
2	*	15930.000	47.913	38.985	-26.087	74.000	8.928	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.942	41.723	-31.058	74.000	1.219	PK
2	*	15930.000	47.416	38.488	-26.584	74.000	8.928	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	44.534	42.800	-29.466	74.000	1.735	PK
2	*	15780.000	50.006	41.166	-23.994	74.000	8.840	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.624	40.890	-31.376	74.000	1.735	PK
2	*	15780.000	47.752	38.912	-26.248	74.000	8.840	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.834	41.518	-31.166	74.000	1.316	PK
2	*	15840.000	47.176	38.951	-26.824	74.000	8.226	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.323	41.007	-31.677	74.000	1.316	PK
2	*	15840.000	46.997	38.772	-27.003	74.000	8.226	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.205	40.371	-31.795	74.000	1.834	PK
2	*	15960.000	47.337	39.125	-26.663	74.000	8.212	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.190	41.356	-30.810	74.000	1.834	PK
2	*	15960.000	46.907	38.695	-27.093	74.000	8.212	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.662	42.310	-30.338	74.000	1.351	PK
2	*	15810.000	47.993	39.054	-26.007	74.000	8.939	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	44.173	42.821	-29.827	74.000	1.351	PK
2	*	15810.000	48.265	39.326	-25.735	74.000	8.939	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.119	40.900	-31.881	74.000	1.219	PK
2	*	15930.000	48.522	39.594	-25.478	74.000	8.928	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.746	41.527	-31.254	74.000	1.219	PK
2	*	15930.000	48.805	39.877	-25.195	74.000	8.928	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.279	40.836	-31.721	74.000	1.444	PK
2	*	15870.000	48.191	39.438	-25.809	74.000	8.753	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.755	40.312	-32.245	74.000	1.444	PK
2	*	15870.000	47.728	38.975	-26.272	74.000	8.753	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.356	41.622	-30.644	74.000	1.735	PK
2	*	15780.000	45.963	37.123	-28.037	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.297	40.563	-31.703	74.000	1.735	PK
2	*	15780.000	46.705	37.865	-27.295	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.024	41.708	-30.976	74.000	1.316	PK
2	*	15840.000	47.703	39.478	-26.297	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.997	40.681	-32.003	74.000	1.316	PK
2	*	15840.000	47.187	38.962	-26.813	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.588	40.754	-31.412	74.000	1.834	PK
2	*	15960.000	47.803	39.591	-26.197	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.381	40.547	-31.619	74.000	1.834	PK
2	*	15960.000	47.159	38.947	-26.841	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.918	41.566	-31.082	74.000	1.351	PK
2	*	15810.000	46.891	37.952	-27.109	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.835	41.483	-31.165	74.000	1.351	PK
2	*	15810.000	47.968	39.029	-26.032	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.332	41.113	-31.668	74.000	1.219	PK
2	*	15930.000	48.651	39.723	-25.349	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.060	40.841	-31.940	74.000	1.219	PK
2	*	15930.000	48.374	39.446	-25.626	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.142	40.699	-31.858	74.000	1.444	PK
2	*	15870.000	47.545	38.792	-26.455	74.000	8.753	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.306	41.863	-30.694	74.000	1.444	PK
2	*	15870.000	47.917	39.164	-26.083	74.000	8.753	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.096	41.062	-30.904	74.000	2.033	PK
2	*	16500.000	47.462	38.723	-26.538	74.000	8.739	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.863	40.829	-31.137	74.000	2.033	PK
2	*	16500.000	46.817	38.078	-27.183	74.000	8.739	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.174	40.958	-30.826	74.000	2.216	PK
2	*	16740.000	46.426	38.070	-27.574	74.000	8.356	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.826	41.610	-30.174	74.000	2.216	PK
2	*	16740.000	45.908	37.552	-28.092	74.000	8.356	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.385	40.201	-30.615	74.000	3.184	PK
2	*	17100.000	45.113	38.023	-28.887	74.000	7.090	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.431	39.247	-31.569	74.000	3.184	PK
2	*	17100.000	45.735	38.645	-28.265	74.000	7.090	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5720MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.150	40.726	-29.850	74.000	3.424	PK
2	*	17160.000	44.720	37.263	-29.280	74.000	7.457	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5720MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.330	39.906	-30.670	74.000	3.424	PK
2	*	17160.000	45.620	38.163	-28.380	74.000	7.457	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.810	41.583	-30.190	74.000	2.226	PK
2	*	16530.000	46.883	38.060	-27.117	74.000	8.823	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.897	40.670	-31.103	74.000	2.226	PK
2	*	16530.000	46.475	37.652	-27.525	74.000	8.823	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.390	41.006	-30.610	74.000	2.383	PK
2	*	16770.000	46.647	38.820	-27.353	74.000	7.827	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.852	41.468	-30.148	74.000	2.383	PK
2	*	16770.000	47.344	39.517	-26.656	74.000	7.827	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.610	40.582	-30.390	74.000	3.028	PK
2	*	17010.000	46.783	39.203	-27.217	74.000	7.581	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.352	40.324	-30.648	74.000	3.028	PK
2	*	17010.000	46.657	39.077	-27.343	74.000	7.581	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.218	41.184	-30.782	74.000	2.033	PK
2	*	16500.000	47.801	39.062	-26.199	74.000	8.739	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.756	40.722	-31.244	74.000	2.033	PK
2	*	16500.000	47.485	38.746	-26.515	74.000	8.739	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.989	40.773	-31.011	74.000	2.216	PK
2	*	16740.000	45.988	37.632	-28.012	74.000	8.356	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.288	40.072	-31.712	74.000	2.216	PK
2	*	16740.000	45.893	37.537	-28.107	74.000	8.356	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	41.541	38.357	-32.459	74.000	3.184	PK
2	*	17100.000	45.548	38.458	-28.452	74.000	7.090	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.527	40.343	-30.473	74.000	3.184	PK
2	*	17100.000	44.915	37.825	-29.085	74.000	7.090	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.225	39.801	-30.775	74.000	3.424	PK
2	*	17160.000	46.294	38.837	-27.706	74.000	7.457	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.559	41.135	-29.441	74.000	3.424	PK
2	*	17160.000	46.436	38.979	-27.564	74.000	7.457	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.439	41.212	-30.561	74.000	2.226	PK
2	*	16530.000	47.004	38.181	-26.996	74.000	8.823	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.008	40.781	-30.992	74.000	2.226	PK
2	*	16530.000	48.014	39.191	-25.986	74.000	8.823	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.120	40.736	-30.880	74.000	2.383	PK
2	*	16770.000	47.374	39.547	-26.626	74.000	7.827	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	44.592	42.208	-29.408	74.000	2.383	PK
2	*	16770.000	46.192	38.365	-27.808	74.000	7.827	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.870	39.842	-31.130	74.000	3.028	PK
2	*	17010.000	46.363	38.783	-27.637	74.000	7.581	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.836	40.808	-30.164	74.000	3.028	PK
2	*	17010.000	46.849	39.269	-27.151	74.000	7.581	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.972	40.915	-31.028	74.000	2.057	PK
2	*	16590.000	46.798	37.373	-27.202	74.000	9.426	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.942	40.885	-31.058	74.000	2.057	PK
2	*	16590.000	47.450	38.025	-26.550	74.000	9.426	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.568	41.534	-30.432	74.000	2.033	PK
2	*	16500.000	46.890	38.151	-27.110	74.000	8.739	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.335	41.301	-30.665	74.000	2.033	PK
2	*	16500.000	46.264	37.525	-27.736	74.000	8.739	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.947	41.731	-30.053	74.000	2.216	PK
2	*	16740.000	46.238	37.882	-27.762	74.000	8.356	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.682	40.466	-31.318	74.000	2.216	PK
2	*	16740.000	46.514	38.158	-27.486	74.000	8.356	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.146	39.962	-30.854	74.000	3.184	PK
2	*	17100.000	46.813	39.723	-27.187	74.000	7.090	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.444	39.260	-31.556	74.000	3.184	PK
2	*	17100.000	46.459	39.369	-27.541	74.000	7.090	PK

Profile: 20B0117R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.305	40.881	-29.695	74.000	3.424	PK
2	*	17160.000	46.094	38.637	-27.906	74.000	7.457	PK

Profile: 20B0117R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	45.203	41.779	-28.797	74.000	3.424	PK
2	*	17160.000	47.653	40.196	-26.347	74.000	7.457	PK

Profile: 20B0117R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.232	41.005	-30.768	74.000	2.226	PK
2	*	16530.000	48.251	39.428	-25.749	74.000	8.823	PK

Profile: 20B0117R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.899	40.672	-31.101	74.000	2.226	PK
2	*	16530.000	46.815	37.992	-27.185	74.000	8.823	PK

Profile: 20B0117R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.950	41.566	-30.050	74.000	2.383	PK
2	*	16770.000	46.852	39.025	-27.148	74.000	7.827	PK

Profile: 20B0117R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.646	41.262	-30.354	74.000	2.383	PK
2	*	16770.000	45.561	37.734	-28.439	74.000	7.827	PK

Profile: 20B0117R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.017	39.989	-30.983	74.000	3.028	PK
2	*	17010.000	46.426	38.846	-27.574	74.000	7.581	PK

Profile: 20B0117R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.964	39.936	-31.036	74.000	3.028	PK
2	*	17010.000	47.054	39.474	-26.946	74.000	7.581	PK

Profile: 20B0117R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	43.587	41.530	-30.413	74.000	2.057	PK
2	*	16590.000	47.812	38.387	-26.188	74.000	9.426	PK

Profile: 20B0117R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.288	40.231	-31.712	74.000	2.057	PK
2	*	16590.000	47.519	38.094	-26.481	74.000	9.426	PK

Profile: 20B0117R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 20 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	41.950	39.747	-32.050	74.000	2.203	PK
2	*	16710.000	46.712	38.322	-27.288	74.000	8.390	PK

Profile: 20B0117R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 20 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	43.005	40.802	-30.995	74.000	2.203	PK
2	*	16710.000	45.209	36.819	-28.791	74.000	8.390	PK

Profile: 20B0117R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.182	41.357	-29.818	74.000	2.825	PK
2	*	17235.000	45.475	37.645	-28.525	74.000	7.830	PK

Profile: 20B0117R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.607	40.782	-30.393	74.000	2.825	PK
2	*	17235.000	46.175	38.345	-27.825	74.000	7.830	PK

Profile: 20B0117R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.286	39.969	-30.714	74.000	3.317	PK
2	*	17355.000	45.356	37.332	-28.644	74.000	8.023	PK

Profile: 20B0117R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	42.760	39.443	-31.240	74.000	3.317	PK
2	*	17355.000	45.781	37.757	-28.219	74.000	8.023	PK

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.654	40.340	-30.346	74.000	3.314	PK
2	*	17475.000	48.029	39.943	-25.971	74.000	8.086	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.524	40.210	-30.476	74.000	3.314	PK
2	*	17475.000	46.186	38.100	-27.814	74.000	8.086	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.875	41.191	-29.125	74.000	3.684	PK
2	*	17265.000	47.410	38.426	-26.590	74.000	8.984	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.976	40.292	-30.024	74.000	3.684	PK
2	*	17265.000	45.880	36.896	-28.120	74.000	8.984	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.947	40.025	-30.053	74.000	3.922	PK
2	*	17385.000	45.343	37.622	-28.657	74.000	7.721	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.327	40.405	-29.673	74.000	3.922	PK
2	*	17385.000	46.117	38.396	-27.883	74.000	7.721	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.375	40.550	-30.625	74.000	2.825	PK
2	*	17235.000	45.603	37.773	-28.397	74.000	7.830	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.170	41.345	-29.830	74.000	2.825	PK
2	*	17235.000	44.827	36.997	-29.173	74.000	7.830	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.888	40.571	-30.112	74.000	3.317	PK
2	*	17355.000	45.744	37.720	-28.256	74.000	8.023	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.093	40.776	-29.907	74.000	3.317	PK
2	*	17355.000	45.546	37.522	-28.454	74.000	8.023	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	42.644	39.330	-31.356	74.000	3.314	PK
2	*	17475.000	46.733	38.647	-27.267	74.000	8.086	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	44.084	40.770	-29.916	74.000	3.314	PK
2	*	17475.000	46.691	38.605	-27.309	74.000	8.086	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.649	40.965	-29.351	74.000	3.684	PK
2	*	17265.000	46.743	37.759	-27.257	74.000	8.984	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.141	40.457	-29.859	74.000	3.684	PK
2	*	17265.000	45.722	36.738	-28.278	74.000	8.984	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.367	39.445	-30.633	74.000	3.922	PK
2	*	17385.000	45.718	37.997	-28.282	74.000	7.721	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.623	40.701	-29.377	74.000	3.922	PK
2	*	17385.000	45.557	37.836	-28.443	74.000	7.721	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	45.121	41.829	-28.879	74.000	3.291	PK
2	*	17325.000	47.115	38.882	-26.885	74.000	8.233	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.569	41.277	-29.431	74.000	3.291	PK
2	*	17325.000	47.229	38.996	-26.771	74.000	8.233	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.981	40.156	-31.019	74.000	2.825	PK
2	*	17235.000	45.490	37.660	-28.510	74.000	7.830	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.666	40.841	-30.334	74.000	2.825	PK
2	*	17235.000	45.869	38.039	-28.131	74.000	7.830	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.309	39.992	-30.691	74.000	3.317	PK
2	*	17355.000	45.843	37.819	-28.157	74.000	8.023	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.923	40.606	-30.077	74.000	3.317	PK
2	*	17355.000	45.711	37.687	-28.289	74.000	8.023	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	42.839	39.525	-31.161	74.000	3.314	PK
2	*	17475.000	46.630	38.544	-27.370	74.000	8.086	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.653	40.339	-30.347	74.000	3.314	PK
2	*	17475.000	47.259	39.173	-26.741	74.000	8.086	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.731	40.047	-30.269	74.000	3.684	PK
2	*	17265.000	47.156	38.172	-26.844	74.000	8.984	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.199	40.515	-29.801	74.000	3.684	PK
2	*	17265.000	47.074	38.090	-26.926	74.000	8.984	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.516	40.594	-29.484	74.000	3.922	PK
2	*	17385.000	46.266	38.545	-27.734	74.000	7.721	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.811	40.889	-29.189	74.000	3.922	PK
2	*	17385.000	45.849	38.128	-28.151	74.000	7.721	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.811	40.889	-29.189	74.000	3.922	PK
2	*	17385.000	45.849	38.128	-28.151	74.000	7.721	PK


Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 17:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.609	40.317	-30.391	74.000	3.291	PK
2	*	17325.000	47.242	39.009	-26.758	74.000	8.233	PK


Dipole-ETH7 Beamforming 2TX

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.018	42.157	-30.982	74.000	0.860	PK
2	*	15540.000	45.809	39.171	-28.191	74.000	6.637	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.926	42.065	-31.074	74.000	0.860	PK
2	*	15540.000	45.641	39.003	-28.359	74.000	6.637	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.287	41.415	-31.713	74.000	0.871	PK
2	*	15600.000	47.624	39.062	-26.376	74.000	8.563	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.090	41.218	-31.910	74.000	0.871	PK
2	*	15600.000	46.603	38.041	-27.397	74.000	8.563	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.538	41.425	-31.462	74.000	1.114	PK
2	*	15720.000	46.434	37.874	-27.566	74.000	8.561	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.787	41.674	-31.213	74.000	1.114	PK
2	*	15720.000	47.378	38.818	-26.622	74.000	8.561	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.438	41.784	-31.562	74.000	0.654	PK
2	*	15570.000	45.670	37.953	-28.330	74.000	7.716	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.073	41.419	-31.927	74.000	0.654	PK
2	*	15570.000	45.817	38.100	-28.183	74.000	7.716	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.293	39.488	-33.707	74.000	0.805	PK
2	*	15690.000	47.724	38.664	-26.276	74.000	9.060	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	39.680	38.875	-34.320	74.000	0.805	PK
2	*	15690.000	47.728	38.668	-26.272	74.000	9.060	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.713	41.852	-31.287	74.000	0.860	PK
2	*	15540.000	46.068	39.430	-27.932	74.000	6.637	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.650	41.789	-31.350	74.000	0.860	PK
2	*	15540.000	45.192	38.554	-28.808	74.000	6.637	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.234	42.362	-30.766	74.000	0.871	PK
2	*	15600.000	47.222	38.660	-26.778	74.000	8.563	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.685	41.813	-31.315	74.000	0.871	PK
2	*	15600.000	47.330	38.768	-26.670	74.000	8.563	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.035	40.922	-31.965	74.000	1.114	PK
2	*	15720.000	47.935	39.375	-26.065	74.000	8.561	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.413	42.300	-30.587	74.000	1.114	PK
2	*	15720.000	47.428	38.868	-26.572	74.000	8.561	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.042	41.388	-31.958	74.000	0.654	PK
2	*	15570.000	46.438	38.721	-27.562	74.000	7.716	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.050	41.396	-31.950	74.000	0.654	PK
2	*	15570.000	46.585	38.868	-27.415	74.000	7.716	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.336	40.531	-32.664	74.000	0.805	PK
2	*	15690.000	47.951	38.891	-26.049	74.000	9.060	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	42.335	41.530	-31.665	74.000	0.805	PK
2	*	15690.000	47.321	38.261	-26.679	74.000	9.060	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.086	41.232	-31.914	74.000	0.855	PK
2	*	15630.000	46.539	38.510	-27.461	74.000	8.028	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	40.761	39.907	-33.239	74.000	0.855	PK
2	*	15630.000	46.430	38.401	-27.570	74.000	8.028	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.796	40.935	-32.204	74.000	0.860	PK
2	*	15540.000	45.880	39.242	-28.120	74.000	6.637	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.285	41.424	-31.715	74.000	0.860	PK
2	*	15540.000	46.262	39.624	-27.738	74.000	6.637	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.151	41.279	-31.849	74.000	0.871	PK
2	*	15600.000	46.833	38.271	-27.167	74.000	8.563	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.205	41.333	-31.795	74.000	0.871	PK
2	*	15600.000	46.617	38.055	-27.383	74.000	8.563	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.430	41.317	-31.570	74.000	1.114	PK
2	*	15720.000	47.319	38.759	-26.681	74.000	8.561	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.466	41.353	-31.534	74.000	1.114	PK
2	*	15720.000	47.969	39.409	-26.031	74.000	8.561	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.562	41.908	-31.438	74.000	0.654	PK
2	*	15570.000	46.102	38.385	-27.898	74.000	7.716	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.838	41.184	-32.162	74.000	0.654	PK
2	*	15570.000	46.981	39.264	-27.019	74.000	7.716	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.799	39.994	-33.201	74.000	0.805	PK
2	*	15690.000	48.182	39.122	-25.818	74.000	9.060	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.827	41.022	-32.173	74.000	0.805	PK
2	*	15690.000	47.418	38.358	-26.582	74.000	9.060	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.515	40.661	-32.485	74.000	0.855	PK
2	*	15630.000	47.043	39.014	-26.957	74.000	8.028	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.440	41.586	-31.560	74.000	0.855	PK
2	*	15630.000	47.370	39.341	-26.630	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 20 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.450	40.797	-32.550	74.000	0.652	PK
2	*	15750.000	46.486	38.743	-27.514	74.000	7.742	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 20 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	41.507	40.854	-32.493	74.000	0.652	PK
2	*	15750.000	46.020	38.277	-27.980	74.000	7.742	PK

Profile: 20B0117R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.325	40.591	-31.675	74.000	1.735	PK
2	*	15780.000	46.971	38.131	-27.029	74.000	8.840	PK

Profile: 20B0117R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.446	40.712	-31.554	74.000	1.735	PK
2	*	15780.000	48.189	39.349	-25.811	74.000	8.840	PK

Profile: 20B0117R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.181	40.865	-31.819	74.000	1.316	PK
2	*	15840.000	47.127	38.902	-26.873	74.000	8.226	PK

Profile: 20B0117R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.991	40.675	-32.009	74.000	1.316	PK
2	*	15840.000	47.280	39.055	-26.720	74.000	8.226	PK

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.711	40.877	-31.289	74.000	1.834	PK
2	*	15960.000	47.527	39.315	-26.473	74.000	8.212	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.087	40.253	-31.913	74.000	1.834	PK
2	*	15960.000	47.319	39.107	-26.681	74.000	8.212	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.153	41.801	-30.847	74.000	1.351	PK
2	*	15810.000	46.134	37.195	-27.866	74.000	8.939	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.528	42.176	-30.472	74.000	1.351	PK
2	*	15810.000	47.567	38.628	-26.433	74.000	8.939	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.219	41.000	-31.781	74.000	1.219	PK
2	*	15930.000	48.195	39.267	-25.805	74.000	8.928	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.067	40.848	-31.933	74.000	1.219	PK
2	*	15930.000	47.844	38.916	-26.156	74.000	8.928	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.165	41.431	-30.835	74.000	1.735	PK
2	*	15780.000	46.566	37.726	-27.434	74.000	8.840	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.627	41.893	-30.373	74.000	1.735	PK
2	*	15780.000	47.836	38.996	-26.164	74.000	8.840	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.698	41.382	-31.302	74.000	1.316	PK
2	*	15840.000	46.567	38.342	-27.433	74.000	8.226	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.405	40.089	-32.595	74.000	1.316	PK
2	*	15840.000	47.128	38.903	-26.872	74.000	8.226	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.867	41.033	-31.133	74.000	1.834	PK
2	*	15960.000	47.380	39.168	-26.620	74.000	8.212	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.779	40.945	-31.221	74.000	1.834	PK
2	*	15960.000	46.861	38.649	-27.139	74.000	8.212	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.662	42.310	-30.338	74.000	1.351	PK
2	*	15810.000	47.993	39.054	-26.007	74.000	8.939	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.574	42.222	-30.426	74.000	1.351	PK
2	*	15810.000	47.562	38.623	-26.438	74.000	8.939	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.713	42.494	-30.287	74.000	1.219	PK
2	*	15930.000	47.578	38.650	-26.422	74.000	8.928	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.012	41.793	-30.988	74.000	1.219	PK
2	*	15930.000	47.565	38.637	-26.435	74.000	8.928	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.739	40.296	-32.261	74.000	1.444	PK
2	*	15870.000	47.490	38.737	-26.510	74.000	8.753	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.540	41.097	-31.460	74.000	1.444	PK
2	*	15870.000	46.770	38.017	-27.230	74.000	8.753	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.070	41.336	-30.930	74.000	1.735	PK
2	*	15780.000	46.819	37.979	-27.181	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.079	40.345	-31.921	74.000	1.735	PK
2	*	15780.000	46.628	37.788	-27.372	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.929	41.613	-31.071	74.000	1.316	PK
2	*	15840.000	48.683	40.458	-25.317	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.335	41.019	-31.665	74.000	1.316	PK
2	*	15840.000	48.207	39.982	-25.793	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.898	42.064	-30.102	74.000	1.834	PK
2	*	15960.000	47.329	39.117	-26.671	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.984	41.150	-31.016	74.000	1.834	PK
2	*	15960.000	46.781	38.569	-27.219	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.662	41.310	-31.338	74.000	1.351	PK
2	*	15810.000	47.988	39.049	-26.012	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.147	41.795	-30.853	74.000	1.351	PK
2	*	15810.000	47.277	38.338	-26.723	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.772	41.553	-31.228	74.000	1.219	PK
2	*	15930.000	48.069	39.141	-25.931	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.632	41.413	-31.368	74.000	1.219	PK
2	*	15930.000	47.995	39.067	-26.005	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.472	40.029	-32.528	74.000	1.444	PK
2	*	15870.000	47.317	38.564	-26.683	74.000	8.753	PK


Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.767	40.324	-32.233	74.000	1.444	PK
2	*	15870.000	48.508	39.755	-25.492	74.000	8.753	PK


Dipole-ETH6 Beamforming 2TX

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	44.502	43.641	-29.498	74.000	0.860	PK
2	*	15540.000	46.003	39.365	-27.997	74.000	6.637	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.898	42.037	-31.102	74.000	0.860	PK
2	*	15540.000	47.513	40.875	-26.487	74.000	6.637	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.746	41.874	-31.254	74.000	0.871	PK
2	*	15600.000	47.270	38.708	-26.730	74.000	8.563	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.152	42.280	-30.848	74.000	0.871	PK
2	*	15600.000	47.155	38.593	-26.845	74.000	8.563	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.850	41.737	-31.150	74.000	1.114	PK
2	*	15720.000	46.930	38.370	-27.070	74.000	8.561	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.857	41.744	-31.143	74.000	1.114	PK
2	*	15720.000	46.472	37.912	-27.528	74.000	8.561	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.596	41.942	-31.404	74.000	0.654	PK
2	*	15570.000	46.983	39.266	-27.017	74.000	7.716	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.422	40.768	-32.578	74.000	0.654	PK
2	*	15570.000	46.107	38.390	-27.893	74.000	7.716	PK