



Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.382	42.030	-30.618	74.000	1.351	PK
2	*	15810.000	47.295	38.356	-26.705	74.000	8.939	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	42.913	41.561	-31.087	74.000	1.351	PK
2	*	15810.000	47.192	38.253	-26.808	74.000	8.939	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.864	41.645	-31.136	74.000	1.219	PK
2	*	15930.000	48.055	39.127	-25.945	74.000	8.928	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.350	42.131	-30.650	74.000	1.219	PK
2	*	15930.000	47.787	38.859	-26.213	74.000	8.928	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.939	41.496	-31.061	74.000	1.444	PK
2	*	15870.000	48.009	39.256	-25.991	74.000	8.753	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.914	42.471	-30.086	74.000	1.444	PK
2	*	15870.000	47.611	38.858	-26.389	74.000	8.753	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.964	41.230	-31.036	74.000	1.735	PK
2	*	15780.000	46.873	38.033	-27.127	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	41.953	40.219	-32.047	74.000	1.735	PK
2	*	15780.000	46.694	37.854	-27.306	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.076	40.760	-31.924	74.000	1.316	PK
2	*	15840.000	47.429	39.204	-26.571	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.596	41.280	-31.404	74.000	1.316	PK
2	*	15840.000	47.100	38.875	-26.900	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.425	41.591	-30.575	74.000	1.834	PK
2	*	15960.000	46.924	38.712	-27.076	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.837	41.003	-31.163	74.000	1.834	PK
2	*	15960.000	48.084	39.872	-25.916	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.757	42.405	-30.243	74.000	1.351	PK
2	*	15810.000	47.169	38.230	-26.831	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.541	42.189	-30.459	74.000	1.351	PK
2	*	15810.000	47.303	38.364	-26.697	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.910	41.691	-31.090	74.000	1.219	PK
2	*	15930.000	47.901	38.973	-26.099	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.026	41.807	-30.974	74.000	1.219	PK
2	*	15930.000	48.023	39.095	-25.977	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.808	41.365	-31.192	74.000	1.444	PK
2	*	15870.000	47.301	38.548	-26.699	74.000	8.753	PK


Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.083	41.640	-30.917	74.000	1.444	PK
2	*	15870.000	48.182	39.429	-25.818	74.000	8.753	PK


Dipole-ETH6 Beamforming 4TX

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.484	42.623	-30.516	74.000	0.860	PK
2	*	15540.000	45.197	38.559	-28.803	74.000	6.637	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.660	41.799	-31.340	74.000	0.860	PK
2	*	15540.000	45.924	39.286	-28.076	74.000	6.637	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.769	41.897	-31.231	74.000	0.871	PK
2	*	15600.000	48.393	39.831	-25.607	74.000	8.563	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.080	42.208	-30.920	74.000	0.871	PK
2	*	15600.000	46.742	38.180	-27.258	74.000	8.563	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.817	41.704	-31.183	74.000	1.114	PK
2	*	15720.000	47.191	38.631	-26.809	74.000	8.561	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.947	41.834	-31.053	74.000	1.114	PK
2	*	15720.000	47.598	39.038	-26.402	74.000	8.561	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.835	42.181	-31.165	74.000	0.654	PK
2	*	15570.000	45.623	37.906	-28.377	74.000	7.716	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.105	41.451	-31.895	74.000	0.654	PK
2	*	15570.000	46.026	38.309	-27.974	74.000	7.716	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.339	40.534	-32.661	74.000	0.805	PK
2	*	15690.000	48.158	39.098	-25.842	74.000	9.060	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.137	40.332	-32.863	74.000	0.805	PK
2	*	15690.000	47.054	37.994	-26.946	74.000	9.060	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.727	41.866	-31.273	74.000	0.860	PK
2	*	15540.000	45.526	38.888	-28.474	74.000	6.637	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.814	41.953	-31.186	74.000	0.860	PK
2	*	15540.000	46.456	39.818	-27.544	74.000	6.637	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	41.788	40.916	-32.212	74.000	0.871	PK
2	*	15600.000	47.456	38.894	-26.544	74.000	8.563	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.619	42.747	-30.381	74.000	0.871	PK
2	*	15600.000	46.670	38.108	-27.330	74.000	8.563	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.734	41.621	-31.266	74.000	1.114	PK
2	*	15720.000	47.365	38.805	-26.635	74.000	8.561	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.086	41.973	-30.914	74.000	1.114	PK
2	*	15720.000	46.820	38.260	-27.180	74.000	8.561	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.019	41.365	-31.981	74.000	0.654	PK
2	*	15570.000	46.049	38.332	-27.951	74.000	7.716	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.869	41.215	-32.131	74.000	0.654	PK
2	*	15570.000	45.267	37.550	-28.733	74.000	7.716	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.561	39.756	-33.439	74.000	0.805	PK
2	*	15690.000	48.007	38.947	-25.993	74.000	9.060	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.986	40.181	-33.014	74.000	0.805	PK
2	*	15690.000	47.311	38.251	-26.689	74.000	9.060	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.755	41.901	-31.245	74.000	0.855	PK
2	*	15630.000	45.908	37.879	-28.092	74.000	8.028	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.937	41.083	-32.063	74.000	0.855	PK
2	*	15630.000	47.698	39.669	-26.302	74.000	8.028	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.753	41.892	-31.247	74.000	0.860	PK
2	*	15540.000	45.235	38.597	-28.765	74.000	6.637	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.180	41.319	-31.820	74.000	0.860	PK
2	*	15540.000	46.020	39.382	-27.980	74.000	6.637	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	41.726	40.854	-32.274	74.000	0.871	PK
2	*	15600.000	45.835	37.273	-28.165	74.000	8.563	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.535	41.663	-31.465	74.000	0.871	PK
2	*	15600.000	48.027	39.465	-25.973	74.000	8.563	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.697	42.584	-30.303	74.000	1.114	PK
2	*	15720.000	47.060	38.500	-26.940	74.000	8.561	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.750	41.637	-31.250	74.000	1.114	PK
2	*	15720.000	48.100	39.540	-25.900	74.000	8.561	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	41.794	41.140	-32.206	74.000	0.654	PK
2	*	15570.000	46.184	38.467	-27.816	74.000	7.716	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.664	42.010	-31.336	74.000	0.654	PK
2	*	15570.000	44.865	37.148	-29.135	74.000	7.716	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.752	40.947	-32.248	74.000	0.805	PK
2	*	15690.000	47.671	38.611	-26.329	74.000	9.060	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.585	39.780	-33.415	74.000	0.805	PK
2	*	15690.000	47.673	38.613	-26.327	74.000	9.060	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.227	41.373	-31.773	74.000	0.855	PK
2	*	15630.000	46.282	38.253	-27.718	74.000	8.028	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	41.393	40.539	-32.607	74.000	0.855	PK
2	*	15630.000	47.357	39.328	-26.643	74.000	8.028	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	42.113	41.460	-31.887	74.000	0.652	PK
2	*	15750.000	47.116	39.373	-26.884	74.000	7.742	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10500.000	42.049	41.396	-31.951	74.000	0.652	PK
2	*	15750.000	46.788	39.045	-27.212	74.000	7.742	PK

Profile: 20B0117R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.174	41.440	-30.826	74.000	1.735	PK
2	*	15780.000	48.145	39.305	-25.855	74.000	8.840	PK

Profile: 20B0117R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.561	40.827	-31.439	74.000	1.735	PK
2	*	15780.000	47.758	38.918	-26.242	74.000	8.840	PK

Profile: 20B0117R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	43.132	41.816	-30.868	74.000	1.316	PK
2	*	15840.000	47.848	39.623	-26.152	74.000	8.226	PK

Profile: 20B0117R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	41.185	39.869	-32.815	74.000	1.316	PK
2	*	15840.000	48.212	39.987	-25.788	74.000	8.226	PK

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.686	40.852	-31.314	74.000	1.834	PK
2	*	15960.000	46.968	38.756	-27.032	74.000	8.212	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.627	41.793	-30.373	74.000	1.834	PK
2	*	15960.000	48.356	40.144	-25.644	74.000	8.212	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.459	42.107	-30.541	74.000	1.351	PK
2	*	15810.000	47.224	38.285	-26.776	74.000	8.939	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.456	42.104	-30.544	74.000	1.351	PK
2	*	15810.000	47.891	38.952	-26.109	74.000	8.939	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.021	40.802	-31.979	74.000	1.219	PK
2	*	15930.000	46.894	37.966	-27.106	74.000	8.928	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.140	40.921	-31.860	74.000	1.219	PK
2	*	15930.000	48.444	39.516	-25.556	74.000	8.928	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.061	41.327	-30.939	74.000	1.735	PK
2	*	15780.000	48.503	39.663	-25.497	74.000	8.840	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.473	40.739	-31.527	74.000	1.735	PK
2	*	15780.000	47.185	38.345	-26.815	74.000	8.840	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.950	41.634	-31.050	74.000	1.316	PK
2	*	15840.000	48.748	40.523	-25.252	74.000	8.226	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.347	41.031	-31.653	74.000	1.316	PK
2	*	15840.000	47.868	39.643	-26.132	74.000	8.226	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.761	40.927	-31.239	74.000	1.834	PK
2	*	15960.000	47.699	39.487	-26.301	74.000	8.212	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	43.858	42.024	-30.142	74.000	1.834	PK
2	*	15960.000	46.768	38.556	-27.232	74.000	8.212	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.527	42.175	-30.473	74.000	1.351	PK
2	*	15810.000	47.312	38.373	-26.688	74.000	8.939	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.574	42.222	-30.426	74.000	1.351	PK
2	*	15810.000	47.562	38.623	-26.438	74.000	8.939	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.513	41.294	-31.487	74.000	1.219	PK
2	*	15930.000	48.143	39.215	-25.857	74.000	8.928	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.675	41.456	-31.325	74.000	1.219	PK
2	*	15930.000	48.629	39.701	-25.371	74.000	8.928	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.861	41.418	-31.139	74.000	1.444	PK
2	*	15870.000	47.572	38.819	-26.428	74.000	8.753	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	41.474	40.031	-32.526	74.000	1.444	PK
2	*	15870.000	47.873	39.120	-26.127	74.000	8.753	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	43.155	41.421	-30.845	74.000	1.735	PK
2	*	15780.000	48.204	39.364	-25.796	74.000	8.840	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10520.000	42.410	40.676	-31.590	74.000	1.735	PK
2	*	15780.000	48.325	39.485	-25.675	74.000	8.840	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.064	40.748	-31.936	74.000	1.316	PK
2	*	15840.000	47.064	38.839	-26.936	74.000	8.226	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10560.000	42.087	40.771	-31.913	74.000	1.316	PK
2	*	15840.000	48.010	39.785	-25.990	74.000	8.226	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.439	40.605	-31.561	74.000	1.834	PK
2	*	15960.000	46.566	38.354	-27.434	74.000	8.212	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10640.000	42.373	40.539	-31.627	74.000	1.834	PK
2	*	15960.000	48.595	40.383	-25.405	74.000	8.212	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.313	41.961	-30.687	74.000	1.351	PK
2	*	15810.000	47.394	38.455	-26.606	74.000	8.939	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10540.000	43.900	42.548	-30.100	74.000	1.351	PK
2	*	15810.000	47.149	38.210	-26.851	74.000	8.939	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	42.938	41.719	-31.062	74.000	1.219	PK
2	*	15930.000	47.462	38.534	-26.538	74.000	8.928	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10620.000	43.301	42.082	-30.699	74.000	1.219	PK
2	*	15930.000	48.012	39.084	-25.988	74.000	8.928	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	42.261	40.818	-31.739	74.000	1.444	PK
2	*	15870.000	46.573	37.820	-27.427	74.000	8.753	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10580.000	43.845	42.402	-30.155	74.000	1.444	PK
2	*	15870.000	49.322	40.569	-24.678	74.000	8.753	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.203	41.169	-30.797	74.000	2.033	PK
2	*	16500.000	46.896	38.157	-27.104	74.000	8.739	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.879	40.845	-31.121	74.000	2.033	PK
2	*	16500.000	47.078	38.339	-26.922	74.000	8.739	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.693	40.477	-31.307	74.000	2.216	PK
2	*	16740.000	46.010	37.654	-27.990	74.000	8.356	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	44.536	42.320	-29.464	74.000	2.216	PK
2	*	16740.000	45.777	37.421	-28.223	74.000	8.356	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	41.944	38.760	-32.056	74.000	3.184	PK
2	*	17100.000	44.756	37.666	-29.244	74.000	7.090	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.911	39.727	-31.089	74.000	3.184	PK
2	*	17100.000	47.106	40.016	-26.894	74.000	7.090	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5720MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.666	41.242	-29.334	74.000	3.424	PK
2	*	17160.000	44.946	37.489	-29.054	74.000	7.457	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5720MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.058	40.634	-29.942	74.000	3.424	PK
2	*	17160.000	45.669	38.212	-28.331	74.000	7.457	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.748	41.521	-30.252	74.000	2.226	PK
2	*	16530.000	46.661	37.838	-27.339	74.000	8.823	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.851	40.624	-31.149	74.000	2.226	PK
2	*	16530.000	46.989	38.166	-27.011	74.000	8.823	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.220	39.836	-31.780	74.000	2.383	PK
2	*	16770.000	46.213	38.386	-27.787	74.000	7.827	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.993	40.609	-31.007	74.000	2.383	PK
2	*	16770.000	46.995	39.168	-27.005	74.000	7.827	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	43.670	40.642	-30.330	74.000	3.028	PK
2	*	17010.000	47.250	39.670	-26.750	74.000	7.581	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.539	39.511	-31.461	74.000	3.028	PK
2	*	17010.000	46.754	39.174	-27.246	74.000	7.581	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.872	41.838	-30.128	74.000	2.033	PK
2	*	16500.000	47.824	39.085	-26.176	74.000	8.739	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.594	40.560	-31.406	74.000	2.033	PK
2	*	16500.000	46.587	37.848	-27.413	74.000	8.739	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	41.995	39.779	-32.005	74.000	2.216	PK
2	*	16740.000	45.600	37.244	-28.400	74.000	8.356	PK

Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	43.425	41.209	-30.575	74.000	2.216	PK
2	*	16740.000	46.373	38.017	-27.627	74.000	8.356	PK

Profile: 20B0117R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.483	39.299	-31.517	74.000	3.184	PK
2	*	17100.000	45.341	38.251	-28.659	74.000	7.090	PK

Profile: 20B0117R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	42.758	39.574	-31.242	74.000	3.184	PK
2	*	17100.000	46.918	39.828	-27.082	74.000	7.090	PK

Profile: 20B0117R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.470	40.046	-30.530	74.000	3.424	PK
2	*	17160.000	45.563	38.106	-28.437	74.000	7.457	PK

Profile: 20B0117R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	43.570	40.146	-30.430	74.000	3.424	PK
2	*	17160.000	45.864	38.407	-28.136	74.000	7.457	PK

Profile: 20B0117R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.557	41.330	-30.443	74.000	2.226	PK
2	*	16530.000	46.907	38.084	-27.093	74.000	8.823	PK

Profile: 20B0117R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.348	40.121	-31.652	74.000	2.226	PK
2	*	16530.000	47.974	39.151	-26.026	74.000	8.823	PK

Profile: 20B0117R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	44.121	41.737	-29.879	74.000	2.383	PK
2	*	16770.000	46.853	39.026	-27.147	74.000	7.827	PK

Profile: 20B0117R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	41.746	39.362	-32.254	74.000	2.383	PK
2	*	16770.000	47.108	39.281	-26.892	74.000	7.827	PK

Profile: 20B0117R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.869	39.841	-31.131	74.000	3.028	PK
2	*	17010.000	46.774	39.194	-27.226	74.000	7.581	PK

Profile: 20B0117R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.993	39.965	-31.007	74.000	3.028	PK
2	*	17010.000	46.767	39.187	-27.233	74.000	7.581	PK

Profile: 20B0117R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	43.479	41.422	-30.521	74.000	2.057	PK
2	*	16590.000	47.341	37.916	-26.659	74.000	9.426	PK

Profile: 20B0117R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	43.374	41.317	-30.626	74.000	2.057	PK
2	*	16590.000	47.976	38.551	-26.024	74.000	9.426	PK

Profile: 20B0117R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	43.568	41.534	-30.432	74.000	2.033	PK
2	*	16500.000	46.890	38.151	-27.110	74.000	8.739	PK

Profile: 20B0117R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11000.000	42.660	40.626	-31.340	74.000	2.033	PK
2	*	16500.000	46.248	37.509	-27.752	74.000	8.739	PK

Profile: 20B0117R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	42.645	40.429	-31.355	74.000	2.216	PK
2	*	16740.000	46.616	38.260	-27.384	74.000	8.356	PK

Profile: 20B0117R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11160.000	41.946	39.730	-32.054	74.000	2.216	PK
2	*	16740.000	46.081	37.725	-27.919	74.000	8.356	PK

Profile: 20B0117R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.259	40.075	-30.741	74.000	3.184	PK
2	*	17100.000	46.536	39.446	-27.464	74.000	7.090	PK

Profile: 20B0117R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11400.000	43.047	39.863	-30.953	74.000	3.184	PK
2	*	17100.000	45.766	38.676	-28.234	74.000	7.090	PK

Profile: 20B0117R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	45.303	41.879	-28.697	74.000	3.424	PK
2	*	17160.000	45.738	38.281	-28.262	74.000	7.457	PK

Profile: 20B0117R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11440.000	44.048	40.624	-29.952	74.000	3.424	PK
2	*	17160.000	45.849	38.392	-28.151	74.000	7.457	PK

Profile: 20B0117R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	43.029	40.802	-30.971	74.000	2.226	PK
2	*	16530.000	47.470	38.647	-26.530	74.000	8.823	PK

Profile: 20B0117R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11020.000	42.674	40.447	-31.326	74.000	2.226	PK
2	*	16530.000	48.277	39.454	-25.723	74.000	8.823	PK

Profile: 20B0117R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	42.762	40.378	-31.238	74.000	2.383	PK
2	*	16770.000	46.506	38.679	-27.494	74.000	7.827	PK

Profile: 20B0117R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11180.000	43.020	40.636	-30.980	74.000	2.383	PK
2	*	16770.000	46.843	39.016	-27.157	74.000	7.827	PK

Profile: 20B0117R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.531	39.503	-31.469	74.000	3.028	PK
2	*	17010.000	47.517	39.937	-26.483	74.000	7.581	PK

Profile: 20B0117R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11340.000	42.635	39.607	-31.365	74.000	3.028	PK
2	*	17010.000	47.276	39.696	-26.724	74.000	7.581	PK

Profile: 20B0117R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	43.411	41.354	-30.589	74.000	2.057	PK
2	*	16590.000	46.800	37.375	-27.200	74.000	9.426	PK

Profile: 20B0117R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11060.000	42.810	40.753	-31.190	74.000	2.057	PK
2	*	16590.000	46.852	37.427	-27.148	74.000	9.426	PK

Profile: 20B0117R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 50 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	41.059	38.856	-32.941	74.000	2.203	PK
2	*	16710.000	45.998	37.608	-28.002	74.000	8.390	PK

Profile: 20B0117R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 50 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11140.000	42.364	40.161	-31.636	74.000	2.203	PK
2	*	16710.000	45.934	37.544	-28.066	74.000	8.390	PK

Profile: 20B0117R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.993	40.168	-31.007	74.000	2.825	PK
2	*	17235.000	45.648	37.818	-28.352	74.000	7.830	PK

Profile: 20B0117R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.355	39.530	-31.645	74.000	2.825	PK
2	*	17235.000	46.136	38.306	-27.864	74.000	7.830	PK

Profile: 20B0117R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.605	40.288	-30.395	74.000	3.317	PK
2	*	17355.000	45.574	37.550	-28.426	74.000	8.023	PK

Profile: 20B0117R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.479	40.162	-30.521	74.000	3.317	PK
2	*	17355.000	45.742	37.718	-28.258	74.000	8.023	PK

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.243	39.929	-30.757	74.000	3.314	PK
2	*	17475.000	46.493	38.407	-27.507	74.000	8.086	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	44.083	40.769	-29.917	74.000	3.314	PK
2	*	17475.000	45.994	37.908	-28.006	74.000	8.086	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.928	41.244	-29.072	74.000	3.684	PK
2	*	17265.000	46.626	37.642	-27.374	74.000	8.984	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.787	41.103	-29.213	74.000	3.684	PK
2	*	17265.000	46.587	37.603	-27.413	74.000	8.984	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.635	39.713	-30.365	74.000	3.922	PK
2	*	17385.000	46.609	38.888	-27.391	74.000	7.721	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.180	40.258	-29.820	74.000	3.922	PK
2	*	17385.000	46.429	38.708	-27.571	74.000	7.721	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.859	41.034	-30.141	74.000	2.825	PK
2	*	17235.000	45.579	37.749	-28.421	74.000	7.830	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	42.992	40.167	-31.008	74.000	2.825	PK
2	*	17235.000	45.781	37.951	-28.219	74.000	7.830	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.314	40.997	-29.686	74.000	3.317	PK
2	*	17355.000	46.213	38.189	-27.787	74.000	8.023	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	43.049	39.732	-30.951	74.000	3.317	PK
2	*	17355.000	46.032	38.008	-27.968	74.000	8.023	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.504	40.190	-30.496	74.000	3.314	PK
2	*	17475.000	46.353	38.267	-27.647	74.000	8.086	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	44.101	40.787	-29.899	74.000	3.314	PK
2	*	17475.000	46.326	38.240	-27.674	74.000	8.086	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.174	40.490	-29.826	74.000	3.684	PK
2	*	17265.000	47.071	38.087	-26.929	74.000	8.984	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	44.856	41.172	-29.144	74.000	3.684	PK
2	*	17265.000	46.917	37.933	-27.083	74.000	8.984	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.367	39.445	-30.633	74.000	3.922	PK
2	*	17385.000	45.718	37.997	-28.282	74.000	7.721	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	45.230	41.308	-28.770	74.000	3.922	PK
2	*	17385.000	45.995	38.274	-28.005	74.000	7.721	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.472	41.180	-29.528	74.000	3.291	PK
2	*	17325.000	47.355	39.122	-26.645	74.000	8.233	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.477	40.185	-30.523	74.000	3.291	PK
2	*	17325.000	46.887	38.654	-27.113	74.000	8.233	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	44.345	41.520	-29.655	74.000	2.825	PK
2	*	17235.000	45.174	37.344	-28.826	74.000	7.830	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11490.000	43.743	40.918	-30.257	74.000	2.825	PK
2	*	17235.000	45.800	37.970	-28.200	74.000	7.830	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.283	40.966	-29.717	74.000	3.317	PK
2	*	17355.000	46.167	38.143	-27.833	74.000	8.023	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11570.000	44.554	41.237	-29.446	74.000	3.317	PK
2	*	17355.000	46.582	38.558	-27.418	74.000	8.023	PK

Profile: 20B0117R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	43.865	40.551	-30.135	74.000	3.314	PK
2	*	17475.000	47.641	39.555	-26.359	74.000	8.086	PK

Profile: 20B0117R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11650.000	42.861	39.547	-31.139	74.000	3.314	PK
2	*	17475.000	46.479	38.393	-27.521	74.000	8.086	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.883	40.199	-30.117	74.000	3.684	PK
2	*	17265.000	47.716	38.732	-26.284	74.000	8.984	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11510.000	43.201	39.517	-30.799	74.000	3.684	PK
2	*	17265.000	46.782	37.798	-27.218	74.000	8.984	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	44.709	40.787	-29.291	74.000	3.922	PK
2	*	17385.000	45.622	37.901	-28.378	74.000	7.721	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11590.000	43.592	39.670	-30.408	74.000	3.922	PK
2	*	17385.000	45.814	38.093	-28.186	74.000	7.721	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	43.817	40.525	-30.183	74.000	3.291	PK
2	*	17325.000	47.290	39.057	-26.710	74.000	8.233	PK


Profile: 20B0117R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 18:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		11550.000	44.546	41.254	-29.454	74.000	3.291	PK
2	*	17325.000	46.318	38.085	-27.682	74.000	8.233	PK


Dipole-ETH7 Beamforming 4TX

Profile: 20B0117R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.286	40.425	-32.714	74.000	0.860	PK
2	*	15540.000	45.914	39.276	-28.086	74.000	6.637	PK

Profile: 20B0117R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.007	41.146	-31.993	74.000	0.860	PK
2	*	15540.000	46.740	40.102	-27.260	74.000	6.637	PK

Profile: 20B0117R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.044	42.172	-30.956	74.000	0.871	PK
2	*	15600.000	47.582	39.020	-26.418	74.000	8.563	PK

Profile: 20B0117R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.826	41.954	-31.174	74.000	0.871	PK
2	*	15600.000	47.824	39.262	-26.176	74.000	8.563	PK

Profile: 20B0117R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	43.197	42.084	-30.803	74.000	1.114	PK
2	*	15720.000	47.027	38.467	-26.973	74.000	8.561	PK

Profile: 20B0117R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.284	41.171	-31.716	74.000	1.114	PK
2	*	15720.000	47.607	39.047	-26.393	74.000	8.561	PK

Profile: 20B0117R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.605	41.951	-31.395	74.000	0.654	PK
2	*	15570.000	46.536	38.819	-27.464	74.000	7.716	PK

Profile: 20B0117R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.402	41.748	-31.598	74.000	0.654	PK
2	*	15570.000	46.146	38.429	-27.854	74.000	7.716	PK

Profile: 20B0117R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.568	39.763	-33.432	74.000	0.805	PK
2	*	15690.000	47.111	38.051	-26.889	74.000	9.060	PK

Profile: 20B0117R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	40.742	39.937	-33.258	74.000	0.805	PK
2	*	15690.000	47.080	38.020	-26.920	74.000	9.060	PK

Profile: 20B0117R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.425	42.564	-30.575	74.000	0.860	PK
2	*	15540.000	45.557	38.919	-28.443	74.000	6.637	PK

Profile: 20B0117R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	41.939	41.078	-32.061	74.000	0.860	PK
2	*	15540.000	45.874	39.236	-28.126	74.000	6.637	PK

Profile: 20B0117R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.190	41.318	-31.810	74.000	0.871	PK
2	*	15600.000	47.843	39.281	-26.157	74.000	8.563	PK

Profile: 20B0117R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.923	42.051	-31.077	74.000	0.871	PK
2	*	15600.000	46.935	38.373	-27.065	74.000	8.563	PK

Profile: 20B0117R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.554	41.441	-31.446	74.000	1.114	PK
2	*	15720.000	46.721	38.161	-27.279	74.000	8.561	PK

Profile: 20B0117R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.378	41.265	-31.622	74.000	1.114	PK
2	*	15720.000	46.876	38.316	-27.124	74.000	8.561	PK

Profile: 20B0117R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	44.194	43.540	-29.806	74.000	0.654	PK
2	*	15570.000	46.691	38.974	-27.309	74.000	7.716	PK

Profile: 20B0117R	Page No.: 56
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10380.000	42.314	41.660	-31.686	74.000	0.654	PK
2	*	15570.000	47.169	39.452	-26.831	74.000	7.716	PK

Profile: 20B0117R	Page No.: 57
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.793	40.988	-32.207	74.000	0.805	PK
2	*	15690.000	47.724	38.664	-26.276	74.000	9.060	PK

Profile: 20B0117R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10460.000	41.095	40.290	-32.905	74.000	0.805	PK
2	*	15690.000	47.952	38.892	-26.048	74.000	9.060	PK

Profile: 20B0117R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	40.976	40.122	-33.024	74.000	0.855	PK
2	*	15630.000	46.397	38.368	-27.603	74.000	8.028	PK

Profile: 20B0117R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10420.000	42.226	41.372	-31.774	74.000	0.855	PK
2	*	15630.000	46.948	38.919	-27.052	74.000	8.028	PK

Profile: 20B0117R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	42.165	41.304	-31.835	74.000	0.860	PK
2	*	15540.000	45.341	38.703	-28.659	74.000	6.637	PK

Profile: 20B0117R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10360.000	43.824	42.963	-30.176	74.000	0.860	PK
2	*	15540.000	47.360	40.722	-26.640	74.000	6.637	PK

Profile: 20B0117R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	




No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	42.253	41.381	-31.747	74.000	0.871	PK
2	*	15600.000	46.378	37.816	-27.622	74.000	8.563	PK

Profile: 20B0117R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10400.000	43.326	42.454	-30.674	74.000	0.871	PK
2	*	15600.000	46.556	37.994	-27.444	74.000	8.563	PK

Profile: 20B0117R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2021/01/16 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP510CX	Power: PoE -48V
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	



No	Mark	Frequency(MHz)	Measure Level(dBuV/m)	Reading Level(dBuV)	Over Limit(dB)	Limit(dBuV/m)	Factor(dB)	Type
1		10480.000	42.674	41.561	-31.326	74.000	1.114	PK
2	*	15720.000	49.015	40.455	-24.985	74.000	8.561	PK