














**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	30.97M	36.89	40.00	-3.11	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30.97M	36.89	40.00	-3.11	-7.01	3	Vertical	257	1.00	"Worst"	43.90	23.54	1.03	31.58
QP	46.49M	36.11	40.00	-3.89	-15.29	3	Vertical	68	1.50	-	51.40	15.33	1.22	31.84
QP	48.43M	32.88	40.00	-7.12	-16.02	3	Vertical	0	3.00	-	48.90	14.59	1.24	31.85
PK	67.83M	33.80	40.00	-6.20	-18.33	3	Vertical	170	1.50	-	52.13	12.19	1.43	31.95
PK	97.9M	34.02	43.50	-9.48	-13.99	3	Vertical	32	1.00	-	48.01	16.28	1.69	31.96
PK	109.54M	31.17	43.50	-12.33	-12.59	3	Vertical	192	1.00	-	43.76	17.60	1.78	31.97

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	47.46M	30.47	40.00	-9.53	-15.70	3	Horizontal	32	1.25	-	46.17	14.91	1.23	31.84
PK	323.91M	36.70	46.00	-9.30	-9.40	3	Horizontal	230	1.00	"Worst"	46.10	19.59	3.15	32.14
PK	337.49M	33.85	46.00	-12.15	-9.14	3	Horizontal	128	1.00	-	42.99	19.79	3.23	32.16
PK	472.32M	32.79	46.00	-13.21	-5.42	3	Horizontal	239	2.00	-	38.21	23.03	3.87	32.32
PK	945.68M	32.57	46.00	-13.43	-0.36	3	Horizontal	66	1.50	-	32.93	26.43	5.69	32.48
PK	1G	40.58	54.00	-13.42	0.59	3	Horizontal	211	1.50	-	39.99	27.06	5.87	32.34




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.1492G	53.98	54.00	-0.02	3	Horizontal	90	1.80	-

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




EUT\_Z\_1TX  
 Setting 58  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1402G	57.55	74.00	-16.45	52.45	3	Vertical	87	1.80	-	31.92	5.64	32.46
AV	5.1458G	45.39	54.00	-8.61	40.29	3	Vertical	87	1.80	-	31.91	5.65	32.46
PK	5.1815G	96.36	Inf	-Inf	91.30	3	Vertical	87	1.80	-	31.84	5.68	32.46
AV	5.1771G	86.11	Inf	-Inf	81.04	3	Vertical	87	1.80	-	31.85	5.68	32.46

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

#### 5180MHz\_TX




EUT\_Z\_1TX  
 Setting 58  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.77	74.00	-0.23	68.68	3	Horizontal	90	1.79	-	31.90	5.65	32.46
AV	5.1497G	50.84	54.00	-3.16	45.75	3	Horizontal	90	1.79	-	31.90	5.65	32.46
PK	5.1816G	117.29	Inf	-Inf	112.23	3	Horizontal	90	1.79	-	31.84	5.68	32.46
AV	5.1752G	107.14	Inf	-Inf	102.07	3	Horizontal	90	1.79	-	31.85	5.68	32.46



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




EUT\_Z\_1TX  
Setting 79  
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1304G	57.93	74.00	-16.07	52.82	3	Vertical	89	1.86	-	31.94	5.63	32.46
AV	5.136G	45.43	54.00	-8.57	40.32	3	Vertical	89	1.86	-	31.93	5.64	32.46
PK	5.1952G	100.57	Inf	-Inf	95.52	3	Vertical	89	1.86	-	31.81	5.70	32.46
AV	5.1954G	90.56	Inf	-Inf	85.51	3	Vertical	89	1.86	-	31.81	5.70	32.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




EUT\_Z\_1TX  
 Setting 79  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.13	74.00	-1.87	67.04	3	Horizontal	90	1.80	-	31.90	5.65	32.46
AV	5.1498G	53.91	54.00	-0.09	48.82	3	Horizontal	90	1.80	-	31.90	5.65	32.46
PK	5.2014G	122.25	Inf	-Inf	117.22	3	Horizontal	90	1.80	-	31.79	5.70	32.46
AV	5.1978G	112.13	Inf	-Inf	107.09	3	Horizontal	90	1.80	-	31.80	5.70	32.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




EUT\_Z\_1TX  
Setting 101  
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1383G	57.97	74.00	-16.03	52.87	3	Vertical	84	1.80	-	31.92	5.64	32.46
AV	5.1476G	45.47	54.00	-8.53	40.38	3	Vertical	84	1.80	-	31.90	5.65	32.46
PK	5.2352G	103.03	Inf	-Inf	98.09	3	Vertical	84	1.80	-	31.66	5.75	32.47
AV	5.2421G	93.01	Inf	-Inf	88.09	3	Vertical	84	1.80	-	31.63	5.76	32.47
PK	5.3861G	58.69	74.00	-15.31	53.76	3	Vertical	84	1.80	-	31.44	5.98	32.49
AV	5.3633G	45.39	54.00	-8.61	40.58	3	Vertical	84	1.80	-	31.35	5.94	32.48

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

#### 5240MHz\_TX




EUT\_Z\_1TX  
Setting 101  
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1437G	69.64	74.00	-4.36	64.55	3	Horizontal	89	1.79	-	31.91	5.64	32.46
AV	5.1482G	53.14	54.00	-0.86	48.05	3	Horizontal	89	1.79	-	31.90	5.65	32.46
PK	5.2445G	125.56	Inf	-Inf	120.64	3	Horizontal	89	1.79	-	31.62	5.77	32.47
AV	5.2427G	115.19	Inf	-Inf	110.27	3	Horizontal	89	1.79	-	31.63	5.76	32.47
PK	5.3546G	65.48	74.00	-8.52	60.71	3	Horizontal	89	1.79	-	31.32	5.93	32.48
AV	5.3513G	51.23	54.00	-2.77	46.47	3	Horizontal	89	1.79	-	31.31	5.93	32.48

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Z\_1TX  
Setting 100  
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1325G	58.01	74.00	-15.99	52.91	3	Vertical	85	1.86	-	31.93	5.63	32.46
AV	5.1454G	45.38	54.00	-8.62	40.28	3	Vertical	85	1.86	-	31.91	5.65	32.46
PK	5.2582G	102.87	Inf	-Inf	97.98	3	Vertical	85	1.86	-	31.57	5.79	32.47
AV	5.2579G	93.01	Inf	-Inf	88.12	3	Vertical	85	1.86	-	31.57	5.79	32.47
PK	5.4073G	58.55	74.00	-15.45	53.51	3	Vertical	85	1.86	-	31.53	6.00	32.49
AV	5.359G	45.57	54.00	-8.43	40.77	3	Vertical	85	1.86	-	31.34	5.94	32.48

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	66.91	74.00	-7.09	61.81	3	Horizontal	86	1.94	-	31.93	5.63	32.46
AV	5.1478G	52.05	54.00	-1.95	46.96	3	Horizontal	86	1.94	-	31.90	5.65	32.46
PK	5.2588G	126.37	Inf	-Inf	121.49	3	Horizontal	86	1.94	-	31.56	5.79	32.47
AV	5.2579G	115.79	Inf	-Inf	110.90	3	Horizontal	86	1.94	-	31.57	5.79	32.47
PK	5.3569G	70.51	74.00	-3.49	65.72	3	Horizontal	86	1.94	-	31.33	5.94	32.48
AV	5.3503G	53.81	54.00	-0.19	49.06	3	Horizontal	86	1.94	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Z\_1TX  
 Setting 82  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2934G	98.85	Inf	-Inf	94.06	3	Vertical	90	1.92	-	31.43	5.84	32.48
AV	5.2974G	89.06	Inf	-Inf	84.28	3	Vertical	90	1.92	-	31.41	5.85	32.48
PK	5.3882G	58.16	74.00	-15.84	53.22	3	Vertical	90	1.92	-	31.45	5.98	32.49
AV	5.3906G	45.56	54.00	-8.44	40.60	3	Vertical	90	1.92	-	31.46	5.99	32.49

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Z\_1TX  
Setting 82  
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	122.05	Inf	-Inf	117.28	3	Horizontal	89	2.02	-	31.40	5.85	32.48
AV	5.3022G	111.81	Inf	-Inf	107.04	3	Horizontal	89	2.02	-	31.40	5.85	32.48
PK	5.351G	73.25	74.00	-0.75	68.50	3	Horizontal	89	2.02	-	31.30	5.93	32.48
AV	5.35G	53.47	54.00	-0.53	48.72	3	Horizontal	89	2.02	-	31.30	5.93	32.48



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Z\_1TX  
 Setting 63  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	93.58	Inf	-Inf	88.82	3	Vertical	88	1.80	-	31.36	5.88	32.48
AV	5.324G	83.39	Inf	-Inf	78.63	3	Vertical	88	1.80	-	31.35	5.89	32.48
PK	5.3689G	58.62	74.00	-15.38	53.77	3	Vertical	88	1.80	-	31.38	5.95	32.48
AV	5.37G	45.44	54.00	-8.56	40.58	3	Vertical	88	1.80	-	31.38	5.96	32.48

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Z\_1TX  
 Setting 63  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3215G	117.56	Inf	-Inf	112.80	3	Horizontal	85	1.80	-	31.36	5.88	32.48
AV	5.324G	107.31	Inf	-Inf	102.55	3	Horizontal	85	1.80	-	31.35	5.89	32.48
PK	5.35G	73.81	74.00	-0.19	69.06	3	Horizontal	85	1.80	-	31.30	5.93	32.48
AV	5.3505G	51.63	54.00	-2.37	46.88	3	Horizontal	85	1.80	-	31.30	5.93	32.48

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
 Setting 47  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	59.22	74.00	-14.78	53.98	3	Vertical	74	1.50	-	31.74	6.00	32.50
AV	5.4509G	45.78	54.00	-8.22	40.57	3	Vertical	74	1.50	-	31.70	6.00	32.49
PK	5.4644G	58.33	68.20	-9.87	53.07	3	Vertical	74	1.50	-	31.76	6.00	32.50
PK	5.5024G	94.68	Inf	-Inf	89.28	3	Vertical	74	1.50	-	31.90	6.00	32.50
AV	5.5041G	84.50	Inf	-Inf	79.10	3	Vertical	74	1.50	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
 Setting 47  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4521G	60.74	74.00	-13.26	55.52	3	Horizontal	88	1.80	-	31.71	6.00	32.49
AV	5.4545G	48.35	54.00	-5.65	43.12	3	Horizontal	88	1.80	-	31.72	6.00	32.49
PK	5.4696G	66.49	68.20	-1.71	61.21	3	Horizontal	88	1.80	-	31.78	6.00	32.50
PK	5.5024G	113.91	Inf	-Inf	108.51	3	Horizontal	88	1.80	-	31.90	6.00	32.50
AV	5.504G	103.63	Inf	-Inf	98.23	3	Horizontal	88	1.80	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	58.63	74.00	-15.37	53.43	3	Vertical	80	1.80	-	31.69	6.00	32.49
PK	5.4612G	58.27	68.20	-9.93	53.03	3	Vertical	80	1.80	-	31.74	6.00	32.50
AV	5.458G	45.98	54.00	-8.02	40.74	3	Vertical	80	1.80	-	31.73	6.00	32.49
PK	5.5852G	104.40	Inf	-Inf	98.97	3	Vertical	80	1.80	-	31.90	6.00	32.47
AV	5.5824G	94.18	Inf	-Inf	88.75	3	Vertical	80	1.80	-	31.90	6.00	32.47
PK	5.7796G	58.80	68.20	-9.40	52.86	3	Vertical	80	1.80	-	32.26	6.09	32.41

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
Setting 100  
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	65.24	74.00	-8.76	60.02	3	Horizontal	89	1.80	-	31.71	6.00	32.49
AV	5.4576G	50.97	54.00	-3.03	45.73	3	Horizontal	89	1.80	-	31.73	6.00	32.49
PK	5.4676G	66.64	68.20	-1.56	61.37	3	Horizontal	89	1.80	-	31.77	6.00	32.50
PK	5.5788G	123.21	Inf	-Inf	117.78	3	Horizontal	89	1.80	-	31.90	6.00	32.47
AV	5.582G	112.90	Inf	-Inf	107.47	3	Horizontal	89	1.80	-	31.90	6.00	32.47
PK	5.7324G	62.75	68.20	-5.45	56.98	3	Horizontal	89	1.80	-	32.13	6.07	32.43

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
 Setting 49  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7015G	96.57	Inf	-Inf	90.95	3	Vertical	83	1.80	-	32.01	6.05	32.44
AV	5.6952G	86.46	Inf	-Inf	80.87	3	Vertical	83	1.80	-	31.98	6.05	32.44
PK	5.7319G	59.88	68.20	-8.32	54.11	3	Vertical	83	1.80	-	32.13	6.07	32.43

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
 Setting 49  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	113.35	Inf	-Inf	107.73	3	Horizontal	87	1.77	-	32.01	6.05	32.44
AV	5.704G	103.07	Inf	-Inf	97.43	3	Horizontal	87	1.77	-	32.02	6.05	32.43
PK	5.7263G	68.17	68.20	-0.03	62.43	3	Horizontal	87	1.77	-	32.11	6.06	32.43



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 101  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	106.58	Inf	-Inf	100.87	3	Vertical	82	1.80	-	32.08	6.06	32.43
AV	5.722G	95.83	Inf	-Inf	90.11	3	Vertical	82	1.80	-	32.09	6.06	32.43
PK	5.8664G	59.41	68.20	-8.79	53.32	3	Vertical	82	1.80	-	32.40	6.07	32.38

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 101  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7236G	123.03	Inf	-Inf	117.31	3	Horizontal	86	1.80	-	32.09	6.06	32.43
AV	5.7228G	112.30	Inf	-Inf	106.58	3	Horizontal	86	1.80	-	32.09	6.06	32.43
PK	5.8528G	67.10	68.20	-1.10	61.10	3	Horizontal	86	1.80	-	32.32	6.07	32.39

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




EUT\_Z\_1TX  
 Setting 96  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	60.35	68.94	-8.59	54.97	3	Vertical	79	1.50	-	31.80	6.03	32.45
PK	5.74G	107.07	Inf	-Inf	101.26	3	Vertical	79	1.50	-	32.16	6.07	32.42
AV	5.7405G	96.78	Inf	-Inf	90.97	3	Vertical	79	1.50	-	32.16	6.07	32.42
PK	5.9745G	59.04	68.20	-9.16	52.83	3	Vertical	79	1.50	-	32.55	6.01	32.35

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




EUT\_Z\_1TX  
 Setting 96  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.98	68.20	-0.22	62.61	3	Horizontal	86	1.80	-	31.80	6.02	32.45
PK	5.744G	121.90	Inf	-Inf	116.07	3	Horizontal	86	1.80	-	32.18	6.07	32.42
AV	5.747G	111.52	Inf	-Inf	105.68	3	Horizontal	86	1.80	-	32.19	6.07	32.42
PK	5.961G	61.43	68.20	-6.77	55.18	3	Horizontal	86	1.80	-	32.58	6.02	32.35

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6325G	58.96	68.20	-9.24	53.56	3	Vertical	85	1.64	-	31.84	6.02	32.46
PK	5.7885G	107.05	Inf	-Inf	101.09	3	Vertical	85	1.64	-	32.28	6.09	32.41
AV	5.7875G	96.33	Inf	-Inf	90.38	3	Vertical	85	1.64	-	32.27	6.09	32.41
PK	5.942G	59.81	68.20	-8.39	53.54	3	Vertical	85	1.64	-	32.60	6.03	32.36

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.78	68.20	-1.42	61.41	3	Horizontal	85	1.80	-	31.80	6.02	32.45
PK	5.784G	123.26	Inf	-Inf	117.31	3	Horizontal	85	1.80	-	32.27	6.09	32.41
AV	5.783G	112.70	Inf	-Inf	106.75	3	Horizontal	85	1.80	-	32.27	6.09	32.41
PK	5.925G	66.11	68.20	-2.09	59.83	3	Horizontal	85	1.80	-	32.60	6.04	32.36

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




EUT\_Z\_1TX  
 Setting 97  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5815G	59.21	68.20	-8.99	53.78	3	Vertical	86	1.80	-	31.90	6.00	32.47
PK	5.8245G	104.83	Inf	-Inf	98.84	3	Vertical	86	1.80	-	32.30	6.09	32.40
AV	5.823G	94.42	Inf	-Inf	88.43	3	Vertical	86	1.80	-	32.30	6.09	32.40
PK	5.98G	59.91	68.20	-8.29	53.71	3	Vertical	86	1.80	-	32.54	6.01	32.35

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




EUT\_Z\_1TX  
 Setting 97  
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	62.08	68.20	-6.12	56.65	3	Horizontal	86	1.73	-	31.90	6.00	32.47
PK	5.83G	122.67	Inf	-Inf	116.68	3	Horizontal	86	1.73	-	32.30	6.08	32.39
AV	5.8275G	112.17	Inf	-Inf	106.18	3	Horizontal	86	1.73	-	32.30	6.09	32.40
PK	5.929G	67.40	68.20	-0.80	61.12	3	Horizontal	86	1.73	-	32.60	6.04	32.36



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




EUT\_Z\_1TX  
 Setting 61  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	58.23	74.00	-15.77	53.13	3	Vertical	85	1.80	-	31.93	5.63	32.46
AV	5.1496G	45.81	54.00	-8.19	40.72	3	Vertical	85	1.80	-	31.90	5.65	32.46
PK	5.1769G	100.34	Inf	-Inf	95.27	3	Vertical	85	1.80	-	31.85	5.68	32.46
AV	5.1727G	87.20	Inf	-Inf	82.14	3	Vertical	85	1.80	-	31.85	5.67	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




EUT\_Z\_1TX  
 Setting 61  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	72.28	74.00	-1.72	67.19	3	Horizontal	91	1.80	-	31.90	5.65	32.46
AV	5.1495G	53.76	54.00	-0.24	48.67	3	Horizontal	91	1.80	-	31.90	5.65	32.46
PK	5.1768G	120.90	Inf	-Inf	115.83	3	Horizontal	91	1.80	-	31.85	5.68	32.46
AV	5.1781G	107.75	Inf	-Inf	102.69	3	Horizontal	91	1.80	-	31.84	5.68	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




EUT\_Z\_1TX  
 Setting 74  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1234G	58.07	74.00	-15.93	52.95	3	Vertical	86	1.85	-	31.95	5.62	32.45
AV	5.144G	45.49	54.00	-8.51	40.40	3	Vertical	86	1.85	-	31.91	5.64	32.46
PK	5.1968G	102.58	Inf	-Inf	97.53	3	Vertical	86	1.85	-	31.81	5.70	32.46
AV	5.1926G	89.59	Inf	-Inf	84.55	3	Vertical	86	1.85	-	31.81	5.69	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




EUT\_Z\_1TX  
 Setting 74  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	70.11	74.00	-3.89	65.02	3	Horizontal	88	1.80	-	31.90	5.65	32.46
AV	5.1488G	53.62	54.00	-0.38	48.53	3	Horizontal	88	1.80	-	31.90	5.65	32.46
PK	5.197G	124.37	Inf	-Inf	119.32	3	Horizontal	88	1.80	-	31.81	5.70	32.46
AV	5.1982G	111.28	Inf	-Inf	106.24	3	Horizontal	88	1.80	-	31.80	5.70	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




EUT\_Z\_1TX  
 Setting 97  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	57.90	74.00	-16.10	52.80	3	Vertical	89	1.80	-	31.91	5.65	32.46
AV	5.0933G	45.55	54.00	-8.45	40.42	3	Vertical	89	1.80	-	31.99	5.59	32.45
PK	5.2367G	104.01	Inf	-Inf	99.07	3	Vertical	89	1.80	-	31.65	5.76	32.47
AV	5.2427G	91.77	Inf	-Inf	86.85	3	Vertical	89	1.80	-	31.63	5.76	32.47
PK	5.3504G	57.83	74.00	-16.17	53.08	3	Vertical	89	1.80	-	31.30	5.93	32.48
AV	5.3762G	45.58	54.00	-8.42	40.71	3	Vertical	89	1.80	-	31.40	5.96	32.49

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




EUT\_Z\_1TX  
 Setting 97  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1407G	67.74	74.00	-6.26	62.64	3	Horizontal	87	1.80	-	31.92	5.64	32.46
AV	5.15G	53.15	54.00	-0.85	48.06	3	Horizontal	87	1.80	-	31.90	5.65	32.46
PK	5.237G	128.10	Inf	-Inf	123.16	3	Horizontal	87	1.80	-	31.65	5.76	32.47
AV	5.2427G	114.51	Inf	-Inf	109.59	3	Horizontal	87	1.80	-	31.63	5.76	32.47
PK	5.3669G	64.21	74.00	-9.79	59.37	3	Horizontal	87	1.80	-	31.37	5.95	32.48
AV	5.35G	51.66	54.00	-2.34	46.91	3	Horizontal	87	1.80	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT\_Z\_1TX  
 Setting 97  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1106G	58.01	74.00	-15.99	52.87	3	Vertical	89	1.80	-	31.98	5.61	32.45
AV	5.1472G	45.44	54.00	-8.56	40.34	3	Vertical	89	1.80	-	31.91	5.65	32.46
PK	5.2567G	103.99	Inf	-Inf	99.10	3	Vertical	89	1.80	-	31.57	5.79	32.47
AV	5.2582G	91.79	Inf	-Inf	86.90	3	Vertical	89	1.80	-	31.57	5.79	32.47
PK	5.3968G	58.08	74.00	-15.92	53.08	3	Vertical	89	1.80	-	31.49	6.00	32.49
AV	5.3758G	45.73	54.00	-8.27	40.86	3	Vertical	89	1.80	-	31.40	5.96	32.49

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT\_Z\_1TX  
 Setting 97  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1463G	65.38	74.00	-8.62	60.28	3	Horizontal	86	1.98	-	31.91	5.65	32.46
AV	5.1487G	51.60	54.00	-2.40	46.51	3	Horizontal	86	1.98	-	31.90	5.65	32.46
PK	5.257G	128.60	Inf	-Inf	123.71	3	Horizontal	86	1.98	-	31.57	5.79	32.47
AV	5.2582G	114.98	Inf	-Inf	110.09	3	Horizontal	86	1.98	-	31.57	5.79	32.47
PK	5.35G	70.29	74.00	-3.71	65.54	3	Horizontal	86	1.98	-	31.30	5.93	32.48
AV	5.35G	53.78	54.00	-0.22	49.03	3	Horizontal	86	1.98	-	31.30	5.93	32.48



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Z\_1TX  
 Setting 77  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	101.19	Inf	-Inf	96.41	3	Vertical	88	1.88	-	31.41	5.85	32.48
AV	5.3028G	88.85	Inf	-Inf	84.09	3	Vertical	88	1.88	-	31.39	5.85	32.48
PK	5.392G	58.45	74.00	-15.55	53.48	3	Vertical	88	1.88	-	31.47	5.99	32.49
AV	5.389G	45.57	54.00	-8.43	40.62	3	Vertical	88	1.88	-	31.46	5.98	32.49

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Z\_1TX  
 Setting 77  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	123.76	Inf	-Inf	118.98	3	Horizontal	90	1.92	-	31.41	5.85	32.48
AV	5.2982G	110.66	Inf	-Inf	105.88	3	Horizontal	90	1.92	-	31.41	5.85	32.48
PK	5.3504G	71.34	74.00	-2.66	66.59	3	Horizontal	90	1.92	-	31.30	5.93	32.48
AV	5.35G	53.76	54.00	-0.24	49.02	3	Horizontal	90	1.92	-	31.30	5.92	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT\_Z\_1TX  
Setting 62  
06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3169G	97.17	Inf	-Inf	92.40	3	Vertical	87	1.80	-	31.37	5.88	32.48
AV	5.3187G	84.17	Inf	-Inf	79.41	3	Vertical	87	1.80	-	31.36	5.88	32.48
PK	5.3541G	58.03	74.00	-15.97	53.26	3	Vertical	87	1.80	-	31.32	5.93	32.48
AV	5.3545G	45.27	54.00	-8.73	40.50	3	Vertical	87	1.80	-	31.32	5.93	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT\_Z\_1TX  
 Setting 62  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	119.84	Inf	-Inf	115.07	3	Horizontal	88	1.80	-	31.37	5.88	32.48
AV	5.3227G	107.03	Inf	-Inf	102.28	3	Horizontal	88	1.80	-	31.35	5.88	32.48
PK	5.3531G	73.47	74.00	-0.53	68.71	3	Horizontal	88	1.80	-	31.31	5.93	32.48
AV	5.3509G	53.64	54.00	-0.36	48.89	3	Horizontal	88	1.80	-	31.30	5.93	32.48

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
 Setting 53  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4537G	58.46	74.00	-15.54	53.24	3	Vertical	80	1.53	-	31.71	6.00	32.49
AV	5.4555G	45.72	54.00	-8.28	40.49	3	Vertical	80	1.53	-	31.72	6.00	32.49
PK	5.4623G	57.86	68.20	-10.34	52.61	3	Vertical	80	1.53	-	31.75	6.00	32.50
PK	5.4968G	98.73	Inf	-Inf	93.34	3	Vertical	80	1.53	-	31.89	6.00	32.50
AV	5.4983G	85.52	Inf	-Inf	80.13	3	Vertical	80	1.53	-	31.89	6.00	32.50

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
 Setting 53  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	62.89	74.00	-11.11	57.65	3	Horizontal	90	1.80	-	31.74	6.00	32.50
AV	5.46G	49.06	54.00	-4.94	43.82	3	Horizontal	90	1.80	-	31.74	6.00	32.50
PK	5.464G	68.15	68.20	-0.05	62.89	3	Horizontal	90	1.80	-	31.76	6.00	32.50
PK	5.4969G	117.71	Inf	-Inf	112.32	3	Horizontal	90	1.80	-	31.89	6.00	32.50
AV	5.503G	104.80	Inf	-Inf	99.40	3	Horizontal	90	1.80	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
 Setting 99  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4412G	57.77	74.00	-16.23	52.60	3	Vertical	80	1.39	-	31.66	6.00	32.49
PK	5.4676G	57.95	68.20	-10.25	52.68	3	Vertical	80	1.39	-	31.77	6.00	32.50
AV	5.4572G	45.63	54.00	-8.37	40.39	3	Vertical	80	1.39	-	31.73	6.00	32.49
PK	5.5772G	106.33	Inf	-Inf	100.91	3	Vertical	80	1.39	-	31.90	6.00	32.48
AV	5.5852G	94.31	Inf	-Inf	88.88	3	Vertical	80	1.39	-	31.90	6.00	32.47
PK	5.7684G	58.70	68.20	-9.50	52.79	3	Vertical	80	1.39	-	32.24	6.08	32.41

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
Setting 99  
06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.25	74.00	-8.75	60.01	3	Horizontal	89	1.80	-	31.73	6.00	32.49
AV	5.4592G	51.65	54.00	-2.35	46.41	3	Horizontal	89	1.80	-	31.74	6.00	32.50
PK	5.4668G	67.72	68.20	-0.48	62.45	3	Horizontal	89	1.80	-	31.77	6.00	32.50
PK	5.5812G	125.01	Inf	-Inf	119.58	3	Horizontal	89	1.80	-	31.90	6.00	32.47
AV	5.5832G	112.53	Inf	-Inf	107.10	3	Horizontal	89	1.80	-	31.90	6.00	32.47
PK	5.7256G	62.58	68.20	-5.62	56.85	3	Horizontal	89	1.80	-	32.10	6.06	32.43



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
 Setting 39  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6969G	97.32	Inf	-Inf	91.72	3	Vertical	75	1.42	-	31.99	6.05	32.44
AV	5.6981G	84.29	Inf	-Inf	78.69	3	Vertical	75	1.42	-	31.99	6.05	32.44
PK	5.7325G	59.25	68.20	-8.95	53.48	3	Vertical	75	1.42	-	32.13	6.07	32.43

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
 Setting 39  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	113.01	Inf	-Inf	107.41	3	Horizontal	90	1.80	-	31.99	6.05	32.44
AV	5.7028G	100.04	Inf	-Inf	94.42	3	Horizontal	90	1.80	-	32.01	6.05	32.44
PK	5.725G	68.17	68.20	-0.03	62.44	3	Horizontal	90	1.80	-	32.10	6.06	32.43

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	109.75	Inf	-Inf	104.05	3	Vertical	77	1.50	-	32.07	6.06	32.43
AV	5.7156G	96.45	Inf	-Inf	90.76	3	Vertical	77	1.50	-	32.06	6.06	32.43
PK	5.8832G	58.75	68.20	-9.45	52.57	3	Vertical	77	1.50	-	32.50	6.06	32.38

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	123.72	Inf	-Inf	118.02	3	Horizontal	84	1.80	-	32.07	6.06	32.43
AV	5.7212G	111.82	Inf	-Inf	106.11	3	Horizontal	84	1.80	-	32.08	6.06	32.43
PK	5.8504G	65.98	68.20	-2.22	60.00	3	Horizontal	84	1.80	-	32.30	6.07	32.39

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




EUT\_Z\_1TX  
 Setting 94  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5795G	58.52	68.20	-9.68	53.09	3	Vertical	81	1.50	-	31.90	6.00	32.47
PK	5.742G	109.82	Inf	-Inf	104.00	3	Vertical	81	1.50	-	32.17	6.07	32.42
AV	5.743G	96.50	Inf	-Inf	90.68	3	Vertical	81	1.50	-	32.17	6.07	32.42
PK	5.982G	59.11	68.20	-9.09	52.91	3	Vertical	81	1.50	-	32.54	6.01	32.35

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




EUT\_Z\_1TX  
 Setting 94  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	67.96	68.20	-0.24	62.59	3	Horizontal	88	1.80	-	31.80	6.02	32.45
PK	5.7415G	123.63	Inf	-Inf	117.81	3	Horizontal	88	1.80	-	32.17	6.07	32.42
AV	5.748G	111.28	Inf	-Inf	105.44	3	Horizontal	88	1.80	-	32.19	6.07	32.42
PK	5.9295G	62.14	68.20	-6.06	55.86	3	Horizontal	88	1.80	-	32.60	6.04	32.36

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	58.26	68.20	-9.94	52.85	3	Vertical	83	1.80	-	31.90	6.00	32.49
PK	5.789G	107.27	Inf	-Inf	101.31	3	Vertical	83	1.80	-	32.28	6.09	32.41
AV	5.788G	94.92	Inf	-Inf	88.96	3	Vertical	83	1.80	-	32.28	6.09	32.41
PK	6.0045G	59.26	68.20	-8.94	53.10	3	Vertical	83	1.80	-	32.51	6.00	32.35

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




EUT\_Z\_1TX  
 Setting 100  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	66.72	68.20	-1.48	61.34	3	Horizontal	86	1.80	-	31.81	6.02	32.45
PK	5.782G	125.41	Inf	-Inf	119.47	3	Horizontal	86	1.80	-	32.26	6.09	32.41
AV	5.788G	112.66	Inf	-Inf	106.70	3	Horizontal	86	1.80	-	32.28	6.09	32.41
PK	5.9265G	66.73	68.20	-1.47	60.45	3	Horizontal	86	1.80	-	32.60	6.04	32.36



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




EUT\_Z\_1TX  
 Setting 96  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6115G	58.46	68.20	-9.74	53.03	3	Vertical	86	1.80	-	31.88	6.01	32.46
PK	5.822G	107.29	Inf	-Inf	101.30	3	Vertical	86	1.80	-	32.30	6.09	32.40
AV	5.8205G	93.99	Inf	-Inf	88.00	3	Vertical	86	1.80	-	32.30	6.09	32.40
PK	5.973G	59.70	68.20	-8.50	53.49	3	Vertical	86	1.80	-	32.55	6.01	32.35

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




EUT\_Z\_1TX  
 Setting 96  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	61.93	68.20	-6.27	56.50	3	Horizontal	87	1.80	-	31.90	6.00	32.47
PK	5.822G	124.65	Inf	-Inf	118.66	3	Horizontal	87	1.80	-	32.30	6.09	32.40
AV	5.828G	111.82	Inf	-Inf	105.83	3	Horizontal	87	1.80	-	32.30	6.09	32.40
PK	5.9235G	69.12	69.31	-0.19	62.84	3	Horizontal	87	1.80	-	32.60	6.04	32.36

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




EUT\_Z\_1TX  
 Setting 57  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	58.22	74.00	-15.78	53.11	3	Vertical	88	1.80	-	31.93	5.64	32.46
AV	5.1256G	46.31	54.00	-7.69	41.19	3	Vertical	88	1.80	-	31.95	5.63	32.46
PK	5.1822G	93.62	Inf	-Inf	88.56	3	Vertical	88	1.80	-	31.84	5.68	32.46
AV	5.1764G	81.44	Inf	-Inf	76.37	3	Vertical	88	1.80	-	31.85	5.68	32.46

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




EUT\_Z\_1TX  
 Setting 57  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	71.94	74.00	-2.06	66.85	3	Horizontal	90	1.80	-	31.90	5.65	32.46
AV	5.1492G	53.98	54.00	-0.02	48.89	3	Horizontal	90	1.80	-	31.90	5.65	32.46
PK	5.182G	115.84	Inf	-Inf	110.78	3	Horizontal	90	1.80	-	31.84	5.68	32.46
AV	5.1762G	103.81	Inf	-Inf	98.74	3	Horizontal	90	1.80	-	31.85	5.68	32.46

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




EUT\_Z\_1TX  
 Setting 71  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1175G	58.31	74.00	-15.69	53.18	3	Vertical	85	1.82	-	31.96	5.62	32.45
AV	5.1496G	46.65	54.00	-7.35	41.56	3	Vertical	85	1.82	-	31.90	5.65	32.46
PK	5.2222G	96.66	Inf	-Inf	91.69	3	Vertical	85	1.82	-	31.71	5.73	32.47
AV	5.2165G	84.23	Inf	-Inf	79.25	3	Vertical	85	1.82	-	31.73	5.72	32.47
PK	5.3641G	58.20	74.00	-15.80	53.37	3	Vertical	85	1.82	-	31.36	5.95	32.48
AV	5.3524G	46.33	54.00	-7.67	41.57	3	Vertical	85	1.82	-	31.31	5.93	32.48

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




EUT\_Z\_1TX  
 Setting 71  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	67.16	74.00	-6.84	62.07	3	Horizontal	85	1.86	-	31.90	5.65	32.46
AV	5.1496G	53.77	54.00	-0.23	48.68	3	Horizontal	85	1.86	-	31.90	5.65	32.46
PK	5.2219G	119.17	Inf	-Inf	114.20	3	Horizontal	85	1.86	-	31.71	5.73	32.47
AV	5.2333G	107.23	Inf	-Inf	102.28	3	Horizontal	85	1.86	-	31.67	5.75	32.47
PK	5.3746G	62.45	74.00	-11.55	57.57	3	Horizontal	85	1.86	-	31.40	5.96	32.48
AV	5.3764G	50.70	54.00	-3.30	45.82	3	Horizontal	85	1.86	-	31.41	5.96	32.49

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Z\_1TX  
 Setting 69  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	57.97	74.00	-16.03	52.85	3	Vertical	90	1.89	-	31.95	5.62	32.45
AV	5.1112G	46.22	54.00	-7.78	41.08	3	Vertical	90	1.89	-	31.98	5.61	32.45
PK	5.2548G	96.46	Inf	-Inf	91.57	3	Vertical	90	1.89	-	31.58	5.78	32.47
AV	5.2564G	84.22	Inf	-Inf	79.34	3	Vertical	90	1.89	-	31.57	5.78	32.47
PK	5.3948G	58.37	74.00	-15.63	53.39	3	Vertical	90	1.89	-	31.48	5.99	32.49
AV	5.4084G	46.88	54.00	-7.12	41.84	3	Vertical	90	1.89	-	31.53	6.00	32.49
PK	5.462G	57.68	68.20	-10.52	52.43	3	Vertical	90	1.89	-	31.75	6.00	32.50

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Z\_1TX  
 Setting 69  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.45	74.00	-11.55	57.36	3	Horizontal	84	1.80	-	31.90	5.65	32.46
AV	5.1492G	51.34	54.00	-2.66	46.25	3	Horizontal	84	1.80	-	31.90	5.65	32.46
PK	5.2548G	119.76	Inf	-Inf	114.87	3	Horizontal	84	1.80	-	31.58	5.78	32.47
AV	5.256G	107.57	Inf	-Inf	102.68	3	Horizontal	84	1.80	-	31.58	5.78	32.47
PK	5.352G	69.59	74.00	-4.41	64.83	3	Horizontal	84	1.80	-	31.31	5.93	32.48
AV	5.3516G	53.62	54.00	-0.38	48.86	3	Horizontal	84	1.80	-	31.31	5.93	32.48
PK	5.4616G	60.16	68.20	-8.04	54.91	3	Horizontal	84	1.80	-	31.75	6.00	32.50



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Z\_1TX  
 Setting 56  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	58.22	74.00	-15.78	53.09	3	Vertical	88	1.80	-	31.96	5.62	32.45
AV	5.1488G	46.34	54.00	-7.66	41.25	3	Vertical	88	1.80	-	31.90	5.65	32.46
PK	5.302G	90.92	Inf	-Inf	86.15	3	Vertical	88	1.80	-	31.40	5.85	32.48
AV	5.3032G	78.37	Inf	-Inf	73.61	3	Vertical	88	1.80	-	31.39	5.85	32.48
PK	5.4548G	58.84	74.00	-15.16	53.61	3	Vertical	88	1.80	-	31.72	6.00	32.49
AV	5.446G	46.54	54.00	-7.46	41.35	3	Vertical	88	1.80	-	31.68	6.00	32.49
PK	5.4724G	58.29	68.20	-9.91	53.00	3	Vertical	88	1.80	-	31.79	6.00	32.50

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Z\_1TX  
 Setting 56  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.47	74.00	-13.53	55.37	3	Horizontal	86	1.92	-	31.92	5.64	32.46
AV	5.14G	48.70	54.00	-5.30	43.60	3	Horizontal	86	1.92	-	31.92	5.64	32.46
PK	5.302G	115.44	Inf	-Inf	110.67	3	Horizontal	86	1.92	-	31.40	5.85	32.48
AV	5.304G	102.81	Inf	-Inf	98.04	3	Horizontal	86	1.92	-	31.39	5.86	32.48
PK	5.3512G	71.53	74.00	-2.47	66.78	3	Horizontal	86	1.92	-	31.30	5.93	32.48
AV	5.35G	53.63	54.00	-0.37	48.88	3	Horizontal	86	1.92	-	31.30	5.93	32.48
PK	5.4676G	60.33	68.20	-7.87	55.06	3	Horizontal	86	1.92	-	31.77	6.00	32.50

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Z\_1TX  
 Setting 48  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4442G	58.63	74.00	-15.37	53.44	3	Vertical	80	1.62	-	31.68	6.00	32.49
AV	5.4502G	46.96	54.00	-7.04	41.75	3	Vertical	80	1.62	-	31.70	6.00	32.49
PK	5.465G	58.03	68.20	-10.17	52.77	3	Vertical	80	1.62	-	31.76	6.00	32.50
PK	5.5022G	94.72	Inf	-Inf	89.32	3	Vertical	80	1.62	-	31.90	6.00	32.50
AV	5.5134G	82.43	Inf	-Inf	77.03	3	Vertical	80	1.62	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Z\_1TX  
 Setting 48  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	65.12	74.00	-8.88	59.88	3	Horizontal	90	1.80	-	31.74	6.00	32.50
AV	5.4588G	51.17	54.00	-2.83	45.93	3	Horizontal	90	1.80	-	31.74	6.00	32.50
PK	5.4698G	67.68	68.20	-0.52	62.40	3	Horizontal	90	1.80	-	31.78	6.00	32.50
PK	5.502G	113.42	Inf	-Inf	108.02	3	Horizontal	90	1.80	-	31.90	6.00	32.50
AV	5.5134G	101.77	Inf	-Inf	96.37	3	Horizontal	90	1.80	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Z\_1TX  
 Setting 69  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4549G	58.81	74.00	-15.19	53.58	3	Vertical	78	1.60	-	31.72	6.00	32.49
AV	5.4294G	46.80	54.00	-7.20	41.67	3	Vertical	78	1.60	-	31.62	6.00	32.49
PK	5.4624G	58.11	68.20	-10.09	52.86	3	Vertical	78	1.60	-	31.75	6.00	32.50
PK	5.5347G	99.98	Inf	-Inf	94.57	3	Vertical	78	1.60	-	31.90	6.00	32.49
AV	5.5362G	87.61	Inf	-Inf	82.20	3	Vertical	78	1.60	-	31.90	6.00	32.49

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Z\_1TX  
 Setting 69  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.96	74.00	-8.04	60.72	3	Horizontal	90	1.89	-	31.74	6.00	32.50
AV	5.4597G	53.24	54.00	-0.76	48.00	3	Horizontal	90	1.89	-	31.74	6.00	32.50
PK	5.4666G	67.84	68.20	-0.36	62.57	3	Horizontal	90	1.89	-	31.77	6.00	32.50
PK	5.5347G	118.41	Inf	-Inf	113.00	3	Horizontal	90	1.89	-	31.90	6.00	32.49
AV	5.5359G	106.12	Inf	-Inf	100.71	3	Horizontal	90	1.89	-	31.90	6.00	32.49

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Z\_1TX  
 Setting 57  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6624G	98.96	Inf	-Inf	93.53	3	Vertical	81	1.62	-	31.85	6.03	32.45
AV	5.6562G	86.41	Inf	-Inf	81.01	3	Vertical	81	1.62	-	31.82	6.03	32.45
PK	5.7294G	59.24	68.20	-8.96	53.49	3	Vertical	81	1.62	-	32.12	6.06	32.43

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Z\_1TX  
 Setting 57  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	115.24	Inf	-Inf	109.81	3	Horizontal	87	1.80	-	31.85	6.03	32.45
AV	5.6562G	102.67	Inf	-Inf	97.27	3	Horizontal	87	1.80	-	31.82	6.03	32.45
PK	5.7252G	67.64	68.20	-0.56	61.91	3	Horizontal	87	1.80	-	32.10	6.06	32.43



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 86  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4574G	58.59	74.00	-15.41	53.35	3	Vertical	79	1.55	-	31.73	6.00	32.49
AV	5.434G	46.60	54.00	-7.40	41.45	3	Vertical	79	1.55	-	31.64	6.00	32.49
PK	5.467G	57.71	68.20	-10.49	52.44	3	Vertical	79	1.55	-	31.77	6.00	32.50
PK	5.695G	103.96	Inf	-Inf	98.37	3	Vertical	79	1.55	-	31.98	6.05	32.44
AV	5.6962G	92.10	Inf	-Inf	86.51	3	Vertical	79	1.55	-	31.98	6.05	32.44
PK	5.8648G	59.24	68.20	-8.96	53.16	3	Vertical	79	1.55	-	32.39	6.07	32.38

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 86  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	61.40	74.00	-12.60	56.17	3	Horizontal	84	1.80	-	31.72	6.00	32.49
AV	5.4562G	49.82	54.00	-4.18	44.59	3	Horizontal	84	1.80	-	31.72	6.00	32.49
PK	5.4634G	61.50	68.20	-6.70	56.25	3	Horizontal	84	1.80	-	31.75	6.00	32.50
PK	5.7214G	120.08	Inf	-Inf	114.36	3	Horizontal	84	1.80	-	32.09	6.06	32.43
AV	5.7136G	108.30	Inf	-Inf	102.62	3	Horizontal	84	1.80	-	32.05	6.06	32.43
PK	5.8522G	67.81	68.20	-0.39	61.82	3	Horizontal	84	1.80	-	32.31	6.07	32.39

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




EUT\_Z\_1TX  
 Setting 78  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	58.80	68.20	-9.40	53.38	3	Vertical	82	1.57	-	31.90	6.00	32.48
PK	5.771G	104.35	Inf	-Inf	98.43	3	Vertical	82	1.57	-	32.24	6.09	32.41
AV	5.759G	92.35	Inf	-Inf	86.47	3	Vertical	82	1.57	-	32.22	6.08	32.42
PK	5.9845G	59.65	68.20	-8.55	53.45	3	Vertical	82	1.57	-	32.53	6.01	32.34

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




EUT\_Z\_1TX  
 Setting 78  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	68.00	68.57	-0.57	62.62	3	Horizontal	87	1.80	-	31.80	6.03	32.45
PK	5.771G	119.28	Inf	-Inf	113.36	3	Horizontal	87	1.80	-	32.24	6.09	32.41
AV	5.759G	107.07	Inf	-Inf	101.19	3	Horizontal	87	1.80	-	32.22	6.08	32.42
PK	5.965G	61.82	68.20	-6.38	55.58	3	Horizontal	87	1.80	-	32.57	6.02	32.35

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




EUT\_Z\_1TX  
 Setting 84  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5995G	58.50	68.20	-9.70	53.07	3	Vertical	80	1.48	-	31.90	6.00	32.47
PK	5.7795G	106.46	Inf	-Inf	100.52	3	Vertical	80	1.48	-	32.26	6.09	32.41
AV	5.79G	94.43	Inf	-Inf	88.47	3	Vertical	80	1.48	-	32.28	6.09	32.41
PK	6.0085G	60.46	68.20	-7.74	54.28	3	Vertical	80	1.48	-	32.52	6.01	32.35

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




EUT\_Z\_1TX  
 Setting 84  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	65.15	68.20	-3.05	59.76	3	Horizontal	86	1.80	-	31.82	6.02	32.45
PK	5.787G	120.28	Inf	-Inf	114.33	3	Horizontal	86	1.80	-	32.27	6.09	32.41
AV	5.799G	108.42	Inf	-Inf	102.42	3	Horizontal	86	1.80	-	32.30	6.10	32.40
PK	5.9285G	67.19	68.20	-1.01	60.91	3	Horizontal	86	1.80	-	32.60	6.04	32.36

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




EUT\_Z\_1TX  
Setting 56  
06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0528G	58.24	74.00	-15.76	53.23	3	Vertical	86	1.80	-	31.91	5.55	32.45
AV	5.1488G	46.54	54.00	-7.46	41.45	3	Vertical	86	1.80	-	31.90	5.65	32.46
PK	5.1888G	90.20	Inf	-Inf	85.15	3	Vertical	86	1.80	-	31.82	5.69	32.46
AV	5.1788G	79.28	Inf	-Inf	74.22	3	Vertical	86	1.80	-	31.84	5.68	32.46
PK	5.366G	57.68	74.00	-16.32	52.85	3	Vertical	86	1.80	-	31.36	5.95	32.48
AV	5.404G	46.64	54.00	-7.36	41.61	3	Vertical	86	1.80	-	31.52	6.00	32.49

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




EUT\_Z\_1TX  
 Setting 56  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	68.84	74.00	-5.16	63.74	3	Horizontal	87	1.83	-	31.92	5.64	32.46
AV	5.1408G	53.89	54.00	-0.11	48.79	3	Horizontal	87	1.83	-	31.92	5.64	32.46
PK	5.2G	112.89	Inf	-Inf	107.85	3	Horizontal	87	1.83	-	31.80	5.70	32.46
AV	5.1996G	101.05	Inf	-Inf	96.01	3	Horizontal	87	1.83	-	31.80	5.70	32.46
PK	5.3508G	61.02	74.00	-12.98	56.27	3	Horizontal	87	1.83	-	31.30	5.93	32.48
AV	5.3552G	49.92	54.00	-4.08	45.15	3	Horizontal	87	1.83	-	31.32	5.93	32.48



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT\_Z\_1TX  
 Setting 54  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.61	74.00	-15.39	53.51	3	Vertical	90	1.88	-	31.92	5.64	32.46
AV	5.1192G	46.35	54.00	-7.65	41.22	3	Vertical	90	1.88	-	31.96	5.62	32.45
PK	5.2604G	87.44	Inf	-Inf	82.56	3	Vertical	90	1.88	-	31.56	5.79	32.47
AV	5.2584G	76.60	Inf	-Inf	71.71	3	Vertical	90	1.88	-	31.57	5.79	32.47
PK	5.3528G	58.96	74.00	-15.04	54.20	3	Vertical	90	1.88	-	31.31	5.93	32.48
AV	5.3684G	46.91	54.00	-7.09	42.07	3	Vertical	90	1.88	-	31.37	5.95	32.48
PK	5.4712G	58.75	68.20	-9.45	53.47	3	Vertical	90	1.88	-	31.78	6.00	32.50

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT\_Z\_1TX  
Setting 54  
06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.39	74.00	-12.61	56.29	3	Horizontal	84	1.80	-	31.91	5.65	32.46
AV	5.1492G	50.26	54.00	-3.74	45.17	3	Horizontal	84	1.80	-	31.90	5.65	32.46
PK	5.28G	111.90	Inf	-Inf	107.07	3	Horizontal	84	1.80	-	31.48	5.82	32.47
AV	5.2764G	100.03	Inf	-Inf	95.20	3	Horizontal	84	1.80	-	31.49	5.81	32.47
PK	5.3524G	67.94	74.00	-6.06	63.18	3	Horizontal	84	1.80	-	31.31	5.93	32.48
AV	5.3508G	53.97	54.00	-0.03	49.22	3	Horizontal	84	1.80	-	31.30	5.93	32.48
PK	5.4664G	59.73	68.20	-8.47	54.46	3	Horizontal	84	1.80	-	31.77	6.00	32.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Z\_1TX  
 Setting 48  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2875G	57.68	68.20	-10.52	52.87	3	Vertical	79	1.62	-	31.45	5.83	32.47
PK	5.3645G	58.16	74.00	-15.84	53.33	3	Vertical	79	1.62	-	31.36	5.95	32.48
PK	5.469G	57.83	68.20	-10.37	52.55	3	Vertical	79	1.62	-	31.78	6.00	32.50
AV	5.445G	46.75	54.00	-7.25	41.56	3	Vertical	79	1.62	-	31.68	6.00	32.49
PK	5.521G	91.45	Inf	-Inf	86.04	3	Vertical	79	1.62	-	31.90	6.00	32.49
AV	5.525G	79.72	Inf	-Inf	74.31	3	Vertical	79	1.62	-	31.90	6.00	32.49
PK	5.7495G	58.85	68.20	-9.35	53.00	3	Vertical	79	1.62	-	32.20	6.07	32.42

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Z\_1TX  
 Setting 48  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	60.12	68.20	-8.08	55.35	3	Horizontal	87	1.80	-	31.39	5.86	32.48
PK	5.4485G	65.78	74.00	-8.22	60.58	3	Horizontal	87	1.80	-	31.69	6.00	32.49
AV	5.4495G	51.18	54.00	-2.82	45.97	3	Horizontal	87	1.80	-	31.70	6.00	32.49
PK	5.47G	68.09	68.20	-0.11	62.81	3	Horizontal	87	1.80	-	31.78	6.00	32.50
PK	5.5205G	110.82	Inf	-Inf	105.41	3	Horizontal	87	1.80	-	31.90	6.00	32.49
AV	5.5195G	98.99	Inf	-Inf	93.58	3	Horizontal	87	1.80	-	31.90	6.00	32.49
PK	5.761G	59.35	68.20	-8.85	53.47	3	Horizontal	87	1.80	-	32.22	6.08	32.42

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_Z\_1TX  
 Setting 64  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	57.98	74.00	-16.02	52.79	3	Vertical	80	1.54	-	31.68	6.00	32.49
AV	5.4384G	46.71	54.00	-7.29	41.55	3	Vertical	80	1.54	-	31.65	6.00	32.49
PK	5.4668G	58.00	68.20	-10.20	52.73	3	Vertical	80	1.54	-	31.77	6.00	32.50
PK	5.6256G	97.62	Inf	-Inf	92.22	3	Vertical	80	1.54	-	31.85	6.01	32.46
AV	5.6244G	85.34	Inf	-Inf	79.94	3	Vertical	80	1.54	-	31.85	6.01	32.46
PK	5.73G	59.33	68.20	-8.87	53.58	3	Vertical	80	1.54	-	32.12	6.06	32.43

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_Z\_1TX  
 Setting 64  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	66.83	74.00	-7.17	61.60	3	Horizontal	88	1.80	-	31.72	6.00	32.49
AV	5.4572G	52.94	54.00	-1.06	47.70	3	Horizontal	88	1.80	-	31.73	6.00	32.49
PK	5.4636G	66.76	68.20	-1.44	61.51	3	Horizontal	88	1.80	-	31.75	6.00	32.50
PK	5.6084G	113.33	Inf	-Inf	107.92	3	Horizontal	88	1.80	-	31.88	6.00	32.47
AV	5.602G	101.65	Inf	-Inf	96.22	3	Horizontal	88	1.80	-	31.90	6.00	32.47
PK	5.7312G	68.07	68.20	-0.13	62.31	3	Horizontal	88	1.80	-	32.12	6.07	32.43

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 72  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	58.56	74.00	-15.44	53.49	3	Vertical	79	1.61	-	31.56	6.00	32.49
PK	5.4614G	57.62	68.20	-10.58	52.37	3	Vertical	79	1.61	-	31.75	6.00	32.50
AV	5.4542G	46.88	54.00	-7.12	41.65	3	Vertical	79	1.61	-	31.72	6.00	32.49
PK	5.705G	98.94	Inf	-Inf	93.30	3	Vertical	79	1.61	-	32.02	6.05	32.43
AV	5.6822G	87.48	Inf	-Inf	81.95	3	Vertical	79	1.61	-	31.93	6.04	32.44
PK	5.9012G	59.84	68.20	-8.36	53.56	3	Vertical	79	1.61	-	32.60	6.05	32.37

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
 Setting 72  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.97	74.00	-11.03	57.73	3	Horizontal	85	1.90	-	31.74	6.00	32.50
AV	5.4578G	50.51	54.00	-3.49	45.27	3	Horizontal	85	1.90	-	31.73	6.00	32.49
PK	5.4662G	62.44	68.20	-5.76	57.18	3	Horizontal	85	1.90	-	31.76	6.00	32.50
PK	5.6816G	114.44	Inf	-Inf	108.91	3	Horizontal	85	1.90	-	31.93	6.04	32.44
AV	5.6822G	103.02	Inf	-Inf	97.49	3	Horizontal	85	1.90	-	31.93	6.04	32.44
PK	5.8598G	68.06	68.20	-0.14	62.01	3	Horizontal	85	1.90	-	32.36	6.07	32.38



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




EUT\_Z\_1TX  
 Setting 66  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5986G	58.81	68.20	-9.39	53.38	3	Vertical	82	1.58	-	31.90	6.00	32.47
PK	5.7654G	98.55	Inf	-Inf	92.66	3	Vertical	82	1.58	-	32.23	6.08	32.42
AV	5.7672G	87.02	Inf	-Inf	81.12	3	Vertical	82	1.58	-	32.23	6.08	32.41
PK	5.9388G	59.22	68.20	-8.98	52.95	3	Vertical	82	1.58	-	32.60	6.03	32.36

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




21/11/2022

EUT\_Z\_1TX  
Setting 66  
06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	68.00	68.20	-0.20	62.63	3	Horizontal	86	1.78	-	31.80	6.02	32.45
PK	5.766G	113.55	Inf	-Inf	107.65	3	Horizontal	86	1.78	-	32.23	6.08	32.41
AV	5.7875G	102.21	Inf	-Inf	96.26	3	Horizontal	86	1.78	-	32.27	6.09	32.41
PK	5.9285G	66.10	68.20	-2.10	59.82	3	Horizontal	86	1.78	-	32.60	6.04	32.36

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_1TX  
 Setting 45  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0364G	57.89	74.00	-16.11	52.92	3	Vertical	87	1.86	-	31.87	5.54	32.44
PK	5.1756G	84.61	Inf	-Inf	79.54	3	Vertical	87	1.86	-	31.85	5.68	32.46
AV	5.1356G	47.65	54.00	-6.35	42.54	3	Vertical	87	1.86	-	31.93	5.64	32.46
AV	5.178G	73.94	Inf	-Inf	68.88	3	Vertical	87	1.86	-	31.84	5.68	32.46
PK	5.3828G	58.31	74.00	-15.69	53.40	3	Vertical	87	1.86	-	31.43	5.97	32.49
AV	5.4564G	47.87	54.00	-6.13	42.63	3	Vertical	87	1.86	-	31.73	6.00	32.49
PK	5.5556G	58.36	68.20	-9.84	52.94	3	Vertical	87	1.86	-	31.90	6.00	32.48

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_1TX  
 Setting 45  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	64.04	74.00	-9.96	58.93	3	Horizontal	86	1.95	-	31.93	5.64	32.46
AV	5.1324G	53.33	54.00	-0.67	48.22	3	Horizontal	86	1.95	-	31.94	5.63	32.46
PK	5.254G	107.79	Inf	-Inf	102.90	3	Horizontal	86	1.95	-	31.58	5.78	32.47
AV	5.2572G	97.05	Inf	-Inf	92.16	3	Horizontal	86	1.95	-	31.57	5.79	32.47
PK	5.3532G	65.81	74.00	-8.19	61.05	3	Horizontal	86	1.95	-	31.31	5.93	32.48
AV	5.3772G	53.97	54.00	-0.03	49.08	3	Horizontal	86	1.95	-	31.41	5.97	32.49
PK	5.5092G	59.87	68.20	-8.33	54.47	3	Horizontal	86	1.95	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

5570MHz\_TX




EUT\_Z\_1TX  
 Setting 47  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1948G	58.45	68.20	-9.75	53.41	3	Vertical	80	1.30	-	31.81	5.69	32.46
PK	5.4484G	57.74	74.00	-16.26	52.54	3	Vertical	80	1.30	-	31.69	6.00	32.49
AV	5.35G	46.84	54.00	-7.16	42.10	3	Vertical	80	1.30	-	31.30	5.92	32.48
AV	5.3724G	48.20	54.00	-5.80	43.33	3	Vertical	80	1.30	-	31.39	5.96	32.48
PK	5.4612G	57.23	68.20	-10.97	51.99	3	Vertical	80	1.30	-	31.74	6.00	32.50
PK	5.574G	88.89	Inf	-Inf	83.47	3	Vertical	80	1.30	-	31.90	6.00	32.48
AV	5.5908G	78.33	Inf	-Inf	72.90	3	Vertical	80	1.30	-	31.90	6.00	32.47
PK	5.7452G	59.63	68.20	-8.57	53.80	3	Vertical	80	1.30	-	32.18	6.07	32.42

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

5570MHz\_TX



EUT\_Z\_1TX  
 Setting 47  
 06-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	61.61	68.20	-6.59	56.85	3	Horizontal	88	1.80	-	31.35	5.89	32.48
PK	5.4596G	66.24	74.00	-7.76	61.00	3	Horizontal	88	1.80	-	31.74	6.00	32.50
AV	5.4508G	53.27	54.00	-0.73	48.06	3	Horizontal	88	1.80	-	31.70	6.00	32.49
PK	5.4612G	68.02	68.20	-0.18	62.78	3	Horizontal	88	1.80	-	31.74	6.00	32.50
PK	5.574G	107.29	Inf	-Inf	101.87	3	Horizontal	88	1.80	-	31.90	6.00	32.48
AV	5.5324G	96.20	Inf	-Inf	90.79	3	Horizontal	88	1.80	-	31.90	6.00	32.49
PK	5.7268G	65.67	68.20	-2.53	59.93	3	Horizontal	88	1.80	-	32.11	6.06	32.43




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.97	54.00	-0.03	3	Vertical	92	1.31	-

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




EUT\_Y\_1TX  
 Setting 57  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.60	74.00	-0.40	64.95	3	Vertical	93	1.68	-	33.60	5.78	30.73
AV	5.15G	51.27	54.00	-2.73	42.62	3	Vertical	93	1.68	-	33.60	5.78	30.73
PK	5.1824G	116.70	Inf	-Inf	107.98	3	Vertical	93	1.68	-	33.66	5.79	30.73
AV	5.184G	106.55	Inf	-Inf	97.82	3	Vertical	93	1.68	-	33.67	5.79	30.73



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




EUT\_Y\_1TX  
 Setting 57  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	59.03	74.00	-14.97	50.43	3	Horizontal	130	1.61	-	33.56	5.77	30.73
AV	5.1454G	46.69	54.00	-7.31	38.06	3	Horizontal	130	1.61	-	33.59	5.77	30.73
PK	5.1814G	98.85	Inf	-Inf	90.13	3	Horizontal	130	1.61	-	33.66	5.79	30.73
AV	5.184G	88.93	Inf	-Inf	80.20	3	Horizontal	130	1.61	-	33.67	5.79	30.73

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX




EUT\_Y\_1TX  
Setting 77  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.09	74.00	-0.91	64.44	3	Vertical	92	1.58	-	33.60	5.78	30.73
AV	5.1496G	53.89	54.00	-0.11	45.25	3	Vertical	92	1.58	-	33.60	5.77	30.73
PK	5.2024G	121.48	Inf	-Inf	112.71	3	Vertical	92	1.58	-	33.70	5.80	30.73
AV	5.1952G	111.56	Inf	-Inf	102.80	3	Vertical	92	1.58	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




EUT\_Y\_1TX  
 Setting 77  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	58.73	74.00	-15.27	50.10	3	Horizontal	130	1.02	-	33.59	5.77	30.73
AV	5.1484G	46.72	54.00	-7.28	38.08	3	Horizontal	130	1.02	-	33.60	5.77	30.73
PK	5.2012G	102.39	Inf	-Inf	93.62	3	Horizontal	130	1.02	-	33.70	5.80	30.73
AV	5.2016G	92.62	Inf	-Inf	83.85	3	Horizontal	130	1.02	-	33.70	5.80	30.73

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	70.70	74.00	-3.30	62.07	3	Vertical	92	1.39	-	33.59	5.77	30.73
AV	5.1494G	53.86	54.00	-0.14	45.22	3	Vertical	92	1.39	-	33.60	5.77	30.73
PK	5.2448G	125.00	Inf	-Inf	116.21	3	Vertical	92	1.39	-	33.70	5.82	30.73
AV	5.2424G	114.82	Inf	-Inf	106.03	3	Vertical	92	1.39	-	33.70	5.82	30.73
PK	5.35G	67.16	74.00	-6.84	58.10	3	Vertical	92	1.39	-	33.90	5.88	30.72
AV	5.3522G	52.45	54.00	-1.55	43.39	3	Vertical	92	1.39	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	58.91	74.00	-15.09	50.31	3	Horizontal	126	1.85	-	33.56	5.77	30.73
AV	5.15G	46.83	54.00	-7.17	38.18	3	Horizontal	126	1.85	-	33.60	5.78	30.73
PK	5.237G	105.47	Inf	-Inf	96.68	3	Horizontal	126	1.85	-	33.70	5.82	30.73
AV	5.2352G	95.61	Inf	-Inf	86.82	3	Horizontal	126	1.85	-	33.70	5.82	30.73
PK	5.3606G	59.42	74.00	-14.58	50.34	3	Horizontal	126	1.85	-	33.92	5.88	30.72
AV	5.3756G	46.95	54.00	-7.05	37.83	3	Horizontal	126	1.85	-	33.95	5.89	30.72

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
 Setting 100  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.20	74.00	-7.80	57.56	3	Vertical	90	1.56	-	33.60	5.77	30.73
AV	5.146G	52.01	54.00	-1.99	43.38	3	Vertical	90	1.56	-	33.59	5.77	30.73
PK	5.2552G	124.71	Inf	-Inf	115.89	3	Vertical	90	1.56	-	33.71	5.83	30.72
AV	5.2576G	114.36	Inf	-Inf	105.53	3	Vertical	90	1.56	-	33.72	5.83	30.72
PK	5.35G	71.00	74.00	-3.00	61.94	3	Vertical	90	1.56	-	33.90	5.88	30.72
AV	5.3518G	53.91	54.00	-0.09	44.85	3	Vertical	90	1.56	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
 Setting 100  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	58.26	74.00	-15.74	49.66	3	Horizontal	131	1.57	-	33.56	5.77	30.73
AV	5.1442G	46.73	54.00	-7.27	38.10	3	Horizontal	131	1.57	-	33.59	5.77	30.73
PK	5.2552G	104.81	Inf	-Inf	95.99	3	Horizontal	131	1.57	-	33.71	5.83	30.72
AV	5.2558G	94.26	Inf	-Inf	85.44	3	Horizontal	131	1.57	-	33.71	5.83	30.72
PK	5.3596G	59.05	74.00	-14.95	49.97	3	Horizontal	131	1.57	-	33.92	5.88	30.72
AV	5.3956G	47.09	54.00	-6.91	37.92	3	Horizontal	131	1.57	-	33.99	5.90	30.72

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
 Setting 80  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	121.19	Inf	-Inf	112.26	3	Vertical	92	1.50	-	33.80	5.85	30.72
AV	5.304G	111.18	Inf	-Inf	102.24	3	Vertical	92	1.50	-	33.81	5.85	30.72
PK	5.3512G	73.11	74.00	-0.89	64.05	3	Vertical	92	1.50	-	33.90	5.88	30.72
AV	5.35G	53.80	54.00	-0.20	44.74	3	Vertical	92	1.50	-	33.90	5.88	30.72



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
 Setting 80  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	101.33	Inf	-Inf	92.40	3	Horizontal	131	1.00	-	33.80	5.85	30.72
AV	5.304G	91.56	Inf	-Inf	82.62	3	Horizontal	131	1.00	-	33.81	5.85	30.72
PK	5.384G	59.52	74.00	-14.48	50.38	3	Horizontal	131	1.00	-	33.97	5.89	30.72
AV	5.3984G	47.20	54.00	-6.80	38.02	3	Horizontal	131	1.00	-	34.00	5.90	30.72

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
Setting 61  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	117.45	Inf	-Inf	108.47	3	Vertical	91	1.47	-	33.84	5.86	30.72
AV	5.317G	107.65	Inf	-Inf	98.68	3	Vertical	91	1.47	-	33.83	5.86	30.72
PK	5.35G	73.85	74.00	-0.15	64.79	3	Vertical	91	1.47	-	33.90	5.88	30.72
AV	5.35G	52.80	54.00	-1.20	43.74	3	Vertical	91	1.47	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
Setting 61  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	97.56	Inf	-Inf	88.58	3	Horizontal	135	1.02	-	33.84	5.86	30.72
AV	5.3216G	87.49	Inf	-Inf	78.51	3	Horizontal	135	1.02	-	33.84	5.86	30.72
PK	5.3666G	59.09	74.00	-14.91	50.00	3	Horizontal	135	1.02	-	33.93	5.88	30.72
AV	5.3506G	47.08	54.00	-6.92	38.02	3	Horizontal	135	1.02	-	33.90	5.88	30.72

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
 Setting 50  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.55	74.00	-13.45	51.32	3	Vertical	92	1.71	-	34.00	5.95	30.72
AV	5.4592G	48.77	54.00	-5.23	39.53	3	Vertical	92	1.71	-	34.00	5.96	30.72
PK	5.468G	68.12	68.20	-0.08	58.87	3	Vertical	92	1.71	-	34.00	5.97	30.72
PK	5.4936G	113.52	Inf	-Inf	104.25	3	Vertical	92	1.71	-	34.00	5.99	30.72
AV	5.504G	103.92	Inf	-Inf	94.64	3	Vertical	92	1.71	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
Setting 50  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4096G	59.31	74.00	-14.69	50.12	3	Horizontal	360	2.50	-	34.00	5.91	30.72
AV	5.412G	47.39	54.00	-6.61	38.20	3	Horizontal	360	2.50	-	34.00	5.91	30.72
PK	5.4692G	58.66	68.20	-9.54	49.41	3	Horizontal	360	2.50	-	34.00	5.97	30.72
PK	5.5048G	96.55	Inf	-Inf	87.27	3	Horizontal	360	2.50	-	34.00	6.00	30.72
AV	5.504G	87.39	Inf	-Inf	78.11	3	Horizontal	360	2.50	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
 Setting 97  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	62.86	74.00	-11.14	53.64	3	Vertical	92	1.54	-	34.00	5.94	30.72
AV	5.424G	50.71	54.00	-3.29	41.51	3	Vertical	92	1.54	-	34.00	5.92	30.72
PK	5.4696G	63.67	68.20	-4.53	54.42	3	Vertical	92	1.54	-	34.00	5.97	30.72
PK	5.5736G	121.68	Inf	-Inf	112.44	3	Vertical	92	1.54	-	33.95	6.07	30.78
AV	5.5784G	111.56	Inf	-Inf	102.32	3	Vertical	92	1.54	-	33.94	6.08	30.78
PK	5.7584G	61.41	68.20	-6.79	52.43	3	Vertical	92	1.54	-	33.80	6.10	30.92

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
 Setting 97  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4056G	59.19	74.00	-14.81	50.00	3	Horizontal	77	2.14	-	34.00	5.91	30.72
AV	5.3992G	47.39	54.00	-6.61	38.21	3	Horizontal	77	2.14	-	34.00	5.90	30.72
PK	5.4696G	59.34	68.20	-8.86	50.09	3	Horizontal	77	2.14	-	34.00	5.97	30.72
PK	5.5848G	106.56	Inf	-Inf	97.33	3	Horizontal	77	2.14	-	33.93	6.08	30.78
AV	5.5824G	96.41	Inf	-Inf	87.17	3	Horizontal	77	2.14	-	33.94	6.08	30.78
PK	5.7456G	60.37	68.20	-7.83	51.37	3	Horizontal	77	2.14	-	33.81	6.10	30.91

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT Y\_1TX  
 Setting 78  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	111.55	Inf	-Inf	102.42	3	Vertical	91	1.49	-	33.90	6.10	30.87
AV	5.695G	101.42	Inf	-Inf	92.30	3	Vertical	91	1.49	-	33.89	6.10	30.87
PK	5.725G	67.43	68.20	-0.77	58.37	3	Vertical	91	1.49	-	33.85	6.10	30.89



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
 Setting 78  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	101.96	Inf	-Inf	92.83	3	Horizontal	79	2.10	-	33.90	6.10	30.87
AV	5.702G	92.17	Inf	-Inf	83.04	3	Horizontal	79	2.10	-	33.90	6.10	30.87
PK	5.7254G	66.82	68.20	-1.38	57.76	3	Horizontal	79	2.10	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	120.91	Inf	-Inf	111.85	3	Vertical	89	1.50	-	33.85	6.10	30.89
AV	5.7176G	111.02	Inf	-Inf	101.95	3	Vertical	89	1.50	-	33.86	6.10	30.89
PK	5.8504G	62.27	68.20	-5.93	53.32	3	Vertical	89	1.50	-	33.80	6.14	30.99

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	106.70	Inf	-Inf	97.64	3	Horizontal	12	2.07	-	33.85	6.10	30.89
AV	5.7264G	96.18	Inf	-Inf	87.12	3	Horizontal	12	2.07	-	33.85	6.10	30.89
PK	5.8592G	59.07	68.20	-9.13	50.05	3	Horizontal	12	2.07	-	33.86	6.15	30.99

### 5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

#### 5745MHz\_TX




EUT\_Y\_1TX  
Setting 97  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.26	68.20	-1.94	57.19	3	Vertical	86	1.63	-	33.80	6.10	30.83
PK	5.744G	121.94	Inf	-Inf	112.94	3	Vertical	86	1.63	-	33.81	6.10	30.91
AV	5.747G	111.87	Inf	-Inf	102.87	3	Vertical	86	1.63	-	33.81	6.10	30.91
PK	5.993G	60.95	68.20	-7.25	51.55	3	Vertical	86	1.63	-	34.20	6.29	31.09

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




EUT\_Y\_1TX  
 Setting 97  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.503G	59.81	68.20	-8.39	50.53	3	Horizontal	125	1.04	-	34.00	6.00	30.72
PK	5.748G	107.48	Inf	-Inf	98.49	3	Horizontal	125	1.04	-	33.80	6.10	30.91
AV	5.747G	97.28	Inf	-Inf	88.28	3	Horizontal	125	1.04	-	33.81	6.10	30.91
PK	5.967G	59.46	68.20	-8.74	50.06	3	Horizontal	125	1.04	-	34.20	6.27	31.07

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




EUT\_Y\_1TX  
 Setting 110  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	67.76	68.20	-0.44	58.64	3	Vertical	90	1.45	-	33.84	6.10	30.82
PK	5.784G	121.43	Inf	-Inf	112.47	3	Vertical	90	1.45	-	33.80	6.10	30.94
AV	5.787G	110.77	Inf	-Inf	101.81	3	Vertical	90	1.45	-	33.80	6.10	30.94
PK	5.944G	66.38	68.20	-1.82	57.01	3	Vertical	90	1.45	-	34.19	6.24	31.06

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




EUT\_Y\_1TX  
 Setting 110  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.51	68.20	-8.69	50.40	3	Horizontal	125	1.04	-	33.83	6.10	30.82
PK	5.777G	110.14	Inf	-Inf	101.17	3	Horizontal	125	1.04	-	33.80	6.10	30.93
AV	5.782G	99.84	Inf	-Inf	90.87	3	Horizontal	125	1.04	-	33.80	6.10	30.93
PK	6.016G	59.29	68.20	-8.91	49.86	3	Horizontal	125	1.04	-	34.23	6.30	31.10

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	60.71	68.20	-7.49	51.53	3	Vertical	89	1.18	-	33.88	6.10	30.80
PK	5.831G	120.36	Inf	-Inf	111.41	3	Vertical	89	1.18	-	33.80	6.12	30.97
AV	5.827G	110.25	Inf	-Inf	101.30	3	Vertical	89	1.18	-	33.80	6.12	30.97
PK	5.923G	67.39	69.68	-2.29	58.06	3	Vertical	89	1.18	-	34.15	6.22	31.04



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	59.20	68.20	-9.00	49.98	3	Horizontal	2	1.46	-	33.92	6.09	30.79
PK	5.828G	106.94	Inf	-Inf	97.99	3	Horizontal	2	1.46	-	33.80	6.12	30.97
AV	5.828G	96.21	Inf	-Inf	87.26	3	Horizontal	2	1.46	-	33.80	6.12	30.97
PK	5.967G	59.72	68.20	-8.48	50.32	3	Horizontal	2	1.46	-	34.20	6.27	31.07

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




EUT\_Y\_1TX  
 Setting 59  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.76	74.00	-1.24	64.11	3	Vertical	90	1.79	-	33.60	5.78	30.73
AV	5.15G	53.77	54.00	-0.23	45.12	3	Vertical	90	1.79	-	33.60	5.78	30.73
PK	5.1768G	119.49	Inf	-Inf	110.78	3	Vertical	90	1.79	-	33.65	5.79	30.73
AV	5.183G	105.88	Inf	-Inf	97.15	3	Vertical	90	1.79	-	33.67	5.79	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




EUT\_Y\_1TX  
Setting 59  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.98	74.00	-14.02	51.34	3	Horizontal	127	1.63	-	33.60	5.77	30.73
AV	5.1492G	46.44	54.00	-7.56	37.80	3	Horizontal	127	1.63	-	33.60	5.77	30.73
PK	5.177G	101.04	Inf	-Inf	92.33	3	Horizontal	127	1.63	-	33.65	5.79	30.73
AV	5.1828G	87.92	Inf	-Inf	79.19	3	Horizontal	127	1.63	-	33.67	5.79	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




EUT\_Y\_1TX  
 Setting 74  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	71.57	74.00	-2.43	62.94	3	Vertical	91	1.51	-	33.59	5.77	30.73
AV	5.1492G	53.58	54.00	-0.42	44.94	3	Vertical	91	1.51	-	33.60	5.77	30.73
PK	5.1968G	123.21	Inf	-Inf	114.45	3	Vertical	91	1.51	-	33.69	5.80	30.73
AV	5.1956G	109.45	Inf	-Inf	100.69	3	Vertical	91	1.51	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




EUT\_Y\_1TX  
 Setting 74  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	58.42	74.00	-15.58	49.81	3	Horizontal	129	1.80	-	33.57	5.77	30.73
AV	5.1488G	46.41	54.00	-7.59	37.77	3	Horizontal	129	1.80	-	33.60	5.77	30.73
PK	5.1968G	104.52	Inf	-Inf	95.76	3	Horizontal	129	1.80	-	33.69	5.80	30.73
AV	5.1952G	90.65	Inf	-Inf	81.89	3	Horizontal	129	1.80	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




EUT\_Y\_1TX  
 Setting 95  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	70.37	74.00	-3.63	61.76	3	Vertical	91	1.31	-	33.57	5.77	30.73
AV	5.15G	53.96	54.00	-0.04	45.31	3	Vertical	91	1.31	-	33.60	5.78	30.73
PK	5.246G	125.31	Inf	-Inf	116.52	3	Vertical	91	1.31	-	33.70	5.82	30.73
AV	5.2388G	113.08	Inf	-Inf	104.29	3	Vertical	91	1.31	-	33.70	5.82	30.73
PK	5.3528G	66.61	74.00	-7.39	57.54	3	Vertical	91	1.31	-	33.91	5.88	30.72
AV	5.3504G	51.96	54.00	-2.04	42.90	3	Vertical	91	1.31	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




EUT\_Y\_1TX  
 Setting 95  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0984G	59.24	74.00	-14.76	50.72	3	Horizontal	125	1.85	-	33.50	5.75	30.73
AV	5.1452G	46.40	54.00	-7.60	37.77	3	Horizontal	125	1.85	-	33.59	5.77	30.73
PK	5.2364G	106.25	Inf	-Inf	97.46	3	Horizontal	125	1.85	-	33.70	5.82	30.73
AV	5.2352G	94.24	Inf	-Inf	85.45	3	Horizontal	125	1.85	-	33.70	5.82	30.73
PK	5.3852G	58.66	74.00	-15.34	49.52	3	Horizontal	125	1.85	-	33.97	5.89	30.72
AV	5.3876G	46.63	54.00	-7.37	37.48	3	Horizontal	125	1.85	-	33.98	5.89	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT Y\_1TX  
 Setting 96  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	65.13	74.00	-8.87	56.51	3	Vertical	92	1.31	-	33.58	5.77	30.73
AV	5.1466G	51.42	54.00	-2.58	42.79	3	Vertical	92	1.31	-	33.59	5.77	30.73
PK	5.2528G	125.84	Inf	-Inf	117.02	3	Vertical	92	1.31	-	33.71	5.83	30.72
AV	5.2552G	112.80	Inf	-Inf	103.98	3	Vertical	92	1.31	-	33.71	5.83	30.72
PK	5.3524G	69.70	74.00	-4.30	60.64	3	Vertical	92	1.31	-	33.90	5.88	30.72
AV	5.35G	53.97	54.00	-0.03	44.91	3	Vertical	92	1.31	-	33.90	5.88	30.72



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT Y\_1TX  
 Setting 96  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.116G	58.30	74.00	-15.70	49.74	3	Horizontal	131	1.01	-	33.53	5.76	30.73
AV	5.15G	46.16	54.00	-7.84	37.52	3	Horizontal	131	1.01	-	33.60	5.77	30.73
PK	5.257G	107.01	Inf	-Inf	98.19	3	Horizontal	131	1.01	-	33.71	5.83	30.72
AV	5.2552G	93.37	Inf	-Inf	84.55	3	Horizontal	131	1.01	-	33.71	5.83	30.72
PK	5.368G	59.17	74.00	-14.83	50.07	3	Horizontal	131	1.01	-	33.94	5.88	30.72
AV	5.3992G	46.79	54.00	-7.21	37.61	3	Horizontal	131	1.01	-	34.00	5.90	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
 Setting 75  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	122.73	Inf	-Inf	113.81	3	Vertical	91	1.28	-	33.79	5.85	30.72
AV	5.3028G	109.62	Inf	-Inf	100.68	3	Vertical	91	1.28	-	33.81	5.85	30.72
PK	5.35G	71.74	74.00	-2.26	62.68	3	Vertical	91	1.28	-	33.90	5.88	30.72
AV	5.35G	53.27	54.00	-0.73	44.21	3	Vertical	91	1.28	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
 Setting 75  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	103.23	Inf	-Inf	94.30	3	Horizontal	128	1.08	-	33.80	5.85	30.72
AV	5.3028G	90.48	Inf	-Inf	81.54	3	Horizontal	128	1.08	-	33.81	5.85	30.72
PK	5.3508G	59.39	74.00	-14.61	50.33	3	Horizontal	128	1.08	-	33.90	5.88	30.72
AV	5.3996G	46.85	54.00	-7.15	37.67	3	Horizontal	128	1.08	-	34.00	5.90	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
 Setting 60  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	119.91	Inf	-Inf	110.94	3	Vertical	91	1.48	-	33.83	5.86	30.72
AV	5.3176G	106.03	Inf	-Inf	97.05	3	Vertical	91	1.48	-	33.84	5.86	30.72
PK	5.3514G	73.81	74.00	-0.19	64.75	3	Vertical	91	1.48	-	33.90	5.88	30.72
AV	5.3504G	53.35	54.00	-0.65	44.29	3	Vertical	91	1.48	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
 Setting 60  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	100.87	Inf	-Inf	91.90	3	Horizontal	132	1.00	-	33.83	5.86	30.72
AV	5.3182G	87.38	Inf	-Inf	78.40	3	Horizontal	132	1.00	-	33.84	5.86	30.72
PK	5.3506G	61.08	74.00	-12.92	52.02	3	Horizontal	132	1.00	-	33.90	5.88	30.72
AV	5.3504G	46.89	54.00	-7.11	37.83	3	Horizontal	132	1.00	-	33.90	5.88	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
 Setting 51  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.24	74.00	-10.76	54.00	3	Vertical	92	1.50	-	34.00	5.96	30.72
AV	5.4596G	48.90	54.00	-5.10	39.66	3	Vertical	92	1.50	-	34.00	5.96	30.72
PK	5.4692G	67.94	68.20	-0.26	58.69	3	Vertical	92	1.50	-	34.00	5.97	30.72
PK	5.4968G	117.66	Inf	-Inf	108.38	3	Vertical	92	1.50	-	34.00	6.00	30.72
AV	5.4954G	103.87	Inf	-Inf	94.59	3	Vertical	92	1.50	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
Setting 51  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	58.39	74.00	-15.61	49.16	3	Horizontal	360	2.51	-	34.00	5.95	30.72
PK	5.4616G	59.14	68.20	-9.06	49.90	3	Horizontal	360	2.51	-	34.00	5.96	30.72
AV	5.457G	46.63	54.00	-7.37	37.39	3	Horizontal	360	2.51	-	34.00	5.96	30.72
PK	5.5054G	100.33	Inf	-Inf	91.04	3	Horizontal	360	2.51	-	34.00	6.01	30.72
AV	5.503G	87.30	Inf	-Inf	78.02	3	Horizontal	360	2.51	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.56	74.00	-7.44	57.32	3	Vertical	89	1.52	-	34.00	5.96	30.72
AV	5.46G	51.38	54.00	-2.62	42.14	3	Vertical	89	1.52	-	34.00	5.96	30.72
PK	5.4696G	68.10	68.20	-0.10	58.85	3	Vertical	89	1.52	-	34.00	5.97	30.72
PK	5.5816G	124.20	Inf	-Inf	114.96	3	Vertical	89	1.52	-	33.94	6.08	30.78
AV	5.5784G	111.72	Inf	-Inf	102.48	3	Vertical	89	1.52	-	33.94	6.08	30.78
PK	5.7256G	63.55	68.20	-4.65	54.49	3	Vertical	89	1.52	-	33.85	6.10	30.89



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	59.40	74.00	-14.60	50.18	3	Horizontal	10	2.45	-	34.00	5.94	30.72
AV	5.3984G	46.81	54.00	-7.19	37.63	3	Horizontal	10	2.45	-	34.00	5.90	30.72
PK	5.4648G	58.48	68.20	-9.72	49.24	3	Horizontal	10	2.45	-	34.00	5.96	30.72
PK	5.5768G	109.06	Inf	-Inf	99.81	3	Horizontal	10	2.45	-	33.95	6.08	30.78
AV	5.5816G	95.74	Inf	-Inf	86.50	3	Horizontal	10	2.45	-	33.94	6.08	30.78
PK	5.7504G	59.76	68.20	-8.44	50.77	3	Horizontal	10	2.45	-	33.80	6.10	30.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
 Setting 40  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	112.49	Inf	-Inf	103.37	3	Vertical	93	1.47	-	33.89	6.10	30.87
AV	5.7044G	98.73	Inf	-Inf	89.62	3	Vertical	93	1.47	-	33.89	6.10	30.88
PK	5.7262G	67.48	68.20	-0.72	58.42	3	Vertical	93	1.47	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
 Setting 40  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	96.64	Inf	-Inf	87.52	3	Horizontal	12	2.09	-	33.89	6.10	30.87
AV	5.7028G	83.37	Inf	-Inf	74.25	3	Horizontal	12	2.09	-	33.89	6.10	30.87
PK	5.7426G	63.15	68.20	-5.05	54.14	3	Horizontal	12	2.09	-	33.81	6.10	30.90

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
 Setting 99  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	123.45	Inf	-Inf	114.36	3	Vertical	94	1.48	-	33.87	6.10	30.88
AV	5.7184G	109.58	Inf	-Inf	100.51	3	Vertical	94	1.48	-	33.86	6.10	30.89
PK	5.8504G	64.27	68.20	-3.93	55.32	3	Vertical	94	1.48	-	33.80	6.14	30.99

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
 Setting 99  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	108.45	Inf	-Inf	99.39	3	Horizontal	11	2.07	-	33.85	6.10	30.89
AV	5.724G	95.61	Inf	-Inf	86.55	3	Horizontal	11	2.07	-	33.85	6.10	30.89
PK	5.864G	59.76	68.20	-8.44	50.72	3	Horizontal	11	2.07	-	33.88	6.16	31.00

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




EUT\_Y\_1TX  
 Setting 97  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.93	68.20	-0.27	58.86	3	Vertical	89	1.46	-	33.80	6.10	30.83
PK	5.747G	121.82	Inf	-Inf	112.82	3	Vertical	89	1.46	-	33.81	6.10	30.91
AV	5.746G	109.40	Inf	-Inf	100.40	3	Vertical	89	1.46	-	33.81	6.10	30.91
PK	5.957G	61.01	68.20	-7.19	51.63	3	Vertical	89	1.46	-	34.20	6.25	31.07

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




EUT\_Y\_1TX  
Setting 97  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	59.39	68.20	-8.81	50.20	3	Horizontal	140	1.70	-	33.89	6.10	30.80
PK	5.738G	107.18	Inf	-Inf	98.16	3	Horizontal	140	1.70	-	33.82	6.10	30.90
AV	5.743G	94.66	Inf	-Inf	85.65	3	Horizontal	140	1.70	-	33.81	6.10	30.90
PK	5.954G	59.03	68.20	-9.17	49.65	3	Horizontal	140	1.70	-	34.20	6.25	31.07

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.559G	62.02	68.20	-6.18	52.74	3	Vertical	89	1.39	-	33.98	6.06	30.76
PK	5.778G	121.86	Inf	-Inf	112.89	3	Vertical	89	1.39	-	33.80	6.10	30.93
AV	5.78G	108.80	Inf	-Inf	99.83	3	Vertical	89	1.39	-	33.80	6.10	30.93
PK	5.926G	62.62	68.20	-5.58	53.29	3	Vertical	89	1.39	-	34.15	6.22	31.04



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.562G	59.12	68.20	-9.08	49.85	3	Horizontal	125	1.06	-	33.98	6.06	30.77
PK	5.782G	111.93	Inf	-Inf	102.96	3	Horizontal	125	1.06	-	33.80	6.10	30.93
AV	5.78G	98.06	Inf	-Inf	89.09	3	Horizontal	125	1.06	-	33.80	6.10	30.93
PK	5.926G	59.42	68.20	-8.78	50.09	3	Horizontal	125	1.06	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	60.78	68.20	-7.42	51.55	3	Vertical	87	1.45	-	33.93	6.09	30.79
PK	5.831G	121.00	Inf	-Inf	112.05	3	Vertical	87	1.45	-	33.80	6.12	30.97
AV	5.823G	109.11	Inf	-Inf	100.17	3	Vertical	87	1.45	-	33.80	6.11	30.97
PK	5.925G	67.57	68.20	-0.63	58.24	3	Vertical	87	1.45	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




EUT\_Y\_1TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.80	68.20	-9.40	49.71	3	Horizontal	0	1.80	-	33.82	6.10	30.83
PK	5.827G	104.77	Inf	-Inf	95.82	3	Horizontal	0	1.80	-	33.80	6.12	30.97
AV	5.828G	92.65	Inf	-Inf	83.70	3	Horizontal	0	1.80	-	33.80	6.12	30.97
PK	5.952G	59.89	68.20	-8.31	50.50	3	Horizontal	0	1.80	-	34.20	6.25	31.06

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




EUT\_Y\_1TX  
 Setting 53  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	73.44	74.00	-0.56	64.80	3	Vertical	92	1.43	-	33.60	5.77	30.73
AV	5.148G	53.53	54.00	-0.47	44.89	3	Vertical	92	1.43	-	33.60	5.77	30.73
PK	5.182G	115.03	Inf	-Inf	106.31	3	Vertical	92	1.43	-	33.66	5.79	30.73
AV	5.1936G	102.82	Inf	-Inf	94.06	3	Vertical	92	1.43	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




EUT\_Y\_1TX  
 Setting 53  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	59.63	74.00	-14.37	51.00	3	Horizontal	128	1.86	-	33.59	5.77	30.73
AV	5.146G	47.34	54.00	-6.66	38.71	3	Horizontal	128	1.86	-	33.59	5.77	30.73
PK	5.182G	95.74	Inf	-Inf	87.02	3	Horizontal	128	1.86	-	33.66	5.79	30.73
AV	5.1932G	84.28	Inf	-Inf	75.52	3	Horizontal	128	1.86	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




EUT Y\_1TX  
 Setting 65  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.92	74.00	-5.08	60.28	3	Vertical	90	1.68	-	33.60	5.77	30.73
AV	5.1478G	53.40	54.00	-0.60	44.76	3	Vertical	90	1.68	-	33.60	5.77	30.73
PK	5.2222G	118.83	Inf	-Inf	110.05	3	Vertical	90	1.68	-	33.70	5.81	30.73
AV	5.224G	106.66	Inf	-Inf	97.88	3	Vertical	90	1.68	-	33.70	5.81	30.73
PK	5.3722G	62.18	74.00	-11.82	53.07	3	Vertical	90	1.68	-	33.94	5.89	30.72
AV	5.3704G	50.66	54.00	-3.34	41.55	3	Vertical	90	1.68	-	33.94	5.89	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




EUT\_Y\_1TX  
 Setting 65  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	58.25	74.00	-15.75	49.67	3	Horizontal	124	1.88	-	33.55	5.76	30.73
AV	5.1466G	47.32	54.00	-6.68	38.69	3	Horizontal	124	1.88	-	33.59	5.77	30.73
PK	5.2222G	99.38	Inf	-Inf	90.60	3	Horizontal	124	1.88	-	33.70	5.81	30.73
AV	5.224G	87.36	Inf	-Inf	78.58	3	Horizontal	124	1.88	-	33.70	5.81	30.73
PK	5.3704G	58.69	74.00	-15.31	49.58	3	Horizontal	124	1.88	-	33.94	5.89	30.72
AV	5.3764G	47.61	54.00	-6.39	38.49	3	Horizontal	124	1.88	-	33.95	5.89	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Y\_1TX  
Setting 70  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	63.06	74.00	-10.94	54.43	3	Vertical	90	1.45	-	33.59	5.77	30.73
AV	5.1452G	51.00	54.00	-3.00	42.37	3	Vertical	90	1.45	-	33.59	5.77	30.73
PK	5.2676G	117.97	Inf	-Inf	109.12	3	Vertical	90	1.45	-	33.74	5.83	30.72
AV	5.267G	106.21	Inf	-Inf	97.37	3	Vertical	90	1.45	-	33.73	5.83	30.72
PK	5.3516G	68.92	74.00	-5.08	59.86	3	Vertical	90	1.45	-	33.90	5.88	30.72
AV	5.351G	53.66	54.00	-0.34	44.60	3	Vertical	90	1.45	-	33.90	5.88	30.72



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Y\_1TX  
 Setting 70  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.16	74.00	-14.84	50.53	3	Horizontal	131	1.00	-	33.59	5.77	30.73
AV	5.144G	47.46	54.00	-6.54	38.83	3	Horizontal	131	1.00	-	33.59	5.77	30.73
PK	5.2622G	98.91	Inf	-Inf	90.08	3	Horizontal	131	1.00	-	33.72	5.83	30.72
AV	5.2562G	86.97	Inf	-Inf	78.15	3	Horizontal	131	1.00	-	33.71	5.83	30.72
PK	5.3552G	59.30	74.00	-14.70	50.23	3	Horizontal	131	1.00	-	33.91	5.88	30.72
AV	5.3504G	47.89	54.00	-6.11	38.83	3	Horizontal	131	1.00	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Y\_1TX  
 Setting 52  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	114.47	Inf	-Inf	105.54	3	Vertical	92	1.48	-	33.80	5.85	30.72
AV	5.316G	101.85	Inf	-Inf	92.88	3	Vertical	92	1.48	-	33.83	5.86	30.72
PK	5.3528G	72.30	74.00	-1.70	63.23	3	Vertical	92	1.48	-	33.91	5.88	30.72
AV	5.3524G	53.15	54.00	-0.85	44.09	3	Vertical	92	1.48	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Y\_1TX  
 Setting 52  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	94.56	Inf	-Inf	85.58	3	Horizontal	133	1.00	-	33.84	5.86	30.72
AV	5.3196G	83.05	Inf	-Inf	74.07	3	Horizontal	133	1.00	-	33.84	5.86	30.72
PK	5.3884G	59.02	74.00	-14.98	49.87	3	Horizontal	133	1.00	-	33.98	5.89	30.72
AV	5.352G	47.80	54.00	-6.20	38.74	3	Horizontal	133	1.00	-	33.90	5.88	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Y\_1TX  
 Setting 50  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.66	74.00	-8.34	56.42	3	Vertical	92	1.56	-	34.00	5.96	30.72
AV	5.458G	50.65	54.00	-3.35	41.41	3	Vertical	92	1.56	-	34.00	5.96	30.72
PK	5.4684G	68.07	68.20	-0.13	58.82	3	Vertical	92	1.56	-	34.00	5.97	30.72
PK	5.502G	113.14	Inf	-Inf	103.86	3	Vertical	92	1.56	-	34.00	6.00	30.72
AV	5.5044G	100.80	Inf	-Inf	91.52	3	Vertical	92	1.56	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Y\_1TX  
 Setting 50  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4188G	59.92	74.00	-14.08	50.72	3	Horizontal	360	2.50	-	34.00	5.92	30.72
PK	5.4612G	58.77	68.20	-9.43	49.53	3	Horizontal	360	2.50	-	34.00	5.96	30.72
AV	5.4404G	48.01	54.00	-5.99	38.79	3	Horizontal	360	2.50	-	34.00	5.94	30.72
PK	5.5024G	96.80	Inf	-Inf	87.52	3	Horizontal	360	2.50	-	34.00	6.00	30.72
AV	5.5044G	84.91	Inf	-Inf	75.63	3	Horizontal	360	2.50	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Y\_1TX  
 Setting 72  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	68.65	74.00	-5.35	59.41	3	Vertical	92	1.55	-	34.00	5.96	30.72
AV	5.4564G	52.77	54.00	-1.23	43.53	3	Vertical	92	1.55	-	34.00	5.96	30.72
PK	5.4648G	67.33	68.20	-0.87	58.09	3	Vertical	92	1.55	-	34.00	5.96	30.72
PK	5.535G	116.77	Inf	-Inf	107.48	3	Vertical	92	1.55	-	34.00	6.04	30.75
AV	5.5536G	105.26	Inf	-Inf	95.98	3	Vertical	92	1.55	-	33.99	6.05	30.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Y\_1TX  
 Setting 72  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4366G	59.28	74.00	-14.72	50.06	3	Horizontal	28	2.45	-	34.00	5.94	30.72
AV	5.4198G	48.12	54.00	-5.88	38.92	3	Horizontal	28	2.45	-	34.00	5.92	30.72
PK	5.4666G	59.02	68.20	-9.18	49.77	3	Horizontal	28	2.45	-	34.00	5.97	30.72
PK	5.5422G	101.21	Inf	-Inf	91.92	3	Horizontal	28	2.45	-	34.00	6.04	30.75
AV	5.5542G	89.51	Inf	-Inf	80.23	3	Horizontal	28	2.45	-	33.99	6.05	30.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
 Setting 56  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	113.17	Inf	-Inf	104.09	3	Vertical	93	1.56	-	33.82	6.10	30.84
AV	5.6848G	101.44	Inf	-Inf	92.33	3	Vertical	93	1.56	-	33.87	6.10	30.86
PK	5.7428G	67.61	68.20	-0.59	58.60	3	Vertical	93	1.56	-	33.81	6.10	30.90



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
 Setting 56  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	99.42	Inf	-Inf	90.34	3	Horizontal	124	1.06	-	33.82	6.10	30.84
AV	5.6632G	87.04	Inf	-Inf	77.95	3	Horizontal	124	1.06	-	33.83	6.10	30.84
PK	5.7368G	60.08	68.20	-8.12	51.05	3	Horizontal	124	1.06	-	33.83	6.10	30.90

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
 Setting 92  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	119.41	Inf	-Inf	110.29	3	Vertical	89	1.49	-	33.89	6.10	30.87
AV	5.714G	107.52	Inf	-Inf	98.43	3	Vertical	89	1.49	-	33.87	6.10	30.88
PK	5.8532G	67.98	68.20	-0.22	59.00	3	Vertical	89	1.49	-	33.82	6.15	30.99

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
 Setting 92  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	104.97	Inf	-Inf	95.91	3	Horizontal	10	2.01	-	33.85	6.10	30.89
AV	5.714G	92.74	Inf	-Inf	83.65	3	Horizontal	10	2.01	-	33.87	6.10	30.88
PK	5.8868G	59.94	68.20	-8.26	50.75	3	Horizontal	10	2.01	-	34.02	6.18	31.01

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




EUT\_Y\_1TX  
 Setting 82  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.83	68.20	-0.37	58.76	3	Vertical	86	1.63	-	33.80	6.10	30.83
PK	5.74G	119.08	Inf	-Inf	110.06	3	Vertical	86	1.63	-	33.82	6.10	30.90
AV	5.748G	107.08	Inf	-Inf	98.09	3	Vertical	86	1.63	-	33.80	6.10	30.91
PK	5.925G	62.03	68.20	-6.17	52.70	3	Vertical	86	1.63	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




EUT\_Y\_1TX  
 Setting 82  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.15	68.20	-8.05	51.04	3	Horizontal	125	1.02	-	33.83	6.10	30.82
PK	5.771G	106.88	Inf	-Inf	97.91	3	Horizontal	125	1.02	-	33.80	6.10	30.93
AV	5.77G	94.54	Inf	-Inf	85.57	3	Horizontal	125	1.02	-	33.80	6.10	30.93
PK	5.926G	59.18	68.20	-9.02	49.85	3	Horizontal	125	1.02	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




EUT\_Y\_1TX  
 Setting 84  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.35	68.20	-3.85	55.27	3	Vertical	86	1.62	-	33.81	6.10	30.83
PK	5.811G	120.15	Inf	-Inf	111.21	3	Vertical	86	1.62	-	33.80	6.10	30.96
AV	5.793G	108.11	Inf	-Inf	99.15	3	Vertical	86	1.62	-	33.80	6.10	30.94
PK	5.933G	67.88	68.20	-0.32	58.53	3	Vertical	86	1.62	-	34.17	6.23	31.05

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




EUT\_Y\_1TX  
 Setting 84  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	59.33	68.20	-8.87	50.10	3	Horizontal	125	1.04	-	33.93	6.08	30.78
PK	5.78G	107.80	Inf	-Inf	98.83	3	Horizontal	125	1.04	-	33.80	6.10	30.93
AV	5.781G	95.44	Inf	-Inf	86.47	3	Horizontal	125	1.04	-	33.80	6.10	30.93
PK	5.932G	60.02	68.20	-8.18	50.68	3	Horizontal	125	1.04	-	34.16	6.23	31.05

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




EUT\_Y\_1TX  
 Setting 50  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.45	74.00	-7.55	57.81	3	Vertical	90	1.40	-	33.60	5.77	30.73
AV	5.145G	53.77	54.00	-0.23	45.14	3	Vertical	90	1.40	-	33.59	5.77	30.73
PK	5.214G	111.27	Inf	-Inf	102.49	3	Vertical	90	1.40	-	33.70	5.81	30.73
AV	5.215G	99.71	Inf	-Inf	90.93	3	Vertical	90	1.40	-	33.70	5.81	30.73
PK	5.364G	61.39	74.00	-12.61	52.30	3	Vertical	90	1.40	-	33.93	5.88	30.72
AV	5.356G	50.31	54.00	-3.69	41.24	3	Vertical	90	1.40	-	33.91	5.88	30.72



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




EUT\_Y\_1TX  
 Setting 50  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.083G	58.76	74.00	-15.24	50.25	3	Horizontal	125	1.92	-	33.50	5.74	30.73
AV	5.145G	47.79	54.00	-6.21	39.16	3	Horizontal	125	1.92	-	33.59	5.77	30.73
PK	5.2G	92.73	Inf	-Inf	83.96	3	Horizontal	125	1.92	-	33.70	5.80	30.73
AV	5.205G	81.22	Inf	-Inf	72.45	3	Horizontal	125	1.92	-	33.70	5.80	30.73
PK	5.374G	59.01	74.00	-14.99	49.89	3	Horizontal	125	1.92	-	33.95	5.89	30.72
AV	5.389G	47.86	54.00	-6.14	38.71	3	Horizontal	125	1.92	-	33.98	5.89	30.72

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT Y\_1TX  
 Setting 50  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.52	74.00	-12.48	52.88	3	Vertical	91	1.35	-	33.60	5.77	30.73
AV	5.143G	50.10	54.00	-3.90	41.47	3	Vertical	91	1.35	-	33.59	5.77	30.73
PK	5.28G	110.60	Inf	-Inf	101.72	3	Vertical	91	1.35	-	33.76	5.84	30.72
AV	5.302G	98.93	Inf	-Inf	90.00	3	Vertical	91	1.35	-	33.80	5.85	30.72
PK	5.352G	66.89	74.00	-7.11	57.83	3	Vertical	91	1.35	-	33.90	5.88	30.72
AV	5.354G	53.87	54.00	-0.13	44.80	3	Vertical	91	1.35	-	33.91	5.88	30.72
PK	5.478G	60.51	68.20	-7.69	51.25	3	Vertical	91	1.35	-	34.00	5.98	30.72

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT\_Y\_1TX  
 Setting 50  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	59.32	74.00	-14.68	50.80	3	Horizontal	128	1.03	-	33.50	5.75	30.73
AV	5.065G	47.46	54.00	-6.54	38.96	3	Horizontal	128	1.03	-	33.50	5.73	30.73
PK	5.28G	91.76	Inf	-Inf	82.88	3	Horizontal	128	1.03	-	33.76	5.84	30.72
AV	5.28G	80.05	Inf	-Inf	71.17	3	Horizontal	128	1.03	-	33.76	5.84	30.72
PK	5.433G	59.16	74.00	-14.84	49.95	3	Horizontal	128	1.03	-	34.00	5.93	30.72
AV	5.376G	47.97	54.00	-6.03	38.85	3	Horizontal	128	1.03	-	33.95	5.89	30.72
PK	5.519G	59.49	68.20	-8.71	50.20	3	Horizontal	128	1.03	-	34.00	6.02	30.73

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Y\_1TX  
 Setting 52  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	61.04	68.20	-7.16	52.10	3	Vertical	93	1.47	-	33.81	5.85	30.72
AV	5.35G	48.97	54.00	-5.03	39.92	3	Vertical	93	1.47	-	33.90	5.87	30.72
PK	5.453G	66.34	74.00	-7.66	57.11	3	Vertical	93	1.47	-	34.00	5.95	30.72
AV	5.458G	52.03	54.00	-1.97	42.79	3	Vertical	93	1.47	-	34.00	5.96	30.72
PK	5.463G	67.83	68.20	-0.37	58.59	3	Vertical	93	1.47	-	34.00	5.96	30.72
PK	5.52G	110.39	Inf	-Inf	101.11	3	Vertical	93	1.47	-	34.00	6.02	30.74
AV	5.522G	98.62	Inf	-Inf	89.34	3	Vertical	93	1.47	-	34.00	6.02	30.74
PK	5.732G	59.68	68.20	-8.52	50.64	3	Vertical	93	1.47	-	33.84	6.10	30.90

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Y\_1TX  
 Setting 52  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	58.92	68.20	-9.28	49.99	3	Horizontal	18	2.87	-	33.80	5.85	30.72
AV	5.35G	47.21	54.00	-6.79	38.16	3	Horizontal	18	2.87	-	33.90	5.87	30.72
PK	5.457G	59.49	74.00	-14.51	50.25	3	Horizontal	18	2.87	-	34.00	5.96	30.72
AV	5.451G	48.17	54.00	-5.83	38.94	3	Horizontal	18	2.87	-	34.00	5.95	30.72
PK	5.464G	58.66	68.20	-9.54	49.42	3	Horizontal	18	2.87	-	34.00	5.96	30.72
PK	5.52G	92.38	Inf	-Inf	83.10	3	Horizontal	18	2.87	-	34.00	6.02	30.74
AV	5.512G	81.40	Inf	-Inf	72.12	3	Horizontal	18	2.87	-	34.00	6.01	30.73
PK	5.726G	59.29	68.20	-8.91	50.23	3	Horizontal	18	2.87	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT Y\_1TX  
 Setting 65  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.49	74.00	-8.51	56.26	3	Vertical	93	1.50	-	34.00	5.95	30.72
AV	5.452G	52.76	54.00	-1.24	43.53	3	Vertical	93	1.50	-	34.00	5.95	30.72
PK	5.463G	66.41	68.20	-1.79	57.17	3	Vertical	93	1.50	-	34.00	5.96	30.72
PK	5.6G	111.71	Inf	-Inf	102.51	3	Vertical	93	1.50	-	33.90	6.10	30.80
AV	5.602G	100.04	Inf	-Inf	90.84	3	Vertical	93	1.50	-	33.90	6.10	30.80
PK	5.743G	67.82	68.20	-0.38	58.81	3	Vertical	93	1.50	-	33.81	6.10	30.90

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




24/11/2022

EUT\_Y\_1TX  
Setting 65  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.402G	59.51	74.00	-14.49	50.33	3	Horizontal	128	1.07	-	34.00	5.90	30.72
AV	5.386G	47.94	54.00	-6.06	38.80	3	Horizontal	128	1.07	-	33.97	5.89	30.72
PK	5.464G	58.44	68.20	-9.76	49.20	3	Horizontal	128	1.07	-	34.00	5.96	30.72
PK	5.605G	98.14	Inf	-Inf	88.95	3	Horizontal	128	1.07	-	33.89	6.10	30.80
AV	5.616G	86.87	Inf	-Inf	77.71	3	Horizontal	128	1.07	-	33.87	6.10	30.81
PK	5.732G	60.52	68.20	-7.68	51.48	3	Horizontal	128	1.07	-	33.84	6.10	30.90

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
 Setting 72  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	61.16	74.00	-12.84	51.92	3	Vertical	93	1.47	-	34.00	5.96	30.72
AV	5.457G	50.79	54.00	-3.21	41.55	3	Vertical	93	1.47	-	34.00	5.96	30.72
PK	5.469G	62.78	68.20	-5.42	53.53	3	Vertical	93	1.47	-	34.00	5.97	30.72
PK	5.696G	114.10	Inf	-Inf	104.98	3	Vertical	93	1.47	-	33.89	6.10	30.87
AV	5.704G	102.82	Inf	-Inf	93.71	3	Vertical	93	1.47	-	33.89	6.10	30.88
PK	5.85G	68.12	68.20	-0.08	59.17	3	Vertical	93	1.47	-	33.80	6.14	30.99



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_1TX  
 Setting 72  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.90	74.00	-15.10	49.67	3	Horizontal	79	2.10	-	34.00	5.95	30.72
AV	5.451G	47.66	54.00	-6.34	38.43	3	Horizontal	79	2.10	-	34.00	5.95	30.72
PK	5.465G	58.58	68.20	-9.62	49.34	3	Horizontal	79	2.10	-	34.00	5.96	30.72
PK	5.669G	96.93	Inf	-Inf	87.84	3	Horizontal	79	2.10	-	33.84	6.10	30.85
AV	5.703G	85.61	Inf	-Inf	76.49	3	Horizontal	79	2.10	-	33.89	6.10	30.87
PK	5.862G	60.37	68.20	-7.83	51.34	3	Horizontal	79	2.10	-	33.87	6.16	31.00