


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
 Setting 69
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.13	68.20	-0.07	59.06	3	Vertical	89	1.70	-	33.80	6.10	30.83
PK	5.773G	112.84	Inf	-Inf	103.87	3	Vertical	89	1.70	-	33.80	6.10	30.93
AV	5.788G	101.51	Inf	-Inf	92.55	3	Vertical	89	1.70	-	33.80	6.10	30.94
PK	5.932G	66.22	68.20	-1.98	56.88	3	Vertical	89	1.70	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
 Setting 69
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.571G	59.92	68.20	-8.28	50.66	3	Horizontal	125	1.06	-	33.96	6.07	30.77
PK	5.774G	100.52	Inf	-Inf	91.55	3	Horizontal	125	1.06	-	33.80	6.10	30.93
AV	5.781G	89.51	Inf	-Inf	80.54	3	Horizontal	125	1.06	-	33.80	6.10	30.93
PK	5.978G	59.48	68.20	-8.72	50.08	3	Horizontal	125	1.06	-	34.20	6.28	31.08

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
 Setting 44
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	62.49	74.00	-11.51	53.86	3	Vertical	92	1.38	-	33.59	5.77	30.73
AV	5.138G	52.36	54.00	-1.64	43.74	3	Vertical	92	1.38	-	33.58	5.77	30.73
PK	5.234G	107.07	Inf	-Inf	98.28	3	Vertical	92	1.38	-	33.70	5.82	30.73
AV	5.242G	96.20	Inf	-Inf	87.41	3	Vertical	92	1.38	-	33.70	5.82	30.73
PK	5.3764G	64.99	74.00	-9.01	55.87	3	Vertical	92	1.38	-	33.95	5.89	30.72
AV	5.386G	53.69	54.00	-0.31	44.55	3	Vertical	92	1.38	-	33.97	5.89	30.72
PK	5.4756G	60.38	68.20	-7.82	51.12	3	Vertical	92	1.38	-	34.00	5.98	30.72

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
 Setting 44
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	58.50	74.00	-15.50	49.86	3	Horizontal	123	1.73	-	33.60	5.77	30.73
AV	5.1492G	48.43	54.00	-5.57	39.79	3	Horizontal	123	1.73	-	33.60	5.77	30.73
PK	5.2324G	88.61	Inf	-Inf	79.82	3	Horizontal	123	1.73	-	33.70	5.82	30.73
AV	5.2276G	77.25	Inf	-Inf	68.47	3	Horizontal	123	1.73	-	33.70	5.81	30.73
PK	5.4356G	59.35	74.00	-14.65	50.13	3	Horizontal	123	1.73	-	34.00	5.94	30.72
AV	5.3812G	49.34	54.00	-4.66	40.21	3	Horizontal	123	1.73	-	33.96	5.89	30.72
PK	5.498G	59.18	68.20	-9.02	49.90	3	Horizontal	123	1.73	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 46
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3364G	61.20	68.20	-7.00	52.18	3	Vertical	91	1.52	-	33.87	5.87	30.72
PK	5.4212G	64.85	74.00	-9.15	55.65	3	Vertical	91	1.52	-	34.00	5.92	30.72
AV	5.4324G	52.25	54.00	-1.75	43.04	3	Vertical	91	1.52	-	34.00	5.93	30.72
PK	5.4692G	67.94	68.20	-0.26	58.69	3	Vertical	91	1.52	-	34.00	5.97	30.72
PK	5.5748G	106.20	Inf	-Inf	96.96	3	Vertical	91	1.52	-	33.95	6.07	30.78
AV	5.578G	95.25	Inf	-Inf	86.01	3	Vertical	91	1.52	-	33.94	6.08	30.78
PK	5.7252G	67.66	68.20	-0.54	58.60	3	Vertical	91	1.52	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



EUT_Y_1TX
Setting 46
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	59.87	68.20	-8.33	50.95	3	Horizontal	10	2.44	-	33.79	5.85	30.72
PK	5.3908G	59.17	74.00	-14.83	50.01	3	Horizontal	10	2.44	-	33.98	5.90	30.72
AV	5.3988G	49.14	54.00	-4.86	39.96	3	Horizontal	10	2.44	-	34.00	5.90	30.72
PK	5.4676G	57.69	68.20	-10.51	48.44	3	Horizontal	10	2.44	-	34.00	5.97	30.72
PK	5.602G	88.80	Inf	-Inf	79.60	3	Horizontal	10	2.44	-	33.90	6.10	30.80
AV	5.578G	78.86	Inf	-Inf	69.62	3	Horizontal	10	2.44	-	33.94	6.08	30.78
PK	5.9076G	60.92	68.20	-7.28	51.63	3	Horizontal	10	2.44	-	34.12	6.20	31.03




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.637G	68.19	68.20	-0.01	3	Horizontal	88	1.74	-

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 53
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	59.39	74.00	-14.61	50.77	3	Vertical	88	1.83	-	33.58	5.77	30.73
AV	5.1426G	47.74	54.00	-6.26	39.11	3	Vertical	88	1.83	-	33.59	5.77	30.73
PK	5.1826G	94.46	Inf	-Inf	85.73	3	Vertical	88	1.83	-	33.67	5.79	30.73
AV	5.1814G	83.96	Inf	-Inf	75.24	3	Vertical	88	1.83	-	33.66	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 53
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.75	74.00	-5.25	60.11	3	Horizontal	88	1.80	-	33.60	5.77	30.73
AV	5.149G	53.54	54.00	-0.46	44.90	3	Horizontal	88	1.80	-	33.60	5.77	30.73
PK	5.1846G	121.11	Inf	-Inf	112.38	3	Horizontal	88	1.80	-	33.67	5.79	30.73
AV	5.175G	109.20	Inf	-Inf	100.49	3	Horizontal	88	1.80	-	33.65	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 66
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.68	74.00	-14.32	51.04	3	Vertical	150	2.38	-	33.60	5.77	30.73
AV	5.1488G	47.85	54.00	-6.15	39.21	3	Vertical	150	2.38	-	33.60	5.77	30.73
PK	5.1956G	106.17	Inf	-Inf	97.41	3	Vertical	150	2.38	-	33.69	5.80	30.73
AV	5.1968G	94.55	Inf	-Inf	85.79	3	Vertical	150	2.38	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 66
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.26	74.00	-8.74	56.62	3	Horizontal	87	1.80	-	33.60	5.77	30.73
AV	5.1456G	53.79	54.00	-0.21	45.16	3	Horizontal	87	1.80	-	33.59	5.77	30.73
PK	5.2032G	123.86	Inf	-Inf	115.09	3	Horizontal	87	1.80	-	33.70	5.80	30.73
AV	5.1948G	112.51	Inf	-Inf	103.75	3	Horizontal	87	1.80	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 75
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	59.72	74.00	-14.28	51.20	3	Vertical	156	2.38	-	33.50	5.75	30.73
AV	5.1482G	48.02	54.00	-5.98	39.38	3	Vertical	156	2.38	-	33.60	5.77	30.73
PK	5.2352G	109.32	Inf	-Inf	100.53	3	Vertical	156	2.38	-	33.70	5.82	30.73
AV	5.2394G	97.70	Inf	-Inf	88.91	3	Vertical	156	2.38	-	33.70	5.82	30.73
PK	5.3546G	60.38	74.00	-13.62	51.31	3	Vertical	156	2.38	-	33.91	5.88	30.72
AV	5.3552G	48.49	54.00	-5.51	39.42	3	Vertical	156	2.38	-	33.91	5.88	30.72

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 75
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	65.65	74.00	-8.35	57.07	3	Horizontal	87	1.85	-	33.55	5.76	30.73
AV	5.1416G	53.70	54.00	-0.30	45.08	3	Horizontal	87	1.85	-	33.58	5.77	30.73
PK	5.2436G	125.49	Inf	-Inf	116.70	3	Horizontal	87	1.85	-	33.70	5.82	30.73
AV	5.2346G	114.79	Inf	-Inf	106.00	3	Horizontal	87	1.85	-	33.70	5.82	30.73
PK	5.3822G	63.70	74.00	-10.30	54.57	3	Horizontal	87	1.85	-	33.96	5.89	30.72
AV	5.35G	52.64	54.00	-1.36	43.58	3	Horizontal	87	1.85	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 75
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	60.19	74.00	-13.81	51.58	3	Vertical	154	2.34	-	33.57	5.77	30.73
AV	5.1454G	48.22	54.00	-5.78	39.59	3	Vertical	154	2.34	-	33.59	5.77	30.73
PK	5.2516G	110.18	Inf	-Inf	101.37	3	Vertical	154	2.34	-	33.70	5.83	30.72
AV	5.2546G	98.43	Inf	-Inf	89.61	3	Vertical	154	2.34	-	33.71	5.83	30.72
PK	5.3686G	60.95	74.00	-13.05	51.85	3	Vertical	154	2.34	-	33.94	5.88	30.72
AV	5.3542G	48.75	54.00	-5.25	39.68	3	Vertical	154	2.34	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 75
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	65.72	74.00	-8.28	57.10	3	Horizontal	86	1.82	-	33.58	5.77	30.73
AV	5.1442G	53.97	54.00	-0.03	45.34	3	Horizontal	86	1.82	-	33.59	5.77	30.73
PK	5.2552G	125.60	Inf	-Inf	116.78	3	Horizontal	86	1.82	-	33.71	5.83	30.72
AV	5.2552G	114.63	Inf	-Inf	105.81	3	Horizontal	86	1.82	-	33.71	5.83	30.72
PK	5.3704G	64.84	74.00	-9.16	55.73	3	Horizontal	86	1.82	-	33.94	5.89	30.72
AV	5.35G	53.05	54.00	-0.95	43.99	3	Horizontal	86	1.82	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 66
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	109.38	Inf	-Inf	100.46	3	Vertical	150	2.35	-	33.79	5.85	30.72
AV	5.2984G	97.75	Inf	-Inf	88.82	3	Vertical	150	2.35	-	33.80	5.85	30.72
PK	5.3928G	59.97	74.00	-14.03	50.80	3	Vertical	150	2.35	-	33.99	5.90	30.72
AV	5.374G	48.79	54.00	-5.21	39.67	3	Vertical	150	2.35	-	33.95	5.89	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 66
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	122.70	Inf	-Inf	113.75	3	Horizontal	92	1.78	-	33.82	5.85	30.72
AV	5.3016G	112.21	Inf	-Inf	103.28	3	Horizontal	92	1.78	-	33.80	5.85	30.72
PK	5.35G	67.87	74.00	-6.13	58.81	3	Horizontal	92	1.78	-	33.90	5.88	30.72
AV	5.3532G	53.73	54.00	-0.27	44.66	3	Horizontal	92	1.78	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 53
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	105.32	Inf	-Inf	96.35	3	Vertical	148	2.36	-	33.83	5.86	30.72
AV	5.3174G	94.27	Inf	-Inf	85.30	3	Vertical	148	2.36	-	33.83	5.86	30.72
PK	5.3512G	60.83	74.00	-13.17	51.77	3	Vertical	148	2.36	-	33.90	5.88	30.72
AV	5.3536G	48.78	54.00	-5.22	39.71	3	Vertical	148	2.36	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 53
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3234G	120.51	Inf	-Inf	111.52	3	Horizontal	88	1.75	-	33.85	5.86	30.72
AV	5.315G	108.66	Inf	-Inf	99.69	3	Horizontal	88	1.75	-	33.83	5.86	30.72
PK	5.3532G	67.53	74.00	-6.47	58.46	3	Horizontal	88	1.75	-	33.91	5.88	30.72
AV	5.3504G	53.78	54.00	-0.22	44.72	3	Horizontal	88	1.75	-	33.90	5.88	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 50
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4502G	60.33	74.00	-13.67	51.10	3	Vertical	82	2.34	-	34.00	5.95	30.72
AV	5.452G	48.32	54.00	-5.68	39.09	3	Vertical	82	2.34	-	34.00	5.95	30.72
PK	5.463G	59.93	68.20	-8.27	50.69	3	Vertical	82	2.34	-	34.00	5.96	30.72
PK	5.5024G	99.18	Inf	-Inf	89.90	3	Vertical	82	2.34	-	34.00	6.00	30.72
AV	5.5014G	87.91	Inf	-Inf	78.63	3	Vertical	82	2.34	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 50
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.55	74.00	-10.45	54.31	3	Horizontal	88	1.86	-	34.00	5.96	30.72
AV	5.4588G	51.83	54.00	-2.17	42.59	3	Horizontal	88	1.86	-	34.00	5.96	30.72
PK	5.4682G	68.11	68.20	-0.09	58.86	3	Horizontal	88	1.86	-	34.00	5.97	30.72
PK	5.5046G	120.19	Inf	-Inf	110.91	3	Horizontal	88	1.86	-	34.00	6.00	30.72
AV	5.495G	108.54	Inf	-Inf	99.26	3	Horizontal	88	1.86	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Z_2TX
 Setting 81
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	60.16	74.00	-13.84	50.97	3	Vertical	31	2.27	-	34.00	5.91	30.72
AV	5.4112G	49.28	54.00	-4.72	40.09	3	Vertical	31	2.27	-	34.00	5.91	30.72
PK	5.468G	60.07	68.20	-8.13	50.82	3	Vertical	31	2.27	-	34.00	5.97	30.72
PK	5.576G	111.00	Inf	-Inf	101.75	3	Vertical	31	2.27	-	33.95	6.08	30.78
AV	5.5816G	100.61	Inf	-Inf	91.37	3	Vertical	31	2.27	-	33.94	6.08	30.78
PK	5.7336G	60.88	68.20	-7.32	51.85	3	Vertical	31	2.27	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Z_2TX
 Setting 81
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	65.55	74.00	-8.45	56.32	3	Horizontal	88	1.88	-	34.00	5.95	30.72
AV	5.4232G	53.83	54.00	-0.17	44.63	3	Horizontal	88	1.88	-	34.00	5.92	30.72
PK	5.4664G	65.04	68.20	-3.16	55.79	3	Horizontal	88	1.88	-	34.00	5.97	30.72
PK	5.5832G	125.71	Inf	-Inf	116.48	3	Horizontal	88	1.88	-	33.93	6.08	30.78
AV	5.5752G	113.97	Inf	-Inf	104.72	3	Horizontal	88	1.88	-	33.95	6.08	30.78
PK	5.7424G	63.62	68.20	-4.58	54.60	3	Horizontal	88	1.88	-	33.82	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 45
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	101.96	Inf	-Inf	92.84	3	Vertical	31	1.29	-	33.89	6.10	30.87
AV	5.6974G	90.38	Inf	-Inf	81.26	3	Vertical	31	1.29	-	33.89	6.10	30.87
PK	5.749G	63.98	68.20	-4.22	54.99	3	Vertical	31	1.29	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 45
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	116.34	Inf	-Inf	107.21	3	Horizontal	87	1.76	-	33.90	6.10	30.87
AV	5.6948G	105.21	Inf	-Inf	96.09	3	Horizontal	87	1.76	-	33.89	6.10	30.87
PK	5.7272G	67.71	68.20	-0.49	58.65	3	Horizontal	87	1.76	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 99
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	113.22	Inf	-Inf	104.15	3	Vertical	36	2.27	-	33.86	6.10	30.89
AV	5.7176G	101.90	Inf	-Inf	92.83	3	Vertical	36	2.27	-	33.86	6.10	30.89
PK	5.8632G	60.94	68.20	-7.26	51.90	3	Vertical	36	2.27	-	33.88	6.16	31.00

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 99
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	126.18	Inf	-Inf	117.11	3	Horizontal	88	1.78	-	33.86	6.10	30.89
AV	5.7144G	114.25	Inf	-Inf	105.16	3	Horizontal	88	1.78	-	33.87	6.10	30.88
PK	5.8504G	66.70	68.20	-1.50	57.75	3	Horizontal	88	1.78	-	33.80	6.14	30.99

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 95
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.512G	60.93	68.20	-7.27	51.65	3	Vertical	32	1.10	-	34.00	6.01	30.73
PK	5.739G	113.09	Inf	-Inf	104.07	3	Vertical	32	1.10	-	33.82	6.10	30.90
AV	5.746G	101.70	Inf	-Inf	92.70	3	Vertical	32	1.10	-	33.81	6.10	30.91
PK	5.941G	60.40	68.20	-7.80	51.04	3	Vertical	32	1.10	-	34.18	6.24	31.06

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
 Setting 95
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.08	68.20	-0.12	59.01	3	Horizontal	92	1.82	-	33.80	6.10	30.83
PK	5.749G	124.96	Inf	-Inf	115.97	3	Horizontal	92	1.82	-	33.80	6.10	30.91
AV	5.747G	114.33	Inf	-Inf	105.33	3	Horizontal	92	1.82	-	33.81	6.10	30.91
PK	5.98G	62.84	68.20	-5.36	53.44	3	Horizontal	92	1.82	-	34.20	6.28	31.08

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 99
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	60.20	68.20	-8.00	51.05	3	Vertical	95	2.50	-	33.86	6.10	30.81
PK	5.779G	109.03	Inf	-Inf	100.06	3	Vertical	95	2.50	-	33.80	6.10	30.93
AV	5.781G	97.89	Inf	-Inf	88.92	3	Vertical	95	2.50	-	33.80	6.10	30.93
PK	6.029G	60.07	68.20	-8.13	50.62	3	Vertical	95	2.50	-	34.26	6.30	31.11

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 99
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	67.83	68.20	-0.37	58.69	3	Horizontal	93	1.80	-	33.85	6.10	30.81
PK	5.788G	124.82	Inf	-Inf	115.86	3	Horizontal	93	1.80	-	33.80	6.10	30.94
AV	5.788G	114.23	Inf	-Inf	105.27	3	Horizontal	93	1.80	-	33.80	6.10	30.94
PK	5.926G	67.81	68.20	-0.39	58.48	3	Horizontal	93	1.80	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 95
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	60.53	68.20	-7.67	51.30	3	Vertical	39	2.39	-	33.93	6.09	30.79
PK	5.821G	112.74	Inf	-Inf	103.79	3	Vertical	39	2.39	-	33.80	6.11	30.96
AV	5.827G	102.09	Inf	-Inf	93.14	3	Vertical	39	2.39	-	33.80	6.12	30.97
PK	5.926G	61.29	68.20	-6.91	51.96	3	Vertical	39	2.39	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 95
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	63.96	68.20	-4.24	54.72	3	Horizontal	86	1.79	-	33.94	6.08	30.78
PK	5.82G	124.38	Inf	-Inf	115.43	3	Horizontal	86	1.79	-	33.80	6.11	30.96
AV	5.823G	113.53	Inf	-Inf	104.59	3	Horizontal	86	1.79	-	33.80	6.11	30.97
PK	5.926G	67.71	68.20	-0.49	58.38	3	Horizontal	86	1.79	-	34.15	6.22	31.04

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 46
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.57	74.00	-14.43	50.93	3	Vertical	86	1.75	-	33.60	5.77	30.73
AV	5.0932G	47.98	54.00	-6.02	39.46	3	Vertical	86	1.75	-	33.50	5.75	30.73
PK	5.1832G	92.22	Inf	-Inf	83.49	3	Vertical	86	1.75	-	33.67	5.79	30.73
AV	5.184G	80.69	Inf	-Inf	71.96	3	Vertical	86	1.75	-	33.67	5.79	30.73

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 46
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.94	74.00	-9.06	56.30	3	Horizontal	90	1.80	-	33.60	5.77	30.73
AV	5.1492G	53.86	54.00	-0.14	45.22	3	Horizontal	90	1.80	-	33.60	5.77	30.73
PK	5.178G	115.78	Inf	-Inf	107.06	3	Horizontal	90	1.80	-	33.66	5.79	30.73
AV	5.1768G	104.23	Inf	-Inf	95.52	3	Horizontal	90	1.80	-	33.65	5.79	30.73

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Z_2TX
 Setting 62
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	59.91	74.00	-14.09	51.29	3	Vertical	84	1.83	-	33.58	5.77	30.73
AV	5.146G	47.98	54.00	-6.02	39.35	3	Vertical	84	1.83	-	33.59	5.77	30.73
PK	5.2282G	95.50	Inf	-Inf	86.72	3	Vertical	84	1.83	-	33.70	5.81	30.73
AV	5.2288G	84.78	Inf	-Inf	76.00	3	Vertical	84	1.83	-	33.70	5.81	30.73
PK	5.3764G	60.17	74.00	-13.83	51.05	3	Vertical	84	1.83	-	33.95	5.89	30.72
AV	5.353G	48.40	54.00	-5.60	39.33	3	Vertical	84	1.83	-	33.91	5.88	30.72

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Z_2TX
 Setting 62
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	70.64	74.00	-3.36	62.00	3	Horizontal	87	1.80	-	33.60	5.77	30.73
AV	5.1454G	53.70	54.00	-0.30	45.07	3	Horizontal	87	1.80	-	33.59	5.77	30.73
PK	5.2216G	119.17	Inf	-Inf	110.39	3	Horizontal	87	1.80	-	33.70	5.81	30.73
AV	5.2264G	108.33	Inf	-Inf	99.55	3	Horizontal	87	1.80	-	33.70	5.81	30.73
PK	5.362G	63.88	74.00	-10.12	54.80	3	Horizontal	87	1.80	-	33.92	5.88	30.72
AV	5.3722G	51.60	54.00	-2.40	42.49	3	Horizontal	87	1.80	-	33.94	5.89	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 64
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	64.80	74.00	-9.20	56.17	3	Vertical	93	1.80	-	33.59	5.77	30.73
AV	5.1434G	53.36	54.00	-0.64	44.73	3	Vertical	93	1.80	-	33.59	5.77	30.73
PK	5.2652G	120.04	Inf	-Inf	111.20	3	Vertical	93	1.80	-	33.73	5.83	30.72
AV	5.2688G	108.20	Inf	-Inf	99.35	3	Vertical	93	1.80	-	33.74	5.83	30.72
PK	5.351G	67.63	74.00	-6.37	58.57	3	Vertical	93	1.80	-	33.90	5.88	30.72
AV	5.3504G	53.72	54.00	-0.28	44.66	3	Vertical	93	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 64
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1224G	64.77	74.00	-9.23	56.20	3	Horizontal	87	1.83	-	33.54	5.76	30.73
AV	5.1404G	53.35	54.00	-0.65	44.73	3	Horizontal	87	1.83	-	33.58	5.77	30.73
PK	5.2622G	119.66	Inf	-Inf	110.83	3	Horizontal	87	1.83	-	33.72	5.83	30.72
AV	5.258G	108.47	Inf	-Inf	99.64	3	Horizontal	87	1.83	-	33.72	5.83	30.72
PK	5.35G	68.35	74.00	-5.65	59.29	3	Horizontal	87	1.83	-	33.90	5.88	30.72
AV	5.35G	53.78	54.00	-0.22	44.72	3	Horizontal	87	1.83	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 46
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	101.21	Inf	-Inf	92.24	3	Vertical	148	2.36	-	33.83	5.86	30.72
AV	5.3152G	89.48	Inf	-Inf	80.51	3	Vertical	148	2.36	-	33.83	5.86	30.72
PK	5.4096G	60.45	74.00	-13.55	51.26	3	Vertical	148	2.36	-	34.00	5.91	30.72
AV	5.3876G	48.73	54.00	-5.27	39.58	3	Vertical	148	2.36	-	33.98	5.89	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 46
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	115.29	Inf	-Inf	106.34	3	Horizontal	91	1.88	-	33.82	5.85	30.72
AV	5.3092G	103.84	Inf	-Inf	94.89	3	Horizontal	91	1.88	-	33.82	5.85	30.72
PK	5.3532G	67.87	74.00	-6.13	58.80	3	Horizontal	91	1.88	-	33.91	5.88	30.72
AV	5.3532G	53.84	54.00	-0.16	44.77	3	Horizontal	91	1.88	-	33.91	5.88	30.72

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 45
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	60.71	74.00	-13.29	51.50	3	Vertical	81	1.18	-	34.00	5.93	30.72
AV	5.41G	48.76	54.00	-5.24	39.57	3	Vertical	81	1.18	-	34.00	5.91	30.72
PK	5.4624G	60.47	68.20	-7.73	51.23	3	Vertical	81	1.18	-	34.00	5.96	30.72
PK	5.506G	95.60	Inf	-Inf	86.31	3	Vertical	81	1.18	-	34.00	6.01	30.72
AV	5.5108G	83.61	Inf	-Inf	74.33	3	Vertical	81	1.18	-	34.00	6.01	30.73

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 45
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	68.22	74.00	-5.78	58.99	3	Horizontal	91	1.94	-	34.00	5.95	30.72
AV	5.4584G	52.80	54.00	-1.20	43.56	3	Horizontal	91	1.94	-	34.00	5.96	30.72
PK	5.468G	67.98	68.20	-0.22	58.73	3	Horizontal	91	1.94	-	34.00	5.97	30.72
PK	5.508G	115.34	Inf	-Inf	106.06	3	Horizontal	91	1.94	-	34.00	6.01	30.73
AV	5.5152G	104.06	Inf	-Inf	94.77	3	Horizontal	91	1.94	-	34.00	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 57
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	60.71	74.00	-13.29	51.49	3	Vertical	31	2.30	-	34.00	5.94	30.72
AV	5.4264G	48.94	54.00	-5.06	39.73	3	Vertical	31	2.30	-	34.00	5.93	30.72
PK	5.4666G	59.95	68.20	-8.25	50.70	3	Vertical	31	2.30	-	34.00	5.97	30.72
PK	5.5548G	104.24	Inf	-Inf	94.96	3	Vertical	31	2.30	-	33.99	6.05	30.76
AV	5.5548G	92.77	Inf	-Inf	83.49	3	Vertical	31	2.30	-	33.99	6.05	30.76

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Z_2TX
 Setting 57
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4066G	64.14	74.00	-9.86	54.95	3	Horizontal	89	1.81	-	34.00	5.91	30.72
PK	5.4696G	68.12	68.20	-0.08	58.87	3	Horizontal	89	1.81	-	34.00	5.97	30.72
AV	5.4594G	52.31	54.00	-1.69	43.07	3	Horizontal	89	1.81	-	34.00	5.96	30.72
PK	5.5482G	117.68	Inf	-Inf	108.39	3	Horizontal	89	1.81	-	34.00	6.05	30.76
AV	5.5422G	106.37	Inf	-Inf	97.08	3	Horizontal	89	1.81	-	34.00	6.04	30.75

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 51
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6796G	102.91	Inf	-Inf	93.81	3	Vertical	38	2.28	-	33.86	6.10	30.86
AV	5.6844G	91.31	Inf	-Inf	82.20	3	Vertical	38	2.28	-	33.87	6.10	30.86
PK	5.7496G	61.56	68.20	-6.64	52.57	3	Vertical	38	2.28	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 51
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6764G	114.36	Inf	-Inf	105.26	3	Horizontal	87	1.69	-	33.85	6.10	30.85
AV	5.6664G	103.65	Inf	-Inf	94.57	3	Horizontal	87	1.69	-	33.83	6.10	30.85
PK	5.726G	68.07	68.20	-0.13	59.01	3	Horizontal	87	1.69	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 84
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	109.79	Inf	-Inf	100.70	3	Vertical	35	2.36	-	33.87	6.10	30.88
AV	5.7148G	98.00	Inf	-Inf	88.91	3	Vertical	35	2.36	-	33.87	6.10	30.88
PK	5.8524G	60.12	68.20	-8.08	51.15	3	Vertical	35	2.36	-	33.81	6.15	30.99

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 84
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	121.18	Inf	-Inf	112.07	3	Horizontal	86	1.85	-	33.89	6.10	30.88
AV	5.714G	110.24	Inf	-Inf	101.15	3	Horizontal	86	1.85	-	33.87	6.10	30.88
PK	5.8524G	67.66	68.20	-0.54	58.69	3	Horizontal	86	1.85	-	33.81	6.15	30.99

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 74
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.51G	59.51	68.20	-8.69	50.23	3	Vertical	32	1.00	-	34.00	6.01	30.73
PK	5.75G	106.34	Inf	-Inf	97.35	3	Vertical	32	1.00	-	33.80	6.10	30.91
AV	5.754G	95.19	Inf	-Inf	86.20	3	Vertical	32	1.00	-	33.80	6.10	30.91
PK	5.976G	59.48	68.20	-8.72	50.09	3	Vertical	32	1.00	-	34.20	6.27	31.08

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 74
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.71	68.20	-0.49	58.64	3	Horizontal	93	1.80	-	33.80	6.10	30.83
PK	5.747G	120.21	Inf	-Inf	111.21	3	Horizontal	93	1.80	-	33.81	6.10	30.91
AV	5.754G	108.48	Inf	-Inf	99.49	3	Horizontal	93	1.80	-	33.80	6.10	30.91
PK	5.99G	62.25	68.20	-5.95	52.85	3	Horizontal	93	1.80	-	34.20	6.29	31.09

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 82
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	59.15	68.20	-9.05	49.92	3	Vertical	94	2.40	-	33.93	6.08	30.78
PK	5.793G	104.62	Inf	-Inf	95.66	3	Vertical	94	2.40	-	33.80	6.10	30.94
AV	5.792G	93.03	Inf	-Inf	84.07	3	Vertical	94	2.40	-	33.80	6.10	30.94
PK	5.974G	59.85	68.20	-8.35	50.46	3	Vertical	94	2.40	-	34.20	6.27	31.08

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 82
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	64.01	68.20	-4.19	54.91	3	Horizontal	94	1.80	-	33.82	6.10	30.82
PK	5.806G	119.66	Inf	-Inf	110.71	3	Horizontal	94	1.80	-	33.80	6.10	30.95
AV	5.794G	108.71	Inf	-Inf	99.75	3	Horizontal	94	1.80	-	33.80	6.10	30.94
PK	5.931G	68.11	68.20	-0.09	58.77	3	Horizontal	94	1.80	-	34.16	6.23	31.05

5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 44
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.068G	58.31	74.00	-15.69	49.81	3	Vertical	88	1.85	-	33.50	5.73	30.73
AV	5.061G	48.27	54.00	-5.73	39.77	3	Vertical	88	1.85	-	33.50	5.73	30.73
PK	5.182G	86.57	Inf	-Inf	77.85	3	Vertical	88	1.85	-	33.66	5.79	30.73
AV	5.196G	75.99	Inf	-Inf	67.23	3	Vertical	88	1.85	-	33.69	5.80	30.73
PK	5.447G	59.39	74.00	-14.61	50.16	3	Vertical	88	1.85	-	34.00	5.95	30.72
AV	5.403G	48.71	54.00	-5.29	39.53	3	Vertical	88	1.85	-	34.00	5.90	30.72

5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 44
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.82	74.00	-9.18	56.17	3	Horizontal	89	1.83	-	33.60	5.78	30.73
AV	5.147G	53.74	54.00	-0.26	45.11	3	Horizontal	89	1.83	-	33.59	5.77	30.73
PK	5.23G	111.46	Inf	-Inf	102.68	3	Horizontal	89	1.83	-	33.70	5.81	30.73
AV	5.206G	100.81	Inf	-Inf	92.04	3	Horizontal	89	1.83	-	33.70	5.80	30.73
PK	5.351G	60.25	74.00	-13.75	51.19	3	Horizontal	89	1.83	-	33.90	5.88	30.72
AV	5.357G	50.95	54.00	-3.05	41.88	3	Horizontal	89	1.83	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 46
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.082G	58.70	74.00	-15.30	50.19	3	Vertical	152	2.39	-	33.50	5.74	30.73
AV	5.147G	48.04	54.00	-5.96	39.41	3	Vertical	152	2.39	-	33.59	5.77	30.73
PK	5.276G	95.76	Inf	-Inf	86.89	3	Vertical	152	2.39	-	33.75	5.84	30.72
AV	5.287G	85.98	Inf	-Inf	77.09	3	Vertical	152	2.39	-	33.77	5.84	30.72
PK	5.409G	59.21	74.00	-14.79	50.02	3	Vertical	152	2.39	-	34.00	5.91	30.72
AV	5.381G	50.02	54.00	-3.98	40.89	3	Vertical	152	2.39	-	33.96	5.89	30.72
PK	5.513G	59.25	68.20	-8.95	49.97	3	Vertical	152	2.39	-	34.00	6.01	30.73

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 46
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.49	74.00	-11.51	53.85	3	Horizontal	91	1.80	-	33.60	5.77	30.73
AV	5.145G	52.86	54.00	-1.14	44.23	3	Horizontal	91	1.80	-	33.59	5.77	30.73
PK	5.31G	110.90	Inf	-Inf	101.94	3	Horizontal	91	1.80	-	33.82	5.86	30.72
AV	5.276G	100.81	Inf	-Inf	91.94	3	Horizontal	91	1.80	-	33.75	5.84	30.72
PK	5.351G	64.21	74.00	-9.79	55.15	3	Horizontal	91	1.80	-	33.90	5.88	30.72
AV	5.359G	53.52	54.00	-0.48	44.44	3	Horizontal	91	1.80	-	33.92	5.88	30.72
PK	5.484G	60.13	68.20	-8.07	50.87	3	Horizontal	91	1.80	-	34.00	5.98	30.72

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 46
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.286G	58.79	68.20	-9.41	49.90	3	Vertical	80	1.17	-	33.77	5.84	30.72
PK	5.457G	59.15	74.00	-14.85	49.91	3	Vertical	80	1.17	-	34.00	5.96	30.72
AV	5.436G	48.80	54.00	-5.20	39.58	3	Vertical	80	1.17	-	34.00	5.94	30.72
PK	5.468G	57.94	68.20	-10.26	48.69	3	Vertical	80	1.17	-	34.00	5.97	30.72
PK	5.516G	91.28	Inf	-Inf	81.99	3	Vertical	80	1.17	-	34.00	6.02	30.73
AV	5.52G	81.57	Inf	-Inf	72.29	3	Vertical	80	1.17	-	34.00	6.02	30.74
PK	5.772G	59.08	68.20	-9.12	50.11	3	Vertical	80	1.17	-	33.80	6.10	30.93

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 46
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	60.77	68.20	-7.43	51.82	3	Horizontal	89	1.80	-	33.82	5.85	30.72
PK	5.453G	67.46	74.00	-6.54	58.23	3	Horizontal	89	1.80	-	34.00	5.95	30.72
AV	5.449G	53.23	54.00	-0.77	44.00	3	Horizontal	89	1.80	-	34.00	5.95	30.72
PK	5.47G	67.38	68.20	-0.82	58.13	3	Horizontal	89	1.80	-	34.00	5.97	30.72
PK	5.55G	111.17	Inf	-Inf	101.88	3	Horizontal	89	1.80	-	34.00	6.05	30.76
AV	5.543G	101.17	Inf	-Inf	91.88	3	Horizontal	89	1.80	-	34.00	6.04	30.75
PK	5.734G	59.77	68.20	-8.43	50.74	3	Horizontal	89	1.80	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 59
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.402G	59.34	74.00	-14.66	50.16	3	Vertical	145	2.28	-	34.00	5.90	30.72
AV	5.4G	49.43	54.00	-4.57	40.25	3	Vertical	145	2.28	-	34.00	5.90	30.72
PK	5.463G	58.35	68.20	-9.85	49.11	3	Vertical	145	2.28	-	34.00	5.96	30.72
PK	5.586G	101.16	Inf	-Inf	91.93	3	Vertical	145	2.28	-	33.93	6.09	30.79
AV	5.579G	91.17	Inf	-Inf	81.93	3	Vertical	145	2.28	-	33.94	6.08	30.78
PK	5.726G	60.61	68.20	-7.59	51.55	3	Vertical	145	2.28	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 59
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.92	74.00	-10.08	54.69	3	Horizontal	90	1.76	-	34.00	5.95	30.72
AV	5.459G	53.61	54.00	-0.39	44.37	3	Horizontal	90	1.76	-	34.00	5.96	30.72
PK	5.464G	65.06	68.20	-3.14	55.82	3	Horizontal	90	1.76	-	34.00	5.96	30.72
PK	5.586G	112.92	Inf	-Inf	103.69	3	Horizontal	90	1.76	-	33.93	6.09	30.79
AV	5.587G	102.93	Inf	-Inf	93.70	3	Horizontal	90	1.76	-	33.93	6.09	30.79
PK	5.725G	66.27	68.20	-1.93	57.21	3	Horizontal	90	1.76	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 66
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.37	74.00	-15.63	49.13	3	Vertical	32	1.24	-	34.00	5.96	30.72
AV	5.447G	48.78	54.00	-5.22	39.55	3	Vertical	32	1.24	-	34.00	5.95	30.72
PK	5.465G	58.21	68.20	-9.99	48.97	3	Vertical	32	1.24	-	34.00	5.96	30.72
PK	5.682G	101.48	Inf	-Inf	92.38	3	Vertical	32	1.24	-	33.86	6.10	30.86
AV	5.682G	92.03	Inf	-Inf	82.93	3	Vertical	32	1.24	-	33.86	6.10	30.86
PK	5.867G	59.97	68.20	-8.23	50.91	3	Vertical	32	1.24	-	33.90	6.16	31.00

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 66
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.68	74.00	-11.32	53.44	3	Horizontal	90	1.82	-	34.00	5.96	30.72
AV	5.443G	52.51	54.00	-1.49	43.29	3	Horizontal	90	1.82	-	34.00	5.94	30.72
PK	5.465G	63.04	68.20	-5.16	53.80	3	Horizontal	90	1.82	-	34.00	5.96	30.72
PK	5.666G	114.47	Inf	-Inf	105.39	3	Horizontal	90	1.82	-	33.83	6.10	30.85
AV	5.682G	104.56	Inf	-Inf	95.46	3	Horizontal	90	1.82	-	33.86	6.10	30.86
PK	5.855G	68.07	68.20	-0.13	59.08	3	Horizontal	90	1.82	-	33.83	6.15	30.99

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 64
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	58.95	68.20	-9.25	49.72	3	Vertical	94	2.54	-	33.93	6.08	30.78
PK	5.795G	96.93	Inf	-Inf	87.97	3	Vertical	94	2.54	-	33.80	6.10	30.94
AV	5.764G	86.79	Inf	-Inf	77.81	3	Vertical	94	2.54	-	33.80	6.10	30.92
PK	5.983G	58.67	68.20	-9.53	49.28	3	Vertical	94	2.54	-	34.20	6.28	31.09

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 64
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	68.19	68.20	-0.01	59.08	3	Horizontal	88	1.74	-	33.83	6.10	30.82
PK	5.795G	112.88	Inf	-Inf	103.92	3	Horizontal	88	1.74	-	33.80	6.10	30.94
AV	5.764G	103.27	Inf	-Inf	94.29	3	Horizontal	88	1.74	-	33.80	6.10	30.92
PK	5.931G	66.17	68.20	-2.03	56.83	3	Horizontal	88	1.74	-	34.16	6.23	31.05

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Z_2TX
 Setting 35
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0836G	58.22	74.00	-15.78	49.71	3	Vertical	84	1.92	-	33.50	5.74	30.73
AV	5.1492G	48.04	54.00	-5.96	39.40	3	Vertical	84	1.92	-	33.60	5.77	30.73
PK	5.2596G	82.39	Inf	-Inf	73.56	3	Vertical	84	1.92	-	33.72	5.83	30.72
AV	5.2548G	72.80	Inf	-Inf	63.98	3	Vertical	84	1.92	-	33.71	5.83	30.72
PK	5.3892G	59.38	74.00	-14.62	50.23	3	Vertical	84	1.92	-	33.98	5.89	30.72
AV	5.41G	48.92	54.00	-5.08	39.73	3	Vertical	84	1.92	-	34.00	5.91	30.72
PK	5.4852G	59.06	68.20	-9.14	49.79	3	Vertical	84	1.92	-	34.00	5.99	30.72

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 35
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	63.09	74.00	-10.91	54.47	3	Horizontal	92	1.80	-	33.58	5.77	30.73
AV	5.1428G	53.55	54.00	-0.45	44.92	3	Horizontal	92	1.80	-	33.59	5.77	30.73
PK	5.2276G	105.41	Inf	-Inf	96.63	3	Horizontal	92	1.80	-	33.70	5.81	30.73
AV	5.2372G	96.01	Inf	-Inf	87.22	3	Horizontal	92	1.80	-	33.70	5.82	30.73
PK	5.3876G	62.07	74.00	-11.93	52.92	3	Horizontal	92	1.80	-	33.98	5.89	30.72
AV	5.3844G	53.35	54.00	-0.65	44.21	3	Horizontal	92	1.80	-	33.97	5.89	30.72
PK	5.5188G	61.08	68.20	-7.12	51.79	3	Horizontal	92	1.80	-	34.00	6.02	30.73

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Z_2TX
Setting 46
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2084G	58.96	68.20	-9.24	50.19	3	Vertical	31	1.00	-	33.70	5.80	30.73
PK	5.4068G	59.27	74.00	-14.73	50.08	3	Vertical	31	1.00	-	34.00	5.91	30.72
PK	5.4644G	57.69	68.20	-10.51	48.45	3	Vertical	31	1.00	-	34.00	5.96	30.72
AV	5.4452G	49.00	54.00	-5.00	39.77	3	Vertical	31	1.00	-	34.00	5.95	30.72
PK	5.5668G	93.26	Inf	-Inf	83.99	3	Vertical	31	1.00	-	33.97	6.07	30.77
AV	5.5636G	82.60	Inf	-Inf	73.34	3	Vertical	31	1.00	-	33.97	6.06	30.77
PK	5.7572G	59.51	68.20	-8.69	50.53	3	Vertical	31	1.00	-	33.80	6.10	30.92

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT Z_2TX
 Setting 46
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	62.80	68.20	-5.40	53.84	3	Horizontal	92	1.74	-	33.82	5.86	30.72
PK	5.458G	66.84	74.00	-7.16	57.60	3	Horizontal	92	1.74	-	34.00	5.96	30.72
AV	5.442G	53.81	54.00	-0.19	44.59	3	Horizontal	92	1.74	-	34.00	5.94	30.72
PK	5.4628G	66.38	68.20	-1.82	57.14	3	Horizontal	92	1.74	-	34.00	5.96	30.72
PK	5.5796G	108.48	Inf	-Inf	99.24	3	Horizontal	92	1.74	-	33.94	6.08	30.78
AV	5.5828G	97.52	Inf	-Inf	88.29	3	Horizontal	92	1.74	-	33.93	6.08	30.78
PK	5.7252G	64.85	68.20	-3.35	55.79	3	Horizontal	92	1.74	-	33.85	6.10	30.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.3532G	53.99	54.00	-0.01	3	Vertical	84	1.54	-

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 Setting 50
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.06	74.00	-6.94	58.42	3	Vertical	89	1.51	-	33.60	5.77	30.73
AV	5.1494G	53.53	54.00	-0.47	44.89	3	Vertical	89	1.51	-	33.60	5.77	30.73
PK	5.183G	119.82	Inf	-Inf	111.09	3	Vertical	89	1.51	-	33.67	5.79	30.73
AV	5.1816G	108.52	Inf	-Inf	99.80	3	Vertical	89	1.51	-	33.66	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 50
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	58.87	74.00	-15.13	50.28	3	Horizontal	126	1.74	-	33.56	5.76	30.73
AV	5.144G	47.65	54.00	-6.35	39.02	3	Horizontal	126	1.74	-	33.59	5.77	30.73
PK	5.1836G	101.29	Inf	-Inf	92.56	3	Horizontal	126	1.74	-	33.67	5.79	30.73
AV	5.1748G	90.03	Inf	-Inf	81.32	3	Horizontal	126	1.74	-	33.65	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 66
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.53	74.00	-6.47	58.88	3	Vertical	91	1.40	-	33.60	5.78	30.73
AV	5.15G	53.83	54.00	-0.17	45.18	3	Vertical	91	1.40	-	33.60	5.78	30.73
PK	5.2048G	123.80	Inf	-Inf	115.03	3	Vertical	91	1.40	-	33.70	5.80	30.73
AV	5.196G	112.16	Inf	-Inf	103.40	3	Vertical	91	1.40	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 66
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.24	74.00	-14.76	50.61	3	Horizontal	126	1.87	-	33.59	5.77	30.73
AV	5.1488G	47.48	54.00	-6.52	38.84	3	Horizontal	126	1.87	-	33.60	5.77	30.73
PK	5.1952G	104.18	Inf	-Inf	95.42	3	Horizontal	126	1.87	-	33.69	5.80	30.73
AV	5.1948G	93.61	Inf	-Inf	84.85	3	Horizontal	126	1.87	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
 Setting 81
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.19	74.00	-8.81	56.54	3	Vertical	89	1.35	-	33.60	5.78	30.73
AV	5.1434G	53.86	54.00	-0.14	45.23	3	Vertical	89	1.35	-	33.59	5.77	30.73
PK	5.234G	126.28	Inf	-Inf	117.49	3	Vertical	89	1.35	-	33.70	5.82	30.73
AV	5.2418G	115.73	Inf	-Inf	106.94	3	Vertical	89	1.35	-	33.70	5.82	30.73
PK	5.3546G	65.95	74.00	-8.05	56.88	3	Vertical	89	1.35	-	33.91	5.88	30.72
AV	5.3534G	53.30	54.00	-0.70	44.23	3	Vertical	89	1.35	-	33.91	5.88	30.72

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
 Setting 81
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	58.65	74.00	-15.35	50.02	3	Horizontal	123	1.85	-	33.59	5.77	30.73
AV	5.1464G	47.45	54.00	-6.55	38.82	3	Horizontal	123	1.85	-	33.59	5.77	30.73
PK	5.2436G	106.13	Inf	-Inf	97.34	3	Horizontal	123	1.85	-	33.70	5.82	30.73
AV	5.2352G	95.74	Inf	-Inf	86.95	3	Horizontal	123	1.85	-	33.70	5.82	30.73
PK	5.3786G	60.10	74.00	-13.90	50.97	3	Horizontal	123	1.85	-	33.96	5.89	30.72
AV	5.3744G	48.04	54.00	-5.96	38.92	3	Horizontal	123	1.85	-	33.95	5.89	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 87
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.06	74.00	-8.94	56.42	3	Vertical	89	1.53	-	33.60	5.77	30.73
AV	5.1484G	53.33	54.00	-0.67	44.69	3	Vertical	89	1.53	-	33.60	5.77	30.73
PK	5.2516G	126.09	Inf	-Inf	117.28	3	Vertical	89	1.53	-	33.70	5.83	30.72
AV	5.2618G	114.56	Inf	-Inf	105.73	3	Vertical	89	1.53	-	33.72	5.83	30.72
PK	5.3512G	65.82	74.00	-8.18	56.76	3	Vertical	89	1.53	-	33.90	5.88	30.72
AV	5.3716G	53.82	54.00	-0.18	44.71	3	Vertical	89	1.53	-	33.94	5.89	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 87
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	58.54	74.00	-15.46	49.92	3	Horizontal	129	1.00	-	33.58	5.77	30.73
AV	5.1472G	47.58	54.00	-6.42	38.95	3	Horizontal	129	1.00	-	33.59	5.77	30.73
PK	5.2612G	106.83	Inf	-Inf	98.00	3	Horizontal	129	1.00	-	33.72	5.83	30.72
AV	5.2558G	95.50	Inf	-Inf	86.68	3	Horizontal	129	1.00	-	33.71	5.83	30.72
PK	5.389G	59.30	74.00	-14.70	50.15	3	Horizontal	129	1.00	-	33.98	5.89	30.72
AV	5.3824G	48.24	54.00	-5.76	39.11	3	Horizontal	129	1.00	-	33.96	5.89	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
 Setting 68
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	122.92	Inf	-Inf	113.98	3	Vertical	90	1.54	-	33.81	5.85	30.72
AV	5.3016G	111.01	Inf	-Inf	102.08	3	Vertical	90	1.54	-	33.80	5.85	30.72
PK	5.35G	68.03	74.00	-5.97	58.97	3	Vertical	90	1.54	-	33.90	5.88	30.72
AV	5.3508G	53.68	54.00	-0.32	44.62	3	Vertical	90	1.54	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
 Setting 68
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	102.94	Inf	-Inf	94.00	3	Horizontal	126	1.00	-	33.81	5.85	30.72
AV	5.3068G	91.57	Inf	-Inf	82.63	3	Horizontal	126	1.00	-	33.81	5.85	30.72
PK	5.3672G	59.98	74.00	-14.02	50.89	3	Horizontal	126	1.00	-	33.93	5.88	30.72
AV	5.394G	48.00	54.00	-6.00	38.83	3	Horizontal	126	1.00	-	33.99	5.90	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 54
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	119.29	Inf	-Inf	110.31	3	Vertical	85	1.54	-	33.84	5.86	30.72
AV	5.3176G	108.24	Inf	-Inf	99.26	3	Vertical	85	1.54	-	33.84	5.86	30.72
PK	5.3512G	69.43	74.00	-4.57	60.37	3	Vertical	85	1.54	-	33.90	5.88	30.72
AV	5.3506G	53.73	54.00	-0.27	44.67	3	Vertical	85	1.54	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 54
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	100.00	Inf	-Inf	91.02	3	Horizontal	131	1.00	-	33.84	5.86	30.72
AV	5.3214G	89.30	Inf	-Inf	80.32	3	Horizontal	131	1.00	-	33.84	5.86	30.72
PK	5.3662G	59.65	74.00	-14.35	50.56	3	Horizontal	131	1.00	-	33.93	5.88	30.72
AV	5.3584G	47.97	54.00	-6.03	38.89	3	Horizontal	131	1.00	-	33.92	5.88	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 Setting 52
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	62.70	74.00	-11.30	53.46	3	Vertical	90	1.50	-	34.00	5.96	30.72
AV	5.46G	50.89	54.00	-3.11	41.65	3	Vertical	90	1.50	-	34.00	5.96	30.72
PK	5.47G	67.82	68.20	-0.38	58.57	3	Vertical	90	1.50	-	34.00	5.97	30.72
PK	5.494G	118.82	Inf	-Inf	109.55	3	Vertical	90	1.50	-	34.00	5.99	30.72
AV	5.496G	107.10	Inf	-Inf	97.82	3	Vertical	90	1.50	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 Setting 52
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	59.57	74.00	-14.43	50.33	3	Horizontal	1	2.20	-	34.00	5.96	30.72
AV	5.4596G	47.80	54.00	-6.20	38.56	3	Horizontal	1	2.20	-	34.00	5.96	30.72
PK	5.4682G	59.86	68.20	-8.34	50.61	3	Horizontal	1	2.20	-	34.00	5.97	30.72
PK	5.5044G	101.51	Inf	-Inf	92.23	3	Horizontal	1	2.20	-	34.00	6.00	30.72
AV	5.4966G	89.94	Inf	-Inf	80.66	3	Horizontal	1	2.20	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
 Setting 93
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	66.43	74.00	-7.57	57.19	3	Vertical	86	1.52	-	34.00	5.96	30.72
AV	5.4568G	53.74	54.00	-0.26	44.50	3	Vertical	86	1.52	-	34.00	5.96	30.72
PK	5.4672G	66.50	68.20	-1.70	57.25	3	Vertical	86	1.52	-	34.00	5.97	30.72
PK	5.5736G	127.00	Inf	-Inf	117.76	3	Vertical	86	1.52	-	33.95	6.07	30.78
AV	5.5816G	116.12	Inf	-Inf	106.88	3	Vertical	86	1.52	-	33.94	6.08	30.78
PK	5.7392G	64.22	68.20	-3.98	55.20	3	Vertical	86	1.52	-	33.82	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
 Setting 93
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	59.75	74.00	-14.25	50.52	3	Horizontal	25	2.66	-	34.00	5.95	30.72
AV	5.4112G	48.18	54.00	-5.82	38.99	3	Horizontal	25	2.66	-	34.00	5.91	30.72
PK	5.4696G	58.66	68.20	-9.54	49.41	3	Horizontal	25	2.66	-	34.00	5.97	30.72
PK	5.5752G	109.04	Inf	-Inf	99.79	3	Horizontal	25	2.66	-	33.95	6.08	30.78
AV	5.5752G	97.62	Inf	-Inf	88.37	3	Horizontal	25	2.66	-	33.95	6.08	30.78
PK	5.7392G	60.40	68.20	-7.80	51.38	3	Horizontal	25	2.66	-	33.82	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
 Setting 44
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	116.73	Inf	-Inf	107.61	3	Vertical	87	1.65	-	33.89	6.10	30.87
AV	5.7014G	105.78	Inf	-Inf	96.65	3	Vertical	87	1.65	-	33.90	6.10	30.87
PK	5.7256G	68.08	68.20	-0.12	59.02	3	Vertical	87	1.65	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
 Setting 44
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	102.42	Inf	-Inf	93.30	3	Horizontal	50	1.05	-	33.89	6.10	30.87
AV	5.695G	90.51	Inf	-Inf	81.39	3	Horizontal	50	1.05	-	33.89	6.10	30.87
PK	5.745G	60.76	68.20	-7.44	51.76	3	Horizontal	50	1.05	-	33.81	6.10	30.91

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 99
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	126.61	Inf	-Inf	117.54	3	Vertical	88	1.49	-	33.86	6.10	30.89
AV	5.7216G	115.30	Inf	-Inf	106.23	3	Vertical	88	1.49	-	33.86	6.10	30.89
PK	5.852G	67.27	68.20	-0.93	58.31	3	Vertical	88	1.49	-	33.81	6.14	30.99

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 99
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	109.01	Inf	-Inf	99.95	3	Horizontal	142	1.67	-	33.85	6.10	30.89
AV	5.7184G	97.97	Inf	-Inf	88.90	3	Horizontal	142	1.67	-	33.86	6.10	30.89
PK	5.888G	59.35	68.20	-8.85	50.15	3	Horizontal	142	1.67	-	34.03	6.18	31.01

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 Setting 92
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.76	68.20	-1.44	57.69	3	Vertical	89	1.46	-	33.80	6.10	30.83
PK	5.749G	125.08	Inf	-Inf	116.09	3	Vertical	89	1.46	-	33.80	6.10	30.91
AV	5.747G	113.81	Inf	-Inf	104.81	3	Vertical	89	1.46	-	33.81	6.10	30.91
PK	5.951G	61.47	68.20	-6.73	52.08	3	Vertical	89	1.46	-	34.20	6.25	31.06

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 92
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.521G	59.59	68.20	-8.61	50.31	3	Horizontal	116	1.00	-	34.00	6.02	30.74
PK	5.75G	111.74	Inf	-Inf	102.75	3	Horizontal	116	1.00	-	33.80	6.10	30.91
AV	5.75G	100.62	Inf	-Inf	91.63	3	Horizontal	116	1.00	-	33.80	6.10	30.91
PK	5.967G	59.63	68.20	-8.57	50.23	3	Horizontal	116	1.00	-	34.20	6.27	31.07

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
 Setting 99
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.92	68.20	-3.28	55.85	3	Vertical	88	1.71	-	33.80	6.10	30.83
PK	5.779G	126.50	Inf	-Inf	117.53	3	Vertical	88	1.71	-	33.80	6.10	30.93
AV	5.787G	114.86	Inf	-Inf	105.90	3	Vertical	88	1.71	-	33.80	6.10	30.94
PK	5.929G	64.68	68.20	-3.52	55.34	3	Vertical	88	1.71	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 99
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	59.11	68.20	-9.09	49.82	3	Horizontal	126	1.05	-	34.00	6.04	30.75
PK	5.783G	111.58	Inf	-Inf	102.62	3	Horizontal	126	1.05	-	33.80	6.10	30.94
AV	5.782G	100.96	Inf	-Inf	91.99	3	Horizontal	126	1.05	-	33.80	6.10	30.93
PK	5.966G	60.16	68.20	-8.04	50.77	3	Horizontal	126	1.05	-	34.20	6.26	31.07

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 92
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	64.02	68.20	-4.18	54.88	3	Vertical	87	1.69	-	33.85	6.10	30.81
PK	5.819G	125.13	Inf	-Inf	116.18	3	Vertical	87	1.69	-	33.80	6.11	30.96
AV	5.827G	114.17	Inf	-Inf	105.22	3	Vertical	87	1.69	-	33.80	6.12	30.97
PK	5.929G	67.74	68.20	-0.46	58.40	3	Vertical	87	1.69	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 92
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	58.78	68.20	-9.42	49.53	3	Horizontal	49	1.00	-	33.95	6.08	30.78
PK	5.83G	112.56	Inf	-Inf	103.61	3	Horizontal	49	1.00	-	33.80	6.12	30.97
AV	5.82G	101.14	Inf	-Inf	92.19	3	Horizontal	49	1.00	-	33.80	6.11	30.96
PK	6.051G	59.86	68.20	-8.34	50.38	3	Horizontal	49	1.00	-	34.30	6.30	31.12

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 49
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	65.71	74.00	-8.29	57.07	3	Vertical	89	1.52	-	33.60	5.77	30.73
AV	5.15G	53.89	54.00	-0.11	45.24	3	Vertical	89	1.52	-	33.60	5.78	30.73
PK	5.1884G	115.84	Inf	-Inf	107.10	3	Vertical	89	1.52	-	33.68	5.79	30.73
AV	5.1892G	104.58	Inf	-Inf	95.84	3	Vertical	89	1.52	-	33.68	5.79	30.73

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 49
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	58.49	74.00	-15.51	49.86	3	Horizontal	127	1.80	-	33.59	5.77	30.73
AV	5.15G	47.11	54.00	-6.89	38.46	3	Horizontal	127	1.80	-	33.60	5.78	30.73
PK	5.1816G	95.93	Inf	-Inf	87.21	3	Horizontal	127	1.80	-	33.66	5.79	30.73
AV	5.1864G	84.98	Inf	-Inf	76.25	3	Horizontal	127	1.80	-	33.67	5.79	30.73

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
 Setting 64
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	68.88	74.00	-5.12	60.24	3	Vertical	88	1.32	-	33.60	5.77	30.73
AV	5.149G	53.78	54.00	-0.22	45.14	3	Vertical	88	1.32	-	33.60	5.77	30.73
PK	5.2414G	120.29	Inf	-Inf	111.50	3	Vertical	88	1.32	-	33.70	5.82	30.73
AV	5.2354G	108.85	Inf	-Inf	100.06	3	Vertical	88	1.32	-	33.70	5.82	30.73
PK	5.353G	62.78	74.00	-11.22	53.71	3	Vertical	88	1.32	-	33.91	5.88	30.72
AV	5.3566G	52.08	54.00	-1.92	43.01	3	Vertical	88	1.32	-	33.91	5.88	30.72

5.15-5.25GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
 Setting 64
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1046G	58.58	74.00	-15.42	50.05	3	Horizontal	124	1.89	-	33.51	5.75	30.73
AV	5.092G	47.01	54.00	-6.99	38.49	3	Horizontal	124	1.89	-	33.50	5.75	30.73
PK	5.2132G	99.66	Inf	-Inf	90.88	3	Horizontal	124	1.89	-	33.70	5.81	30.73
AV	5.2162G	88.37	Inf	-Inf	79.59	3	Horizontal	124	1.89	-	33.70	5.81	30.73
PK	5.3524G	58.61	74.00	-15.39	49.55	3	Horizontal	124	1.89	-	33.90	5.88	30.72
AV	5.3698G	47.59	54.00	-6.41	38.49	3	Horizontal	124	1.89	-	33.94	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
 Setting 65
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.72	74.00	-10.28	55.09	3	Vertical	88	1.75	-	33.59	5.77	30.73
AV	5.144G	52.16	54.00	-1.84	43.53	3	Vertical	88	1.75	-	33.59	5.77	30.73
PK	5.2634G	119.61	Inf	-Inf	110.77	3	Vertical	88	1.75	-	33.73	5.83	30.72
AV	5.2688G	108.44	Inf	-Inf	99.59	3	Vertical	88	1.75	-	33.74	5.83	30.72
PK	5.3534G	68.02	74.00	-5.98	58.95	3	Vertical	88	1.75	-	33.91	5.88	30.72
AV	5.35G	53.67	54.00	-0.33	44.61	3	Vertical	88	1.75	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
 Setting 65
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	58.42	74.00	-15.58	49.78	3	Horizontal	129	1.80	-	33.60	5.77	30.73
AV	5.1482G	47.49	54.00	-6.51	38.85	3	Horizontal	129	1.80	-	33.60	5.77	30.73
PK	5.2664G	99.76	Inf	-Inf	90.92	3	Horizontal	129	1.80	-	33.73	5.83	30.72
AV	5.2706G	88.78	Inf	-Inf	79.92	3	Horizontal	129	1.80	-	33.74	5.84	30.72
PK	5.3666G	59.53	74.00	-14.47	50.44	3	Horizontal	129	1.80	-	33.93	5.88	30.72
AV	5.36G	47.65	54.00	-6.35	38.57	3	Horizontal	129	1.80	-	33.92	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 49
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	116.02	Inf	-Inf	107.05	3	Vertical	84	1.54	-	33.83	5.86	30.72
AV	5.3108G	104.28	Inf	-Inf	95.32	3	Vertical	84	1.54	-	33.82	5.86	30.72
PK	5.3528G	70.58	74.00	-3.42	61.51	3	Vertical	84	1.54	-	33.91	5.88	30.72
AV	5.3532G	53.99	54.00	-0.01	44.92	3	Vertical	84	1.54	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 49
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	95.75	Inf	-Inf	86.81	3	Horizontal	127	1.00	-	33.81	5.85	30.72
AV	5.3056G	83.80	Inf	-Inf	74.86	3	Horizontal	127	1.00	-	33.81	5.85	30.72
PK	5.3768G	59.16	74.00	-14.84	50.04	3	Horizontal	127	1.00	-	33.95	5.89	30.72
AV	5.4G	47.66	54.00	-6.34	38.48	3	Horizontal	127	1.00	-	34.00	5.90	30.72

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
 Setting 51
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	68.01	74.00	-5.99	58.78	3	Vertical	86	1.50	-	34.00	5.95	30.72
AV	5.4588G	53.45	54.00	-0.55	44.21	3	Vertical	86	1.50	-	34.00	5.96	30.72
PK	5.4676G	67.67	68.20	-0.53	58.42	3	Vertical	86	1.50	-	34.00	5.97	30.72
PK	5.5148G	116.64	Inf	-Inf	107.36	3	Vertical	86	1.50	-	34.00	6.01	30.73
AV	5.5164G	104.46	Inf	-Inf	95.17	3	Vertical	86	1.50	-	34.00	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 51
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4364G	59.08	74.00	-14.92	49.86	3	Horizontal	69	2.78	-	34.00	5.94	30.72
AV	5.4116G	47.81	54.00	-6.19	38.62	3	Horizontal	69	2.78	-	34.00	5.91	30.72
PK	5.4692G	59.08	68.20	-9.12	49.83	3	Horizontal	69	2.78	-	34.00	5.97	30.72
PK	5.5068G	97.92	Inf	-Inf	88.64	3	Horizontal	69	2.78	-	34.00	6.01	30.73
AV	5.5036G	86.65	Inf	-Inf	77.37	3	Horizontal	69	2.78	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
 Setting 68
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	67.20	74.00	-6.80	57.96	3	Vertical	85	1.46	-	34.00	5.96	30.72
AV	5.4582G	53.68	54.00	-0.32	44.44	3	Vertical	85	1.46	-	34.00	5.96	30.72
PK	5.4606G	67.35	68.20	-0.85	58.11	3	Vertical	85	1.46	-	34.00	5.96	30.72
PK	5.5548G	119.75	Inf	-Inf	110.47	3	Vertical	85	1.46	-	33.99	6.05	30.76
AV	5.5554G	108.10	Inf	-Inf	98.81	3	Vertical	85	1.46	-	33.99	6.06	30.76

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 Setting 68
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4378G	58.53	74.00	-15.47	49.31	3	Horizontal	25	2.70	-	34.00	5.94	30.72
AV	5.4156G	48.03	54.00	-5.97	38.83	3	Horizontal	25	2.70	-	34.00	5.92	30.72
PK	5.4666G	58.36	68.20	-9.84	49.11	3	Horizontal	25	2.70	-	34.00	5.97	30.72
PK	5.5332G	100.72	Inf	-Inf	91.44	3	Horizontal	25	2.70	-	34.00	6.03	30.75
AV	5.535G	89.68	Inf	-Inf	80.39	3	Horizontal	25	2.70	-	34.00	6.04	30.75

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 54
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	114.24	Inf	-Inf	105.15	3	Vertical	88	1.59	-	33.84	6.10	30.85
AV	5.6692G	103.11	Inf	-Inf	94.02	3	Vertical	88	1.59	-	33.84	6.10	30.85
PK	5.728G	67.53	68.20	-0.67	58.48	3	Vertical	88	1.59	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 54
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.68G	99.57	Inf	-Inf	90.47	3	Horizontal	122	1.00	-	33.86	6.10	30.86
AV	5.6664G	88.54	Inf	-Inf	79.46	3	Horizontal	122	1.00	-	33.83	6.10	30.85
PK	5.7496G	59.76	68.20	-8.44	50.77	3	Horizontal	122	1.00	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 90
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	121.54	Inf	-Inf	112.47	3	Vertical	88	1.47	-	33.86	6.10	30.89
AV	5.702G	110.08	Inf	-Inf	100.95	3	Vertical	88	1.47	-	33.90	6.10	30.87
PK	5.8668G	67.86	68.20	-0.34	58.80	3	Vertical	88	1.47	-	33.90	6.16	31.00

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 90
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	108.68	Inf	-Inf	99.58	3	Horizontal	48	1.02	-	33.88	6.10	30.88
AV	5.7156G	97.10	Inf	-Inf	88.01	3	Horizontal	48	1.02	-	33.87	6.10	30.88
PK	5.854G	60.26	68.20	-7.94	51.28	3	Horizontal	48	1.02	-	33.82	6.15	30.99

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 75
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	68.14	68.20	-0.06	59.06	3	Vertical	88	1.63	-	33.81	6.10	30.83
PK	5.751G	119.46	Inf	-Inf	110.47	3	Vertical	88	1.63	-	33.80	6.10	30.91
AV	5.749G	108.54	Inf	-Inf	99.55	3	Vertical	88	1.63	-	33.80	6.10	30.91
PK	5.93G	62.06	68.20	-6.14	52.72	3	Vertical	88	1.63	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 75
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.522G	58.75	68.20	-9.45	49.47	3	Horizontal	141	1.80	-	34.00	6.02	30.74
PK	5.756G	103.01	Inf	-Inf	94.02	3	Horizontal	141	1.80	-	33.80	6.10	30.91
AV	5.759G	91.87	Inf	-Inf	82.89	3	Horizontal	141	1.80	-	33.80	6.10	30.92
PK	5.974G	58.99	68.20	-9.21	49.60	3	Horizontal	141	1.80	-	34.20	6.27	31.08

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
 Setting 82
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.84	68.20	-2.36	56.77	3	Vertical	84	1.43	-	33.80	6.10	30.83
PK	5.791G	120.14	Inf	-Inf	111.18	3	Vertical	84	1.43	-	33.80	6.10	30.94
AV	5.794G	108.74	Inf	-Inf	99.78	3	Vertical	84	1.43	-	33.80	6.10	30.94
PK	5.926G	67.87	68.20	-0.33	58.54	3	Vertical	84	1.43	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
 Setting 82
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	59.24	68.20	-8.96	50.02	3	Horizontal	122	1.04	-	33.91	6.10	30.79
PK	5.781G	106.07	Inf	-Inf	97.10	3	Horizontal	122	1.04	-	33.80	6.10	30.93
AV	5.79G	95.17	Inf	-Inf	86.21	3	Horizontal	122	1.04	-	33.80	6.10	30.94
PK	5.926G	60.47	68.20	-7.73	51.14	3	Horizontal	122	1.04	-	34.15	6.22	31.04

5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
 Setting 42
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	63.41	74.00	-10.59	54.78	3	Vertical	90	1.49	-	33.59	5.77	30.73
AV	5.144G	53.79	54.00	-0.21	45.16	3	Vertical	90	1.49	-	33.59	5.77	30.73
PK	5.23G	111.34	Inf	-Inf	102.56	3	Vertical	90	1.49	-	33.70	5.81	30.73
AV	5.223G	101.29	Inf	-Inf	92.51	3	Vertical	90	1.49	-	33.70	5.81	30.73
PK	5.374G	61.86	74.00	-12.14	52.74	3	Vertical	90	1.49	-	33.95	5.89	30.72
AV	5.352G	51.70	54.00	-2.30	42.64	3	Vertical	90	1.49	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 42
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	57.90	74.00	-16.10	49.27	3	Horizontal	125	1.76	-	33.59	5.77	30.73
AV	5.114G	47.98	54.00	-6.02	39.42	3	Horizontal	125	1.76	-	33.53	5.76	30.73
PK	5.185G	91.90	Inf	-Inf	83.17	3	Horizontal	125	1.76	-	33.67	5.79	30.73
AV	5.185G	82.26	Inf	-Inf	73.53	3	Horizontal	125	1.76	-	33.67	5.79	30.73
PK	5.367G	59.25	74.00	-14.75	50.16	3	Horizontal	125	1.76	-	33.93	5.88	30.72
AV	5.419G	49.04	54.00	-4.96	39.84	3	Horizontal	125	1.76	-	34.00	5.92	30.72

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
 Setting 42
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	61.33	74.00	-12.67	52.70	3	Vertical	89	1.37	-	33.59	5.77	30.73
AV	5.142G	51.28	54.00	-2.72	42.66	3	Vertical	89	1.37	-	33.58	5.77	30.73
PK	5.299G	110.12	Inf	-Inf	101.19	3	Vertical	89	1.37	-	33.80	5.85	30.72
AV	5.279G	99.74	Inf	-Inf	90.86	3	Vertical	89	1.37	-	33.76	5.84	30.72
PK	5.35G	63.98	74.00	-10.02	54.92	3	Vertical	89	1.37	-	33.90	5.88	30.72
AV	5.357G	53.57	54.00	-0.43	44.50	3	Vertical	89	1.37	-	33.91	5.88	30.72
PK	5.493G	60.69	68.20	-7.51	51.42	3	Vertical	89	1.37	-	34.00	5.99	30.72

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
 Setting 42
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	59.51	74.00	-14.49	51.00	3	Horizontal	128	1.80	-	33.50	5.74	30.73
AV	5.07G	48.36	54.00	-5.64	39.85	3	Horizontal	128	1.80	-	33.50	5.74	30.73
PK	5.28G	89.57	Inf	-Inf	80.69	3	Horizontal	128	1.80	-	33.76	5.84	30.72
AV	5.277G	80.83	Inf	-Inf	71.96	3	Horizontal	128	1.80	-	33.75	5.84	30.72
AV	5.355G	48.97	54.00	-5.03	39.90	3	Horizontal	128	1.80	-	33.91	5.88	30.72
PK	5.447G	59.27	74.00	-14.73	50.04	3	Horizontal	128	1.80	-	34.00	5.95	30.72
PK	5.54G	58.72	68.20	-9.48	49.43	3	Horizontal	128	1.80	-	34.00	6.04	30.75

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
 Setting 44
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	60.21	68.20	-7.99	51.20	3	Vertical	84	1.48	-	33.86	5.87	30.72
PK	5.441G	63.77	74.00	-10.23	54.55	3	Vertical	84	1.48	-	34.00	5.94	30.72
PK	5.469G	64.98	68.20	-3.22	55.73	3	Vertical	84	1.48	-	34.00	5.97	30.72
AV	5.459G	53.58	54.00	-0.42	44.34	3	Vertical	84	1.48	-	34.00	5.96	30.72
PK	5.533G	112.20	Inf	-Inf	102.92	3	Vertical	84	1.48	-	34.00	6.03	30.75
AV	5.516G	101.08	Inf	-Inf	91.79	3	Vertical	84	1.48	-	34.00	6.02	30.73
PK	5.743G	62.48	68.20	-5.72	53.47	3	Vertical	84	1.48	-	33.81	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
 Setting 44
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	59.44	68.20	-8.76	50.51	3	Horizontal	122	2.20	-	33.80	5.85	30.72
PK	5.431G	58.90	74.00	-15.10	49.69	3	Horizontal	122	2.20	-	34.00	5.93	30.72
PK	5.467G	58.79	68.20	-9.41	49.54	3	Horizontal	122	2.20	-	34.00	5.97	30.72
AV	5.454G	48.97	54.00	-5.03	39.74	3	Horizontal	122	2.20	-	34.00	5.95	30.72
PK	5.55G	94.77	Inf	-Inf	85.48	3	Horizontal	122	2.20	-	34.00	6.05	30.76
AV	5.555G	84.16	Inf	-Inf	74.88	3	Horizontal	122	2.20	-	33.99	6.05	30.76
PK	5.743G	59.26	68.20	-8.94	50.25	3	Horizontal	122	2.20	-	33.81	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 57
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.65	74.00	-9.35	55.41	3	Vertical	88	1.52	-	34.00	5.96	30.72
AV	5.46G	53.93	54.00	-0.07	44.69	3	Vertical	88	1.52	-	34.00	5.96	30.72
PK	5.461G	67.48	68.20	-0.72	58.24	3	Vertical	88	1.52	-	34.00	5.96	30.72
PK	5.583G	114.05	Inf	-Inf	104.82	3	Vertical	88	1.52	-	33.93	6.08	30.78
AV	5.599G	104.07	Inf	-Inf	94.87	3	Vertical	88	1.52	-	33.90	6.10	30.80
PK	5.735G	67.56	68.20	-0.64	58.53	3	Vertical	88	1.52	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 57
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.39G	58.68	74.00	-15.32	49.52	3	Horizontal	25	2.63	-	33.98	5.90	30.72
AV	5.402G	49.14	54.00	-4.86	39.96	3	Horizontal	25	2.63	-	34.00	5.90	30.72
PK	5.463G	58.40	68.20	-9.80	49.16	3	Horizontal	25	2.63	-	34.00	5.96	30.72
PK	5.592G	96.30	Inf	-Inf	87.08	3	Horizontal	25	2.63	-	33.92	6.09	30.79
AV	5.595G	86.70	Inf	-Inf	77.49	3	Horizontal	25	2.63	-	33.91	6.09	30.79
PK	5.827G	59.42	68.20	-8.78	50.47	3	Horizontal	25	2.63	-	33.80	6.12	30.97

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 68
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	62.91	74.00	-11.09	53.68	3	Vertical	86	1.57	-	34.00	5.95	30.72
AV	5.46G	52.61	54.00	-1.39	43.37	3	Vertical	86	1.57	-	34.00	5.96	30.72
PK	5.467G	62.88	68.20	-5.32	53.63	3	Vertical	86	1.57	-	34.00	5.97	30.72
PK	5.68G	116.46	Inf	-Inf	107.36	3	Vertical	86	1.57	-	33.86	6.10	30.86
AV	5.697G	106.18	Inf	-Inf	97.06	3	Vertical	86	1.57	-	33.89	6.10	30.87
PK	5.852G	67.83	68.20	-0.37	58.87	3	Vertical	86	1.57	-	33.81	6.14	30.99

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 68
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.30	74.00	-14.70	50.07	3	Horizontal	48	1.01	-	34.00	5.95	30.72
AV	5.448G	49.20	54.00	-4.80	39.97	3	Horizontal	48	1.01	-	34.00	5.95	30.72
PK	5.468G	58.15	68.20	-10.05	48.90	3	Horizontal	48	1.01	-	34.00	5.97	30.72
PK	5.71G	102.23	Inf	-Inf	93.13	3	Horizontal	48	1.01	-	33.88	6.10	30.88
AV	5.703G	91.82	Inf	-Inf	82.70	3	Horizontal	48	1.01	-	33.89	6.10	30.87
PK	5.856G	59.83	68.20	-8.37	50.83	3	Horizontal	48	1.01	-	33.84	6.15	30.99

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 56
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.35	68.20	-0.85	58.28	3	Vertical	85	1.64	-	33.80	6.10	30.83
PK	5.762G	113.72	Inf	-Inf	104.74	3	Vertical	85	1.64	-	33.80	6.10	30.92
AV	5.765G	103.13	Inf	-Inf	94.15	3	Vertical	85	1.64	-	33.80	6.10	30.92
PK	5.934G	62.27	68.20	-5.93	52.92	3	Vertical	85	1.64	-	34.17	6.23	31.05

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 56
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.56G	59.52	68.20	-8.68	50.25	3	Horizontal	141	1.80	-	33.98	6.06	30.77
PK	5.766G	94.84	Inf	-Inf	85.86	3	Horizontal	141	1.80	-	33.80	6.10	30.92
AV	5.762G	85.72	Inf	-Inf	76.74	3	Horizontal	141	1.80	-	33.80	6.10	30.92
PK	5.947G	60.53	68.20	-7.67	51.16	3	Horizontal	141	1.80	-	34.19	6.24	31.06

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
 Setting 33
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1076G	62.41	74.00	-11.59	53.87	3	Vertical	87	1.33	-	33.52	5.75	30.73
AV	5.138G	53.02	54.00	-0.98	44.40	3	Vertical	87	1.33	-	33.58	5.77	30.73
PK	5.2596G	106.71	Inf	-Inf	97.88	3	Vertical	87	1.33	-	33.72	5.83	30.72
AV	5.2388G	96.71	Inf	-Inf	87.92	3	Vertical	87	1.33	-	33.70	5.82	30.73
PK	5.3732G	63.27	74.00	-10.73	54.15	3	Vertical	87	1.33	-	33.95	5.89	30.72
AV	5.3732G	53.62	54.00	-0.38	44.50	3	Vertical	87	1.33	-	33.95	5.89	30.72
PK	5.514G	60.09	68.20	-8.11	50.81	3	Vertical	87	1.33	-	34.00	6.01	30.73

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
 Setting 33
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0708G	58.82	74.00	-15.18	50.31	3	Horizontal	122	1.73	-	33.50	5.74	30.73
AV	5.1012G	48.74	54.00	-5.26	40.22	3	Horizontal	122	1.73	-	33.50	5.75	30.73
PK	5.1924G	85.73	Inf	-Inf	76.98	3	Horizontal	122	1.73	-	33.68	5.80	30.73
AV	5.2244G	76.48	Inf	-Inf	67.70	3	Horizontal	122	1.73	-	33.70	5.81	30.73
PK	5.4516G	58.49	74.00	-15.51	49.26	3	Horizontal	122	1.73	-	34.00	5.95	30.72
AV	5.402G	48.82	54.00	-5.18	39.64	3	Horizontal	122	1.73	-	34.00	5.90	30.72
PK	5.6404G	58.53	68.20	-9.67	49.44	3	Horizontal	122	1.73	-	33.82	6.10	30.83

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
 Setting 37
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.242G	61.08	68.20	-7.12	52.29	3	Vertical	87	1.53	-	33.70	5.82	30.73
PK	5.458G	64.19	74.00	-9.81	54.95	3	Vertical	87	1.53	-	34.00	5.96	30.72
AV	5.458G	53.75	54.00	-0.25	44.51	3	Vertical	87	1.53	-	34.00	5.96	30.72
PK	5.4628G	62.17	68.20	-6.03	52.93	3	Vertical	87	1.53	-	34.00	5.96	30.72
PK	5.5796G	107.83	Inf	-Inf	98.59	3	Vertical	87	1.53	-	33.94	6.08	30.78
AV	5.5828G	97.04	Inf	-Inf	87.81	3	Vertical	87	1.53	-	33.93	6.08	30.78
PK	5.7252G	61.83	68.20	-6.37	52.77	3	Vertical	87	1.53	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT Y_2TX
 Setting 37
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	58.84	68.20	-9.36	49.89	3	Horizontal	24	2.63	-	33.82	5.85	30.72
PK	5.4228G	59.26	74.00	-14.74	50.06	3	Horizontal	24	2.63	-	34.00	5.92	30.72
AV	5.4308G	48.73	54.00	-5.27	39.52	3	Horizontal	24	2.63	-	34.00	5.93	30.72
PK	5.4612G	57.81	68.20	-10.39	48.57	3	Horizontal	24	2.63	-	34.00	5.96	30.72
PK	5.5908G	88.62	Inf	-Inf	79.40	3	Horizontal	24	2.63	-	33.92	6.09	30.79
AV	5.5956G	79.29	Inf	-Inf	70.07	3	Horizontal	24	2.63	-	33.91	6.10	30.79
PK	5.7268G	59.47	68.20	-8.73	50.41	3	Horizontal	24	2.63	-	33.85	6.10	30.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6485G	68.17	68.20	-0.03	3	Vertical	91	1.76	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 55
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	73.51	74.00	-0.49	68.42	3	Vertical	88	1.80	-	31.90	5.65	32.46
AV	5.1494G	50.81	54.00	-3.19	45.72	3	Vertical	88	1.80	-	31.90	5.65	32.46
PK	5.1774G	121.00	Inf	-Inf	115.93	3	Vertical	88	1.80	-	31.85	5.68	32.46
AV	5.1752G	110.92	Inf	-Inf	105.85	3	Vertical	88	1.80	-	31.85	5.68	32.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 55
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.07	74.00	-5.93	62.98	3	Horizontal	88	1.80	-	31.90	5.65	32.46
AV	5.15G	50.17	54.00	-3.83	45.08	3	Horizontal	88	1.80	-	31.90	5.65	32.46
PK	5.1779G	120.40	Inf	-Inf	115.34	3	Horizontal	88	1.80	-	31.84	5.68	32.46
AV	5.1779G	111.17	Inf	-Inf	106.11	3	Horizontal	88	1.80	-	31.84	5.68	32.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 76
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.47	74.00	-2.53	66.38	3	Vertical	90	1.80	-	31.90	5.65	32.46
AV	5.1496G	53.56	54.00	-0.44	48.47	3	Vertical	90	1.80	-	31.90	5.65	32.46
PK	5.1944G	125.06	Inf	-Inf	120.02	3	Vertical	90	1.80	-	31.81	5.69	32.46
AV	5.1938G	115.36	Inf	-Inf	110.32	3	Vertical	90	1.80	-	31.81	5.69	32.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 76
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	72.66	74.00	-1.34	67.57	3	Horizontal	88	1.80	-	31.91	5.64	32.46
AV	5.1464G	53.09	54.00	-0.91	47.99	3	Horizontal	88	1.80	-	31.91	5.65	32.46
PK	5.1988G	125.48	Inf	-Inf	120.44	3	Horizontal	88	1.80	-	31.80	5.70	32.46
AV	5.1978G	116.08	Inf	-Inf	111.04	3	Horizontal	88	1.80	-	31.80	5.70	32.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 97
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1377G	69.95	74.00	-4.05	64.85	3	Vertical	90	1.80	-	31.92	5.64	32.46
AV	5.15G	52.77	54.00	-1.23	47.68	3	Vertical	90	1.80	-	31.90	5.65	32.46
PK	5.234G	128.06	Inf	-Inf	123.12	3	Vertical	90	1.80	-	31.66	5.75	32.47
AV	5.2337G	118.71	Inf	-Inf	113.76	3	Vertical	90	1.80	-	31.67	5.75	32.47
PK	5.3507G	68.86	74.00	-5.14	64.11	3	Vertical	90	1.80	-	31.30	5.93	32.48
AV	5.3504G	51.90	54.00	-2.10	47.15	3	Vertical	90	1.80	-	31.30	5.93	32.48

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 97
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	70.62	74.00	-3.38	65.53	3	Horizontal	90	1.80	-	31.90	5.65	32.46
AV	5.1497G	53.86	54.00	-0.14	48.77	3	Horizontal	90	1.80	-	31.90	5.65	32.46
PK	5.2373G	128.08	Inf	-Inf	123.14	3	Horizontal	90	1.80	-	31.65	5.76	32.47
AV	5.2376G	119.03	Inf	-Inf	114.09	3	Horizontal	90	1.80	-	31.65	5.76	32.47
PK	5.351G	65.49	74.00	-8.51	60.74	3	Horizontal	90	1.80	-	31.30	5.93	32.48
AV	5.3504G	51.49	54.00	-2.51	46.74	3	Horizontal	90	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 96
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1457G	66.89	74.00	-7.11	61.79	3	Vertical	90	1.90	-	31.91	5.65	32.46
AV	5.1481G	51.61	54.00	-2.39	46.52	3	Vertical	90	1.90	-	31.90	5.65	32.46
PK	5.2534G	127.86	Inf	-Inf	122.96	3	Vertical	90	1.90	-	31.59	5.78	32.47
AV	5.254G	118.19	Inf	-Inf	113.30	3	Vertical	90	1.90	-	31.58	5.78	32.47
PK	5.3557G	70.25	74.00	-3.75	65.48	3	Vertical	90	1.90	-	31.32	5.93	32.48
AV	5.356G	51.96	54.00	-2.04	47.19	3	Vertical	90	1.90	-	31.32	5.93	32.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 96
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	66.81	74.00	-7.19	61.71	3	Horizontal	90	1.80	-	31.91	5.65	32.46
AV	5.1445G	52.73	54.00	-1.27	47.64	3	Horizontal	90	1.80	-	31.91	5.64	32.46
PK	5.2576G	128.03	Inf	-Inf	123.14	3	Horizontal	90	1.80	-	31.57	5.79	32.47
AV	5.2576G	118.96	Inf	-Inf	114.07	3	Horizontal	90	1.80	-	31.57	5.79	32.47
PK	5.35G	71.54	74.00	-2.46	66.79	3	Horizontal	90	1.80	-	31.30	5.93	32.48
AV	5.35G	53.56	54.00	-0.44	48.81	3	Horizontal	90	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
 Setting 78
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	125.19	Inf	-Inf	120.41	3	Vertical	89	1.80	-	31.42	5.84	32.48
AV	5.2952G	115.27	Inf	-Inf	110.49	3	Vertical	89	1.80	-	31.42	5.84	32.48
PK	5.35G	69.94	74.00	-4.06	65.19	3	Vertical	89	1.80	-	31.30	5.93	32.48
AV	5.35G	52.80	54.00	-1.20	48.05	3	Vertical	89	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
 Setting 78
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	124.64	Inf	-Inf	119.87	3	Horizontal	89	1.80	-	31.40	5.85	32.48
AV	5.298G	115.42	Inf	-Inf	110.64	3	Horizontal	89	1.80	-	31.41	5.85	32.48
PK	5.3522G	72.47	74.00	-1.53	67.71	3	Horizontal	89	1.80	-	31.31	5.93	32.48
AV	5.3508G	53.18	54.00	-0.82	48.43	3	Horizontal	89	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 59
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	120.59	Inf	-Inf	115.82	3	Vertical	88	1.79	-	31.37	5.88	32.48
AV	5.3154G	110.07	Inf	-Inf	105.31	3	Vertical	88	1.79	-	31.37	5.87	32.48
PK	5.3547G	67.87	74.00	-6.13	63.10	3	Vertical	88	1.79	-	31.32	5.93	32.48
AV	5.3548G	50.92	54.00	-3.08	46.15	3	Vertical	88	1.79	-	31.32	5.93	32.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 59
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3179G	120.05	Inf	-Inf	115.29	3	Horizontal	89	1.80	-	31.36	5.88	32.48
AV	5.3177G	110.88	Inf	-Inf	106.12	3	Horizontal	89	1.80	-	31.36	5.88	32.48
PK	5.3508G	66.41	74.00	-7.59	61.66	3	Horizontal	89	1.80	-	31.30	5.93	32.48
AV	5.359G	50.28	54.00	-3.72	45.48	3	Horizontal	89	1.80	-	31.34	5.94	32.48

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 46
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	60.97	74.00	-13.03	55.73	3	Vertical	90	1.80	-	31.74	6.00	32.50
AV	5.4597G	48.31	54.00	-5.69	43.07	3	Vertical	90	1.80	-	31.74	6.00	32.50
PK	5.4651G	63.89	68.20	-4.31	58.63	3	Vertical	90	1.80	-	31.76	6.00	32.50
PK	5.4954G	118.18	Inf	-Inf	112.80	3	Vertical	90	1.80	-	31.88	6.00	32.50
AV	5.4939G	107.95	Inf	-Inf	102.57	3	Vertical	90	1.80	-	31.88	6.00	32.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 46
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	61.15	74.00	-12.85	55.94	3	Horizontal	90	1.94	-	31.70	6.00	32.49
PK	5.4605G	61.39	68.20	-6.81	56.15	3	Horizontal	90	1.94	-	31.74	6.00	32.50
AV	5.4589G	48.62	54.00	-5.38	43.38	3	Horizontal	90	1.94	-	31.74	6.00	32.50
PK	5.498G	117.31	Inf	-Inf	111.92	3	Horizontal	90	1.94	-	31.89	6.00	32.50
AV	5.4975G	107.97	Inf	-Inf	102.58	3	Horizontal	90	1.94	-	31.89	6.00	32.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
 Setting 94
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	65.92	74.00	-8.08	60.72	3	Vertical	89	1.80	-	31.69	6.00	32.49
AV	5.4468G	51.18	54.00	-2.82	45.98	3	Vertical	89	1.80	-	31.69	6.00	32.49
PK	5.4664G	67.75	68.20	-0.45	62.48	3	Vertical	89	1.80	-	31.77	6.00	32.50
PK	5.5752G	125.88	Inf	-Inf	120.46	3	Vertical	89	1.80	-	31.90	6.00	32.48
AV	5.5752G	115.86	Inf	-Inf	110.44	3	Vertical	89	1.80	-	31.90	6.00	32.48
PK	5.7336G	61.30	68.20	-6.90	55.53	3	Vertical	89	1.80	-	32.13	6.07	32.43

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
 Setting 94
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	64.92	74.00	-9.08	59.70	3	Horizontal	90	1.80	-	31.71	6.00	32.49
AV	5.45G	51.03	54.00	-2.97	45.82	3	Horizontal	90	1.80	-	31.70	6.00	32.49
PK	5.4684G	66.52	68.20	-1.68	61.25	3	Horizontal	90	1.80	-	31.77	6.00	32.50
PK	5.5776G	126.72	Inf	-Inf	121.30	3	Horizontal	90	1.80	-	31.90	6.00	32.48
AV	5.578G	116.37	Inf	-Inf	110.95	3	Horizontal	90	1.80	-	31.90	6.00	32.48
PK	5.7396G	62.08	68.20	-6.12	56.27	3	Horizontal	90	1.80	-	32.16	6.07	32.42

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 51
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	117.69	Inf	-Inf	112.10	3	Vertical	89	1.80	-	31.98	6.05	32.44
AV	5.6949G	107.90	Inf	-Inf	102.31	3	Vertical	89	1.80	-	31.98	6.05	32.44
PK	5.7256G	68.12	68.20	-0.08	62.39	3	Vertical	89	1.80	-	32.10	6.06	32.43

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 51
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6953G	116.81	Inf	-Inf	111.22	3	Horizontal	91	1.78	-	31.98	6.05	32.44
AV	5.6971G	107.45	Inf	-Inf	101.85	3	Horizontal	91	1.78	-	31.99	6.05	32.44
PK	5.7326G	67.66	68.20	-0.54	61.89	3	Horizontal	91	1.78	-	32.13	6.07	32.43

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	127.81	Inf	-Inf	122.12	3	Vertical	89	1.80	-	32.06	6.06	32.43
AV	5.7152G	116.14	Inf	-Inf	110.45	3	Vertical	89	1.80	-	32.06	6.06	32.43
PK	5.8572G	68.12	68.20	-0.08	62.10	3	Vertical	89	1.80	-	32.34	6.07	32.39

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	126.20	Inf	-Inf	120.51	3	Horizontal	93	1.80	-	32.06	6.06	32.43
AV	5.7152G	115.43	Inf	-Inf	109.74	3	Horizontal	93	1.80	-	32.06	6.06	32.43
PK	5.8724G	67.84	68.20	-0.36	61.73	3	Horizontal	93	1.80	-	32.43	6.06	32.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 93
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	67.17	68.20	-1.03	61.80	3	Vertical	90	1.77	-	31.80	6.02	32.45
PK	5.739G	125.78	Inf	-Inf	119.97	3	Vertical	90	1.77	-	32.16	6.07	32.42
AV	5.7405G	115.45	Inf	-Inf	109.64	3	Vertical	90	1.77	-	32.16	6.07	32.42
PK	5.939G	61.05	68.20	-7.15	54.78	3	Vertical	90	1.77	-	32.60	6.03	32.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 93
06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	67.87	68.20	-0.33	62.49	3	Horizontal	90	1.80	-	31.81	6.02	32.45
PK	5.7425G	124.84	Inf	-Inf	119.02	3	Horizontal	90	1.80	-	32.17	6.07	32.42
AV	5.743G	114.83	Inf	-Inf	109.01	3	Horizontal	90	1.80	-	32.17	6.07	32.42
PK	5.991G	61.37	68.20	-6.83	55.19	3	Horizontal	90	1.80	-	32.52	6.00	32.34

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 108
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	66.35	68.94	-2.59	60.97	3	Vertical	90	1.76	-	31.80	6.03	32.45
PK	5.779G	126.88	Inf	-Inf	120.94	3	Vertical	90	1.76	-	32.26	6.09	32.41
AV	5.779G	116.05	Inf	-Inf	110.11	3	Vertical	90	1.76	-	32.26	6.09	32.41
PK	5.925G	66.51	68.20	-1.69	60.23	3	Vertical	90	1.76	-	32.60	6.04	32.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 108
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	67.89	68.20	-0.31	62.52	3	Horizontal	90	1.80	-	31.80	6.02	32.45
PK	5.784G	126.98	Inf	-Inf	121.03	3	Horizontal	90	1.80	-	32.27	6.09	32.41
AV	5.7835G	115.80	Inf	-Inf	109.85	3	Horizontal	90	1.80	-	32.27	6.09	32.41
PK	5.925G	67.72	68.20	-0.48	61.44	3	Horizontal	90	1.80	-	32.60	6.04	32.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 96
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.77	68.20	-5.43	57.39	3	Vertical	88	1.80	-	31.81	6.02	32.45
PK	5.821G	125.34	Inf	-Inf	119.35	3	Vertical	88	1.80	-	32.30	6.09	32.40
AV	5.8215G	115.35	Inf	-Inf	109.36	3	Vertical	88	1.80	-	32.30	6.09	32.40
PK	5.924G	68.86	68.94	-0.08	62.58	3	Vertical	88	1.80	-	32.60	6.04	32.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 96
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6025G	62.38	68.20	-5.82	56.96	3	Horizontal	91	1.79	-	31.89	6.00	32.47
PK	5.824G	125.92	Inf	-Inf	119.93	3	Horizontal	91	1.79	-	32.30	6.09	32.40
AV	5.8235G	115.29	Inf	-Inf	109.30	3	Horizontal	91	1.79	-	32.30	6.09	32.40
PK	5.9225G	68.84	70.05	-1.21	62.56	3	Horizontal	91	1.79	-	32.60	6.04	32.36

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 56
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	72.52	74.00	-1.48	67.43	3	Vertical	90	1.80	-	31.90	5.65	32.46
AV	5.1492G	53.49	54.00	-0.51	48.40	3	Vertical	90	1.80	-	31.90	5.65	32.46
PK	5.1767G	122.70	Inf	-Inf	117.63	3	Vertical	90	1.80	-	31.85	5.68	32.46
AV	5.1766G	108.59	Inf	-Inf	103.52	3	Vertical	90	1.80	-	31.85	5.68	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 56
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	69.64	74.00	-4.36	64.55	3	Horizontal	91	1.79	-	31.90	5.65	32.46
AV	5.1492G	52.93	54.00	-1.07	47.84	3	Horizontal	91	1.79	-	31.90	5.65	32.46
PK	5.1768G	122.19	Inf	-Inf	117.12	3	Horizontal	91	1.79	-	31.85	5.68	32.46
AV	5.1742G	109.01	Inf	-Inf	103.95	3	Horizontal	91	1.79	-	31.85	5.67	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 72
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	71.82	74.00	-2.18	66.72	3	Vertical	88	1.80	-	31.91	5.65	32.46
AV	5.1488G	53.54	54.00	-0.46	48.45	3	Vertical	88	1.80	-	31.90	5.65	32.46
PK	5.1968G	127.64	Inf	-Inf	122.59	3	Vertical	88	1.80	-	31.81	5.70	32.46
AV	5.2018G	112.45	Inf	-Inf	107.42	3	Vertical	88	1.80	-	31.79	5.70	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 72
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	71.76	74.00	-2.24	66.67	3	Horizontal	89	1.80	-	31.90	5.65	32.46
AV	5.15G	53.75	54.00	-0.25	48.66	3	Horizontal	89	1.80	-	31.90	5.65	32.46
PK	5.197G	126.10	Inf	-Inf	121.05	3	Horizontal	89	1.80	-	31.81	5.70	32.46
AV	5.1946G	112.69	Inf	-Inf	107.65	3	Horizontal	89	1.80	-	31.81	5.69	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 96
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1407G	70.47	74.00	-3.53	65.37	3	Vertical	91	1.80	-	31.92	5.64	32.46
AV	5.1482G	53.74	54.00	-0.26	48.65	3	Vertical	91	1.80	-	31.90	5.65	32.46
PK	5.2442G	127.87	Inf	-Inf	122.95	3	Vertical	91	1.80	-	31.62	5.77	32.47
AV	5.2364G	115.56	Inf	-Inf	110.63	3	Vertical	91	1.80	-	31.65	5.75	32.47
PK	5.3522G	65.70	74.00	-8.30	60.94	3	Vertical	91	1.80	-	31.31	5.93	32.48
AV	5.3525G	51.08	54.00	-2.92	46.32	3	Vertical	91	1.80	-	31.31	5.93	32.48

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 96
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.02	74.00	-3.98	64.93	3	Horizontal	89	1.79	-	31.90	5.65	32.46
AV	5.1485G	53.59	54.00	-0.41	48.50	3	Horizontal	89	1.79	-	31.90	5.65	32.46
PK	5.2445G	127.91	Inf	-Inf	122.99	3	Horizontal	89	1.79	-	31.62	5.77	32.47
AV	5.2445G	116.06	Inf	-Inf	111.14	3	Horizontal	89	1.79	-	31.62	5.77	32.47
PK	5.3507G	65.49	74.00	-8.51	60.74	3	Horizontal	89	1.79	-	31.30	5.93	32.48
AV	5.3507G	50.69	54.00	-3.31	45.94	3	Horizontal	89	1.79	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 94
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.16	74.00	-6.84	62.06	3	Vertical	91	1.80	-	31.91	5.65	32.46
AV	5.1484G	51.37	54.00	-2.63	46.28	3	Vertical	91	1.80	-	31.90	5.65	32.46
PK	5.2567G	127.86	Inf	-Inf	122.97	3	Vertical	91	1.80	-	31.57	5.79	32.47
AV	5.2615G	115.17	Inf	-Inf	110.30	3	Vertical	91	1.80	-	31.55	5.79	32.47
PK	5.3572G	70.34	74.00	-3.66	65.55	3	Vertical	91	1.80	-	31.33	5.94	32.48
AV	5.35G	53.51	54.00	-0.49	48.76	3	Vertical	91	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 94
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1277G	65.15	74.00	-8.85	60.04	3	Horizontal	90	1.80	-	31.94	5.63	32.46
AV	5.1493G	52.00	54.00	-2.00	46.91	3	Horizontal	90	1.80	-	31.90	5.65	32.46
PK	5.257G	127.82	Inf	-Inf	122.93	3	Horizontal	90	1.80	-	31.57	5.79	32.47
AV	5.2543G	116.05	Inf	-Inf	111.16	3	Horizontal	90	1.80	-	31.58	5.78	32.47
PK	5.3563G	68.08	74.00	-5.92	63.30	3	Horizontal	90	1.80	-	31.33	5.93	32.48
AV	5.35G	52.71	54.00	-1.29	47.96	3	Horizontal	90	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
 Setting 74
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	125.75	Inf	-Inf	120.97	3	Vertical	91	1.80	-	31.41	5.85	32.48
AV	5.2966G	111.81	Inf	-Inf	107.04	3	Vertical	91	1.80	-	31.41	5.84	32.48
PK	5.3516G	72.82	74.00	-1.18	68.06	3	Vertical	91	1.80	-	31.31	5.93	32.48
AV	5.3516G	53.36	54.00	-0.64	48.60	3	Vertical	91	1.80	-	31.31	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
 Setting 74
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	125.74	Inf	-Inf	120.97	3	Horizontal	91	1.80	-	31.39	5.86	32.48
AV	5.2944G	112.17	Inf	-Inf	107.39	3	Horizontal	91	1.80	-	31.42	5.84	32.48
PK	5.35G	72.10	74.00	-1.90	67.35	3	Horizontal	91	1.80	-	31.30	5.93	32.48
AV	5.35G	53.46	54.00	-0.54	48.71	3	Horizontal	91	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 56
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3243G	121.01	Inf	-Inf	116.25	3	Vertical	91	1.80	-	31.35	5.89	32.48
AV	5.3165G	106.38	Inf	-Inf	101.62	3	Vertical	91	1.80	-	31.37	5.87	32.48
PK	5.3518G	73.30	74.00	-0.70	68.54	3	Vertical	91	1.80	-	31.31	5.93	32.48
AV	5.3518G	52.21	54.00	-1.79	47.45	3	Vertical	91	1.80	-	31.31	5.93	32.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 56
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3243G	120.99	Inf	-Inf	116.23	3	Horizontal	91	1.80	-	31.35	5.89	32.48
AV	5.3193G	107.15	Inf	-Inf	102.39	3	Horizontal	91	1.80	-	31.36	5.88	32.48
PK	5.35G	70.97	74.00	-3.03	66.22	3	Horizontal	91	1.80	-	31.30	5.93	32.48
AV	5.35G	50.73	54.00	-3.27	45.98	3	Horizontal	91	1.80	-	31.30	5.93	32.48

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 47
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.14	74.00	-10.86	57.90	3	Vertical	90	1.79	-	31.74	6.00	32.50
AV	5.459G	47.69	54.00	-6.31	42.45	3	Vertical	90	1.79	-	31.74	6.00	32.50
PK	5.4695G	67.97	68.20	-0.23	62.69	3	Vertical	90	1.79	-	31.78	6.00	32.50
PK	5.4968G	119.91	Inf	-Inf	114.52	3	Vertical	90	1.79	-	31.89	6.00	32.50
AV	5.4966G	105.33	Inf	-Inf	99.94	3	Vertical	90	1.79	-	31.89	6.00	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 47
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4593G	62.22	74.00	-11.78	56.98	3	Horizontal	90	2.01	-	31.74	6.00	32.50
AV	5.4591G	47.88	54.00	-6.12	42.64	3	Horizontal	90	2.01	-	31.74	6.00	32.50
PK	5.4689G	66.14	68.20	-2.06	60.86	3	Horizontal	90	2.01	-	31.78	6.00	32.50
PK	5.5047G	119.53	Inf	-Inf	114.13	3	Horizontal	90	2.01	-	31.90	6.00	32.50
AV	5.4945G	105.43	Inf	-Inf	100.05	3	Horizontal	90	2.01	-	31.88	6.00	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
 Setting 93
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.68	74.00	-9.32	59.44	3	Vertical	92	1.77	-	31.73	6.00	32.49
AV	5.4596G	50.91	54.00	-3.09	45.67	3	Vertical	92	1.77	-	31.74	6.00	32.50
PK	5.4692G	67.75	68.20	-0.45	62.47	3	Vertical	92	1.77	-	31.78	6.00	32.50
PK	5.5812G	126.70	Inf	-Inf	121.27	3	Vertical	92	1.77	-	31.90	6.00	32.47
AV	5.5712G	113.10	Inf	-Inf	107.68	3	Vertical	92	1.77	-	31.90	6.00	32.48
PK	5.7536G	62.42	68.20	-5.78	56.55	3	Vertical	92	1.77	-	32.21	6.08	32.42

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
 Setting 93
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	64.63	74.00	-9.37	59.40	3	Horizontal	90	1.80	-	31.72	6.00	32.49
AV	5.4596G	50.74	54.00	-3.26	45.50	3	Horizontal	90	1.80	-	31.74	6.00	32.50
PK	5.4652G	66.02	68.20	-2.18	60.76	3	Horizontal	90	1.80	-	31.76	6.00	32.50
PK	5.5768G	127.44	Inf	-Inf	122.02	3	Horizontal	90	1.80	-	31.90	6.00	32.48
AV	5.5744G	113.45	Inf	-Inf	108.03	3	Horizontal	90	1.80	-	31.90	6.00	32.48
PK	5.7364G	61.89	68.20	-6.31	56.09	3	Horizontal	90	1.80	-	32.15	6.07	32.42

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 38
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6967G	116.28	Inf	-Inf	110.68	3	Vertical	91	1.70	-	31.99	6.05	32.44
AV	5.6965G	102.49	Inf	-Inf	96.89	3	Vertical	91	1.70	-	31.99	6.05	32.44
PK	5.7264G	67.82	68.20	-0.38	62.08	3	Vertical	91	1.70	-	32.11	6.06	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 38
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	115.39	Inf	-Inf	109.79	3	Horizontal	92	1.79	-	31.99	6.05	32.44
AV	5.6943G	102.05	Inf	-Inf	96.46	3	Horizontal	92	1.79	-	31.98	6.05	32.44
PK	5.7268G	67.69	68.20	-0.51	61.95	3	Horizontal	92	1.79	-	32.11	6.06	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 98
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	126.54	Inf	-Inf	120.84	3	Vertical	92	1.80	-	32.07	6.06	32.43
AV	5.7164G	113.02	Inf	-Inf	107.32	3	Vertical	92	1.80	-	32.07	6.06	32.43
PK	5.8628G	67.85	68.20	-0.35	61.78	3	Vertical	92	1.80	-	32.38	6.07	32.38

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 98
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	125.25	Inf	-Inf	119.54	3	Horizontal	94	1.80	-	32.08	6.06	32.43
AV	5.714G	112.83	Inf	-Inf	107.14	3	Horizontal	94	1.80	-	32.06	6.06	32.43
PK	5.85G	65.68	68.20	-2.52	59.70	3	Horizontal	94	1.80	-	32.30	6.07	32.39

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 90
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.87	68.20	-0.33	62.50	3	Vertical	91	1.77	-	31.80	6.02	32.45
PK	5.742G	126.53	Inf	-Inf	120.71	3	Vertical	91	1.77	-	32.17	6.07	32.42
AV	5.7415G	112.86	Inf	-Inf	107.04	3	Vertical	91	1.77	-	32.17	6.07	32.42
PK	5.9405G	61.76	68.20	-6.44	55.49	3	Vertical	91	1.77	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 90
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	66.29	68.20	-1.91	60.91	3	Horizontal	87	1.80	-	31.81	6.02	32.45
PK	5.738G	124.62	Inf	-Inf	118.82	3	Horizontal	87	1.80	-	32.15	6.07	32.42
AV	5.748G	112.16	Inf	-Inf	106.32	3	Horizontal	87	1.80	-	32.19	6.07	32.42
PK	5.937G	60.57	68.20	-7.63	54.30	3	Horizontal	87	1.80	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 105
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	68.20	68.57	-0.37	62.82	3	Vertical	91	1.68	-	31.80	6.03	32.45
PK	5.7865G	126.17	Inf	-Inf	120.22	3	Vertical	91	1.68	-	32.27	6.09	32.41
AV	5.7865G	114.06	Inf	-Inf	108.11	3	Vertical	91	1.68	-	32.27	6.09	32.41
PK	5.9375G	65.62	68.20	-2.58	59.35	3	Vertical	91	1.68	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 105
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.85	68.20	-0.35	62.47	3	Horizontal	91	1.80	-	31.80	6.03	32.45
PK	5.782G	125.84	Inf	-Inf	119.90	3	Horizontal	91	1.80	-	32.26	6.09	32.41
AV	5.7895G	113.60	Inf	-Inf	107.64	3	Horizontal	91	1.80	-	32.28	6.09	32.41
PK	5.929G	67.45	68.20	-0.75	61.17	3	Horizontal	91	1.80	-	32.60	6.04	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 94
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.85	68.20	-5.35	57.47	3	Vertical	90	1.73	-	31.80	6.03	32.45
PK	5.822G	126.97	Inf	-Inf	120.98	3	Vertical	90	1.73	-	32.30	6.09	32.40
AV	5.8265G	112.97	Inf	-Inf	106.98	3	Vertical	90	1.73	-	32.30	6.09	32.40
PK	5.9335G	67.34	68.20	-0.86	61.07	3	Vertical	90	1.73	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 94
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	62.86	68.20	-5.34	57.44	3	Horizontal	90	1.80	-	31.87	6.01	32.46
PK	5.818G	125.23	Inf	-Inf	119.24	3	Horizontal	90	1.80	-	32.30	6.09	32.40
AV	5.83G	112.57	Inf	-Inf	106.58	3	Horizontal	90	1.80	-	32.30	6.08	32.39
PK	5.9235G	68.66	69.31	-0.65	62.38	3	Horizontal	90	1.80	-	32.60	6.04	32.36

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
 Setting 45
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	67.21	74.00	-6.79	62.11	3	Vertical	92	1.80	-	31.91	5.65	32.46
AV	5.1488G	53.93	54.00	-0.07	48.84	3	Vertical	92	1.80	-	31.90	5.65	32.46
PK	5.1838G	116.88	Inf	-Inf	111.83	3	Vertical	92	1.80	-	31.83	5.68	32.46
AV	5.1938G	105.75	Inf	-Inf	100.71	3	Vertical	92	1.80	-	31.81	5.69	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
 Setting 45
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.08	74.00	-8.92	59.99	3	Horizontal	93	1.80	-	31.90	5.65	32.46
AV	5.1492G	53.55	54.00	-0.45	48.46	3	Horizontal	93	1.80	-	31.90	5.65	32.46
PK	5.1892G	118.42	Inf	-Inf	113.37	3	Horizontal	93	1.80	-	31.82	5.69	32.46
AV	5.194G	106.39	Inf	-Inf	101.35	3	Horizontal	93	1.80	-	31.81	5.69	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 64
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	67.18	74.00	-6.82	62.08	3	Vertical	91	1.80	-	31.92	5.64	32.46
AV	5.149G	53.94	54.00	-0.06	48.85	3	Vertical	91	1.80	-	31.90	5.65	32.46
PK	5.2318G	121.18	Inf	-Inf	116.23	3	Vertical	91	1.80	-	31.67	5.75	32.47
AV	5.2366G	110.35	Inf	-Inf	105.42	3	Vertical	91	1.80	-	31.65	5.75	32.47
PK	5.3632G	63.17	74.00	-10.83	58.36	3	Vertical	91	1.80	-	31.35	5.94	32.48
AV	5.3503G	51.00	54.00	-3.00	46.25	3	Vertical	91	1.80	-	31.30	5.93	32.48

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
 Setting 64
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	65.94	74.00	-8.06	60.84	3	Horizontal	92	1.80	-	31.91	5.65	32.46
AV	5.1496G	53.66	54.00	-0.34	48.57	3	Horizontal	92	1.80	-	31.90	5.65	32.46
PK	5.2294G	121.65	Inf	-Inf	116.70	3	Horizontal	92	1.80	-	31.68	5.74	32.47
AV	5.2342G	110.51	Inf	-Inf	105.57	3	Horizontal	92	1.80	-	31.66	5.75	32.47
PK	5.3548G	62.37	74.00	-11.63	57.60	3	Horizontal	92	1.80	-	31.32	5.93	32.48
AV	5.3548G	50.72	54.00	-3.28	45.95	3	Horizontal	92	1.80	-	31.32	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
 Setting 64
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1209G	63.36	74.00	-10.64	58.23	3	Vertical	91	1.80	-	31.96	5.62	32.45
AV	5.1494G	51.92	54.00	-2.08	46.83	3	Vertical	91	1.80	-	31.90	5.65	32.46
PK	5.2865G	121.20	Inf	-Inf	116.39	3	Vertical	91	1.80	-	31.45	5.83	32.47
AV	5.2766G	109.70	Inf	-Inf	104.87	3	Vertical	91	1.80	-	31.49	5.81	32.47
PK	5.3516G	66.00	74.00	-8.00	61.24	3	Vertical	91	1.80	-	31.31	5.93	32.48
AV	5.3516G	53.33	54.00	-0.67	48.57	3	Vertical	91	1.80	-	31.31	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
 Setting 64
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	63.86	74.00	-10.14	58.76	3	Horizontal	93	1.80	-	31.91	5.65	32.46
AV	5.1227G	52.23	54.00	-1.77	47.11	3	Horizontal	93	1.80	-	31.95	5.62	32.45
PK	5.264G	121.44	Inf	-Inf	116.57	3	Horizontal	93	1.80	-	31.54	5.80	32.47
AV	5.264G	110.63	Inf	-Inf	105.76	3	Horizontal	93	1.80	-	31.54	5.80	32.47
PK	5.3564G	67.70	74.00	-6.30	62.92	3	Horizontal	93	1.80	-	31.33	5.93	32.48
AV	5.3516G	53.22	54.00	-0.78	48.46	3	Horizontal	93	1.80	-	31.31	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 43
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	115.74	Inf	-Inf	110.97	3	Vertical	89	1.80	-	31.40	5.85	32.48
AV	5.3018G	103.87	Inf	-Inf	99.10	3	Vertical	89	1.80	-	31.40	5.85	32.48
PK	5.3524G	67.37	74.00	-6.63	62.61	3	Vertical	89	1.80	-	31.31	5.93	32.48
AV	5.35G	53.46	54.00	-0.54	48.71	3	Vertical	89	1.80	-	31.30	5.93	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 43
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	115.12	Inf	-Inf	110.35	3	Horizontal	91	1.80	-	31.40	5.85	32.48
AV	5.3042G	103.72	Inf	-Inf	98.95	3	Horizontal	91	1.80	-	31.39	5.86	32.48
PK	5.3522G	64.23	74.00	-9.77	59.47	3	Horizontal	91	1.80	-	31.31	5.93	32.48
AV	5.35G	51.38	54.00	-2.62	46.63	3	Horizontal	91	1.80	-	31.30	5.93	32.48

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
 Setting 43
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	66.31	74.00	-7.69	61.07	3	Vertical	91	1.80	-	31.73	6.00	32.49
AV	5.4592G	51.09	54.00	-2.91	45.85	3	Vertical	91	1.80	-	31.74	6.00	32.50
PK	5.4692G	67.43	68.20	-0.77	62.15	3	Vertical	91	1.80	-	31.78	6.00	32.50
PK	5.5164G	115.40	Inf	-Inf	109.99	3	Vertical	91	1.80	-	31.90	6.00	32.49
AV	5.4966G	104.09	Inf	-Inf	98.70	3	Vertical	91	1.80	-	31.89	6.00	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 43
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	62.60	74.00	-11.40	57.40	3	Horizontal	92	1.80	-	31.69	6.00	32.49
PK	5.4652G	64.26	68.20	-3.94	59.00	3	Horizontal	92	1.80	-	31.76	6.00	32.50
AV	5.4592G	51.06	54.00	-2.94	45.82	3	Horizontal	92	1.80	-	31.74	6.00	32.50
PK	5.5168G	116.19	Inf	-Inf	110.78	3	Horizontal	92	1.80	-	31.90	6.00	32.49
AV	5.5042G	104.40	Inf	-Inf	99.00	3	Horizontal	92	1.80	-	31.90	6.00	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
 Setting 61
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4492G	65.75	74.00	-8.25	60.54	3	Vertical	90	1.76	-	31.70	6.00	32.49
PK	5.4672G	67.96	68.20	-0.24	62.69	3	Vertical	90	1.76	-	31.77	6.00	32.50
AV	5.46G	52.53	54.00	-1.47	47.29	3	Vertical	90	1.76	-	31.74	6.00	32.50
PK	5.542G	120.80	Inf	-Inf	115.39	3	Vertical	90	1.76	-	31.90	6.00	32.49
AV	5.5568G	109.48	Inf	-Inf	104.06	3	Vertical	90	1.76	-	31.90	6.00	32.48
PK	5.7324G	61.15	68.20	-7.05	55.38	3	Vertical	90	1.76	-	32.13	6.07	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
 Setting 61
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4464G	65.34	74.00	-8.66	60.14	3	Horizontal	92	1.80	-	31.69	6.00	32.49
PK	5.4692G	65.54	68.20	-2.66	60.26	3	Horizontal	92	1.80	-	31.78	6.00	32.50
AV	5.4588G	51.50	54.00	-2.50	46.26	3	Horizontal	92	1.80	-	31.74	6.00	32.50
PK	5.5492G	119.65	Inf	-Inf	114.23	3	Horizontal	92	1.80	-	31.90	6.00	32.48
AV	5.544G	108.53	Inf	-Inf	103.12	3	Horizontal	92	1.80	-	31.90	6.00	32.49
PK	5.7324G	60.87	68.20	-7.33	55.10	3	Horizontal	92	1.80	-	32.13	6.07	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
 Setting 47
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	116.13	Inf	-Inf	110.65	3	Vertical	90	1.80	-	31.89	6.04	32.45
AV	5.6768G	104.83	Inf	-Inf	99.32	3	Vertical	90	1.80	-	31.91	6.04	32.44
PK	5.725G	67.26	68.20	-0.94	61.53	3	Vertical	90	1.80	-	32.10	6.06	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
 Setting 47
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6638G	115.06	Inf	-Inf	109.62	3	Horizontal	95	1.72	-	31.86	6.03	32.45
AV	5.6736G	104.35	Inf	-Inf	98.86	3	Horizontal	95	1.72	-	31.89	6.04	32.44
PK	5.7354G	65.13	68.20	-3.07	59.34	3	Horizontal	95	1.72	-	32.14	6.07	32.42

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 81
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	122.91	Inf	-Inf	117.29	3	Vertical	90	1.80	-	32.01	6.05	32.44
AV	5.6968G	111.68	Inf	-Inf	106.08	3	Vertical	90	1.80	-	31.99	6.05	32.44
PK	5.8536G	67.57	68.20	-0.63	61.57	3	Vertical	90	1.80	-	32.32	6.07	32.39

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 81
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.704G	122.29	Inf	-Inf	116.65	3	Horizontal	93	1.80	-	32.02	6.05	32.43
AV	5.714G	111.24	Inf	-Inf	105.55	3	Horizontal	93	1.80	-	32.06	6.06	32.43
PK	5.85G	67.96	68.20	-0.24	61.98	3	Horizontal	93	1.80	-	32.30	6.07	32.39

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 Setting 72
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	67.97	68.20	-0.23	62.60	3	Vertical	91	1.77	-	31.80	6.02	32.45
PK	5.747G	120.99	Inf	-Inf	115.15	3	Vertical	91	1.77	-	32.19	6.07	32.42
AV	5.7465G	109.62	Inf	-Inf	103.78	3	Vertical	91	1.77	-	32.19	6.07	32.42
PK	5.994G	62.07	68.20	-6.13	55.90	3	Vertical	91	1.77	-	32.51	6.00	32.34

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 Setting 72
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	66.75	68.20	-1.45	61.36	3	Horizontal	93	1.80	-	31.83	6.02	32.46
PK	5.7545G	120.60	Inf	-Inf	114.73	3	Horizontal	93	1.80	-	32.21	6.08	32.42
AV	5.759G	109.73	Inf	-Inf	103.85	3	Horizontal	93	1.80	-	32.22	6.08	32.42
PK	5.9315G	62.16	68.20	-6.04	55.89	3	Horizontal	93	1.80	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
 Setting 76
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	64.51	68.20	-3.69	59.14	3	Vertical	92	1.75	-	31.80	6.02	32.45
PK	5.796G	121.31	Inf	-Inf	115.33	3	Vertical	92	1.75	-	32.29	6.10	32.41
AV	5.7915G	110.62	Inf	-Inf	104.65	3	Vertical	92	1.75	-	32.28	6.10	32.41
PK	5.9265G	65.15	68.20	-3.05	58.87	3	Vertical	92	1.75	-	32.60	6.04	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
 Setting 76
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.10	68.20	-4.10	58.72	3	Horizontal	93	1.79	-	31.81	6.02	32.45
PK	5.7945G	121.75	Inf	-Inf	115.77	3	Horizontal	93	1.79	-	32.29	6.10	32.41
AV	5.7895G	110.65	Inf	-Inf	104.69	3	Horizontal	93	1.79	-	32.28	6.09	32.41
PK	5.927G	65.62	68.20	-2.58	59.34	3	Horizontal	93	1.79	-	32.60	6.04	32.36

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
 Setting 42
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	64.43	74.00	-9.57	59.33	3	Vertical	91	1.80	-	31.92	5.64	32.46
AV	5.1488G	53.59	54.00	-0.41	48.50	3	Vertical	91	1.80	-	31.90	5.65	32.46
PK	5.1888G	111.99	Inf	-Inf	106.94	3	Vertical	91	1.80	-	31.82	5.69	32.46
AV	5.2216G	101.02	Inf	-Inf	96.05	3	Vertical	91	1.80	-	31.71	5.73	32.47
PK	5.3708G	60.17	74.00	-13.83	55.31	3	Vertical	91	1.80	-	31.38	5.96	32.48
AV	5.352G	48.61	54.00	-5.39	43.85	3	Vertical	91	1.80	-	31.31	5.93	32.48

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
 Setting 42
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1336G	63.33	74.00	-10.67	58.23	3	Horizontal	92	1.77	-	31.93	5.63	32.46
AV	5.144G	52.07	54.00	-1.93	46.98	3	Horizontal	92	1.77	-	31.91	5.64	32.46
PK	5.1888G	112.22	Inf	-Inf	107.17	3	Horizontal	92	1.77	-	31.82	5.69	32.46
AV	5.1992G	101.82	Inf	-Inf	96.78	3	Horizontal	92	1.77	-	31.80	5.70	32.46
PK	5.3648G	60.06	74.00	-13.94	55.23	3	Horizontal	92	1.77	-	31.36	5.95	32.48
AV	5.3592G	48.35	54.00	-5.65	43.55	3	Horizontal	92	1.77	-	31.34	5.94	32.48

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
 Setting 42
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	61.35	74.00	-12.65	56.21	3	Vertical	90	1.80	-	31.98	5.61	32.45
AV	5.1488G	49.58	54.00	-4.42	44.49	3	Vertical	90	1.80	-	31.90	5.65	32.46
PK	5.2816G	111.75	Inf	-Inf	106.93	3	Vertical	90	1.80	-	31.47	5.82	32.47
AV	5.2816G	100.77	Inf	-Inf	95.95	3	Vertical	90	1.80	-	31.47	5.82	32.47
PK	5.3524G	66.47	74.00	-7.53	61.71	3	Vertical	90	1.80	-	31.31	5.93	32.48
AV	5.3544G	53.93	54.00	-0.07	49.16	3	Vertical	90	1.80	-	31.32	5.93	32.48
PK	5.49G	60.30	68.20	-7.90	54.94	3	Vertical	90	1.80	-	31.86	6.00	32.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
 Setting 42
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	62.60	74.00	-11.40	57.50	3	Horizontal	92	1.80	-	31.92	5.64	32.46
AV	5.146G	50.32	54.00	-3.68	45.22	3	Horizontal	92	1.80	-	31.91	5.65	32.46
PK	5.2992G	112.47	Inf	-Inf	107.70	3	Horizontal	92	1.80	-	31.40	5.85	32.48
AV	5.2792G	101.49	Inf	-Inf	96.66	3	Horizontal	92	1.80	-	31.48	5.82	32.47
PK	5.3652G	65.25	74.00	-8.75	60.42	3	Horizontal	92	1.80	-	31.36	5.95	32.48
AV	5.354G	52.27	54.00	-1.73	47.50	3	Horizontal	92	1.80	-	31.32	5.93	32.48
PK	5.4844G	59.68	68.20	-8.52	54.34	3	Horizontal	92	1.80	-	31.84	6.00	32.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
 Setting 44
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3392G	60.34	68.20	-7.86	55.59	3	Vertical	91	1.78	-	31.32	5.91	32.48
PK	5.4584G	65.44	74.00	-8.56	60.21	3	Vertical	91	1.78	-	31.73	6.00	32.50
AV	5.4564G	52.12	54.00	-1.88	46.88	3	Vertical	91	1.78	-	31.73	6.00	32.49
PK	5.4636G	68.08	68.20	-0.12	62.83	3	Vertical	91	1.78	-	31.75	6.00	32.50
PK	5.5568G	113.00	Inf	-Inf	107.58	3	Vertical	91	1.78	-	31.90	6.00	32.48
AV	5.5416G	101.75	Inf	-Inf	96.34	3	Vertical	91	1.78	-	31.90	6.00	32.49
PK	5.7256G	59.30	68.20	-8.90	53.57	3	Vertical	91	1.78	-	32.10	6.06	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
 Setting 44
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3304G	60.93	68.20	-7.27	56.17	3	Horizontal	91	1.91	-	31.34	5.90	32.48
PK	5.4492G	63.77	74.00	-10.23	58.56	3	Horizontal	91	1.91	-	31.70	6.00	32.49
AV	5.4544G	51.47	54.00	-2.53	46.24	3	Horizontal	91	1.91	-	31.72	6.00	32.49
PK	5.4644G	64.57	68.20	-3.63	59.31	3	Horizontal	91	1.91	-	31.76	6.00	32.50
PK	5.5396G	113.14	Inf	-Inf	107.73	3	Horizontal	91	1.91	-	31.90	6.00	32.49
AV	5.5192G	102.40	Inf	-Inf	96.99	3	Horizontal	91	1.91	-	31.90	6.00	32.49
PK	5.7284G	59.51	68.20	-8.69	53.77	3	Horizontal	91	1.91	-	32.11	6.06	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
 Setting 58
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.07	74.00	-8.93	59.83	3	Vertical	92	1.67	-	31.74	6.00	32.50
AV	5.4584G	52.20	54.00	-1.80	46.97	3	Vertical	92	1.67	-	31.73	6.00	32.50
PK	5.462G	65.67	68.20	-2.53	60.42	3	Vertical	92	1.67	-	31.75	6.00	32.50
PK	5.6012G	116.45	Inf	-Inf	111.02	3	Vertical	92	1.67	-	31.90	6.00	32.47
AV	5.6216G	104.31	Inf	-Inf	98.90	3	Vertical	92	1.67	-	31.86	6.01	32.46
PK	5.7264G	67.96	68.20	-0.24	62.22	3	Vertical	92	1.67	-	32.11	6.06	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
 Setting 58
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.01	74.00	-8.99	59.77	3	Horizontal	94	1.78	-	31.74	6.00	32.50
AV	5.4536G	52.68	54.00	-1.32	47.46	3	Horizontal	94	1.78	-	31.71	6.00	32.49
PK	5.4644G	65.77	68.20	-2.43	60.51	3	Horizontal	94	1.78	-	31.76	6.00	32.50
PK	5.6088G	115.67	Inf	-Inf	110.26	3	Horizontal	94	1.78	-	31.88	6.00	32.47
AV	5.594G	103.96	Inf	-Inf	98.53	3	Horizontal	94	1.78	-	31.90	6.00	32.47
PK	5.7256G	68.05	68.20	-0.15	62.32	3	Horizontal	94	1.78	-	32.10	6.06	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 64
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6996G	116.88	Inf	-Inf	111.27	3	Vertical	89	1.80	-	32.00	6.05	32.44
AV	5.682G	106.09	Inf	-Inf	100.56	3	Vertical	89	1.80	-	31.93	6.04	32.44
PK	5.866G	67.06	68.20	-1.14	60.97	3	Vertical	89	1.80	-	32.40	6.07	32.38

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 64
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6792G	116.55	Inf	-Inf	111.03	3	Horizontal	92	1.79	-	31.92	6.04	32.44
AV	5.6792G	105.57	Inf	-Inf	100.05	3	Horizontal	92	1.79	-	31.92	6.04	32.44
PK	5.8504G	66.73	68.20	-1.47	60.75	3	Horizontal	92	1.79	-	32.30	6.07	32.39

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 55
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	68.17	68.20	-0.03	62.80	3	Vertical	91	1.76	-	31.80	6.02	32.45
PK	5.766G	114.69	Inf	-Inf	108.79	3	Vertical	91	1.76	-	32.23	6.08	32.41
AV	5.7665G	103.19	Inf	-Inf	97.29	3	Vertical	91	1.76	-	32.23	6.08	32.41
PK	5.9315G	62.51	68.20	-5.69	56.24	3	Vertical	91	1.76	-	32.60	6.03	32.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
 Setting 55
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.00	68.20	-2.20	60.62	3	Horizontal	93	1.80	-	31.80	6.03	32.45
PK	5.7845G	113.84	Inf	-Inf	107.89	3	Horizontal	93	1.80	-	32.27	6.09	32.41
AV	5.7645G	103.13	Inf	-Inf	97.24	3	Horizontal	93	1.80	-	32.23	6.08	32.42
PK	5.9265G	63.19	68.20	-5.01	56.91	3	Horizontal	93	1.80	-	32.60	6.04	32.36

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
 Setting 35
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	64.96	74.00	-9.04	59.85	3	Vertical	93	1.80	-	31.93	5.64	32.46
AV	5.1236G	53.91	54.00	-0.09	48.79	3	Vertical	93	1.80	-	31.95	5.62	32.45
PK	5.2332G	108.92	Inf	-Inf	103.97	3	Vertical	93	1.80	-	31.67	5.75	32.47
AV	5.2316G	97.62	Inf	-Inf	92.67	3	Vertical	93	1.80	-	31.67	5.75	32.47
PK	5.3772G	64.73	74.00	-9.27	59.84	3	Vertical	93	1.80	-	31.41	5.97	32.49
AV	5.3764G	53.46	54.00	-0.54	48.58	3	Vertical	93	1.80	-	31.41	5.96	32.49
PK	5.5332G	59.85	68.20	-8.35	54.44	3	Vertical	93	1.80	-	31.90	6.00	32.49

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
 Setting 35
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.46	74.00	-10.54	58.37	3	Horizontal	88	1.80	-	31.90	5.65	32.46
AV	5.142G	53.62	54.00	-0.38	48.52	3	Horizontal	88	1.80	-	31.92	5.64	32.46
PK	5.2348G	108.80	Inf	-Inf	103.86	3	Horizontal	88	1.80	-	31.66	5.75	32.47
AV	5.2452G	98.50	Inf	-Inf	93.58	3	Horizontal	88	1.80	-	31.62	5.77	32.47
PK	5.3772G	63.73	74.00	-10.27	58.84	3	Horizontal	88	1.80	-	31.41	5.97	32.49
AV	5.3724G	52.47	54.00	-1.53	47.60	3	Horizontal	88	1.80	-	31.39	5.96	32.48
PK	5.4732G	60.29	68.20	-7.91	55.00	3	Horizontal	88	1.80	-	31.79	6.00	32.50

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
 Setting 45
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	62.30	68.20	-5.90	57.55	3	Vertical	92	1.65	-	31.34	5.89	32.48
PK	5.4516G	65.62	74.00	-8.38	60.40	3	Vertical	92	1.65	-	31.71	6.00	32.49
AV	5.4476G	53.49	54.00	-0.51	48.29	3	Vertical	92	1.65	-	31.69	6.00	32.49
PK	5.4676G	67.96	68.20	-0.24	62.69	3	Vertical	92	1.65	-	31.77	6.00	32.50
PK	5.554G	110.79	Inf	-Inf	105.37	3	Vertical	92	1.65	-	31.90	6.00	32.48
AV	5.5564G	100.24	Inf	-Inf	94.82	3	Vertical	92	1.65	-	31.90	6.00	32.48
PK	5.7332G	65.12	68.20	-3.08	59.35	3	Vertical	92	1.65	-	32.13	6.07	32.43

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Z_4TX
 Setting 45
 06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	61.41	68.20	-6.79	56.64	3	Horizontal	90	1.80	-	31.37	5.88	32.48
PK	5.4452G	66.45	74.00	-7.55	61.26	3	Horizontal	90	1.80	-	31.68	6.00	32.49
AV	5.4468G	53.14	54.00	-0.86	47.94	3	Horizontal	90	1.80	-	31.69	6.00	32.49
PK	5.47G	67.70	68.20	-0.50	62.42	3	Horizontal	90	1.80	-	31.78	6.00	32.50
PK	5.5148G	109.38	Inf	-Inf	103.98	3	Horizontal	90	1.80	-	31.90	6.00	32.50
AV	5.5652G	99.75	Inf	-Inf	94.33	3	Horizontal	90	1.80	-	31.90	6.00	32.48
PK	5.7252G	66.20	68.20	-2.00	60.47	3	Horizontal	90	1.80	-	32.10	6.06	32.43




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.15G	53.97	54.00	-0.03	3	Horizontal	88	1.76	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
 Setting 56
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.31	74.00	-1.69	63.67	3	Vertical	92	1.77	-	33.60	5.77	30.73
AV	5.15G	52.35	54.00	-1.65	43.70	3	Vertical	92	1.77	-	33.60	5.78	30.73
PK	5.1764G	120.71	Inf	-Inf	112.00	3	Vertical	92	1.77	-	33.65	5.79	30.73
AV	5.1756G	111.64	Inf	-Inf	102.93	3	Vertical	92	1.77	-	33.65	5.79	30.73

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
 Setting 56
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.05	74.00	-0.95	64.40	3	Horizontal	88	1.76	-	33.60	5.78	30.73
AV	5.15G	53.97	54.00	-0.03	45.32	3	Horizontal	88	1.76	-	33.60	5.78	30.73
PK	5.1764G	122.49	Inf	-Inf	113.78	3	Horizontal	88	1.76	-	33.65	5.79	30.73
AV	5.1756G	112.31	Inf	-Inf	103.60	3	Horizontal	88	1.76	-	33.65	5.79	30.73

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 70
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	73.34	74.00	-0.66	64.71	3	Vertical	85	1.50	-	33.59	5.77	30.73
AV	5.1484G	53.82	54.00	-0.18	45.18	3	Vertical	85	1.50	-	33.60	5.77	30.73
PK	5.2048G	124.58	Inf	-Inf	115.81	3	Vertical	85	1.50	-	33.70	5.80	30.73
AV	5.2064G	114.96	Inf	-Inf	106.19	3	Vertical	85	1.50	-	33.70	5.80	30.73

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 70
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	69.93	74.00	-4.07	61.30	3	Horizontal	87	1.80	-	33.59	5.77	30.73
AV	5.1408G	53.65	54.00	-0.35	45.03	3	Horizontal	87	1.80	-	33.58	5.77	30.73
PK	5.1944G	125.22	Inf	-Inf	116.46	3	Horizontal	87	1.80	-	33.69	5.80	30.73
AV	5.1952G	115.59	Inf	-Inf	106.83	3	Horizontal	87	1.80	-	33.69	5.80	30.73

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
 Setting 93
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	69.34	74.00	-4.66	60.71	3	Vertical	90	1.77	-	33.59	5.77	30.73
AV	5.1434G	53.47	54.00	-0.53	44.84	3	Vertical	90	1.77	-	33.59	5.77	30.73
PK	5.234G	128.84	Inf	-Inf	120.05	3	Vertical	90	1.77	-	33.70	5.82	30.73
AV	5.234G	118.97	Inf	-Inf	110.18	3	Vertical	90	1.77	-	33.70	5.82	30.73
PK	5.3534G	65.71	74.00	-8.29	56.64	3	Vertical	90	1.77	-	33.91	5.88	30.72
AV	5.354G	52.49	54.00	-1.51	43.42	3	Vertical	90	1.77	-	33.91	5.88	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
 Setting 93
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	68.62	74.00	-5.38	60.01	3	Horizontal	94	1.68	-	33.57	5.77	30.73
AV	5.15G	53.22	54.00	-0.78	44.57	3	Horizontal	94	1.68	-	33.60	5.78	30.73
PK	5.2448G	128.76	Inf	-Inf	119.97	3	Horizontal	94	1.68	-	33.70	5.82	30.73
AV	5.2442G	118.99	Inf	-Inf	110.20	3	Horizontal	94	1.68	-	33.70	5.82	30.73
PK	5.35G	66.29	74.00	-7.71	57.23	3	Horizontal	94	1.68	-	33.90	5.88	30.72
AV	5.354G	53.13	54.00	-0.87	44.06	3	Horizontal	94	1.68	-	33.91	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 91
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	64.20	74.00	-9.80	55.62	3	Vertical	91	1.86	-	33.55	5.76	30.73
AV	5.15G	52.56	54.00	-1.44	43.92	3	Vertical	91	1.86	-	33.60	5.77	30.73
PK	5.2552G	128.54	Inf	-Inf	119.72	3	Vertical	91	1.86	-	33.71	5.83	30.72
AV	5.2552G	118.20	Inf	-Inf	109.38	3	Vertical	91	1.86	-	33.71	5.83	30.72
PK	5.3608G	67.58	74.00	-6.42	58.50	3	Vertical	91	1.86	-	33.92	5.88	30.72
AV	5.3506G	53.51	54.00	-0.49	44.45	3	Vertical	91	1.86	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 91
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.24	74.00	-8.76	56.60	3	Horizontal	88	1.70	-	33.60	5.77	30.73
AV	5.15G	53.00	54.00	-1.00	44.36	3	Horizontal	88	1.70	-	33.60	5.77	30.73
PK	5.257G	128.93	Inf	-Inf	120.11	3	Horizontal	88	1.70	-	33.71	5.83	30.72
AV	5.2558G	118.38	Inf	-Inf	109.56	3	Horizontal	88	1.70	-	33.71	5.83	30.72
PK	5.3596G	66.18	74.00	-7.82	57.10	3	Horizontal	88	1.70	-	33.92	5.88	30.72
AV	5.3644G	53.44	54.00	-0.56	44.35	3	Horizontal	88	1.70	-	33.93	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 72
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	124.07	Inf	-Inf	115.13	3	Vertical	84	1.44	-	33.81	5.85	30.72
AV	5.304G	114.80	Inf	-Inf	105.86	3	Vertical	84	1.44	-	33.81	5.85	30.72
PK	5.3568G	67.96	74.00	-6.04	58.89	3	Vertical	84	1.44	-	33.91	5.88	30.72
AV	5.3504G	53.24	54.00	-0.76	44.18	3	Vertical	84	1.44	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 72
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	125.10	Inf	-Inf	116.17	3	Horizontal	92	1.74	-	33.80	5.85	30.72
AV	5.3024G	115.29	Inf	-Inf	106.36	3	Horizontal	92	1.74	-	33.80	5.85	30.72
PK	5.3564G	68.94	74.00	-5.06	59.87	3	Horizontal	92	1.74	-	33.91	5.88	30.72
AV	5.3504G	53.10	54.00	-0.90	44.04	3	Horizontal	92	1.74	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 60
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	122.24	Inf	-Inf	113.26	3	Vertical	93	1.63	-	33.84	5.86	30.72
AV	5.318G	112.91	Inf	-Inf	103.93	3	Vertical	93	1.63	-	33.84	5.86	30.72
PK	5.3564G	70.38	74.00	-3.62	61.31	3	Vertical	93	1.63	-	33.91	5.88	30.72
AV	5.3532G	53.42	54.00	-0.58	44.35	3	Vertical	93	1.63	-	33.91	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 60
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	122.49	Inf	-Inf	113.51	3	Horizontal	92	1.78	-	33.84	5.86	30.72
AV	5.3216G	112.63	Inf	-Inf	103.65	3	Horizontal	92	1.78	-	33.84	5.86	30.72
PK	5.3516G	70.01	74.00	-3.99	60.95	3	Horizontal	92	1.78	-	33.90	5.88	30.72
AV	5.35G	52.90	54.00	-1.10	43.84	3	Horizontal	92	1.78	-	33.90	5.88	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 44
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4416G	61.65	74.00	-12.35	52.43	3	Vertical	83	1.64	-	34.00	5.94	30.72
PK	5.4692G	62.96	68.20	-5.24	53.71	3	Vertical	83	1.64	-	34.00	5.97	30.72
AV	5.46G	49.83	54.00	-4.17	40.59	3	Vertical	83	1.64	-	34.00	5.96	30.72
PK	5.5024G	118.20	Inf	-Inf	108.92	3	Vertical	83	1.64	-	34.00	6.00	30.72
AV	5.504G	108.42	Inf	-Inf	99.14	3	Vertical	83	1.64	-	34.00	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 44
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.24	74.00	-11.76	53.00	3	Horizontal	89	1.78	-	34.00	5.96	30.72
AV	5.4584G	50.31	54.00	-3.69	41.07	3	Horizontal	89	1.78	-	34.00	5.96	30.72
PK	5.466G	67.97	68.20	-0.23	58.72	3	Horizontal	89	1.78	-	34.00	5.97	30.72
PK	5.4976G	120.66	Inf	-Inf	111.38	3	Horizontal	89	1.78	-	34.00	6.00	30.72
AV	5.4952G	110.11	Inf	-Inf	100.83	3	Horizontal	89	1.78	-	34.00	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
 Setting 97
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	66.37	74.00	-7.63	57.15	3	Vertical	90	1.45	-	34.00	5.94	30.72
PK	5.4632G	67.78	68.20	-0.42	58.54	3	Vertical	90	1.45	-	34.00	5.96	30.72
AV	5.46G	52.44	54.00	-1.56	43.20	3	Vertical	90	1.45	-	34.00	5.96	30.72
PK	5.5752G	128.03	Inf	-Inf	118.78	3	Vertical	90	1.45	-	33.95	6.08	30.78
AV	5.5736G	117.68	Inf	-Inf	108.44	3	Vertical	90	1.45	-	33.95	6.07	30.78
PK	5.7432G	65.00	68.20	-3.20	55.99	3	Vertical	90	1.45	-	33.81	6.10	30.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 97
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	66.09	74.00	-7.91	56.86	3	Horizontal	87	1.80	-	34.00	5.95	30.72
AV	5.4568G	52.77	54.00	-1.23	43.53	3	Horizontal	87	1.80	-	34.00	5.96	30.72
PK	5.4688G	65.15	68.20	-3.05	55.90	3	Horizontal	87	1.80	-	34.00	5.97	30.72
PK	5.572G	127.94	Inf	-Inf	118.68	3	Horizontal	87	1.80	-	33.96	6.07	30.77
AV	5.5736G	117.57	Inf	-Inf	108.33	3	Horizontal	87	1.80	-	33.95	6.07	30.78
PK	5.7352G	62.44	68.20	-5.76	53.41	3	Horizontal	87	1.80	-	33.83	6.10	30.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
 Setting 48
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	117.54	Inf	-Inf	108.42	3	Vertical	90	1.50	-	33.89	6.10	30.87
AV	5.6954G	107.63	Inf	-Inf	98.51	3	Vertical	90	1.50	-	33.89	6.10	30.87
PK	5.7258G	66.75	68.20	-1.45	57.69	3	Vertical	90	1.50	-	33.85	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
 Setting 48
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	118.45	Inf	-Inf	109.33	3	Horizontal	89	1.53	-	33.89	6.10	30.87
AV	5.6954G	108.02	Inf	-Inf	98.90	3	Horizontal	89	1.53	-	33.89	6.10	30.87
PK	5.7338G	67.01	68.20	-1.19	57.98	3	Horizontal	89	1.53	-	33.83	6.10	30.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 98
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	126.68	Inf	-Inf	117.61	3	Vertical	91	1.49	-	33.86	6.10	30.89
AV	5.7176G	116.44	Inf	-Inf	107.37	3	Vertical	91	1.49	-	33.86	6.10	30.89
PK	5.8632G	64.44	68.20	-3.76	55.40	3	Vertical	91	1.49	-	33.88	6.16	31.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
 Setting 98
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	127.93	Inf	-Inf	118.84	3	Horizontal	90	1.58	-	33.87	6.10	30.88
AV	5.7168G	117.34	Inf	-Inf	108.25	3	Horizontal	90	1.58	-	33.87	6.10	30.88
PK	5.8616G	68.04	68.20	-0.16	59.01	3	Horizontal	90	1.58	-	33.87	6.15	30.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 91
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.35	68.20	-0.85	58.28	3	Vertical	89	1.56	-	33.80	6.10	30.83
PK	5.74G	126.30	Inf	-Inf	117.28	3	Vertical	89	1.56	-	33.82	6.10	30.90
AV	5.739G	116.86	Inf	-Inf	107.84	3	Vertical	89	1.56	-	33.82	6.10	30.90
PK	5.946G	61.35	68.20	-6.85	51.98	3	Vertical	89	1.56	-	34.19	6.24	31.06

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 91
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	64.71	68.20	-3.49	55.60	3	Horizontal	88	1.58	-	33.83	6.10	30.82
PK	5.74G	126.09	Inf	-Inf	117.07	3	Horizontal	88	1.58	-	33.82	6.10	30.90
AV	5.739G	116.15	Inf	-Inf	107.13	3	Horizontal	88	1.58	-	33.82	6.10	30.90
PK	5.959G	61.55	68.20	-6.65	52.16	3	Horizontal	88	1.58	-	34.20	6.26	31.07

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 98
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	64.48	68.20	-3.72	55.19	3	Vertical	89	1.37	-	34.00	6.04	30.75
PK	5.782G	126.00	Inf	-Inf	117.03	3	Vertical	89	1.37	-	33.80	6.10	30.93
AV	5.78G	116.09	Inf	-Inf	107.12	3	Vertical	89	1.37	-	33.80	6.10	30.93
PK	5.926G	62.42	68.20	-5.78	53.09	3	Vertical	89	1.37	-	34.15	6.22	31.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 98
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	67.27	68.20	-0.93	58.17	3	Horizontal	89	1.74	-	33.82	6.10	30.82
PK	5.779G	126.97	Inf	-Inf	118.00	3	Horizontal	89	1.74	-	33.80	6.10	30.93
AV	5.78G	116.20	Inf	-Inf	107.23	3	Horizontal	89	1.74	-	33.80	6.10	30.93
PK	5.935G	66.21	68.20	-1.99	56.86	3	Horizontal	89	1.74	-	34.17	6.23	31.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 92
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	62.04	68.20	-6.16	52.86	3	Vertical	94	1.50	-	33.88	6.10	30.80
PK	5.828G	125.44	Inf	-Inf	116.49	3	Vertical	94	1.50	-	33.80	6.12	30.97
AV	5.827G	115.26	Inf	-Inf	106.31	3	Vertical	94	1.50	-	33.80	6.12	30.97
PK	5.936G	65.96	68.20	-2.24	56.61	3	Vertical	94	1.50	-	34.17	6.23	31.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 92
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	63.09	68.20	-5.11	53.87	3	Horizontal	92	1.53	-	33.92	6.09	30.79
PK	5.823G	125.26	Inf	-Inf	116.32	3	Horizontal	92	1.53	-	33.80	6.11	30.97
AV	5.823G	114.96	Inf	-Inf	106.02	3	Horizontal	92	1.53	-	33.80	6.11	30.97
PK	5.926G	66.87	68.20	-1.33	57.54	3	Horizontal	92	1.53	-	34.15	6.22	31.04

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
 Setting 56
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	72.10	74.00	-1.90	63.46	3	Vertical	88	1.40	-	33.60	5.77	30.73
AV	5.149G	53.61	54.00	-0.39	44.97	3	Vertical	88	1.40	-	33.60	5.77	30.73
PK	5.1886G	121.98	Inf	-Inf	113.24	3	Vertical	88	1.40	-	33.68	5.79	30.73
AV	5.1762G	108.62	Inf	-Inf	99.91	3	Vertical	88	1.40	-	33.65	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 56
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.35	74.00	-2.65	62.70	3	Horizontal	91	1.61	-	33.60	5.78	30.73
AV	5.15G	53.66	54.00	-0.34	45.01	3	Horizontal	91	1.61	-	33.60	5.78	30.73
PK	5.1724G	121.85	Inf	-Inf	113.15	3	Horizontal	91	1.61	-	33.64	5.79	30.73
AV	5.1776G	109.32	Inf	-Inf	100.60	3	Horizontal	91	1.61	-	33.66	5.79	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 67
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	67.37	74.00	-6.63	58.73	3	Vertical	88	1.50	-	33.60	5.77	30.73
AV	5.15G	53.00	54.00	-1.00	44.35	3	Vertical	88	1.50	-	33.60	5.78	30.73
PK	5.2084G	124.65	Inf	-Inf	115.88	3	Vertical	88	1.50	-	33.70	5.80	30.73
AV	5.1988G	112.19	Inf	-Inf	103.42	3	Vertical	88	1.50	-	33.70	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 67
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.29	74.00	-4.71	60.65	3	Horizontal	90	1.59	-	33.60	5.77	30.73
AV	5.1496G	53.80	54.00	-0.20	45.16	3	Horizontal	90	1.59	-	33.60	5.77	30.73
PK	5.1972G	125.60	Inf	-Inf	116.84	3	Horizontal	90	1.59	-	33.69	5.80	30.73
AV	5.1972G	112.76	Inf	-Inf	104.00	3	Horizontal	90	1.59	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
 Setting 88
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	66.98	74.00	-7.02	58.34	3	Vertical	87	1.31	-	33.60	5.77	30.73
AV	5.15G	53.33	54.00	-0.67	44.68	3	Vertical	87	1.31	-	33.60	5.78	30.73
PK	5.2412G	128.72	Inf	-Inf	119.93	3	Vertical	87	1.31	-	33.70	5.82	30.73
AV	5.2388G	116.15	Inf	-Inf	107.36	3	Vertical	87	1.31	-	33.70	5.82	30.73
PK	5.3516G	64.87	74.00	-9.13	55.81	3	Vertical	87	1.31	-	33.90	5.88	30.72
AV	5.351G	52.18	54.00	-1.82	43.12	3	Vertical	87	1.31	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX



EUT_Y_4TX
 Setting 88
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	67.60	74.00	-6.40	58.96	3	Horizontal	91	1.61	-	33.60	5.77	30.73
AV	5.15G	53.54	54.00	-0.46	44.89	3	Horizontal	91	1.61	-	33.60	5.78	30.73
PK	5.2454G	127.50	Inf	-Inf	118.71	3	Horizontal	91	1.61	-	33.70	5.82	30.73
AV	5.2376G	116.04	Inf	-Inf	107.25	3	Horizontal	91	1.61	-	33.70	5.82	30.73
PK	5.3642G	64.36	74.00	-9.64	55.27	3	Horizontal	91	1.61	-	33.93	5.88	30.72
AV	5.3522G	51.79	54.00	-2.21	42.73	3	Horizontal	91	1.61	-	33.90	5.88	30.72