


5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 Setting 90  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.00	74.00	-9.00	56.36	3	Vertical	89	1.46	-	33.60	5.77	30.73
AV	5.1496G	52.18	54.00	-1.82	43.54	3	Vertical	89	1.46	-	33.60	5.77	30.73
PK	5.2636G	127.84	Inf	-Inf	119.00	3	Vertical	89	1.46	-	33.73	5.83	30.72
AV	5.2588G	115.73	Inf	-Inf	106.90	3	Vertical	89	1.46	-	33.72	5.83	30.72
PK	5.3506G	70.23	74.00	-3.77	61.17	3	Vertical	89	1.46	-	33.90	5.88	30.72
AV	5.353G	53.65	54.00	-0.35	44.58	3	Vertical	89	1.46	-	33.91	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 Setting 90  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.62	74.00	-9.38	55.98	3	Horizontal	91	1.60	-	33.60	5.77	30.73
AV	5.1496G	52.63	54.00	-1.37	43.99	3	Horizontal	91	1.60	-	33.60	5.77	30.73
PK	5.2624G	128.05	Inf	-Inf	119.22	3	Horizontal	91	1.60	-	33.72	5.83	30.72
AV	5.2576G	116.07	Inf	-Inf	107.24	3	Horizontal	91	1.60	-	33.72	5.83	30.72
PK	5.3584G	69.70	74.00	-4.30	60.62	3	Horizontal	91	1.60	-	33.92	5.88	30.72
AV	5.3506G	53.95	54.00	-0.05	44.89	3	Horizontal	91	1.60	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
Setting 70  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3042G	124.16	Inf	-Inf	115.22	3	Vertical	88	1.36	-	33.81	5.85	30.72
AV	5.3036G	111.70	Inf	-Inf	102.76	3	Vertical	88	1.36	-	33.81	5.85	30.72
PK	5.35G	70.21	74.00	-3.79	61.15	3	Vertical	88	1.36	-	33.90	5.88	30.72
AV	5.35G	53.63	54.00	-0.37	44.57	3	Vertical	88	1.36	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
 Setting 70  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	125.50	Inf	-Inf	116.58	3	Horizontal	86	1.80	-	33.79	5.85	30.72
AV	5.3018G	112.18	Inf	-Inf	103.25	3	Horizontal	86	1.80	-	33.80	5.85	30.72
PK	5.3546G	69.27	74.00	-4.73	60.20	3	Horizontal	86	1.80	-	33.91	5.88	30.72
AV	5.35G	53.26	54.00	-0.74	44.20	3	Horizontal	86	1.80	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3128G	122.12	Inf	-Inf	113.15	3	Vertical	83	1.46	-	33.83	5.86	30.72
AV	5.3182G	108.73	Inf	-Inf	99.75	3	Vertical	83	1.46	-	33.84	5.86	30.72
PK	5.3554G	72.03	74.00	-1.97	62.96	3	Vertical	83	1.46	-	33.91	5.88	30.72
AV	5.3506G	52.72	54.00	-1.28	43.66	3	Vertical	83	1.46	-	33.90	5.88	30.72
PK	5.461G	59.74	68.20	-8.46	50.50	3	Vertical	83	1.46	-	34.00	5.96	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	122.08	Inf	-Inf	113.11	3	Horizontal	89	1.61	-	33.83	5.86	30.72
AV	5.317G	108.71	Inf	-Inf	99.74	3	Horizontal	89	1.61	-	33.83	5.86	30.72
PK	5.3542G	71.29	74.00	-2.71	62.22	3	Horizontal	89	1.61	-	33.91	5.88	30.72
AV	5.35G	52.74	54.00	-1.26	43.68	3	Horizontal	89	1.61	-	33.90	5.88	30.72
PK	5.4634G	60.70	68.20	-7.50	51.46	3	Horizontal	89	1.61	-	34.00	5.96	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
Setting 29  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	61.01	74.00	-12.99	51.78	3	Vertical	91	1.48	-	34.00	5.95	30.72
AV	5.4594G	47.59	54.00	-6.41	38.35	3	Vertical	91	1.48	-	34.00	5.96	30.72
PK	5.4692G	62.13	68.20	-6.07	52.88	3	Vertical	91	1.48	-	34.00	5.97	30.72
PK	5.4968G	115.81	Inf	-Inf	106.53	3	Vertical	91	1.48	-	34.00	6.00	30.72
AV	5.4944G	102.75	Inf	-Inf	93.48	3	Vertical	91	1.48	-	34.00	5.99	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TX



23/11/2022


EUT\_Y\_4TX  
 Setting 29  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	61.84	74.00	-12.16	52.61	3	Horizontal	89	1.79	-	34.00	5.95	30.72
AV	5.4574G	47.58	54.00	-6.42	38.34	3	Horizontal	89	1.79	-	34.00	5.96	30.72
PK	5.469G	67.96	68.20	-0.24	58.71	3	Horizontal	89	1.79	-	34.00	5.97	30.72
PK	5.4968G	116.85	Inf	-Inf	107.57	3	Horizontal	89	1.79	-	34.00	6.00	30.72
AV	5.4968G	102.98	Inf	-Inf	93.70	3	Horizontal	89	1.79	-	34.00	6.00	30.72



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 96  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	65.78	74.00	-8.22	56.54	3	Vertical	89	1.44	-	34.00	5.96	30.72
AV	5.456G	51.91	54.00	-2.09	42.67	3	Vertical	89	1.44	-	34.00	5.96	30.72
PK	5.4664G	67.66	68.20	-0.54	58.41	3	Vertical	89	1.44	-	34.00	5.97	30.72
PK	5.5768G	129.06	Inf	-Inf	119.81	3	Vertical	89	1.44	-	33.95	6.08	30.78
AV	5.5768G	115.30	Inf	-Inf	106.05	3	Vertical	89	1.44	-	33.95	6.08	30.78
PK	5.7544G	63.38	68.20	-4.82	54.39	3	Vertical	89	1.44	-	33.80	6.10	30.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 96  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	65.59	74.00	-8.41	56.36	3	Horizontal	87	1.79	-	34.00	5.95	30.72
PK	5.4664G	67.74	68.20	-0.46	58.49	3	Horizontal	87	1.79	-	34.00	5.97	30.72
AV	5.4592G	52.37	54.00	-1.63	43.13	3	Horizontal	87	1.79	-	34.00	5.96	30.72
PK	5.5712G	129.59	Inf	-Inf	120.33	3	Horizontal	87	1.79	-	33.96	6.07	30.77
AV	5.5816G	115.49	Inf	-Inf	106.25	3	Horizontal	87	1.79	-	33.94	6.08	30.78
PK	5.7424G	62.98	68.20	-5.22	53.96	3	Horizontal	87	1.79	-	33.82	6.10	30.90

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 30  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	115.19	Inf	-Inf	106.07	3	Vertical	88	1.47	-	33.89	6.10	30.87
AV	5.6966G	101.57	Inf	-Inf	92.45	3	Vertical	88	1.47	-	33.89	6.10	30.87
PK	5.7292G	63.62	68.20	-4.58	54.57	3	Vertical	88	1.47	-	33.84	6.10	30.89

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 30  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7066G	114.52	Inf	-Inf	105.41	3	Horizontal	86	1.57	-	33.89	6.10	30.88
AV	5.6988G	101.78	Inf	-Inf	92.65	3	Horizontal	86	1.57	-	33.90	6.10	30.87
PK	5.7268G	68.07	68.20	-0.13	59.01	3	Horizontal	86	1.57	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 97  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	128.09	Inf	-Inf	119.00	3	Vertical	88	1.55	-	33.87	6.10	30.88
AV	5.7216G	114.52	Inf	-Inf	105.45	3	Vertical	88	1.55	-	33.86	6.10	30.89
PK	5.852G	64.97	68.20	-3.23	56.01	3	Vertical	88	1.55	-	33.81	6.14	30.99

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 97  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	127.37	Inf	-Inf	118.28	3	Horizontal	87	1.77	-	33.87	6.10	30.88
AV	5.7216G	114.11	Inf	-Inf	105.04	3	Horizontal	87	1.77	-	33.86	6.10	30.89
PK	5.8512G	67.96	68.20	-0.24	59.00	3	Horizontal	87	1.77	-	33.81	6.14	30.99

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
 Setting 91  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.83	68.20	-0.37	58.76	3	Vertical	84	1.63	-	33.80	6.10	30.83
PK	5.746G	125.79	Inf	-Inf	116.79	3	Vertical	84	1.63	-	33.81	6.10	30.91
AV	5.746G	114.26	Inf	-Inf	105.26	3	Vertical	84	1.63	-	33.81	6.10	30.91
PK	5.935G	61.95	68.20	-6.25	52.60	3	Vertical	84	1.63	-	34.17	6.23	31.05

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
 Setting 91  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.56	68.94	-0.38	59.49	3	Horizontal	85	1.75	-	33.80	6.10	30.83
PK	5.741G	126.68	Inf	-Inf	117.66	3	Horizontal	85	1.75	-	33.82	6.10	30.90
AV	5.746G	113.51	Inf	-Inf	104.51	3	Horizontal	85	1.75	-	33.81	6.10	30.91
PK	5.97G	61.47	68.20	-6.73	52.08	3	Horizontal	85	1.75	-	34.20	6.27	31.08



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 99  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.91	68.20	-0.29	58.83	3	Vertical	90	1.69	-	33.81	6.10	30.83
PK	5.782G	127.67	Inf	-Inf	118.70	3	Vertical	90	1.69	-	33.80	6.10	30.93
AV	5.78G	114.56	Inf	-Inf	105.59	3	Vertical	90	1.69	-	33.80	6.10	30.93
PK	5.926G	67.55	68.20	-0.65	58.22	3	Vertical	90	1.69	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 99  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	68.05	68.20	-0.15	58.97	3	Horizontal	88	1.80	-	33.81	6.10	30.83
PK	5.792G	126.31	Inf	-Inf	117.35	3	Horizontal	88	1.80	-	33.80	6.10	30.94
AV	5.777G	114.12	Inf	-Inf	105.15	3	Horizontal	88	1.80	-	33.80	6.10	30.93
PK	5.926G	67.08	68.20	-1.12	57.75	3	Horizontal	88	1.80	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 92  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.69	68.20	-4.51	54.61	3	Vertical	85	1.41	-	33.81	6.10	30.83
PK	5.826G	125.60	Inf	-Inf	116.65	3	Vertical	85	1.41	-	33.80	6.12	30.97
AV	5.824G	113.29	Inf	-Inf	104.34	3	Vertical	85	1.41	-	33.80	6.12	30.97
PK	5.925G	67.42	68.20	-0.78	58.09	3	Vertical	85	1.41	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 92  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	63.08	68.20	-5.12	53.85	3	Horizontal	92	1.74	-	33.93	6.08	30.78
PK	5.818G	125.71	Inf	-Inf	116.76	3	Horizontal	92	1.74	-	33.80	6.11	30.96
AV	5.828G	113.13	Inf	-Inf	104.18	3	Horizontal	92	1.74	-	33.80	6.12	30.97
PK	5.925G	67.65	68.20	-0.55	58.32	3	Horizontal	92	1.74	-	34.15	6.22	31.04

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
 Setting 46  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.86	74.00	-7.14	58.22	3	Vertical	89	1.40	-	33.60	5.77	30.73
AV	5.1488G	53.44	54.00	-0.56	44.80	3	Vertical	89	1.40	-	33.60	5.77	30.73
PK	5.184G	116.62	Inf	-Inf	107.89	3	Vertical	89	1.40	-	33.67	5.79	30.73
AV	5.194G	106.27	Inf	-Inf	97.51	3	Vertical	89	1.40	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
 Setting 46  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.36	74.00	-5.64	59.72	3	Horizontal	86	1.73	-	33.60	5.77	30.73
AV	5.1488G	53.78	54.00	-0.22	45.14	3	Horizontal	86	1.73	-	33.60	5.77	30.73
PK	5.182G	117.85	Inf	-Inf	109.13	3	Horizontal	86	1.73	-	33.66	5.79	30.73
AV	5.182G	106.35	Inf	-Inf	97.63	3	Horizontal	86	1.73	-	33.66	5.79	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
Setting 62  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.10	74.00	-6.90	58.46	3	Vertical	88	1.76	-	33.60	5.77	30.73
AV	5.149G	53.86	54.00	-0.14	45.22	3	Vertical	88	1.76	-	33.60	5.77	30.73
PK	5.2438G	121.21	Inf	-Inf	112.42	3	Vertical	88	1.76	-	33.70	5.82	30.73
AV	5.2342G	110.47	Inf	-Inf	101.68	3	Vertical	88	1.76	-	33.70	5.82	30.73
PK	5.3608G	63.19	74.00	-10.81	54.11	3	Vertical	88	1.76	-	33.92	5.88	30.72
AV	5.3518G	51.66	54.00	-2.34	42.60	3	Vertical	88	1.76	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT Y\_4TX  
 Setting 62  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	66.45	74.00	-7.55	57.83	3	Horizontal	85	1.80	-	33.58	5.77	30.73
AV	5.149G	53.70	54.00	-0.30	45.06	3	Horizontal	85	1.80	-	33.60	5.77	30.73
PK	5.2216G	120.72	Inf	-Inf	111.94	3	Horizontal	85	1.80	-	33.70	5.81	30.73
AV	5.2366G	109.83	Inf	-Inf	101.04	3	Horizontal	85	1.80	-	33.70	5.82	30.73
PK	5.3542G	63.18	74.00	-10.82	54.11	3	Horizontal	85	1.80	-	33.91	5.88	30.72
AV	5.3524G	51.97	54.00	-2.03	42.91	3	Horizontal	85	1.80	-	33.90	5.88	30.72



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 63  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.51	74.00	-9.49	55.87	3	Vertical	87	1.74	-	33.60	5.77	30.73
AV	5.147G	51.73	54.00	-2.27	43.10	3	Vertical	87	1.74	-	33.59	5.77	30.73
PK	5.2862G	120.56	Inf	-Inf	111.67	3	Vertical	87	1.74	-	33.77	5.84	30.72
AV	5.2736G	109.65	Inf	-Inf	100.78	3	Vertical	87	1.74	-	33.75	5.84	30.72
PK	5.35G	65.82	74.00	-8.18	56.76	3	Vertical	87	1.74	-	33.90	5.88	30.72
AV	5.3504G	53.42	54.00	-0.58	44.36	3	Vertical	87	1.74	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 63  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.70	74.00	-10.30	55.06	3	Horizontal	88	1.80	-	33.60	5.77	30.73
AV	5.1476G	51.88	54.00	-2.12	43.24	3	Horizontal	88	1.80	-	33.60	5.77	30.73
PK	5.2622G	121.70	Inf	-Inf	112.87	3	Horizontal	88	1.80	-	33.72	5.83	30.72
AV	5.2772G	109.49	Inf	-Inf	100.62	3	Horizontal	88	1.80	-	33.75	5.84	30.72
PK	5.35G	65.97	74.00	-8.03	56.91	3	Horizontal	88	1.80	-	33.90	5.88	30.72
AV	5.35G	53.75	54.00	-0.25	44.69	3	Horizontal	88	1.80	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	115.13	Inf	-Inf	106.19	3	Vertical	88	1.73	-	33.81	5.85	30.72
AV	5.304G	104.63	Inf	-Inf	95.69	3	Vertical	88	1.73	-	33.81	5.85	30.72
PK	5.3512G	67.46	74.00	-6.54	58.40	3	Vertical	88	1.73	-	33.90	5.88	30.72
AV	5.3512G	52.40	54.00	-1.60	43.34	3	Vertical	88	1.73	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 45  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	116.29	Inf	-Inf	107.33	3	Horizontal	86	1.78	-	33.82	5.86	30.72
AV	5.3068G	105.14	Inf	-Inf	96.20	3	Horizontal	86	1.78	-	33.81	5.85	30.72
PK	5.352G	70.04	74.00	-3.96	60.98	3	Horizontal	86	1.78	-	33.90	5.88	30.72
AV	5.35G	53.88	54.00	-0.12	44.82	3	Horizontal	86	1.78	-	33.90	5.88	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.05	74.00	-8.95	55.81	3	Vertical	88	1.45	-	34.00	5.96	30.72
AV	5.4588G	51.87	54.00	-2.13	42.63	3	Vertical	88	1.45	-	34.00	5.96	30.72
PK	5.466G	67.82	68.20	-0.38	58.57	3	Vertical	88	1.45	-	34.00	5.97	30.72
PK	5.524G	115.46	Inf	-Inf	106.18	3	Vertical	88	1.45	-	34.00	6.02	30.74
AV	5.5112G	105.05	Inf	-Inf	95.77	3	Vertical	88	1.45	-	34.00	6.01	30.73

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	64.87	74.00	-9.13	55.63	3	Horizontal	88	1.79	-	34.00	5.96	30.72
AV	5.4592G	51.58	54.00	-2.42	42.34	3	Horizontal	88	1.79	-	34.00	5.96	30.72
PK	5.4692G	68.03	68.20	-0.17	58.78	3	Horizontal	88	1.79	-	34.00	5.97	30.72
PK	5.502G	116.77	Inf	-Inf	107.49	3	Horizontal	88	1.79	-	34.00	6.00	30.72
AV	5.502G	105.03	Inf	-Inf	95.75	3	Horizontal	88	1.79	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.12	74.00	-8.88	55.88	3	Vertical	88	1.46	-	34.00	5.96	30.72
AV	5.4588G	53.02	54.00	-0.98	43.78	3	Vertical	88	1.46	-	34.00	5.96	30.72
PK	5.466G	67.48	68.20	-0.72	58.23	3	Vertical	88	1.46	-	34.00	5.97	30.72
PK	5.5638G	120.42	Inf	-Inf	111.16	3	Vertical	88	1.46	-	33.97	6.06	30.77
AV	5.5542G	109.60	Inf	-Inf	100.32	3	Vertical	88	1.46	-	33.99	6.05	30.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.69	74.00	-8.31	56.45	3	Horizontal	87	1.80	-	34.00	5.96	30.72
AV	5.4588G	52.91	54.00	-1.09	43.67	3	Horizontal	87	1.80	-	34.00	5.96	30.72
PK	5.469G	67.98	68.20	-0.22	58.73	3	Horizontal	87	1.80	-	34.00	5.97	30.72
PK	5.5422G	120.70	Inf	-Inf	111.41	3	Horizontal	87	1.80	-	34.00	6.04	30.75
AV	5.5368G	109.23	Inf	-Inf	99.94	3	Horizontal	87	1.80	-	34.00	6.04	30.75



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 53  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	116.94	Inf	-Inf	107.85	3	Vertical	90	1.34	-	33.84	6.10	30.85
AV	5.6768G	105.27	Inf	-Inf	96.17	3	Vertical	90	1.34	-	33.85	6.10	30.85
PK	5.725G	67.83	68.20	-0.37	58.77	3	Vertical	90	1.34	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 53  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	116.70	Inf	-Inf	107.61	3	Horizontal	87	1.79	-	33.84	6.10	30.85
AV	5.6768G	105.42	Inf	-Inf	96.32	3	Horizontal	87	1.79	-	33.85	6.10	30.85
PK	5.726G	68.11	68.20	-0.09	59.05	3	Horizontal	87	1.79	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 82  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	121.67	Inf	-Inf	112.54	3	Vertical	88	1.50	-	33.90	6.10	30.87
AV	5.6964G	111.41	Inf	-Inf	102.29	3	Vertical	88	1.50	-	33.89	6.10	30.87
PK	5.8508G	66.17	68.20	-2.03	57.22	3	Vertical	88	1.50	-	33.80	6.14	30.99

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 82  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	122.58	Inf	-Inf	113.46	3	Horizontal	86	1.61	-	33.89	6.10	30.87
AV	5.714G	111.80	Inf	-Inf	102.71	3	Horizontal	86	1.61	-	33.87	6.10	30.88
PK	5.8508G	67.82	68.20	-0.38	58.87	3	Horizontal	86	1.61	-	33.80	6.14	30.99

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 73  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.77	68.20	-0.43	58.70	3	Vertical	86	1.44	-	33.80	6.10	30.83
PK	5.771G	120.80	Inf	-Inf	111.83	3	Vertical	86	1.44	-	33.80	6.10	30.93
AV	5.759G	110.36	Inf	-Inf	101.38	3	Vertical	86	1.44	-	33.80	6.10	30.92
PK	5.931G	61.64	68.20	-6.56	52.30	3	Vertical	86	1.44	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 73  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.75	68.20	-0.45	58.68	3	Horizontal	86	1.46	-	33.80	6.10	30.83
PK	5.762G	120.88	Inf	-Inf	111.90	3	Horizontal	86	1.46	-	33.80	6.10	30.92
AV	5.759G	110.31	Inf	-Inf	101.33	3	Horizontal	86	1.46	-	33.80	6.10	30.92
PK	5.929G	61.50	68.20	-6.70	52.16	3	Horizontal	86	1.46	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 80  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.41	68.20	-2.79	56.34	3	Vertical	90	1.47	-	33.80	6.10	30.83
PK	5.78G	122.51	Inf	-Inf	113.54	3	Vertical	90	1.47	-	33.80	6.10	30.93
AV	5.792G	110.71	Inf	-Inf	101.75	3	Vertical	90	1.47	-	33.80	6.10	30.94
PK	5.925G	66.89	68.20	-1.31	57.56	3	Vertical	90	1.47	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 80  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.93	68.20	-1.27	57.85	3	Horizontal	88	1.80	-	33.81	6.10	30.83
PK	5.787G	122.15	Inf	-Inf	113.19	3	Horizontal	88	1.80	-	33.80	6.10	30.94
AV	5.792G	110.66	Inf	-Inf	101.70	3	Horizontal	88	1.80	-	33.80	6.10	30.94
PK	5.924G	68.71	68.94	-0.23	59.38	3	Horizontal	88	1.80	-	34.15	6.22	31.04




**5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5210MHz\_TX**



EUT\_Y\_4TX  
Setting 44  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.82	74.00	-8.18	57.19	3	Vertical	89	1.50	-	33.59	5.77	30.73
AV	5.143G	53.60	54.00	-0.40	44.97	3	Vertical	89	1.50	-	33.59	5.77	30.73
PK	5.209G	113.57	Inf	-Inf	104.80	3	Vertical	89	1.50	-	33.70	5.80	30.73
AV	5.199G	102.92	Inf	-Inf	94.15	3	Vertical	89	1.50	-	33.70	5.80	30.73
PK	5.373G	62.36	74.00	-11.64	53.24	3	Vertical	89	1.50	-	33.95	5.89	30.72
AV	5.355G	50.41	54.00	-3.59	41.34	3	Vertical	89	1.50	-	33.91	5.88	30.72

**5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5210MHz\_TX**




EUT\_Y\_4TX  
Setting 44  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.22	74.00	-8.78	56.57	3	Horizontal	91	1.74	-	33.60	5.78	30.73
AV	5.145G	53.92	54.00	-0.08	45.29	3	Horizontal	91	1.74	-	33.59	5.77	30.73
PK	5.2G	114.10	Inf	-Inf	105.33	3	Horizontal	91	1.74	-	33.70	5.80	30.73
AV	5.198G	102.06	Inf	-Inf	93.29	3	Horizontal	91	1.74	-	33.70	5.80	30.73
PK	5.362G	61.84	74.00	-12.16	52.76	3	Horizontal	91	1.74	-	33.92	5.88	30.72
AV	5.355G	50.49	54.00	-3.51	41.42	3	Horizontal	91	1.74	-	33.91	5.88	30.72

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 40  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	61.97	74.00	-12.03	53.34	3	Vertical	89	1.47	-	33.59	5.77	30.73
AV	5.146G	50.49	54.00	-3.51	41.86	3	Vertical	89	1.47	-	33.59	5.77	30.73
PK	5.294G	111.56	Inf	-Inf	102.64	3	Vertical	89	1.47	-	33.79	5.85	30.72
AV	5.279G	100.52	Inf	-Inf	91.64	3	Vertical	89	1.47	-	33.76	5.84	30.72
PK	5.354G	64.43	74.00	-9.57	55.36	3	Vertical	89	1.47	-	33.91	5.88	30.72
AV	5.352G	52.89	54.00	-1.11	43.83	3	Vertical	89	1.47	-	33.90	5.88	30.72
PK	5.466G	61.14	68.20	-7.06	51.89	3	Vertical	89	1.47	-	34.00	5.97	30.72

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 40  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	61.48	74.00	-12.52	52.85	3	Horizontal	88	1.80	-	33.59	5.77	30.73
AV	5.145G	50.31	54.00	-3.69	41.68	3	Horizontal	88	1.80	-	33.59	5.77	30.73
PK	5.275G	111.19	Inf	-Inf	102.32	3	Horizontal	88	1.80	-	33.75	5.84	30.72
AV	5.302G	100.70	Inf	-Inf	91.77	3	Horizontal	88	1.80	-	33.80	5.85	30.72
PK	5.352G	65.95	74.00	-8.05	56.89	3	Horizontal	88	1.80	-	33.90	5.88	30.72
AV	5.352G	53.46	54.00	-0.54	44.40	3	Horizontal	88	1.80	-	33.90	5.88	30.72
PK	5.501G	60.83	68.20	-7.37	51.55	3	Horizontal	88	1.80	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.287G	61.20	68.20	-7.00	52.31	3	Vertical	88	1.48	-	33.77	5.84	30.72
AV	5.35G	49.12	54.00	-4.88	40.07	3	Vertical	88	1.48	-	33.90	5.87	30.72
PK	5.457G	65.07	74.00	-8.93	55.83	3	Vertical	88	1.48	-	34.00	5.96	30.72
AV	5.457G	53.67	54.00	-0.33	44.43	3	Vertical	88	1.48	-	34.00	5.96	30.72
PK	5.469G	65.99	68.20	-2.21	56.74	3	Vertical	88	1.48	-	34.00	5.97	30.72
PK	5.536G	114.32	Inf	-Inf	105.03	3	Vertical	88	1.48	-	34.00	6.04	30.75
AV	5.516G	102.30	Inf	-Inf	93.01	3	Vertical	88	1.48	-	34.00	6.02	30.73
PK	5.749G	60.66	68.20	-7.54	51.67	3	Vertical	88	1.48	-	33.80	6.10	30.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	60.90	68.20	-7.30	51.93	3	Horizontal	88	1.80	-	33.83	5.86	30.72
AV	5.35G	49.23	54.00	-4.77	40.18	3	Horizontal	88	1.80	-	33.90	5.87	30.72
PK	5.447G	65.91	74.00	-8.09	56.68	3	Horizontal	88	1.80	-	34.00	5.95	30.72
AV	5.457G	53.92	54.00	-0.08	44.68	3	Horizontal	88	1.80	-	34.00	5.96	30.72
PK	5.47G	65.75	68.20	-2.45	56.50	3	Horizontal	88	1.80	-	34.00	5.97	30.72
PK	5.557G	112.93	Inf	-Inf	103.64	3	Horizontal	88	1.80	-	33.99	6.06	30.76
AV	5.522G	102.39	Inf	-Inf	93.11	3	Horizontal	88	1.80	-	34.00	6.02	30.74
PK	5.736G	60.26	68.20	-7.94	51.23	3	Horizontal	88	1.80	-	33.83	6.10	30.90

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 58  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.61	74.00	-8.39	56.37	3	Vertical	88	1.51	-	34.00	5.96	30.72
AV	5.459G	52.55	54.00	-1.45	43.31	3	Vertical	88	1.51	-	34.00	5.96	30.72
PK	5.464G	66.64	68.20	-1.56	57.40	3	Vertical	88	1.51	-	34.00	5.96	30.72
PK	5.608G	115.15	Inf	-Inf	105.97	3	Vertical	88	1.51	-	33.88	6.10	30.80
AV	5.622G	104.51	Inf	-Inf	95.36	3	Vertical	88	1.51	-	33.86	6.10	30.81
PK	5.727G	68.05	68.20	-0.15	58.99	3	Vertical	88	1.51	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 58  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	64.41	74.00	-9.59	55.20	3	Horizontal	87	1.80	-	34.00	5.93	30.72
PK	5.468G	66.91	68.20	-1.29	57.66	3	Horizontal	87	1.80	-	34.00	5.97	30.72
AV	5.46G	52.93	54.00	-1.07	43.69	3	Horizontal	87	1.80	-	34.00	5.96	30.72
PK	5.602G	114.71	Inf	-Inf	105.51	3	Horizontal	87	1.80	-	33.90	6.10	30.80
AV	5.599G	104.17	Inf	-Inf	94.97	3	Horizontal	87	1.80	-	33.90	6.10	30.80
PK	5.726G	67.79	68.20	-0.41	58.73	3	Horizontal	87	1.80	-	33.85	6.10	30.89



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 70  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.65	74.00	-10.35	54.41	3	Vertical	86	1.57	-	34.00	5.96	30.72
AV	5.455G	52.06	54.00	-1.94	42.82	3	Vertical	86	1.57	-	34.00	5.96	30.72
PK	5.463G	64.01	68.20	-4.19	54.77	3	Vertical	86	1.57	-	34.00	5.96	30.72
PK	5.681G	118.22	Inf	-Inf	109.12	3	Vertical	86	1.57	-	33.86	6.10	30.86
AV	5.696G	107.46	Inf	-Inf	98.34	3	Vertical	86	1.57	-	33.89	6.10	30.87
PK	5.85G	67.78	68.20	-0.42	58.83	3	Vertical	86	1.57	-	33.80	6.14	30.99

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 70  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	63.50	74.00	-10.50	54.27	3	Horizontal	88	1.80	-	34.00	5.95	30.72
AV	5.445G	52.46	54.00	-1.54	43.23	3	Horizontal	88	1.80	-	34.00	5.95	30.72
PK	5.468G	65.18	68.20	-3.02	55.93	3	Horizontal	88	1.80	-	34.00	5.97	30.72
PK	5.682G	117.44	Inf	-Inf	108.34	3	Horizontal	88	1.80	-	33.86	6.10	30.86
AV	5.682G	107.01	Inf	-Inf	97.91	3	Horizontal	88	1.80	-	33.86	6.10	30.86
PK	5.862G	68.04	68.20	-0.16	59.01	3	Horizontal	88	1.80	-	33.87	6.16	31.00

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 60  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.75	68.20	-0.45	58.68	3	Vertical	86	1.64	-	33.80	6.10	30.83
PK	5.754G	115.97	Inf	-Inf	106.98	3	Vertical	86	1.64	-	33.80	6.10	30.91
AV	5.746G	104.72	Inf	-Inf	95.72	3	Vertical	86	1.64	-	33.81	6.10	30.91
PK	5.926G	64.24	68.20	-3.96	54.91	3	Vertical	86	1.64	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 60  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.89	68.20	-0.31	58.82	3	Horizontal	88	1.73	-	33.80	6.10	30.83
PK	5.767G	115.01	Inf	-Inf	106.03	3	Horizontal	88	1.73	-	33.80	6.10	30.92
AV	5.762G	104.43	Inf	-Inf	95.45	3	Horizontal	88	1.73	-	33.80	6.10	30.92
PK	5.925G	63.79	68.20	-4.41	54.46	3	Horizontal	88	1.73	-	34.15	6.22	31.04

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 30  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	61.75	74.00	-12.25	53.14	3	Vertical	86	1.66	-	33.57	5.77	30.73
AV	5.138G	53.29	54.00	-0.71	44.67	3	Vertical	86	1.66	-	33.58	5.77	30.73
PK	5.234G	108.88	Inf	-Inf	100.09	3	Vertical	86	1.66	-	33.70	5.82	30.73
AV	5.226G	97.79	Inf	-Inf	89.01	3	Vertical	86	1.66	-	33.70	5.81	30.73
PK	5.3764G	62.67	74.00	-11.33	53.55	3	Vertical	86	1.66	-	33.95	5.89	30.72
AV	5.378G	53.82	54.00	-0.18	44.69	3	Vertical	86	1.66	-	33.96	5.89	30.72
PK	5.5684G	61.10	68.20	-7.10	51.84	3	Vertical	86	1.66	-	33.96	6.07	30.77

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 30  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	61.43	74.00	-12.57	52.82	3	Horizontal	91	1.80	-	33.57	5.77	30.73
AV	5.1332G	52.45	54.00	-1.55	43.84	3	Horizontal	91	1.80	-	33.57	5.77	30.73
PK	5.1956G	106.78	Inf	-Inf	98.02	3	Horizontal	91	1.80	-	33.69	5.80	30.73
AV	5.2452G	96.93	Inf	-Inf	88.14	3	Horizontal	91	1.80	-	33.70	5.82	30.73
PK	5.3892G	63.79	74.00	-10.21	54.64	3	Horizontal	91	1.80	-	33.98	5.89	30.72
AV	5.3876G	53.64	54.00	-0.36	44.49	3	Horizontal	91	1.80	-	33.98	5.89	30.72
PK	5.5796G	60.66	68.20	-7.54	51.42	3	Horizontal	91	1.80	-	33.94	6.08	30.78

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 36  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2884G	61.52	68.20	-6.68	52.62	3	Vertical	88	1.63	-	33.78	5.84	30.72
PK	5.4548G	64.20	74.00	-9.80	54.97	3	Vertical	88	1.63	-	34.00	5.95	30.72
AV	5.418G	53.28	54.00	-0.72	44.08	3	Vertical	88	1.63	-	34.00	5.92	30.72
PK	5.466G	61.44	68.20	-6.76	52.19	3	Vertical	88	1.63	-	34.00	5.97	30.72
PK	5.5732G	109.42	Inf	-Inf	100.18	3	Vertical	88	1.63	-	33.95	6.07	30.78
AV	5.554G	98.05	Inf	-Inf	88.77	3	Vertical	88	1.63	-	33.99	6.05	30.76
PK	5.7252G	64.52	68.20	-3.68	55.46	3	Vertical	88	1.63	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



EUT\_Y\_4TX  
 Setting 36  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2308G	61.37	68.20	-6.83	52.58	3	Horizontal	87	1.80	-	33.70	5.82	30.73
PK	5.418G	64.06	74.00	-9.94	54.86	3	Horizontal	87	1.80	-	34.00	5.92	30.72
PK	5.4692G	62.47	68.20	-5.73	53.22	3	Horizontal	87	1.80	-	34.00	5.97	30.72
AV	5.458G	53.76	54.00	-0.24	44.52	3	Horizontal	87	1.80	-	34.00	5.96	30.72
PK	5.5732G	108.02	Inf	-Inf	98.78	3	Horizontal	87	1.80	-	33.95	6.07	30.78
AV	5.5524G	98.04	Inf	-Inf	88.75	3	Horizontal	87	1.80	-	34.00	6.05	30.76
PK	5.7268G	63.82	68.20	-4.38	54.76	3	Horizontal	87	1.80	-	33.85	6.10	30.89






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.4596G	53.99	54.00	-0.01	3	Horizontal	86	1.80	-

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




EUT\_Z\_4TX  
 Setting 56  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	70.75	74.00	-3.25	65.66	3	Vertical	96	1.80	-	31.90	5.65	32.46
AV	5.1491G	53.62	54.00	-0.38	48.53	3	Vertical	96	1.80	-	31.90	5.65	32.46
PK	5.1733G	120.27	Inf	-Inf	115.21	3	Vertical	96	1.80	-	31.85	5.67	32.46
AV	5.178G	107.63	Inf	-Inf	102.57	3	Vertical	96	1.80	-	31.84	5.68	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX


5180MHz\_TX



EUT\_Z\_4TX  
 Setting 56  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	69.94	74.00	-4.06	64.85	3	Horizontal	88	1.80	-	31.90	5.65	32.46
AV	5.1496G	53.20	54.00	-0.80	48.11	3	Horizontal	88	1.80	-	31.90	5.65	32.46
PK	5.1785G	119.83	Inf	-Inf	114.77	3	Horizontal	88	1.80	-	31.84	5.68	32.46
AV	5.1793G	108.45	Inf	-Inf	103.39	3	Horizontal	88	1.80	-	31.84	5.68	32.46

**5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX  
5200MHz\_TX**




EUT\_Z\_4TX  
Setting 72  
06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.86	74.00	-5.14	63.76	3	Vertical	94	1.80	-	31.91	5.65	32.46
AV	5.1496G	53.87	54.00	-0.13	48.78	3	Vertical	94	1.80	-	31.90	5.65	32.46
PK	5.1934G	123.79	Inf	-Inf	118.75	3	Vertical	94	1.80	-	31.81	5.69	32.46
AV	5.1982G	111.21	Inf	-Inf	106.17	3	Vertical	94	1.80	-	31.80	5.70	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5200MHz\_TX




EUT\_Z\_4TX  
 Setting 72  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.53	74.00	-7.47	61.44	3	Horizontal	88	1.80	-	31.90	5.65	32.46
AV	5.1498G	53.75	54.00	-0.25	48.66	3	Horizontal	88	1.80	-	31.90	5.65	32.46
PK	5.1986G	123.48	Inf	-Inf	118.44	3	Horizontal	88	1.80	-	31.80	5.70	32.46
AV	5.1994G	112.04	Inf	-Inf	107.00	3	Horizontal	88	1.80	-	31.80	5.70	32.46

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




EUT\_Z\_4TX  
 Setting 93  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1491G	66.50	74.00	-7.50	61.41	3	Vertical	92	1.80	-	31.90	5.65	32.46
AV	5.1497G	53.47	54.00	-0.53	48.38	3	Vertical	92	1.80	-	31.90	5.65	32.46
PK	5.2325G	127.07	Inf	-Inf	122.12	3	Vertical	92	1.80	-	31.67	5.75	32.47
AV	5.2349G	114.81	Inf	-Inf	109.87	3	Vertical	92	1.80	-	31.66	5.75	32.47
PK	5.3519G	63.57	74.00	-10.43	58.81	3	Vertical	92	1.80	-	31.31	5.93	32.48
AV	5.3516G	51.60	54.00	-2.40	46.84	3	Vertical	92	1.80	-	31.31	5.93	32.48

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




EUT\_Z\_4TX  
 Setting 93  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.66	74.00	-7.34	61.57	3	Horizontal	89	1.80	-	31.90	5.65	32.46
AV	5.1494G	53.74	54.00	-0.26	48.65	3	Horizontal	89	1.80	-	31.90	5.65	32.46
PK	5.2388G	127.93	Inf	-Inf	123.00	3	Horizontal	89	1.80	-	31.64	5.76	32.47
AV	5.2394G	115.35	Inf	-Inf	110.42	3	Horizontal	89	1.80	-	31.64	5.76	32.47
PK	5.3687G	63.12	74.00	-10.88	58.28	3	Horizontal	89	1.80	-	31.37	5.95	32.48
AV	5.369G	51.56	54.00	-2.44	46.71	3	Horizontal	89	1.80	-	31.38	5.95	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Z\_4TX  
 Setting 92  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	63.69	74.00	-10.31	58.59	3	Vertical	89	1.80	-	31.92	5.64	32.46
AV	5.1478G	51.85	54.00	-2.15	46.76	3	Vertical	89	1.80	-	31.90	5.65	32.46
PK	5.2555G	127.49	Inf	-Inf	122.60	3	Vertical	89	1.80	-	31.58	5.78	32.47
AV	5.2591G	114.91	Inf	-Inf	110.03	3	Vertical	89	1.80	-	31.56	5.79	32.47
PK	5.3503G	67.37	74.00	-6.63	62.62	3	Vertical	89	1.80	-	31.30	5.93	32.48
AV	5.35G	53.81	54.00	-0.19	49.06	3	Vertical	89	1.80	-	31.30	5.93	32.48



5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Z\_4TX  
 Setting 92  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1487G	63.59	74.00	-10.41	58.50	3	Horizontal	97	1.80	-	31.90	5.65	32.46
AV	5.1496G	52.20	54.00	-1.80	47.11	3	Horizontal	97	1.80	-	31.90	5.65	32.46
PK	5.2564G	127.79	Inf	-Inf	122.91	3	Horizontal	97	1.80	-	31.57	5.78	32.47
AV	5.257G	114.84	Inf	-Inf	109.95	3	Horizontal	97	1.80	-	31.57	5.79	32.47
PK	5.3512G	66.24	74.00	-7.76	61.49	3	Horizontal	97	1.80	-	31.30	5.93	32.48
AV	5.35G	53.29	54.00	-0.71	48.54	3	Horizontal	97	1.80	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Z\_4TX  
 Setting 72  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2926G	122.92	Inf	-Inf	118.13	3	Vertical	90	1.80	-	31.43	5.84	32.48
AV	5.2952G	111.02	Inf	-Inf	106.24	3	Vertical	90	1.80	-	31.42	5.84	32.48
PK	5.3506G	69.01	74.00	-4.99	64.26	3	Vertical	90	1.80	-	31.30	5.93	32.48
AV	5.35G	53.27	54.00	-0.73	48.52	3	Vertical	90	1.80	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Z\_4TX  
 Setting 72  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2986G	122.45	Inf	-Inf	117.67	3	Horizontal	88	1.80	-	31.41	5.85	32.48
AV	5.2994G	111.07	Inf	-Inf	106.30	3	Horizontal	88	1.80	-	31.40	5.85	32.48
PK	5.3526G	66.45	74.00	-7.55	61.69	3	Horizontal	88	1.80	-	31.31	5.93	32.48
AV	5.35G	53.11	54.00	-0.89	48.36	3	Horizontal	88	1.80	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Z\_4TX  
 Setting 56  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3135G	118.38	Inf	-Inf	113.62	3	Vertical	91	1.80	-	31.37	5.87	32.48
AV	5.3217G	106.51	Inf	-Inf	101.75	3	Vertical	91	1.80	-	31.36	5.88	32.48
PK	5.3546G	72.35	74.00	-1.65	67.58	3	Vertical	91	1.80	-	31.32	5.93	32.48
AV	5.3505G	53.57	54.00	-0.43	48.82	3	Vertical	91	1.80	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Z\_4TX  
 Setting 56  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	118.46	Inf	-Inf	113.70	3	Horizontal	88	1.80	-	31.36	5.88	32.48
AV	5.3194G	107.23	Inf	-Inf	102.47	3	Horizontal	88	1.80	-	31.36	5.88	32.48
PK	5.3502G	68.81	74.00	-5.19	64.06	3	Horizontal	88	1.80	-	31.30	5.93	32.48
AV	5.3507G	52.88	54.00	-1.12	48.13	3	Horizontal	88	1.80	-	31.30	5.93	32.48

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Z\_4TX  
 Setting 48  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.64	74.00	-12.36	56.41	3	Vertical	92	1.80	-	31.73	6.00	32.50
AV	5.4563G	49.27	54.00	-4.73	44.03	3	Vertical	92	1.80	-	31.73	6.00	32.49
PK	5.465G	68.00	68.20	-0.20	62.74	3	Vertical	92	1.80	-	31.76	6.00	32.50
PK	5.4925G	117.72	Inf	-Inf	112.35	3	Vertical	92	1.80	-	31.87	6.00	32.50
AV	5.4953G	105.74	Inf	-Inf	100.36	3	Vertical	92	1.80	-	31.88	6.00	32.50

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Z\_4TX  
 Setting 48  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	62.47	74.00	-11.53	57.23	3	Horizontal	88	1.80	-	31.74	6.00	32.50
AV	5.4562G	48.94	54.00	-5.06	43.71	3	Horizontal	88	1.80	-	31.72	6.00	32.49
PK	5.4697G	62.66	68.20	-5.54	57.38	3	Horizontal	88	1.80	-	31.78	6.00	32.50
PK	5.4986G	116.08	Inf	-Inf	110.69	3	Horizontal	88	1.80	-	31.89	6.00	32.50
AV	5.4994G	104.71	Inf	-Inf	99.31	3	Horizontal	88	1.80	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT\_Z\_4TX  
 Setting 94  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.67	74.00	-9.33	59.44	3	Vertical	94	1.80	-	31.73	6.00	32.50
AV	5.46G	52.17	54.00	-1.83	46.93	3	Vertical	94	1.80	-	31.74	6.00	32.50
PK	5.466G	66.28	68.20	-1.92	61.02	3	Vertical	94	1.80	-	31.76	6.00	32.50
PK	5.5736G	123.75	Inf	-Inf	118.33	3	Vertical	94	1.80	-	31.90	6.00	32.48
AV	5.5772G	112.35	Inf	-Inf	106.93	3	Vertical	94	1.80	-	31.90	6.00	32.48
PK	5.7528G	61.16	68.20	-7.04	55.29	3	Vertical	94	1.80	-	32.21	6.08	32.42



5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT\_Z\_4TX  
 Setting 94  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	63.68	74.00	-10.32	58.58	3	Horizontal	90	1.80	-	31.59	6.00	32.49
PK	5.4628G	65.37	68.20	-2.83	60.12	3	Horizontal	90	1.80	-	31.75	6.00	32.50
AV	5.4588G	51.86	54.00	-2.14	46.62	3	Horizontal	90	1.80	-	31.74	6.00	32.50
PK	5.5784G	125.41	Inf	-Inf	119.98	3	Horizontal	90	1.80	-	31.90	6.00	32.47
AV	5.5796G	112.95	Inf	-Inf	107.52	3	Horizontal	90	1.80	-	31.90	6.00	32.47
PK	5.746G	61.67	68.20	-6.53	55.84	3	Horizontal	90	1.80	-	32.18	6.07	32.42

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Z\_4TX  
 Setting 47  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6935G	116.09	Inf	-Inf	110.51	3	Vertical	90	1.80	-	31.97	6.05	32.44
AV	5.6992G	103.75	Inf	-Inf	98.14	3	Vertical	90	1.80	-	32.00	6.05	32.44
PK	5.7254G	67.50	68.20	-0.70	61.77	3	Vertical	90	1.80	-	32.10	6.06	32.43

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Z\_4TX  
 Setting 47  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6978G	114.70	Inf	-Inf	109.10	3	Horizontal	93	1.80	-	31.99	6.05	32.44
AV	5.6976G	103.42	Inf	-Inf	97.82	3	Horizontal	93	1.80	-	31.99	6.05	32.44
PK	5.7254G	66.40	68.20	-1.80	60.67	3	Horizontal	93	1.80	-	32.10	6.06	32.43

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 98  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7156G	125.17	Inf	-Inf	119.48	3	Vertical	90	1.80	-	32.06	6.06	32.43
AV	5.7152G	112.67	Inf	-Inf	106.98	3	Vertical	90	1.80	-	32.06	6.06	32.43
PK	5.852G	67.73	68.20	-0.47	61.74	3	Vertical	90	1.80	-	32.31	6.07	32.39

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 98  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	125.07	Inf	-Inf	119.36	3	Horizontal	89	1.80	-	32.08	6.06	32.43
AV	5.7144G	112.41	Inf	-Inf	106.72	3	Horizontal	89	1.80	-	32.06	6.06	32.43
PK	5.852G	64.60	68.20	-3.60	58.61	3	Horizontal	89	1.80	-	32.31	6.07	32.39

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TX




EUT\_Z\_4TX  
 Setting 95  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.82	68.94	-0.12	63.44	3	Vertical	90	1.78	-	31.80	6.03	32.45
PK	5.7405G	124.73	Inf	-Inf	118.92	3	Vertical	90	1.78	-	32.16	6.07	32.42
AV	5.747G	112.54	Inf	-Inf	106.70	3	Vertical	90	1.78	-	32.19	6.07	32.42
PK	5.94G	60.56	68.20	-7.64	54.29	3	Vertical	90	1.78	-	32.60	6.03	32.36

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TX




EUT\_Z\_4TX  
 Setting 95  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	69.06	69.68	-0.62	63.67	3	Horizontal	91	1.79	-	31.81	6.03	32.45
PK	5.744G	123.82	Inf	-Inf	117.99	3	Horizontal	91	1.79	-	32.18	6.07	32.42
AV	5.7445G	112.47	Inf	-Inf	106.64	3	Horizontal	91	1.79	-	32.18	6.07	32.42
PK	5.981G	62.00	68.20	-6.20	55.80	3	Horizontal	91	1.79	-	32.54	6.01	32.35

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




EUT\_Z\_4TX  
 Setting 108  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	65.72	68.20	-2.48	60.34	3	Vertical	92	1.73	-	31.81	6.02	32.45
PK	5.7765G	123.97	Inf	-Inf	118.04	3	Vertical	92	1.73	-	32.25	6.09	32.41
AV	5.7805G	112.77	Inf	-Inf	106.83	3	Vertical	92	1.73	-	32.26	6.09	32.41
PK	5.9265G	65.89	68.20	-2.31	59.61	3	Vertical	92	1.73	-	32.60	6.04	32.36



5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




EUT\_Z\_4TX  
 Setting 108  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.36	68.20	-0.84	61.98	3	Horizontal	89	1.80	-	31.80	6.03	32.45
PK	5.7835G	124.37	Inf	-Inf	118.42	3	Horizontal	89	1.80	-	32.27	6.09	32.41
AV	5.78G	112.81	Inf	-Inf	106.87	3	Horizontal	89	1.80	-	32.26	6.09	32.41
PK	5.9335G	66.51	68.20	-1.69	60.24	3	Horizontal	89	1.80	-	32.60	6.03	32.36

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5825MHz\_TX




EUT\_Z\_4TX  
 Setting 96  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6105G	64.00	68.20	-4.20	58.57	3	Vertical	93	1.74	-	31.88	6.01	32.46
PK	5.8185G	123.06	Inf	-Inf	117.07	3	Vertical	93	1.74	-	32.30	6.09	32.40
AV	5.8195G	112.37	Inf	-Inf	106.38	3	Vertical	93	1.74	-	32.30	6.09	32.40
PK	5.9255G	67.89	68.20	-0.31	61.61	3	Vertical	93	1.74	-	32.60	6.04	32.36

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5825MHz\_TX




EUT\_Z\_4TX  
 Setting 96  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6015G	61.83	68.20	-6.37	56.40	3	Horizontal	89	1.80	-	31.90	6.00	32.47
PK	5.8235G	123.49	Inf	-Inf	117.50	3	Horizontal	89	1.80	-	32.30	6.09	32.40
AV	5.82G	112.58	Inf	-Inf	106.59	3	Horizontal	89	1.80	-	32.30	6.09	32.40
PK	5.924G	68.41	68.94	-0.53	62.13	3	Horizontal	89	1.80	-	32.60	6.04	32.36

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5190MHz\_TX




EUT\_Z\_4TX  
 Setting 46  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	64.81	74.00	-9.19	59.72	3	Vertical	91	1.80	-	31.91	5.64	32.46
AV	5.1492G	53.58	54.00	-0.42	48.49	3	Vertical	91	1.80	-	31.90	5.65	32.46
PK	5.1788G	113.98	Inf	-Inf	108.92	3	Vertical	91	1.80	-	31.84	5.68	32.46
AV	5.1768G	103.21	Inf	-Inf	98.14	3	Vertical	91	1.80	-	31.85	5.68	32.46

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5190MHz\_TX




EUT\_Z\_4TX  
 Setting 46  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	66.67	74.00	-7.33	61.57	3	Horizontal	92	1.79	-	31.91	5.65	32.46
AV	5.15G	52.92	54.00	-1.08	47.83	3	Horizontal	92	1.79	-	31.90	5.65	32.46
PK	5.1784G	113.79	Inf	-Inf	108.73	3	Horizontal	92	1.79	-	31.84	5.68	32.46
AV	5.1816G	103.74	Inf	-Inf	98.68	3	Horizontal	92	1.79	-	31.84	5.68	32.46

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




EUT\_Z\_4TX  
 Setting 65  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	64.86	74.00	-9.14	59.76	3	Vertical	93	1.80	-	31.92	5.64	32.46
AV	5.1484G	53.70	54.00	-0.30	48.61	3	Vertical	93	1.80	-	31.90	5.65	32.46
PK	5.2387G	119.75	Inf	-Inf	114.81	3	Vertical	93	1.80	-	31.65	5.76	32.47
AV	5.2384G	108.26	Inf	-Inf	103.32	3	Vertical	93	1.80	-	31.65	5.76	32.47
PK	5.38G	62.09	74.00	-11.91	57.19	3	Vertical	93	1.80	-	31.42	5.97	32.49
AV	5.3662G	51.52	54.00	-2.48	46.69	3	Vertical	93	1.80	-	31.36	5.95	32.48

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




EUT\_Z\_4TX  
 Setting 65  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1493G	67.95	74.00	-6.05	62.86	3	Horizontal	87	1.80	-	31.90	5.65	32.46
AV	5.149G	53.94	54.00	-0.06	48.85	3	Horizontal	87	1.80	-	31.90	5.65	32.46
PK	5.2273G	118.16	Inf	-Inf	113.20	3	Horizontal	87	1.80	-	31.69	5.74	32.47
AV	5.2375G	108.18	Inf	-Inf	103.24	3	Horizontal	87	1.80	-	31.65	5.76	32.47
PK	5.3503G	62.36	74.00	-11.64	57.61	3	Horizontal	87	1.80	-	31.30	5.93	32.48
AV	5.3623G	51.26	54.00	-2.74	46.45	3	Horizontal	87	1.80	-	31.35	5.94	32.48

5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Z\_4TX  
 Setting 64  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	62.25	74.00	-11.75	57.15	3	Vertical	91	1.93	-	31.91	5.65	32.46
AV	5.147G	51.78	54.00	-2.22	46.68	3	Vertical	91	1.93	-	31.91	5.65	32.46
PK	5.2586G	118.30	Inf	-Inf	113.41	3	Vertical	91	1.93	-	31.57	5.79	32.47
AV	5.2817G	107.31	Inf	-Inf	102.49	3	Vertical	91	1.93	-	31.47	5.82	32.47
PK	5.35G	66.76	74.00	-7.24	62.01	3	Vertical	91	1.93	-	31.30	5.93	32.48
AV	5.3507G	52.41	54.00	-1.59	47.66	3	Vertical	91	1.93	-	31.30	5.93	32.48



5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Z\_4TX  
 Setting 64  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.28	74.00	-10.72	58.18	3	Horizontal	92	1.80	-	31.91	5.65	32.46
AV	5.1473G	52.85	54.00	-1.15	47.75	3	Horizontal	92	1.80	-	31.91	5.65	32.46
PK	5.2583G	117.90	Inf	-Inf	113.01	3	Horizontal	92	1.80	-	31.57	5.79	32.47
AV	5.2577G	107.89	Inf	-Inf	103.00	3	Horizontal	92	1.80	-	31.57	5.79	32.47
PK	5.35G	65.24	74.00	-8.76	60.49	3	Horizontal	92	1.80	-	31.30	5.93	32.48
AV	5.3528G	53.14	54.00	-0.86	48.38	3	Horizontal	92	1.80	-	31.31	5.93	32.48

5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Z\_4TX  
 Setting 45  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	113.03	Inf	-Inf	108.25	3	Vertical	90	1.80	-	31.42	5.84	32.48
AV	5.2954G	101.82	Inf	-Inf	97.04	3	Vertical	90	1.80	-	31.42	5.84	32.48
PK	5.3518G	64.67	74.00	-9.33	59.91	3	Vertical	90	1.80	-	31.31	5.93	32.48
AV	5.3524G	53.18	54.00	-0.82	48.42	3	Vertical	90	1.80	-	31.31	5.93	32.48

5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Z\_4TX  
 Setting 45  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	112.32	Inf	-Inf	107.55	3	Horizontal	92	1.80	-	31.39	5.86	32.48
AV	5.3002G	101.80	Inf	-Inf	97.03	3	Horizontal	92	1.80	-	31.40	5.85	32.48
PK	5.3524G	69.46	74.00	-4.54	64.70	3	Horizontal	92	1.80	-	31.31	5.93	32.48
AV	5.35G	52.20	54.00	-1.80	47.45	3	Horizontal	92	1.80	-	31.30	5.93	32.48

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT\_Z\_4TX  
 Setting 43  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.81	74.00	-9.19	59.58	3	Vertical	92	1.80	-	31.73	6.00	32.50
AV	5.4592G	51.56	54.00	-2.44	46.32	3	Vertical	92	1.80	-	31.74	6.00	32.50
PK	5.4608G	64.98	68.20	-3.22	59.74	3	Vertical	92	1.80	-	31.74	6.00	32.50
PK	5.4988G	113.29	Inf	-Inf	107.89	3	Vertical	92	1.80	-	31.90	6.00	32.50
AV	5.509G	102.25	Inf	-Inf	96.85	3	Vertical	92	1.80	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT\_Z\_4TX  
 Setting 43  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.74	74.00	-10.26	58.50	3	Horizontal	89	1.80	-	31.74	6.00	32.50
AV	5.458G	51.47	54.00	-2.53	46.23	3	Horizontal	89	1.80	-	31.73	6.00	32.49
PK	5.4678G	67.49	68.20	-0.71	62.22	3	Horizontal	89	1.80	-	31.77	6.00	32.50
PK	5.5072G	113.11	Inf	-Inf	107.71	3	Horizontal	89	1.80	-	31.90	6.00	32.50
AV	5.4994G	102.16	Inf	-Inf	96.76	3	Horizontal	89	1.80	-	31.90	6.00	32.50

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT\_Z\_4TX  
 Setting 57  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	62.73	74.00	-11.27	57.52	3	Vertical	89	1.80	-	31.70	6.00	32.49
AV	5.46G	52.63	54.00	-1.37	47.39	3	Vertical	89	1.80	-	31.74	6.00	32.50
PK	5.4692G	68.14	68.20	-0.06	62.86	3	Vertical	89	1.80	-	31.78	6.00	32.50
PK	5.5352G	117.20	Inf	-Inf	111.79	3	Vertical	89	1.80	-	31.90	6.00	32.49
AV	5.5556G	106.23	Inf	-Inf	100.81	3	Vertical	89	1.80	-	31.90	6.00	32.48
PK	5.7256G	59.46	68.20	-8.74	53.73	3	Vertical	89	1.80	-	32.10	6.06	32.43

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT\_Z\_4TX  
 Setting 57  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.54	74.00	-11.46	57.30	3	Horizontal	92	1.80	-	31.74	6.00	32.50
AV	5.46G	51.76	54.00	-2.24	46.52	3	Horizontal	92	1.80	-	31.74	6.00	32.50
PK	5.4616G	63.77	68.20	-4.43	58.52	3	Horizontal	92	1.80	-	31.75	6.00	32.50
PK	5.5384G	115.87	Inf	-Inf	110.46	3	Horizontal	92	1.80	-	31.90	6.00	32.49
AV	5.5416G	105.43	Inf	-Inf	100.02	3	Horizontal	92	1.80	-	31.90	6.00	32.49
PK	5.7328G	60.11	68.20	-8.09	54.34	3	Horizontal	92	1.80	-	32.13	6.07	32.43

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Z\_4TX  
 Setting 50  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.676G	114.06	Inf	-Inf	108.56	3	Vertical	92	1.80	-	31.90	6.04	32.44
AV	5.6734G	103.01	Inf	-Inf	97.52	3	Vertical	92	1.80	-	31.89	6.04	32.44
PK	5.735G	64.93	68.20	-3.27	59.14	3	Vertical	92	1.80	-	32.14	6.07	32.42



5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Z\_4TX  
 Setting 50  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6584G	112.78	Inf	-Inf	107.37	3	Horizontal	92	1.80	-	31.83	6.03	32.45
AV	5.669G	102.38	Inf	-Inf	96.92	3	Horizontal	92	1.80	-	31.88	6.03	32.45
PK	5.7268G	68.15	68.20	-0.05	62.41	3	Horizontal	92	1.80	-	32.11	6.06	32.43

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 87  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	120.68	Inf	-Inf	115.06	3	Vertical	91	1.79	-	32.01	6.05	32.44
AV	5.6956G	110.38	Inf	-Inf	104.79	3	Vertical	91	1.79	-	31.98	6.05	32.44
PK	5.8556G	67.75	68.20	-0.45	61.74	3	Vertical	91	1.79	-	32.33	6.07	32.39

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 87  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7172G	119.91	Inf	-Inf	114.21	3	Horizontal	86	1.80	-	32.07	6.06	32.43
AV	5.7172G	109.69	Inf	-Inf	103.99	3	Horizontal	86	1.80	-	32.07	6.06	32.43
PK	5.854G	67.70	68.20	-0.50	61.70	3	Horizontal	86	1.80	-	32.32	6.07	32.39

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




EUT\_Z\_4TX  
 Setting 70  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.75	68.20	-0.45	62.38	3	Vertical	91	1.68	-	31.80	6.02	32.45
PK	5.7475G	118.12	Inf	-Inf	112.28	3	Vertical	91	1.68	-	32.19	6.07	32.42
AV	5.744G	108.46	Inf	-Inf	102.63	3	Vertical	91	1.68	-	32.18	6.07	32.42
PK	5.9325G	60.63	68.20	-7.57	54.36	3	Vertical	91	1.68	-	32.60	6.03	32.36

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




EUT\_Z\_4TX  
 Setting 70  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.39	68.20	-1.81	61.02	3	Horizontal	86	1.80	-	31.80	6.02	32.45
PK	5.7625G	117.46	Inf	-Inf	111.57	3	Horizontal	86	1.80	-	32.23	6.08	32.42
AV	5.762G	108.32	Inf	-Inf	102.44	3	Horizontal	86	1.80	-	32.22	6.08	32.42
PK	5.9255G	60.80	68.20	-7.40	54.52	3	Horizontal	86	1.80	-	32.60	6.04	32.36

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




EUT\_Z\_4TX  
 Setting 81  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.23	68.20	-1.97	60.86	3	Vertical	92	1.76	-	31.80	6.02	32.45
PK	5.7865G	119.81	Inf	-Inf	113.86	3	Vertical	92	1.76	-	32.27	6.09	32.41
AV	5.784G	110.60	Inf	-Inf	104.65	3	Vertical	92	1.76	-	32.27	6.09	32.41
PK	5.925G	68.15	68.20	-0.05	61.87	3	Vertical	92	1.76	-	32.60	6.04	32.36

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




EUT\_Z\_4TX  
 Setting 81  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	67.26	68.20	-0.94	61.88	3	Horizontal	87	1.80	-	31.82	6.02	32.46
PK	5.8005G	119.21	Inf	-Inf	113.21	3	Horizontal	87	1.80	-	32.30	6.10	32.40
AV	5.802G	110.67	Inf	-Inf	104.67	3	Horizontal	87	1.80	-	32.30	6.10	32.40
PK	5.939G	65.24	68.20	-2.96	58.97	3	Horizontal	87	1.80	-	32.60	6.03	32.36

5.15-5.25GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




EUT\_Z\_4TX  
 Setting 42  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	62.85	74.00	-11.15	57.76	3	Vertical	93	1.96	-	31.91	5.64	32.46
AV	5.148G	53.20	54.00	-0.80	48.11	3	Vertical	93	1.96	-	31.90	5.65	32.46
PK	5.2192G	110.16	Inf	-Inf	105.18	3	Vertical	93	1.96	-	31.72	5.73	32.47
AV	5.2164G	100.12	Inf	-Inf	95.14	3	Vertical	93	1.96	-	31.73	5.72	32.47
PK	5.3552G	59.15	74.00	-14.85	54.38	3	Vertical	93	1.96	-	31.32	5.93	32.48
AV	5.3564G	48.97	54.00	-5.03	44.19	3	Vertical	93	1.96	-	31.33	5.93	32.48



5.15-5.25GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




EUT\_Z\_4TX  
 Setting 42  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.17	74.00	-9.83	59.08	3	Horizontal	92	1.84	-	31.90	5.65	32.46
AV	5.15G	52.26	54.00	-1.74	47.17	3	Horizontal	92	1.84	-	31.90	5.65	32.46
PK	5.1876G	109.40	Inf	-Inf	104.35	3	Horizontal	92	1.84	-	31.82	5.69	32.46
AV	5.1952G	99.80	Inf	-Inf	94.75	3	Horizontal	92	1.84	-	31.81	5.70	32.46
PK	5.3556G	59.61	74.00	-14.39	54.84	3	Horizontal	92	1.84	-	31.32	5.93	32.48
AV	5.3504G	48.91	54.00	-5.09	44.16	3	Horizontal	92	1.84	-	31.30	5.93	32.48

5.25-5.35GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Z\_4TX  
 Setting 42  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.27	74.00	-13.73	55.17	3	Vertical	91	2.00	-	31.91	5.65	32.46
AV	5.1496G	49.85	54.00	-4.15	44.76	3	Vertical	91	2.00	-	31.90	5.65	32.46
PK	5.2892G	109.89	Inf	-Inf	105.09	3	Vertical	91	2.00	-	31.44	5.83	32.47
AV	5.2816G	99.93	Inf	-Inf	95.11	3	Vertical	91	2.00	-	31.47	5.82	32.47
PK	5.3604G	63.81	74.00	-10.19	59.01	3	Vertical	91	2.00	-	31.34	5.94	32.48
AV	5.3532G	53.08	54.00	-0.92	48.32	3	Vertical	91	2.00	-	31.31	5.93	32.48
PK	5.4832G	59.38	68.20	-8.82	54.05	3	Vertical	91	2.00	-	31.83	6.00	32.50

5.25-5.35GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Z\_4TX  
 Setting 42  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.92	74.00	-12.08	56.82	3	Horizontal	96	1.90	-	31.91	5.65	32.46
AV	5.1496G	50.56	54.00	-3.44	45.47	3	Horizontal	96	1.90	-	31.90	5.65	32.46
PK	5.2832G	110.59	Inf	-Inf	105.77	3	Horizontal	96	1.90	-	31.47	5.82	32.47
AV	5.2788G	99.95	Inf	-Inf	95.12	3	Horizontal	96	1.90	-	31.48	5.82	32.47
PK	5.3504G	62.05	74.00	-11.95	57.30	3	Horizontal	96	1.90	-	31.30	5.93	32.48
AV	5.3508G	51.51	54.00	-2.49	46.76	3	Horizontal	96	1.90	-	31.30	5.93	32.48
PK	5.4692G	59.12	68.20	-9.08	53.84	3	Horizontal	96	1.90	-	31.78	6.00	32.50

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT\_Z\_4TX  
 Setting 47  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	59.84	68.20	-8.36	55.09	3	Vertical	90	1.80	-	31.33	5.90	32.48
AV	5.35G	48.69	54.00	-5.31	43.95	3	Vertical	90	1.80	-	31.30	5.92	32.48
PK	5.4572G	64.39	74.00	-9.61	59.15	3	Vertical	90	1.80	-	31.73	6.00	32.49
AV	5.4424G	53.79	54.00	-0.21	48.61	3	Vertical	90	1.80	-	31.67	6.00	32.49
PK	5.468G	66.71	68.20	-1.49	61.44	3	Vertical	90	1.80	-	31.77	6.00	32.50
PK	5.5464G	111.32	Inf	-Inf	105.91	3	Vertical	90	1.80	-	31.90	6.00	32.49
AV	5.5216G	101.36	Inf	-Inf	95.95	3	Vertical	90	1.80	-	31.90	6.00	32.49
PK	5.7264G	58.86	68.20	-9.34	53.12	3	Vertical	90	1.80	-	32.11	6.06	32.43

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT\_Z\_4TX  
 Setting 47  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.85	68.20	-8.35	55.10	3	Horizontal	92	1.94	-	31.31	5.92	32.48
AV	5.35G	49.28	54.00	-4.72	44.54	3	Horizontal	92	1.94	-	31.30	5.92	32.48
PK	5.4588G	62.86	74.00	-11.14	57.62	3	Horizontal	92	1.94	-	31.74	6.00	32.50
AV	5.4424G	52.25	54.00	-1.75	47.07	3	Horizontal	92	1.94	-	31.67	6.00	32.49
PK	5.4664G	63.51	68.20	-4.69	58.24	3	Horizontal	92	1.94	-	31.77	6.00	32.50
PK	5.5264G	110.92	Inf	-Inf	105.51	3	Horizontal	92	1.94	-	31.90	6.00	32.49
AV	5.5276G	100.89	Inf	-Inf	95.48	3	Horizontal	92	1.94	-	31.90	6.00	32.49
PK	5.7296G	58.49	68.20	-9.71	52.74	3	Horizontal	92	1.94	-	32.12	6.06	32.43

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUT\_Z\_4TX  
 Setting 59  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.12	74.00	-9.88	58.88	3	Vertical	91	1.72	-	31.73	6.00	32.49
AV	5.46G	53.81	54.00	-0.19	48.57	3	Vertical	91	1.72	-	31.74	6.00	32.50
PK	5.4688G	67.03	68.20	-1.17	61.75	3	Vertical	91	1.72	-	31.78	6.00	32.50
PK	5.6212G	113.60	Inf	-Inf	108.19	3	Vertical	91	1.72	-	31.86	6.01	32.46
AV	5.6016G	103.84	Inf	-Inf	98.41	3	Vertical	91	1.72	-	31.90	6.00	32.47
PK	5.7252G	66.05	68.20	-2.15	60.32	3	Vertical	91	1.72	-	32.10	6.06	32.43

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUT\_Z\_4TX  
 Setting 59  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.55	74.00	-8.45	60.31	3	Horizontal	86	1.80	-	31.74	6.00	32.50
AV	5.4596G	53.99	54.00	-0.01	48.75	3	Horizontal	86	1.80	-	31.74	6.00	32.50
PK	5.4644G	63.44	68.20	-4.76	58.18	3	Horizontal	86	1.80	-	31.76	6.00	32.50
PK	5.6076G	112.87	Inf	-Inf	107.46	3	Horizontal	86	1.80	-	31.88	6.00	32.47
AV	5.5992G	102.75	Inf	-Inf	97.32	3	Horizontal	86	1.80	-	31.90	6.00	32.47
PK	5.7284G	65.23	68.20	-2.97	59.49	3	Horizontal	86	1.80	-	32.11	6.06	32.43

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 70  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6812G	116.38	Inf	-Inf	110.86	3	Vertical	92	1.80	-	31.92	6.04	32.44
AV	5.6764G	106.53	Inf	-Inf	101.02	3	Vertical	92	1.80	-	31.91	6.04	32.44
PK	5.85G	67.58	68.20	-0.62	61.60	3	Vertical	92	1.80	-	32.30	6.07	32.39



5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 70  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	115.28	Inf	-Inf	109.73	3	Horizontal	90	1.80	-	31.95	6.04	32.44
AV	5.686G	105.01	Inf	-Inf	99.47	3	Horizontal	90	1.80	-	31.94	6.04	32.44
PK	5.8504G	66.62	68.20	-1.58	60.64	3	Horizontal	90	1.80	-	32.30	6.07	32.39

5.725-5.85GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5775MHz\_TX




EUT\_Z\_4TX  
 Setting 62  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.32	68.20	-0.88	61.95	3	Vertical	89	1.77	-	31.80	6.02	32.45
PK	5.7715G	113.33	Inf	-Inf	107.41	3	Vertical	89	1.77	-	32.24	6.09	32.41
AV	5.7665G	103.45	Inf	-Inf	97.55	3	Vertical	89	1.77	-	32.23	6.08	32.41
PK	5.931G	64.36	68.20	-3.84	58.09	3	Vertical	89	1.77	-	32.60	6.03	32.36

5.725-5.85GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5775MHz\_TX




EUT\_Z\_4TX  
 Setting 62  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6375G	65.31	68.20	-2.89	59.93	3	Horizontal	87	1.80	-	31.82	6.02	32.46
PK	5.7815G	113.23	Inf	-Inf	107.29	3	Horizontal	87	1.80	-	32.26	6.09	32.41
AV	5.764G	103.19	Inf	-Inf	97.30	3	Horizontal	87	1.80	-	32.23	6.08	32.42
PK	5.9345G	62.97	68.20	-5.23	56.70	3	Horizontal	87	1.80	-	32.60	6.03	32.36

5.25-5.35GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
 Setting 37  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	64.78	74.00	-9.22	59.68	3	Vertical	92	1.95	-	31.92	5.64	32.46
AV	5.1372G	53.71	54.00	-0.29	48.60	3	Vertical	92	1.95	-	31.93	5.64	32.46
PK	5.2388G	107.12	Inf	-Inf	102.19	3	Vertical	92	1.95	-	31.64	5.76	32.47
AV	5.2364G	96.27	Inf	-Inf	91.34	3	Vertical	92	1.95	-	31.65	5.75	32.47
PK	5.3828G	64.36	74.00	-9.64	59.45	3	Vertical	92	1.95	-	31.43	5.97	32.49
AV	5.382G	53.05	54.00	-0.95	48.14	3	Vertical	92	1.95	-	31.43	5.97	32.49
PK	5.4812G	59.16	68.20	-9.04	53.84	3	Vertical	92	1.95	-	31.82	6.00	32.50

5.25-5.35GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
 Setting 37  
 06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	63.05	74.00	-10.95	57.95	3	Horizontal	92	1.80	-	31.92	5.64	32.46
AV	5.146G	52.58	54.00	-1.42	47.48	3	Horizontal	92	1.80	-	31.91	5.65	32.46
PK	5.2516G	105.49	Inf	-Inf	100.59	3	Horizontal	92	1.80	-	31.59	5.78	32.47
AV	5.2452G	96.23	Inf	-Inf	91.31	3	Horizontal	92	1.80	-	31.62	5.77	32.47
PK	5.3812G	63.21	74.00	-10.79	58.31	3	Horizontal	92	1.80	-	31.42	5.97	32.49
AV	5.386G	51.90	54.00	-2.10	46.97	3	Horizontal	92	1.80	-	31.44	5.98	32.49
PK	5.4732G	58.99	68.20	-9.21	53.70	3	Horizontal	92	1.80	-	31.79	6.00	32.50

5.47-5.725GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5570MHz\_TX




EUT\_Z\_4TX  
Setting 41  
06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2596G	60.52	68.20	-7.68	55.64	3	Vertical	88	1.66	-	31.56	5.79	32.47
AV	5.35G	48.82	54.00	-5.18	44.08	3	Vertical	88	1.66	-	31.30	5.92	32.48
PK	5.4492G	67.61	74.00	-6.39	62.40	3	Vertical	88	1.66	-	31.70	6.00	32.49
AV	5.4476G	52.42	54.00	-1.58	47.22	3	Vertical	88	1.66	-	31.69	6.00	32.49
PK	5.4692G	67.15	68.20	-1.05	61.87	3	Vertical	88	1.66	-	31.78	6.00	32.50
PK	5.586G	106.72	Inf	-Inf	101.29	3	Vertical	88	1.66	-	31.90	6.00	32.47
AV	5.5644G	96.56	Inf	-Inf	91.14	3	Vertical	88	1.66	-	31.90	6.00	32.48
PK	5.7276G	67.63	68.20	-0.57	61.89	3	Vertical	88	1.66	-	32.11	6.06	32.43

5.47-5.725GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5570MHz\_TX



EUT\_Z\_4TX  
Setting 41  
06-E-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	60.74	68.20	-7.46	55.97	3	Horizontal	91	1.79	-	31.40	5.85	32.48
AV	5.35G	48.83	54.00	-5.17	44.09	3	Horizontal	91	1.79	-	31.30	5.92	32.48
PK	5.4436G	63.22	74.00	-10.78	58.04	3	Horizontal	91	1.79	-	31.67	6.00	32.49
AV	5.4436G	51.28	54.00	-2.72	46.10	3	Horizontal	91	1.79	-	31.67	6.00	32.49
PK	5.4604G	63.60	68.20	-4.60	58.36	3	Horizontal	91	1.79	-	31.74	6.00	32.50
PK	5.5476G	105.88	Inf	-Inf	100.46	3	Horizontal	91	1.79	-	31.90	6.00	32.48
AV	5.546G	96.27	Inf	-Inf	90.86	3	Horizontal	91	1.79	-	31.90	6.00	32.49
PK	5.726G	65.18	68.20	-3.02	59.45	3	Horizontal	91	1.79	-	32.10	6.06	32.43




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5.35G	53.95	54.00	-0.05	3	Horizontal	87	1.67	-



5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




EUT\_Y\_4TX  
 Setting 50  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.08	74.00	-6.92	58.44	3	Vertical	84	1.58	-	33.60	5.77	30.73
AV	5.1492G	52.20	54.00	-1.80	43.56	3	Vertical	84	1.58	-	33.60	5.77	30.73
PK	5.177G	119.62	Inf	-Inf	110.91	3	Vertical	84	1.58	-	33.65	5.79	30.73
AV	5.1858G	107.38	Inf	-Inf	98.65	3	Vertical	84	1.58	-	33.67	5.79	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




EUT\_Y\_4TX  
 Setting 50  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.80	74.00	-7.20	58.16	3	Horizontal	90	1.76	-	33.60	5.77	30.73
AV	5.1494G	53.71	54.00	-0.29	45.07	3	Horizontal	90	1.76	-	33.60	5.77	30.73
PK	5.179G	120.49	Inf	-Inf	111.77	3	Horizontal	90	1.76	-	33.66	5.79	30.73
AV	5.179G	108.54	Inf	-Inf	99.82	3	Horizontal	90	1.76	-	33.66	5.79	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5200MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	65.96	74.00	-8.04	57.33	3	Vertical	87	1.51	-	33.59	5.77	30.73
AV	5.1484G	53.30	54.00	-0.70	44.66	3	Vertical	87	1.51	-	33.60	5.77	30.73
PK	5.196G	122.16	Inf	-Inf	113.40	3	Vertical	87	1.51	-	33.69	5.80	30.73
AV	5.204G	111.03	Inf	-Inf	102.26	3	Vertical	87	1.51	-	33.70	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5200MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.55	74.00	-8.45	56.90	3	Horizontal	89	1.74	-	33.60	5.78	30.73
AV	5.1476G	53.75	54.00	-0.25	45.11	3	Horizontal	89	1.74	-	33.60	5.77	30.73
PK	5.1992G	123.53	Inf	-Inf	114.76	3	Horizontal	89	1.74	-	33.70	5.80	30.73
AV	5.2052G	111.90	Inf	-Inf	103.13	3	Horizontal	89	1.74	-	33.70	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
 Setting 85  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	65.43	74.00	-8.57	56.80	3	Vertical	86	1.32	-	33.59	5.77	30.73
AV	5.15G	53.76	54.00	-0.24	45.11	3	Vertical	86	1.32	-	33.60	5.78	30.73
PK	5.2388G	125.85	Inf	-Inf	117.06	3	Vertical	86	1.32	-	33.70	5.82	30.73
AV	5.2364G	115.20	Inf	-Inf	106.41	3	Vertical	86	1.32	-	33.70	5.82	30.73
PK	5.369G	64.36	74.00	-9.64	55.26	3	Vertical	86	1.32	-	33.94	5.88	30.72
AV	5.3504G	53.09	54.00	-0.91	44.03	3	Vertical	86	1.32	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
 Setting 85  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1218G	66.50	74.00	-7.50	57.93	3	Horizontal	89	1.80	-	33.54	5.76	30.73
AV	5.15G	53.94	54.00	-0.06	45.29	3	Horizontal	89	1.80	-	33.60	5.78	30.73
PK	5.2412G	126.58	Inf	-Inf	117.79	3	Horizontal	89	1.80	-	33.70	5.82	30.73
AV	5.2394G	115.01	Inf	-Inf	106.22	3	Horizontal	89	1.80	-	33.70	5.82	30.73
PK	5.3588G	64.55	74.00	-9.45	55.47	3	Horizontal	89	1.80	-	33.92	5.88	30.72
AV	5.3528G	53.09	54.00	-0.91	44.02	3	Horizontal	89	1.80	-	33.91	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 Setting 84  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	64.60	74.00	-9.40	55.98	3	Vertical	83	1.84	-	33.58	5.77	30.73
AV	5.1484G	52.72	54.00	-1.28	44.08	3	Vertical	83	1.84	-	33.60	5.77	30.73
PK	5.2546G	125.48	Inf	-Inf	116.66	3	Vertical	83	1.84	-	33.71	5.83	30.72
AV	5.2528G	114.61	Inf	-Inf	105.79	3	Vertical	83	1.84	-	33.71	5.83	30.72
PK	5.35G	65.22	74.00	-8.78	56.16	3	Vertical	83	1.84	-	33.90	5.88	30.72
AV	5.35G	53.21	54.00	-0.79	44.15	3	Vertical	83	1.84	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 Setting 84  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	64.42	74.00	-9.58	55.79	3	Horizontal	87	1.67	-	33.59	5.77	30.73
AV	5.1454G	53.50	54.00	-0.50	44.87	3	Horizontal	87	1.67	-	33.59	5.77	30.73
PK	5.257G	126.40	Inf	-Inf	117.58	3	Horizontal	87	1.67	-	33.71	5.83	30.72
AV	5.2558G	114.86	Inf	-Inf	106.04	3	Horizontal	87	1.67	-	33.71	5.83	30.72
PK	5.3524G	66.23	74.00	-7.77	57.17	3	Horizontal	87	1.67	-	33.90	5.88	30.72
AV	5.35G	53.95	54.00	-0.05	44.89	3	Horizontal	87	1.67	-	33.90	5.88	30.72



5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
 Setting 69  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	122.30	Inf	-Inf	113.38	3	Vertical	84	1.29	-	33.79	5.85	30.72
AV	5.3056G	111.54	Inf	-Inf	102.60	3	Vertical	84	1.29	-	33.81	5.85	30.72
PK	5.3504G	69.80	74.00	-4.20	60.74	3	Vertical	84	1.29	-	33.90	5.88	30.72
AV	5.3516G	53.63	54.00	-0.37	44.57	3	Vertical	84	1.29	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
 Setting 69  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	123.27	Inf	-Inf	114.36	3	Horizontal	85	1.80	-	33.78	5.85	30.72
AV	5.3016G	111.46	Inf	-Inf	102.53	3	Horizontal	85	1.80	-	33.80	5.85	30.72
PK	5.3524G	66.04	74.00	-7.96	56.98	3	Horizontal	85	1.80	-	33.90	5.88	30.72
AV	5.3524G	53.82	54.00	-0.18	44.76	3	Horizontal	85	1.80	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 54  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	120.15	Inf	-Inf	111.18	3	Vertical	85	1.71	-	33.83	5.86	30.72
AV	5.3144G	107.74	Inf	-Inf	98.77	3	Vertical	85	1.71	-	33.83	5.86	30.72
PK	5.351G	69.46	74.00	-4.54	60.40	3	Vertical	85	1.71	-	33.90	5.88	30.72
AV	5.3508G	53.57	54.00	-0.43	44.51	3	Vertical	85	1.71	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 54  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	120.11	Inf	-Inf	111.13	3	Horizontal	91	1.78	-	33.84	5.86	30.72
AV	5.3188G	108.29	Inf	-Inf	99.31	3	Horizontal	91	1.78	-	33.84	5.86	30.72
PK	5.3518G	68.36	74.00	-5.64	59.30	3	Horizontal	91	1.78	-	33.90	5.88	30.72
AV	5.3506G	53.82	54.00	-0.18	44.76	3	Horizontal	91	1.78	-	33.90	5.88	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 51  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	62.75	74.00	-11.25	53.51	3	Vertical	91	1.57	-	34.00	5.96	30.72
AV	5.4588G	50.85	54.00	-3.15	41.61	3	Vertical	91	1.57	-	34.00	5.96	30.72
PK	5.4642G	67.59	68.20	-0.61	58.35	3	Vertical	91	1.57	-	34.00	5.96	30.72
PK	5.497G	118.58	Inf	-Inf	109.30	3	Vertical	91	1.57	-	34.00	6.00	30.72
AV	5.4994G	107.23	Inf	-Inf	97.95	3	Vertical	91	1.57	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 51  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	62.60	74.00	-11.40	53.37	3	Horizontal	88	1.80	-	34.00	5.95	30.72
AV	5.4594G	50.99	54.00	-3.01	41.75	3	Horizontal	88	1.80	-	34.00	5.96	30.72
PK	5.466G	67.53	68.20	-0.67	58.28	3	Horizontal	88	1.80	-	34.00	5.97	30.72
PK	5.4962G	118.81	Inf	-Inf	109.53	3	Horizontal	88	1.80	-	34.00	6.00	30.72
AV	5.4992G	107.45	Inf	-Inf	98.17	3	Horizontal	88	1.80	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 97  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	66.92	74.00	-7.08	57.68	3	Vertical	85	1.53	-	34.00	5.96	30.72
AV	5.4544G	53.76	54.00	-0.24	44.53	3	Vertical	85	1.53	-	34.00	5.95	30.72
PK	5.4696G	67.81	68.20	-0.39	58.56	3	Vertical	85	1.53	-	34.00	5.97	30.72
PK	5.5784G	125.74	Inf	-Inf	116.50	3	Vertical	85	1.53	-	33.94	6.08	30.78
AV	5.5784G	114.99	Inf	-Inf	105.75	3	Vertical	85	1.53	-	33.94	6.08	30.78
PK	5.7272G	64.27	68.20	-3.93	55.21	3	Vertical	85	1.53	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 97  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.94	74.00	-8.06	56.70	3	Horizontal	85	1.79	-	34.00	5.96	30.72
AV	5.4464G	53.68	54.00	-0.32	44.45	3	Horizontal	85	1.79	-	34.00	5.95	30.72
PK	5.468G	67.53	68.20	-0.67	58.28	3	Horizontal	85	1.79	-	34.00	5.97	30.72
PK	5.5744G	126.40	Inf	-Inf	117.16	3	Horizontal	85	1.79	-	33.95	6.07	30.78
AV	5.576G	115.13	Inf	-Inf	105.88	3	Horizontal	85	1.79	-	33.95	6.08	30.78
PK	5.7448G	63.85	68.20	-4.35	54.85	3	Horizontal	85	1.79	-	33.81	6.10	30.91



5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6984G	116.47	Inf	-Inf	107.34	3	Vertical	87	1.49	-	33.90	6.10	30.87
AV	5.7042G	104.36	Inf	-Inf	95.25	3	Vertical	87	1.49	-	33.89	6.10	30.88
PK	5.7256G	67.48	68.20	-0.72	58.42	3	Vertical	87	1.49	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6926G	116.21	Inf	-Inf	107.09	3	Horizontal	84	1.61	-	33.89	6.10	30.87
AV	5.6962G	104.85	Inf	-Inf	95.73	3	Horizontal	84	1.61	-	33.89	6.10	30.87
PK	5.7254G	66.69	68.20	-1.51	57.63	3	Horizontal	84	1.61	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	125.19	Inf	-Inf	116.10	3	Vertical	84	1.49	-	33.87	6.10	30.88
AV	5.7192G	113.55	Inf	-Inf	104.48	3	Vertical	84	1.49	-	33.86	6.10	30.89
PK	5.8504G	64.56	68.20	-3.64	55.61	3	Vertical	84	1.49	-	33.80	6.14	30.99

5.47-5.725GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 98  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	124.72	Inf	-Inf	115.62	3	Horizontal	84	1.75	-	33.88	6.10	30.88
AV	5.716G	113.83	Inf	-Inf	104.74	3	Horizontal	84	1.75	-	33.87	6.10	30.88
PK	5.8504G	66.76	68.20	-1.44	57.81	3	Horizontal	84	1.75	-	33.80	6.14	30.99

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
 Setting 95  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.97	68.20	-0.23	58.90	3	Vertical	85	1.64	-	33.80	6.10	30.83
PK	5.743G	125.44	Inf	-Inf	116.43	3	Vertical	85	1.64	-	33.81	6.10	30.90
AV	5.749G	114.98	Inf	-Inf	105.99	3	Vertical	85	1.64	-	33.80	6.10	30.91
PK	5.99G	61.88	68.20	-6.32	52.48	3	Vertical	85	1.64	-	34.20	6.29	31.09

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
 Setting 95  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	68.14	68.20	-0.06	59.05	3	Horizontal	89	1.81	-	33.82	6.10	30.83
PK	5.744G	125.87	Inf	-Inf	116.87	3	Horizontal	89	1.81	-	33.81	6.10	30.91
AV	5.748G	113.69	Inf	-Inf	104.70	3	Horizontal	89	1.81	-	33.80	6.10	30.91
PK	5.933G	61.79	68.20	-6.41	52.44	3	Horizontal	89	1.81	-	34.17	6.23	31.05

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 100  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.04	68.20	-0.16	58.97	3	Vertical	85	1.63	-	33.80	6.10	30.83
PK	5.778G	126.00	Inf	-Inf	117.03	3	Vertical	85	1.63	-	33.80	6.10	30.93
AV	5.777G	114.45	Inf	-Inf	105.48	3	Vertical	85	1.63	-	33.80	6.10	30.93
PK	5.925G	66.91	68.20	-1.29	57.58	3	Vertical	85	1.63	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 100  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.22	68.20	-0.98	58.13	3	Horizontal	87	1.80	-	33.82	6.10	30.83
PK	5.78G	126.04	Inf	-Inf	117.07	3	Horizontal	87	1.80	-	33.80	6.10	30.93
AV	5.779G	113.74	Inf	-Inf	104.77	3	Horizontal	87	1.80	-	33.80	6.10	30.93
PK	5.925G	67.60	68.20	-0.60	58.27	3	Horizontal	87	1.80	-	34.15	6.22	31.04



5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 96  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	63.61	68.20	-4.59	54.39	3	Vertical	85	1.63	-	33.92	6.09	30.79
PK	5.818G	124.75	Inf	-Inf	115.80	3	Vertical	85	1.63	-	33.80	6.11	30.96
AV	5.829G	113.40	Inf	-Inf	104.45	3	Vertical	85	1.63	-	33.80	6.12	30.97
PK	5.924G	68.16	68.94	-0.78	58.83	3	Vertical	85	1.63	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss4,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 96  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.09	68.94	-4.85	55.02	3	Horizontal	86	1.80	-	33.80	6.10	30.83
PK	5.818G	125.07	Inf	-Inf	116.12	3	Horizontal	86	1.80	-	33.80	6.11	30.96
AV	5.821G	113.15	Inf	-Inf	104.20	3	Horizontal	86	1.80	-	33.80	6.11	30.96
PK	5.933G	67.78	68.20	-0.42	58.43	3	Horizontal	86	1.80	-	34.17	6.23	31.05

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
 Setting 42  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	64.49	74.00	-9.51	55.86	3	Vertical	87	1.42	-	33.59	5.77	30.73
AV	5.1492G	53.59	54.00	-0.41	44.95	3	Vertical	87	1.42	-	33.60	5.77	30.73
PK	5.1988G	113.75	Inf	-Inf	104.98	3	Vertical	87	1.42	-	33.70	5.80	30.73
AV	5.1776G	103.62	Inf	-Inf	94.90	3	Vertical	87	1.42	-	33.66	5.79	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
Setting 42  
02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.28	74.00	-9.72	55.64	3	Horizontal	87	1.67	-	33.60	5.77	30.73
AV	5.15G	53.67	54.00	-0.33	45.02	3	Horizontal	87	1.67	-	33.60	5.78	30.73
PK	5.1752G	115.22	Inf	-Inf	106.51	3	Horizontal	87	1.67	-	33.65	5.79	30.73
AV	5.1872G	103.96	Inf	-Inf	95.23	3	Horizontal	87	1.67	-	33.67	5.79	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
 Setting 56  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.58	74.00	-10.42	54.94	3	Vertical	84	1.75	-	33.60	5.77	30.73
AV	5.1472G	52.89	54.00	-1.11	44.26	3	Vertical	84	1.75	-	33.59	5.77	30.73
PK	5.2348G	118.34	Inf	-Inf	109.55	3	Vertical	84	1.75	-	33.70	5.82	30.73
AV	5.2372G	107.56	Inf	-Inf	98.77	3	Vertical	84	1.75	-	33.70	5.82	30.73
PK	5.3644G	62.61	74.00	-11.39	53.52	3	Vertical	84	1.75	-	33.93	5.88	30.72
AV	5.3776G	52.56	54.00	-1.44	43.43	3	Vertical	84	1.75	-	33.96	5.89	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
 Setting 56  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	63.96	74.00	-10.04	55.34	3	Horizontal	88	1.80	-	33.58	5.77	30.73
AV	5.1496G	53.50	54.00	-0.50	44.86	3	Horizontal	88	1.80	-	33.60	5.77	30.73
PK	5.2348G	118.73	Inf	-Inf	109.94	3	Horizontal	88	1.80	-	33.70	5.82	30.73
AV	5.2276G	108.04	Inf	-Inf	99.26	3	Horizontal	88	1.80	-	33.70	5.81	30.73
PK	5.374G	62.66	74.00	-11.34	53.54	3	Horizontal	88	1.80	-	33.95	5.89	30.72
AV	5.3752G	52.96	54.00	-1.04	43.84	3	Horizontal	88	1.80	-	33.95	5.89	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 58  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	63.24	74.00	-10.76	54.62	3	Vertical	82	1.48	-	33.58	5.77	30.73
AV	5.1308G	52.84	54.00	-1.16	44.24	3	Vertical	82	1.48	-	33.56	5.77	30.73
PK	5.2658G	117.59	Inf	-Inf	108.75	3	Vertical	82	1.48	-	33.73	5.83	30.72
AV	5.2664G	108.05	Inf	-Inf	99.21	3	Vertical	82	1.48	-	33.73	5.83	30.72
PK	5.357G	64.69	74.00	-9.31	55.62	3	Vertical	82	1.48	-	33.91	5.88	30.72
AV	5.3504G	52.98	54.00	-1.02	43.92	3	Vertical	82	1.48	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 58  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	63.42	74.00	-10.58	54.79	3	Horizontal	88	1.80	-	33.59	5.77	30.73
AV	5.147G	52.38	54.00	-1.62	43.75	3	Horizontal	88	1.80	-	33.59	5.77	30.73
PK	5.2748G	117.71	Inf	-Inf	108.84	3	Horizontal	88	1.80	-	33.75	5.84	30.72
AV	5.2676G	107.40	Inf	-Inf	98.55	3	Horizontal	88	1.80	-	33.74	5.83	30.72
PK	5.351G	63.80	74.00	-10.20	54.74	3	Horizontal	88	1.80	-	33.90	5.88	30.72
AV	5.3714G	53.25	54.00	-0.75	44.14	3	Horizontal	88	1.80	-	33.94	5.89	30.72



5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
 Setting 43  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	113.98	Inf	-Inf	105.01	3	Vertical	82	1.44	-	33.83	5.86	30.72
AV	5.3068G	103.74	Inf	-Inf	94.80	3	Vertical	82	1.44	-	33.81	5.85	30.72
PK	5.3544G	65.15	74.00	-8.85	56.08	3	Vertical	82	1.44	-	33.91	5.88	30.72
AV	5.3536G	53.41	54.00	-0.59	44.34	3	Vertical	82	1.44	-	33.91	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
 Setting 43  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	113.82	Inf	-Inf	104.90	3	Horizontal	86	1.80	-	33.79	5.85	30.72
AV	5.3156G	103.21	Inf	-Inf	94.24	3	Horizontal	86	1.80	-	33.83	5.86	30.72
PK	5.3548G	63.92	74.00	-10.08	54.85	3	Horizontal	86	1.80	-	33.91	5.88	30.72
AV	5.3504G	53.51	54.00	-0.49	44.45	3	Horizontal	86	1.80	-	33.90	5.88	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
 Setting 48  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.49	74.00	-7.51	57.25	3	Vertical	86	1.47	-	34.00	5.96	30.72
AV	5.459G	53.81	54.00	-0.19	44.57	3	Vertical	86	1.47	-	34.00	5.96	30.72
PK	5.4638G	66.56	68.20	-1.64	57.32	3	Vertical	86	1.47	-	34.00	5.96	30.72
PK	5.519G	115.04	Inf	-Inf	105.75	3	Vertical	86	1.47	-	34.00	6.02	30.73
AV	5.5226G	104.71	Inf	-Inf	95.43	3	Vertical	86	1.47	-	34.00	6.02	30.74

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
 Setting 48  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	63.70	74.00	-10.30	54.47	3	Horizontal	89	1.80	-	34.00	5.95	30.72
AV	5.4596G	52.94	54.00	-1.06	43.70	3	Horizontal	89	1.80	-	34.00	5.96	30.72
PK	5.4698G	67.00	68.20	-1.20	57.75	3	Horizontal	89	1.80	-	34.00	5.97	30.72
PK	5.495G	115.15	Inf	-Inf	105.87	3	Horizontal	89	1.80	-	34.00	6.00	30.72
AV	5.4956G	104.43	Inf	-Inf	95.15	3	Horizontal	89	1.80	-	34.00	6.00	30.72

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 Setting 63  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4436G	64.33	74.00	-9.67	55.11	3	Vertical	88	1.48	-	34.00	5.94	30.72
AV	5.4508G	53.48	54.00	-0.52	44.25	3	Vertical	88	1.48	-	34.00	5.95	30.72
PK	5.4692G	66.06	68.20	-2.14	56.81	3	Vertical	88	1.48	-	34.00	5.97	30.72
PK	5.562G	117.36	Inf	-Inf	108.09	3	Vertical	88	1.48	-	33.98	6.06	30.77
AV	5.5436G	107.33	Inf	-Inf	98.04	3	Vertical	88	1.48	-	34.00	6.04	30.75
PK	5.7436G	62.48	68.20	-5.72	53.48	3	Vertical	88	1.48	-	33.81	6.10	30.91

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 Setting 63  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3972G	53.55	54.00	-0.45	44.38	3	Horizontal	86	1.83	-	33.99	5.90	30.72
PK	5.4588G	64.16	74.00	-9.84	54.92	3	Horizontal	86	1.83	-	34.00	5.96	30.72
PK	5.4684G	64.59	68.20	-3.61	55.34	3	Horizontal	86	1.83	-	34.00	5.97	30.72
PK	5.542G	118.30	Inf	-Inf	109.01	3	Horizontal	86	1.83	-	34.00	6.04	30.75
AV	5.5484G	108.29	Inf	-Inf	99.00	3	Horizontal	86	1.83	-	34.00	6.05	30.76
PK	5.7252G	63.12	68.20	-5.08	54.06	3	Horizontal	86	1.83	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 52  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6824G	114.29	Inf	-Inf	105.19	3	Vertical	88	1.52	-	33.86	6.10	30.86
AV	5.6712G	104.41	Inf	-Inf	95.32	3	Vertical	88	1.52	-	33.84	6.10	30.85
PK	5.7256G	67.87	68.20	-0.33	58.81	3	Vertical	88	1.52	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 52  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6788G	116.00	Inf	-Inf	106.90	3	Horizontal	84	1.70	-	33.86	6.10	30.86
AV	5.6688G	104.90	Inf	-Inf	95.81	3	Horizontal	84	1.70	-	33.84	6.10	30.85
PK	5.7252G	67.84	68.20	-0.36	58.78	3	Horizontal	84	1.70	-	33.85	6.10	30.89



5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 79  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4202G	62.60	74.00	-11.40	53.40	3	Vertical	86	1.66	-	34.00	5.92	30.72
AV	5.4398G	52.77	54.00	-1.23	43.55	3	Vertical	86	1.66	-	34.00	5.94	30.72
PK	5.4608G	62.03	68.20	-6.17	52.79	3	Vertical	86	1.66	-	34.00	5.96	30.72
PK	5.703G	120.63	Inf	-Inf	111.51	3	Vertical	86	1.66	-	33.89	6.10	30.87
AV	5.7016G	111.26	Inf	-Inf	102.13	3	Vertical	86	1.66	-	33.90	6.10	30.87
PK	5.8598G	63.27	68.20	-4.93	54.25	3	Vertical	86	1.66	-	33.86	6.15	30.99

5.47-5.725GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 79  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	63.24	74.00	-10.76	54.04	3	Horizontal	85	1.80	-	34.00	5.92	30.72
AV	5.4328G	53.70	54.00	-0.30	44.49	3	Horizontal	85	1.80	-	34.00	5.93	30.72
PK	5.465G	62.49	68.20	-5.71	53.25	3	Horizontal	85	1.80	-	34.00	5.96	30.72
PK	5.6988G	120.69	Inf	-Inf	111.56	3	Horizontal	85	1.80	-	33.90	6.10	30.87
AV	5.7156G	110.07	Inf	-Inf	100.98	3	Horizontal	85	1.80	-	33.87	6.10	30.88
PK	5.864G	63.30	68.20	-4.90	54.26	3	Horizontal	85	1.80	-	33.88	6.16	31.00

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 74  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.51	68.20	-0.69	58.43	3	Vertical	86	1.63	-	33.81	6.10	30.83
PK	5.747G	120.33	Inf	-Inf	111.33	3	Vertical	86	1.63	-	33.81	6.10	30.91
AV	5.747G	110.52	Inf	-Inf	101.52	3	Vertical	86	1.63	-	33.81	6.10	30.91
PK	5.938G	62.96	68.20	-5.24	53.60	3	Vertical	86	1.63	-	34.18	6.23	31.05

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 74  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.64	68.94	-0.30	59.57	3	Horizontal	88	1.75	-	33.80	6.10	30.83
PK	5.74G	119.57	Inf	-Inf	110.55	3	Horizontal	88	1.75	-	33.82	6.10	30.90
AV	5.753G	109.38	Inf	-Inf	100.39	3	Horizontal	88	1.75	-	33.80	6.10	30.91
PK	5.925G	61.90	68.20	-6.30	52.57	3	Horizontal	88	1.75	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 81  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	65.96	68.20	-2.24	56.88	3	Vertical	87	1.62	-	33.81	6.10	30.83
PK	5.791G	120.13	Inf	-Inf	111.17	3	Vertical	87	1.62	-	33.80	6.10	30.94
AV	5.787G	110.41	Inf	-Inf	101.45	3	Vertical	87	1.62	-	33.80	6.10	30.94
PK	5.925G	66.43	68.20	-1.77	57.10	3	Vertical	87	1.62	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 81  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.02	68.20	-2.18	56.95	3	Horizontal	88	1.80	-	33.80	6.10	30.83
PK	5.78G	121.03	Inf	-Inf	112.06	3	Horizontal	88	1.80	-	33.80	6.10	30.93
AV	5.781G	110.09	Inf	-Inf	101.12	3	Horizontal	88	1.80	-	33.80	6.10	30.93
PK	5.927G	67.81	68.20	-0.39	58.48	3	Horizontal	88	1.80	-	34.15	6.22	31.04

5.15-5.25GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




EUT\_Y\_4TX  
 Setting 38  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	62.85	74.00	-11.15	54.23	3	Vertical	87	1.76	-	33.58	5.77	30.73
AV	5.15G	53.86	54.00	-0.14	45.21	3	Vertical	87	1.76	-	33.60	5.78	30.73
PK	5.226G	110.57	Inf	-Inf	101.79	3	Vertical	87	1.76	-	33.70	5.81	30.73
AV	5.199G	100.49	Inf	-Inf	91.72	3	Vertical	87	1.76	-	33.70	5.80	30.73
PK	5.354G	60.20	74.00	-13.80	51.13	3	Vertical	87	1.76	-	33.91	5.88	30.72
AV	5.352G	51.14	54.00	-2.86	42.08	3	Vertical	87	1.76	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




EUT\_Y\_4TX  
 Setting 38  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.15	74.00	-10.85	54.51	3	Horizontal	88	1.72	-	33.60	5.77	30.73
AV	5.15G	53.69	54.00	-0.31	45.04	3	Horizontal	88	1.72	-	33.60	5.78	30.73
PK	5.193G	110.33	Inf	-Inf	101.57	3	Horizontal	88	1.72	-	33.69	5.80	30.73
AV	5.194G	100.42	Inf	-Inf	91.66	3	Horizontal	88	1.72	-	33.69	5.80	30.73
PK	5.352G	60.86	74.00	-13.14	51.80	3	Horizontal	88	1.72	-	33.90	5.88	30.72
AV	5.35G	51.35	54.00	-2.65	42.29	3	Horizontal	88	1.72	-	33.90	5.88	30.72



5.25-5.35GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 38  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	61.58	74.00	-12.42	52.95	3	Vertical	84	1.38	-	33.59	5.77	30.73
AV	5.15G	51.32	54.00	-2.68	42.67	3	Vertical	84	1.38	-	33.60	5.78	30.73
PK	5.299G	108.99	Inf	-Inf	100.06	3	Vertical	84	1.38	-	33.80	5.85	30.72
AV	5.282G	99.01	Inf	-Inf	90.13	3	Vertical	84	1.38	-	33.76	5.84	30.72
PK	5.351G	62.88	74.00	-11.12	53.82	3	Vertical	84	1.38	-	33.90	5.88	30.72
AV	5.35G	52.75	54.00	-1.25	43.69	3	Vertical	84	1.38	-	33.90	5.88	30.72
PK	5.488G	60.18	68.20	-8.02	50.91	3	Vertical	84	1.38	-	34.00	5.99	30.72

5.25-5.35GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 38  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.22	74.00	-11.78	53.58	3	Horizontal	88	1.71	-	33.60	5.77	30.73
AV	5.144G	52.56	54.00	-1.44	43.93	3	Horizontal	88	1.71	-	33.59	5.77	30.73
PK	5.287G	110.30	Inf	-Inf	101.41	3	Horizontal	88	1.71	-	33.77	5.84	30.72
AV	5.252G	99.77	Inf	-Inf	90.96	3	Horizontal	88	1.71	-	33.70	5.83	30.72
PK	5.351G	63.83	74.00	-10.17	54.77	3	Horizontal	88	1.71	-	33.90	5.88	30.72
AV	5.35G	53.81	54.00	-0.19	44.75	3	Horizontal	88	1.71	-	33.90	5.88	30.72
PK	5.469G	60.37	68.20	-7.83	51.12	3	Horizontal	88	1.71	-	34.00	5.97	30.72

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	61.13	68.20	-7.07	52.09	3	Vertical	86	1.55	-	33.89	5.87	30.72
PK	5.457G	64.08	74.00	-9.92	54.84	3	Vertical	86	1.55	-	34.00	5.96	30.72
AV	5.46G	53.91	54.00	-0.09	44.67	3	Vertical	86	1.55	-	34.00	5.96	30.72
PK	5.47G	65.19	68.20	-3.01	55.94	3	Vertical	86	1.55	-	34.00	5.97	30.72
PK	5.539G	111.89	Inf	-Inf	102.60	3	Vertical	86	1.55	-	34.00	6.04	30.75
AV	5.517G	101.88	Inf	-Inf	92.59	3	Vertical	86	1.55	-	34.00	6.02	30.73
PK	5.747G	60.59	68.20	-7.61	51.59	3	Vertical	86	1.55	-	33.81	6.10	30.91

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 45  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw (dBUV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	60.75	68.20	-7.45	51.76	3	Horizontal	87	1.76	-	33.85	5.86	30.72
PK	5.458G	63.86	74.00	-10.14	54.62	3	Horizontal	87	1.76	-	34.00	5.96	30.72
AV	5.443G	53.70	54.00	-0.30	44.48	3	Horizontal	87	1.76	-	34.00	5.94	30.72
PK	5.462G	63.79	68.20	-4.41	54.55	3	Horizontal	87	1.76	-	34.00	5.96	30.72
PK	5.526G	112.23	Inf	-Inf	102.94	3	Horizontal	87	1.76	-	34.00	6.03	30.74
AV	5.522G	102.21	Inf	-Inf	92.93	3	Horizontal	87	1.76	-	34.00	6.02	30.74
PK	5.733G	60.70	68.20	-7.50	51.67	3	Horizontal	87	1.76	-	33.83	6.10	30.90

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 56  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.437G	62.97	74.00	-11.03	53.75	3	Vertical	83	1.61	-	34.00	5.94	30.72
PK	5.465G	63.07	68.20	-5.13	53.83	3	Vertical	83	1.61	-	34.00	5.96	30.72
AV	5.46G	53.13	54.00	-0.87	43.89	3	Vertical	83	1.61	-	34.00	5.96	30.72
PK	5.586G	112.67	Inf	-Inf	103.44	3	Vertical	83	1.61	-	33.93	6.09	30.79
AV	5.602G	103.32	Inf	-Inf	94.12	3	Vertical	83	1.61	-	33.90	6.10	30.80
PK	5.73G	65.13	68.20	-3.07	56.08	3	Vertical	83	1.61	-	33.84	6.10	30.89

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 56  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.44	74.00	-9.56	55.20	3	Horizontal	87	1.63	-	34.00	5.96	30.72
AV	5.457G	53.86	54.00	-0.14	44.62	3	Horizontal	87	1.63	-	34.00	5.96	30.72
PK	5.464G	66.05	68.20	-2.15	56.81	3	Horizontal	87	1.63	-	34.00	5.96	30.72
PK	5.606G	114.06	Inf	-Inf	104.87	3	Horizontal	87	1.63	-	33.89	6.10	30.80
AV	5.602G	104.22	Inf	-Inf	95.02	3	Horizontal	87	1.63	-	33.90	6.10	30.80
PK	5.727G	66.85	68.20	-1.35	57.79	3	Horizontal	87	1.63	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 72  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3456G	61.06	68.20	-7.14	52.02	3	Vertical	86	1.58	-	33.89	5.87	30.72
PK	5.4324G	62.66	74.00	-11.34	53.45	3	Vertical	86	1.58	-	34.00	5.93	30.72
PK	5.4688G	62.27	68.20	-5.93	53.02	3	Vertical	86	1.58	-	34.00	5.97	30.72
AV	5.4534G	53.40	54.00	-0.60	44.17	3	Vertical	86	1.58	-	34.00	5.95	30.72
PK	5.6816G	116.57	Inf	-Inf	107.47	3	Vertical	86	1.58	-	33.86	6.10	30.86
AV	5.6998G	106.68	Inf	-Inf	97.55	3	Vertical	86	1.58	-	33.90	6.10	30.87
PK	5.85G	67.95	68.20	-0.25	59.00	3	Vertical	86	1.58	-	33.80	6.14	30.99

5.47-5.725GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 72  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	61.33	68.20	-6.87	52.29	3	Horizontal	84	1.80	-	33.89	5.87	30.72
PK	5.46G	63.97	74.00	-10.03	54.73	3	Horizontal	84	1.80	-	34.00	5.96	30.72
AV	5.4576G	53.87	54.00	-0.13	44.63	3	Horizontal	84	1.80	-	34.00	5.96	30.72
PK	5.4604G	63.97	68.20	-4.23	54.73	3	Horizontal	84	1.80	-	34.00	5.96	30.72
PK	5.6816G	117.17	Inf	-Inf	108.07	3	Horizontal	84	1.80	-	33.86	6.10	30.86
AV	5.697G	107.39	Inf	-Inf	98.27	3	Horizontal	84	1.80	-	33.89	6.10	30.87
PK	5.8594G	67.58	68.20	-0.62	58.56	3	Horizontal	84	1.80	-	33.86	6.15	30.99



5.725-5.85GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 62  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.10	68.94	-0.84	59.03	3	Vertical	84	1.64	-	33.80	6.10	30.83
PK	5.764G	114.52	Inf	-Inf	105.54	3	Vertical	84	1.64	-	33.80	6.10	30.92
AV	5.75G	104.61	Inf	-Inf	95.62	3	Vertical	84	1.64	-	33.80	6.10	30.91
PK	5.932G	63.66	68.20	-4.54	54.32	3	Vertical	84	1.64	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW80\_Nss4,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 62  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	67.91	68.20	-0.29	58.79	3	Horizontal	87	1.59	-	33.84	6.10	30.82
PK	5.751G	114.55	Inf	-Inf	105.56	3	Horizontal	87	1.59	-	33.80	6.10	30.91
AV	5.757G	104.28	Inf	-Inf	95.30	3	Horizontal	87	1.59	-	33.80	6.10	30.92
PK	5.932G	64.15	68.20	-4.05	54.81	3	Horizontal	87	1.59	-	34.16	6.23	31.05

5.25-5.35GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 32  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	62.31	74.00	-11.69	53.70	3	Vertical	83	1.80	-	33.57	5.77	30.73
AV	5.1324G	53.93	54.00	-0.07	45.33	3	Vertical	83	1.80	-	33.56	5.77	30.73
PK	5.2356G	106.88	Inf	-Inf	98.09	3	Vertical	83	1.80	-	33.70	5.82	30.73
AV	5.2392G	96.15	Inf	-Inf	87.36	3	Vertical	83	1.80	-	33.70	5.82	30.73
PK	5.3544G	63.19	74.00	-10.81	54.12	3	Vertical	83	1.80	-	33.91	5.88	30.72
AV	5.3784G	53.58	54.00	-0.42	44.45	3	Vertical	83	1.80	-	33.96	5.89	30.72
PK	5.4672G	59.87	68.20	-8.33	50.62	3	Vertical	83	1.80	-	34.00	5.97	30.72

5.25-5.35GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 32  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	62.44	74.00	-11.56	53.82	3	Horizontal	82	1.79	-	33.58	5.77	30.73
AV	5.1408G	52.91	54.00	-1.09	44.29	3	Horizontal	82	1.79	-	33.58	5.77	30.73
PK	5.2392G	105.97	Inf	-Inf	97.18	3	Horizontal	82	1.79	-	33.70	5.82	30.73
AV	5.2212G	95.89	Inf	-Inf	87.11	3	Horizontal	82	1.79	-	33.70	5.81	30.73
PK	5.382G	63.52	74.00	-10.48	54.39	3	Horizontal	82	1.79	-	33.96	5.89	30.72
AV	5.3784G	53.85	54.00	-0.15	44.72	3	Horizontal	82	1.79	-	33.96	5.89	30.72
PK	5.5164G	60.72	68.20	-7.48	51.43	3	Horizontal	82	1.79	-	34.00	6.02	30.73

5.47-5.725GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 32  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2844G	60.98	68.20	-7.22	52.09	3	Vertical	86	1.52	-	33.77	5.84	30.72
PK	5.4584G	62.93	74.00	-11.07	53.69	3	Vertical	86	1.52	-	34.00	5.96	30.72
AV	5.4164G	53.21	54.00	-0.79	44.01	3	Vertical	86	1.52	-	34.00	5.92	30.72
PK	5.468G	62.66	68.20	-5.54	53.41	3	Vertical	86	1.52	-	34.00	5.97	30.72
PK	5.5784G	107.73	Inf	-Inf	98.49	3	Vertical	86	1.52	-	33.94	6.08	30.78
AV	5.5772G	97.83	Inf	-Inf	88.58	3	Vertical	86	1.52	-	33.95	6.08	30.78
PK	5.7272G	63.10	68.20	-5.10	54.04	3	Vertical	86	1.52	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW160\_Nss4,(MCS0)\_4TX

5570MHz\_TX



EUT\_Y\_4TX  
 Setting 38  
 02-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	61.62	68.20	-6.58	52.70	3	Horizontal	85	1.80	-	33.79	5.85	30.72
PK	5.4392G	64.41	74.00	-9.59	55.19	3	Horizontal	85	1.80	-	34.00	5.94	30.72
AV	5.4476G	53.69	54.00	-0.31	44.46	3	Horizontal	85	1.80	-	34.00	5.95	30.72
PK	5.462G	62.64	68.20	-5.56	53.40	3	Horizontal	85	1.80	-	34.00	5.96	30.72
PK	5.546G	107.46	Inf	-Inf	98.16	3	Horizontal	85	1.80	-	34.00	6.05	30.75
AV	5.546G	97.74	Inf	-Inf	88.44	3	Horizontal	85	1.80	-	34.00	6.05	30.75
PK	5.7272G	62.44	68.20	-5.76	53.38	3	Horizontal	85	1.80	-	33.85	6.10	30.89




**RSE TX above 1GHz <For Radio 1> 4T1S\_Radiated Emission Appendix D.10**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.22918G	68.19	68.20	-0.01	3	Vertical	150	2.68	-

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5180MHz\_TX




EUT X\_4TX  
 Setting 80  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35784G	54.97	68.20	-13.23	74.11	3	Vertical	322	1.69	-	38.64	8.43	66.21
PK	15.5409G	68.44	74.00	-5.56	84.77	3	Vertical	210	2.41	-	37.85	10.32	64.50
AV	15.54078G	53.46	54.00	-0.54	69.78	3	Vertical	210	2.41	-	37.86	10.32	64.50



### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5180MHz\_TX




EUT X\_4TX  
 Setting 80  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3662G	56.25	68.20	-11.95	75.40	3	Horizontal	22	1.80	-	38.63	8.43	66.21
PK	15.53348G	68.36	74.00	-5.64	84.65	3	Horizontal	182	1.66	-	37.90	10.31	64.50
AV	15.53964G	53.76	54.00	-0.24	70.08	3	Horizontal	182	1.66	-	37.86	10.32	64.50

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5200MHz\_TX




EUT X\_4TX  
Setting 82  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38578G	53.90	68.20	-14.30	73.04	3	Vertical	93	2.72	-	38.61	8.44	66.19
PK	15.59322G	67.26	74.00	-6.74	83.88	3	Vertical	158	2.29	-	37.54	10.34	64.50
AV	15.59832G	53.71	54.00	-0.29	70.36	3	Vertical	158	2.29	-	37.51	10.34	64.50

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5200MHz\_TX




EUT X\_4TX  
 Setting 82  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39058G	53.12	68.20	-15.08	72.26	3	Horizontal	95	1.17	-	38.61	8.44	66.19
PK	15.59406G	62.54	74.00	-11.46	79.16	3	Horizontal	184	1.72	-	37.54	10.34	64.50
AV	15.59448G	48.95	54.00	-5.05	65.58	3	Horizontal	184	1.72	-	37.53	10.34	64.50

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5240MHz\_TX




EUT X\_4TX  
Setting 86  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4764G	52.98	68.20	-15.22	72.03	3	Vertical	337	2.74	-	38.60	8.47	66.12
PK	15.7134G	68.15	74.00	-5.85	84.76	3	Vertical	159	2.23	-	37.50	10.39	64.50
AV	15.7194G	53.88	54.00	-0.12	70.49	3	Vertical	159	2.23	-	37.50	10.39	64.50

### 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5240MHz\_TX




EUT X\_4TX  
Setting 86  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47538G	53.38	68.20	-14.82	72.43	3	Horizontal	116	1.25	-	38.60	8.47	66.12
PK	15.71334G	67.42	74.00	-6.58	84.03	3	Horizontal	187	2.41	-	37.50	10.39	64.50
AV	15.7203G	53.49	54.00	-0.51	70.10	3	Horizontal	187	2.41	-	37.50	10.39	64.50

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5260MHz\_TX




EUT X\_4TX  
 Setting 81  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51232G	53.35	68.20	-14.85	72.38	3	Vertical	187	1.97	-	38.59	8.48	66.10
PK	15.7812G	68.58	74.00	-5.42	85.17	3	Vertical	158	2.24	-	37.50	10.41	64.50
AV	15.78066G	53.89	54.00	-0.11	70.48	3	Vertical	158	2.24	-	37.50	10.41	64.50

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5260MHz\_TX




EUT X\_4TX  
 Setting 81  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5101G	53.64	68.20	-14.56	72.67	3	Horizontal	192	1.53	-	38.59	8.48	66.10
PK	15.78132G	66.60	74.00	-7.40	83.19	3	Horizontal	188	2.39	-	37.50	10.41	64.50
AV	15.78108G	50.98	54.00	-3.02	67.57	3	Horizontal	188	2.39	-	37.50	10.41	64.50

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT\_X\_4TX  
 Setting 84  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60834G	53.82	74.00	-20.18	72.89	3	Vertical	303	2.65	-	38.50	8.51	66.08
AV	10.6069G	40.20	54.00	-13.80	59.27	3	Vertical	303	2.65	-	38.50	8.51	66.08
PK	15.89448G	68.58	74.00	-5.42	85.31	3	Vertical	164	2.38	-	37.31	10.46	64.50
AV	15.90114G	53.77	54.00	-0.23	70.51	3	Vertical	164	2.38	-	37.30	10.46	64.50



### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TX




EUT\_X\_4TX  
Setting 84  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61092G	53.55	74.00	-20.45	72.62	3	Horizontal	149	2.26	-	38.50	8.51	66.08
AV	10.6093G	40.35	54.00	-13.65	59.42	3	Horizontal	149	2.26	-	38.50	8.51	66.08
PK	15.9018G	61.83	74.00	-12.17	78.57	3	Horizontal	139	1.71	-	37.30	10.46	64.50
AV	15.89736G	48.81	54.00	-5.19	65.54	3	Horizontal	139	1.71	-	37.31	10.46	64.50

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5320MHz\_TX




EUT\_X\_4TX  
Setting 71  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.628G	53.46	74.00	-20.54	72.51	3	Vertical	11	1.27	-	38.50	8.52	66.07
AV	10.65368G	40.21	54.00	-13.79	59.25	3	Vertical	11	1.27	-	38.50	8.53	66.07
PK	15.9615G	68.21	74.00	-5.79	84.93	3	Vertical	165	2.76	-	37.30	10.48	64.50
AV	15.95922G	53.92	54.00	-0.08	70.64	3	Vertical	165	2.76	-	37.30	10.48	64.50

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5320MHz\_TX




EUT\_X\_4TX  
Setting 71  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64156G	52.94	74.00	-21.06	71.99	3	Horizontal	232	1.27	-	38.50	8.52	66.07
AV	10.6445G	40.20	54.00	-13.80	59.24	3	Horizontal	232	1.27	-	38.50	8.53	66.07
PK	15.96132G	62.02	74.00	-11.98	78.74	3	Horizontal	146	2.81	-	37.30	10.48	64.50
AV	15.9615G	47.95	54.00	-6.05	64.67	3	Horizontal	146	2.81	-	37.30	10.48	64.50

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT X\_4TX  
 Setting 67  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0048G	53.64	74.00	-20.36	72.39	3	Vertical	153	2.03	-	38.60	8.65	66.00
AV	10.99214G	40.45	54.00	-13.55	59.21	3	Vertical	153	2.03	-	38.59	8.65	66.00
PK	16.50138G	68.01	68.20	-0.19	82.73	3	Vertical	178	1.75	-	39.10	10.68	64.50

### 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TX




EUT X\_4TX  
Setting 67  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98938G	53.94	74.00	-20.06	72.70	3	Horizontal	236	2.37	-	38.59	8.65	66.00
AV	10.99052G	40.57	54.00	-13.43	59.33	3	Horizontal	236	2.37	-	38.59	8.65	66.00
PK	16.50174G	65.95	68.20	-2.25	80.66	3	Horizontal	184	1.72	-	39.11	10.68	64.50

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT X\_4TX  
 Setting 69  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15598G	53.88	74.00	-20.12	72.39	3	Vertical	128	2.13	-	38.76	8.70	65.97
AV	11.16558G	40.43	54.00	-13.57	58.92	3	Vertical	128	2.13	-	38.77	8.71	65.97
PK	16.73406G	68.17	68.20	-0.03	82.32	3	Vertical	173	2.48	-	39.87	10.76	64.78

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT X\_4TX  
 Setting 69  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16036G	53.09	74.00	-20.91	71.59	3	Horizontal	290	1.19	-	38.76	8.71	65.97
AV	11.1708G	40.48	54.00	-13.52	58.97	3	Horizontal	290	1.19	-	38.77	8.71	65.97
PK	16.73418G	67.75	68.20	-0.45	81.90	3	Horizontal	207	1.66	-	39.87	10.76	64.78

### 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TX




EUT X\_4TX  
 Setting 73  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3979G	53.57	74.00	-20.43	71.90	3	Vertical	32	1.80	-	38.80	8.79	65.92
AV	11.39652G	40.91	54.00	-13.09	59.24	3	Vertical	32	1.80	-	38.80	8.79	65.92
PK	17.11188G	67.97	68.20	-0.23	80.78	3	Vertical	149	1.80	-	41.47	10.89	65.17



### 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TX




EUT X\_4TX  
Setting 73  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39826G	53.21	74.00	-20.79	71.54	3	Horizontal	83	1.80	-	38.80	8.79	65.92
AV	11.4018G	39.30	54.00	-14.70	57.63	3	Horizontal	83	1.80	-	38.80	8.79	65.92
PK	17.11194G	64.28	68.20	-3.92	77.09	3	Horizontal	202	2.27	-	41.47	10.89	65.17

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT X\_4TX  
 Setting 73  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43934G	51.78	74.00	-22.22	70.01	3	Vertical	99	1.62	-	38.88	8.80	65.91
AV	11.43994G	39.43	54.00	-14.57	57.66	3	Vertical	99	1.62	-	38.88	8.80	65.91
PK	17.15346G	68.12	68.20	-0.08	80.69	3	Vertical	150	2.72	-	41.72	10.90	65.19

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_X\_4TX  
 Setting 73  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43844G	52.01	74.00	-21.99	70.24	3	Horizontal	256	2.17	-	38.88	8.80	65.91
AV	11.43964G	39.20	54.00	-14.80	57.43	3	Horizontal	256	2.17	-	38.88	8.80	65.91
PK	17.16126G	64.85	68.20	-3.35	77.37	3	Horizontal	171	1.83	-	41.77	10.91	65.20

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX



EUT X\_4TX  
 Setting 72  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47968G	51.84	74.00	-22.16	69.96	3	Vertical	79	2.49	-	38.96	8.82	65.90
AV	11.4918G	39.35	54.00	-14.65	57.45	3	Vertical	79	2.49	-	38.98	8.82	65.90
PK	17.22918G	68.19	68.20	-0.01	80.35	3	Vertical	150	2.68	-	42.15	10.93	65.24

### 5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5745MHz\_TX




EUT X\_4TX  
 Setting 72  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49234G	52.56	74.00	-21.44	70.66	3	Horizontal	131	1.63	-	38.98	8.82	65.90
AV	11.49114G	39.33	54.00	-14.67	57.43	3	Horizontal	131	1.63	-	38.98	8.82	65.90
PK	17.23638G	65.09	68.20	-3.11	77.22	3	Horizontal	171	1.78	-	42.18	10.93	65.24

### 5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5785MHz\_TX




EUT X\_4TX  
Setting 82  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56376G	53.79	74.00	-20.21	71.61	3	Vertical	28	1.82	-	39.19	8.85	65.86
AV	11.56442G	40.34	54.00	-13.66	58.16	3	Vertical	28	1.82	-	39.19	8.85	65.86
PK	17.36694G	67.44	68.20	-0.76	78.88	3	Vertical	212	2.62	-	42.90	10.98	65.32

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




EUT X\_4TX  
 Setting 82  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56508G	53.33	74.00	-20.67	71.14	3	Horizontal	207	2.00	-	39.20	8.85	65.86
AV	11.56448G	40.47	54.00	-13.53	58.29	3	Horizontal	207	2.00	-	39.19	8.85	65.86
PK	17.367G	65.08	68.20	-3.12	76.52	3	Horizontal	171	1.80	-	42.90	10.98	65.32

### 5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TX




EUT X\_4TX  
Setting 71  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6479G	55.23	74.00	-18.77	72.76	3	Vertical	299	2.59	-	39.40	8.88	65.81
AV	11.64826G	41.42	54.00	-12.58	58.95	3	Vertical	299	2.59	-	39.40	8.88	65.81
PK	17.47446G	67.80	68.20	-0.40	78.46	3	Vertical	211	2.57	-	43.70	11.02	65.38



### 5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

#### 5825MHz\_TX




EUT X\_4TX  
Setting 71  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64664G	53.88	74.00	-20.12	71.42	3	Horizontal	261	1.44	-	39.39	8.88	65.81
AV	11.64826G	41.41	54.00	-12.59	58.94	3	Horizontal	261	1.44	-	39.40	8.88	65.81
PK	17.47266G	62.66	68.20	-5.54	73.34	3	Horizontal	208	1.35	-	43.68	11.02	65.38

### 5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

#### 5180MHz\_TX




EUT X\_4TX  
Setting 84  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36G	50.23	68.20	-17.97	69.37	3	Vertical	75	1.81	-	38.64	8.43	66.21
PK	15.531G	70.08	74.00	-3.92	86.36	3	Vertical	160	2.27	-	37.91	10.31	64.50
AV	15.54114G	53.35	54.00	-0.65	69.68	3	Vertical	160	2.27	-	37.85	10.32	64.50

### 5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

#### 5180MHz\_TX




EUT X\_4TX  
Setting 84  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37098G	50.61	68.20	-17.59	69.75	3	Horizontal	19	2.89	-	38.63	8.43	66.20
PK	15.5313G	66.80	74.00	-7.20	83.08	3	Horizontal	183	1.74	-	37.91	10.31	64.50
AV	15.53976G	51.82	54.00	-2.18	68.14	3	Horizontal	183	1.74	-	37.86	10.32	64.50

### 5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38992G	51.17	68.20	-17.03	70.31	3	Vertical	12	1.92	-	38.61	8.44	66.19
PK	15.59112G	69.14	74.00	-4.86	85.75	3	Vertical	162	2.18	-	37.55	10.34	64.50
AV	15.59844G	53.46	54.00	-0.54	70.11	3	Vertical	162	2.18	-	37.51	10.34	64.50

### 5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




EUT X\_4TX  
Setting 84  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39832G	55.10	68.20	-13.10	74.24	3	Horizontal	149	1.80	-	38.60	8.44	66.18
PK	15.591G	66.97	74.00	-7.03	83.58	3	Horizontal	201	1.82	-	37.55	10.34	64.50
AV	15.60096G	50.90	54.00	-3.10	67.56	3	Horizontal	201	1.82	-	37.50	10.34	64.50

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX




EUT X\_4TX  
 Setting 86  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48024G	51.36	68.20	-16.84	70.41	3	Vertical	54	1.80	-	38.60	8.47	66.12
PK	15.71952G	70.01	74.00	-3.99	86.62	3	Vertical	161	2.67	-	37.50	10.39	64.50
AV	15.72138G	53.86	54.00	-0.14	70.47	3	Vertical	161	2.67	-	37.50	10.39	64.50

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX




EUT X\_4TX  
 Setting 86  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4758G	53.23	68.20	-14.97	72.28	3	Horizontal	149	1.68	-	38.60	8.47	66.12
PK	15.71106G	66.49	74.00	-7.51	83.11	3	Horizontal	187	2.52	-	37.50	10.38	64.50
AV	15.71976G	51.82	54.00	-2.18	68.43	3	Horizontal	187	2.52	-	37.50	10.39	64.50

### 5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

#### 5260MHz\_TX




EUT X\_4TX  
Setting 84  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51892G	50.97	68.20	-17.23	70.01	3	Vertical	15	2.25	-	38.58	8.48	66.10
PK	15.7764G	69.15	74.00	-4.85	85.74	3	Vertical	160	2.66	-	37.50	10.41	64.50
AV	15.77946G	53.91	54.00	-0.09	70.50	3	Vertical	160	2.66	-	37.50	10.41	64.50



### 5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

#### 5260MHz\_TX




EUT X\_4TX  
Setting 84  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.514G	52.32	68.20	-15.88	71.35	3	Horizontal	171	2.85	-	38.59	8.48	66.10
PK	15.77118G	66.35	74.00	-7.65	82.94	3	Horizontal	188	2.54	-	37.50	10.41	64.50
AV	15.78078G	50.99	54.00	-3.01	67.58	3	Horizontal	188	2.54	-	37.50	10.41	64.50

### 5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




EUT\_X\_4TX  
Setting 90  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5937G	51.84	68.20	-16.36	70.90	3	Vertical	61	2.34	-	38.51	8.51	66.08
PK	15.89844G	68.54	74.00	-5.46	85.28	3	Vertical	157	2.31	-	37.30	10.46	64.50
AV	15.89982G	53.82	54.00	-0.18	70.56	3	Vertical	157	2.31	-	37.30	10.46	64.50

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT X\_4TX  
 Setting 90  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5976G	53.49	68.20	-14.71	72.56	3	Horizontal	142	2.64	-	38.50	8.51	66.08
PK	15.90708G	64.84	74.00	-9.16	81.58	3	Horizontal	139	2.68	-	37.30	10.46	64.50
AV	15.89712G	50.46	54.00	-3.54	67.19	3	Horizontal	139	2.68	-	37.31	10.46	64.50

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT X\_4TX  
 Setting 83  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64066G	50.62	74.00	-23.38	69.67	3	Vertical	67	2.25	-	38.50	8.52	66.07
AV	10.63508G	37.30	54.00	-16.70	56.35	3	Vertical	67	2.25	-	38.50	8.52	66.07
PK	15.95946G	68.25	74.00	-5.75	84.97	3	Vertical	164	2.87	-	37.30	10.48	64.50
AV	15.95946G	53.68	54.00	-0.32	70.40	3	Vertical	164	2.87	-	37.30	10.48	64.50

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT X\_4TX  
Setting 83  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64114G	51.37	74.00	-22.63	70.42	3	Horizontal	349	2.94	-	38.50	8.52	66.07
AV	10.6361G	37.97	54.00	-16.03	57.02	3	Horizontal	349	2.94	-	38.50	8.52	66.07
PK	15.96186G	64.53	74.00	-9.47	81.25	3	Horizontal	138	2.71	-	37.30	10.48	64.50
AV	15.96024G	48.04	54.00	-5.96	64.76	3	Horizontal	138	2.71	-	37.30	10.48	64.50

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT X\_4TX  
 Setting 74  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00888G	51.43	74.00	-22.57	70.17	3	Vertical	171	2.08	-	38.61	8.65	66.00
AV	11.00138G	37.46	54.00	-16.54	56.21	3	Vertical	171	2.08	-	38.60	8.65	66.00
PK	16.49628G	68.08	68.20	-0.12	82.84	3	Vertical	177	1.84	-	39.07	10.67	64.50

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT X\_4TX  
Setting 74  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99826G	51.94	74.00	-22.06	70.69	3	Horizontal	37	2.78	-	38.60	8.65	66.00
AV	10.9928G	38.09	54.00	-15.91	56.85	3	Horizontal	37	2.78	-	38.59	8.65	66.00
PK	16.49076G	65.22	68.20	-2.98	80.02	3	Horizontal	183	1.80	-	39.03	10.67	64.50

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT X\_4TX  
 Setting 67  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15406G	50.29	74.00	-23.71	68.81	3	Vertical	123	1.86	-	38.75	8.70	65.97
AV	11.15592G	36.99	54.00	-17.01	55.50	3	Vertical	123	1.86	-	38.76	8.70	65.97
PK	16.74318G	66.98	68.20	-1.22	81.06	3	Vertical	173	2.92	-	39.95	10.76	64.79



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT X\_4TX  
 Setting 67  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16828G	51.91	74.00	-22.09	70.40	3	Horizontal	63	2.72	-	38.77	8.71	65.97
AV	11.15634G	37.73	54.00	-16.27	56.24	3	Horizontal	63	2.72	-	38.76	8.70	65.97
PK	16.73124G	67.82	68.20	-0.38	81.99	3	Horizontal	210	1.74	-	39.85	10.76	64.78

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT X\_4TX  
 Setting 71  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39862G	53.92	74.00	-20.08	72.25	3	Vertical	33	1.63	-	38.80	8.79	65.92
AV	11.39874G	40.07	54.00	-13.93	58.40	3	Vertical	33	1.63	-	38.80	8.79	65.92
PK	17.09106G	68.05	68.20	-0.15	80.96	3	Vertical	150	2.82	-	41.36	10.88	65.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT X\_4TX  
 Setting 71  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39622G	52.89	74.00	-21.11	71.22	3	Horizontal	33	1.75	-	38.80	8.79	65.92
AV	11.40114G	39.32	54.00	-14.68	57.65	3	Horizontal	33	1.75	-	38.80	8.79	65.92
PK	17.09088G	65.32	68.20	-2.88	78.23	3	Horizontal	201	1.87	-	41.36	10.88	65.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_X\_4TX  
 Setting 70  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4505G	54.83	74.00	-19.17	73.03	3	Vertical	144	2.18	-	38.90	8.81	65.91
AV	11.44078G	40.68	54.00	-13.32	58.91	3	Vertical	144	2.18	-	38.88	8.80	65.91
PK	17.151G	67.94	68.20	-0.26	80.52	3	Vertical	151	2.12	-	41.71	10.90	65.19

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_X\_4TX  
 Setting 70  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44534G	51.67	74.00	-22.33	69.88	3	Horizontal	274	1.14	-	38.89	8.81	65.91
AV	11.43982G	38.13	54.00	-15.87	56.36	3	Horizontal	274	1.14	-	38.88	8.80	65.91
PK	17.15094G	65.29	68.20	-2.91	77.87	3	Horizontal	153	1.79	-	41.71	10.90	65.19

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT X\_4TX  
 Setting 69  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4855G	53.45	74.00	-20.55	71.56	3	Vertical	102	1.00	-	38.97	8.82	65.90
AV	11.4909G	40.47	54.00	-13.53	58.57	3	Vertical	102	1.00	-	38.98	8.82	65.90
PK	17.24226G	67.63	68.20	-0.57	79.74	3	Vertical	211	2.73	-	42.21	10.93	65.25

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT X\_4TX  
 Setting 69  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49204G	52.56	74.00	-21.44	70.66	3	Horizontal	12	2.73	-	38.98	8.82	65.90
AV	11.49108G	39.78	54.00	-14.22	57.88	3	Horizontal	12	2.73	-	38.98	8.82	65.90
PK	17.24208G	64.75	68.20	-3.45	76.86	3	Horizontal	206	1.82	-	42.21	10.93	65.25

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT X\_4TX  
 Setting 81  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57048G	57.14	74.00	-16.86	74.94	3	Vertical	57	2.66	-	39.21	8.85	65.86
AV	11.57072G	43.52	54.00	-10.48	61.32	3	Vertical	57	2.66	-	39.21	8.85	65.86
PK	17.3667G	67.89	68.20	-0.31	79.33	3	Vertical	211	2.71	-	42.90	10.98	65.32



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT X\_4TX  
 Setting 81  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57252G	58.04	74.00	-15.96	75.83	3	Horizontal	214	2.80	-	39.22	8.85	65.86
AV	11.56718G	44.28	54.00	-9.72	62.09	3	Horizontal	214	2.80	-	39.20	8.85	65.86
PK	17.36658G	64.71	68.20	-3.49	76.15	3	Horizontal	208	1.76	-	42.90	10.98	65.32

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT\_X\_4TX  
 Setting 70  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64496G	54.78	74.00	-19.22	72.32	3	Vertical	21	2.11	-	39.39	8.88	65.81
AV	11.6473G	40.45	54.00	-13.55	57.99	3	Vertical	21	2.11	-	39.39	8.88	65.81
PK	17.47416G	67.88	68.20	-0.32	78.55	3	Vertical	212	2.64	-	43.69	11.02	65.38

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT X\_4TX  
 Setting 70  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65G	55.17	74.00	-18.83	72.70	3	Horizontal	172	1.69	-	39.40	8.88	65.81
AV	11.65018G	41.64	54.00	-12.36	59.17	3	Horizontal	172	1.69	-	39.40	8.88	65.81
PK	17.48238G	64.64	68.20	-3.56	75.25	3	Horizontal	207	1.82	-	43.76	11.02	65.39

### 5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5190MHz\_TX




EUT X\_4TX  
 Setting 86  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36554G	51.01	68.20	-17.19	70.16	3	Vertical	38	2.38	-	38.63	8.43	66.21
PK	15.56604G	66.50	74.00	-7.50	82.97	3	Vertical	160	2.33	-	37.70	10.33	64.50
AV	15.56622G	53.91	54.00	-0.09	70.38	3	Vertical	160	2.33	-	37.70	10.33	64.50

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT X\_4TX  
 Setting 86  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37238G	50.92	68.20	-17.28	70.06	3	Horizontal	105	2.03	-	38.63	8.43	66.20
PK	15.57006G	62.48	74.00	-11.52	78.97	3	Horizontal	184	1.80	-	37.68	10.33	64.50
AV	15.56166G	49.72	54.00	-4.28	66.17	3	Horizontal	184	1.80	-	37.73	10.32	64.50

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44656G	50.90	68.20	-17.30	69.98	3	Vertical	331	1.57	-	38.60	8.46	66.14
PK	15.68136G	65.95	74.00	-8.05	82.58	3	Vertical	164	2.09	-	37.50	10.37	64.50
AV	15.68982G	53.24	54.00	-0.76	69.86	3	Vertical	164	2.09	-	37.50	10.38	64.50

### 5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5230MHz\_TX




EUT X\_4TX  
Setting 84  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46156G	51.79	68.20	-16.41	70.86	3	Horizontal	146	1.84	-	38.60	8.46	66.13
PK	15.68136G	62.38	74.00	-11.62	79.01	3	Horizontal	182	1.75	-	37.50	10.37	64.50
AV	15.68652G	49.25	54.00	-4.75	65.88	3	Horizontal	182	1.75	-	37.50	10.37	64.50

### 5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5270MHz\_TX




EUT X\_4TX  
Setting 82  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53574G	50.63	68.20	-17.57	69.67	3	Vertical	28	1.28	-	38.56	8.49	66.09
PK	15.81168G	65.75	74.00	-8.25	82.35	3	Vertical	163	2.54	-	37.48	10.42	64.50
AV	15.81186G	53.86	54.00	-0.14	70.46	3	Vertical	163	2.54	-	37.48	10.42	64.50



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT X\_4TX  
 Setting 82  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54018G	51.96	68.20	-16.24	71.00	3	Horizontal	147	1.73	-	38.56	8.49	66.09
PK	15.80964G	61.52	74.00	-12.48	78.12	3	Horizontal	186	2.61	-	37.48	10.42	64.50
AV	15.80826G	48.03	54.00	-5.97	64.63	3	Horizontal	186	2.61	-	37.48	10.42	64.50

### 5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5310MHz\_TX




EUT\_X\_4TX  
Setting 92  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62534G	51.68	74.00	-22.32	70.73	3	Vertical	94	2.97	-	38.50	8.52	66.07
AV	10.62546G	39.15	54.00	-14.85	58.20	3	Vertical	94	2.97	-	38.50	8.52	66.07
PK	15.945G	65.55	74.00	-8.45	82.27	3	Vertical	166	2.39	-	37.30	10.48	64.50
AV	15.92988G	53.89	54.00	-0.11	70.62	3	Vertical	166	2.39	-	37.30	10.47	64.50

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_X\_4TX  
Setting 92  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61568G	52.03	74.00	-21.97	71.09	3	Horizontal	317	2.85	-	38.50	8.52	66.08
AV	10.62018G	39.15	54.00	-14.85	58.21	3	Horizontal	317	2.85	-	38.50	8.52	66.08
PK	15.91992G	62.02	74.00	-11.98	78.75	3	Horizontal	139	2.72	-	37.30	10.47	64.50
AV	15.94218G	50.06	54.00	-3.94	66.78	3	Horizontal	139	2.72	-	37.30	10.48	64.50

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT X\_4TX  
 Setting 80  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.008G	50.98	74.00	-23.02	69.72	3	Vertical	16	1.61	-	38.61	8.65	66.00
AV	11.03248G	38.37	54.00	-15.63	57.07	3	Vertical	16	1.61	-	38.63	8.66	65.99
PK	16.52568G	67.84	68.20	-0.36	82.51	3	Vertical	183	2.33	-	39.18	10.68	64.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT X\_4TX  
 Setting 80  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02942G	50.74	74.00	-23.26	69.44	3	Horizontal	73	2.79	-	38.63	8.66	65.99
AV	11.01118G	38.67	54.00	-15.33	57.41	3	Horizontal	73	2.79	-	38.61	8.65	66.00
PK	16.52598G	67.95	68.20	-0.25	82.62	3	Horizontal	201	1.79	-	39.18	10.68	64.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT X\_4TX  
 Setting 73  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0925G	50.46	74.00	-23.54	69.07	3	Vertical	308	2.11	-	38.69	8.68	65.98
AV	11.09298G	38.08	54.00	-15.92	56.69	3	Vertical	308	2.11	-	38.69	8.68	65.98
PK	16.6641G	65.22	68.20	-2.98	79.66	3	Vertical	176	1.80	-	39.53	10.73	64.70

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT X\_4TX  
 Setting 73  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09328G	49.95	74.00	-24.05	68.56	3	Horizontal	265	2.76	-	38.69	8.68	65.98
AV	11.09532G	38.11	54.00	-15.89	56.71	3	Horizontal	265	2.76	-	38.70	8.68	65.98
PK	16.65678G	67.92	68.20	-0.28	82.37	3	Horizontal	206	1.79	-	39.51	10.73	64.69

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT X\_4TX  
Setting 79  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35176G	53.27	74.00	-20.73	71.63	3	Vertical	51	2.13	-	38.80	8.77	65.93
AV	11.34684G	41.62	54.00	-12.38	59.98	3	Vertical	51	2.13	-	38.80	8.77	65.93
PK	17.01312G	67.99	68.20	-0.21	81.20	3	Vertical	151	2.90	-	41.05	10.85	65.11



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT X\_4TX  
 Setting 79  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33328G	53.74	74.00	-20.26	72.10	3	Horizontal	271	1.75	-	38.80	8.77	65.93
AV	11.3328G	40.70	54.00	-13.30	59.06	3	Horizontal	271	1.75	-	38.80	8.77	65.93
PK	17.0106G	65.70	68.20	-2.50	78.92	3	Horizontal	213	1.87	-	41.04	10.85	65.11

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_X\_4TX  
 Setting 77  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41646G	53.91	74.00	-20.09	72.20	3	Vertical	141	1.15	-	38.83	8.80	65.92
AV	11.41592G	41.72	54.00	-12.28	60.01	3	Vertical	141	1.15	-	38.83	8.80	65.92
PK	17.12142G	67.88	68.20	-0.32	80.63	3	Vertical	138	2.58	-	41.53	10.89	65.17

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_X\_4TX  
 Setting 77  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41616G	52.62	74.00	-21.38	70.91	3	Horizontal	34	1.80	-	38.83	8.80	65.92
AV	11.42618G	40.49	54.00	-13.51	58.75	3	Horizontal	34	1.80	-	38.85	8.80	65.91
PK	17.1408G	62.79	68.20	-5.41	75.43	3	Horizontal	153	1.79	-	41.64	10.90	65.18

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT X\_4TX  
 Setting 82  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50634G	56.41	74.00	-17.59	74.46	3	Vertical	32	1.77	-	39.02	8.83	65.90
AV	11.50886G	42.80	54.00	-11.20	60.83	3	Vertical	32	1.77	-	39.03	8.83	65.89
PK	17.259G	68.04	68.20	-0.16	80.06	3	Vertical	147	2.93	-	42.30	10.94	65.26

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT X\_4TX  
 Setting 82  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52272G	55.54	74.00	-18.46	73.53	3	Horizontal	247	1.98	-	39.07	8.83	65.89
AV	11.50784G	43.73	54.00	-10.27	61.78	3	Horizontal	247	1.98	-	39.02	8.83	65.90
PK	17.26734G	64.06	68.20	-4.14	76.04	3	Horizontal	205	1.80	-	42.34	10.94	65.26

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT X\_4TX  
 Setting 78  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59432G	57.74	74.00	-16.26	75.44	3	Vertical	142	2.92	-	39.28	8.86	65.84
AV	11.58946G	45.24	54.00	-8.76	62.96	3	Vertical	142	2.92	-	39.27	8.86	65.85
PK	17.38368G	67.78	68.20	-0.42	79.13	3	Vertical	211	2.31	-	43.00	10.98	65.33

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_X\_4TX  
 Setting 78  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59594G	55.63	74.00	-18.37	73.32	3	Horizontal	212	1.88	-	39.29	8.86	65.84
AV	11.59564G	43.16	54.00	-10.84	60.85	3	Horizontal	212	1.88	-	39.29	8.86	65.84
PK	17.3925G	65.11	68.20	-3.09	76.40	3	Horizontal	207	1.82	-	43.06	10.99	65.34

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT X\_4TX  
 Setting 97  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4158G	50.45	68.20	-17.75	69.57	3	Vertical	52	1.73	-	38.60	8.45	66.17
PK	15.63006G	66.21	74.00	-7.79	82.86	3	Vertical	165	2.63	-	37.50	10.35	64.50
AV	15.63024G	53.90	54.00	-0.10	70.55	3	Vertical	165	2.63	-	37.50	10.35	64.50



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT X\_4TX  
Setting 97  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42726G	52.41	68.20	-15.79	71.52	3	Horizontal	147	1.80	-	38.60	8.45	66.16
PK	15.62994G	63.76	74.00	-10.24	80.41	3	Horizontal	183	2.41	-	37.50	10.35	64.50
AV	15.6201G	52.12	54.00	-1.88	68.77	3	Horizontal	183	2.41	-	37.50	10.35	64.50

### 5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

#### 5290MHz\_TX




EUT X\_4TX  
Setting 92  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5698G	50.24	68.20	-17.96	69.30	3	Vertical	192	2.40	-	38.53	8.50	66.09
PK	15.88206G	65.86	74.00	-8.14	82.57	3	Vertical	163	2.56	-	37.34	10.45	64.50
AV	15.86472G	53.88	54.00	-0.12	70.56	3	Vertical	163	2.56	-	37.37	10.45	64.50

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT X\_4TX  
 Setting 92  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57358G	51.05	68.20	-17.15	70.11	3	Horizontal	23	1.79	-	38.53	8.50	66.09
PK	15.85584G	61.47	74.00	-12.53	78.14	3	Horizontal	187	2.47	-	37.39	10.44	64.50
AV	15.86982G	49.61	54.00	-4.39	66.30	3	Horizontal	187	2.47	-	37.36	10.45	64.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04914G	51.30	74.00	-22.70	69.97	3	Vertical	126	1.74	-	38.65	8.67	65.99
AV	11.06054G	38.70	54.00	-15.30	57.36	3	Vertical	126	1.74	-	38.66	8.67	65.99
PK	16.57572G	67.90	68.20	-0.30	82.46	3	Vertical	182	2.34	-	39.33	10.70	64.59

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06402G	50.83	74.00	-23.17	69.49	3	Horizontal	78	1.76	-	38.66	8.67	65.99
AV	11.06906G	38.57	54.00	-15.43	57.22	3	Horizontal	78	1.76	-	38.67	8.67	65.99
PK	16.58604G	67.88	68.20	-0.32	82.41	3	Horizontal	201	1.80	-	39.36	10.71	64.60

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23464G	49.78	74.00	-24.22	68.20	3	Vertical	9	1.14	-	38.80	8.73	65.95
AV	11.22048G	37.53	54.00	-16.47	55.96	3	Vertical	9	1.14	-	38.80	8.73	65.96
PK	16.81842G	68.07	68.20	-0.13	81.70	3	Vertical	211	2.28	-	40.46	10.79	64.88

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22618G	49.37	74.00	-24.63	67.79	3	Horizontal	93	2.64	-	38.80	8.73	65.95
AV	11.21862G	37.41	54.00	-16.59	55.84	3	Horizontal	93	2.64	-	38.80	8.73	65.96
PK	16.82166G	66.49	68.20	-1.71	80.13	3	Horizontal	197	1.71	-	40.46	10.79	64.89

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT X\_4TX  
 Setting 84  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37718G	50.14	74.00	-23.86	68.48	3	Vertical	289	2.02	-	38.80	8.78	65.92
AV	11.36602G	38.51	54.00	-15.49	56.86	3	Vertical	289	2.02	-	38.80	8.78	65.93
PK	17.0661G	68.01	68.20	-0.19	81.02	3	Vertical	143	2.78	-	41.26	10.87	65.14



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT X\_4TX  
 Setting 84  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37304G	50.90	74.00	-23.10	69.25	3	Horizontal	189	2.43	-	38.80	8.78	65.93
AV	11.38798G	38.33	54.00	-15.67	56.66	3	Horizontal	189	2.43	-	38.80	8.79	65.92
PK	17.05596G	60.98	68.20	-7.22	74.02	3	Horizontal	149	1.73	-	41.22	10.87	65.13