


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	15.54114G	53.94	54.00	-0.06	16.12	3	Vertical	151	2.97	-

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5180MHz_TX




EUT_Z_4TX
Setting 88
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.53112G	68.40	74.00	-5.60	16.15	3	Vertical	151	2.97	-						
AV	15.54114G	53.94	54.00	-0.06	16.12	3	Vertical	151	2.97	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5180MHz_TX




EUT_Z_4TX
Setting 88
02-C-5
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.53106G	65.26	74.00	-8.74	16.15	3	Horizontal	187	2.99	-
AV	15.54126G	50.18	54.00	-3.82	16.12	3	Horizontal	187	2.99	-

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5200MHz_TX




EUT_Z_4TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.59112G	68.96	74.00	-5.04	15.99	3	Vertical	146	2.91	-						
AV	15.60138G	53.78	54.00	-0.22	15.97	3	Vertical	146	2.91	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5200MHz_TX




EUT_Z_4TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.59958G	64.38	74.00	-9.62	15.97	3	Horizontal	177	2.80	-						
AV	15.59976G	49.49	54.00	-4.51	15.97	3	Horizontal	177	2.80	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5240MHz_TX




EUT_Z_4TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.71688G	70.39	74.00	-3.61	15.68	3	Vertical	135	2.14	-						
AV	15.7215G	53.79	54.00	-0.21	15.67	3	Vertical	135	2.14	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5240MHz_TX




EUT_Z_4TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.71094G	62.98	74.00	-11.02	15.69	3	Horizontal	180	2.86	-						
AV	15.71724G	47.81	54.00	-6.19	15.68	3	Horizontal	180	2.86	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5745MHz_TX




EUT_Z_4TX
Setting 79
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.49162G	53.38	74.00	-20.62	14.94	3	Vertical	250	1.57	-
AV	11.48604G	39.37	54.00	-14.63	14.94	3	Vertical	250	1.57	-
PK	17.23212G	67.98	68.20	-0.22	20.71	3	Vertical	3	2.73	-

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5745MHz_TX




EUT_Z_4TX
Setting 79
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.47692G	54.19	74.00	-19.81	14.92	3	Horizontal	160	2.00	-
AV	11.48562G	39.93	54.00	-14.07	14.94	3	Horizontal	160	2.00	-
PK	17.23242G	65.53	68.20	-2.67	20.72	3	Horizontal	262	1.25	-

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5785MHz_TX




EUT_Z_4TX
Setting 78
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.56532G	54.32	74.00	-19.68	15.05	3	Vertical	120	1.42	-						
AV	11.58302G	39.27	54.00	-14.73	15.07	3	Vertical	120	1.42	-						
PK	17.34582G	68.02	68.20	-0.18	21.40	3	Vertical	85	1.28	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5785MHz_TX




EUT_Z_4TX
Setting 78
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.56988G	53.84	74.00	-20.16	15.05	3	Horizontal	194	1.02	-						
AV	11.58284G	39.78	54.00	-14.22	15.07	3	Horizontal	194	1.02	-						
PK	17.34708G	64.95	68.20	-3.25	21.41	3	Horizontal	324	1.92	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5825MHz_TX




EUT_Z_4TX
Setting 88
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.64586G	53.83	74.00	-20.17	15.15	3	Vertical	148	1.37	-						
AV	11.64784G	40.10	54.00	-13.90	15.15	3	Vertical	148	1.37	-						
PK	17.47212G	68.03	68.20	-0.17	22.16	3	Vertical	187	1.42	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5825MHz_TX




EUT_Z_4TX
Setting 88
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.6473G	54.92	74.00	-19.08	15.15	3	Horizontal	109	2.06	-
AV	11.65048G	40.08	54.00	-13.92	15.16	3	Horizontal	109	2.06	-
PK	17.47668G	67.44	68.20	-0.76	22.19	3	Horizontal	321	1.98	-

802.11ax HEW40_Nss1,(MCS0)_4TX

30/11/2018

5190MHz_TX




EUT_Z_4TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.56064G	67.24	74.00	-6.76	16.08	3	Vertical	163	1.13	-						
AV	15.56616G	53.93	54.00	-0.07	16.06	3	Vertical	163	1.13	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

30/11/2018

5190MHz_TX




EUT_Z_4TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.56964G	62.40	74.00	-11.60	16.06	3	Horizontal	175	2.63	-						
AV	15.5697G	49.45	54.00	-4.55	16.05	3	Horizontal	175	2.63	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

30/11/2018

5230MHz_TX




EUT_Z_4TX
Setting 93
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.68586G	66.41	74.00	-7.59	15.76	3	Vertical	103	1.94	-						
AV	15.69198G	53.81	54.00	-0.19	15.74	3	Vertical	103	1.94	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

30/11/2018

5230MHz_TX




EUT_Z_4TX
Setting 93
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments					
PK	15.68586G	64.12	74.00	-9.88	15.76	3	Horizontal	168	2.62	-					
AV	15.6867G	51.23	54.00	-2.77	15.76	3	Horizontal	168	2.62	-					

802.11ax HEW40_Nss1,(MCS0)_4TX

30/11/2018

5755MHz_TX




EUT_Z_4TX
Setting 85
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.51684G	53.76	74.00	-20.24	14.98	3	Vertical	337	1.39	-						
AV	11.52344G	41.19	54.00	-12.81	14.99	3	Vertical	337	1.39	-						
PK	17.26686G	68.03	68.20	-0.17	20.93	3	Vertical	90	1.23	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

30/11/2018

5755MHz_TX




EUT_Z_4TX
Setting 85
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5235G	54.17	74.00	-19.83	14.99	3	Horizontal	261	1.41	-
AV	11.50802G	41.78	54.00	-12.22	14.97	3	Horizontal	261	1.41	-
PK	17.27094G	65.85	68.20	-2.35	20.95	3	Horizontal	310	1.97	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.60326G	53.86	74.00	-20.14	15.10	3	Vertical	241	1.37	-
AV	11.57626G	41.04	54.00	-12.96	15.07	3	Vertical	241	1.37	-
PK	17.37288G	67.98	68.20	-0.22	21.56	3	Vertical	85	1.30	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.57506G	54.09	74.00	-19.91	15.06	3	Horizontal	113	1.16	-						
AV	11.59972G	41.04	54.00	-12.96	15.10	3	Horizontal	113	1.16	-						
PK	17.3724G	64.88	68.20	-3.32	21.56	3	Horizontal	325	1.27	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 91
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.6264G	66.34	74.00	-7.66	15.91	3	Vertical	154	1.18	-						
AV	15.62628G	53.81	54.00	-0.19	15.91	3	Vertical	154	1.18	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 91
02-C-5
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	15.62622G	61.03	74.00	-12.97	15.91	3	Horizontal	156	2.12	-						
AV	15.61692G	48.67	54.00	-5.33	15.92	3	Horizontal	156	2.12	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 91
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.56488G	53.29	74.00	-20.71	15.05	3	Vertical	123	1.54	-
AV	11.54304G	40.73	54.00	-13.27	15.02	3	Vertical	123	1.54	-
PK	17.32128G	67.96	68.20	-0.24	21.25	3	Vertical	98	1.26	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 91
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.55144G	54.59	74.00	-19.41	15.03	3	Horizontal	51	1.70	-						
AV	11.53962G	41.53	54.00	-12.47	15.02	3	Horizontal	51	1.70	-						
PK	17.3379G	63.36	68.20	-4.84	21.35	3	Horizontal	324	2.82	-						




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.86	54.00	-0.14	8.04	3	Vertical	49	2.84	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5180MHz_TX




EUT Y_1TX
Setting 80
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	71.19	74.00	-2.81	8.04	3	Vertical	49	2.84	-
AV	5.15G	53.86	54.00	-0.14	8.04	3	Vertical	49	2.84	-
PK	5.1816G	113.43	Inf	-Inf	8.12	3	Vertical	49	2.84	-
AV	5.1822G	103.21	Inf	-Inf	8.12	3	Vertical	49	2.84	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5180MHz_TX




EUT V_1TX
Setting 80
02-C-5
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.149G	61.94	74.00	-12.06	8.04	3	Horizontal	51	2.95	-
AV	5.15G	46.89	54.00	-7.11	8.04	3	Horizontal	51	2.95	-
PK	5.1824G	102.29	Inf	-Inf	8.12	3	Horizontal	51	2.95	-
AV	5.1844G	92.25	Inf	-Inf	8.13	3	Horizontal	51	2.95	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5200MHz_TX




EUT Y_1TX
Setting 85
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	64.35	74.00	-9.65	8.04	3	Vertical	49	2.71	-
AV	5.15G	47.90	54.00	-6.10	8.04	3	Vertical	49	2.71	-
PK	5.2016G	113.82	Inf	-Inf	8.16	3	Vertical	49	2.71	-
AV	5.2024G	103.93	Inf	-Inf	8.16	3	Vertical	49	2.71	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5200MHz_TX




EUT Y_1TX
Setting 85
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	59.03	74.00	-14.97	8.04	3	Horizontal	55	1.82	-
AV	5.1256G	46.14	54.00	-7.86	8.00	3	Horizontal	55	1.82	-
PK	5.2016G	103.06	Inf	-Inf	8.16	3	Horizontal	55	1.82	-
AV	5.202G	92.95	Inf	-Inf	8.16	3	Horizontal	55	1.82	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5240MHz_TX




EUT Y_1TX
Setting 81
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1386G	59.54	74.00	-14.46	8.02	3	Vertical	54	2.44	-
AV	5.1044G	47.37	54.00	-6.63	7.94	3	Vertical	54	2.44	-
PK	5.2418G	113.90	Inf	-Inf	8.22	3	Vertical	54	2.44	-
AV	5.2418G	104.20	Inf	-Inf	8.22	3	Vertical	54	2.44	-
PK	5.3534G	61.11	74.00	-12.89	8.38	3	Vertical	54	2.44	-
AV	5.384G	48.01	54.00	-5.99	8.42	3	Vertical	54	2.44	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5240MHz_TX




EUT Y_1TX
Setting 81
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1188G	58.98	74.00	-15.02	7.98	3	Horizontal	61	2.64	-
AV	5.1122G	46.29	54.00	-7.71	7.96	3	Horizontal	61	2.64	-
PK	5.2472G	101.85	Inf	-Inf	8.23	3	Horizontal	61	2.64	-
AV	5.237G	92.47	Inf	-Inf	8.21	3	Horizontal	61	2.64	-
PK	5.3714G	59.64	74.00	-14.36	8.40	3	Horizontal	61	2.64	-
AV	5.384G	47.23	54.00	-6.77	8.42	3	Horizontal	61	2.64	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5745MHz_TX




EUT Y_1TX
Setting 76
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.601G	60.49	68.20	-7.71	8.64	3	Vertical	296	2.63	-
PK	5.747G	111.68	Inf	-Inf	8.82	3	Vertical	296	2.63	-
AV	5.747G	101.42	Inf	-Inf	8.82	3	Vertical	296	2.63	-
PK	5.965G	59.74	68.20	-8.46	8.84	3	Vertical	296	2.63	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5745MHz_TX




EUT Y_1TX
Setting 76
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.508G	60.61	68.20	-7.59	8.62	3	Horizontal	47	2.01	-
PK	5.744G	102.77	Inf	-Inf	8.82	3	Horizontal	47	2.01	-
AV	5.749G	93.52	Inf	-Inf	8.82	3	Horizontal	47	2.01	-
PK	5.969G	59.53	68.20	-8.67	8.84	3	Horizontal	47	2.01	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5785MHz_TX




EUT Y_1TX
Setting 73
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.607G	60.62	68.20	-7.58	8.65	3	Vertical	57	2.71	-
PK	5.787G	111.61	Inf	-Inf	8.87	3	Vertical	57	2.71	-
AV	5.786G	101.38	Inf	-Inf	8.87	3	Vertical	57	2.71	-
PK	5.961G	59.83	68.20	-8.37	8.84	3	Vertical	57	2.71	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5785MHz_TX




EUT Y_1TX
Setting 73
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.57G	60.07	68.20	-8.13	8.63	3	Horizontal	352	2.93	-
PK	5.788G	111.02	Inf	-Inf	8.86	3	Horizontal	352	2.93	-
AV	5.788G	101.28	Inf	-Inf	8.86	3	Horizontal	352	2.93	-
PK	5.944G	59.96	68.20	-8.24	8.86	3	Horizontal	352	2.93	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5825MHz_TX




EUT Y_1TX
Setting 77
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.603G	59.65	68.20	-8.55	8.64	3	Vertical	293	2.37	-
PK	5.827G	111.96	Inf	-Inf	8.88	3	Vertical	293	2.37	-
AV	5.829G	102.13	Inf	-Inf	8.87	3	Vertical	293	2.37	-
PK	5.95G	59.93	68.20	-8.27	8.85	3	Vertical	293	2.37	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5825MHz_TX



EUT Y_1TX
Setting 77
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.618G	60.20	68.20	-8.00	8.66	3	Horizontal	354	2.91	-
PK	5.818G	111.20	Inf	-Inf	8.87	3	Horizontal	354	2.91	-
AV	5.829G	101.71	Inf	-Inf	8.88	3	Horizontal	354	2.91	-
PK	5.98G	59.84	68.20	-8.36	8.85	3	Horizontal	354	2.91	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.644G	68.17	68.20	-0.03	8.70	3	Vertical	299	2.61	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5180MHz_TX




EUT Y_1TX
Setting 74
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1472G	70.99	74.00	-3.01	8.04	3	Vertical	42	2.61	-						
AV	5.1498G	53.77	54.00	-0.23	8.04	3	Vertical	42	2.61	-						
PK	5.177G	113.97	Inf	-Inf	8.11	3	Vertical	42	2.61	-						
AV	5.1782G	99.98	Inf	-Inf	8.12	3	Vertical	42	2.61	-						

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5180MHz_TX




EUT V_1TX
Setting 74
02-C-5
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1462G	61.53	74.00	-12.47	8.04	3	Horizontal	55	1.77	-
AV	5.15G	46.64	54.00	-7.36	8.04	3	Horizontal	55	1.77	-
PK	5.1768G	102.54	Inf	-Inf	8.11	3	Horizontal	55	1.77	-
AV	5.1782G	88.98	Inf	-Inf	8.12	3	Horizontal	55	1.77	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5200MHz_TX




EUT Y_1TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1472G	67.18	74.00	-6.82	8.04	3	Vertical	48	2.36	-						
AV	5.15G	50.25	54.00	-3.75	8.04	3	Vertical	48	2.36	-						
PK	5.1968G	116.56	Inf	-Inf	8.16	3	Vertical	48	2.36	-						
AV	5.2028G	102.88	Inf	-Inf	8.16	3	Vertical	48	2.36	-						

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5200MHz_TX




EUT Y_1TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1212G	58.69	74.00	-15.31	7.98	3	Horizontal	47	2.69	-
AV	5.15G	45.51	54.00	-8.49	8.04	3	Horizontal	47	2.69	-
PK	5.1968G	105.97	Inf	-Inf	8.16	3	Horizontal	47	2.69	-
AV	5.1984G	92.01	Inf	-Inf	8.16	3	Horizontal	47	2.69	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5240MHz_TX




EUT Y_1TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1248G	61.01	74.00	-12.99	7.99	3	Vertical	49	2.80	-
AV	5.0942G	46.71	54.00	-7.29	7.92	3	Vertical	49	2.80	-
PK	5.237G	117.01	Inf	-Inf	8.21	3	Vertical	49	2.80	-
AV	5.243G	103.26	Inf	-Inf	8.22	3	Vertical	49	2.80	-
PK	5.378G	60.39	74.00	-13.61	8.42	3	Vertical	49	2.80	-
AV	5.3666G	47.09	54.00	-6.91	8.39	3	Vertical	49	2.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5240MHz_TX




EUT Y_1TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1338G	58.79	74.00	-15.21	8.02	3	Horizontal	63	2.63	-
AV	5.1122G	45.33	54.00	-8.67	7.96	3	Horizontal	63	2.63	-
PK	5.237G	105.52	Inf	-Inf	8.21	3	Horizontal	63	2.63	-
AV	5.2358G	91.88	Inf	-Inf	8.21	3	Horizontal	63	2.63	-
PK	5.3708G	59.26	74.00	-14.74	8.40	3	Horizontal	63	2.63	-
AV	5.3642G	46.05	54.00	-7.95	8.39	3	Horizontal	63	2.63	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5745MHz_TX




EUT Y_1TX
Setting 79
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.545G	60.25	68.20	-7.95	8.63	3	Vertical	295	2.62	-
PK	5.742G	114.69	Inf	-Inf	8.81	3	Vertical	295	2.62	-
AV	5.743G	100.95	Inf	-Inf	8.82	3	Vertical	295	2.62	-
PK	5.976G	59.19	68.20	-9.01	8.85	3	Vertical	295	2.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5745MHz_TX




EUT Y_1TX
Setting 79
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.622G	60.79	68.20	-7.41	8.66	3	Horizontal	356	2.86	-
PK	5.742G	112.83	Inf	-Inf	8.81	3	Horizontal	356	2.86	-
AV	5.74G	99.04	Inf	-Inf	8.81	3	Horizontal	356	2.86	-
PK	5.948G	59.37	68.20	-8.83	8.86	3	Horizontal	356	2.86	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5785MHz_TX




EUT Y_1TX
Setting 78
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.55G	60.62	68.20	-7.58	8.62	3	Vertical	64	2.72	-
PK	5.782G	112.34	Inf	-Inf	8.87	3	Vertical	64	2.72	-
AV	5.788G	99.67	Inf	-Inf	8.86	3	Vertical	64	2.72	-
PK	5.98G	59.64	68.20	-8.56	8.85	3	Vertical	64	2.72	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5785MHz_TX




EUT Y_1TX
Setting 78
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.585G	59.95	68.20	-8.25	8.64	3	Horizontal	327	2.82	-
PK	5.782G	110.53	Inf	-Inf	8.87	3	Horizontal	327	2.82	-
AV	5.78G	97.33	Inf	-Inf	8.86	3	Horizontal	327	2.82	-
PK	5.928G	59.75	68.20	-8.45	8.86	3	Horizontal	327	2.82	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5825MHz_TX




EUT Y_1TX
Setting 88
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.588G	59.41	68.20	-8.79	8.64	3	Vertical	61	2.79	-
PK	5.822G	114.93	Inf	-Inf	8.87	3	Vertical	61	2.79	-
AV	5.829G	101.75	Inf	-Inf	8.87	3	Vertical	61	2.79	-
PK	5.986G	60.37	68.20	-7.83	8.84	3	Vertical	61	2.79	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5825MHz_TX




EUT Y_1TX
Setting 88
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.626G	59.28	68.20	-8.92	8.68	3	Horizontal	7	2.89	-
PK	5.822G	114.46	Inf	-Inf	8.87	3	Horizontal	7	2.89	-
AV	5.828G	101.26	Inf	-Inf	8.88	3	Horizontal	7	2.89	-
PK	5.986G	59.61	68.20	-8.59	8.84	3	Horizontal	7	2.89	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5190MHz_TX




EUT Y_1TX
Setting 67
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1484G	70.18	74.00	-3.82	8.04	3	Vertical	53	2.71	-						
AV	5.1498G	53.81	54.00	-0.19	8.04	3	Vertical	53	2.71	-						
PK	5.182G	109.28	Inf	-Inf	8.12	3	Vertical	53	2.71	-						
AV	5.196G	96.84	Inf	-Inf	8.16	3	Vertical	53	2.71	-						

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5190MHz_TX




EUT Y_1TX
Setting 67
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1496G	62.08	74.00	-11.92	8.04	3	Horizontal	55	1.79	-						
AV	5.148G	47.59	54.00	-6.41	8.04	3	Horizontal	55	1.79	-						
PK	5.182G	97.78	Inf	-Inf	8.12	3	Horizontal	55	1.79	-						
AV	5.1788G	85.46	Inf	-Inf	8.12	3	Horizontal	55	1.79	-						

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5230MHz_TX




EUT Y_1TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	68.09	74.00	-5.91	8.04	3	Vertical	47	2.44	-
AV	5.1496G	53.87	54.00	-0.13	8.04	3	Vertical	47	2.44	-
PK	5.2462G	113.81	Inf	-Inf	8.23	3	Vertical	47	2.44	-
AV	5.2336G	101.78	Inf	-Inf	8.21	3	Vertical	47	2.44	-
PK	5.3632G	61.55	74.00	-12.45	8.39	3	Vertical	47	2.44	-
AV	5.3518G	49.15	54.00	-4.85	8.38	3	Vertical	47	2.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5230MHz_TX




EUT Y_1TX
Setting 86
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1478G	59.27	74.00	-14.73	8.04	3	Horizontal	55	2.67	-
AV	5.1028G	46.78	54.00	-7.22	7.94	3	Horizontal	55	2.67	-
PK	5.2222G	103.30	Inf	-Inf	8.20	3	Horizontal	55	2.67	-
AV	5.224G	91.11	Inf	-Inf	8.20	3	Horizontal	55	2.67	-
PK	5.3698G	59.61	74.00	-14.39	8.40	3	Horizontal	55	2.67	-
AV	5.3746G	47.68	54.00	-6.32	8.40	3	Horizontal	55	2.67	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5755MHz_TX




EUT Y_1TX
Setting 85
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.62G	60.98	68.20	-7.22	8.66	3	Vertical	303	2.73	-
PK	5.747G	112.00	Inf	-Inf	8.82	3	Vertical	303	2.73	-
AV	5.759G	100.03	Inf	-Inf	8.84	3	Vertical	303	2.73	-
PK	5.964G	60.48	68.20	-7.72	8.84	3	Vertical	303	2.73	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5755MHz_TX




EUT Y_1TX
Setting 85
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.629G	60.28	68.20	-7.92	8.68	3	Horizontal	57	2.07	-
PK	5.747G	102.36	Inf	-Inf	8.82	3	Horizontal	57	2.07	-
AV	5.748G	90.31	Inf	-Inf	8.82	3	Horizontal	57	2.07	-
PK	5.983G	59.22	68.20	-8.98	8.85	3	Horizontal	57	2.07	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5795MHz_TX




EUT Y_1TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	60.07	68.20	-8.13	8.69	3	Vertical	296	2.38	-
PK	5.78G	112.08	Inf	-Inf	8.86	3	Vertical	296	2.38	-
AV	5.788G	99.84	Inf	-Inf	8.86	3	Vertical	296	2.38	-
PK	5.959G	60.41	68.20	-7.79	8.84	3	Vertical	296	2.38	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5795MHz_TX




EUT Y_1TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.584G	59.97	68.20	-8.23	8.64	3	Horizontal	6	2.94	-
PK	5.787G	112.77	Inf	-Inf	8.87	3	Horizontal	6	2.94	-
AV	5.788G	100.58	Inf	-Inf	8.86	3	Horizontal	6	2.94	-
PK	5.925G	60.78	68.20	-7.42	8.86	3	Horizontal	6	2.94	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5210MHz_TX




EUT Y_1TX
Setting 68
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	70.00	74.00	-4.00	8.04	3	Vertical	54	2.46	-
AV	5.1499G	53.85	54.00	-0.15	8.04	3	Vertical	54	2.46	-
PK	5.2252G	107.30	Inf	-Inf	8.20	3	Vertical	54	2.46	-
AV	5.2228G	95.15	Inf	-Inf	8.20	3	Vertical	54	2.46	-
PK	5.3612G	61.43	74.00	-12.57	8.39	3	Vertical	54	2.46	-
AV	5.3532G	49.42	54.00	-4.58	8.38	3	Vertical	54	2.46	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5210MHz_TX




EUT Y_1TX
Setting 68
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.082G	59.74	74.00	-14.26	7.90	3	Horizontal	56	2.66	-
AV	5.0684G	47.00	54.00	-7.00	7.86	3	Horizontal	56	2.66	-
PK	5.2196G	95.49	Inf	-Inf	8.19	3	Horizontal	56	2.66	-
AV	5.2228G	83.65	Inf	-Inf	8.20	3	Horizontal	56	2.66	-
PK	5.3516G	59.69	74.00	-14.31	8.38	3	Horizontal	56	2.66	-
AV	5.362G	47.71	54.00	-6.29	8.39	3	Horizontal	56	2.66	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5775MHz_TX




EUT Y_1TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	68.17	68.20	-0.03	8.70	3	Vertical	299	2.61	-
PK	5.773G	108.57	Inf	-Inf	8.84	3	Vertical	299	2.61	-
AV	5.763G	97.17	Inf	-Inf	8.83	3	Vertical	299	2.61	-
PK	5.934G	65.30	68.20	-2.90	8.86	3	Vertical	299	2.61	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5775MHz_TX



EUT Y_1TX
Setting 87
02-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	67.98	68.20	-0.22	8.69	3	Horizontal	330	2.97	-
PK	5.754G	109.82	Inf	-Inf	8.83	3	Horizontal	330	2.97	-
AV	5.762G	98.30	Inf	-Inf	8.84	3	Horizontal	330	2.97	-
PK	5.932G	66.24	68.20	-1.96	8.86	3	Horizontal	330	2.97	-


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.148G	53.95	54.00	-0.05	8.04	3	Vertical	309	2.13	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5180MHz_TX




EUT Y_2TX
Setting 68
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	69.20	74.00	-4.80	8.04	3	Vertical	42	2.19	-
AV	5.14998G	53.79	54.00	-0.21	8.04	3	Vertical	42	2.19	-
PK	5.1836G	114.84	Inf	-Inf	8.13	3	Vertical	42	2.19	-
AV	5.1752G	102.69	Inf	-Inf	8.11	3	Vertical	42	2.19	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5180MHz_TX




EUT V_2TX
Setting 68
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	64.96	74.00	-9.04	8.04	3	Horizontal	327	2.73	-
AV	5.1492G	50.65	54.00	-3.35	8.04	3	Horizontal	327	2.73	-
PK	5.1752G	111.12	Inf	-Inf	8.11	3	Horizontal	327	2.73	-
AV	5.1748G	100.12	Inf	-Inf	8.10	3	Horizontal	327	2.73	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5200MHz_TX




EUT Y_2TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1472G	69.61	74.00	-4.39	8.04	3	Vertical	303	2.13	-						
AV	5.15G	53.94	54.00	-0.06	8.04	3	Vertical	303	2.13	-						
PK	5.1988G	117.71	Inf	-Inf	8.16	3	Vertical	303	2.13	-						
AV	5.2012G	106.48	Inf	-Inf	8.16	3	Vertical	303	2.13	-						

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5200MHz_TX




EUT Y_2TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	64.23	74.00	-9.77	8.04	3	Horizontal	18	2.72	-
AV	5.1492G	50.74	54.00	-3.26	8.04	3	Horizontal	18	2.72	-
PK	5.1916G	115.16	Inf	-Inf	8.14	3	Horizontal	18	2.72	-
AV	5.202G	103.75	Inf	-Inf	8.16	3	Horizontal	18	2.72	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5240MHz_TX




EUT Y_2TX
Setting 86
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1158G	60.67	74.00	-13.33	7.97	3	Vertical	297	2.20	-
AV	5.1068G	48.43	54.00	-5.57	7.96	3	Vertical	297	2.20	-
PK	5.2388G	118.26	Inf	-Inf	8.22	3	Vertical	297	2.20	-
AV	5.2418G	107.02	Inf	-Inf	8.22	3	Vertical	297	2.20	-
PK	5.3522G	60.41	74.00	-13.59	8.38	3	Vertical	297	2.20	-
AV	5.3534G	48.24	54.00	-5.76	8.38	3	Vertical	297	2.20	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5240MHz_TX




EUT Y_2TX
Setting 86
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1038G	59.32	74.00	-14.68	7.94	3	Horizontal	18	2.68	-
AV	5.0954G	47.61	54.00	-6.39	7.92	3	Horizontal	18	2.68	-
PK	5.2412G	116.00	Inf	-Inf	8.22	3	Horizontal	18	2.68	-
AV	5.2418G	104.71	Inf	-Inf	8.22	3	Horizontal	18	2.68	-
PK	5.3816G	59.78	74.00	-14.22	8.42	3	Horizontal	18	2.68	-
AV	5.3708G	48.24	54.00	-5.76	8.40	3	Horizontal	18	2.68	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5745MHz_TX




EUT Y_2TX
Setting 79
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.518G	60.52	68.20	-7.68	8.62	3	Vertical	299	2.04	-
PK	5.743G	115.09	Inf	-Inf	8.82	3	Vertical	299	2.04	-
AV	5.743G	103.70	Inf	-Inf	8.82	3	Vertical	299	2.04	-
PK	5.955G	59.49	68.20	-8.71	8.84	3	Vertical	299	2.04	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5745MHz_TX




EUT Y_2TX
Setting 79
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.547G	60.14	68.20	-8.06	8.63	3	Horizontal	332	2.87	-
PK	5.744G	112.71	Inf	-Inf	8.82	3	Horizontal	332	2.87	-
AV	5.743G	101.79	Inf	-Inf	8.82	3	Horizontal	332	2.87	-
PK	5.954G	59.53	68.20	-8.67	8.84	3	Horizontal	332	2.87	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5785MHz_TX




EUT Y_2TX
Setting 78
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.574 G	59.99	68.20	-8.21	8.63	3	Vertical	283	2.10	-
PK	5.783 G	114.67	Inf	-Inf	8.87	3	Vertical	283	2.10	-
AV	5.787 G	103.36	Inf	-Inf	8.87	3	Vertical	283	2.10	-
PK	5.931 G	59.70	68.20	-8.50	8.86	3	Vertical	283	2.10	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5785MHz_TX




EUT Y_2TX
Setting 78
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.537G	59.32	68.20	-8.88	8.63	3	Horizontal	14	2.84	-
PK	5.788G	109.84	Inf	-Inf	8.86	3	Horizontal	14	2.84	-
AV	5.78G	98.02	Inf	-Inf	8.86	3	Horizontal	14	2.84	-
PK	5.946G	58.79	68.20	-9.41	8.86	3	Horizontal	14	2.84	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5825MHz_TX




EUT Y_2TX
Setting 88
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6G	59.78	68.20	-8.42	8.64	3	Vertical	282	2.39	-
PK	5.821G	115.22	Inf	-Inf	8.87	3	Vertical	282	2.39	-
AV	5.827G	103.85	Inf	-Inf	8.88	3	Vertical	282	2.39	-
PK	5.931G	59.71	68.20	-8.49	8.86	3	Vertical	282	2.39	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5825MHz_TX




EUT Y_2TX
Setting 88
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.618G	59.24	68.20	-8.96	8.66	3	Horizontal	328	2.93	-
PK	5.82G	115.45	Inf	-Inf	8.87	3	Horizontal	328	2.93	-
AV	5.819G	104.28	Inf	-Inf	8.87	3	Horizontal	328	2.93	-
PK	5.93G	60.00	68.20	-8.20	8.86	3	Horizontal	328	2.93	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5190MHz_TX




EUT Y_2TX
Setting 65
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	68.79	74.00	-5.21	8.04	3	Vertical	294	2.24	-
AV	5.1492G	53.75	54.00	-0.25	8.04	3	Vertical	294	2.24	-
PK	5.1864G	109.98	Inf	-Inf	8.14	3	Vertical	294	2.24	-
AV	5.1906G	98.61	Inf	-Inf	8.14	3	Vertical	294	2.24	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5190MHz_TX




EUT_Y_2TX
Setting 65
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1474G	65.70	74.00	-8.30	8.04	3	Horizontal	19	2.72	-						
AV	5.1498G	50.52	54.00	-3.48	8.04	3	Horizontal	19	2.72	-						
PK	5.1996G	108.31	Inf	-Inf	8.16	3	Horizontal	19	2.72	-						
AV	5.1906G	96.29	Inf	-Inf	8.14	3	Horizontal	19	2.72	-						

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5230MHz_TX




EUT Y_2TX
Setting 80
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1406G	67.91	74.00	-6.09	8.03	3	Vertical	299	2.10	-
AV	5.1499G	53.79	54.00	-0.21	8.04	3	Vertical	299	2.10	-
PK	5.2396G	115.36	Inf	-Inf	8.22	3	Vertical	299	2.10	-
AV	5.2342G	103.21	Inf	-Inf	8.21	3	Vertical	299	2.10	-
PK	5.3572G	60.77	74.00	-13.23	8.38	3	Vertical	299	2.10	-
AV	5.377G	48.46	54.00	-5.54	8.41	3	Vertical	299	2.10	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5230MHz_TX




EUT Y_2TX
Setting 80
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	62.02	74.00	-11.98	8.04	3	Horizontal	0	2.69	-
AV	5.15G	48.89	54.00	-5.11	8.04	3	Horizontal	0	2.69	-
PK	5.2264G	112.16	Inf	-Inf	8.20	3	Horizontal	0	2.69	-
AV	5.2348G	100.52	Inf	-Inf	8.21	3	Horizontal	0	2.69	-
PK	5.374G	59.64	74.00	-14.36	8.40	3	Horizontal	0	2.69	-
AV	5.3788G	47.97	54.00	-6.03	8.42	3	Horizontal	0	2.69	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5755MHz_TX




EUT Y_2TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	64.06	68.20	-4.14	8.71	3	Vertical	298	2.12	-
PK	5.751G	113.79	Inf	-Inf	8.83	3	Vertical	298	2.12	-
AV	5.752G	101.89	Inf	-Inf	8.83	3	Vertical	298	2.12	-
PK	5.976G	59.73	68.20	-8.47	8.85	3	Vertical	298	2.12	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5755MHz_TX




EUT Y_2TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.641G	62.02	68.20	-6.18	8.70	3	Horizontal	339	2.85	-
PK	5.765G	112.02	Inf	-Inf	8.83	3	Horizontal	339	2.85	-
AV	5.757G	101.01	Inf	-Inf	8.83	3	Horizontal	339	2.85	-
PK	5.925G	59.95	68.20	-8.25	8.86	3	Horizontal	339	2.85	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5795MHz_TX




EUT Y_2TX
Setting 87
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.558G	61.17	68.20	-7.03	8.63	3	Vertical	283	2.01	-
PK	5.796G	113.36	Inf	-Inf	8.87	3	Vertical	283	2.01	-
AV	5.8G	101.98	Inf	-Inf	8.88	3	Vertical	283	2.01	-
PK	5.932G	63.42	68.20	-4.78	8.86	3	Vertical	283	2.01	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5795MHz_TX




EUT Y_2TX
Setting 87
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	60.50	68.20	-7.70	8.71	3	Horizontal	309	2.93	-
PK	5.806G	111.44	Inf	-Inf	8.88	3	Horizontal	309	2.93	-
AV	5.799G	100.41	Inf	-Inf	8.88	3	Horizontal	309	2.93	-
PK	5.932G	63.59	68.20	-4.61	8.86	3	Horizontal	309	2.93	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5210MHz_TX




EUT Y_2TX
Setting 62
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	68.11	74.00	-5.89	8.04	3	Vertical	309	2.13	-
AV	5.148G	53.95	54.00	-0.05	8.04	3	Vertical	309	2.13	-
PK	5.213G	108.56	Inf	-Inf	8.18	3	Vertical	309	2.13	-
AV	5.227G	96.52	Inf	-Inf	8.20	3	Vertical	309	2.13	-
PK	5.413G	60.25	74.00	-13.75	8.46	3	Vertical	309	2.13	-
AV	5.351G	49.40	54.00	-4.60	8.38	3	Vertical	309	2.13	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5210MHz_TX




EUT Y_2TX
Setting 62
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	63.57	74.00	-10.43	8.04	3	Horizontal	6	2.68	-
AV	5.106G	49.91	54.00	-4.09	7.96	3	Horizontal	6	2.68	-
PK	5.221G	103.83	Inf	-Inf	8.20	3	Horizontal	6	2.68	-
AV	5.227G	93.59	Inf	-Inf	8.20	3	Horizontal	6	2.68	-
PK	5.398G	59.30	74.00	-14.70	8.44	3	Horizontal	6	2.68	-
AV	5.431G	48.86	54.00	-5.14	8.50	3	Horizontal	6	2.68	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5775MHz_TX




EUT Y_2TX
Setting 77
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	68.07	68.20	-0.13	8.70	3	Vertical	276	2.12	-
PK	5.778G	109.41	Inf	-Inf	8.86	3	Vertical	276	2.12	-
AV	5.772G	98.81	Inf	-Inf	8.84	3	Vertical	276	2.12	-
PK	5.934G	65.61	68.20	-2.59	8.86	3	Vertical	276	2.12	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5775MHz_TX



EUT Y_2TX
Setting 77
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	64.52	68.20	-3.68	8.71	3	Horizontal	316	2.86	-
PK	5.778G	107.49	Inf	-Inf	8.86	3	Horizontal	316	2.86	-
AV	5.767G	97.94	Inf	-Inf	8.84	3	Horizontal	316	2.86	-
PK	5.932G	63.89	68.20	-4.31	8.86	3	Horizontal	316	2.86	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.15G	73.75	74.00	-0.25	8.04	3	Vertical	47	2.09	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5180MHz_TX




EUT_Y_4TX
Setting 68
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.15G	73.75	74.00	-0.25	8.04	3	Vertical	47	2.09	-						
AV	5.15G	52.67	54.00	-1.33	8.04	3	Vertical	47	2.09	-						
PK	5.1776G	119.97	Inf	-Inf	8.12	3	Vertical	47	2.09	-						
AV	5.1772G	110.62	Inf	-Inf	8.11	3	Vertical	47	2.09	-						

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5180MHz_TX




EUT V_4TX
Setting 68
02-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1344G	64.38	74.00	-9.62	8.02	3	Horizontal	359	2.99	-
AV	5.1488G	47.19	54.00	-6.81	8.04	3	Horizontal	359	2.99	-
PK	5.176G	113.89	Inf	-Inf	8.11	3	Horizontal	359	2.99	-
AV	5.1756G	104.51	Inf	-Inf	8.11	3	Horizontal	359	2.99	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 85
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.146G	72.39	74.00	-1.61	8.04	3	Vertical	50	1.97	-						
AV	5.1464G	51.82	54.00	-2.18	8.04	3	Vertical	50	1.97	-						
PK	5.1976G	123.77	Inf	-Inf	8.16	3	Vertical	50	1.97	-						
AV	5.1976G	114.46	Inf	-Inf	8.16	3	Vertical	50	1.97	-						

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 85
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1448G	62.85	74.00	-11.15	8.04	3	Horizontal	344	2.96	-
AV	5.1492G	46.48	54.00	-7.52	8.04	3	Horizontal	344	2.96	-
PK	5.1968G	116.74	Inf	-Inf	8.16	3	Horizontal	344	2.96	-
AV	5.196G	107.01	Inf	-Inf	8.16	3	Horizontal	344	2.96	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5240MHz_TX




EUT Y_4TX
Setting 81
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1338G	61.13	74.00	-12.87	8.02	3	Vertical	43	1.96	-
AV	5.1284G	48.56	54.00	-5.44	8.01	3	Vertical	43	1.96	-
PK	5.2376G	123.31	Inf	-Inf	8.22	3	Vertical	43	1.96	-
AV	5.2376G	114.24	Inf	-Inf	8.22	3	Vertical	43	1.96	-
PK	5.3762G	61.32	74.00	-12.68	8.41	3	Vertical	43	1.96	-
AV	5.3516G	48.52	54.00	-5.48	8.38	3	Vertical	43	1.96	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5240MHz_TX




EUT_Y_4TX
Setting 81
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1212G	59.47	74.00	-14.53	7.98	3	Horizontal	347	2.68	-
AV	5.0972G	47.03	54.00	-6.97	7.94	3	Horizontal	347	2.68	-
PK	5.237G	117.00	Inf	-Inf	8.21	3	Horizontal	347	2.68	-
AV	5.237G	107.35	Inf	-Inf	8.21	3	Horizontal	347	2.68	-
PK	5.3654G	59.65	74.00	-14.35	8.39	3	Horizontal	347	2.68	-
AV	5.3792G	47.26	54.00	-6.74	8.42	3	Horizontal	347	2.68	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 76
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.519G	60.12	68.20	-8.08	8.62	3	Vertical	285	1.49	-
PK	5.746G	117.19	Inf	-Inf	8.82	3	Vertical	285	1.49	-
AV	5.746G	107.76	Inf	-Inf	8.82	3	Vertical	285	1.49	-
PK	5.934G	59.95	68.20	-8.25	8.86	3	Vertical	285	1.49	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 76
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.584G	60.49	68.20	-7.71	8.64	3	Horizontal	330	2.94	-
PK	5.743G	115.38	Inf	-Inf	8.82	3	Horizontal	330	2.94	-
AV	5.743G	106.34	Inf	-Inf	8.82	3	Horizontal	330	2.94	-
PK	5.988G	59.10	68.20	-9.10	8.84	3	Horizontal	330	2.94	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5785MHz_TX




EUT Y_4TX
Setting 73
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.576G	60.77	68.20	-7.43	8.64	3	Vertical	284	1.62	-
PK	5.784G	116.47	Inf	-Inf	8.87	3	Vertical	284	1.62	-
AV	5.786G	107.27	Inf	-Inf	8.87	3	Vertical	284	1.62	-
PK	5.963G	59.42	68.20	-8.78	8.84	3	Vertical	284	1.62	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5785MHz_TX




EUT_Y_4TX
Setting 73
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.536G	60.16	68.20	-8.04	8.63	3	Horizontal	332	2.92	-
PK	5.783G	115.59	Inf	-Inf	8.87	3	Horizontal	332	2.92	-
AV	5.783G	106.35	Inf	-Inf	8.87	3	Horizontal	332	2.92	-
PK	5.965G	58.94	68.20	-9.26	8.84	3	Horizontal	332	2.92	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5825MHz_TX




EUT_Y_4TX
Setting 77
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.606G	62.44	68.20	-5.76	8.65	3	Vertical	58	1.64	-
PK	5.832G	117.29	Inf	-Inf	8.88	3	Vertical	58	1.64	-
AV	5.833G	107.94	Inf	-Inf	8.88	3	Vertical	58	1.64	-
PK	5.932G	59.78	68.20	-8.42	8.86	3	Vertical	58	1.64	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5825MHz_TX



EUT_Y_4TX
Setting 77
02-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	59.75	68.20	-8.45	8.70	3	Horizontal	328	2.92	-
PK	5.822G	112.01	Inf	-Inf	8.87	3	Horizontal	328	2.92	-
AV	5.829G	102.71	Inf	-Inf	8.87	3	Horizontal	328	2.92	-
PK	5.967G	59.12	68.20	-9.08	8.84	3	Horizontal	328	2.92	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.637G	68.10	68.20	-0.10	8.69	3	Vertical	293	2.38	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Y_4TX
Setting 64
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1492G	72.53	74.00	-1.47	8.04	3	Vertical	46	1.99	-						
AV	5.1492G	53.73	54.00	-0.27	8.04	3	Vertical	46	1.99	-						
PK	5.174G	117.61	Inf	-Inf	8.10	3	Vertical	46	1.99	-						
AV	5.1744G	105.61	Inf	-Inf	8.10	3	Vertical	46	1.99	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT Y_4TX
Setting 64
02-M-1-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1472G	63.93	74.00	-10.07	8.04	3	Horizontal	343	2.99	-
AV	5.1496G	48.61	54.00	-5.39	8.04	3	Horizontal	343	2.99	-
PK	5.1772G	114.29	Inf	-Inf	8.11	3	Horizontal	343	2.99	-
AV	5.1776G	102.92	Inf	-Inf	8.12	3	Horizontal	343	2.99	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 82
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1484G	72.37	74.00	-1.63	8.04	3	Vertical	49	1.96	-						
AV	5.1488G	53.80	54.00	-0.20	8.04	3	Vertical	49	1.96	-						
PK	5.1944G	121.87	Inf	-Inf	8.14	3	Vertical	49	1.96	-						
AV	5.1944G	109.97	Inf	-Inf	8.14	3	Vertical	49	1.96	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 82
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1468G	60.67	74.00	-13.33	8.04	3	Horizontal	348	2.95	-						
AV	5.1G	45.82	54.00	-8.18	7.94	3	Horizontal	348	2.95	-						
PK	5.2028G	118.25	Inf	-Inf	8.16	3	Horizontal	348	2.95	-						
AV	5.2024G	106.21	Inf	-Inf	8.16	3	Horizontal	348	2.95	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Y_4TX
Setting 86
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1398G	61.74	74.00	-12.26	8.03	3	Vertical	43	1.67	-
AV	5.1494G	48.33	54.00	-5.67	8.04	3	Vertical	43	1.67	-
PK	5.2448G	122.58	Inf	-Inf	8.22	3	Vertical	43	1.67	-
AV	5.2346G	111.77	Inf	-Inf	8.21	3	Vertical	43	1.67	-
PK	5.3684G	60.94	74.00	-13.06	8.40	3	Vertical	43	1.67	-
AV	5.3504G	48.07	54.00	-5.93	8.38	3	Vertical	43	1.67	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Y_4TX
Setting 86
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1326G	59.84	74.00	-14.16	8.02	3	Horizontal	7	2.66	-
AV	5.1116G	46.49	54.00	-7.51	7.96	3	Horizontal	7	2.66	-
PK	5.246G	119.68	Inf	-Inf	8.23	3	Horizontal	7	2.66	-
AV	5.2412G	107.80	Inf	-Inf	8.22	3	Horizontal	7	2.66	-
PK	5.3678G	59.85	74.00	-14.15	8.39	3	Horizontal	7	2.66	-
AV	5.39G	46.82	54.00	-7.18	8.43	3	Horizontal	7	2.66	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 79
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.501G	61.06	68.20	-7.14	8.62	3	Vertical	46	1.48	-
PK	5.754G	118.24	Inf	-Inf	8.83	3	Vertical	46	1.48	-
AV	5.744G	107.45	Inf	-Inf	8.82	3	Vertical	46	1.48	-
PK	5.938G	59.17	68.20	-9.03	8.86	3	Vertical	46	1.48	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 79
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.581 G	60.77	68.20	-7.43	8.64	3	Horizontal	333	2.96	-
PK	5.738 G	118.18	Inf	-Inf	8.81	3	Horizontal	333	2.96	-
AV	5.748 G	107.04	Inf	-Inf	8.82	3	Horizontal	333	2.96	-
PK	5.931 G	59.34	68.20	-8.86	8.86	3	Horizontal	333	2.96	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT Y_4TX
Setting 78
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.639G	60.61	68.20	-7.59	8.69	3	Vertical	300	2.46	-
PK	5.786G	119.67	Inf	-Inf	8.87	3	Vertical	300	2.46	-
AV	5.786G	108.00	Inf	-Inf	8.87	3	Vertical	300	2.46	-
PK	5.947G	60.04	68.20	-8.16	8.86	3	Vertical	300	2.46	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT Y_4TX
Setting 78
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	60.05	68.20	-8.15	8.69	3	Horizontal	327	2.93	-
PK	5.778G	118.21	Inf	-Inf	8.86	3	Horizontal	327	2.93	-
AV	5.778G	106.88	Inf	-Inf	8.86	3	Horizontal	327	2.93	-
PK	5.932G	59.32	68.20	-8.88	8.86	3	Horizontal	327	2.93	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Y_4TX
Setting 88
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.587G	60.94	68.20	-7.26	8.64	3	Vertical	47	1.64	-
PK	5.819G	120.83	Inf	-Inf	8.87	3	Vertical	47	1.64	-
AV	5.819G	109.65	Inf	-Inf	8.87	3	Vertical	47	1.64	-
PK	5.925G	60.79	68.20	-7.41	8.86	3	Vertical	47	1.64	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT Y_4TX
Setting 88
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.625G	60.56	68.20	-7.64	8.68	3	Horizontal	331	2.92	-
PK	5.818G	120.11	Inf	-Inf	8.87	3	Horizontal	331	2.92	-
AV	5.828G	108.10	Inf	-Inf	8.88	3	Horizontal	331	2.92	-
PK	5.932G	60.07	68.20	-8.13	8.86	3	Horizontal	331	2.92	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 59
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1496G	69.81	74.00	-4.19	8.04	3	Vertical	49	1.95	-						
AV	5.1496G	53.75	54.00	-0.25	8.04	3	Vertical	49	1.95	-						
PK	5.1892G	113.32	Inf	-Inf	8.14	3	Vertical	49	1.95	-						
AV	5.1948G	102.35	Inf	-Inf	8.15	3	Vertical	49	1.95	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 59
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	66.09	74.00	-7.91	8.04	3	Horizontal	351	2.99	-
AV	5.1476G	49.11	54.00	-4.89	8.04	3	Horizontal	351	2.99	-
PK	5.1824G	110.79	Inf	-Inf	8.12	3	Horizontal	351	2.99	-
AV	5.1776G	99.11	Inf	-Inf	8.12	3	Horizontal	351	2.99	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Y_4TX
Setting 75
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	68.27	74.00	-5.73	8.04	3	Vertical	45	1.67	-
AV	5.1496G	53.85	54.00	-0.15	8.04	3	Vertical	45	1.67	-
PK	5.215G	118.22	Inf	-Inf	8.18	3	Vertical	45	1.67	-
AV	5.2348G	106.95	Inf	-Inf	8.21	3	Vertical	45	1.67	-
PK	5.38G	61.11	74.00	-12.89	8.42	3	Vertical	45	1.67	-
AV	5.35G	48.87	54.00	-5.13	8.38	3	Vertical	45	1.67	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Y_4TX
Setting 75
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	60.94	74.00	-13.06	8.04	3	Horizontal	2	2.69	-
AV	5.15G	48.00	54.00	-6.00	8.04	3	Horizontal	2	2.69	-
PK	5.2462G	113.50	Inf	-Inf	8.23	3	Horizontal	2	2.69	-
AV	5.2162G	102.69	Inf	-Inf	8.18	3	Horizontal	2	2.69	-
PK	5.3608G	59.45	74.00	-14.55	8.39	3	Horizontal	2	2.69	-
AV	5.3626G	47.68	54.00	-6.32	8.39	3	Horizontal	2	2.69	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Y_4TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	68.10	68.20	-0.10	8.69	3	Vertical	293	2.38	-
PK	5.771G	118.13	Inf	-Inf	8.84	3	Vertical	293	2.38	-
AV	5.756G	107.31	Inf	-Inf	8.83	3	Vertical	293	2.38	-
PK	5.928G	60.76	68.20	-7.44	8.86	3	Vertical	293	2.38	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Y_4TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	64.04	68.20	-4.16	8.71	3	Horizontal	330	2.96	-
PK	5.748G	116.91	Inf	-Inf	8.82	3	Horizontal	330	2.96	-
AV	5.768G	105.62	Inf	-Inf	8.84	3	Horizontal	330	2.96	-
PK	5.924G	61.24	68.94	-7.70	8.85	3	Horizontal	330	2.96	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Y_4TX
Setting 87
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.642G	61.65	68.20	-6.55	8.70	3	Vertical	61	1.58	-
PK	5.794G	117.82	Inf	-Inf	8.87	3	Vertical	61	1.58	-
AV	5.799G	107.83	Inf	-Inf	8.88	3	Vertical	61	1.58	-
PK	5.933G	65.17	68.20	-3.03	8.86	3	Vertical	61	1.58	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Y_4TX
Setting 87
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.645G	61.31	68.20	-6.89	8.70	3	Horizontal	14	2.90	-
PK	5.811G	116.04	Inf	-Inf	8.88	3	Horizontal	14	2.90	-
AV	5.796G	105.28	Inf	-Inf	8.87	3	Horizontal	14	2.90	-
PK	5.928G	62.86	68.20	-5.34	8.86	3	Horizontal	14	2.90	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT Y_4TX
Setting 60
02-M-1-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.139G	70.52	74.00	-3.48	8.03	3	Vertical	46	1.95	-
AV	5.149G	53.86	54.00	-0.14	8.04	3	Vertical	46	1.95	-
PK	5.22G	112.04	Inf	-Inf	8.19	3	Vertical	46	1.95	-
AV	5.195G	100.51	Inf	-Inf	8.15	3	Vertical	46	1.95	-
PK	5.367G	60.12	74.00	-13.88	8.39	3	Vertical	46	1.95	-
AV	5.363G	48.16	54.00	-5.84	8.39	3	Vertical	46	1.95	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT Y_4TX
Setting 60
02-M-1-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
PK	5.125G	60.59	74.00	-13.41	7.99	3	Horizontal	17	2.94	-								
AV	5.115G	48.35	54.00	-5.65	7.97	3	Horizontal	17	2.94	-								
PK	5.226G	107.34	Inf	-Inf	8.20	3	Horizontal	17	2.94	-								
AV	5.216G	96.26	Inf	-Inf	8.18	3	Horizontal	17	2.94	-								
PK	5.428G	59.72	74.00	-14.28	8.50	3	Horizontal	17	2.94	-								
AV	5.393G	47.41	54.00	-6.59	8.43	3	Horizontal	17	2.94	-								

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT Y_4TX
Setting 72
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	68.73	68.94	-0.21	8.70	3	Vertical	299	2.28	-
PK	5.766G	113.94	Inf	-Inf	8.84	3	Vertical	299	2.28	-
AV	5.767G	101.25	Inf	-Inf	8.84	3	Vertical	299	2.28	-
PK	5.926G	65.15	68.20	-3.05	8.86	3	Vertical	299	2.28	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT Y_4TX
Setting 72
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.628G	65.15	68.20	-3.05	8.68	3	Horizontal	331	2.94	-
PK	5.773G	110.66	Inf	-Inf	8.84	3	Horizontal	331	2.94	-
AV	5.763G	100.28	Inf	-Inf	8.83	3	Horizontal	331	2.94	-
PK	5.931G	63.12	68.20	-5.08	8.86	3	Horizontal	331	2.94	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.85	54.00	-0.15	4.30	3	Vertical	59	1.72	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5180MHz_TX




EUT Y_4TX
Setting 70
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.149G	71.66	74.00	-2.34	4.30	3	Vertical	47	1.40	-						
AV	5.149G	53.80	54.00	-0.20	4.30	3	Vertical	47	1.40	-						
PK	5.186G	120.35	Inf	-Inf	4.33	3	Vertical	47	1.40	-						
AV	5.1888G	107.07	Inf	-Inf	4.32	3	Vertical	47	1.40	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5180MHz_TX




EUT V_4TX
Setting 70
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	68.57	74.00	-5.43	4.30	3	Horizontal	1	1.66	-
AV	5.1492G	51.16	54.00	-2.84	4.30	3	Horizontal	1	1.66	-
PK	5.1732G	114.05	Inf	-Inf	4.31	3	Horizontal	1	1.66	-
AV	5.1716G	101.88	Inf	-Inf	4.31	3	Horizontal	1	1.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 84
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1496G	69.68	74.00	-4.32	4.30	3	Vertical	313	2.07	-						
AV	5.149G	53.78	54.00	-0.22	4.30	3	Vertical	313	2.07	-						
PK	5.1922G	122.14	Inf	-Inf	4.32	3	Vertical	313	2.07	-						
AV	5.1922G	111.21	Inf	-Inf	4.32	3	Vertical	313	2.07	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 84
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1478G	65.97	74.00	-8.03	4.30	3	Horizontal	344	2.89	-
AV	5.15G	49.78	54.00	-4.22	4.30	3	Horizontal	344	2.89	-
PK	5.206G	120.38	Inf	-Inf	4.35	3	Horizontal	344	2.89	-
AV	5.2012G	107.83	Inf	-Inf	4.33	3	Horizontal	344	2.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5240MHz_TX




EUT Y_4TX
Setting 86
01-S-5-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1344G	59.76	74.00	-14.24	4.29	3	Vertical	289	1.50	-
AV	5.15G	47.20	54.00	-6.80	4.30	3	Vertical	289	1.50	-
PK	5.246G	123.72	Inf	-Inf	4.50	3	Vertical	289	1.50	-
AV	5.2436G	111.61	Inf	-Inf	4.49	3	Vertical	289	1.50	-
PK	5.3504G	60.27	74.00	-13.73	4.88	3	Vertical	289	1.50	-
AV	5.3504G	47.43	54.00	-6.57	4.88	3	Vertical	289	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5240MHz_TX




EUT_Y_4TX
Setting 86
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1272G	58.80	74.00	-15.20	4.29	3	Horizontal	5	2.96	-
AV	5.1302G	46.34	54.00	-7.66	4.29	3	Horizontal	5	2.96	-
PK	5.2376G	120.74	Inf	-Inf	4.47	3	Horizontal	5	2.96	-
AV	5.2376G	108.47	Inf	-Inf	4.47	3	Horizontal	5	2.96	-
PK	5.3882G	58.42	74.00	-15.58	5.01	3	Horizontal	5	2.96	-
AV	5.3504G	45.48	54.00	-8.52	4.88	3	Horizontal	5	2.96	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 79
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.605G	60.58	68.20	-7.62	5.73	3	Vertical	299	1.65	-
PK	5.743G	123.18	Inf	-Inf	5.94	3	Vertical	299	1.65	-
AV	5.739G	111.42	Inf	-Inf	5.93	3	Vertical	299	1.65	-
PK	5.975G	60.91	68.20	-7.29	7.16	3	Vertical	299	1.65	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 79
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.555G	58.97	68.20	-9.23	5.60	3	Horizontal	359	2.82	-
PK	5.736G	117.25	Inf	-Inf	5.91	3	Horizontal	359	2.82	-
AV	5.736G	106.46	Inf	-Inf	5.91	3	Horizontal	359	2.82	-
PK	5.978G	59.59	68.20	-8.61	7.15	3	Horizontal	359	2.82	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5785MHz_TX




EUT_Y_4TX
Setting 78
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.54G	61.23	68.20	-6.97	5.56	3	Vertical	299	1.76	-
PK	5.791G	123.97	Inf	-Inf	6.04	3	Vertical	299	1.76	-
AV	5.793G	111.31	Inf	-Inf	6.05	3	Vertical	299	1.76	-
PK	5.953G	61.17	68.20	-7.03	7.05	3	Vertical	299	1.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5785MHz_TX




EUT_Y_4TX
Setting 78
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.536G	59.83	68.20	-8.37	5.55	3	Horizontal	16	2.75	-
PK	5.777G	116.92	Inf	-Inf	6.00	3	Horizontal	16	2.75	-
AV	5.776G	105.86	Inf	-Inf	6.00	3	Horizontal	16	2.75	-
PK	5.98G	61.26	68.20	-6.94	7.17	3	Horizontal	16	2.75	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5825MHz_TX




EUT_Y_4TX
Setting 88
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	61.33	68.20	-6.87	5.77	3	Vertical	297	1.93	-
PK	5.82G	123.20	Inf	-Inf	6.21	3	Vertical	297	1.93	-
AV	5.819G	111.91	Inf	-Inf	6.20	3	Vertical	297	1.93	-
PK	5.928G	62.01	68.20	-6.19	6.93	3	Vertical	297	1.93	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/12/2018

5825MHz_TX




EUT_Y_4TX
Setting 88
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.578G	59.88	68.20	-8.32	5.66	3	Horizontal	16	2.76	-
PK	5.823G	120.36	Inf	-Inf	6.24	3	Horizontal	16	2.76	-
AV	5.826G	108.52	Inf	-Inf	6.25	3	Horizontal	16	2.76	-
PK	5.989G	60.51	68.20	-7.69	7.21	3	Horizontal	16	2.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 53
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	73.83	74.00	-0.17	4.30	3	Vertical	64	1.91	-
AV	5.149G	47.05	54.00	-6.95	4.30	3	Vertical	64	1.91	-
PK	5.1872G	112.54	Inf	-Inf	4.33	3	Vertical	64	1.91	-
AV	5.1768G	101.15	Inf	-Inf	4.32	3	Vertical	64	1.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 53
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1488G	67.94	74.00	-6.06	4.30	3	Horizontal	353	2.89	-
AV	5.15G	44.90	54.00	-9.10	4.30	3	Horizontal	353	2.89	-
PK	5.1872G	109.49	Inf	-Inf	4.33	3	Horizontal	353	2.89	-
AV	5.1768G	96.52	Inf	-Inf	4.32	3	Horizontal	353	2.89	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5230MHz_TX




EUT Y_4TX
Setting 79
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	71.04	74.00	-2.96	4.30	3	Vertical	59	1.72	-
AV	5.149G	53.85	54.00	-0.15	4.30	3	Vertical	59	1.72	-
PK	5.2276G	119.89	Inf	-Inf	4.43	3	Vertical	59	1.72	-
AV	5.2264G	106.62	Inf	-Inf	4.43	3	Vertical	59	1.72	-
PK	5.3626G	63.41	74.00	-10.59	4.93	3	Vertical	59	1.72	-
AV	5.3542G	47.23	54.00	-6.77	4.89	3	Vertical	59	1.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5230MHz_TX




EUT Y_4TX
Setting 79
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1448G	65.62	74.00	-8.38	4.29	3	Horizontal	0	2.99	-
AV	5.1496G	49.62	54.00	-4.38	4.30	3	Horizontal	0	2.99	-
PK	5.2276G	116.42	Inf	-Inf	4.43	3	Horizontal	0	2.99	-
AV	5.2324G	103.94	Inf	-Inf	4.45	3	Horizontal	0	2.99	-
PK	5.3602G	60.69	74.00	-13.31	4.92	3	Horizontal	0	2.99	-
AV	5.353G	45.73	54.00	-8.27	4.89	3	Horizontal	0	2.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5755MHz_TX




EUT_Y_4TX
Setting 80
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.645G	68.00	68.20	-0.20	5.76	3	Vertical	299	1.38	-
PK	5.74G	122.21	Inf	-Inf	5.93	3	Vertical	299	1.38	-
AV	5.742G	108.87	Inf	-Inf	5.93	3	Vertical	299	1.38	-
PK	5.925G	63.36	68.20	-4.84	6.91	3	Vertical	299	1.38	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/12/2018

5755MHz_TX




EUT_Y_4TX
Setting 80
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.654G	68.22	71.16	-2.94	8.71	3	Horizontal	337	2.98	-
PK	5.76G	118.73	Inf	-Inf	8.84	3	Horizontal	337	2.98	-
AV	5.759G	105.84	Inf	-Inf	8.84	3	Horizontal	337	2.98	-
PK	5.989G	60.41	68.20	-7.79	8.84	3	Horizontal	337	2.98	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5795MHz_TX




EUT_Y_4TX
Setting 86
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.641G	64.66	68.20	-3.54	5.76	3	Vertical	298	1.76	-
PK	5.796G	122.15	Inf	-Inf	6.05	3	Vertical	298	1.76	-
AV	5.79G	110.07	Inf	-Inf	6.04	3	Vertical	298	1.76	-
PK	5.926G	67.97	68.20	-0.23	6.92	3	Vertical	298	1.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5795MHz_TX




EUT_Y_4TX
Setting 86
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	61.88	68.20	-6.32	5.77	3	Horizontal	20	2.76	-
PK	5.778G	115.27	Inf	-Inf	6.01	3	Horizontal	20	2.76	-
AV	5.777G	104.87	Inf	-Inf	6.00	3	Horizontal	20	2.76	-
PK	5.933G	62.74	68.20	-5.46	6.96	3	Horizontal	20	2.76	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2018

5210MHz_TX




EUT Y_4TX
Setting 63
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	73.77	74.00	-0.23	4.30	3	Vertical	317	1.50	-
AV	5.147G	51.29	54.00	-2.71	4.30	3	Vertical	317	1.50	-
PK	5.176G	113.23	Inf	-Inf	4.32	3	Vertical	317	1.50	-
AV	5.198G	98.69	Inf	-Inf	4.33	3	Vertical	317	1.50	-
PK	5.36G	59.00	74.00	-15.00	4.92	3	Vertical	317	1.50	-
AV	5.35G	45.55	54.00	-8.45	4.88	3	Vertical	317	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2018

5210MHz_TX




EUT Y_4TX
Setting 63
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	68.76	74.00	-5.24	4.30	3	Horizontal	355	2.89	-
AV	5.15G	49.69	54.00	-4.31	4.30	3	Horizontal	355	2.89	-
PK	5.196G	108.41	Inf	-Inf	4.33	3	Horizontal	355	2.89	-
AV	5.196G	96.07	Inf	-Inf	4.33	3	Horizontal	355	2.89	-
PK	5.376G	58.04	74.00	-15.96	4.98	3	Horizontal	355	2.89	-
AV	5.352G	44.75	54.00	-9.25	4.89	3	Horizontal	355	2.89	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2018

5775MHz_TX




EUT Y_4TX
Setting 70
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	67.98	68.20	-0.22	5.78	3	Vertical	302	1.96	-
PK	5.776G	115.53	Inf	-Inf	6.00	3	Vertical	302	1.96	-
AV	5.75G	104.52	Inf	-Inf	5.94	3	Vertical	302	1.96	-
PK	5.927G	64.60	68.20	-3.60	6.93	3	Vertical	302	1.96	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2018

5775MHz_TX



EUT Y_4TX
Setting 70
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	62.95	68.20	-5.25	5.77	3	Horizontal	354	2.99	-
PK	5.742G	111.49	Inf	-Inf	5.93	3	Horizontal	354	2.99	-
AV	5.748G	98.47	Inf	-Inf	5.95	3	Horizontal	354	2.99	-
PK	5.932G	62.49	68.20	-5.71	6.95	3	Horizontal	354	2.99	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.92	54.00	-0.08	8.04	3	Vertical	47	2.18	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Y_4TX
Setting 67
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1484G	69.34	74.00	-4.66	8.04	3	Vertical	47	2.18	-						
AV	5.15G	53.92	54.00	-0.08	8.04	3	Vertical	47	2.18	-						
PK	5.176G	117.20	Inf	-Inf	8.11	3	Vertical	47	2.18	-						
AV	5.176G	104.51	Inf	-Inf	8.11	3	Vertical	47	2.18	-						

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Y_4TX
Setting 67
02-M-1-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1492G	64.45	74.00	-9.55	8.04	3	Horizontal	355	2.98	-
AV	5.15G	50.16	54.00	-3.84	8.04	3	Horizontal	355	2.98	-
PK	5.176G	111.81	Inf	-Inf	8.11	3	Horizontal	355	2.98	-
AV	5.1816G	100.31	Inf	-Inf	8.12	3	Horizontal	355	2.98	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 82
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1492G	67.95	74.00	-6.05	8.04	3	Vertical	44	1.96	-						
AV	5.15G	53.80	54.00	-0.20	8.04	3	Vertical	44	1.96	-						
PK	5.1984G	120.89	Inf	-Inf	8.16	3	Vertical	44	1.96	-						
AV	5.1952G	108.31	Inf	-Inf	8.15	3	Vertical	44	1.96	-						

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Y_4TX
Setting 82
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	60.43	74.00	-13.57	8.04	3	Horizontal	13	2.96	-
AV	5.1496G	47.90	54.00	-6.10	8.04	3	Horizontal	13	2.96	-
PK	5.198G	114.48	Inf	-Inf	8.16	3	Horizontal	13	2.96	-
AV	5.2032G	103.53	Inf	-Inf	8.16	3	Horizontal	13	2.96	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Y_4TX
Setting 86
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	61.63	74.00	-12.37	8.04	3	Vertical	50	1.96	-
AV	5.1428G	48.93	54.00	-5.07	8.04	3	Vertical	50	1.96	-
PK	5.2382G	122.67	Inf	-Inf	8.22	3	Vertical	50	1.96	-
AV	5.2364G	109.04	Inf	-Inf	8.21	3	Vertical	50	1.96	-
PK	5.3816G	61.56	74.00	-12.44	8.42	3	Vertical	50	1.96	-
AV	5.3696G	48.96	54.00	-5.04	8.40	3	Vertical	50	1.96	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT Y_4TX
Setting 86
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1044G	59.76	74.00	-14.24	7.94	3	Horizontal	8	2.66	-
AV	5.09G	47.28	54.00	-6.72	7.92	3	Horizontal	8	2.66	-
PK	5.2424G	115.41	Inf	-Inf	8.22	3	Horizontal	8	2.66	-
AV	5.243G	104.98	Inf	-Inf	8.22	3	Horizontal	8	2.66	-
PK	5.3696G	59.76	74.00	-14.24	8.40	3	Horizontal	8	2.66	-
AV	5.3846G	47.81	54.00	-6.19	8.42	3	Horizontal	8	2.66	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 79
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.569G	60.40	68.20	-7.80	8.63	3	Vertical	289	1.95	-
PK	5.748G	117.68	Inf	-Inf	8.82	3	Vertical	289	1.95	-
AV	5.744G	105.42	Inf	-Inf	8.82	3	Vertical	289	1.95	-
PK	5.963G	59.83	68.20	-8.37	8.84	3	Vertical	289	1.95	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Y_4TX
Setting 79
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.581G	60.05	68.20	-8.15	8.64	3	Horizontal	334	2.97	-
PK	5.743G	115.50	Inf	-Inf	8.82	3	Horizontal	334	2.97	-
AV	5.744G	104.06	Inf	-Inf	8.82	3	Horizontal	334	2.97	-
PK	5.936G	59.27	68.20	-8.93	8.86	3	Horizontal	334	2.97	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT Y_4TX
Setting 78
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.551G	60.45	68.20	-7.75	8.63	3	Vertical	288	1.93	-
PK	5.783G	117.75	Inf	-Inf	8.87	3	Vertical	288	1.93	-
AV	5.784G	105.10	Inf	-Inf	8.87	3	Vertical	288	1.93	-
PK	5.98G	59.89	68.20	-8.31	8.85	3	Vertical	288	1.93	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Y_4TX
Setting 78
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.568G	60.37	68.20	-7.83	8.63	3	Horizontal	321	2.94	-
PK	5.783G	115.00	Inf	-Inf	8.87	3	Horizontal	321	2.94	-
AV	5.783G	103.90	Inf	-Inf	8.87	3	Horizontal	321	2.94	-
PK	5.926G	59.24	68.20	-8.96	8.86	3	Horizontal	321	2.94	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Y_4TX
Setting 88
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	60.89	68.20	-7.31	8.71	3	Vertical	54	1.76	-
PK	5.822G	118.49	Inf	-Inf	8.87	3	Vertical	54	1.76	-
AV	5.822G	106.92	Inf	-Inf	8.87	3	Vertical	54	1.76	-
PK	5.934G	60.56	68.20	-7.64	8.86	3	Vertical	54	1.76	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Y_4TX
Setting 88
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.612G	59.75	68.20	-8.45	8.66	3	Horizontal	331	2.89	-
PK	5.823G	118.02	Inf	-Inf	8.87	3	Horizontal	331	2.89	-
AV	5.818G	105.59	Inf	-Inf	8.87	3	Horizontal	331	2.89	-
PK	5.95G	60.23	68.20	-7.97	8.85	3	Horizontal	331	2.89	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 60
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1424G	68.21	74.00	-5.79	8.04	3	Vertical	304	1.96	-						
AV	5.1428G	53.87	54.00	-0.13	8.04	3	Vertical	304	1.96	-						
PK	5.1948G	111.31	Inf	-Inf	8.15	3	Vertical	304	1.96	-						
AV	5.1912G	101.05	Inf	-Inf	8.14	3	Vertical	304	1.96	-						

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 60
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	65.11	74.00	-8.89	8.04	3	Horizontal	3	2.70	-
AV	5.1396G	50.08	54.00	-3.92	8.03	3	Horizontal	3	2.70	-
PK	5.1992G	106.20	Inf	-Inf	8.16	3	Horizontal	3	2.70	-
AV	5.1968G	96.31	Inf	-Inf	8.16	3	Horizontal	3	2.70	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Y_4TX
Setting 73
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	67.47	74.00	-6.53	8.04	3	Vertical	39	2.05	-
AV	5.149G	53.78	54.00	-0.22	8.04	3	Vertical	39	2.05	-
PK	5.2258G	115.26	Inf	-Inf	8.20	3	Vertical	39	2.05	-
AV	5.2312G	104.31	Inf	-Inf	8.21	3	Vertical	39	2.05	-
PK	5.3668G	60.17	74.00	-13.83	8.39	3	Vertical	39	2.05	-
AV	5.3536G	50.28	54.00	-3.72	8.38	3	Vertical	39	2.05	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Y_4TX
Setting 73
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.122G	59.08	74.00	-14.92	7.98	3	Horizontal	337	2.93	-
AV	5.1178G	48.20	54.00	-5.80	7.98	3	Horizontal	337	2.93	-
PK	5.2258G	110.53	Inf	-Inf	8.20	3	Horizontal	337	2.93	-
AV	5.2246G	101.29	Inf	-Inf	8.20	3	Horizontal	337	2.93	-
PK	5.3692G	59.67	74.00	-14.33	8.40	3	Horizontal	337	2.93	-
AV	5.3578G	48.96	54.00	-5.04	8.38	3	Horizontal	337	2.93	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Y_4TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.642G	64.16	68.20	-4.04	8.70	3	Vertical	284	2.05	-
PK	5.761G	115.90	Inf	-Inf	8.84	3	Vertical	284	2.05	-
AV	5.753G	105.33	Inf	-Inf	8.83	3	Vertical	284	2.05	-
PK	5.937G	59.91	68.20	-8.29	8.86	3	Vertical	284	2.05	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Y_4TX
Setting 85
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.639G	65.37	68.20	-2.83	8.69	3	Horizontal	332	2.94	-
PK	5.759G	115.70	Inf	-Inf	8.84	3	Horizontal	332	2.94	-
AV	5.753G	104.51	Inf	-Inf	8.83	3	Horizontal	332	2.94	-
PK	5.951G	59.53	68.20	-8.67	8.84	3	Horizontal	332	2.94	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Y_4TX
Setting 87
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.641G	62.46	68.20	-5.74	8.70	3	Vertical	275	1.80	-
PK	5.799G	116.81	Inf	-Inf	8.88	3	Vertical	275	1.80	-
AV	5.793G	104.83	Inf	-Inf	8.87	3	Vertical	275	1.80	-
PK	5.926G	64.04	68.20	-4.16	8.86	3	Vertical	275	1.80	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Y_4TX
Setting 87
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	60.86	68.20	-7.34	8.69	3	Horizontal	327	2.92	-
PK	5.799G	114.84	Inf	-Inf	8.88	3	Horizontal	327	2.92	-
AV	5.793G	104.82	Inf	-Inf	8.87	3	Horizontal	327	2.92	-
PK	5.925G	63.20	68.20	-5.00	8.86	3	Horizontal	327	2.92	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT Y_4TX
Setting 58
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.129G	63.68	74.00	-10.32	8.01	3	Vertical	43	1.86	-
AV	5.1499G	53.76	54.00	-0.24	8.04	3	Vertical	43	1.86	-
PK	5.228G	109.71	Inf	-Inf	8.20	3	Vertical	43	1.86	-
AV	5.226G	97.27	Inf	-Inf	8.20	3	Vertical	43	1.86	-
PK	5.427G	59.95	74.00	-14.05	8.50	3	Vertical	43	1.86	-
AV	5.37G	49.58	54.00	-4.42	8.40	3	Vertical	43	1.86	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT Y_4TX
Setting 58
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	59.60	74.00	-14.40	8.04	3	Horizontal	10	2.96	-
AV	5.078G	48.55	54.00	-5.45	7.89	3	Horizontal	10	2.96	-
PK	5.204G	104.00	Inf	-Inf	8.16	3	Horizontal	10	2.96	-
AV	5.202G	93.76	Inf	-Inf	8.16	3	Horizontal	10	2.96	-
PK	5.352G	60.17	74.00	-13.83	8.38	3	Horizontal	10	2.96	-
AV	5.42G	49.08	54.00	-4.92	8.48	3	Horizontal	10	2.96	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT Y_4TX
Setting 75
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.96	68.20	-0.24	8.71	3	Vertical	48	1.74	-
PK	5.769G	110.75	Inf	-Inf	8.84	3	Vertical	48	1.74	-
AV	5.764G	100.46	Inf	-Inf	8.83	3	Vertical	48	1.74	-
PK	5.931G	65.16	68.20	-3.04	8.86	3	Vertical	48	1.74	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT Y_4TX
Setting 75
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	64.77	68.20	-3.43	8.68	3	Horizontal	325	2.95	-
PK	5.752G	110.70	Inf	-Inf	8.83	3	Horizontal	325	2.95	-
AV	5.764G	99.81	Inf	-Inf	8.83	3	Horizontal	325	2.95	-
PK	5.925G	63.57	68.20	-4.63	8.86	3	Horizontal	325	2.95	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.59826G	53.82	54.00	-0.18	15.97	3	Horizontal	214	2.28	-

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5180MHz_TX




EUT_Y_4TX
Setting 86
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.5415G	65.97	74.00	-8.03	14.59	3	Vertical	36	1.43	-						
AV	15.54012G	51.26	54.00	-2.74	14.60	3	Vertical	36	1.43	-						

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5180MHz_TX




EUT Y_4TX
Setting 86
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.5376G	66.69	74.00	-7.31	14.59	3	Horizontal	276	1.42	-
AV	15.53736G	53.80	54.00	-0.20	14.59	3	Horizontal	276	1.42	-

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5200MHz_TX




EUT Y_4TX
Setting 81
02-P-2
FSU(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.6012G	69.10	74.00	-4.90	15.97	3	Vertical	173	1.89	-
AV	15.60048G	53.42	54.00	-0.58	15.97	3	Vertical	173	1.89	-

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5200MHz_TX




EUT Y_4TX
Setting 81
02-P-2
FSU(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.59766G	67.22	74.00	-6.78	15.98	3	Horizontal	214	2.28	-
AV	15.59826G	53.82	54.00	-0.18	15.97	3	Horizontal	214	2.28	-

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5240MHz_TX




EUT_Y_4TX
Setting 76
02-P-2
FSU(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.71604G	67.93	74.00	-6.07	15.69	3	Vertical	1	2.65	-						
AV	15.71694G	52.80	54.00	-1.20	15.68	3	Vertical	1	2.65	-						

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5240MHz_TX




EUT Y_4TX
Setting 76
02-P-2
FSU(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.71424G	69.39	74.00	-4.61	15.69	3	Horizontal	240	1.82	-
AV	15.71484G	53.78	54.00	-0.22	15.69	3	Horizontal	240	1.82	-

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5745MHz_TX




EUT Y_4TX
Setting 80
02-P-2
FSU(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.23416G	67.28	68.20	-0.92	20.73	3	Vertical	167	2.12	-						

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5745MHz_TX




EUT Y_4TX
Setting 80
02-P-2
FSU(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.2362G	68.02	68.20	-0.18	20.75	3	Horizontal	201	1.81	-						

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5785MHz_TX




EUT Y_4TX
Setting 92
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.3526G	65.50	68.20	-2.70	18.40	3	Vertical	190	2.14	-						

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5785MHz_TX




EUT Y_4TX
Setting 92
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments					
PK	17.36244G	67.99	68.20	-0.21	18.42	3	Horizontal	222	1.84	-					

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5825MHz_TX




EUT_Y_4TX
Setting 83
02-P-2
FSU(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.47398G	64.54	68.20	-3.66	22.17	3	Vertical	183	2.04	-						

802.11a_Nss1,(6Mbps)_4TX

30/11/2018

5825MHz_TX



EUT Y_4TX
Setting 83
02-P-2
FSU(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	17.4816G	67.96	68.20	-0.24	22.22	3	Horizontal	206	2.32	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.37306G	68.13	68.20	-0.07	18.43	3	Horizontal	221	1.82	-

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5180MHz_TX




EUT_Y_4TX
Setting 88
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.54192G	66.11	74.00	-7.89	14.58	3	Vertical	267	1.01	-						
AV	15.54174G	51.64	54.00	-2.36	14.58	3	Vertical	267	1.01	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5180MHz_TX




EUT_Y_4TX
Setting 88
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.5448G	69.43	74.00	-4.57	14.58	3	Horizontal	244	2.89	-
AV	15.5397G	53.80	54.00	-0.20	14.60	3	Horizontal	244	2.89	-

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5200MHz_TX




EUT Y_4TX
Setting 78
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.60732G	62.48	74.00	-11.52	14.51	3	Vertical	265	1.12	-						
AV	15.60198G	47.09	54.00	-6.91	14.51	3	Vertical	265	1.12	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5200MHz_TX




EUT Y_4TX
Setting 78
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.60726G	70.79	74.00	-3.21	14.51	3	Horizontal	227	1.95	-						
AV	15.60234G	53.79	54.00	-0.21	14.51	3	Horizontal	227	1.95	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5240MHz_TX




EUT_Y_4TX
Setting 75
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.71694G	67.74	74.00	-6.26	14.36	3	Vertical	202	2.82	-						
AV	15.72198G	51.51	54.00	-2.49	14.36	3	Vertical	202	2.82	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

30/11/2018

5240MHz_TX




EUT Y_4TX
Setting 75
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.72696G	69.92	74.00	-4.08	14.35	3	Horizontal	328	2.07	-						
AV	15.72204G	53.81	54.00	-0.19	14.36	3	Horizontal	328	2.07	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT Y_4TX
Setting 97
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.23428G	68.04	68.20	-0.16	18.19	3	Vertical	183	2.22	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT Y_4TX
Setting 97
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.24532G	67.42	68.20	-0.78	18.21	3	Horizontal	46	2.09	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT Y_4TX
Setting 93
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.35452G	67.96	68.20	-0.24	18.40	3	Vertical	182	2.24	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT Y_4TX
Setting 93
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.34738G	67.72	68.20	-0.48	18.39	3	Horizontal	224	2.37	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT Y_4TX
Setting 86
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.48304G	64.54	68.20	-3.66	18.63	3	Vertical	227	1.09	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT Y_4TX
Setting 86
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.47824G	67.98	68.20	-0.22	18.62	3	Horizontal	219	1.81	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 91
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.56676G	63.39	74.00	-10.61	14.55	3	Vertical	264	1.05	-						
AV	15.57198G	51.82	54.00	-2.18	14.55	3	Vertical	264	1.05	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT Y_4TX
Setting 91
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	15.5676G	65.66	74.00	-8.34	14.55	3	Horizontal	275	1.50	-						
AV	15.57216G	53.84	54.00	-0.16	14.55	3	Horizontal	275	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Y_4TX
Setting 79
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	15.698G	58.58	74.00	-15.42	14.39	3	Vertical	80	2.87	-						
AV	15.7047G	48.78	54.00	-5.22	14.38	3	Vertical	80	2.87	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT Y_4TX
Setting 79
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.68946G	65.76	74.00	-8.24	14.41	3	Horizontal	43	1.05	-						
AV	15.69936G	53.90	54.00	-0.10	14.38	3	Horizontal	43	1.05	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT Y_4TX
Setting 110
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.25408G	66.37	68.20	-1.83	18.22	3	Vertical	185	2.26	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT Y_4TX
Setting 110
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.27538G	67.31	68.20	-0.89	18.26	3	Horizontal	47	2.07	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT Y_4TX
Setting 106
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.37474G	66.95	68.20	-1.25	18.44	3	Vertical	190	2.11	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT Y_4TX
Setting 106
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.37306G	68.13	68.20	-0.07	18.43	3	Horizontal	221	1.82	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT Y_4TX
Setting 97
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.62988G	65.05	74.00	-8.95	14.47	3	Vertical	159	2.88	-						
AV	15.62514G	53.65	54.00	-0.35	14.47	3	Vertical	159	2.88	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT Y_4TX
Setting 97
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments					
PK	15.64206G	65.98	74.00	-8.02	14.45	3	Horizontal	278	1.43	-					
AV	15.63738G	53.83	54.00	-0.17	14.47	3	Horizontal	278	1.43	-					

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT Y_4TX
Setting 110
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.31444G	63.70	68.20	-4.50	18.33	3	Vertical	184	2.09	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT Y_4TX
Setting 110
01-P-2
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	17.31234G	65.66	68.20	-2.54	18.32	3	Horizontal	185	1.75	-						


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1499G	53.80	54.00	-0.20	4.30	3	Vertical	101	2.78	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1492G	71.18	74.00	-2.82	4.30	3	Vertical	101	2.78	-						
AV	5.1499G	53.80	54.00	-0.20	4.30	3	Vertical	101	2.78	-						
PK	5.1732G	111.38	Inf	-Inf	4.31	3	Vertical	101	2.78	-						
AV	5.1752G	101.37	Inf	-Inf	4.32	3	Vertical	101	2.78	-						

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	64.61	74.00	-9.39	4.30	3	Horizontal	21	2.77	-
AV	5.1496G	48.35	54.00	-5.65	4.30	3	Horizontal	21	2.77	-
PK	5.1824G	105.04	Inf	-Inf	4.32	3	Horizontal	21	2.77	-
AV	5.1772G	94.94	Inf	-Inf	4.32	3	Horizontal	21	2.77	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5200MHz_TX




EUT Z_1TX
Setting 81
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	63.02	74.00	-10.98	4.30	3	Vertical	99	2.77	-
AV	5.1496G	46.27	54.00	-7.73	4.30	3	Vertical	99	2.77	-
PK	5.1932G	112.44	Inf	-Inf	4.32	3	Vertical	99	2.77	-
AV	5.1956G	102.31	Inf	-Inf	4.33	3	Vertical	99	2.77	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5200MHz_TX




EUT_Z_1TX
Setting 81
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1452G	58.43	74.00	-15.57	4.30	3	Horizontal	6	2.69	-
AV	5.1472G	44.49	54.00	-9.51	4.30	3	Horizontal	6	2.69	-
PK	5.2024G	105.39	Inf	-Inf	4.34	3	Horizontal	6	2.69	-
AV	5.204G	95.42	Inf	-Inf	4.34	3	Horizontal	6	2.69	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 76
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1218G	58.58	74.00	-15.42	4.28	3	Vertical	101	2.73	-
AV	5.1248G	44.99	54.00	-9.01	4.28	3	Vertical	101	2.73	-
PK	5.2424G	111.36	Inf	-Inf	4.49	3	Vertical	101	2.73	-
AV	5.237G	101.39	Inf	-Inf	4.47	3	Vertical	101	2.73	-
PK	5.3618G	58.24	74.00	-15.76	4.93	3	Vertical	101	2.73	-
AV	5.3786G	45.08	54.00	-8.92	4.99	3	Vertical	101	2.73	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 76
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.126G	57.41	74.00	-16.59	4.29	3	Horizontal	9	2.84	-
AV	5.1152G	44.26	54.00	-9.74	4.28	3	Horizontal	9	2.84	-
PK	5.2412G	104.79	Inf	-Inf	4.48	3	Horizontal	9	2.84	-
AV	5.2418G	94.54	Inf	-Inf	4.49	3	Horizontal	9	2.84	-
PK	5.3876G	57.44	74.00	-16.56	5.01	3	Horizontal	9	2.84	-
AV	5.3858G	44.45	54.00	-9.55	5.01	3	Horizontal	9	2.84	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5745MHz_TX




EUT_Z_1TX
Setting 80
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.548G	59.00	68.20	-9.20	5.59	3	Vertical	121	2.68	-
PK	5.748G	111.84	Inf	-Inf	5.95	3	Vertical	121	2.68	-
AV	5.748G	101.78	Inf	-Inf	5.95	3	Vertical	121	2.68	-
PK	5.98G	59.38	68.20	-8.82	7.17	3	Vertical	121	2.68	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5745MHz_TX




EUT_Z_1TX
Setting 80
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.552G	58.05	68.20	-10.15	5.59	3	Horizontal	16	2.98	-
PK	5.747G	105.62	Inf	-Inf	5.94	3	Horizontal	16	2.98	-
AV	5.743G	95.81	Inf	-Inf	5.94	3	Horizontal	16	2.98	-
PK	5.969G	59.40	68.20	-8.80	7.13	3	Horizontal	16	2.98	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 92
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.64G	59.16	68.20	-9.04	5.76	3	Vertical	131	2.62	-
PK	5.788G	113.34	Inf	-Inf	6.04	3	Vertical	131	2.62	-
AV	5.788G	103.62	Inf	-Inf	6.04	3	Vertical	131	2.62	-
PK	5.987G	60.01	68.20	-8.19	7.20	3	Vertical	131	2.62	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 92
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.582G	58.94	68.20	-9.26	5.67	3	Horizontal	12	2.94	-
PK	5.788G	108.09	Inf	-Inf	6.04	3	Horizontal	12	2.94	-
AV	5.787G	98.09	Inf	-Inf	6.02	3	Horizontal	12	2.94	-
PK	5.972G	59.57	68.20	-8.63	7.14	3	Horizontal	12	2.94	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5825MHz_TX




EUT Z_1TX
Setting 83
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.613G	58.62	68.20	-9.58	5.73	3	Vertical	136	2.72	-
PK	5.827G	112.04	Inf	-Inf	6.26	3	Vertical	136	2.72	-
AV	5.829G	102.06	Inf	-Inf	6.27	3	Vertical	136	2.72	-
PK	5.99G	59.87	68.20	-8.33	7.21	3	Vertical	136	2.72	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5825MHz_TX



EUT Z_1TX
Setting 83
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.623G	58.21	68.20	-9.99	5.75	3	Horizontal	4	2.76	-
PK	5.827G	105.94	Inf	-Inf	6.26	3	Horizontal	4	2.76	-
AV	5.828G	96.23	Inf	-Inf	6.27	3	Horizontal	4	2.76	-
PK	5.966G	59.16	68.20	-9.04	7.11	3	Horizontal	4	2.76	-


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.636G	68.06	68.20	-0.14	5.76	3	Vertical	121	2.87	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 74
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.1488G	71.65	74.00	-2.35	4.30	3	Vertical	140	2.79	-						
AV	5.15G	53.76	54.00	-0.24	4.30	3	Vertical	140	2.79	-						
PK	5.1768G	113.28	Inf	-Inf	4.32	3	Vertical	140	2.79	-						
AV	5.1756G	99.84	Inf	-Inf	4.32	3	Vertical	140	2.79	-						

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 74
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1464G	64.60	74.00	-9.40	4.30	3	Horizontal	19	2.78	-
AV	5.15G	48.32	54.00	-5.68	4.30	3	Horizontal	19	2.78	-
PK	5.1768G	106.14	Inf	-Inf	4.32	3	Horizontal	19	2.78	-
AV	5.1756G	92.63	Inf	-Inf	4.32	3	Horizontal	19	2.78	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5200MHz_TX




EUT_Z_1TX
Setting 78
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	60.43	74.00	-13.57	4.30	3	Vertical	100	2.77	-
AV	5.15G	46.08	54.00	-7.92	4.30	3	Vertical	100	2.77	-
PK	5.1968G	113.86	Inf	-Inf	4.33	3	Vertical	100	2.77	-
AV	5.198G	100.84	Inf	-Inf	4.33	3	Vertical	100	2.77	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5200MHz_TX




EUT Z_1TX
Setting 78
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	58.09	74.00	-15.91	4.30	3	Horizontal	9	1.01	-
AV	5.15G	44.58	54.00	-9.42	4.30	3	Horizontal	9	1.01	-
PK	5.1968G	107.54	Inf	-Inf	4.33	3	Horizontal	9	1.01	-
AV	5.1984G	94.54	Inf	-Inf	4.33	3	Horizontal	9	1.01	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 75
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1266G	57.72	74.00	-16.28	4.29	3	Vertical	100	2.74	-
AV	5.1314G	44.83	54.00	-9.17	4.29	3	Vertical	100	2.74	-
PK	5.237G	113.99	Inf	-Inf	4.47	3	Vertical	100	2.74	-
AV	5.2382G	100.93	Inf	-Inf	4.47	3	Vertical	100	2.74	-
PK	5.3522G	58.46	74.00	-15.54	4.89	3	Vertical	100	2.74	-
AV	5.3696G	44.99	54.00	-9.01	4.95	3	Vertical	100	2.74	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 75
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1158G	57.23	74.00	-16.77	4.28	3	Horizontal	10	2.60	-
AV	5.1104G	44.38	54.00	-9.62	4.28	3	Horizontal	10	2.60	-
PK	5.237G	107.20	Inf	-Inf	4.47	3	Horizontal	10	2.60	-
AV	5.2382G	94.37	Inf	-Inf	4.47	3	Horizontal	10	2.60	-
PK	5.3696G	56.75	74.00	-17.25	4.95	3	Horizontal	10	2.60	-
AV	5.3894G	44.48	54.00	-9.52	5.02	3	Horizontal	10	2.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5745MHz_TX




EUT Z_1TX
Setting 97
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	61.87	68.20	-6.33	5.78	3	Vertical	123	2.68	-
PK	5.742G	116.76	Inf	-Inf	5.93	3	Vertical	123	2.68	-
AV	5.748G	103.79	Inf	-Inf	5.95	3	Vertical	123	2.68	-
PK	5.93G	59.61	68.20	-8.59	6.94	3	Vertical	123	2.68	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5745MHz_TX




EUT Z_1TX
Setting 97
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	59.33	68.20	-8.87	5.75	3	Horizontal	12	2.99	-
PK	5.742G	111.50	Inf	-Inf	5.93	3	Horizontal	12	2.99	-
AV	5.743G	98.36	Inf	-Inf	5.94	3	Horizontal	12	2.99	-
PK	5.95G	59.59	68.20	-8.61	7.03	3	Horizontal	12	2.99	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 93
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.595G	59.18	68.20	-9.02	5.71	3	Vertical	139	2.62	-
PK	5.782G	115.17	Inf	-Inf	6.01	3	Vertical	139	2.62	-
AV	5.788G	103.09	Inf	-Inf	6.04	3	Vertical	139	2.62	-
PK	5.963G	59.94	68.20	-8.26	7.10	3	Vertical	139	2.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 93
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.634G	58.46	68.20	-9.74	5.75	3	Horizontal	12	2.94	-
PK	5.782G	109.49	Inf	-Inf	6.01	3	Horizontal	12	2.94	-
AV	5.788G	97.75	Inf	-Inf	6.04	3	Horizontal	12	2.94	-
PK	5.966G	58.87	68.20	-9.33	7.11	3	Horizontal	12	2.94	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5825MHz_TX




EUT Z_1TX
Setting 86
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.591G	58.55	68.20	-9.65	5.69	3	Vertical	136	2.73	-
PK	5.822G	115.00	Inf	-Inf	6.23	3	Vertical	136	2.73	-
AV	5.828G	102.26	Inf	-Inf	6.27	3	Vertical	136	2.73	-
PK	5.936G	59.94	68.20	-8.26	6.97	3	Vertical	136	2.73	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5825MHz_TX




EUT Z_1TX
Setting 86
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.636G	58.38	68.20	-9.82	5.76	3	Horizontal	5	2.76	-
PK	5.827G	107.91	Inf	-Inf	6.26	3	Horizontal	5	2.76	-
AV	5.829G	96.40	Inf	-Inf	6.24	3	Horizontal	5	2.76	-
PK	5.945G	59.59	68.20	-8.61	7.01	3	Horizontal	5	2.76	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5190MHz_TX




EUT Z_1TX
Setting 69
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1444G	70.36	74.00	-3.64	4.29	3	Vertical	99	2.77	-
AV	5.1496G	53.71	54.00	-0.29	4.30	3	Vertical	99	2.77	-
PK	5.182G	108.25	Inf	-Inf	4.32	3	Vertical	99	2.77	-
AV	5.194G	96.22	Inf	-Inf	4.32	3	Vertical	99	2.77	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5190MHz_TX




EUT Z_1TX
Setting 69
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	64.94	74.00	-9.06	4.30	3	Horizontal	10	1.01	-
AV	5.1496G	49.39	54.00	-4.61	4.30	3	Horizontal	10	1.01	-
PK	5.182G	100.84	Inf	-Inf	4.32	3	Horizontal	10	1.01	-
AV	5.1936G	89.66	Inf	-Inf	4.32	3	Horizontal	10	1.01	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5230MHz_TX




EUT Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	61.70	74.00	-12.30	4.30	3	Vertical	100	2.74	-
AV	5.15G	48.87	54.00	-5.13	4.30	3	Vertical	100	2.74	-
PK	5.222G	111.00	Inf	-Inf	4.42	3	Vertical	100	2.74	-
AV	5.2342G	99.08	Inf	-Inf	4.45	3	Vertical	100	2.74	-
PK	5.362G	57.69	74.00	-16.31	4.93	3	Vertical	100	2.74	-
AV	5.368G	46.27	54.00	-7.73	4.94	3	Vertical	100	2.74	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5230MHz_TX




EUT Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	58.29	74.00	-15.71	4.30	3	Horizontal	19	2.72	-
AV	5.1496G	46.16	54.00	-7.84	4.30	3	Horizontal	19	2.72	-
PK	5.2222G	103.88	Inf	-Inf	4.42	3	Horizontal	19	2.72	-
AV	5.2342G	92.09	Inf	-Inf	4.45	3	Horizontal	19	2.72	-
PK	5.3711G	57.33	74.00	-16.67	4.95	3	Horizontal	19	2.72	-
AV	5.3752G	45.15	54.00	-8.85	4.98	3	Horizontal	19	2.72	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5755MHz_TX




EUT_Z_1TX
Setting 94
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	68.72	68.94	-0.22	5.78	3	Vertical	122	2.67	-
PK	5.74G	113.45	Inf	-Inf	5.93	3	Vertical	122	2.67	-
AV	5.743G	101.23	Inf	-Inf	5.94	3	Vertical	122	2.67	-
PK	5.936G	62.26	68.20	-5.94	6.97	3	Vertical	122	2.67	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5755MHz_TX




EUT Z_1TX
Setting 94
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	62.94	68.20	-5.26	5.77	3	Horizontal	13	2.96	-
PK	5.771G	108.29	Inf	-Inf	5.99	3	Horizontal	13	2.96	-
AV	5.759G	96.15	Inf	-Inf	5.96	3	Horizontal	13	2.96	-
PK	5.963G	60.13	68.20	-8.07	7.10	3	Horizontal	13	2.96	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5795MHz_TX




EUT_Z_1TX
Setting 96
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	63.36	68.20	-4.84	5.77	3	Vertical	135	2.58	-
PK	5.811G	113.74	Inf	-Inf	6.15	3	Vertical	135	2.58	-
AV	5.797G	101.45	Inf	-Inf	6.05	3	Vertical	135	2.58	-
PK	5.925G	67.93	68.20	-0.27	6.92	3	Vertical	135	2.58	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5795MHz_TX




EUT_Z_1TX
Setting 96
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.652G	62.22	69.68	-7.46	5.78	3	Horizontal	14	2.90	-
PK	5.811G	108.12	Inf	-Inf	6.15	3	Horizontal	14	2.90	-
AV	5.799G	95.99	Inf	-Inf	6.06	3	Horizontal	14	2.90	-
PK	5.929G	63.45	68.20	-4.75	6.94	3	Horizontal	14	2.90	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5210MHz_TX




EUT_Z_1TX
Setting 67
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	70.60	74.00	-3.40	4.29	3	Vertical	98	2.76	-
AV	5.148G	53.91	54.00	-0.09	4.30	3	Vertical	98	2.76	-
PK	5.237G	104.81	Inf	-Inf	4.47	3	Vertical	98	2.76	-
AV	5.196G	93.06	Inf	-Inf	4.33	3	Vertical	98	2.76	-
PK	5.353G	58.89	74.00	-15.11	4.89	3	Vertical	98	2.76	-
AV	5.35G	46.43	54.00	-7.57	4.88	3	Vertical	98	2.76	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5210MHz_TX



EUT_Z_1TX
Setting 67
01-M-1-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.15G	62.89	74.00	-11.11	4.30	3	Horizontal	7	1.00	-
AV	5.147G	48.65	54.00	-5.35	4.30	3	Horizontal	7	1.00	-
PK	5.2G	98.37	Inf	-Inf	4.33	3	Horizontal	7	1.00	-
AV	5.195G	86.67	Inf	-Inf	4.32	3	Horizontal	7	1.00	-
PK	5.444G	57.70	74.00	-16.30	5.23	3	Horizontal	7	1.00	-
AV	5.391G	45.35	54.00	-8.65	5.02	3	Horizontal	7	1.00	-