






802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 91
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.56676G	63.39	74.00	-10.61	14.55	3	Vertical	264	1.05	-
AV	15.57198G	51.82	54.00	-2.18	14.55	3	Vertical	264	1.05	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Y_4TX
Setting 91
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.5676G	65.66	74.00	-8.34	14.55	3	Horizontal	275	1.50	-
AV	15.57216G	53.84	54.00	-0.16	14.55	3	Horizontal	275	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Y_4TX
Setting 79
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.698G	58.58	74.00	-15.42	14.39	3	Vertical	80	2.87	-
AV	15.7047G	48.78	54.00	-5.22	14.38	3	Vertical	80	2.87	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX



EUT_Y_4TX
Setting 79
01-P-2
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.68946G	65.76	74.00	-8.24	14.41	3	Horizontal	43	1.05	-
AV	15.69936G	53.90	54.00	-0.10	14.38	3	Horizontal	43	1.05	-



802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX



EUT_Y_4TX
Setting 110
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	17.27538G	67.31	68.20	-0.89	18.26	3	Horizontal	47	2.07	-






802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Y_4TX
Setting 97
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.62988G	65.05	74.00	-8.95	14.47	3	Vertical	159	2.88	-
AV	15.62514G	53.65	54.00	-0.35	14.47	3	Vertical	159	2.88	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Y_4TX
Setting 97
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.64206G	65.98	74.00	-8.02	14.45	3	Horizontal	278	1.43	-
AV	15.63738G	53.83	54.00	-0.17	14.47	3	Horizontal	278	1.43	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT_Y_4TX
Setting 110
01-P-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	17.31444G	63.70	68.20	-4.50	18.33	3	Vertical	184	2.09	-






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1499G	53.80	54.00	-0.20	4.30	3	Vertical	101	2.78	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	71.18	74.00	-2.82	4.30	3	Vertical	101	2.78	-
AV	5.1499G	53.80	54.00	-0.20	4.30	3	Vertical	101	2.78	-
PK	5.1732G	111.38	Inf	-Inf	4.31	3	Vertical	101	2.78	-
AV	5.1752G	101.37	Inf	-Inf	4.32	3	Vertical	101	2.78	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	64.61	74.00	-9.39	4.30	3	Horizontal	21	2.77	-
AV	5.1496G	48.35	54.00	-5.65	4.30	3	Horizontal	21	2.77	-
PK	5.1824G	105.04	Inf	-Inf	4.32	3	Horizontal	21	2.77	-
AV	5.1772G	94.94	Inf	-Inf	4.32	3	Horizontal	21	2.77	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5200MHz_TX




EUT_Z_1TX
Setting 81
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	63.02	74.00	-10.98	4.30	3	Vertical	99	2.77	-
AV	5.1496G	46.27	54.00	-7.73	4.30	3	Vertical	99	2.77	-
PK	5.1932G	112.44	Inf	-Inf	4.32	3	Vertical	99	2.77	-
AV	5.1956G	102.31	Inf	-Inf	4.33	3	Vertical	99	2.77	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5200MHz_TX




EUT_Z_1TX
Setting 81
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1452G	58.43	74.00	-15.57	4.30	3	Horizontal	6	2.69	-
AV	5.1472G	44.49	54.00	-9.51	4.30	3	Horizontal	6	2.69	-
PK	5.2024G	105.39	Inf	-Inf	4.34	3	Horizontal	6	2.69	-
AV	5.204G	95.42	Inf	-Inf	4.34	3	Horizontal	6	2.69	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 76
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1218G	58.58	74.00	-15.42	4.28	3	Vertical	101	2.73	-
AV	5.1248G	44.99	54.00	-9.01	4.28	3	Vertical	101	2.73	-
PK	5.2424G	111.36	Inf	-Inf	4.49	3	Vertical	101	2.73	-
AV	5.237G	101.39	Inf	-Inf	4.47	3	Vertical	101	2.73	-
PK	5.3618G	58.24	74.00	-15.76	4.93	3	Vertical	101	2.73	-
AV	5.3786G	45.08	54.00	-8.92	4.99	3	Vertical	101	2.73	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 76
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.126G	57.41	74.00	-16.59	4.29	3	Horizontal	9	2.84	-
AV	5.1152G	44.26	54.00	-9.74	4.28	3	Horizontal	9	2.84	-
PK	5.2412G	104.79	Inf	-Inf	4.48	3	Horizontal	9	2.84	-
AV	5.2418G	94.54	Inf	-Inf	4.49	3	Horizontal	9	2.84	-
PK	5.3876G	57.44	74.00	-16.56	5.01	3	Horizontal	9	2.84	-
AV	5.3858G	44.45	54.00	-9.55	5.01	3	Horizontal	9	2.84	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5745MHz_TX




EUT_Z_1TX
Setting 80
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.548G	59.00	68.20	-9.20	5.99	3	Vertical	121	2.68	-
PK	5.748G	111.84	Inf	-Inf	5.95	3	Vertical	121	2.68	-
AV	5.748G	101.78	Inf	-Inf	5.95	3	Vertical	121	2.68	-
PK	5.98G	59.38	68.20	-8.82	7.17	3	Vertical	121	2.68	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5745MHz_TX




EUT_Z_1TX
Setting 80
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.552G	58.05	68.20	-10.15	5.99	3	Horizontal	16	2.98	-
PK	5.747G	105.62	Inf	-Inf	5.94	3	Horizontal	16	2.98	-
AV	5.743G	95.81	Inf	-Inf	5.94	3	Horizontal	16	2.98	-
PK	5.969G	59.40	68.20	-8.80	7.13	3	Horizontal	16	2.98	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 92
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.64G	59.16	68.20	-9.04	5.76	3	Vertical	131	2.62	-
PK	5.788G	113.34	Inf	-Inf	6.04	3	Vertical	131	2.62	-
AV	5.788G	103.62	Inf	-Inf	6.04	3	Vertical	131	2.62	-
PK	5.987G	60.01	68.20	-8.19	7.20	3	Vertical	131	2.62	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 92
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.582G	58.94	68.20	-9.26	5.67	3	Horizontal	12	2.94	-
PK	5.788G	108.09	Inf	-Inf	6.04	3	Horizontal	12	2.94	-
AV	5.787G	98.09	Inf	-Inf	6.02	3	Horizontal	12	2.94	-
PK	5.972G	59.57	68.20	-8.63	7.14	3	Horizontal	12	2.94	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5825MHz_TX




EUT_Z_1TX
Setting 83
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.613G	58.62	68.20	-9.58	5.73	3	Vertical	136	2.72	-
PK	5.827G	112.04	Inf	-Inf	6.26	3	Vertical	136	2.72	-
AV	5.829G	102.06	Inf	-Inf	6.27	3	Vertical	136	2.72	-
PK	5.99G	59.87	68.20	-8.33	7.21	3	Vertical	136	2.72	-

802.11a_Nss1,(6Mbps)_1TX

03/12/2018

5825MHz_TX



EUT_Z_1TX
Setting 83
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.623G	58.21	68.20	-9.99	5.75	3	Horizontal	4	2.76	-
PK	5.827G	105.94	Inf	-Inf	6.26	3	Horizontal	4	2.76	-
AV	5.828G	96.23	Inf	-Inf	6.27	3	Horizontal	4	2.76	-
PK	5.966G	59.16	68.20	-9.04	7.11	3	Horizontal	4	2.76	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.636G	68.06	68.20	-0.14	5.76	3	Vertical	121	2.87	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 74
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1488G	71.65	74.00	-2.35	4.30	3	Vertical	140	2.79	-
AV	5.15G	53.76	54.00	-0.24	4.30	3	Vertical	140	2.79	-
PK	5.1768G	113.28	Inf	-Inf	4.32	3	Vertical	140	2.79	-
AV	5.1756G	99.84	Inf	-Inf	4.32	3	Vertical	140	2.79	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5180MHz_TX




EUT_Z_1TX
Setting 74
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1464G	64.60	74.00	-9.40	4.30	3	Horizontal	19	2.78	-
AV	5.15G	48.32	54.00	-5.68	4.30	3	Horizontal	19	2.78	-
PK	5.1768G	106.14	Inf	-Inf	4.32	3	Horizontal	19	2.78	-
AV	5.1756G	92.63	Inf	-Inf	4.32	3	Horizontal	19	2.78	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5200MHz_TX




EUT_Z_1TX
Setting 78
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	60.43	74.00	-13.57	4.30	3	Vertical	100	2.77	-
AV	5.15G	46.08	54.00	-7.92	4.30	3	Vertical	100	2.77	-
PK	5.1968G	113.86	Inf	-Inf	4.33	3	Vertical	100	2.77	-
AV	5.198G	100.84	Inf	-Inf	4.33	3	Vertical	100	2.77	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5200MHz_TX




EUT_Z_1TX
Setting 78
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	58.09	74.00	-15.91	4.30	3	Horizontal	9	1.01	-
AV	5.15G	44.58	54.00	-9.42	4.30	3	Horizontal	9	1.01	-
PK	5.1968G	107.54	Inf	-Inf	4.33	3	Horizontal	9	1.01	-
AV	5.1984G	94.54	Inf	-Inf	4.33	3	Horizontal	9	1.01	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 75
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1266G	57.72	74.00	-16.28	4.29	3	Vertical	100	2.74	-
AV	5.1314G	44.83	54.00	-9.17	4.29	3	Vertical	100	2.74	-
PK	5.237G	113.99	Inf	-Inf	4.47	3	Vertical	100	2.74	-
AV	5.2382G	100.93	Inf	-Inf	4.47	3	Vertical	100	2.74	-
PK	5.3522G	58.46	74.00	-15.54	4.89	3	Vertical	100	2.74	-
AV	5.3696G	44.99	54.00	-9.01	4.95	3	Vertical	100	2.74	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5240MHz_TX




EUT_Z_1TX
Setting 75
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1158G	57.23	74.00	-16.77	4.28	3	Horizontal	10	2.60	-
AV	5.1104G	44.38	54.00	-9.62	4.28	3	Horizontal	10	2.60	-
PK	5.237G	107.20	Inf	-Inf	4.47	3	Horizontal	10	2.60	-
AV	5.2382G	94.37	Inf	-Inf	4.47	3	Horizontal	10	2.60	-
PK	5.3696G	56.75	74.00	-17.25	4.95	3	Horizontal	10	2.60	-
AV	5.3894G	44.48	54.00	-9.52	5.02	3	Horizontal	10	2.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5745MHz_TX




EUT_Z_1TX
Setting 97
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	61.87	68.20	-6.33	5.78	3	Vertical	123	2.68	-
PK	5.742G	116.76	Inf	-Inf	5.93	3	Vertical	123	2.68	-
AV	5.748G	103.79	Inf	-Inf	5.95	3	Vertical	123	2.68	-
PK	5.93G	59.61	68.20	-8.59	6.94	3	Vertical	123	2.68	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5745MHz_TX




EUT_Z_1TX
Setting 97
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	59.33	68.20	-8.87	5.75	3	Horizontal	12	2.99	-
PK	5.742G	111.50	Inf	-Inf	5.93	3	Horizontal	12	2.99	-
AV	5.743G	98.36	Inf	-Inf	5.94	3	Horizontal	12	2.99	-
PK	5.95G	59.59	68.20	-8.61	7.03	3	Horizontal	12	2.99	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 93
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.595G	59.18	68.20	-9.02	5.71	3	Vertical	139	2.62	-
PK	5.782G	115.17	Inf	-Inf	6.01	3	Vertical	139	2.62	-
AV	5.788G	103.09	Inf	-Inf	6.04	3	Vertical	139	2.62	-
PK	5.963G	59.94	68.20	-8.26	7.10	3	Vertical	139	2.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5785MHz_TX




EUT_Z_1TX
Setting 93
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.634G	58.46	68.20	-9.74	5.75	3	Horizontal	12	2.94	-
PK	5.782G	109.49	Inf	-Inf	6.01	3	Horizontal	12	2.94	-
AV	5.788G	97.75	Inf	-Inf	6.04	3	Horizontal	12	2.94	-
PK	5.966G	58.87	68.20	-9.33	7.11	3	Horizontal	12	2.94	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5825MHz_TX




EUT_Z_1TX
Setting 86
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.591G	58.55	68.20	-9.65	5.69	3	Vertical	136	2.73	-
PK	5.822G	115.00	Inf	-Inf	6.23	3	Vertical	136	2.73	-
AV	5.828G	102.26	Inf	-Inf	6.27	3	Vertical	136	2.73	-
PK	5.936G	59.94	68.20	-8.26	6.97	3	Vertical	136	2.73	-

802.11ax HEW20_Nss1,(MCS0)_1TX

03/12/2018

5825MHz_TX




EUT_Z_1TX
Setting 86
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.636G	58.38	68.20	-9.82	5.76	3	Horizontal	5	2.76	-
PK	5.827G	107.91	Inf	-Inf	6.26	3	Horizontal	5	2.76	-
AV	5.823G	96.40	Inf	-Inf	6.24	3	Horizontal	5	2.76	-
PK	5.945G	59.59	68.20	-8.61	7.01	3	Horizontal	5	2.76	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5190MHz_TX




EUT_Z_1TX
Setting 69
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1444G	70.36	74.00	-3.64	4.29	3	Vertical	99	2.77	-
AV	5.1496G	53.71	54.00	-0.29	4.30	3	Vertical	99	2.77	-
PK	5.182G	108.25	Inf	-Inf	4.32	3	Vertical	99	2.77	-
AV	5.194G	96.22	Inf	-Inf	4.32	3	Vertical	99	2.77	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5190MHz_TX




EUT_Z_1TX
Setting 69
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	64.94	74.00	-9.06	4.30	3	Horizontal	10	1.01	-
AV	5.1496G	49.39	54.00	-4.61	4.30	3	Horizontal	10	1.01	-
PK	5.182G	100.84	Inf	-Inf	4.32	3	Horizontal	10	1.01	-
AV	5.1936G	89.66	Inf	-Inf	4.32	3	Horizontal	10	1.01	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5230MHz_TX




EUT_Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	61.70	74.00	-12.30	4.30	3	Vertical	100	2.74	-
AV	5.15G	48.87	54.00	-5.13	4.30	3	Vertical	100	2.74	-
PK	5.222G	111.00	Inf	-Inf	4.42	3	Vertical	100	2.74	-
AV	5.2342G	99.08	Inf	-Inf	4.45	3	Vertical	100	2.74	-
PK	5.362G	57.69	74.00	-16.31	4.93	3	Vertical	100	2.74	-
AV	5.368G	46.27	54.00	-7.73	4.94	3	Vertical	100	2.74	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5230MHz_TX




EUT_Z_1TX
Setting 79
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	58.29	74.00	-15.71	4.30	3	Horizontal	19	2.72	-
AV	5.1496G	46.16	54.00	-7.84	4.30	3	Horizontal	19	2.72	-
PK	5.2222G	103.88	Inf	-Inf	4.42	3	Horizontal	19	2.72	-
AV	5.2342G	92.09	Inf	-Inf	4.45	3	Horizontal	19	2.72	-
PK	5.371G	57.33	74.00	-16.67	4.95	3	Horizontal	19	2.72	-
AV	5.3752G	45.15	54.00	-8.85	4.98	3	Horizontal	19	2.72	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5755MHz_TX




EUT_Z_1TX
Setting 94
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	68.72	68.94	-0.22	5.78	3	Vertical	122	2.67	-
PK	5.74G	113.45	Inf	-Inf	5.93	3	Vertical	122	2.67	-
AV	5.743G	101.23	Inf	-Inf	5.94	3	Vertical	122	2.67	-
PK	5.936G	62.26	68.20	-5.94	6.97	3	Vertical	122	2.67	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5755MHz_TX




EUT_Z_1TX
Setting 94
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	62.94	68.20	-5.26	5.77	3	Horizontal	13	2.96	-
PK	5.771G	108.29	Inf	-Inf	5.99	3	Horizontal	13	2.96	-
AV	5.759G	96.15	Inf	-Inf	5.96	3	Horizontal	13	2.96	-
PK	5.963G	60.13	68.20	-8.07	7.10	3	Horizontal	13	2.96	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5795MHz_TX




EUT_Z_1TX
Setting 96
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	63.36	68.20	-4.84	5.77	3	Vertical	135	2.58	-
PK	5.811G	113.74	Inf	-Inf	6.15	3	Vertical	135	2.58	-
AV	5.797G	101.45	Inf	-Inf	6.05	3	Vertical	135	2.58	-
PK	5.925G	67.93	68.20	-0.27	6.92	3	Vertical	135	2.58	-

802.11ax HEW40_Nss1,(MCS0)_1TX

03/12/2018

5795MHz_TX




EUT_Z_1TX
Setting 96
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.652G	62.22	69.68	-7.46	5.78	3	Horizontal	14	2.90	-
PK	5.811G	108.12	Inf	-Inf	6.15	3	Horizontal	14	2.90	-
AV	5.799G	95.99	Inf	-Inf	6.06	3	Horizontal	14	2.90	-
PK	5.929G	63.45	68.20	-4.75	6.94	3	Horizontal	14	2.90	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5210MHz_TX




EUT_Z_1TX
Setting 67
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	70.60	74.00	-3.40	4.29	3	Vertical	98	2.76	-
AV	5.148G	53.91	54.00	-0.09	4.30	3	Vertical	98	2.76	-
PK	5.237G	104.81	Inf	-Inf	4.47	3	Vertical	98	2.76	-
AV	5.196G	93.06	Inf	-Inf	4.33	3	Vertical	98	2.76	-
PK	5.353G	58.89	74.00	-15.11	4.89	3	Vertical	98	2.76	-
AV	5.35G	46.43	54.00	-7.57	4.88	3	Vertical	98	2.76	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5210MHz_TX




EUT_Z_1TX
Setting 67
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	62.89	74.00	-11.11	4.30	3	Horizontal	7	1.00	-
AV	5.147G	48.65	54.00	-5.35	4.30	3	Horizontal	7	1.00	-
PK	5.2G	98.37	Inf	-Inf	4.33	3	Horizontal	7	1.00	-
AV	5.195G	86.67	Inf	-Inf	4.32	3	Horizontal	7	1.00	-
PK	5.444G	57.70	74.00	-16.30	5.23	3	Horizontal	7	1.00	-
AV	5.391G	45.35	54.00	-8.65	5.02	3	Horizontal	7	1.00	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5775MHz_TX




EUT_Z_1TX
Setting 84
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.636G	68.06	68.20	-0.14	5.76	3	Vertical	121	2.87	-
PK	5.802G	108.48	Inf	-Inf	6.07	3	Vertical	121	2.87	-
AV	5.788G	96.89	Inf	-Inf	6.04	3	Vertical	121	2.87	-
PK	5.939G	66.55	68.20	-1.65	6.99	3	Vertical	121	2.87	-

802.11ax HEW80_Nss1,(MCS0)_1TX

03/12/2018

5775MHz_TX



EUT_Z_1TX
Setting 84
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	63.47	68.20	-4.73	5.76	3	Horizontal	13	2.93	-
PK	5.774G	102.90	Inf	-Inf	6.00	3	Horizontal	13	2.93	-
AV	5.788G	91.22	Inf	-Inf	6.04	3	Horizontal	13	2.93	-
PK	5.934G	64.08	68.20	-4.12	6.96	3	Horizontal	13	2.93	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.147G	53.97	54.00	-0.03	4.30	3	Vertical	64	2.55	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5180MHz_TX




EUT_Z_2TX
Setting 70
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	69.27	74.00	-4.73	4.30	3	Vertical	63	2.68	-
AV	5.1492G	53.92	54.00	-0.08	4.30	3	Vertical	63	2.68	-
PK	5.1784G	113.09	Inf	-Inf	4.32	3	Vertical	63	2.68	-
AV	5.1776G	101.91	Inf	-Inf	4.32	3	Vertical	63	2.68	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5180MHz_TX




EUT_Z_2TX
Setting 70
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	62.05	74.00	-11.95	4.30	3	Horizontal	273	2.79	-
AV	5.15G	48.47	54.00	-5.53	4.30	3	Horizontal	273	2.79	-
PK	5.1752G	105.84	Inf	-Inf	4.32	3	Horizontal	273	2.79	-
AV	5.1748G	94.61	Inf	-Inf	4.31	3	Horizontal	273	2.79	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5200MHz_TX




EUT_Z_2TX
Setting 78
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	62.74	74.00	-11.26	4.30	3	Vertical	82	2.77	-
AV	5.15G	48.32	54.00	-5.68	4.30	3	Vertical	82	2.77	-
PK	5.2032G	115.95	Inf	-Inf	4.34	3	Vertical	82	2.77	-
AV	5.202G	103.69	Inf	-Inf	4.34	3	Vertical	82	2.77	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5200MHz_TX




EUT_Z_2TX
Setting 78
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1268G	58.51	74.00	-15.49	4.29	3	Horizontal	274	2.78	-
AV	5.1468G	45.80	54.00	-8.20	4.30	3	Horizontal	274	2.78	-
PK	5.2036G	107.47	Inf	-Inf	4.34	3	Horizontal	274	2.78	-
AV	5.1948G	96.04	Inf	-Inf	4.32	3	Horizontal	274	2.78	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5240MHz_TX




EUT_Z_2TX
Setting 75
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1344G	58.28	74.00	-15.72	4.29	3	Vertical	81	2.71	-
AV	5.12G	46.59	54.00	-7.41	4.28	3	Vertical	81	2.71	-
PK	5.2352G	114.95	Inf	-Inf	4.46	3	Vertical	81	2.71	-
AV	5.2382G	103.69	Inf	-Inf	4.47	3	Vertical	81	2.71	-
PK	5.3816G	57.97	74.00	-16.03	4.99	3	Vertical	81	2.71	-
AV	5.3606G	46.39	54.00	-7.61	4.92	3	Vertical	81	2.71	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5240MHz_TX




EUT_Z_2TX
Setting 75
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1344G	57.34	74.00	-16.66	4.29	3	Horizontal	267	2.90	-
AV	5.1464G	45.07	54.00	-8.93	4.30	3	Horizontal	267	2.90	-
PK	5.2382G	107.49	Inf	-Inf	4.47	3	Horizontal	267	2.90	-
AV	5.2436G	96.44	Inf	-Inf	4.49	3	Horizontal	267	2.90	-
PK	5.3888G	57.62	74.00	-16.38	5.02	3	Horizontal	267	2.90	-
AV	5.3804G	45.60	54.00	-8.40	4.99	3	Horizontal	267	2.90	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5745MHz_TX




EUT_Z_2TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	61.73	68.20	-6.47	5.78	3	Vertical	51	2.88	-
PK	5.74G	118.49	Inf	-Inf	5.93	3	Vertical	51	2.88	-
AV	5.74G	107.49	Inf	-Inf	5.93	3	Vertical	51	2.88	-
PK	5.973G	60.36	68.20	-7.84	7.14	3	Vertical	51	2.88	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5745MHz_TX




EUT_Z_2TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.632G	58.78	68.20	-9.42	5.75	3	Horizontal	276	2.97	-
PK	5.74G	111.19	Inf	-Inf	5.93	3	Horizontal	276	2.97	-
AV	5.74G	100.10	Inf	-Inf	5.93	3	Horizontal	276	2.97	-
PK	5.968G	59.62	68.20	-8.58	7.12	3	Horizontal	276	2.97	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5785MHz_TX




EUT_Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.64G	59.40	68.20	-8.80	5.76	3	Vertical	86	2.65	-
PK	5.784G	116.76	Inf	-Inf	6.02	3	Vertical	86	2.65	-
AV	5.787G	106.10	Inf	-Inf	6.02	3	Vertical	86	2.65	-
PK	5.933G	60.08	68.20	-8.12	6.96	3	Vertical	86	2.65	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5785MHz_TX




EUT_Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.614G	58.71	68.20	-9.49	5.73	3	Horizontal	271	2.71	-
PK	5.786G	111.13	Inf	-Inf	6.02	3	Horizontal	271	2.71	-
AV	5.783G	99.71	Inf	-Inf	6.02	3	Horizontal	271	2.71	-
PK	5.981G	59.95	68.20	-8.25	7.17	3	Horizontal	271	2.71	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5825MHz_TX




EUT_Z_2TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.606G	59.50	68.20	-8.70	5.73	3	Vertical	92	2.62	-
PK	5.828G	116.75	Inf	-Inf	6.27	3	Vertical	92	2.62	-
AV	5.82G	105.42	Inf	-Inf	6.21	3	Vertical	92	2.62	-
PK	5.931G	60.79	68.20	-7.41	6.94	3	Vertical	92	2.62	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5825MHz_TX




EUT_Z_2TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.578G	60.04	68.20	-8.16	5.66	3	Horizontal	272	2.80	-
PK	5.826G	109.98	Inf	-Inf	6.25	3	Horizontal	272	2.80	-
AV	5.824G	98.76	Inf	-Inf	6.24	3	Horizontal	272	2.80	-
PK	5.967G	59.86	68.20	-8.34	7.11	3	Horizontal	272	2.80	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5190MHz_TX




EUT_Z_2TX
Setting 66
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	68.88	74.00	-5.12	4.30	3	Vertical	80	2.76	-
AV	5.1488G	53.96	54.00	-0.04	4.30	3	Vertical	80	2.76	-
PK	5.1996G	110.18	Inf	-Inf	4.33	3	Vertical	80	2.76	-
AV	5.1908G	97.95	Inf	-Inf	4.32	3	Vertical	80	2.76	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5190MHz_TX




EUT_Z_2TX
Setting 66
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1484G	62.36	74.00	-11.64	4.30	3	Horizontal	276	2.71	-
AV	5.1484G	48.27	54.00	-5.73	4.30	3	Horizontal	276	2.71	-
PK	5.188G	101.29	Inf	-Inf	4.32	3	Horizontal	276	2.71	-
AV	5.182G	90.06	Inf	-Inf	4.32	3	Horizontal	276	2.71	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5230MHz_TX




EUT_Z_2TX
Setting 79
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	64.67	74.00	-9.33	4.30	3	Vertical	79	2.43	-
AV	5.15G	51.66	54.00	-2.34	4.30	3	Vertical	79	2.43	-
PK	5.2264G	112.77	Inf	-Inf	4.43	3	Vertical	79	2.43	-
AV	5.2342G	101.63	Inf	-Inf	4.45	3	Vertical	79	2.43	-
PK	5.3536G	58.81	74.00	-15.19	4.89	3	Vertical	79	2.43	-
AV	5.3518G	47.06	54.00	-6.94	4.89	3	Vertical	79	2.43	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5230MHz_TX




EUT_Z_2TX
Setting 79
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1406G	59.56	74.00	-14.44	4.29	3	Horizontal	156	1.01	-
AV	5.1466G	46.36	54.00	-7.64	4.30	3	Horizontal	156	1.01	-
PK	5.2306G	104.23	Inf	-Inf	4.44	3	Horizontal	156	1.01	-
AV	5.2342G	92.78	Inf	-Inf	4.45	3	Horizontal	156	1.01	-
PK	5.3662G	56.92	74.00	-17.08	4.94	3	Horizontal	156	1.01	-
AV	5.3758G	45.51	54.00	-8.49	4.98	3	Horizontal	156	1.01	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5755MHz_TX




EUT_Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	68.02	68.20	-0.18	5.78	3	Vertical	47	2.57	-
PK	5.76G	115.06	Inf	-Inf	5.96	3	Vertical	47	2.57	-
AV	5.747G	103.49	Inf	-Inf	5.94	3	Vertical	47	2.57	-
PK	5.926G	62.89	68.20	-5.31	6.92	3	Vertical	47	2.57	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5755MHz_TX




EUT_Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	62.88	68.94	-6.06	5.78	3	Horizontal	272	2.70	-
PK	5.751G	108.75	Inf	-Inf	5.94	3	Horizontal	272	2.70	-
AV	5.759G	97.71	Inf	-Inf	5.96	3	Horizontal	272	2.70	-
PK	5.93G	60.44	68.20	-7.76	6.94	3	Horizontal	272	2.70	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5795MHz_TX




EUT_Z_2TX
Setting 98
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	64.24	68.20	-3.96	5.78	3	Vertical	59	2.87	-
PK	5.79G	116.64	Inf	-Inf	6.04	3	Vertical	59	2.87	-
AV	5.8G	104.82	Inf	-Inf	6.06	3	Vertical	59	2.87	-
PK	5.926G	68.04	68.20	-0.16	6.92	3	Vertical	59	2.87	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5795MHz_TX




EUT_Z_2TX
Setting 98
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	60.09	68.20	-8.11	5.75	3	Horizontal	266	2.82	-
PK	5.806G	109.45	Inf	-Inf	6.11	3	Horizontal	266	2.82	-
AV	5.794G	97.63	Inf	-Inf	6.05	3	Horizontal	266	2.82	-
PK	5.928G	65.78	68.20	-2.42	6.93	3	Horizontal	266	2.82	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5210MHz_TX




EUT_Z_2TX
Setting 61
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	68.13	74.00	-5.87	4.30	3	Vertical	64	2.55	-
AV	5.147G	53.97	54.00	-0.03	4.30	3	Vertical	64	2.55	-
PK	5.199G	105.52	Inf	-Inf	4.33	3	Vertical	64	2.55	-
AV	5.195G	94.88	Inf	-Inf	4.32	3	Vertical	64	2.55	-
PK	5.36G	57.86	74.00	-16.14	4.92	3	Vertical	64	2.55	-
AV	5.422G	47.25	54.00	-6.75	5.15	3	Vertical	64	2.55	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5210MHz_TX




EUT_Z_2TX
Setting 61
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	62.04	74.00	-11.96	4.30	3	Horizontal	10	2.70	-
AV	5.146G	48.17	54.00	-5.83	4.30	3	Horizontal	10	2.70	-
PK	5.213G	97.72	Inf	-Inf	4.38	3	Horizontal	10	2.70	-
AV	5.196G	86.47	Inf	-Inf	4.33	3	Horizontal	10	2.70	-
PK	5.426G	57.28	74.00	-16.72	5.17	3	Horizontal	10	2.70	-
AV	5.402G	47.04	54.00	-6.96	5.07	3	Horizontal	10	2.70	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5775MHz_TX




EUT_Z_2TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.09	68.20	-0.11	5.77	3	Vertical	88	2.80	-
PK	5.788G	109.99	Inf	-Inf	6.04	3	Vertical	88	2.80	-
AV	5.789G	99.58	Inf	-Inf	6.04	3	Vertical	88	2.80	-
PK	5.938G	67.56	68.20	-0.64	6.97	3	Vertical	88	2.80	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5775MHz_TX



EUT_Z_2TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	64.09	68.20	-4.11	5.77	3	Horizontal	272	2.71	-
PK	5.767G	103.77	Inf	-Inf	5.98	3	Horizontal	272	2.71	-
AV	5.763G	93.50	Inf	-Inf	5.98	3	Horizontal	272	2.71	-
PK	5.93G	62.65	68.20	-5.55	6.94	3	Horizontal	272	2.71	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.15G	53.87	54.00	-0.13	4.30	3	Vertical	80	2.45	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 70
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	72.35	74.00	-1.65	4.30	3	Vertical	80	2.45	-
AV	5.15G	53.87	54.00	-0.13	4.30	3	Vertical	80	2.45	-
PK	5.1828G	119.10	Inf	-Inf	4.32	3	Vertical	80	2.45	-
AV	5.1828G	109.68	Inf	-Inf	4.32	3	Vertical	80	2.45	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 70
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	61.39	74.00	-12.61	4.30	3	Horizontal	263	2.79	-
AV	5.1488G	44.92	54.00	-9.08	4.30	3	Horizontal	263	2.79	-
PK	5.1744G	108.34	Inf	-Inf	4.31	3	Horizontal	263	2.79	-
AV	5.174G	98.74	Inf	-Inf	4.31	3	Horizontal	263	2.79	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 81
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	69.62	74.00	-4.38	4.29	3	Vertical	81	2.48	-
AV	5.1496G	48.86	54.00	-5.14	4.30	3	Vertical	81	2.48	-
PK	5.2024G	122.13	Inf	-Inf	4.34	3	Vertical	81	2.48	-
AV	5.2024G	112.58	Inf	-Inf	4.34	3	Vertical	81	2.48	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 81
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	61.26	74.00	-12.74	4.30	3	Horizontal	6	2.90	-
AV	5.1496G	45.47	54.00	-8.53	4.30	3	Horizontal	6	2.90	-
PK	5.2024G	112.65	Inf	-Inf	4.34	3	Horizontal	6	2.90	-
AV	5.202G	103.27	Inf	-Inf	4.34	3	Horizontal	6	2.90	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 76
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1482G	59.55	74.00	-14.45	4.30	3	Vertical	82	2.53	-
AV	5.15G	46.95	54.00	-7.05	4.30	3	Vertical	82	2.53	-
PK	5.2424G	121.10	Inf	-Inf	4.49	3	Vertical	82	2.53	-
AV	5.2424G	111.46	Inf	-Inf	4.49	3	Vertical	82	2.53	-
PK	5.351G	59.69	74.00	-14.31	4.88	3	Vertical	82	2.53	-
AV	5.35G	46.50	54.00	-7.50	4.88	3	Vertical	82	2.53	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 76
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1272G	58.78	74.00	-15.22	4.29	3	Horizontal	8	2.60	-
AV	5.1008G	44.99	54.00	-9.01	4.27	3	Horizontal	8	2.60	-
PK	5.2424G	111.99	Inf	-Inf	4.49	3	Horizontal	8	2.60	-
AV	5.243G	102.68	Inf	-Inf	4.49	3	Horizontal	8	2.60	-
PK	5.3588G	57.80	74.00	-16.20	4.92	3	Horizontal	8	2.60	-
AV	5.3792G	45.08	54.00	-8.92	4.99	3	Horizontal	8	2.60	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.645G	60.16	68.20	-8.04	5.76	3	Vertical	139	2.32	-
PK	5.747G	120.62	Inf	-Inf	5.94	3	Vertical	139	2.32	-
AV	5.747G	110.97	Inf	-Inf	5.94	3	Vertical	139	2.32	-
PK	5.97G	60.56	68.20	-7.64	7.13	3	Vertical	139	2.32	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	58.66	68.20	-9.54	5.77	3	Horizontal	177	2.99	-
PK	5.741G	113.21	Inf	-Inf	5.93	3	Horizontal	177	2.99	-
AV	5.74G	103.90	Inf	-Inf	5.93	3	Horizontal	177	2.99	-
PK	5.985G	60.23	68.20	-7.97	7.18	3	Horizontal	177	2.99	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.629G	60.82	68.20	-7.38	5.75	3	Vertical	138	2.42	-
PK	5.788G	123.14	Inf	-Inf	6.04	3	Vertical	138	2.42	-
AV	5.787G	113.66	Inf	-Inf	6.02	3	Vertical	138	2.42	-
PK	5.968G	60.75	68.20	-7.45	7.12	3	Vertical	138	2.42	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	59.06	68.20	-9.14	5.77	3	Horizontal	178	2.93	-
PK	5.779G	115.18	Inf	-Inf	6.01	3	Horizontal	178	2.93	-
AV	5.779G	105.53	Inf	-Inf	6.01	3	Horizontal	178	2.93	-
PK	5.968G	60.35	68.20	-7.85	7.12	3	Horizontal	178	2.93	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 83
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.604G	60.48	68.20	-7.72	5.72	3	Vertical	139	2.22	-
PK	5.827G	120.71	Inf	-Inf	6.26	3	Vertical	139	2.22	-
AV	5.828G	111.22	Inf	-Inf	6.27	3	Vertical	139	2.22	-
PK	5.941G	60.60	68.20	-7.60	6.99	3	Vertical	139	2.22	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5825MHz_TX



EUT_Z_4TX
Setting 83
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	59.05	68.20	-9.15	5.78	3	Horizontal	8	2.76	-
PK	5.827G	112.96	Inf	-Inf	6.26	3	Horizontal	8	2.76	-
AV	5.826G	103.64	Inf	-Inf	6.25	3	Horizontal	8	2.76	-
PK	5.978G	60.03	68.20	-8.17	7.15	3	Horizontal	8	2.76	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.649G	68.13	68.20	-0.07	5.77	3	Vertical	89	2.65	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 66
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	73.80	74.00	-0.20	4.30	3	Vertical	280	2.50	-
AV	5.1476G	52.76	54.00	-1.24	4.30	3	Vertical	280	2.50	-
PK	5.1732G	118.91	Inf	-Inf	4.31	3	Vertical	280	2.50	-
AV	5.1828G	105.46	Inf	-Inf	4.32	3	Vertical	280	2.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 66
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	65.30	74.00	-8.70	4.30	3	Horizontal	180	2.76	-
AV	5.15G	47.54	54.00	-6.46	4.30	3	Horizontal	180	2.76	-
PK	5.1856G	109.49	Inf	-Inf	4.33	3	Horizontal	180	2.76	-
AV	5.1752G	96.69	Inf	-Inf	4.32	3	Horizontal	180	2.76	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 78
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1464G	66.19	74.00	-7.81	4.30	3	Vertical	90	2.29	-
AV	5.1484G	49.13	54.00	-4.87	4.30	3	Vertical	90	2.29	-
PK	5.204G	121.00	Inf	-Inf	4.34	3	Vertical	90	2.29	-
AV	5.1988G	108.63	Inf	-Inf	4.33	3	Vertical	90	2.29	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 78
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	58.93	74.00	-15.07	4.30	3	Horizontal	263	2.72	-
AV	5.1472G	44.59	54.00	-9.41	4.30	3	Horizontal	263	2.72	-
PK	5.1968G	111.90	Inf	-Inf	4.33	3	Horizontal	263	2.72	-
AV	5.2016G	98.23	Inf	-Inf	4.33	3	Horizontal	263	2.72	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 75
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.0996G	58.44	74.00	-15.56	4.27	3	Vertical	280	2.17	-
AV	5.15G	45.56	54.00	-8.44	4.30	3	Vertical	280	2.17	-
PK	5.2334G	119.54	Inf	-Inf	4.45	3	Vertical	280	2.17	-
AV	5.2376G	107.89	Inf	-Inf	4.47	3	Vertical	280	2.17	-
PK	5.3732G	58.99	74.00	-15.01	4.96	3	Vertical	280	2.17	-
AV	5.3876G	45.23	54.00	-8.77	5.01	3	Vertical	280	2.17	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 75
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1308G	57.57	74.00	-16.43	4.29	3	Horizontal	355	2.66	-
AV	5.1176G	43.97	54.00	-10.03	4.28	3	Horizontal	355	2.66	-
PK	5.2328G	111.30	Inf	-Inf	4.45	3	Horizontal	355	2.66	-
AV	5.243G	99.42	Inf	-Inf	4.49	3	Horizontal	355	2.66	-
PK	5.375G	58.02	74.00	-15.98	4.97	3	Horizontal	355	2.66	-
AV	5.3828G	44.26	54.00	-9.74	5.00	3	Horizontal	355	2.66	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	65.64	68.20	-2.56	5.77	3	Vertical	88	2.52	-
PK	5.744G	123.86	Inf	-Inf	5.94	3	Vertical	88	2.52	-
AV	5.739G	112.13	Inf	-Inf	5.93	3	Vertical	88	2.52	-
PK	5.977G	60.70	68.20	-7.50	7.15	3	Vertical	88	2.52	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	59.13	68.20	-9.07	5.77	3	Horizontal	170	2.91	-
PK	5.745G	115.58	Inf	-Inf	5.94	3	Horizontal	170	2.91	-
AV	5.739G	103.90	Inf	-Inf	5.93	3	Horizontal	170	2.91	-
PK	5.986G	60.37	68.20	-7.83	7.20	3	Horizontal	170	2.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.621G	60.62	68.20	-7.58	5.75	3	Vertical	89	2.63	-
PK	5.789G	123.28	Inf	-Inf	6.04	3	Vertical	89	2.63	-
AV	5.789G	110.77	Inf	-Inf	6.04	3	Vertical	89	2.63	-
PK	5.938G	61.02	68.20	-7.18	6.97	3	Vertical	89	2.63	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.603G	58.75	68.20	-9.45	5.72	3	Horizontal	170	2.99	-
PK	5.785G	115.67	Inf	-Inf	6.02	3	Horizontal	170	2.99	-
AV	5.784G	102.98	Inf	-Inf	6.02	3	Horizontal	170	2.99	-
PK	5.977G	59.68	68.20	-8.52	7.15	3	Horizontal	170	2.99	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.618G	60.18	68.20	-8.02	5.75	3	Vertical	87	2.62	-
PK	5.829G	121.34	Inf	-Inf	6.27	3	Vertical	87	2.62	-
AV	5.819G	109.48	Inf	-Inf	6.20	3	Vertical	87	2.62	-
PK	5.978G	60.74	68.20	-7.46	7.15	3	Vertical	87	2.62	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.613G	58.94	68.20	-9.26	5.73	3	Horizontal	171	2.94	-
PK	5.824G	114.45	Inf	-Inf	6.24	3	Horizontal	171	2.94	-
AV	5.824G	102.49	Inf	-Inf	6.24	3	Horizontal	171	2.94	-
PK	5.95G	60.67	68.20	-7.53	7.03	3	Horizontal	171	2.94	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Z_4TX
Setting 54
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1488G	65.98	74.00	-8.02	4.30	3	Vertical	92	2.32	-
AV	5.1488G	53.85	54.00	-0.15	4.30	3	Vertical	92	2.32	-
PK	5.184G	112.16	Inf	-Inf	4.32	3	Vertical	92	2.32	-
AV	5.194G	101.47	Inf	-Inf	4.32	3	Vertical	92	2.32	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Z_4TX
Setting 54
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.142G	58.69	74.00	-15.31	4.29	3	Horizontal	99	2.81	-
AV	5.1496G	46.69	54.00	-7.31	4.30	3	Horizontal	99	2.81	-
PK	5.1968G	103.65	Inf	-Inf	4.33	3	Horizontal	99	2.81	-
AV	5.1864G	91.89	Inf	-Inf	4.33	3	Horizontal	99	2.81	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Z_4TX
Setting 76
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1382G	68.66	74.00	-5.34	4.29	3	Vertical	91	2.17	-
AV	5.149G	53.83	54.00	-0.17	4.30	3	Vertical	91	2.17	-
PK	5.224G	117.82	Inf	-Inf	4.42	3	Vertical	91	2.17	-
AV	5.2342G	107.11	Inf	-Inf	4.45	3	Vertical	91	2.17	-
PK	5.3572G	59.36	74.00	-14.64	4.90	3	Vertical	91	2.17	-
AV	5.353G	47.27	54.00	-6.73	4.89	3	Vertical	91	2.17	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Z_4TX
Setting 76
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1466G	59.08	74.00	-14.92	4.30	3	Horizontal	263	2.69	-
AV	5.1466G	46.23	54.00	-7.77	4.30	3	Horizontal	263	2.69	-
PK	5.2318G	107.82	Inf	-Inf	4.45	3	Horizontal	263	2.69	-
AV	5.2366G	96.89	Inf	-Inf	4.47	3	Horizontal	263	2.69	-
PK	5.3734G	57.96	74.00	-16.04	4.96	3	Horizontal	263	2.69	-
AV	5.3638G	45.73	54.00	-8.27	4.93	3	Horizontal	263	2.69	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.643G	68.12	68.20	-0.08	5.76	3	Vertical	89	2.63	-
PK	5.749G	119.52	Inf	-Inf	5.95	3	Vertical	89	2.63	-
AV	5.759G	109.17	Inf	-Inf	5.96	3	Vertical	89	2.63	-
PK	5.96G	61.57	68.20	-6.63	7.08	3	Vertical	89	2.63	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	61.02	68.20	-7.18	5.77	3	Horizontal	178	2.91	-
PK	5.757G	112.03	Inf	-Inf	5.95	3	Horizontal	178	2.91	-
AV	5.762G	101.07	Inf	-Inf	5.96	3	Horizontal	178	2.91	-
PK	5.975G	59.94	68.20	-8.26	7.16	3	Horizontal	178	2.91	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	64.61	68.20	-3.59	5.77	3	Vertical	182	2.33	-
PK	5.811G	120.36	Inf	-Inf	6.15	3	Vertical	182	2.33	-
AV	5.791G	108.22	Inf	-Inf	6.04	3	Vertical	182	2.33	-
PK	5.926G	68.09	68.20	-0.11	6.92	3	Vertical	182	2.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	60.18	68.94	-8.76	5.78	3	Horizontal	179	2.75	-
PK	5.787G	114.33	Inf	-Inf	6.02	3	Horizontal	179	2.75	-
AV	5.792G	102.43	Inf	-Inf	6.04	3	Horizontal	179	2.75	-
PK	5.928G	61.76	68.20	-6.44	6.93	3	Horizontal	179	2.75	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 53
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	65.83	74.00	-8.17	4.30	3	Vertical	92	2.44	-
AV	5.149G	53.92	54.00	-0.08	4.30	3	Vertical	92	2.44	-
PK	5.215G	109.06	Inf	-Inf	4.39	3	Vertical	92	2.44	-
AV	5.199G	98.27	Inf	-Inf	4.33	3	Vertical	92	2.44	-
PK	5.412G	58.12	74.00	-15.88	5.11	3	Vertical	92	2.44	-
AV	5.381G	46.15	54.00	-7.85	4.99	3	Vertical	92	2.44	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 53
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.083G	57.95	74.00	-16.05	4.30	3	Horizontal	177	2.60	-
AV	5.141G	46.71	54.00	-7.29	4.29	3	Horizontal	177	2.60	-
PK	5.2G	100.33	Inf	-Inf	4.33	3	Horizontal	177	2.60	-
AV	5.22G	88.68	Inf	-Inf	4.40	3	Horizontal	177	2.60	-
PK	5.449G	57.76	74.00	-16.24	5.26	3	Horizontal	177	2.60	-
AV	5.387G	45.51	54.00	-8.49	5.01	3	Horizontal	177	2.60	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 71
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.13	68.20	-0.07	5.77	3	Vertical	89	2.65	-
PK	5.769G	114.52	Inf	-Inf	5.99	3	Vertical	89	2.65	-
AV	5.764G	103.16	Inf	-Inf	5.98	3	Vertical	89	2.65	-
PK	5.934G	65.62	68.20	-2.58	6.96	3	Vertical	89	2.65	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 71
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.624G	61.63	68.20	-6.57	5.75	3	Horizontal	171	2.99	-
PK	5.779G	106.04	Inf	-Inf	6.01	3	Horizontal	171	2.99	-
AV	5.784G	95.08	Inf	-Inf	6.02	3	Horizontal	171	2.99	-
PK	5.925G	60.82	68.20	-7.38	6.92	3	Horizontal	171	2.99	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.137G	73.96	74.00	-0.04	4.30	3	Vertical	81	2.74	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 71
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1456G	72.02	74.00	-1.98	4.30	3	Vertical	179	2.82	-
AV	5.1432G	53.76	54.00	-0.24	4.29	3	Vertical	179	2.82	-
PK	5.1708G	121.09	Inf	-Inf	4.31	3	Vertical	179	2.82	-
AV	5.1716G	109.19	Inf	-Inf	4.31	3	Vertical	179	2.82	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 71
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1484G	62.55	74.00	-11.45	4.30	3	Horizontal	88	2.76	-
AV	5.1488G	46.18	54.00	-7.82	4.30	3	Horizontal	88	2.76	-
PK	5.1724G	113.14	Inf	-Inf	4.31	3	Horizontal	88	2.76	-
AV	5.1712G	101.25	Inf	-Inf	4.31	3	Horizontal	88	2.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 78
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1488G	62.77	74.00	-11.23	4.30	3	Vertical	90	2.32	-
AV	5.1484G	47.62	54.00	-6.38	4.30	3	Vertical	90	2.32	-
PK	5.2064G	122.20	Inf	-Inf	4.35	3	Vertical	90	2.32	-
AV	5.2088G	110.69	Inf	-Inf	4.37	3	Vertical	90	2.32	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 78
01-M-1-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1308G	57.83	74.00	-16.17	4.29	3	Horizontal	171	2.79	-
AV	5.1488G	44.69	54.00	-9.31	4.30	3	Horizontal	171	2.79	-
PK	5.2024G	110.94	Inf	-Inf	4.34	3	Horizontal	171	2.79	-
AV	5.1912G	97.93	Inf	-Inf	4.32	3	Horizontal	171	2.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 75
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.099G	58.92	74.00	-15.08	4.27	3	Vertical	44	2.51	-
AV	5.1476G	46.01	54.00	-7.99	4.30	3	Vertical	44	2.51	-
PK	5.2484G	122.38	Inf	-Inf	4.51	3	Vertical	44	2.51	-
AV	5.249G	110.40	Inf	-Inf	4.51	3	Vertical	44	2.51	-
PK	5.3714G	58.77	74.00	-15.23	4.95	3	Vertical	44	2.51	-
AV	5.3672G	46.08	54.00	-7.92	4.94	3	Vertical	44	2.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 75
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1158G	57.64	74.00	-16.36	4.28	3	Horizontal	174	2.68	-
AV	5.117G	44.48	54.00	-9.52	4.28	3	Horizontal	174	2.68	-
PK	5.246G	114.74	Inf	-Inf	4.50	3	Horizontal	174	2.68	-
AV	5.2436G	101.81	Inf	-Inf	4.49	3	Horizontal	174	2.68	-
PK	5.3582G	57.13	74.00	-16.87	4.90	3	Horizontal	174	2.68	-
AV	5.3846G	44.75	54.00	-9.25	5.00	3	Horizontal	174	2.68	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	65.23	68.20	-2.97	5.77	3	Vertical	181	2.46	-
PK	5.751G	123.63	Inf	-Inf	5.94	3	Vertical	181	2.46	-
AV	5.754G	113.40	Inf	-Inf	5.95	3	Vertical	181	2.46	-
PK	5.928G	60.94	68.20	-7.26	6.93	3	Vertical	181	2.46	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.593G	59.48	68.20	-8.72	5.70	3	Horizontal	171	2.41	-
PK	5.751G	113.96	Inf	-Inf	5.94	3	Horizontal	171	2.41	-
AV	5.754G	103.17	Inf	-Inf	5.95	3	Horizontal	171	2.41	-
PK	5.956G	59.69	68.20	-8.51	7.07	3	Horizontal	171	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	60.54	68.20	-7.66	5.76	3	Vertical	270	2.56	-
PK	5.783G	124.08	Inf	-Inf	6.02	3	Vertical	270	2.56	-
AV	5.782G	111.19	Inf	-Inf	6.01	3	Vertical	270	2.56	-
PK	5.958G	60.46	68.20	-7.74	7.07	3	Vertical	270	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.543G	59.28	68.20	-8.92	5.57	3	Horizontal	78	2.54	-
PK	5.782G	114.79	Inf	-Inf	6.01	3	Horizontal	78	2.54	-
AV	5.78G	103.92	Inf	-Inf	6.01	3	Horizontal	78	2.54	-
PK	5.943G	59.89	68.20	-8.31	7.00	3	Horizontal	78	2.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.606G	59.83	68.20	-8.37	5.73	3	Vertical	174	2.66	-
PK	5.817G	121.93	Inf	-Inf	6.19	3	Vertical	174	2.66	-
AV	5.816G	110.55	Inf	-Inf	6.19	3	Vertical	174	2.66	-
PK	5.979G	60.67	68.20	-7.53	7.16	3	Vertical	174	2.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.623G	58.41	68.20	-9.79	5.75	3	Horizontal	91	2.66	-
PK	5.82G	112.14	Inf	-Inf	6.21	3	Horizontal	91	2.66	-
AV	5.817G	100.80	Inf	-Inf	6.19	3	Horizontal	91	2.66	-
PK	5.929G	60.49	68.20	-7.71	6.94	3	Horizontal	91	2.66	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5190MHz_TX




EUT_Z_4TX
Setting 53
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	73.78	74.00	-0.22	4.30	3	Vertical	81	2.43	-
AV	5.149G	48.63	54.00	-5.37	4.30	3	Vertical	81	2.43	-
PK	5.2084G	113.88	Inf	-Inf	4.37	3	Vertical	81	2.43	-
AV	5.2076G	101.53	Inf	-Inf	4.36	3	Vertical	81	2.43	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5190MHz_TX




EUT_Z_4TX
Setting 53
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	60.90	74.00	-13.10	4.30	3	Horizontal	83	2.61	-
AV	5.144G	45.01	54.00	-8.99	4.29	3	Horizontal	83	2.61	-
PK	5.1732G	106.03	Inf	-Inf	4.31	3	Horizontal	83	2.61	-
AV	5.172G	94.63	Inf	-Inf	4.31	3	Horizontal	83	2.61	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5230MHz_TX




EUT_Z_4TX
Setting 79
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	73.07	74.00	-0.93	4.30	3	Vertical	46	2.57	-
AV	5.149G	53.77	54.00	-0.23	4.30	3	Vertical	46	2.57	-
PK	5.215G	117.93	Inf	-Inf	4.39	3	Vertical	46	2.57	-
AV	5.248G	105.69	Inf	-Inf	4.50	3	Vertical	46	2.57	-
PK	5.3632G	61.82	74.00	-12.18	4.93	3	Vertical	46	2.57	-
AV	5.351G	46.94	54.00	-7.06	4.88	3	Vertical	46	2.57	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

04/12/2018

5230MHz_TX




EUT_Z_4TX
Setting 79
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1478G	62.35	74.00	-11.65	4.30	3	Horizontal	174	2.85	-
AV	5.15G	47.51	54.00	-6.49	4.30	3	Horizontal	174	2.85	-
PK	5.2462G	112.53	Inf	-Inf	4.50	3	Horizontal	174	2.85	-
AV	5.245G	100.32	Inf	-Inf	4.49	3	Horizontal	174	2.85	-
PK	5.3566G	58.43	74.00	-15.57	4.90	3	Horizontal	174	2.85	-
AV	5.3506G	45.01	54.00	-8.99	4.88	3	Horizontal	174	2.85	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 87
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.99	68.20	-0.21	5.77	3	Vertical	173	2.61	-
PK	5.761G	119.81	Inf	-Inf	5.96	3	Vertical	173	2.61	-
AV	5.761G	108.50	Inf	-Inf	5.96	3	Vertical	173	2.61	-
PK	5.966G	60.62	68.20	-7.58	7.11	3	Vertical	173	2.61	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 87
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.641G	66.84	68.20	-1.36	8.70	3	Horizontal	33	2.39	-
PK	5.76G	119.96	Inf	-Inf	8.84	3	Horizontal	33	2.39	-
AV	5.766G	107.74	Inf	-Inf	8.84	3	Horizontal	33	2.39	-
PK	5.924G	62.37	68.94	-6.57	8.85	3	Horizontal	33	2.39	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 94
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	63.55	68.20	-4.65	5.78	3	Vertical	2	1.10	-
PK	5.808G	119.78	Inf	-Inf	6.12	3	Vertical	2	1.10	-
AV	5.81G	108.27	Inf	-Inf	6.14	3	Vertical	2	1.10	-
PK	5.926G	68.01	68.20	-0.19	6.92	3	Vertical	2	1.10	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 94
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	61.28	68.20	-6.92	5.77	3	Horizontal	92	2.81	-
PK	5.808G	112.32	Inf	-Inf	6.12	3	Horizontal	92	2.81	-
AV	5.81G	99.83	Inf	-Inf	6.14	3	Horizontal	92	2.81	-
PK	5.923G	63.86	69.68	-5.82	6.92	3	Horizontal	92	2.81	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 63
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.137G	73.96	74.00	-0.04	4.30	3	Vertical	81	2.74	-
AV	5.15G	52.88	54.00	-1.12	4.30	3	Vertical	81	2.74	-
PK	5.246G	113.62	Inf	-Inf	4.50	3	Vertical	81	2.74	-
AV	5.247G	100.62	Inf	-Inf	4.50	3	Vertical	81	2.74	-
PK	5.35G	59.31	74.00	-14.69	4.88	3	Vertical	81	2.74	-
AV	5.35G	46.52	54.00	-7.48	4.88	3	Vertical	81	2.74	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 63
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.143G	64.64	74.00	-9.36	4.29	3	Horizontal	84	3.00	-
AV	5.143G	48.78	54.00	-5.22	4.29	3	Horizontal	84	3.00	-
PK	5.24G	103.88	Inf	-Inf	4.48	3	Horizontal	84	3.00	-
AV	5.242G	91.67	Inf	-Inf	4.49	3	Horizontal	84	3.00	-
PK	5.41G	57.27	74.00	-16.73	5.10	3	Horizontal	84	3.00	-
AV	5.375G	44.63	54.00	-9.37	4.97	3	Horizontal	84	3.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 71
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	67.98	68.20	-0.22	5.75	3	Vertical	270	2.20	-
PK	5.783G	113.82	Inf	-Inf	6.02	3	Vertical	270	2.20	-
AV	5.783G	101.39	Inf	-Inf	6.02	3	Vertical	270	2.20	-
PK	5.925G	62.74	68.20	-5.46	6.91	3	Vertical	270	2.20	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 71
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	60.37	68.20	-7.83	5.76	3	Horizontal	350	2.91	-
PK	5.747G	107.98	Inf	-Inf	5.94	3	Horizontal	350	2.91	-
AV	5.792G	95.13	Inf	-Inf	6.04	3	Horizontal	350	2.91	-
PK	5.943G	59.70	68.20	-8.50	7.00	3	Horizontal	350	2.91	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.644G	68.18	68.20	-0.02	5.76	3	Vertical	34	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 66
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	69.26	74.00	-4.74	4.30	3	Vertical	91	2.79	-
AV	5.15G	53.87	54.00	-0.13	4.30	3	Vertical	91	2.79	-
PK	5.176G	115.89	Inf	-Inf	4.32	3	Vertical	91	2.79	-
AV	5.184G	103.75	Inf	-Inf	4.32	3	Vertical	91	2.79	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5180MHz_TX




EUT_Z_4TX
Setting 66
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	63.16	74.00	-10.84	4.30	3	Horizontal	6	2.44	-
AV	5.15G	47.89	54.00	-6.11	4.30	3	Horizontal	6	2.44	-
PK	5.1828G	107.46	Inf	-Inf	4.32	3	Horizontal	6	2.44	-
AV	5.1764G	94.90	Inf	-Inf	4.32	3	Horizontal	6	2.44	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 78
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	65.88	74.00	-8.12	4.30	3	Vertical	86	2.79	-
AV	5.1496G	50.44	54.00	-3.56	4.30	3	Vertical	86	2.79	-
PK	5.192G	118.14	Inf	-Inf	4.32	3	Vertical	86	2.79	-
AV	5.1968G	106.80	Inf	-Inf	4.33	3	Vertical	86	2.79	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5200MHz_TX




EUT_Z_4TX
Setting 78
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	60.28	74.00	-13.72	4.30	3	Horizontal	6	2.41	-
AV	5.1492G	46.09	54.00	-7.91	4.30	3	Horizontal	6	2.41	-
PK	5.2024G	110.41	Inf	-Inf	4.34	3	Horizontal	6	2.41	-
AV	5.1964G	98.03	Inf	-Inf	4.33	3	Horizontal	6	2.41	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 75
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1356G	59.58	74.00	-14.42	4.30	3	Vertical	85	2.51	-
AV	5.1254G	47.74	54.00	-6.26	4.29	3	Vertical	85	2.51	-
PK	5.2424G	117.38	Inf	-Inf	4.49	3	Vertical	85	2.51	-
AV	5.237G	106.46	Inf	-Inf	4.47	3	Vertical	85	2.51	-
PK	5.351G	59.21	74.00	-14.79	4.88	3	Vertical	85	2.51	-
AV	5.3516G	47.09	54.00	-6.91	4.88	3	Vertical	85	2.51	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5240MHz_TX




EUT_Z_4TX
Setting 75
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1092G	58.01	74.00	-15.99	4.28	3	Horizontal	8	2.70	-
AV	5.1398G	45.47	54.00	-8.53	4.29	3	Horizontal	8	2.70	-
PK	5.2424G	110.74	Inf	-Inf	4.49	3	Horizontal	8	2.70	-
AV	5.2376G	98.10	Inf	-Inf	4.47	3	Horizontal	8	2.70	-
PK	5.3738G	58.15	74.00	-15.85	4.96	3	Horizontal	8	2.70	-
AV	5.3858G	45.47	54.00	-8.53	5.01	3	Horizontal	8	2.70	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	62.56	68.20	-5.64	5.78	3	Vertical	37	2.30	-
PK	5.744G	121.00	Inf	-Inf	5.94	3	Vertical	37	2.30	-
AV	5.744G	109.06	Inf	-Inf	5.94	3	Vertical	37	2.30	-
PK	5.956G	60.85	68.20	-7.35	7.07	3	Vertical	37	2.30	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	59.38	68.20	-8.82	5.77	3	Horizontal	356	2.57	-
PK	5.752G	113.40	Inf	-Inf	5.94	3	Horizontal	356	2.57	-
AV	5.742G	102.45	Inf	-Inf	5.93	3	Horizontal	356	2.57	-
PK	5.98G	60.19	68.20	-8.01	7.17	3	Horizontal	356	2.57	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.556G	60.45	68.20	-7.75	5.60	3	Vertical	36	2.27	-
PK	5.784G	120.15	Inf	-Inf	6.02	3	Vertical	36	2.27	-
AV	5.789G	108.85	Inf	-Inf	6.04	3	Vertical	36	2.27	-
PK	5.962G	60.50	68.20	-7.70	7.10	3	Vertical	36	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.565G	59.07	68.20	-9.13	5.63	3	Horizontal	175	2.86	-
PK	5.78G	114.61	Inf	-Inf	6.01	3	Horizontal	175	2.86	-
AV	5.781G	101.46	Inf	-Inf	6.01	3	Horizontal	175	2.86	-
PK	5.979G	60.02	68.20	-8.18	7.16	3	Horizontal	175	2.86	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.645G	59.70	68.20	-8.50	5.76	3	Vertical	42	2.27	-
PK	5.83G	119.64	Inf	-Inf	6.28	3	Vertical	42	2.27	-
AV	5.822G	107.17	Inf	-Inf	6.23	3	Vertical	42	2.27	-
PK	5.964G	60.45	68.20	-7.75	7.10	3	Vertical	42	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.588G	58.67	68.20	-9.53	5.69	3	Horizontal	356	2.72	-
PK	5.82G	112.01	Inf	-Inf	6.21	3	Horizontal	356	2.72	-
AV	5.822G	100.39	Inf	-Inf	6.23	3	Horizontal	356	2.72	-
PK	5.978G	59.53	68.20	-8.67	7.15	3	Horizontal	356	2.72	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Z_4TX
Setting 54
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1468G	68.59	74.00	-5.41	4.30	3	Vertical	92	2.66	-
AV	5.1464G	53.87	54.00	-0.13	4.30	3	Vertical	92	2.66	-
PK	5.1784G	110.34	Inf	-Inf	4.32	3	Vertical	92	2.66	-
AV	5.1772G	99.50	Inf	-Inf	4.32	3	Vertical	92	2.66	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5190MHz_TX




EUT_Z_4TX
Setting 54
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	60.35	74.00	-13.65	4.30	3	Horizontal	7	2.59	-
AV	5.1476G	47.73	54.00	-6.27	4.30	3	Horizontal	7	2.59	-
PK	5.192G	101.69	Inf	-Inf	4.32	3	Horizontal	7	2.59	-
AV	5.1988G	90.86	Inf	-Inf	4.33	3	Horizontal	7	2.59	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Z_4TX
Setting 76
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	68.15	74.00	-5.85	4.30	3	Vertical	91	2.49	-
AV	5.15G	53.90	54.00	-0.10	4.30	3	Vertical	91	2.49	-
PK	5.2258G	115.45	Inf	-Inf	4.43	3	Vertical	91	2.49	-
AV	5.2372G	105.01	Inf	-Inf	4.47	3	Vertical	91	2.49	-
PK	5.3602G	59.56	74.00	-14.44	4.92	3	Vertical	91	2.49	-
AV	5.3722G	49.67	54.00	-4.33	4.96	3	Vertical	91	2.49	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5230MHz_TX




EUT_Z_4TX
Setting 76
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	61.11	74.00	-12.89	4.30	3	Horizontal	5	2.71	-
AV	5.15G	49.75	54.00	-4.25	4.30	3	Horizontal	5	2.71	-
PK	5.2318G	107.32	Inf	-Inf	4.45	3	Horizontal	5	2.71	-
AV	5.2318G	96.98	Inf	-Inf	4.45	3	Horizontal	5	2.71	-
PK	5.3506G	57.97	74.00	-16.03	4.88	3	Horizontal	5	2.71	-
AV	5.3566G	47.02	54.00	-6.98	4.90	3	Horizontal	5	2.71	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.642G	68.05	68.20	-0.15	5.76	3	Vertical	32	2.29	-
PK	5.744G	117.71	Inf	-Inf	5.94	3	Vertical	32	2.29	-
AV	5.75G	106.45	Inf	-Inf	5.94	3	Vertical	32	2.29	-
PK	5.933G	60.63	68.20	-7.57	6.96	3	Vertical	32	2.29	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	60.21	68.20	-7.99	5.77	3	Horizontal	0	2.53	-
PK	5.76G	109.93	Inf	-Inf	5.96	3	Horizontal	0	2.53	-
AV	5.763G	99.67	Inf	-Inf	5.98	3	Horizontal	0	2.53	-
PK	5.949G	59.68	68.20	-8.52	7.03	3	Horizontal	0	2.53	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	66.77	68.20	-1.43	5.77	3	Vertical	36	2.48	-
PK	5.784G	119.17	Inf	-Inf	6.02	3	Vertical	36	2.48	-
AV	5.799G	108.63	Inf	-Inf	6.06	3	Vertical	36	2.48	-
PK	5.928G	68.03	68.20	-0.17	6.93	3	Vertical	36	2.48	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	60.43	68.20	-7.77	5.78	3	Horizontal	6	2.89	-
PK	5.804G	111.08	Inf	-Inf	6.09	3	Horizontal	6	2.89	-
AV	5.797G	100.36	Inf	-Inf	6.05	3	Horizontal	6	2.89	-
PK	5.933G	63.96	68.20	-4.24	6.96	3	Horizontal	6	2.89	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 55
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	64.34	74.00	-9.66	4.30	3	Vertical	90	2.47	-
AV	5.15G	53.90	54.00	-0.10	4.30	3	Vertical	90	2.47	-
PK	5.206G	108.04	Inf	-Inf	4.35	3	Vertical	90	2.47	-
AV	5.239G	96.72	Inf	-Inf	4.48	3	Vertical	90	2.47	-
PK	5.406G	58.32	74.00	-15.68	5.09	3	Vertical	90	2.47	-
AV	5.351G	47.61	54.00	-6.39	4.88	3	Vertical	90	2.47	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5210MHz_TX




EUT_Z_4TX
Setting 55
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	59.05	74.00	-14.95	4.30	3	Horizontal	358	2.74	-
AV	5.143G	48.26	54.00	-5.74	4.29	3	Horizontal	358	2.74	-
PK	5.217G	98.37	Inf	-Inf	4.39	3	Horizontal	358	2.74	-
AV	5.216G	87.92	Inf	-Inf	4.39	3	Horizontal	358	2.74	-
PK	5.358G	58.87	74.00	-15.13	4.90	3	Horizontal	358	2.74	-
AV	5.418G	46.77	54.00	-7.23	5.13	3	Horizontal	358	2.74	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 73
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	68.18	68.20	-0.02	5.76	3	Vertical	34	2.27	-
PK	5.783G	110.42	Inf	-Inf	6.02	3	Vertical	34	2.27	-
AV	5.763G	100.95	Inf	-Inf	5.98	3	Vertical	34	2.27	-
PK	5.934G	64.43	68.20	-3.77	6.96	3	Vertical	34	2.27	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 73
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	61.90	68.20	-6.30	5.76	3	Horizontal	12	2.93	-
PK	5.782G	103.48	Inf	-Inf	6.01	3	Horizontal	12	2.93	-
AV	5.791G	94.20	Inf	-Inf	6.04	3	Horizontal	12	2.93	-
PK	5.931G	61.59	68.20	-6.61	6.94	3	Horizontal	12	2.93	-

