




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.47G	53.93	54.00	-0.07	5.34	3	Vertical	78	2.58	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5260MHz\_TX




EUT\_Z\_4TX  
Setting 77  
01-S-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1184G	59.03	74.00	-14.97	4.28	3	Vertical	281	2.58	-
AV	5.1496G	46.46	54.00	-7.54	4.30	3	Vertical	281	2.58	-
PK	5.263G	120.31	Inf	-Inf	4.56	3	Vertical	281	2.58	-
AV	5.263G	110.06	Inf	-Inf	4.56	3	Vertical	281	2.58	-
PK	5.3734G	59.37	74.00	-14.63	4.96	3	Vertical	281	2.58	-
AV	5.3602G	46.42	54.00	-7.58	4.92	3	Vertical	281	2.58	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5260MHz\_TX




EUT\_Z\_4TX  
Setting 77  
01-S-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1238G	57.01	74.00	-16.99	4.28	3	Horizontal	175	2.96	-
AV	5.15G	44.53	54.00	-9.47	4.30	3	Horizontal	175	2.96	-
PK	5.2654G	113.26	Inf	-Inf	4.58	3	Horizontal	175	2.96	-
AV	5.2654G	101.13	Inf	-Inf	4.58	3	Horizontal	175	2.96	-
PK	5.3704G	57.72	74.00	-16.28	4.95	3	Horizontal	175	2.96	-
AV	5.4022G	45.02	54.00	-8.98	5.07	3	Horizontal	175	2.96	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5300MHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	122.21	Inf	-Inf	4.69	3	Vertical	171	2.60	-
AV	5.3016G	110.04	Inf	-Inf	4.70	3	Vertical	171	2.60	-
PK	5.352G	68.62	74.00	-5.38	4.89	3	Vertical	171	2.60	-
AV	5.3504G	50.91	54.00	-3.09	4.88	3	Vertical	171	2.60	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5300MHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3048G	113.18	Inf	-Inf	4.71	3	Horizontal	173	2.70	-
AV	5.3048G	101.97	Inf	-Inf	4.71	3	Horizontal	173	2.70	-
PK	5.3532G	62.73	74.00	-11.27	4.89	3	Horizontal	173	2.70	-
AV	5.35G	46.99	54.00	-7.01	4.88	3	Horizontal	173	2.70	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5320MHz\_TX




EUT\_Z\_4TX  
Setting 64  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3264G	119.00	Inf	-Inf	4.80	3	Vertical	190	2.28	-
AV	5.3268G	106.49	Inf	-Inf	4.80	3	Vertical	190	2.28	-
PK	5.3516G	73.87	74.00	-0.13	4.88	3	Vertical	190	2.28	-
AV	5.3516G	52.44	54.00	-1.56	4.88	3	Vertical	190	2.28	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5320MHz\_TX




EUT\_Z\_4TX  
Setting 64  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3252G	110.67	Inf	-Inf	4.80	3	Horizontal	174	2.71	-
AV	5.3248G	98.87	Inf	-Inf	4.78	3	Horizontal	174	2.71	-
PK	5.35G	68.40	74.00	-5.60	4.88	3	Horizontal	174	2.71	-
AV	5.35G	48.97	54.00	-5.03	4.88	3	Horizontal	174	2.71	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5500MHz\_TX



EUT\_Z\_4TX  
Setting 67  
01-5-5-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	64.51	74.00	-9.49	5.30	3	Vertical	260	2.52	-
AV	5.46G	47.66	54.00	-6.34	5.30	3	Vertical	260	2.52	-
PK	5.4699G	72.78	74.00	-1.22	5.34	3	Vertical	260	2.52	-
AV	5.4699G	53.76	54.00	-0.24	5.34	3	Vertical	260	2.52	-
PK	5.5056G	118.33	Inf	-Inf	5.47	3	Vertical	260	2.52	-
AV	5.4956G	105.12	Inf	-Inf	5.45	3	Vertical	260	2.52	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5500MHz\_TX




EUT\_Z\_4TX  
Setting 67  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	60.36	74.00	-13.64	5.30	3	Horizontal	170	2.93	-
AV	5.4596G	45.11	54.00	-8.89	5.30	3	Horizontal	170	2.93	-
PK	5.4696G	66.28	74.00	-7.72	5.34	3	Horizontal	170	2.93	-
AV	5.4696G	48.16	54.00	-5.84	5.34	3	Horizontal	170	2.93	-
PK	5.5044G	109.42	Inf	-Inf	5.47	3	Horizontal	170	2.93	-
AV	5.4948G	97.43	Inf	-Inf	5.43	3	Horizontal	170	2.93	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5580MHz\_TX




EUT\_Z\_4TX  
Setting 107  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4488G	67.42	74.00	-6.58	5.26	3	Vertical	261	2.56	-
AV	5.4592G	52.84	54.00	-1.16	5.30	3	Vertical	261	2.56	-
PK	5.4696G	68.33	74.00	-5.67	5.34	3	Vertical	261	2.56	-
AV	5.4696G	53.86	54.00	-0.14	5.34	3	Vertical	261	2.56	-
PK	5.5808G	124.39	Inf	-Inf	5.66	3	Vertical	261	2.56	-
AV	5.5752G	113.26	Inf	-Inf	5.65	3	Vertical	261	2.56	-
PK	5.7384G	68.92	74.00	-5.08	5.93	3	Vertical	261	2.56	-
AV	5.7264G	52.21	54.00	-1.79	5.89	3	Vertical	261	2.56	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/12/2018

5580MHz\_TX




EUT\_Z\_4TX  
Setting 107  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	58.30	74.00	-15.70	5.23	3	Horizontal	179	2.76	-
AV	5.4584G	45.68	54.00	-8.32	5.30	3	Horizontal	179	2.76	-
PK	5.4688G	59.70	74.00	-14.30	5.34	3	Horizontal	179	2.76	-
AV	5.4688G	46.25	54.00	-7.75	5.34	3	Horizontal	179	2.76	-
PK	5.5768G	118.56	Inf	-Inf	5.65	3	Horizontal	179	2.76	-
AV	5.5824G	105.11	Inf	-Inf	5.67	3	Horizontal	179	2.76	-
PK	5.7584G	60.16	74.00	-13.84	5.96	3	Horizontal	179	2.76	-
AV	5.7704G	49.78	54.00	-4.22	5.99	3	Horizontal	179	2.76	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/12/2018

5700MHz\_TX




EUT\_Z\_4TX  
Setting 53  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7052G	115.74	Inf	-Inf	5.84	3	Vertical	279	2.42	-
AV	5.6952G	102.60	Inf	-Inf	5.83	3	Vertical	279	2.42	-
PK	5.7252G	73.84	74.00	-0.16	5.89	3	Vertical	279	2.42	-
AV	5.7252G	48.14	54.00	-5.86	5.89	3	Vertical	279	2.42	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/12/2018

5700MHz\_TX




EUT\_Z\_4TX  
Setting 53  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.704G	107.79	Inf	-Inf	5.84	3	Horizontal	170	2.88	-
AV	5.7044G	96.47	Inf	-Inf	5.84	3	Horizontal	170	2.88	-
PK	5.7252G	67.04	74.00	-6.96	5.89	3	Horizontal	170	2.88	-
AV	5.7688G	47.31	54.00	-6.69	5.99	3	Horizontal	170	2.88	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

05/12/2018




EUT\_Z\_4TX  
Setting 103  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.724G	124.50	Inf	-Inf	5.89	3	Vertical	84	2.46	-
AV	5.724G	113.23	Inf	-Inf	5.89	3	Vertical	84	2.46	-
PK	5.85G	68.01	68.20	-0.19	6.44	3	Vertical	84	2.46	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

05/12/2018




EUT\_Z\_4TX  
Setting 103  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7256G	116.80	Inf	-Inf	5.89	3	Horizontal	85	2.85	-
AV	5.7256G	105.56	Inf	-Inf	5.89	3	Horizontal	85	2.85	-
PK	5.8608G	59.63	68.20	-8.57	6.51	3	Horizontal	85	2.85	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/12/2018

5270MHz\_TX



EUT\_Z\_4TX  
Setting 75  
01-5-5-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	59.53	74.00	-14.47	4.30	3	Vertical	279	2.56	-
AV	5.15G	47.61	54.00	-6.39	4.30	3	Vertical	279	2.56	-
PK	5.2628G	118.41	Inf	-Inf	4.56	3	Vertical	279	2.56	-
AV	5.2826G	107.06	Inf	-Inf	4.64	3	Vertical	279	2.56	-
PK	5.3516G	68.08	74.00	-5.92	4.88	3	Vertical	279	2.56	-
AV	5.351G	51.83	54.00	-2.17	4.88	3	Vertical	279	2.56	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/12/2018

5270MHz\_TX




EUT\_Z\_4TX  
Setting 75  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1434G	57.64	74.00	-16.36	4.29	3	Horizontal	175	2.61	-
AV	5.1296G	45.33	54.00	-8.67	4.29	3	Horizontal	175	2.61	-
PK	5.255G	109.72	Inf	-Inf	4.54	3	Horizontal	175	2.61	-
AV	5.2748G	98.34	Inf	-Inf	4.60	3	Horizontal	175	2.61	-
PK	5.3504G	60.61	74.00	-13.39	4.88	3	Horizontal	175	2.61	-
AV	5.351G	47.09	54.00	-6.91	4.88	3	Horizontal	175	2.61	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5310MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3016G	112.21	Inf	-Inf	4.70	3	Vertical	171	2.68	-
AV	5.3166G	101.73	Inf	-Inf	4.76	3	Vertical	171	2.68	-
PK	5.3514G	70.25	74.00	-3.75	4.88	3	Vertical	171	2.68	-
AV	5.352G	53.89	54.00	-0.11	4.89	3	Vertical	171	2.68	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5310MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3004G	106.50	Inf	-Inf	4.70	3	Horizontal	174	2.92	-
AV	5.3052G	94.68	Inf	-Inf	4.72	3	Horizontal	174	2.92	-
PK	5.35G	65.76	74.00	-8.24	4.88	3	Horizontal	174	2.92	-
AV	5.35G	48.58	54.00	-5.42	4.88	3	Horizontal	174	2.92	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5510MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	65.79	74.00	-8.21	5.30	3	Vertical	288	2.52	-
AV	5.459G	51.11	54.00	-2.89	5.30	3	Vertical	288	2.52	-
PK	5.4692G	70.50	74.00	-3.50	5.34	3	Vertical	288	2.52	-
AV	5.4692G	53.84	54.00	-0.16	5.34	3	Vertical	288	2.52	-
PK	5.504G	113.65	Inf	-Inf	5.47	3	Vertical	288	2.52	-
AV	5.5142G	102.80	Inf	-Inf	5.50	3	Vertical	288	2.52	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5510MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4554G	60.76	74.00	-13.24	5.29	3	Horizontal	172	2.82	-
AV	5.46G	47.58	54.00	-6.42	5.30	3	Horizontal	172	2.82	-
PK	5.4692G	66.07	74.00	-7.93	5.34	3	Horizontal	172	2.82	-
AV	5.4698G	49.10	54.00	-4.90	5.34	3	Horizontal	172	2.82	-
PK	5.495G	106.30	Inf	-Inf	5.44	3	Horizontal	172	2.82	-
AV	5.525G	94.72	Inf	-Inf	5.52	3	Horizontal	172	2.82	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5550MHz\_TX




EUT\_Z\_4TX  
Setting 76  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	64.80	74.00	-9.20	5.30	3	Vertical	77	2.58	-
AV	5.46G	50.19	54.00	-3.81	5.30	3	Vertical	77	2.58	-
PK	5.4699G	68.19	74.00	-5.81	5.34	3	Vertical	77	2.58	-
AV	5.4699G	53.79	54.00	-0.21	5.34	3	Vertical	77	2.58	-
PK	5.5404G	118.76	Inf	-Inf	5.56	3	Vertical	77	2.58	-
AV	5.5452G	107.21	Inf	-Inf	5.58	3	Vertical	77	2.58	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5550MHz\_TX




EUT\_Z\_4TX  
Setting 76  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4582G	58.27	74.00	-15.73	5.29	3	Horizontal	178	2.90	-
AV	5.457G	46.43	54.00	-7.57	5.29	3	Horizontal	178	2.90	-
PK	5.4672G	61.75	74.00	-12.25	5.33	3	Horizontal	178	2.90	-
AV	5.4666G	47.42	54.00	-6.58	5.33	3	Horizontal	178	2.90	-
PK	5.5422G	111.28	Inf	-Inf	5.56	3	Horizontal	178	2.90	-
AV	5.5416G	98.68	Inf	-Inf	5.56	3	Horizontal	178	2.90	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5670MHz\_TX



EUT\_Z\_4TX  
Setting 62  
01-5-5-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6802G	114.94	Inf	-Inf	5.80	3	Vertical	280	2.46	-
AV	5.6802G	103.61	Inf	-Inf	5.80	3	Vertical	280	2.46	-
PK	5.7252G	70.44	74.00	-3.56	5.89	3	Vertical	280	2.46	-
AV	5.7252G	53.76	54.00	-0.24	5.89	3	Vertical	280	2.46	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/12/2018

5670MHz\_TX




EUT\_Z\_4TX  
Setting 62  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6544G	107.91	Inf	-Inf	5.78	3	Horizontal	169	2.99	-
AV	5.6796G	96.47	Inf	-Inf	5.80	3	Horizontal	169	2.99	-
PK	5.7294G	62.09	74.00	-11.91	5.90	3	Horizontal	169	2.99	-
AV	5.7252G	49.02	54.00	-4.98	5.89	3	Horizontal	169	2.99	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 90  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7244G	121.50	Inf	-Inf	5.89	3	Vertical	86	2.63	-
AV	5.714G	110.16	Inf	-Inf	5.87	3	Vertical	86	2.63	-
PK	5.854G	67.60	68.20	-0.60	6.46	3	Vertical	86	2.63	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 90  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6948G	113.46	Inf	-Inf	5.82	3	Horizontal	170	2.93	-
AV	5.7196G	102.26	Inf	-Inf	5.88	3	Horizontal	170	2.93	-
PK	5.882G	61.23	68.20	-6.97	6.67	3	Horizontal	170	2.93	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/12/2018

5290MHz\_TX




EUT\_Z\_4TX  
Setting 56  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	58.70	74.00	-15.30	4.30	3	Vertical	170	2.61	-
AV	5.146G	46.97	54.00	-7.03	4.30	3	Vertical	170	2.61	-
PK	5.291G	110.05	Inf	-Inf	4.66	3	Vertical	170	2.61	-
AV	5.302G	99.10	Inf	-Inf	4.71	3	Vertical	170	2.61	-
PK	5.352G	68.98	74.00	-5.02	4.89	3	Vertical	170	2.61	-
AV	5.352G	53.78	54.00	-0.22	4.89	3	Vertical	170	2.61	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/12/2018

5290MHz\_TX




EUT\_Z\_4TX  
Setting 56  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.14G	57.98	74.00	-16.02	4.29	3	Horizontal	174	2.96	-
AV	5.148G	45.40	54.00	-8.60	4.30	3	Horizontal	174	2.96	-
PK	5.28G	102.91	Inf	-Inf	4.63	3	Horizontal	174	2.96	-
AV	5.275G	90.90	Inf	-Inf	4.61	3	Horizontal	174	2.96	-
PK	5.36G	60.03	74.00	-13.97	4.92	3	Horizontal	174	2.96	-
AV	5.355G	47.25	54.00	-6.75	4.89	3	Horizontal	174	2.96	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/12/2018

5530MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.342G	58.67	68.20	-9.53	4.86	3	Vertical	77	2.56	-
PK	5.46G	66.04	74.00	-7.96	5.30	3	Vertical	77	2.56	-
AV	5.46G	53.04	54.00	-0.96	5.30	3	Vertical	77	2.56	-
AV	5.461G	53.79	54.00	-0.21	5.30	3	Vertical	77	2.56	-
PK	5.4699G	67.87	74.00	-6.13	5.34	3	Vertical	77	2.56	-
PK	5.52G	112.20	Inf	-Inf	5.52	3	Vertical	77	2.56	-
AV	5.535G	99.96	Inf	-Inf	5.55	3	Vertical	77	2.56	-
PK	5.747G	59.73	74.00	-14.27	5.94	3	Vertical	77	2.56	-
AV	5.766G	47.21	54.00	-6.79	5.98	3	Vertical	77	2.56	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/12/2018

5530MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.312G	57.14	68.20	-11.06	4.75	3	Horizontal	179	2.75	-
PK	5.456G	60.46	74.00	-13.54	5.29	3	Horizontal	179	2.75	-
AV	5.458G	48.29	54.00	-5.71	5.29	3	Horizontal	179	2.75	-
PK	5.463G	60.79	74.00	-13.21	5.31	3	Horizontal	179	2.75	-
AV	5.467G	48.48	54.00	-5.52	5.33	3	Horizontal	179	2.75	-
PK	5.537G	103.64	Inf	-Inf	5.55	3	Horizontal	179	2.75	-
AV	5.522G	91.75	Inf	-Inf	5.52	3	Horizontal	179	2.75	-
PK	5.763G	59.09	74.00	-14.91	5.98	3	Horizontal	179	2.75	-
AV	5.772G	47.19	54.00	-6.81	5.99	3	Horizontal	179	2.75	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/12/2018

5610MHz\_TX



EUT\_Z\_4TX  
Setting 65  
01-5-5-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	60.35	74.00	-13.65	5.28	3	Vertical	78	2.57	-
AV	5.452G	48.14	54.00	-5.86	5.27	3	Vertical	78	2.57	-
PK	5.467G	61.13	74.00	-12.87	5.33	3	Vertical	78	2.57	-
AV	5.47G	49.08	54.00	-4.92	5.34	3	Vertical	78	2.57	-
PK	5.6G	113.09	Inf	-Inf	5.72	3	Vertical	78	2.57	-
AV	5.615G	101.07	Inf	-Inf	5.74	3	Vertical	78	2.57	-
PK	5.731G	65.78	74.00	-8.22	5.90	3	Vertical	78	2.57	-
AV	5.726G	53.82	54.00	-0.18	5.89	3	Vertical	78	2.57	-



802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/12/2018

5610MHz\_TX




EUT\_Z\_4TX  
Setting 65  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	58.45	74.00	-15.55	5.28	3	Horizontal	169	2.91	-
AV	5.459G	46.10	54.00	-7.90	5.30	3	Horizontal	169	2.91	-
PK	5.469G	58.37	74.00	-15.63	5.34	3	Horizontal	169	2.91	-
AV	5.468G	46.30	54.00	-7.70	5.33	3	Horizontal	169	2.91	-
PK	5.625G	104.52	Inf	-Inf	5.76	3	Horizontal	169	2.91	-
AV	5.605G	93.18	Inf	-Inf	5.73	3	Horizontal	169	2.91	-
PK	5.731G	61.57	74.00	-12.43	5.90	3	Horizontal	169	2.91	-
AV	5.735G	48.94	54.00	-5.06	5.91	3	Horizontal	169	2.91	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

07/12/2018




EUT\_Z\_4TX  
Setting 77  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.457G	60.47	74.00	-13.53	5.29	3	Vertical	327	2.44	-
AV	5.457G	47.82	54.00	-6.18	5.29	3	Vertical	327	2.44	-
PK	5.461G	60.69	68.20	-7.51	5.30	3	Vertical	327	2.44	-
PK	5.683G	116.05	Inf	-Inf	5.80	3	Vertical	327	2.44	-
AV	5.678G	105.08	Inf	-Inf	5.80	3	Vertical	327	2.44	-
PK	5.858G	67.98	68.20	-0.22	6.50	3	Vertical	327	2.44	-
PK	5.937G	61.31	74.00	-12.69	6.97	3	Vertical	327	2.44	-
AV	5.929G	48.35	54.00	-5.65	6.94	3	Vertical	327	2.44	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

07/12/2018




EUT\_Z\_4TX  
Setting 77  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	57.28	74.00	-16.72	5.29	3	Horizontal	169	2.99	-
AV	5.455G	45.99	54.00	-8.01	5.28	3	Horizontal	169	2.99	-
PK	5.467G	58.06	68.20	-10.14	5.33	3	Horizontal	169	2.99	-
PK	5.705G	108.46	Inf	-Inf	5.84	3	Horizontal	169	2.99	-
AV	5.679G	97.11	Inf	-Inf	5.80	3	Horizontal	169	2.99	-
PK	5.861G	62.46	68.20	-5.74	6.52	3	Horizontal	169	2.99	-
PK	5.93G	59.27	74.00	-14.73	6.94	3	Horizontal	169	2.99	-
AV	5.93G	47.43	54.00	-6.57	6.94	3	Horizontal	169	2.99	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

06/12/2018

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 53  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.13G	63.10	74.00	-10.90	4.29	3	Vertical	278	2.48	-
AV	5.128G	53.07	54.00	-0.93	4.29	3	Vertical	278	2.48	-
PK	5.234G	108.22	Inf	-Inf	4.45	3	Vertical	278	2.48	-
AV	5.228G	97.00	Inf	-Inf	4.43	3	Vertical	278	2.48	-
PK	5.366G	63.70	74.00	-10.30	4.94	3	Vertical	278	2.48	-
AV	5.372G	53.86	54.00	-0.14	4.96	3	Vertical	278	2.48	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

06/12/2018

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 53  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.122G	58.60	74.00	-15.40	4.28	3	Horizontal	173	2.63	-
AV	5.138G	47.67	54.00	-6.33	4.29	3	Horizontal	173	2.63	-
PK	5.234G	97.78	Inf	-Inf	4.45	3	Horizontal	173	2.63	-
AV	5.246G	88.27	Inf	-Inf	4.50	3	Horizontal	173	2.63	-
PK	5.406G	59.58	74.00	-14.42	5.09	3	Horizontal	173	2.63	-
AV	5.388G	49.13	54.00	-4.87	5.01	3	Horizontal	173	2.63	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

07/12/2018

5570MHz\_TX




EUT\_Z\_4TX  
Setting 54  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.306G	58.61	68.20	-9.59	4.72	3	Vertical	78	2.58	-
PK	5.46G	63.13	74.00	-10.87	5.30	3	Vertical	78	2.58	-
AV	5.456G	52.62	54.00	-1.38	5.29	3	Vertical	78	2.58	-
PK	5.47G	63.86	74.00	-10.14	5.34	3	Vertical	78	2.58	-
AV	5.47G	53.93	54.00	-0.07	5.34	3	Vertical	78	2.58	-
PK	5.546G	107.70	Inf	-Inf	5.58	3	Vertical	78	2.58	-
AV	5.566G	97.07	Inf	-Inf	5.63	3	Vertical	78	2.58	-
PK	5.726G	63.99	74.00	-10.01	5.89	3	Vertical	78	2.58	-
AV	5.726G	52.61	54.00	-1.39	5.89	3	Vertical	78	2.58	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

07/12/2018

5570MHz\_TX



EUT\_Z\_4TX  
Setting 54  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.21G	57.77	68.20	-10.43	4.37	3	Horizontal	179	2.88	-
PK	5.436G	58.82	74.00	-15.18	5.21	3	Horizontal	179	2.88	-
PK	5.466G	57.59	74.00	-16.41	5.33	3	Horizontal	179	2.88	-
AV	5.458G	48.00	54.00	-6.00	5.29	3	Horizontal	179	2.88	-
AV	5.462G	48.00	54.00	-6.00	5.31	3	Horizontal	179	2.88	-
PK	5.516G	98.25	Inf	-Inf	5.50	3	Horizontal	179	2.88	-
AV	5.548G	88.66	Inf	-Inf	5.59	3	Horizontal	179	2.88	-
PK	5.77G	61.38	74.00	-12.62	5.99	3	Horizontal	179	2.88	-
AV	5.964G	49.07	54.00	-4.93	7.10	3	Horizontal	179	2.88	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7252G	73.98	74.00	-0.02	5.89	3	Vertical	4	2.48	-







802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5260MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Z\_4TX  
Setting 77  
01-S-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	58.85	74.00	-15.15	4.30	3	Vertical	278	2.62	-
AV	5.1466G	45.83	54.00	-8.17	4.30	3	Vertical	278	2.62	-
PK	5.2684G	121.35	Inf	-Inf	4.59	3	Vertical	278	2.62	-
AV	5.269G	109.97	Inf	-Inf	4.59	3	Vertical	278	2.62	-
PK	5.3506G	61.14	74.00	-12.86	4.88	3	Vertical	278	2.62	-
AV	5.35G	47.48	54.00	-6.52	4.88	3	Vertical	278	2.62	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5260MHz\_TX




EUT\_Z\_4TX  
Setting 77  
01-S-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	56.79	74.00	-17.21	4.30	3	Horizontal	72	1.50	-
AV	5.1472G	44.10	54.00	-9.90	4.30	3	Horizontal	72	1.50	-
PK	5.2642G	110.19	Inf	-Inf	4.56	3	Horizontal	72	1.50	-
AV	5.2618G	97.77	Inf	-Inf	4.56	3	Horizontal	72	1.50	-
PK	5.4058G	57.02	74.00	-16.98	5.09	3	Horizontal	72	1.50	-
AV	5.401G	44.68	54.00	-9.32	5.06	3	Horizontal	72	1.50	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5300MHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3012G	120.16	Inf	-Inf	4.70	3	Vertical	78	2.61	-
AV	5.3016G	108.58	Inf	-Inf	4.70	3	Vertical	78	2.61	-
PK	5.3536G	62.88	74.00	-11.12	4.89	3	Vertical	78	2.61	-
AV	5.3504G	48.01	54.00	-5.99	4.88	3	Vertical	78	2.61	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5300MHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3084G	109.69	Inf	-Inf	4.74	3	Horizontal	5	1.46	-
AV	5.3084G	99.08	Inf	-Inf	4.74	3	Horizontal	5	1.46	-
PK	5.35G	57.89	74.00	-16.11	4.88	3	Horizontal	5	1.46	-
AV	5.3976G	44.67	54.00	-9.33	5.05	3	Horizontal	5	1.46	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5320MHz\_TX




EUT\_Z\_4TX  
Setting 72  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.328G	121.02	Inf	-Inf	4.80	3	Vertical	96	2.73	-
AV	5.3284G	109.66	Inf	-Inf	4.81	3	Vertical	96	2.73	-
PK	5.351G	69.86	74.00	-4.14	4.88	3	Vertical	96	2.73	-
AV	5.351G	53.81	54.00	-0.19	4.88	3	Vertical	96	2.73	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5320MHz\_TX




EUT\_Z\_4TX  
Setting 72  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3284G	111.17	Inf	-Inf	4.81	3	Horizontal	185	2.61	-
AV	5.3268G	99.67	Inf	-Inf	4.80	3	Horizontal	185	2.61	-
PK	5.3516G	60.69	74.00	-13.31	4.88	3	Horizontal	185	2.61	-
AV	5.3508G	46.08	54.00	-7.92	4.88	3	Horizontal	185	2.61	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5500MHz\_TX




EUT\_Z\_4TX  
Setting 72  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	66.84	74.00	-7.16	5.30	3	Vertical	137	2.72	-
AV	5.4596G	48.10	54.00	-5.90	5.30	3	Vertical	137	2.72	-
PK	5.47G	73.19	74.00	-0.81	5.34	3	Vertical	137	2.72	-
AV	5.4696G	53.94	54.00	-0.06	5.34	3	Vertical	137	2.72	-
PK	5.4956G	121.11	Inf	-Inf	5.45	3	Vertical	137	2.72	-
AV	5.4976G	108.20	Inf	-Inf	5.45	3	Vertical	137	2.72	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5500MHz\_TX



EUT\_Z\_4TX  
Setting 72  
01-5-5-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4464G	57.60	74.00	-16.40	5.25	3	Horizontal	164	1.00	-
AV	5.4588G	44.85	54.00	-9.15	5.30	3	Horizontal	164	1.00	-
PK	5.4692G	62.11	74.00	-11.89	5.34	3	Horizontal	164	1.00	-
AV	5.4696G	45.95	54.00	-8.05	5.34	3	Horizontal	164	1.00	-
PK	5.5044G	111.50	Inf	-Inf	5.47	3	Horizontal	164	1.00	-
AV	5.5088G	98.80	Inf	-Inf	5.49	3	Horizontal	164	1.00	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4544G	66.60	74.00	-7.40	5.27	3	Vertical	138	2.49	-
AV	5.456G	51.56	54.00	-2.44	5.29	3	Vertical	138	2.49	-
PK	5.464G	68.64	74.00	-5.36	5.31	3	Vertical	138	2.49	-
AV	5.4696G	52.40	54.00	-1.60	5.34	3	Vertical	138	2.49	-
PK	5.588G	123.87	Inf	-Inf	5.69	3	Vertical	138	2.49	-
AV	5.588G	111.98	Inf	-Inf	5.69	3	Vertical	138	2.49	-
PK	5.7304G	64.77	74.00	-9.23	5.90	3	Vertical	138	2.49	-
AV	5.7264G	50.47	54.00	-3.53	5.89	3	Vertical	138	2.49	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4576G	60.12	74.00	-13.88	5.29	3	Horizontal	173	2.53	-
AV	5.46G	46.70	54.00	-7.30	5.30	3	Horizontal	173	2.53	-
PK	5.4648G	61.21	74.00	-12.79	5.31	3	Horizontal	173	2.53	-
AV	5.4688G	47.16	54.00	-6.84	5.34	3	Horizontal	173	2.53	-
PK	5.5864G	114.22	Inf	-Inf	5.68	3	Horizontal	173	2.53	-
AV	5.5816G	102.44	Inf	-Inf	5.67	3	Horizontal	173	2.53	-
PK	5.7344G	60.50	74.00	-13.50	5.91	3	Horizontal	173	2.53	-
AV	5.7584G	47.96	54.00	-6.04	5.96	3	Horizontal	173	2.53	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5700MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7084G	117.62	Inf	-Inf	5.85	3	Vertical	269	2.78	-
AV	5.7084G	105.85	Inf	-Inf	5.85	3	Vertical	269	2.78	-
PK	5.7252G	73.83	74.00	-0.17	5.89	3	Vertical	269	2.78	-
AV	5.7252G	50.18	54.00	-3.82	5.89	3	Vertical	269	2.78	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5700MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7044G	107.66	Inf	-Inf	5.84	3	Horizontal	172	2.89	-
AV	5.6984G	95.85	Inf	-Inf	5.83	3	Horizontal	172	2.89	-
PK	5.7252G	63.65	74.00	-10.35	5.89	3	Horizontal	172	2.89	-
AV	5.7712G	47.47	54.00	-6.53	5.99	3	Horizontal	172	2.89	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7144G	124.35	Inf	-Inf	5.87	3	Vertical	270	2.34	-
AV	5.712G	112.90	Inf	-Inf	5.85	3	Vertical	270	2.34	-
PK	5.8512G	65.82	68.20	-2.38	6.45	3	Vertical	270	2.34	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

08/12/2018

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
01-5-5-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7144G	116.65	Inf	-Inf	5.87	3	Horizontal	174	2.97	-
AV	5.7152G	105.98	Inf	-Inf	5.87	3	Horizontal	174	2.97	-
PK	5.8528G	59.58	68.20	-8.62	6.46	3	Horizontal	174	2.97	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5270MHz\_TX




EUT\_Z\_4TX  
Setting 75  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2868G	119.99	Inf	-Inf	4.65	3	Vertical	97	2.30	-
AV	5.2852G	107.47	Inf	-Inf	4.65	3	Vertical	97	2.30	-
PK	5.3508G	66.85	74.00	-7.15	4.88	3	Vertical	97	2.30	-
AV	5.35G	49.93	54.00	-4.07	4.88	3	Vertical	97	2.30	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5270MHz\_TX



EUT\_Z\_4TX  
Setting 75  
01-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2528G	110.48	Inf	-Inf	4.53	3	Horizontal	1	2.38	-
AV	5.262G	98.73	Inf	-Inf	4.56	3	Horizontal	1	2.38	-
PK	5.3516G	61.29	74.00	-12.71	4.88	3	Horizontal	1	2.38	-
AV	5.35G	46.51	54.00	-7.49	4.88	3	Horizontal	1	2.38	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5310MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.298G	115.11	Inf	-Inf	4.69	3	Vertical	75	2.57	-
AV	5.3008G	103.33	Inf	-Inf	4.70	3	Vertical	75	2.57	-
PK	5.3501G	73.97	74.00	-0.03	4.88	3	Vertical	75	2.57	-
AV	5.3504G	49.27	54.00	-4.73	4.88	3	Vertical	75	2.57	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5310MHz\_TX




EUT\_Z\_4TX  
Setting 58  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	108.23	Inf	-Inf	4.80	3	Horizontal	176	2.94	-
AV	5.3012G	95.96	Inf	-Inf	4.70	3	Horizontal	176	2.94	-
PK	5.35G	65.76	74.00	-8.24	4.88	3	Horizontal	176	2.94	-
AV	5.3508G	46.45	54.00	-7.55	4.88	3	Horizontal	176	2.94	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5510MHz\_TX




EUT\_Z\_4TX  
Setting 51  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4524G	65.47	74.00	-8.53	5.27	3	Vertical	271	2.55	-
AV	5.4572G	46.52	54.00	-7.48	5.29	3	Vertical	271	2.55	-
PK	5.4699G	73.96	74.00	-0.04	5.34	3	Vertical	271	2.55	-
AV	5.469G	46.96	54.00	-7.04	5.34	3	Vertical	271	2.55	-
PK	5.5012G	113.69	Inf	-Inf	5.46	3	Vertical	271	2.55	-
AV	5.502G	101.04	Inf	-Inf	5.46	3	Vertical	271	2.55	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5510MHz\_TX




EUT\_Z\_4TX  
Setting 51  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	57.94	74.00	-16.06	5.27	3	Horizontal	66	2.67	-
AV	5.454G	45.06	54.00	-8.94	5.27	3	Horizontal	66	2.67	-
PK	5.47G	65.98	74.00	-8.02	5.34	3	Horizontal	66	2.67	-
AV	5.4664G	45.25	54.00	-8.75	5.33	3	Horizontal	66	2.67	-
PK	5.5164G	105.12	Inf	-Inf	5.50	3	Horizontal	66	2.67	-
AV	5.5076G	91.96	Inf	-Inf	5.49	3	Horizontal	66	2.67	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5550MHz\_TX




EUT\_Z\_4TX  
Setting 80  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4594G	66.56	74.00	-7.44	5.30	3	Vertical	191	2.98	-
AV	5.46G	51.50	54.00	-2.50	5.30	3	Vertical	191	2.98	-
PK	5.4696G	69.29	74.00	-4.71	5.34	3	Vertical	191	2.98	-
AV	5.47G	53.97	54.00	-0.03	5.34	3	Vertical	191	2.98	-
PK	5.5392G	121.27	Inf	-Inf	5.56	3	Vertical	191	2.98	-
AV	5.5398G	108.77	Inf	-Inf	5.56	3	Vertical	191	2.98	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5550MHz\_TX




EUT\_Z\_4TX  
Setting 80  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	62.16	74.00	-11.84	5.25	3	Horizontal	174	2.65	-
AV	5.4594G	47.28	54.00	-6.72	5.30	3	Horizontal	174	2.65	-
PK	5.47G	62.88	74.00	-11.12	5.34	3	Horizontal	174	2.65	-
AV	5.47G	48.92	54.00	-5.08	5.34	3	Horizontal	174	2.65	-
PK	5.5656G	111.52	Inf	-Inf	5.63	3	Horizontal	174	2.65	-
AV	5.568G	99.27	Inf	-Inf	5.64	3	Horizontal	174	2.65	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5670MHz\_TX




EUT\_Z\_4TX  
Setting 67  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6888G	118.47	Inf	-Inf	5.82	3	Vertical	4	2.48	-
AV	5.6856G	105.84	Inf	-Inf	5.82	3	Vertical	4	2.48	-
PK	5.7252G	73.98	74.00	-0.02	5.89	3	Vertical	4	2.48	-
AV	5.7264G	53.01	54.00	-0.99	5.89	3	Vertical	4	2.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5670MHz\_TX



EUT\_Z\_4TX  
Setting 67  
01-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6532G	111.08	Inf	-Inf	5.78	3	Horizontal	84	2.92	-
AV	5.652G	98.81	Inf	-Inf	5.78	3	Horizontal	84	2.92	-
PK	5.7252G	69.82	74.00	-4.18	5.89	3	Horizontal	84	2.92	-
AV	5.7726G	50.45	54.00	-3.55	6.00	3	Horizontal	84	2.92	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 96  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4212G	58.87	74.00	-15.13	5.14	3	Vertical	89	2.44	-
PK	5.4616G	59.89	68.20	-8.31	5.30	3	Vertical	89	2.44	-
AV	5.4568G	46.69	54.00	-7.31	5.29	3	Vertical	89	2.44	-
PK	5.6944G	122.58	Inf	-Inf	5.82	3	Vertical	89	2.44	-
AV	5.6956G	111.37	Inf	-Inf	5.83	3	Vertical	89	2.44	-
PK	5.854G	68.18	68.20	-0.02	6.46	3	Vertical	89	2.44	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 96  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4208G	58.50	74.00	-15.50	5.14	3	Horizontal	80	2.91	-
AV	5.4532G	45.21	54.00	-8.79	5.27	3	Horizontal	80	2.91	-
PK	5.464G	57.84	68.20	-10.36	5.31	3	Horizontal	80	2.91	-
PK	5.6932G	114.90	Inf	-Inf	5.82	3	Horizontal	80	2.91	-
AV	5.692G	102.66	Inf	-Inf	5.82	3	Horizontal	80	2.91	-
PK	5.8516G	62.19	68.20	-6.01	6.45	3	Horizontal	80	2.91	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5290MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.14G	59.31	74.00	-14.69	4.29	3	Vertical	97	2.68	-
AV	5.149G	46.46	54.00	-7.54	4.30	3	Vertical	97	2.68	-
PK	5.282G	113.55	Inf	-Inf	4.64	3	Vertical	97	2.68	-
AV	5.261G	101.66	Inf	-Inf	4.55	3	Vertical	97	2.68	-
PK	5.353G	73.88	74.00	-0.12	4.89	3	Vertical	97	2.68	-
AV	5.35G	51.73	54.00	-2.27	4.88	3	Vertical	97	2.68	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5290MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.071G	57.48	74.00	-16.52	4.31	3	Horizontal	97	2.57	-
AV	5.103G	44.42	54.00	-9.58	4.27	3	Horizontal	97	2.57	-
PK	5.253G	105.97	Inf	-Inf	4.53	3	Horizontal	97	2.57	-
AV	5.255G	94.30	Inf	-Inf	4.54	3	Horizontal	97	2.57	-
PK	5.356G	66.77	74.00	-7.23	4.90	3	Horizontal	97	2.57	-
AV	5.35G	47.64	54.00	-6.36	4.88	3	Horizontal	97	2.57	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5530MHz\_TX




EUT\_Z\_4TX  
Setting 59  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.303G	58.40	68.20	-9.80	4.71	3	Vertical	190	2.98	-
PK	5.455G	73.98	74.00	-0.02	5.28	3	Vertical	190	2.98	-
AV	5.46G	51.95	54.00	-2.05	5.30	3	Vertical	190	2.98	-
PK	5.468G	71.26	74.00	-2.74	5.33	3	Vertical	190	2.98	-
AV	5.469G	52.76	54.00	-1.24	5.34	3	Vertical	190	2.98	-
PK	5.537G	113.56	Inf	-Inf	5.55	3	Vertical	190	2.98	-
AV	5.54G	100.76	Inf	-Inf	5.56	3	Vertical	190	2.98	-
PK	5.772G	59.78	74.00	-14.22	5.99	3	Vertical	190	2.98	-
AV	5.771G	48.93	54.00	-5.07	5.99	3	Vertical	190	2.98	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5530MHz\_TX




EUT\_Z\_4TX  
Setting 59  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.338G	57.57	68.20	-10.63	4.83	3	Horizontal	78	2.96	-
PK	5.455G	65.06	74.00	-8.94	5.28	3	Horizontal	78	2.96	-
AV	5.458G	46.78	54.00	-7.22	5.29	3	Horizontal	78	2.96	-
PK	5.465G	65.56	74.00	-8.44	5.33	3	Horizontal	78	2.96	-
AV	5.469G	47.69	54.00	-6.31	5.34	3	Horizontal	78	2.96	-
PK	5.52G	105.47	Inf	-Inf	5.52	3	Horizontal	78	2.96	-
AV	5.493G	93.88	Inf	-Inf	5.43	3	Horizontal	78	2.96	-
PK	5.745G	59.15	74.00	-14.85	5.94	3	Horizontal	78	2.96	-
AV	5.773G	48.61	54.00	-5.39	6.00	3	Horizontal	78	2.96	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5610MHz\_TX




EUT\_Z\_4TX  
Setting 71  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.443G	65.83	74.00	-8.17	5.23	3	Vertical	56	2.77	-
AV	5.459G	49.39	54.00	-4.61	5.30	3	Vertical	56	2.77	-
PK	5.463G	67.20	74.00	-6.80	5.31	3	Vertical	56	2.77	-
AV	5.469G	49.90	54.00	-4.10	5.34	3	Vertical	56	2.77	-
PK	5.585G	120.23	Inf	-Inf	5.68	3	Vertical	56	2.77	-
AV	5.603G	104.88	Inf	-Inf	5.72	3	Vertical	56	2.77	-
PK	5.726G	70.76	74.00	-3.24	5.89	3	Vertical	56	2.77	-
AV	5.726G	53.97	54.00	-0.03	5.89	3	Vertical	56	2.77	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5610MHz\_TX



EUT\_Z\_4TX  
Setting 71  
01-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	60.56	74.00	-13.44	5.30	3	Horizontal	171	2.46	-
AV	5.459G	47.22	54.00	-6.78	5.30	3	Horizontal	171	2.46	-
PK	5.466G	61.59	74.00	-12.41	5.33	3	Horizontal	171	2.46	-
AV	5.47G	47.76	54.00	-6.24	5.34	3	Horizontal	171	2.46	-
PK	5.575G	108.11	Inf	-Inf	5.66	3	Horizontal	171	2.46	-
AV	5.579G	97.89	Inf	-Inf	5.66	3	Horizontal	171	2.46	-
PK	5.727G	64.29	74.00	-9.71	5.89	3	Horizontal	171	2.46	-
AV	5.773G	50.74	54.00	-3.26	6.00	3	Horizontal	171	2.46	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	59.88	74.00	-14.12	5.27	3	Vertical	46	2.67	-
AV	5.4596G	46.48	54.00	-7.52	5.30	3	Vertical	46	2.67	-
PK	5.4656G	59.03	68.20	-9.17	5.33	3	Vertical	46	2.67	-
PK	5.6984G	119.30	Inf	-Inf	5.83	3	Vertical	46	2.67	-
AV	5.6996G	107.31	Inf	-Inf	5.83	3	Vertical	46	2.67	-
PK	5.8556G	68.17	68.20	-0.03	6.47	3	Vertical	46	2.67	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.408G	58.45	74.00	-15.55	5.09	3	Horizontal	171	2.74	-
AV	5.4512G	45.43	54.00	-8.57	5.26	3	Horizontal	171	2.74	-
PK	5.4656G	57.61	68.20	-10.59	5.33	3	Horizontal	171	2.74	-
PK	5.654 G	109.36	Inf	-Inf	5.78	3	Horizontal	171	2.74	-
AV	5.6648G	97.80	Inf	-Inf	5.79	3	Horizontal	171	2.74	-
PK	5.8748G	60.62	68.20	-7.58	6.63	3	Horizontal	171	2.74	-

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 51  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1268G	64.44	74.00	-9.56	4.29	3	Vertical	192	2.66	-
AV	5.1476G	53.59	54.00	-0.41	4.30	3	Vertical	192	2.66	-
PK	5.1812G	107.10	Inf	-Inf	4.32	3	Vertical	192	2.66	-
AV	5.1732G	101.34	Inf	-Inf	4.31	3	Vertical	192	2.66	-
PK	5.3892G	68.33	74.00	-5.67	5.02	3	Vertical	192	2.66	-
AV	5.3812G	53.96	54.00	-0.04	4.99	3	Vertical	192	2.66	-

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 51  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	61.29	74.00	-12.71	4.30	3	Horizontal	84	2.40	-
AV	5.1156G	46.94	54.00	-7.06	4.28	3	Horizontal	84	2.40	-
PK	5.1876G	98.04	Inf	-Inf	4.32	3	Horizontal	84	2.40	-
AV	5.1812G	91.14	Inf	-Inf	4.32	3	Horizontal	84	2.40	-
PK	5.3764G	62.59	74.00	-11.41	4.98	3	Horizontal	84	2.40	-
AV	5.5972G	48.04	54.00	-5.96	5.71	3	Horizontal	84	2.40	-

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5570MHz\_TX




EUT\_Z\_4TX  
Setting 53  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2836G	58.37	68.20	-9.83	4.64	3	Vertical	156	2.99	-
PK	5.45G	71.27	74.00	-2.73	5.26	3	Vertical	156	2.99	-
AV	5.3716G	51.93	54.00	-2.07	4.95	3	Vertical	156	2.99	-
PK	5.4692G	68.10	74.00	-5.90	5.34	3	Vertical	156	2.99	-
AV	5.4612G	50.14	54.00	-3.86	5.30	3	Vertical	156	2.99	-
PK	5.5668G	108.02	Inf	-Inf	5.63	3	Vertical	156	2.99	-
AV	5.5588G	99.17	Inf	-Inf	5.62	3	Vertical	156	2.99	-
PK	5.7268G	70.53	74.00	-3.47	5.89	3	Vertical	156	2.99	-
AV	5.7268G	53.96	54.00	-0.04	5.89	3	Vertical	156	2.99	-

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

10/12/2018

5570MHz\_TX



EUT\_Z\_4TX  
Setting 53  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2468G	58.25	68.20	-9.95	4.50	3	Horizontal	169	2.83	-
PK	5.4532G	62.91	74.00	-11.09	5.27	3	Horizontal	169	2.83	-
AV	5.4356G	50.14	54.00	-3.86	5.21	3	Horizontal	169	2.83	-
PK	5.4676G	57.71	74.00	-16.29	5.33	3	Horizontal	169	2.83	-
AV	5.4676G	47.41	54.00	-6.59	5.33	3	Horizontal	169	2.83	-
PK	5.5028G	103.86	Inf	-Inf	5.47	3	Horizontal	169	2.83	-
AV	5.5748G	91.44	Inf	-Inf	5.66	3	Horizontal	169	2.83	-
PK	5.7268G	68.34	74.00	-5.66	5.89	3	Horizontal	169	2.83	-
AV	5.7284G	53.94	54.00	-0.06	5.90	3	Horizontal	169	2.83	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.3552G	53.98	54.00	-0.02	4.90	3	Vertical	280	2.56	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5260MHz\_TX



EUT\_Z\_4TX  
Setting 77  
01-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	60.16	74.00	-13.84	4.30	3	Vertical	89	2.58	-
AV	5.1256G	47.62	54.00	-6.38	4.29	3	Vertical	89	2.58	-
PK	5.2564G	118.45	Inf	-Inf	4.54	3	Vertical	89	2.58	-
AV	5.2642G	106.74	Inf	-Inf	4.56	3	Vertical	89	2.58	-
PK	5.3524G	59.52	74.00	-14.48	4.89	3	Vertical	89	2.58	-
AV	5.3638G	47.53	54.00	-6.47	4.93	3	Vertical	89	2.58	-



802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5260MHz\_TX




EUT\_Z\_4TX  
Setting 77  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1424G	57.61	74.00	-16.39	4.29	3	Horizontal	4	2.40	-
AV	5.1394G	45.37	54.00	-8.63	4.29	3	Horizontal	4	2.40	-
PK	5.2624G	110.66	Inf	-Inf	4.56	3	Horizontal	4	2.40	-
AV	5.2576G	98.58	Inf	-Inf	4.54	3	Horizontal	4	2.40	-
PK	5.3572G	58.05	74.00	-15.95	4.90	3	Horizontal	4	2.40	-
AV	5.3974G	45.78	54.00	-8.22	5.05	3	Horizontal	4	2.40	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5300MHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3024G	119.51	Inf	-Inf	4.71	3	Vertical	81	2.63	-
AV	5.2968G	107.46	Inf	-Inf	4.69	3	Vertical	81	2.63	-
PK	5.3504G	64.99	74.00	-9.01	4.88	3	Vertical	81	2.63	-
AV	5.354G	51.36	54.00	-2.64	4.89	3	Vertical	81	2.63	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5300MHz\_TX




EUT\_Z\_4TX  
Setting 79  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3012G	111.17	Inf	-Inf	4.70	3	Horizontal	175	2.69	-
AV	5.2968G	99.62	Inf	-Inf	4.69	3	Horizontal	175	2.69	-
PK	5.3524G	59.88	74.00	-14.12	4.89	3	Horizontal	175	2.69	-
AV	5.3504G	47.11	54.00	-6.89	4.88	3	Horizontal	175	2.69	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5320MHz\_TX




EUT\_Z\_4TX  
Setting 66  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3168G	115.18	Inf	-Inf	4.76	3	Vertical	82	2.65	-
AV	5.3168G	104.32	Inf	-Inf	4.76	3	Vertical	82	2.65	-
PK	5.35G	68.45	74.00	-5.55	4.88	3	Vertical	82	2.65	-
AV	5.35G	53.86	54.00	-0.14	4.88	3	Vertical	82	2.65	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5320MHz\_TX




EUT\_Z\_4TX  
Setting 66  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3212G	108.36	Inf	-Inf	4.77	3	Horizontal	175	2.59	-
AV	5.3228G	96.37	Inf	-Inf	4.78	3	Horizontal	175	2.59	-
PK	5.35G	62.35	74.00	-11.65	4.88	3	Horizontal	175	2.59	-
AV	5.35G	49.24	54.00	-4.76	4.88	3	Horizontal	175	2.59	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5500MHz\_TX




EUT\_Z\_4TX  
Setting 68  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	61.71	74.00	-12.29	5.30	3	Vertical	82	2.52	-
AV	5.459G	48.60	54.00	-5.40	5.30	3	Vertical	82	2.52	-
PK	5.4696G	68.09	68.20	-0.11	5.34	3	Vertical	82	2.52	-
PK	5.4968G	114.94	Inf	-Inf	5.45	3	Vertical	82	2.52	-
AV	5.4968G	104.04	Inf	-Inf	5.45	3	Vertical	82	2.52	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5500MHz\_TX




EUT\_Z\_4TX  
Setting 68  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	58.51	74.00	-15.49	5.26	3	Horizontal	172	2.72	-
AV	5.4592G	46.36	54.00	-7.64	5.30	3	Horizontal	172	2.72	-
PK	5.4692G	64.54	68.20	-3.66	5.34	3	Horizontal	172	2.72	-
PK	5.5012G	108.26	Inf	-Inf	5.46	3	Horizontal	172	2.72	-
AV	5.4968G	97.58	Inf	-Inf	5.45	3	Horizontal	172	2.72	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5580MHz\_TX



EUT\_Z\_4TX  
Setting 107  
01-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	67.43	74.00	-6.57	5.29	3	Vertical	146	2.78	-
AV	5.4568G	53.98	54.00	-0.02	5.29	3	Vertical	146	2.78	-
PK	5.4696G	67.83	68.20	-0.37	5.34	3	Vertical	146	2.78	-
PK	5.5784G	122.49	Inf	-Inf	5.66	3	Vertical	146	2.78	-
AV	5.584G	110.78	Inf	-Inf	5.68	3	Vertical	146	2.78	-
PK	5.7272G	68.11	68.20	-0.09	5.89	3	Vertical	146	2.78	-



802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5580MHz\_TX




EUT\_Z\_4TX  
Setting 107  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	60.87	74.00	-13.13	5.30	3	Horizontal	0	2.53	-
AV	5.459G	48.53	54.00	-5.47	5.30	3	Horizontal	0	2.53	-
PK	5.4624G	62.18	68.20	-6.02	5.31	3	Horizontal	0	2.53	-
PK	5.5864G	116.43	Inf	-Inf	5.68	3	Horizontal	0	2.53	-
AV	5.5832G	103.94	Inf	-Inf	5.68	3	Horizontal	0	2.53	-
PK	5.7288G	61.95	68.20	-6.25	5.90	3	Horizontal	0	2.53	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5700MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6992G	114.43	Inf	-Inf	5.83	3	Vertical	143	2.54	-
AV	5.7036G	102.30	Inf	-Inf	5.84	3	Vertical	143	2.54	-
PK	5.7268G	69.58	74.00	-4.42	5.89	3	Vertical	143	2.54	-
AV	5.7254G	53.88	54.00	-0.12	5.89	3	Vertical	143	2.54	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

06/12/2018

5700MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7062G	106.61	Inf	-Inf	5.84	3	Horizontal	0	2.84	-
AV	5.7022G	95.59	Inf	-Inf	5.83	3	Horizontal	0	2.84	-
PK	5.7266G	65.86	74.00	-8.14	5.89	3	Horizontal	0	2.84	-
AV	5.7252G	49.35	54.00	-4.65	5.89	3	Horizontal	0	2.84	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 108  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	59.52	74.00	-14.48	5.26	3	Vertical	41	2.43	-
AV	5.4572G	47.33	54.00	-6.67	5.29	3	Vertical	41	2.43	-
PK	5.4692G	59.61	68.20	-8.59	5.34	3	Vertical	41	2.43	-
PK	5.7272G	123.46	Inf	-Inf	5.89	3	Vertical	41	2.43	-
AV	5.7164G	111.24	Inf	-Inf	5.87	3	Vertical	41	2.43	-
PK	5.8532G	68.14	68.20	-0.06	6.46	3	Vertical	41	2.43	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 108  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	57.93	74.00	-16.07	5.30	3	Horizontal	353	2.56	-
AV	5.4428G	46.01	54.00	-7.99	5.23	3	Horizontal	353	2.56	-
PK	5.4608G	56.73	68.20	-11.47	5.30	3	Horizontal	353	2.56	-
PK	5.7152G	115.57	Inf	-Inf	5.87	3	Horizontal	353	2.56	-
AV	5.7176G	104.21	Inf	-Inf	5.88	3	Horizontal	353	2.56	-
PK	5.8544G	64.27	68.20	-3.93	6.47	3	Horizontal	353	2.56	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5270MHz\_TX




EUT\_Z\_4TX  
Setting 75  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2756G	115.73	Inf	-Inf	4.61	3	Vertical	280	2.56	-
AV	5.2652G	104.64	Inf	-Inf	4.58	3	Vertical	280	2.56	-
PK	5.3556G	67.46	74.00	-6.54	4.90	3	Vertical	280	2.56	-
AV	5.3552G	53.98	54.00	-0.02	4.90	3	Vertical	280	2.56	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5270MHz\_TX




EUT\_Z\_4TX  
Setting 75  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2784G	107.51	Inf	-Inf	4.62	3	Horizontal	0	2.64	-
AV	5.2768G	97.37	Inf	-Inf	4.61	3	Horizontal	0	2.64	-
PK	5.356G	61.08	74.00	-12.92	4.90	3	Horizontal	0	2.64	-
AV	5.3576G	48.63	54.00	-5.37	4.90	3	Horizontal	0	2.64	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5310MHz\_TX



EUT\_Z\_4TX  
Setting 59  
01-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.306G	110.52	Inf	-Inf	4.72	3	Vertical	181	2.38	-
AV	5.3048G	100.52	Inf	-Inf	4.71	3	Vertical	181	2.38	-
PK	5.3576G	69.60	74.00	-4.40	4.90	3	Vertical	181	2.38	-
AV	5.3576G	53.97	54.00	-0.03	4.90	3	Vertical	181	2.38	-



802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5310MHz\_TX




EUT\_Z\_4TX  
Setting 59  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3184G	102.93	Inf	-Inf	4.77	3	Horizontal	2	2.52	-
AV	5.312G	93.17	Inf	-Inf	4.75	3	Horizontal	2	2.52	-
PK	5.3508G	63.87	74.00	-10.13	4.88	3	Horizontal	2	2.52	-
AV	5.3504G	50.42	54.00	-3.58	4.88	3	Horizontal	2	2.52	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5510MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	68.28	74.00	-5.72	5.30	3	Vertical	30	2.53	-
AV	5.458G	52.87	54.00	-1.13	5.29	3	Vertical	30	2.53	-
PK	5.4672G	70.45	74.00	-3.55	5.33	3	Vertical	30	2.53	-
AV	5.4676G	53.97	54.00	-0.03	5.33	3	Vertical	30	2.53	-
PK	5.4988G	113.00	Inf	-Inf	5.46	3	Vertical	30	2.53	-
AV	5.4976G	101.65	Inf	-Inf	5.45	3	Vertical	30	2.53	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5510MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	61.52	74.00	-12.48	5.29	3	Horizontal	172	2.70	-
AV	5.458G	48.03	54.00	-5.97	5.29	3	Horizontal	172	2.70	-
PK	5.4692G	65.54	74.00	-8.46	5.34	3	Horizontal	172	2.70	-
AV	5.469G	50.42	54.00	-3.58	5.34	3	Horizontal	172	2.70	-
PK	5.4948G	102.87	Inf	-Inf	5.43	3	Horizontal	172	2.70	-
AV	5.5048G	94.07	Inf	-Inf	5.47	3	Horizontal	172	2.70	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5550MHz\_TX




EUT\_Z\_4TX  
Setting 80  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4486G	65.65	74.00	-8.35	5.26	3	Vertical	54	2.45	-
AV	5.4486G	52.82	54.00	-1.18	5.26	3	Vertical	54	2.45	-
PK	5.469G	68.14	68.20	-0.06	5.34	3	Vertical	54	2.45	-
PK	5.5392G	116.60	Inf	-Inf	5.56	3	Vertical	54	2.45	-
AV	5.5446G	106.57	Inf	-Inf	5.58	3	Vertical	54	2.45	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5550MHz\_TX




EUT\_Z\_4TX  
Setting 80  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	61.47	74.00	-12.53	5.30	3	Horizontal	172	2.64	-
AV	5.4594G	49.39	54.00	-4.61	5.30	3	Horizontal	172	2.64	-
PK	5.47G	61.22	68.20	-6.98	5.34	3	Horizontal	172	2.64	-
PK	5.5476G	107.55	Inf	-Inf	5.59	3	Horizontal	172	2.64	-
AV	5.5452G	98.03	Inf	-Inf	5.58	3	Horizontal	172	2.64	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5670MHz\_TX




EUT\_Z\_4TX  
Setting 64  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6838G	111.46	Inf	-Inf	5.81	3	Vertical	271	2.39	-
AV	5.6736G	101.07	Inf	-Inf	5.80	3	Vertical	271	2.39	-
PK	5.7252G	68.17	68.20	-0.03	5.89	3	Vertical	271	2.39	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

06/12/2018

5670MHz\_TX




EUT\_Z\_4TX  
Setting 64  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6862G	104.62	Inf	-Inf	5.82	3	Horizontal	173	2.50	-
AV	5.6778G	94.86	Inf	-Inf	5.80	3	Horizontal	173	2.50	-
PK	5.7252G	62.81	68.20	-5.39	5.89	3	Horizontal	173	2.50	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 97  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4364G	59.03	74.00	-14.97	5.21	3	Vertical	271	2.58	-
AV	5.4556G	48.56	54.00	-5.44	5.29	3	Vertical	271	2.58	-
PK	5.4616G	58.84	68.20	-9.36	5.30	3	Vertical	271	2.58	-
PK	5.7052G	118.58	Inf	-Inf	5.84	3	Vertical	271	2.58	-
AV	5.7028G	107.52	Inf	-Inf	5.84	3	Vertical	271	2.58	-
PK	5.8672G	68.18	68.20	-0.02	6.56	3	Vertical	271	2.58	-



**802.11ax HEW40\_Nss4,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

06/12/2018




EUT\_Z\_4TX  
 Setting 97  
 01-W-3-10  
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	57.69	74.00	-16.31	5.29	3	Horizontal	170	2.88	-
AV	5.4388G	47.25	54.00	-6.75	5.22	3	Horizontal	170	2.88	-
PK	5.4664G	56.70	68.20	-11.50	5.33	3	Horizontal	170	2.88	-
PK	5.71G	110.87	Inf	-Inf	5.85	3	Horizontal	170	2.88	-
AV	5.7148G	101.96	Inf	-Inf	5.87	3	Horizontal	170	2.88	-
PK	5.8696G	62.52	68.20	-5.68	6.59	3	Horizontal	170	2.88	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

06/12/2018

5290MHz\_TX




EUT\_Z\_4TX  
Setting 59  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	58.69	74.00	-15.31	4.30	3	Vertical	88	2.60	-
AV	5.149G	48.53	54.00	-5.47	4.30	3	Vertical	88	2.60	-
PK	5.306G	108.40	Inf	-Inf	4.72	3	Vertical	88	2.60	-
AV	5.282G	97.36	Inf	-Inf	4.64	3	Vertical	88	2.60	-
PK	5.368G	66.41	74.00	-7.59	4.94	3	Vertical	88	2.60	-
AV	5.366G	53.87	54.00	-0.13	4.94	3	Vertical	88	2.60	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

06/12/2018

5290MHz\_TX




EUT\_Z\_4TX  
Setting 59  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.128G	57.53	74.00	-16.47	4.29	3	Horizontal	2	2.61	-
AV	5.141G	46.79	54.00	-7.21	4.29	3	Horizontal	2	2.61	-
PK	5.287G	100.56	Inf	-Inf	4.65	3	Horizontal	2	2.61	-
AV	5.282G	90.34	Inf	-Inf	4.64	3	Horizontal	2	2.61	-
PK	5.36G	60.30	74.00	-13.70	4.92	3	Horizontal	2	2.61	-
AV	5.35G	48.88	54.00	-5.12	4.88	3	Horizontal	2	2.61	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

06/12/2018

5530MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.33G	58.89	68.20	-9.31	4.81	3	Vertical	53	2.52	-
PK	5.46G	66.51	74.00	-7.49	5.30	3	Vertical	53	2.52	-
AV	5.46G	53.82	54.00	-0.18	5.30	3	Vertical	53	2.52	-
PK	5.47G	67.31	68.20	-0.89	5.34	3	Vertical	53	2.52	-
PK	5.544G	109.34	Inf	-Inf	5.58	3	Vertical	53	2.52	-
AV	5.517G	99.79	Inf	-Inf	5.50	3	Vertical	53	2.52	-
PK	5.751G	58.89	68.20	-9.31	5.94	3	Vertical	53	2.52	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

06/12/2018

5530MHz\_TX




EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3G	57.86	68.20	-10.34	4.70	3	Horizontal	161	2.65	-
PK	5.448G	61.03	74.00	-12.97	5.25	3	Horizontal	161	2.65	-
AV	5.448G	48.85	54.00	-5.15	5.25	3	Horizontal	161	2.65	-
PK	5.467G	62.12	68.20	-6.08	5.33	3	Horizontal	161	2.65	-
PK	5.524G	100.75	Inf	-Inf	5.53	3	Horizontal	161	2.65	-
AV	5.522G	90.68	Inf	-Inf	5.52	3	Horizontal	161	2.65	-
PK	5.739G	58.70	68.20	-9.50	5.93	3	Horizontal	161	2.65	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

06/12/2018

5610MHz\_TX




EUT\_Z\_4TX  
Setting 70  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	61.96	74.00	-12.04	5.29	3	Vertical	271	2.52	-
AV	5.457G	50.57	54.00	-3.43	5.29	3	Vertical	271	2.52	-
PK	5.465G	64.75	68.20	-3.45	5.33	3	Vertical	271	2.52	-
PK	5.606G	111.10	Inf	-Inf	5.73	3	Vertical	271	2.52	-
AV	5.626G	99.86	Inf	-Inf	5.75	3	Vertical	271	2.52	-
PK	5.727G	68.17	68.20	-0.03	5.89	3	Vertical	271	2.52	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

06/12/2018

5610MHz\_TX




EUT\_Z\_4TX  
Setting 70  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	58.37	74.00	-15.63	5.29	3	Horizontal	176	2.67	-
AV	5.455G	47.75	54.00	-6.25	5.28	3	Horizontal	176	2.67	-
PK	5.465G	60.37	68.20	-7.83	5.33	3	Horizontal	176	2.67	-
PK	5.606G	103.83	Inf	-Inf	5.73	3	Horizontal	176	2.67	-
AV	5.602G	94.32	Inf	-Inf	5.72	3	Horizontal	176	2.67	-
PK	5.728G	63.53	68.20	-4.67	5.90	3	Horizontal	176	2.67	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 77  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4344G	59.83	74.00	-14.17	5.19	3	Vertical	57	2.53	-
AV	5.4584G	49.17	54.00	-4.83	5.30	3	Vertical	57	2.53	-
PK	5.4668G	60.19	68.20	-8.01	5.33	3	Vertical	57	2.53	-
PK	5.6768G	113.59	Inf	-Inf	5.80	3	Vertical	57	2.53	-
AV	5.6768G	103.62	Inf	-Inf	5.80	3	Vertical	57	2.53	-
PK	5.858G	68.08	68.20	-0.12	6.50	3	Vertical	57	2.53	-



802.11ax HEW80\_Nss4,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

06/12/2018




EUT\_Z\_4TX  
Setting 77  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	58.11	74.00	-15.89	5.27	3	Horizontal	179	2.87	-
AV	5.4332G	47.02	54.00	-6.98	5.19	3	Horizontal	179	2.87	-
PK	5.46G	57.66	68.20	-10.54	5.30	3	Horizontal	179	2.87	-
PK	5.7008G	106.11	Inf	-Inf	5.83	3	Horizontal	179	2.87	-
AV	5.6768G	95.77	Inf	-Inf	5.80	3	Horizontal	179	2.87	-
PK	5.984G	60.21	68.20	-7.99	7.18	3	Horizontal	179	2.87	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

06/12/2018

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 52  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.114G	66.14	74.00	-7.86	4.27	3	Vertical	77	2.56	-
AV	5.1316G	53.90	54.00	-0.10	4.29	3	Vertical	77	2.56	-
PK	5.2324G	104.86	Inf	-Inf	4.45	3	Vertical	77	2.56	-
AV	5.2516G	94.22	Inf	-Inf	4.52	3	Vertical	77	2.56	-
PK	5.3924G	66.45	74.00	-7.55	5.04	3	Vertical	77	2.56	-
AV	5.3732G	53.51	54.00	-0.49	4.96	3	Vertical	77	2.56	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

06/12/2018

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 52  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1316G	59.13	74.00	-14.87	4.29	3	Horizontal	3	2.64	-
AV	5.1332G	48.75	54.00	-5.25	4.29	3	Horizontal	3	2.64	-
PK	5.2788G	96.26	Inf	-Inf	4.63	3	Horizontal	3	2.64	-
AV	5.266G	86.29	Inf	-Inf	4.58	3	Horizontal	3	2.64	-
PK	5.3972G	59.73	74.00	-14.27	5.05	3	Horizontal	3	2.64	-
AV	5.378G	48.15	54.00	-5.85	4.98	3	Horizontal	3	2.64	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

06/12/2018

5570MHz\_TX




EUT\_Z\_4TX  
Setting 52  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	58.60	68.20	-9.60	4.80	3	Vertical	147	2.51	-
PK	5.4548G	65.60	74.00	-8.40	5.27	3	Vertical	147	2.51	-
AV	5.4164G	52.63	54.00	-1.37	5.13	3	Vertical	147	2.51	-
PK	5.4628G	62.76	74.00	-11.24	5.31	3	Vertical	147	2.51	-
AV	5.4644G	50.72	54.00	-3.28	5.31	3	Vertical	147	2.51	-
PK	5.562G	104.61	Inf	-Inf	5.62	3	Vertical	147	2.51	-
AV	5.5876G	93.39	Inf	-Inf	5.69	3	Vertical	147	2.51	-
PK	5.7268G	69.86	74.00	-4.14	5.89	3	Vertical	147	2.51	-
AV	5.7284G	53.92	54.00	-0.08	5.90	3	Vertical	147	2.51	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

06/12/2018

5570MHz\_TX



EUT\_Z\_4TX  
Setting 52  
01-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.274G	57.14	68.20	-11.06	4.60	3	Horizontal	353	2.53	-
PK	5.434G	61.44	74.00	-12.56	5.19	3	Horizontal	353	2.53	-
AV	5.4532G	48.14	54.00	-5.86	5.27	3	Horizontal	353	2.53	-
PK	5.4612G	58.09	74.00	-15.91	5.30	3	Horizontal	353	2.53	-
AV	5.4692G	47.54	54.00	-6.46	5.34	3	Horizontal	353	2.53	-
PK	5.586G	97.20	Inf	-Inf	5.68	3	Horizontal	353	2.53	-
AV	5.578G	86.76	Inf	-Inf	5.66	3	Horizontal	353	2.53	-
PK	5.7636G	60.06	74.00	-13.94	5.98	3	Horizontal	353	2.53	-
AV	5.9172G	48.71	54.00	-5.29	6.89	3	Horizontal	353	2.53	-

