




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/03/2019

2437MHz_TX



EUT_Y_4TX
Setting 48
01-J-5
FSU
High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3846G	71.70	74.00	-2.30	30.78	3	Vertical	190	2.01	-
AV	2.3894G	51.39	54.00	-2.61	30.80	3	Vertical	190	2.01	-
PK	2.4318G	124.57	Inf	-Inf	30.89	3	Vertical	190	2.01	-
AV	2.4362G	115.34	Inf	-Inf	30.90	3	Vertical	190	2.01	-
PK	2.4938G	71.79	74.00	-2.21	30.98	3	Vertical	190	2.01	-
AV	2.4842G	52.05	54.00	-1.95	30.96	3	Vertical	190	2.01	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/03/2019

2437MHz_TX



EUT_Y_4TX
Setting 48
01-J-5
FSU
High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	69.14	74.00	-4.86	30.79	3	Horizontal	162	1.65	-
AV	2.3866G	49.74	54.00	-4.26	30.79	3	Horizontal	162	1.65	-
PK	2.445G	122.49	Inf	-Inf	30.91	3	Horizontal	162	1.65	-
AV	2.4358G	112.55	Inf	-Inf	30.90	3	Horizontal	162	1.65	-
AV	2.4836G	50.74	54.00	-3.26	30.96	3	Horizontal	162	1.65	-
PK	2.4836G	73.85	74.00	-0.15	30.96	3	Horizontal	162	1.65	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/03/2019

2457MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 35
 01-J-5
 FSU
 High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3842G	58.95	74.00	-15.05	30.78	3	Vertical	189	2.26	-
AV	2.3894G	46.49	54.00	-7.51	30.80	3	Vertical	189	2.26	-
PK	2.4594G	118.58	Inf	-Inf	30.93	3	Vertical	189	2.26	-
AV	2.4562G	111.45	Inf	-Inf	30.93	3	Vertical	189	2.26	-
PK	2.4838G	73.97	74.00	-0.03	30.96	3	Vertical	189	2.26	-
AV	2.4835G	51.24	54.00	-2.76	30.96	3	Vertical	189	2.26	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/03/2019

2457MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT_Y_4TX
 Setting 35
 01-J-5
 FSU
 High_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.379G	58.58	74.00	-15.42	30.76	3	Horizontal	178	1.47	-
AV	2.3862G	46.59	54.00	-7.41	30.79	3	Horizontal	178	1.47	-
PK	2.4518G	119.07	Inf	-Inf	30.92	3	Horizontal	178	1.47	-
AV	2.4486G	106.07	Inf	-Inf	30.91	3	Horizontal	178	1.47	-
PK	2.4835G	70.39	74.00	-3.61	30.96	3	Horizontal	178	1.47	-
AV	2.4835G	50.40	54.00	-3.60	30.96	3	Horizontal	178	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/03/2019

2462MHz_TX



EUT_Y_4TX
 Setting 31
 01-J-5
 FSU
 High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4644G	118.09	Inf	-Inf	30.93	3	Vertical	189	1.99	-
AV	2.469G	105.10	Inf	-Inf	30.94	3	Vertical	189	1.99	-
PK	2.4848G	73.87	74.00	-0.13	30.96	3	Vertical	189	1.99	-
AV	2.4836G	51.15	54.00	-2.85	30.96	3	Vertical	189	1.99	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/03/2019

2462MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 31
 01-J-5
 FSU
 High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4568G	116.52	Inf	-Inf	30.93	3	Horizontal	181	1.43	-
AV	2.4628G	111.45	Inf	-Inf	30.93	3	Horizontal	181	1.43	-
PK	2.4838G	67.64	74.00	-6.36	30.96	3	Horizontal	181	1.43	-
AV	2.4835G	48.60	54.00	-5.40	30.96	3	Horizontal	181	1.43	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/03/2019

2422MHz_TX




EUT_Y_4TX
 Setting 31
 01-J-5
 FSU
 High_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	73.89	74.00	-0.11	30.79	3	Vertical	174	1.74	-
AV	2.39G	49.60	54.00	-4.40	30.80	3	Vertical	174	1.74	-
PK	2.4176G	114.94	Inf	-Inf	30.87	3	Vertical	174	1.74	-
AV	2.4176G	102.99	Inf	-Inf	30.87	3	Vertical	174	1.74	-
PK	2.494G	59.74	74.00	-14.26	30.98	3	Vertical	174	1.74	-
AV	2.484G	48.03	54.00	-5.97	30.96	3	Vertical	174	1.74	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/03/2019

2422MHz_TX



EUT_Y_4TX
Setting 31
01-J-5
FSU
High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3852G	70.70	74.00	-3.30	30.79	3	Horizontal	185	1.45	-
AV	2.3844G	48.33	54.00	-5.67	30.78	3	Horizontal	185	1.45	-
PK	2.4208G	112.05	Inf	-Inf	30.87	3	Horizontal	185	1.45	-
AV	2.4104G	108.41	Inf	-Inf	30.86	3	Horizontal	185	1.45	-
PK	2.4892G	59.55	74.00	-14.45	30.97	3	Horizontal	185	1.45	-
AV	2.4864G	47.57	54.00	-6.43	30.97	3	Horizontal	185	1.45	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/03/2019

2437MHz_TX



EUT_Y_4TX
Setting 41
01-J-5
FSU
High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	72.48	74.00	-1.52	30.80	3	Vertical	190	1.86	-
AV	2.3894G	53.89	54.00	-0.11	30.80	3	Vertical	190	1.86	-
PK	2.4198G	118.10	Inf	-Inf	30.87	3	Vertical	190	1.86	-
AV	2.4286G	110.95	Inf	-Inf	30.88	3	Vertical	190	1.86	-
PK	2.4886G	70.90	74.00	-3.10	30.97	3	Vertical	190	1.86	-
AV	2.4835G	52.28	54.00	-1.72	30.96	3	Vertical	190	1.86	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/03/2019

2437MHz_TX



EUT_Y_4TX
Setting 41
01-J-5
FSU
High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3854G	69.39	74.00	-4.61	30.79	3	Horizontal	175	1.60	-
AV	2.3858G	50.79	54.00	-3.21	30.79	3	Horizontal	175	1.60	-
PK	2.4482G	117.55	Inf	-Inf	30.91	3	Horizontal	175	1.60	-
AV	2.451G	105.74	Inf	-Inf	30.92	3	Horizontal	175	1.60	-
PK	2.4874G	72.95	74.00	-1.05	30.97	3	Horizontal	175	1.60	-
AV	2.4835G	53.76	54.00	-0.24	30.96	3	Horizontal	175	1.60	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/03/2019

2452MHz_TX



EUT Y_4TX
Setting 34
01-J-5
FSU
High_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	59.00	74.00	-15.00	30.80	3	Vertical	172	1.93	-
AV	2.3896G	47.39	54.00	-6.61	30.80	3	Vertical	172	1.93	-
PK	2.4632G	117.22	Inf	-Inf	30.93	3	Vertical	172	1.93	-
AV	2.4584G	104.67	Inf	-Inf	30.93	3	Vertical	172	1.93	-
PK	2.4844G	73.77	74.00	-0.23	30.96	3	Vertical	172	1.93	-
AV	2.4835G	51.43	54.00	-2.57	30.96	3	Vertical	172	1.93	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/03/2019

2452MHz_TX



EUT_Y_4TX
 Setting 34
 01-J-5
 FSU
 High_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	60.54	74.00	-13.46	30.80	3	Horizontal	170	1.59	-
AV	2.3808G	47.15	54.00	-6.85	30.76	3	Horizontal	170	1.59	-
PK	2.4496G	115.13	Inf	-Inf	30.91	3	Horizontal	170	1.59	-
AV	2.4488G	103.05	Inf	-Inf	30.91	3	Horizontal	170	1.59	-
PK	2.4848G	73.89	74.00	-0.11	30.96	3	Horizontal	170	1.59	-
AV	2.4835G	50.79	54.00	-3.21	30.96	3	Horizontal	170	1.59	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	2.3898G	53.97	54.00	-0.03	30.80	3	Horizontal	179	1.79	-



802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2412MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line with triangle)
- PK (Blue line with triangle)
- Lim.AV (Green line with triangle)
- AV (Yellow line with triangle)


EUT Y_4TX
Setting 57
01-R-5
FSU
Low_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.77	74.00	-0.23	30.80	3	Vertical	175	1.92	-
AV	2.39G	51.27	54.00	-2.73	30.80	3	Vertical	175	1.92	-
PK	2.4082G	116.16	Inf	-Inf	30.85	3	Vertical	175	1.92	-
AV	2.4078G	102.83	Inf	-Inf	30.85	3	Vertical	175	1.92	-



802.11ax HEW20_Nss4,(MCS0)_4TX
2412MHz_TX

23/03/2019



EUT_Y_4TX
Setting 57
01-R-5
FSU
Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	68.75	74.00	-5.25	30.80	3	Horizontal	178	1.88	-
AV	2.3894G	51.83	54.00	-2.17	30.80	3	Horizontal	178	1.88	-
PK	2.416G	115.36	Inf	-Inf	30.87	3	Horizontal	178	1.88	-
AV	2.4082G	102.42	Inf	-Inf	30.85	3	Horizontal	178	1.88	-



802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2417MHz_TX




EUT Y_4TX
Setting 64
01-R-5
FSU
Low_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	68.22	74.00	-5.78	30.80	3	Vertical	174	1.88	-
AV	2.3898G	53.75	54.00	-0.25	30.80	3	Vertical	174	1.88	-
PK	2.4202G	117.09	Inf	-Inf	30.87	3	Vertical	174	1.88	-
AV	2.4124G	104.25	Inf	-Inf	30.86	3	Vertical	174	1.88	-

802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2417MHz_TX



EUT_Y_4TX
Setting 64
01-R-5
FSU
Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3814G	68.20	74.00	-5.80	30.77	3	Horizontal	170	1.81	-
AV	2.39G	53.06	54.00	-0.94	30.80	3	Horizontal	170	1.81	-
PK	2.4138G	116.10	Inf	-Inf	30.86	3	Horizontal	170	1.81	-
AV	2.4122G	104.36	Inf	-Inf	30.86	3	Horizontal	170	1.81	-



802.11ax HEW20_Nss4,(MCS0)_4TX

27/03/2019

2437MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 78
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	71.41	74.00	-2.59	30.80	3	Vertical	169	1.63	-
AV	2.3898G	51.85	54.00	-2.15	30.80	3	Vertical	169	1.63	-
PK	2.4326G	121.34	Inf	-Inf	30.89	3	Vertical	169	1.63	-
AV	2.439G	107.92	Inf	-Inf	30.90	3	Vertical	169	1.63	-
PK	2.4842G	69.55	74.00	-4.45	30.96	3	Vertical	169	1.63	-
AV	2.4836G	53.79	54.00	-0.21	30.96	3	Vertical	169	1.63	-



802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2437MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 78
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3818G	72.69	74.00	-1.31	30.78	3	Horizontal	180	2.03	-
AV	2.3898G	53.05	54.00	-0.95	30.80	3	Horizontal	180	2.03	-
PK	2.441G	119.66	Inf	-Inf	30.90	3	Horizontal	180	2.03	-
AV	2.4334G	107.97	Inf	-Inf	30.89	3	Horizontal	180	2.03	-
PK	2.4882G	68.26	74.00	-5.74	30.97	3	Horizontal	180	2.03	-
AV	2.4854G	53.31	54.00	-0.69	30.97	3	Horizontal	180	2.03	-



802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2457MHz_TX




EUT_Y_4TX
 Setting 63
 01-R-5
 FSU
 Low_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.454G	115.87	Inf	-Inf	30.92	3	Vertical	174	1.83	-
AV	2.4532G	104.40	Inf	-Inf	30.92	3	Vertical	174	1.83	-
PK	2.4874G	68.03	74.00	-5.97	30.97	3	Vertical	174	1.83	-
AV	2.4836G	53.76	54.00	-0.24	30.96	3	Vertical	174	1.83	-

802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2457MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 63
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4524G	116.63	Inf	-Inf	30.92	3	Horizontal	170	1.97	-
AV	2.4642G	103.80	Inf	-Inf	30.93	3	Horizontal	170	1.97	-
PK	2.4838G	69.22	74.00	-4.78	30.96	3	Horizontal	170	1.97	-
AV	2.4835G	53.91	54.00	-0.09	30.96	3	Horizontal	170	1.97	-



802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2462MHz_TX



EUT_Y_4TX
Setting 57
01-R-5
FSU
Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4632G	114.93	Inf	-Inf	30.93	3	Vertical	178	1.97	-
AV	2.4704G	102.75	Inf	-Inf	30.95	3	Vertical	178	1.97	-
PK	2.4836G	73.76	74.00	-0.24	30.96	3	Vertical	178	1.97	-
AV	2.4836G	52.58	54.00	-1.42	30.96	3	Vertical	178	1.97	-



802.11ax HEW20_Nss4,(MCS0)_4TX

23/03/2019

2462MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 57
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4606G	113.74	Inf	-Inf	30.93	3	Horizontal	180	1.95	-
AV	2.4662G	103.05	Inf	-Inf	30.94	3	Horizontal	180	1.95	-
PK	2.4852G	71.67	74.00	-2.33	30.97	3	Horizontal	180	1.95	-
AV	2.4836G	52.72	54.00	-1.28	30.96	3	Horizontal	180	1.95	-



802.11ax HEW40_Nss4,(MCS0)_4TX

23/03/2019

2422MHz_TX



EUT Y_4TX
Setting 51
01-R-5
FSU
Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	68.29	74.00	-5.71	30.80	3	Vertical	183	1.89	-
AV	2.3844G	53.75	54.00	-0.25	30.78	3	Vertical	183	1.89	-
PK	2.4112G	110.82	Inf	-Inf	30.86	3	Vertical	183	1.89	-
AV	2.4188G	100.66	Inf	-Inf	30.87	3	Vertical	183	1.89	-
PK	2.4976G	60.35	74.00	-13.65	30.99	3	Vertical	183	1.89	-
AV	2.4896G	49.22	54.00	-4.78	30.97	3	Vertical	183	1.89	-



802.11ax HEW40_Nss4,(MCS0)_4TX

23/03/2019

2422MHz_TX



EUT_Y_4TX
Setting 51
01-R-5
FSU
Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3772G	64.73	74.00	-9.27	30.75	3	Horizontal	183	1.80	-
AV	2.3772G	51.34	54.00	-2.66	30.75	3	Horizontal	183	1.80	-
PK	2.416G	112.08	Inf	-Inf	30.87	3	Horizontal	183	1.80	-
AV	2.4192G	99.85	Inf	-Inf	30.87	3	Horizontal	183	1.80	-
PK	2.4944G	59.05	74.00	-14.95	30.98	3	Horizontal	183	1.80	-
AV	2.49G	49.28	54.00	-4.72	30.98	3	Horizontal	183	1.80	-



802.11ax HEW40_Nss4,(MCS0)_4TX

23/03/2019

2437MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 54
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3886G	67.30	74.00	-6.70	30.80	3	Vertical	185	1.89	-
AV	2.3878G	53.12	54.00	-0.88	30.79	3	Vertical	185	1.89	-
PK	2.4234G	111.48	Inf	-Inf	30.87	3	Vertical	185	1.89	-
AV	2.4262G	101.21	Inf	-Inf	30.88	3	Vertical	185	1.89	-
PK	2.4838G	65.93	74.00	-8.07	30.96	3	Vertical	185	1.89	-
AV	2.4858G	52.34	54.00	-1.66	30.97	3	Vertical	185	1.89	-



802.11ax HEW40_Nss4,(MCS0)_4TX

23/03/2019

2437MHz_TX



EUT_Y_4TX
 Setting 54
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	69.80	74.00	-4.20	30.80	3	Horizontal	179	1.79	-
AV	2.3898G	53.97	54.00	-0.03	30.80	3	Horizontal	179	1.79	-
PK	2.4306G	112.37	Inf	-Inf	30.89	3	Horizontal	179	1.79	-
AV	2.4194G	100.82	Inf	-Inf	30.87	3	Horizontal	179	1.79	-
PK	2.489G	66.17	74.00	-7.83	30.97	3	Horizontal	179	1.79	-
AV	2.4894G	52.73	54.00	-1.27	30.97	3	Horizontal	179	1.79	-



802.11ax HEW40_Nss4,(MCS0)_4TX

23/03/2019

2452MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT Y_4TX
 Setting 47
 01-R-5
 FSU
 Low_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3788G	58.61	74.00	-15.39	30.76	3	Vertical	170	1.83	-
AV	2.3784G	48.31	54.00	-5.69	30.76	3	Vertical	170	1.83	-
PK	2.4564G	109.95	Inf	-Inf	30.93	3	Vertical	170	1.83	-
AV	2.4644G	100.06	Inf	-Inf	30.93	3	Vertical	170	1.83	-
PK	2.4835G	66.84	Inf	-Inf	30.96	3	Vertical	170	1.83	-
AV	2.4836G	53.83	54.00	-0.17	30.96	3	Vertical	170	1.83	-



802.11ax HEW40_Nss4,(MCS0)_4TX

23/03/2019

2452MHz_TX



EUT_Y_4TX
Setting 47
01-R-5
FSU
Low_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	59.13	74.00	-14.87	30.80	3	Horizontal	172	1.79	-
AV	2.3888G	48.14	54.00	-5.86	30.80	3	Horizontal	172	1.79	-
PK	2.4564G	110.23	Inf	-Inf	30.93	3	Horizontal	172	1.79	-
AV	2.45G	98.85	Inf	-Inf	30.92	3	Horizontal	172	1.79	-
PK	2.4852G	64.62	74.00	-9.38	30.97	3	Horizontal	172	1.79	-
AV	2.4896G	51.66	54.00	-2.34	30.97	3	Horizontal	172	1.79	-

