


802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2019

5530MHz_TX




EUT Y_2TX
Setting 60
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3476G	57.97	68.20	-10.23	4.81	3	Horizontal	177	1.79	-
PK	5.4572G	64.92	74.00	-9.08	5.21	3	Horizontal	177	1.79	-
AV	5.4588G	52.45	54.00	-1.55	5.22	3	Horizontal	177	1.79	-
PK	5.47G	66.53	68.20	-1.67	5.26	3	Horizontal	177	1.79	-
PK	5.55G	106.01	Inf	-Inf	5.51	3	Horizontal	177	1.79	-
AV	5.5396G	96.43	Inf	-Inf	5.48	3	Horizontal	177	1.79	-
PK	5.73G	57.95	68.20	-10.25	5.80	3	Horizontal	177	1.79	-

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2019

5610MHz_TX




EUT Y_2TX
Setting 71
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.446G	63.72	74.00	-10.28	5.18	3	Vertical	177	2.52	-
AV	5.4548G	51.69	54.00	-2.31	5.19	3	Vertical	177	2.52	-
PK	5.466G	64.91	68.20	-3.29	5.25	3	Vertical	177	2.52	-
PK	5.5988G	110.00	Inf	-Inf	5.64	3	Vertical	177	2.52	-
AV	5.5788G	99.16	Inf	-Inf	5.58	3	Vertical	177	2.52	-
PK	5.7252G	65.74	68.20	-2.46	5.79	3	Vertical	177	2.52	-

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2019

5610MHz_TX




EUT Y_2TX
Setting 71
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	64.45	74.00	-9.55	5.21	3	Horizontal	170	1.95	-
AV	5.4548G	53.04	54.00	-0.96	5.19	3	Horizontal	170	1.95	-
PK	5.4644G	65.46	68.20	-2.74	5.23	3	Horizontal	170	1.95	-
PK	5.6132G	109.37	Inf	-Inf	5.65	3	Horizontal	170	1.95	-
AV	5.5988G	99.71	Inf	-Inf	5.64	3	Horizontal	170	1.95	-
PK	5.73G	68.06	68.20	-0.14	5.80	3	Horizontal	170	1.95	-

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	59.92	74.00	-14.08	5.18	3	Vertical	180	1.47	-
PK	5.4656G	60.34	68.20	-7.86	5.25	3	Vertical	180	1.47	-
AV	5.4596G	48.81	54.00	-5.19	5.22	3	Vertical	180	1.47	-
PK	5.6804G	110.97	Inf	-Inf	5.72	3	Vertical	180	1.47	-
AV	5.6792G	101.25	Inf	-Inf	5.72	3	Vertical	180	1.47	-
PK	5.8532G	68.05	68.20	-0.15	6.35	3	Vertical	180	1.47	-

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 79
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	59.09	74.00	-14.91	5.21	3	Horizontal	184	1.42	-
AV	5.4596G	47.75	54.00	-6.25	5.22	3	Horizontal	184	1.42	-
PK	5.4656G	60.02	68.20	-8.18	5.25	3	Horizontal	184	1.42	-
PK	5.6804G	109.86	Inf	-Inf	5.72	3	Horizontal	184	1.42	-
AV	5.6768G	100.03	Inf	-Inf	5.72	3	Horizontal	184	1.42	-
PK	5.8556G	67.55	68.20	-0.65	6.36	3	Horizontal	184	1.42	-

802.11ax HEW160_Nss2,(MCS0)_2TX

29/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 53
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	69.52	74.00	-4.48	4.25	3	Vertical	173	1.46	-
AV	5.1476G	53.99	54.00	-0.01	4.25	3	Vertical	173	1.46	-
PK	5.2596G	102.70	Inf	-Inf	4.49	3	Vertical	173	1.46	-
AV	5.2628G	92.05	Inf	-Inf	4.50	3	Vertical	173	1.46	-
PK	5.3796G	68.49	74.00	-5.51	4.92	3	Vertical	173	1.46	-
AV	5.3844G	53.87	54.00	-0.13	4.93	3	Vertical	173	1.46	-
PK	5.466G	59.54	68.20	-8.66	5.25	3	Vertical	173	1.46	-

802.11ax HEW160_Nss2,(MCS0)_2TX

29/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 53
01-M-1-10
FSU
Low 30 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1444G	67.65	74.00	-6.35	4.24	3	Horizontal	166	2.30	-
AV	5.146G	51.65	54.00	-2.35	4.25	3	Horizontal	166	2.30	-
PK	5.1924G	99.94	Inf	-Inf	4.26	3	Horizontal	166	2.30	-
AV	5.2228G	90.00	Inf	-Inf	4.36	3	Horizontal	166	2.30	-
PK	5.3828G	67.63	74.00	-6.37	4.93	3	Horizontal	166	2.30	-
AV	5.3876G	53.32	54.00	-0.68	4.94	3	Horizontal	166	2.30	-
PK	5.4676G	60.59	68.20	-7.61	5.25	3	Horizontal	166	2.30	-

802.11ax HEW160_Nss2,(MCS0)_2TX

29/03/2019

5570MHz_TX



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT_Y_2TX
Setting 52
01-M-1-10
FSU
Low 30 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	58.46	68.20	-9.74	4.74	3	Vertical	177	2.51	-
PK	5.4596G	66.24	74.00	-7.76	5.22	3	Vertical	177	2.51	-
AV	5.4596G	51.84	54.00	-2.16	5.22	3	Vertical	177	2.51	-
PK	5.4692G	67.98	68.20	-0.22	5.26	3	Vertical	177	2.51	-
PK	5.5796G	102.86	Inf	-Inf	5.58	3	Vertical	177	2.51	-
AV	5.5812G	92.69	Inf	-Inf	5.58	3	Vertical	177	2.51	-
PK	5.7268G	65.05	68.20	-3.15	5.79	3	Vertical	177	2.51	-

802.11ax HEW160_Nss2,(MCS0)_2TX

29/03/2019

5570MHz_TX



- Lim.PK 
- PK 
- Lim.AV 
- AV 

EUT Y_2TX
 Setting 52
 01-M-1-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2388G	58.06	68.20	-10.14	4.42	3	Horizontal	170	1.82	-
PK	5.4596G	63.46	74.00	-10.54	5.22	3	Horizontal	170	1.82	-
AV	5.4548G	50.89	54.00	-3.11	5.19	3	Horizontal	170	1.82	-
PK	5.4644G	64.75	68.20	-3.45	5.23	3	Horizontal	170	1.82	-
PK	5.5492G	101.58	Inf	-Inf	5.51	3	Horizontal	170	1.82	-
AV	5.5556G	91.83	Inf	-Inf	5.52	3	Horizontal	170	1.82	-
PK	5.7268G	63.63	68.20	-4.57	5.79	3	Horizontal	170	1.82	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	5.7268G	68.19	68.20	-0.01	5.79	3	Horizontal	170	1.72	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5260MHz_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	61.18	74.00	-12.82	4.25	3	Vertical	177	2.01	-
AV	5.1466G	48.47	54.00	-5.53	4.25	3	Vertical	177	2.01	-
PK	5.257G	120.07	Inf	-Inf	4.48	3	Vertical	177	2.01	-
AV	5.2564G	110.26	Inf	-Inf	4.48	3	Vertical	177	2.01	-
PK	5.3734G	61.34	74.00	-12.66	4.89	3	Vertical	177	2.01	-
AV	5.3704G	48.31	54.00	-5.69	4.88	3	Vertical	177	2.01	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5260MHz_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1436G	59.41	74.00	-14.59	4.24	3	Horizontal	161	2.08	-
AV	5.149G	46.90	54.00	-7.10	4.25	3	Horizontal	161	2.08	-
PK	5.257G	120.43	Inf	-Inf	4.48	3	Horizontal	161	2.08	-
AV	5.257G	110.56	Inf	-Inf	4.48	3	Horizontal	161	2.08	-
PK	5.3788G	60.09	74.00	-13.91	4.92	3	Horizontal	161	2.08	-
AV	5.365G	48.13	54.00	-5.87	4.86	3	Horizontal	161	2.08	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5300MHZ_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	120.61	Inf	-Inf	4.63	3	Vertical	180	2.04	-
AV	5.2972G	111.07	Inf	-Inf	4.63	3	Vertical	180	2.04	-
PK	5.35G	73.81	74.00	-0.19	4.81	3	Vertical	180	2.04	-
AV	5.35G	52.49	54.00	-1.51	4.81	3	Vertical	180	2.04	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5300MHz_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	120.06	Inf	-Inf	4.63	3	Horizontal	160	2.11	-
AV	5.2972G	110.48	Inf	-Inf	4.63	3	Horizontal	160	2.11	-
PK	5.3564G	65.08	74.00	-8.92	4.83	3	Horizontal	160	2.11	-
AV	5.3576G	48.86	54.00	-5.14	4.83	3	Horizontal	160	2.11	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5320MHz_TX




EUT_Y_4TX
Setting 67
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3272G	116.90	Inf	-Inf	4.74	3	Vertical	180	1.49	-
AV	5.328G	107.25	Inf	-Inf	4.74	3	Vertical	180	1.49	-
PK	5.35G	73.88	74.00	-0.12	4.81	3	Vertical	180	1.49	-
AV	5.35G	50.75	54.00	-3.25	4.81	3	Vertical	180	1.49	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5320MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT_Y_4TX
 Setting 67
 01-M-1-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3168G	116.77	Inf	-Inf	4.70	3	Horizontal	161	2.02	-
AV	5.3172G	107.24	Inf	-Inf	4.70	3	Horizontal	161	2.02	-
PK	5.35G	73.86	74.00	-0.14	4.81	3	Horizontal	161	2.02	-
AV	5.35G	51.01	54.00	-2.99	4.81	3	Horizontal	161	2.02	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5500MHZ_TX




EUT Y_4TX
Setting 54
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	59.50	74.00	-14.50	5.19	3	Vertical	185	1.61	-
AV	5.4544G	46.27	54.00	-7.73	5.19	3	Vertical	185	1.61	-
PK	5.4692G	68.04	68.20	-0.16	5.26	3	Vertical	185	1.61	-
PK	5.5076G	114.35	Inf	-Inf	5.41	3	Vertical	185	1.61	-
AV	5.5076G	104.67	Inf	-Inf	5.41	3	Vertical	185	1.61	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5500MHz_TX




EUT_Y_4TX
Setting 54
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	59.04	74.00	-14.96	5.22	3	Horizontal	170	2.03	-
AV	5.4564G	46.17	54.00	-7.83	5.21	3	Horizontal	170	2.03	-
PK	5.4692G	64.24	68.20	-3.96	5.26	3	Horizontal	170	2.03	-
PK	5.4968G	114.86	Inf	-Inf	5.37	3	Horizontal	170	2.03	-
AV	5.4964G	105.23	Inf	-Inf	5.37	3	Horizontal	170	2.03	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5580MHz_TX




EUT Y_4TX
Setting 77
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4048G	60.27	74.00	-13.73	5.00	3	Vertical	184	1.58	-
AV	5.46G	47.23	54.00	-6.77	5.22	3	Vertical	184	1.58	-
PK	5.4624G	59.58	68.20	-8.62	5.23	3	Vertical	184	1.58	-
PK	5.588G	120.62	Inf	-Inf	5.61	3	Vertical	184	1.58	-
AV	5.588G	111.26	Inf	-Inf	5.61	3	Vertical	184	1.58	-
PK	5.7448G	60.06	68.20	-8.14	5.84	3	Vertical	184	1.58	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5580MHZ_TX




EUT_Y_4TX
Setting 77
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4056G	59.23	74.00	-14.77	5.02	3	Horizontal	171	2.20	-
AV	5.4528G	46.49	54.00	-7.51	5.19	3	Horizontal	171	2.20	-
PK	5.4688G	58.85	68.20	-9.35	5.26	3	Horizontal	171	2.20	-
PK	5.5784G	120.05	Inf	-Inf	5.58	3	Horizontal	171	2.20	-
AV	5.5776G	110.89	Inf	-Inf	5.58	3	Horizontal	171	2.20	-
PK	5.7688G	59.86	68.20	-8.34	5.90	3	Horizontal	171	2.20	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5700MHz_TX




EUT_Y_4TX
Setting 52
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7076G	114.71	Inf	-Inf	5.76	3	Vertical	181	1.53	-
AV	5.7076G	104.84	Inf	-Inf	5.76	3	Vertical	181	1.53	-
PK	5.7276G	67.99	68.20	-0.21	5.80	3	Vertical	181	1.53	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5700MHz_TX




EUT_Y_4TX
Setting 52
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6972G	114.59	Inf	-Inf	5.74	3	Horizontal	172	1.99	-
AV	5.6972G	104.76	Inf	-Inf	5.74	3	Horizontal	172	1.99	-
PK	5.7352G	61.96	68.20	-6.24	5.81	3	Horizontal	172	1.99	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 69
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4356G	58.96	74.00	-15.04	5.14	3	Vertical	182	1.59	-
AV	5.4536G	46.40	54.00	-7.60	5.19	3	Vertical	182	1.59	-
PK	5.4608G	58.24	68.20	-9.96	5.22	3	Vertical	182	1.59	-
PK	5.7272G	118.27	Inf	-Inf	5.79	3	Vertical	182	1.59	-
AV	5.7272G	109.25	Inf	-Inf	5.79	3	Vertical	182	1.59	-
PK	5.9228G	60.56	68.20	-7.64	6.81	3	Vertical	182	1.59	-

802.11a_Nss1,(6Mbps)_4TX

28/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 69
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4368G	58.40	74.00	-15.60	5.14	3	Horizontal	182	1.83	-
AV	5.444G	46.04	54.00	-7.96	5.16	3	Horizontal	182	1.83	-
PK	5.4644G	57.67	68.20	-10.53	5.23	3	Horizontal	182	1.83	-
PK	5.7152G	119.96	Inf	-Inf	5.78	3	Horizontal	182	1.83	-
AV	5.7152G	110.27	Inf	-Inf	5.78	3	Horizontal	182	1.83	-
PK	5.8508G	61.16	68.20	-7.04	6.33	3	Horizontal	182	1.83	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5260MHz_TX




EUT Y_4TX
Setting 83
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1442G	61.43	74.00	-12.57	4.24	3	Vertical	179	2.03	-
AV	5.1478G	48.14	54.00	-5.86	4.25	3	Vertical	179	2.03	-
PK	5.2612G	122.06	Inf	-Inf	4.49	3	Vertical	179	2.03	-
AV	5.2612G	110.68	Inf	-Inf	4.49	3	Vertical	179	2.03	-
PK	5.359G	61.85	74.00	-12.15	4.85	3	Vertical	179	2.03	-
AV	5.3692G	48.76	54.00	-5.24	4.88	3	Vertical	179	2.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5260MHz_TX




EUT Y_4TX
Setting 83
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1466G	59.76	74.00	-14.24	4.25	3	Horizontal	161	1.87	-
AV	5.1484G	47.12	54.00	-6.88	4.25	3	Horizontal	161	1.87	-
PK	5.257G	122.28	Inf	-Inf	4.48	3	Horizontal	161	1.87	-
AV	5.2624G	109.50	Inf	-Inf	4.50	3	Horizontal	161	1.87	-
PK	5.3854G	60.89	74.00	-13.11	4.94	3	Horizontal	161	1.87	-
AV	5.3698G	48.28	54.00	-5.72	4.88	3	Horizontal	161	1.87	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5300MHz_TX




EUT Y_4TX
Setting 80
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3012G	121.16	Inf	-Inf	4.64	3	Vertical	179	2.03	-
AV	5.296G	109.98	Inf	-Inf	4.63	3	Vertical	179	2.03	-
PK	5.3544G	70.59	74.00	-3.41	4.82	3	Vertical	179	2.03	-
AV	5.35G	53.84	54.00	-0.16	4.81	3	Vertical	179	2.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5300MHz_TX




EUT_Y_4TX
Setting 80
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	120.90	Inf	-Inf	4.63	3	Horizontal	161	1.93	-
AV	5.2924G	108.34	Inf	-Inf	4.61	3	Horizontal	161	1.93	-
PK	5.3504G	71.21	74.00	-2.79	4.81	3	Horizontal	161	1.93	-
AV	5.3508G	52.51	54.00	-1.49	4.81	3	Horizontal	161	1.93	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5320MHz_TX




EUT Y_4TX
Setting 66
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3216G	117.69	Inf	-Inf	4.71	3	Vertical	178	2.00	-
AV	5.3208G	106.00	Inf	-Inf	4.71	3	Vertical	178	2.00	-
PK	5.352G	73.84	74.00	-0.16	4.82	3	Vertical	178	2.00	-
AV	5.352G	51.98	54.00	-2.02	4.82	3	Vertical	178	2.00	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5320MHz_TX




EUT_Y_4TX
Setting 66
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3168G	117.32	Inf	-Inf	4.70	3	Horizontal	162	1.83	-
AV	5.3172G	104.48	Inf	-Inf	4.70	3	Horizontal	162	1.83	-
PK	5.3536G	70.55	74.00	-3.45	4.82	3	Horizontal	162	1.83	-
AV	5.3508G	50.99	54.00	-3.01	4.81	3	Horizontal	162	1.83	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5500MHz_TX




EUT_Y_4TX
Setting 60
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	61.44	74.00	-12.56	5.22	3	Vertical	185	2.08	-
AV	5.4576G	47.31	54.00	-6.69	5.21	3	Vertical	185	2.08	-
PK	5.468G	67.96	68.20	-0.24	5.25	3	Vertical	185	2.08	-
PK	5.506G	118.29	Inf	-Inf	5.39	3	Vertical	185	2.08	-
AV	5.5008G	106.01	Inf	-Inf	5.38	3	Vertical	185	2.08	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5500MHz_TX




EUT_Y_4TX
Setting 60
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.452G	60.16	74.00	-13.84	5.19	3	Horizontal	171	1.83	-
AV	5.4568G	47.20	54.00	-6.80	5.21	3	Horizontal	171	1.83	-
PK	5.4672G	67.84	68.20	-0.36	5.25	3	Horizontal	171	1.83	-
PK	5.4972G	118.65	Inf	-Inf	5.37	3	Horizontal	171	1.83	-
AV	5.4972G	105.86	Inf	-Inf	5.37	3	Horizontal	171	1.83	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5580MHz_TX




EUT_Y_4TX
Setting 74
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	60.01	74.00	-13.99	5.19	3	Vertical	180	2.05	-
AV	5.46G	47.02	54.00	-6.98	5.22	3	Vertical	180	2.05	-
PK	5.4624G	59.10	68.20	-9.10	5.23	3	Vertical	180	2.05	-
PK	5.5864G	121.46	Inf	-Inf	5.60	3	Vertical	180	2.05	-
AV	5.5808G	110.01	Inf	-Inf	5.58	3	Vertical	180	2.05	-
PK	5.7536G	59.67	68.20	-8.53	5.86	3	Vertical	180	2.05	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5580MHz_TX




EUT_Y_4TX
Setting 74
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4576G	59.12	74.00	-14.88	5.21	3	Horizontal	170	1.82	-
AV	5.424G	46.76	54.00	-7.24	5.08	3	Horizontal	170	1.82	-
PK	5.4696G	58.89	68.20	-9.31	5.25	3	Horizontal	170	1.82	-
PK	5.5768G	122.13	Inf	-Inf	5.57	3	Horizontal	170	1.82	-
AV	5.5824G	109.72	Inf	-Inf	5.59	3	Horizontal	170	1.82	-
PK	5.7776G	59.97	68.20	-8.23	5.91	3	Horizontal	170	1.82	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5700MHz_TX




EUT_Y_4TX
Setting 42
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.696G	113.12	Inf	-Inf	5.74	3	Vertical	181	1.89	-
AV	5.6956G	101.99	Inf	-Inf	5.74	3	Vertical	181	1.89	-
PK	5.7256G	67.98	68.20	-0.22	5.79	3	Vertical	181	1.89	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5700MHz_TX




EUT_Y_4TX
Setting 42
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6968G	113.76	Inf	-Inf	5.74	3	Horizontal	182	1.77	-
AV	5.7072G	101.40	Inf	-Inf	5.75	3	Horizontal	182	1.77	-
PK	5.7272G	66.95	68.20	-1.25	5.79	3	Horizontal	182	1.77	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 71
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.432G	58.86	74.00	-15.14	5.12	3	Vertical	182	1.50	-
AV	5.444G	46.40	54.00	-7.60	5.16	3	Vertical	182	1.50	-
PK	5.4692G	58.20	68.20	-10.00	5.26	3	Vertical	182	1.50	-
PK	5.7284G	120.21	Inf	-Inf	5.80	3	Vertical	182	1.50	-
AV	5.7236G	108.44	Inf	-Inf	5.80	3	Vertical	182	1.50	-
PK	5.9192G	60.62	68.20	-7.58	6.79	3	Vertical	182	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

28/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 71
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4488G	58.30	74.00	-15.70	5.19	3	Horizontal	183	1.76	-
AV	5.444G	45.85	54.00	-8.15	5.16	3	Horizontal	183	1.76	-
PK	5.468G	57.70	68.20	-10.50	5.25	3	Horizontal	183	1.76	-
PK	5.7176G	121.80	Inf	-Inf	5.79	3	Horizontal	183	1.76	-
AV	5.7224G	108.93	Inf	-Inf	5.79	3	Horizontal	183	1.76	-
PK	5.8952G	61.30	68.20	-6.90	6.66	3	Horizontal	183	1.76	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5270MHz_TX




EUT_Y_4TX
Setting 73
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1386G	65.82	74.00	-8.18	4.24	3	Vertical	176	1.94	-
AV	5.141G	49.04	54.00	-4.96	4.24	3	Vertical	176	1.94	-
PK	5.2622G	117.10	Inf	-Inf	4.50	3	Vertical	176	1.94	-
AV	5.2562G	106.22	Inf	-Inf	4.48	3	Vertical	176	1.94	-
PK	5.366G	72.82	74.00	-1.18	4.87	3	Vertical	176	1.94	-
AV	5.3528G	53.77	54.00	-0.23	4.82	3	Vertical	176	1.94	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5270MHz_TX




EUT Y_4TX
Setting 73
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1386G	61.32	74.00	-12.68	4.24	3	Horizontal	161	1.86	-
AV	5.15G	47.51	54.00	-6.49	4.25	3	Horizontal	161	1.86	-
PK	5.2622G	116.35	Inf	-Inf	4.50	3	Horizontal	161	1.86	-
AV	5.2772G	104.49	Inf	-Inf	4.55	3	Horizontal	161	1.86	-
PK	5.3528G	69.30	74.00	-4.70	4.82	3	Horizontal	161	1.86	-
AV	5.3528G	52.17	54.00	-1.83	4.82	3	Horizontal	161	1.86	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5310MHz_TX




EUT_Y_4TX
Setting 57
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.326G	113.84	Inf	-Inf	4.74	3	Vertical	178	2.03	-
AV	5.316G	101.73	Inf	-Inf	4.70	3	Vertical	178	2.03	-
PK	5.362G	73.12	74.00	-0.88	4.86	3	Vertical	178	2.03	-
AV	5.3508G	53.75	54.00	-0.25	4.81	3	Vertical	178	2.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5310MHz_TX




EUT_Y_4TX
Setting 57
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.302G	112.70	Inf	-Inf	4.65	3	Horizontal	162	1.81	-
AV	5.3276G	101.03	Inf	-Inf	4.74	3	Horizontal	162	1.81	-
PK	5.3524G	70.11	74.00	-3.89	4.82	3	Horizontal	162	1.81	-
AV	5.3524G	53.41	54.00	-0.59	4.82	3	Horizontal	162	1.81	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5510MHz_TX




EUT Y_4TX
Setting 52
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4476G	64.57	74.00	-9.43	5.18	3	Vertical	185	2.11	-
AV	5.4576G	48.79	54.00	-5.21	5.21	3	Vertical	185	2.11	-
PK	5.468G	67.96	68.20	-0.24	5.25	3	Vertical	185	2.11	-
PK	5.526G	113.41	Inf	-Inf	5.44	3	Vertical	185	2.11	-
AV	5.516G	101.84	Inf	-Inf	5.42	3	Vertical	185	2.11	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5510MHz_TX




EUT_Y_4TX
Setting 52
01-M-1-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	64.77	74.00	-9.23	5.22	3	Horizontal	170	1.82	-
AV	5.4576G	48.61	54.00	-5.39	5.21	3	Horizontal	170	1.82	-
PK	5.4664G	66.28	68.20	-1.92	5.25	3	Horizontal	170	1.82	-
PK	5.502G	113.68	Inf	-Inf	5.38	3	Horizontal	170	1.82	-
AV	5.5024G	101.37	Inf	-Inf	5.38	3	Horizontal	170	1.82	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5550MHz_TX




EUT_Y_4TX
Setting 72
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4534G	65.34	74.00	-8.66	5.19	3	Vertical	174	1.99	-
AV	5.4552G	51.16	54.00	-2.84	5.21	3	Vertical	174	1.99	-
PK	5.47G	68.08	68.20	-0.12	5.26	3	Vertical	174	1.99	-
PK	5.5662G	118.92	Inf	-Inf	5.55	3	Vertical	174	1.99	-
AV	5.5362G	107.84	Inf	-Inf	5.47	3	Vertical	174	1.99	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5550MHz_TX




EUT_Y_4TX
Setting 72
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4522G	64.37	74.00	-9.63	5.19	3	Horizontal	167	1.74	-
AV	5.457G	50.32	54.00	-3.68	5.21	3	Horizontal	167	1.74	-
PK	5.4654G	66.73	68.20	-1.47	5.25	3	Horizontal	167	1.74	-
PK	5.5422G	119.55	Inf	-Inf	5.48	3	Horizontal	167	1.74	-
AV	5.5422G	107.30	Inf	-Inf	5.48	3	Horizontal	167	1.74	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5670MHz_TX




EUT Y_4TX
Setting 58
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6856G	116.10	Inf	-Inf	5.73	3	Vertical	178	1.91	-
AV	5.676G	104.64	Inf	-Inf	5.72	3	Vertical	178	1.91	-
PK	5.7264G	68.10	68.20	-0.10	5.79	3	Vertical	178	1.91	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5670MHz_TX




EUT Y_4TX
Setting 58
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6622G	115.56	Inf	-Inf	5.70	3	Horizontal	173	1.69	-
AV	5.6724G	103.80	Inf	-Inf	5.71	3	Horizontal	173	1.69	-
PK	5.7324G	68.04	68.20	-0.16	5.80	3	Horizontal	173	1.69	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 73
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4544G	59.09	74.00	-14.91	5.19	3	Vertical	181	1.89	-
AV	5.4496G	47.59	54.00	-6.41	5.19	3	Vertical	181	1.89	-
PK	5.4664G	59.61	68.20	-8.59	5.25	3	Vertical	181	1.89	-
PK	5.7256G	119.89	Inf	-Inf	5.79	3	Vertical	181	1.89	-
AV	5.716G	107.87	Inf	-Inf	5.78	3	Vertical	181	1.89	-
PK	5.9068G	60.69	68.20	-7.51	6.73	3	Vertical	181	1.89	-

802.11ax HEW40_Nss1,(MCS0)_4TX

28/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 73
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	58.35	74.00	-15.65	5.21	3	Horizontal	182	1.66	-
AV	5.4568G	46.48	54.00	-7.52	5.21	3	Horizontal	182	1.66	-
PK	5.4676G	58.20	68.20	-10.00	5.25	3	Horizontal	182	1.66	-
PK	5.7016G	119.35	Inf	-Inf	5.74	3	Horizontal	182	1.66	-
AV	5.7172G	107.38	Inf	-Inf	5.78	3	Horizontal	182	1.66	-
PK	5.8552G	61.30	68.20	-6.90	6.36	3	Horizontal	182	1.66	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5290MHz_TX




EUT_Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	59.88	74.00	-14.12	4.25	3	Vertical	177	1.92	-
AV	5.15G	48.15	54.00	-5.85	4.25	3	Vertical	177	1.92	-
PK	5.281G	111.03	Inf	-Inf	4.57	3	Vertical	177	1.92	-
AV	5.296G	98.90	Inf	-Inf	4.63	3	Vertical	177	1.92	-
PK	5.352G	66.49	74.00	-7.51	4.82	3	Vertical	177	1.92	-
AV	5.353G	53.87	54.00	-0.13	4.82	3	Vertical	177	1.92	-
PK	5.467G	59.74	68.20	-8.46	5.25	3	Vertical	177	1.92	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5290MHz_TX




EUT_Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.141G	58.21	74.00	-15.79	4.24	3	Horizontal	158	1.67	-
AV	5.145G	46.89	54.00	-7.11	4.25	3	Horizontal	158	1.67	-
PK	5.267G	107.96	Inf	-Inf	4.52	3	Horizontal	158	1.67	-
AV	5.303G	97.32	Inf	-Inf	4.65	3	Horizontal	158	1.67	-
PK	5.359G	65.52	74.00	-8.48	4.85	3	Horizontal	158	1.67	-
AV	5.354G	52.32	54.00	-1.68	4.82	3	Horizontal	158	1.67	-
PK	5.537G	58.28	68.20	-9.92	5.47	3	Horizontal	158	1.67	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5530MHz_TX




EUT_Y_4TX
Setting 55
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.347G	57.81	68.20	-10.39	4.81	3	Vertical	180	2.00	-
PK	5.46G	67.49	74.00	-6.51	5.22	3	Vertical	180	2.00	-
AV	5.456G	53.49	54.00	-0.51	5.21	3	Vertical	180	2.00	-
PK	5.462G	67.55	68.20	-0.65	5.23	3	Vertical	180	2.00	-
PK	5.521G	112.34	Inf	-Inf	5.44	3	Vertical	180	2.00	-
AV	5.516G	100.54	Inf	-Inf	5.42	3	Vertical	180	2.00	-
PK	5.736G	59.20	68.20	-9.00	5.81	3	Vertical	180	2.00	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5530MHz_TX




EUT_Y_4TX
Setting 55
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.292G	57.56	68.20	-10.64	4.61	3	Horizontal	169	1.76	-
PK	5.444G	65.94	74.00	-8.06	5.16	3	Horizontal	169	1.76	-
PK	5.464G	68.01	68.20	-0.19	5.23	3	Horizontal	169	1.76	-
AV	5.457G	52.78	54.00	-1.22	5.21	3	Horizontal	169	1.76	-
PK	5.508G	110.32	Inf	-Inf	5.41	3	Horizontal	169	1.76	-
AV	5.517G	99.69	Inf	-Inf	5.42	3	Horizontal	169	1.76	-
PK	5.766G	59.13	68.20	-9.07	5.89	3	Horizontal	169	1.76	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5610MHz_TX




EUT Y_4TX
Setting 64
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.51	74.00	-11.49	5.22	3	Vertical	180	1.95	-
AV	5.459G	49.63	54.00	-4.37	5.22	3	Vertical	180	1.95	-
PK	5.468G	65.11	68.20	-3.09	5.25	3	Vertical	180	1.95	-
PK	5.626G	113.75	Inf	-Inf	5.67	3	Vertical	180	1.95	-
AV	5.621G	102.34	Inf	-Inf	5.66	3	Vertical	180	1.95	-
PK	5.731G	67.98	68.20	-0.22	5.80	3	Vertical	180	1.95	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5610MHz_TX




EUT Y_4TX
Setting 64
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.451G	62.40	74.00	-11.60	5.18	3	Horizontal	167	1.73	-
AV	5.451G	48.77	54.00	-5.23	5.18	3	Horizontal	167	1.73	-
PK	5.466G	62.84	68.20	-5.36	5.25	3	Horizontal	167	1.73	-
PK	5.592G	112.70	Inf	-Inf	5.61	3	Horizontal	167	1.73	-
AV	5.622G	102.76	Inf	-Inf	5.66	3	Horizontal	167	1.73	-
PK	5.726G	68.07	68.20	-0.13	5.79	3	Horizontal	167	1.73	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4356G	60.24	74.00	-13.76	5.14	3	Vertical	179	1.89	-
PK	5.4644G	60.96	68.20	-7.24	5.23	3	Vertical	179	1.89	-
AV	5.4536G	49.25	54.00	-4.75	5.19	3	Vertical	179	1.89	-
PK	5.7056G	116.06	Inf	-Inf	5.75	3	Vertical	179	1.89	-
AV	5.696G	104.71	Inf	-Inf	5.74	3	Vertical	179	1.89	-
PK	5.8616G	68.16	68.20	-0.04	6.41	3	Vertical	179	1.89	-

802.11ax HEW80_Nss1,(MCS0)_4TX

28/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	59.91	74.00	-14.09	5.22	3	Horizontal	168	1.67	-
AV	5.4596G	48.09	54.00	-5.91	5.22	3	Horizontal	168	1.67	-
PK	5.47G	61.37	68.20	-6.83	5.26	3	Horizontal	168	1.67	-
PK	5.6876G	114.52	Inf	-Inf	5.73	3	Horizontal	168	1.67	-
AV	5.702G	104.19	Inf	-Inf	5.74	3	Horizontal	168	1.67	-
PK	5.8544G	67.78	68.20	-0.42	6.36	3	Horizontal	168	1.67	-

802.11ax HEW160_Nss1,(MCS0)_4TX

28/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 50
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	62.56	74.00	-11.44	4.25	3	Vertical	175	1.94	-
AV	5.1476G	52.69	54.00	-1.31	4.25	3	Vertical	175	1.94	-
PK	5.2404G	105.54	Inf	-Inf	4.42	3	Vertical	175	1.94	-
AV	5.226G	94.87	Inf	-Inf	4.37	3	Vertical	175	1.94	-
PK	5.3732G	63.99	74.00	-10.01	4.89	3	Vertical	175	1.94	-
AV	5.3732G	53.81	54.00	-0.19	4.89	3	Vertical	175	1.94	-
PK	5.5044G	59.86	68.20	-8.34	5.39	3	Vertical	175	1.94	-

802.11ax HEW160_Nss1,(MCS0)_4TX

28/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 50
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1412G	61.64	74.00	-12.36	4.24	3	Horizontal	157	1.70	-
AV	5.1412G	50.51	54.00	-3.49	4.24	3	Horizontal	157	1.70	-
PK	5.2772G	104.43	Inf	-Inf	4.55	3	Horizontal	157	1.70	-
AV	5.258G	93.75	Inf	-Inf	4.48	3	Horizontal	157	1.70	-
PK	5.3844G	65.67	74.00	-8.33	4.93	3	Horizontal	157	1.70	-
AV	5.3828G	53.96	54.00	-0.04	4.93	3	Horizontal	157	1.70	-
PK	5.4772G	58.96	68.20	-9.24	5.29	3	Horizontal	157	1.70	-

802.11ax HEW160_Nss1,(MCS0)_4TX

28/03/2019

5570MHz_TX




EUT_Y_4TX
Setting 53
01-E-4-10
FSU
Low 30 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	61.17	68.20	-7.03	4.74	3	Vertical	178	1.94	-
PK	5.4564G	67.37	74.00	-6.63	5.21	3	Vertical	178	1.94	-
AV	5.4484G	53.78	54.00	-0.22	5.19	3	Vertical	178	1.94	-
PK	5.4676G	64.55	68.20	-3.65	5.25	3	Vertical	178	1.94	-
PK	5.5604G	108.56	Inf	-Inf	5.54	3	Vertical	178	1.94	-
AV	5.5764G	97.96	Inf	-Inf	5.57	3	Vertical	178	1.94	-
PK	5.7332G	65.78	68.20	-2.42	5.81	3	Vertical	178	1.94	-

802.11ax HEW160_Nss1,(MCS0)_4TX

28/03/2019

5570MHz_TX



- Lim.PK 
- PK 
- Lim.AV 
- AV 

EUT Y_4TX
 Setting 53
 01-E-4-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3172G	58.91	68.20	-9.29	4.70	3	Horizontal	170	1.72	-
PK	5.4532G	63.07	74.00	-10.93	5.19	3	Horizontal	170	1.72	-
AV	5.458G	52.31	54.00	-1.69	5.21	3	Horizontal	170	1.72	-
PK	5.4644G	62.64	68.20	-5.56	5.23	3	Horizontal	170	1.72	-
PK	5.602G	108.11	Inf	-Inf	5.64	3	Horizontal	170	1.72	-
AV	5.562G	97.12	Inf	-Inf	5.54	3	Horizontal	170	1.72	-
PK	5.7268G	68.19	68.20	-0.01	5.79	3	Horizontal	170	1.72	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3516G	53.96	54.00	-0.04	4.81	3	Vertical	175	1.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 77
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	66.45	74.00	-7.55	4.25	3	Vertical	177	1.36	-
AV	5.1478G	51.68	54.00	-2.32	4.25	3	Vertical	177	1.36	-
PK	5.2642G	124.42	Inf	-Inf	4.50	3	Vertical	177	1.36	-
AV	5.2522G	113.95	Inf	-Inf	4.47	3	Vertical	177	1.36	-
PK	5.3536G	68.05	74.00	-5.95	4.82	3	Vertical	177	1.36	-
AV	5.3536G	53.35	54.00	-0.65	4.82	3	Vertical	177	1.36	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 77
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	66.23	74.00	-7.77	4.25	3	Horizontal	166	1.58	-
AV	5.15G	52.04	54.00	-1.96	4.25	3	Horizontal	166	1.58	-
PK	5.2552G	127.26	Inf	-Inf	4.48	3	Horizontal	166	1.58	-
AV	5.2618G	115.48	Inf	-Inf	4.50	3	Horizontal	166	1.58	-
PK	5.3506G	68.09	74.00	-5.91	4.81	3	Horizontal	166	1.58	-
AV	5.35G	53.77	54.00	-0.23	4.81	3	Horizontal	166	1.58	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5300MHz_TX




EUT Y_4TX
Setting 63
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3088G	121.98	Inf	-Inf	4.65	3	Vertical	175	1.06	-
AV	5.3088G	99.51	Inf	-Inf	4.68	3	Vertical	175	1.06	-
PK	5.3548G	69.35	74.00	-4.65	4.82	3	Vertical	175	1.06	-
AV	5.3516G	53.96	54.00	-0.04	4.81	3	Vertical	175	1.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 63
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2952G	124.08	Inf	-Inf	4.62	3	Horizontal	156	1.53	-
AV	5.2952G	111.68	Inf	-Inf	4.63	3	Horizontal	156	1.53	-
PK	5.3504G	69.08	74.00	-4.92	4.81	3	Horizontal	156	1.53	-
AV	5.35G	53.75	54.00	-0.25	4.81	3	Horizontal	156	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5320MHz_TX




EUT Y_4TX
Setting 51
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3284G	112.85	Inf	-Inf	4.75	3	Vertical	148	1.42	-
AV	5.3284G	99.72	Inf	-Inf	4.75	3	Vertical	148	1.42	-
PK	5.3508G	66.95	74.00	-7.05	4.81	3	Vertical	148	1.42	-
AV	5.35G	50.06	54.00	-3.94	4.81	3	Vertical	148	1.42	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5320MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT_Y_4TX
Setting 51
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3282G	120.77	Inf	-Inf	4.74	3	Horizontal	158	1.67	-
AV	5.3276G	107.74	Inf	-Inf	4.74	3	Horizontal	158	1.67	-
PK	5.3514G	71.21	74.00	-2.79	4.81	3	Horizontal	158	1.67	-
AV	5.3506G	53.88	54.00	-0.12	4.81	3	Horizontal	158	1.67	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5500MHz_TX




EUT_Y_4TX
Setting 56
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4164G	62.61	74.00	-11.39	5.06	3	Vertical	180	1.39	-
AV	5.4552G	49.75	54.00	-4.25	5.21	3	Vertical	180	1.39	-
PK	5.4684G	62.58	68.20	-5.62	5.26	3	Vertical	180	1.39	-
PK	5.504G	115.54	Inf	-Inf	5.39	3	Vertical	180	1.39	-
AV	5.5064G	103.52	Inf	-Inf	5.40	3	Vertical	180	1.39	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5500MHz_TX




EUT_Y_4TX
Setting 56
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.434G	62.81	74.00	-11.19	5.12	3	Horizontal	167	1.53	-
AV	5.456G	49.99	54.00	-4.01	5.21	3	Horizontal	167	1.53	-
PK	5.469998G	68.04	68.20	-0.16	5.26	3	Horizontal	167	1.53	-
PK	5.4968G	119.93	Inf	-Inf	5.37	3	Horizontal	167	1.53	-
AV	5.4948G	107.66	Inf	-Inf	5.35	3	Horizontal	167	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5580MHz_TX




EUT_Y_4TX
Setting 74
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4176G	63.36	74.00	-10.64	5.06	3	Vertical	176	2.24	-
AV	5.4344G	50.30	54.00	-3.70	5.12	3	Vertical	176	2.24	-
PK	5.4696G	62.53	68.20	-5.67	5.26	3	Vertical	176	2.24	-
PK	5.584G	121.12	Inf	-Inf	5.60	3	Vertical	176	2.24	-
AV	5.5808G	104.62	Inf	-Inf	5.58	3	Vertical	176	2.24	-
PK	5.7504G	62.93	68.20	-5.27	5.85	3	Vertical	176	2.24	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5580MHz_TX




EUT_Y_4TX
Setting 74
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4224G	62.53	74.00	-11.47	5.08	3	Horizontal	166	1.28	-
AV	5.416G	50.28	54.00	-3.72	5.06	3	Horizontal	166	1.28	-
PK	5.4696G	62.91	68.20	-5.29	5.26	3	Horizontal	166	1.28	-
PK	5.5744G	124.72	Inf	-Inf	5.58	3	Horizontal	166	1.28	-
AV	5.5752G	112.82	Inf	-Inf	5.57	3	Horizontal	166	1.28	-
PK	5.768G	62.78	68.20	-5.42	5.90	3	Horizontal	166	1.28	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5700MHz_TX




EUT Y_4TX
Setting 55
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7024G	115.34	Inf	-Inf	5.74	3	Vertical	178	2.13	-
AV	5.6962G	92.86	Inf	-Inf	5.74	3	Vertical	178	2.13	-
PK	5.7266G	62.66	68.20	-5.54	5.79	3	Vertical	178	2.13	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5700MHz_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT Y_4TX
Setting 55
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6916G	119.58	Inf	-Inf	5.73	3	Horizontal	169	1.54	-
AV	5.6922G	107.99	Inf	-Inf	5.73	3	Horizontal	169	1.54	-
PK	5.7258G	68.03	68.20	-0.17	5.79	3	Horizontal	169	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 69
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4284G	62.11	74.00	-11.89	5.11	3	Vertical	171	2.63	-
AV	5.4524G	49.89	54.00	-4.11	5.19	3	Vertical	171	2.63	-
PK	5.462G	62.61	68.20	-5.59	5.23	3	Vertical	171	2.63	-
PK	5.7272G	121.04	Inf	-Inf	5.79	3	Vertical	171	2.63	-
AV	5.72G	103.13	Inf	-Inf	5.79	3	Vertical	171	2.63	-
PK	5.9672G	63.12	68.20	-5.08	7.00	3	Vertical	171	2.63	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 69
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4308G	61.99	74.00	-12.01	5.11	3	Horizontal	180	1.44	-
AV	5.4416G	49.72	54.00	-4.28	5.15	3	Horizontal	180	1.44	-
PK	5.4644G	61.70	68.20	-6.50	5.23	3	Horizontal	180	1.44	-
PK	5.7212G	124.66	Inf	-Inf	5.79	3	Horizontal	180	1.44	-
AV	5.7248G	112.67	Inf	-Inf	5.80	3	Horizontal	180	1.44	-
PK	5.8856G	63.66	68.20	-4.54	6.59	3	Horizontal	180	1.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5270MHz_TX




EUT Y_4TX
Setting 60
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.286G	116.08	Inf	-Inf	4.59	3	Vertical	162	1.78	-
AV	5.2532G	103.57	Inf	-Inf	4.47	3	Vertical	162	1.78	-
PK	5.3648G	67.47	74.00	-6.53	4.86	3	Vertical	162	1.78	-
AV	5.3524G	51.75	54.00	-2.25	4.82	3	Vertical	162	1.78	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5270MHz_TX




EUT_Y_4TX
Setting 60
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.276G	120.45	Inf	-Inf	4.55	3	Horizontal	165	1.50	-
AV	5.2604G	108.57	Inf	-Inf	4.49	3	Horizontal	165	1.50	-
PK	5.3568G	67.09	74.00	-6.91	4.83	3	Horizontal	165	1.50	-
AV	5.3516G	53.89	54.00	-0.11	4.81	3	Horizontal	165	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5310MHz_TX




EUT_Y_4TX
Setting 60
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3152G	110.22	Inf	-Inf	4.70	3	Vertical	160	2.12	-
AV	5.3076G	90.92	Inf	-Inf	4.66	3	Vertical	160	2.12	-
PK	5.354G	72.00	74.00	-2.00	4.82	3	Vertical	160	2.12	-
AV	5.3508G	50.31	54.00	-3.69	4.81	3	Vertical	160	2.12	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5310MHz_TX




EUT_Y_4TX
Setting 60
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.324G	115.30	Inf	-Inf	4.72	3	Horizontal	157	1.54	-
AV	5.3256G	103.41	Inf	-Inf	4.74	3	Horizontal	157	1.54	-
PK	5.3508G	69.48	74.00	-4.52	4.81	3	Horizontal	157	1.54	-
AV	5.350001G	53.75	54.00	-0.25	4.81	3	Horizontal	157	1.54	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5510MHz_TX




EUT_Y_4TX
Setting 50
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	64.67	74.00	-9.33	5.19	3	Vertical	169	1.50	-
AV	5.4584G	50.40	54.00	-3.60	5.22	3	Vertical	169	1.50	-
PK	5.4676G	67.40	68.20	-0.80	5.25	3	Vertical	169	1.50	-
PK	5.5044G	111.17	Inf	-Inf	5.39	3	Vertical	169	1.50	-
AV	5.5028G	98.12	Inf	-Inf	5.39	3	Vertical	169	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5510MHz_TX




EUT_Y_4TX
Setting 50
01-Z-1-10
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	64.15	74.00	-9.85	5.22	3	Horizontal	167	1.49	-
AV	5.4588G	50.33	54.00	-3.67	5.22	3	Horizontal	167	1.49	-
PK	5.4696G	67.92	68.20	-0.28	5.26	3	Horizontal	167	1.49	-
PK	5.5152G	115.50	Inf	-Inf	5.42	3	Horizontal	167	1.49	-
AV	5.4968G	102.44	Inf	-Inf	5.37	3	Horizontal	167	1.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
Setting 70
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	65.65	74.00	-8.35	5.22	3	Vertical	175	1.50	-
AV	5.4592G	51.10	54.00	-2.90	5.22	3	Vertical	175	1.50	-
PK	5.468G	66.95	68.20	-1.25	5.25	3	Vertical	175	1.50	-
PK	5.5432G	115.80	Inf	-Inf	5.49	3	Vertical	175	1.50	-
AV	5.5428G	104.05	Inf	-Inf	5.49	3	Vertical	175	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5550MHz_TX




EUT_Y_4TX
Setting 70
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	64.12	74.00	-9.88	5.22	3	Horizontal	170	1.62	-
AV	5.4568G	50.68	54.00	-3.32	5.21	3	Horizontal	170	1.62	-
PK	5.4676G	67.95	68.20	-0.25	5.25	3	Horizontal	170	1.62	-
PK	5.544G	120.75	Inf	-Inf	5.50	3	Horizontal	170	1.62	-
AV	5.54G	107.96	Inf	-Inf	5.48	3	Horizontal	170	1.62	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5670MHz_TX




EUT Y_4TX
Setting 56
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.676G	111.10	Inf	-Inf	5.72	3	Vertical	187	2.08	-
AV	5.6652G	99.41	Inf	-Inf	5.71	3	Vertical	187	2.08	-
PK	5.7276G	64.08	68.20	-4.12	5.80	3	Vertical	187	2.08	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5670MHz_TX




EUT_Y_4TX
Setting 56
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6752G	117.73	Inf	-Inf	5.72	3	Horizontal	173	1.48	-
AV	5.6764G	104.76	Inf	-Inf	5.72	3	Horizontal	173	1.48	-
PK	5.7268G	67.89	68.20	-0.31	5.79	3	Horizontal	173	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 73
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.422G	62.59	74.00	-11.41	5.08	3	Vertical	178	1.34	-
AV	5.4436G	49.94	54.00	-4.06	5.16	3	Vertical	178	1.34	-
PK	5.47G	62.64	68.20	-5.56	5.26	3	Vertical	178	1.34	-
PK	5.6992G	115.07	Inf	-Inf	5.74	3	Vertical	178	1.34	-
AV	5.7004G	103.42	Inf	-Inf	5.74	3	Vertical	178	1.34	-
PK	5.9056G	63.37	68.20	-4.83	6.73	3	Vertical	178	1.34	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 73
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4484G	63.10	74.00	-10.90	5.19	3	Horizontal	170	1.46	-
AV	5.4436G	49.89	54.00	-4.11	5.16	3	Horizontal	170	1.46	-
PK	5.4676G	61.67	68.20	-6.53	5.25	3	Horizontal	170	1.46	-
PK	5.722G	118.96	Inf	-Inf	5.79	3	Horizontal	170	1.46	-
AV	5.692G	108.50	Inf	-Inf	5.73	3	Horizontal	170	1.46	-
PK	5.9044G	63.90	68.20	-4.30	6.72	3	Horizontal	170	1.46	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5290MHz_TX




EUT_Y_4TX
Setting 49
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	62.54	74.00	-11.46	4.24	3	Vertical	177	1.50	-
AV	5.148G	49.25	54.00	-4.75	4.25	3	Vertical	177	1.50	-
PK	5.257G	108.74	Inf	-Inf	4.48	3	Vertical	177	1.50	-
AV	5.264G	89.08	Inf	-Inf	4.50	3	Vertical	177	1.50	-
PK	5.366G	72.10	74.00	-1.90	4.87	3	Vertical	177	1.50	-
AV	5.351G	51.82	54.00	-2.18	4.81	3	Vertical	177	1.50	-
PK	5.508G	63.57	68.20	-4.63	5.41	3	Vertical	177	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5290MHz_TX




EUT_Y_4TX
Setting 49
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	60.95	74.00	-13.05	4.25	3	Horizontal	161	1.55	-
AV	5.141G	48.90	54.00	-5.10	4.24	3	Horizontal	161	1.55	-
PK	5.269G	112.14	Inf	-Inf	4.53	3	Horizontal	161	1.55	-
AV	5.26G	100.55	Inf	-Inf	4.49	3	Horizontal	161	1.55	-
PK	5.379G	70.28	74.00	-3.72	4.92	3	Horizontal	161	1.55	-
AV	5.355G	53.85	54.00	-0.15	4.82	3	Horizontal	161	1.55	-
PK	5.517G	62.53	68.20	-5.67	5.42	3	Horizontal	161	1.55	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5530MHz_TX




EUT_Y_4TX
Setting 56
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.329G	61.93	68.20	-6.27	4.75	3	Vertical	170	1.50	-
PK	5.443G	65.13	74.00	-8.87	5.16	3	Vertical	170	1.50	-
AV	5.457G	50.33	54.00	-3.67	5.21	3	Vertical	170	1.50	-
PK	5.469999G	67.98	68.20	-0.22	5.26	3	Vertical	170	1.50	-
PK	5.498G	108.62	Inf	-Inf	5.37	3	Vertical	170	1.50	-
AV	5.506G	86.31	Inf	-Inf	5.39	3	Vertical	170	1.50	-
PK	5.764G	63.06	68.20	-5.14	5.89	3	Vertical	170	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5530MHz_TX




EUT_Y_4TX
Setting 56
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.345G	61.77	68.20	-6.43	4.81	3	Horizontal	157	1.96	-
PK	5.455G	66.45	74.00	-7.55	5.20	3	Horizontal	157	1.96	-
AV	5.456G	51.18	54.00	-2.82	5.21	3	Horizontal	157	1.96	-
PK	5.468G	65.86	68.20	-2.34	5.25	3	Horizontal	157	1.96	-
PK	5.506G	110.08	Inf	-Inf	5.39	3	Horizontal	157	1.96	-
AV	5.493G	89.81	Inf	-Inf	5.35	3	Horizontal	157	1.96	-
PK	5.771G	67.28	68.20	-0.92	5.90	3	Horizontal	157	1.96	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5610MHz_TX




EUT Y_4TX
Setting 63
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.415G	63.41	74.00	-10.59	5.05	3	Vertical	175	2.48	-
AV	5.452G	49.84	54.00	-4.16	5.19	3	Vertical	175	2.48	-
PK	5.47G	62.66	68.20	-5.54	5.26	3	Vertical	175	2.48	-
PK	5.586G	118.47	Inf	-Inf	5.60	3	Vertical	175	2.48	-
AV	5.588G	91.20	Inf	-Inf	5.61	3	Vertical	175	2.48	-
PK	5.765G	67.66	68.20	-0.54	5.89	3	Vertical	175	2.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5610MHz_TX




EUT_Y_4TX
Setting 63
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	63.67	74.00	-10.33	5.16	3	Horizontal	161	2.02	-
AV	5.456G	50.06	54.00	-3.94	5.21	3	Horizontal	161	2.02	-
PK	5.466G	64.60	68.20	-3.60	5.25	3	Horizontal	161	2.02	-
PK	5.606G	111.82	Inf	-Inf	5.65	3	Horizontal	161	2.02	-
AV	5.579G	94.12	Inf	-Inf	5.58	3	Horizontal	161	2.02	-
PK	5.76G	64.89	68.20	-3.31	5.87	3	Horizontal	161	2.02	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 74
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.453G	62.55	74.00	-11.45	5.19	3	Vertical	175	1.82	-
AV	5.454G	49.72	54.00	-4.28	5.19	3	Vertical	175	1.82	-
PK	5.466G	62.90	68.20	-5.30	5.25	3	Vertical	175	1.82	-
PK	5.706G	111.14	Inf	-Inf	5.75	3	Vertical	175	1.82	-
AV	5.662G	93.06	Inf	-Inf	5.70	3	Vertical	175	1.82	-
PK	5.856G	67.86	68.20	-0.34	6.38	3	Vertical	175	1.82	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 74
01-Z-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.451G	62.75	74.00	-11.25	5.18	3	Horizontal	177	1.56	-
AV	5.451G	49.40	54.00	-4.60	5.18	3	Horizontal	177	1.56	-
PK	5.462G	61.89	68.20	-6.31	5.23	3	Horizontal	177	1.56	-
PK	5.653G	117.43	Inf	-Inf	5.69	3	Horizontal	177	1.56	-
AV	5.681G	98.90	Inf	-Inf	5.72	3	Horizontal	177	1.56	-
PK	5.861G	67.88	68.20	-0.32	6.41	3	Horizontal	177	1.56	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

11/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 42
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.061G	61.44	74.00	-12.56	4.28	3	Vertical	197	1.49	-
AV	5.132G	50.82	54.00	-3.18	4.24	3	Vertical	197	1.49	-
PK	5.218G	101.25	Inf	-Inf	4.33	3	Vertical	197	1.49	-
AV	5.218G	90.55	Inf	-Inf	4.33	3	Vertical	197	1.49	-
PK	5.386G	63.11	74.00	-10.89	4.94	3	Vertical	197	1.49	-
AV	5.355G	51.56	54.00	-2.44	4.82	3	Vertical	197	1.49	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

11/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 42
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.134G	64.31	74.00	-9.69	4.24	3	Horizontal	159	1.79	-
AV	5.146G	53.85	54.00	-0.15	4.25	3	Horizontal	159	1.79	-
PK	5.276G	107.18	Inf	-Inf	4.55	3	Horizontal	159	1.79	-
AV	5.276G	96.47	Inf	-Inf	4.55	3	Horizontal	159	1.79	-
PK	5.361G	65.49	74.00	-8.51	4.85	3	Horizontal	159	1.79	-
AV	5.38G	53.45	54.00	-0.55	4.92	3	Horizontal	159	1.79	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

11/04/2019

5570MHz_TX




EUT_Y_4TX
Setting 47
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.443G	66.06	74.00	-7.94	5.16	3	Vertical	171	1.09	-
AV	5.456G	52.63	54.00	-1.37	5.21	3	Vertical	171	1.09	-
PK	5.469G	63.20	68.20	-5.00	5.26	3	Vertical	171	1.09	-
PK	5.495G	107.26	Inf	-Inf	5.36	3	Vertical	171	1.09	-
AV	5.544G	93.66	Inf	-Inf	5.50	3	Vertical	171	1.09	-
PK	5.809G	62.93	68.20	-5.27	6.03	3	Vertical	171	1.09	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

11/04/2019

5570MHz_TX



EUT_Y_4TX
Setting 47
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	68.18	74.00	-5.82	5.21	3	Horizontal	166	2.00	-
AV	5.448G	53.92	54.00	-0.08	5.18	3	Horizontal	166	2.00	-
PK	5.464G	67.18	68.20	-1.02	5.23	3	Horizontal	166	2.00	-
PK	5.547G	105.42	Inf	-Inf	5.50	3	Horizontal	166	2.00	-
AV	5.582G	92.28	Inf	-Inf	5.59	3	Horizontal	166	2.00	-
PK	5.74G	63.02	68.20	-5.18	5.83	3	Horizontal	166	2.00	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.3666G	53.97	54.00	-0.03	4.87	3	Vertical	177	1.64	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5260MHz_TX




EUT_Y_4TX
Setting 83
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1226G	61.27	74.00	-12.73	4.23	3	Vertical	176	1.94	-
AV	5.1466G	49.13	54.00	-4.87	4.25	3	Vertical	176	1.94	-
PK	5.2594G	121.81	Inf	-Inf	4.49	3	Vertical	176	1.94	-
AV	5.2642G	109.32	Inf	-Inf	4.50	3	Vertical	176	1.94	-
PK	5.395G	61.93	74.00	-12.07	4.98	3	Vertical	176	1.94	-
AV	5.374G	49.47	54.00	-4.53	4.89	3	Vertical	176	1.94	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5260MHz_TX




EUT Y_4TX
Setting 83
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1286G	61.27	74.00	-12.73	4.24	3	Horizontal	163	1.95	-
AV	5.1334G	48.19	54.00	-5.81	4.24	3	Horizontal	163	1.95	-
PK	5.2654G	120.14	Inf	-Inf	4.52	3	Horizontal	163	1.95	-
AV	5.2558G	107.88	Inf	-Inf	4.48	3	Horizontal	163	1.95	-
PK	5.3752G	60.26	74.00	-13.74	4.91	3	Horizontal	163	1.95	-
AV	5.3662G	48.57	54.00	-5.43	4.87	3	Horizontal	163	1.95	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5300MHz_TX




EUT_Y_4TX
Setting 81
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2994G	121.40	Inf	-Inf	4.64	3	Vertical	177	1.89	-
AV	5.3036G	108.90	Inf	-Inf	4.65	3	Vertical	177	1.89	-
PK	5.3504G	66.81	74.00	-7.19	4.81	3	Vertical	177	1.89	-
AV	5.351G	53.76	54.00	-0.24	4.81	3	Vertical	177	1.89	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5300MHz_TX




EUT_Y_4TX
Setting 81
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2994G	119.73	Inf	-Inf	4.64	3	Horizontal	159	1.89	-
AV	5.2958G	107.52	Inf	-Inf	4.63	3	Horizontal	159	1.89	-
PK	5.3528G	68.60	74.00	-5.40	4.82	3	Horizontal	159	1.89	-
AV	5.3504G	52.68	54.00	-1.32	4.81	3	Horizontal	159	1.89	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/03/2019

5320MHz_TX




EUT_Y_4TX
Setting 66
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3256G	116.78	Inf	-Inf	4.74	3	Vertical	177	1.99	-
AV	5.3152G	104.88	Inf	-Inf	4.70	3	Vertical	177	1.99	-
PK	5.35G	68.25	74.00	-5.75	4.81	3	Vertical	177	1.99	-
AV	5.3508G	53.93	54.00	-0.07	4.81	3	Vertical	177	1.99	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/03/2019

5320MHz_TX




EUT_Y_4TX
Setting 66
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3252G	116.41	Inf	-Inf	4.74	3	Horizontal	162	2.04	-
AV	5.3204G	103.12	Inf	-Inf	4.71	3	Horizontal	162	2.04	-
PK	5.35G	66.48	74.00	-7.52	4.81	3	Horizontal	162	2.04	-
AV	5.35G	52.87	54.00	-1.13	4.81	3	Horizontal	162	2.04	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/03/2019

5500MHz_TX




EUT Y_4TX
Setting 63
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	61.26	74.00	-12.74	5.19	3	Vertical	181	1.92	-
AV	5.4596G	48.41	54.00	-5.59	5.22	3	Vertical	181	1.92	-
PK	5.468G	68.10	68.20	-0.10	5.25	3	Vertical	181	1.92	-
PK	5.4992G	117.07	Inf	-Inf	5.38	3	Vertical	181	1.92	-
AV	5.4968G	105.03	Inf	-Inf	5.37	3	Vertical	181	1.92	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/03/2019

5500MHz_TX




EUT_Y_4TX
Setting 63
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	59.72	74.00	-14.28	5.21	3	Horizontal	169	1.83	-
AV	5.46G	48.21	54.00	-5.79	5.22	3	Horizontal	169	1.83	-
PK	5.4692G	67.22	68.20	-0.98	5.26	3	Horizontal	169	1.83	-
PK	5.496G	116.29	Inf	-Inf	5.37	3	Horizontal	169	1.83	-
AV	5.5016G	104.26	Inf	-Inf	5.38	3	Horizontal	169	1.83	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5580MHz_TX




EUT_Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4144G	60.11	74.00	-13.89	5.04	3	Vertical	178	1.94	-
AV	5.4464G	48.18	54.00	-5.82	5.18	3	Vertical	178	1.94	-
PK	5.4664G	60.28	68.20	-7.92	5.25	3	Vertical	178	1.94	-
PK	5.5792G	119.37	Inf	-Inf	5.58	3	Vertical	178	1.94	-
AV	5.5824G	107.63	Inf	-Inf	5.59	3	Vertical	178	1.94	-
PK	5.764G	60.27	68.20	-7.93	5.89	3	Vertical	178	1.94	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5580MHz_TX




EUT_Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4064G	59.88	74.00	-14.12	5.02	3	Horizontal	169	1.79	-
AV	5.3824G	47.63	54.00	-6.37	4.93	3	Horizontal	169	1.79	-
PK	5.4664G	58.78	68.20	-9.42	5.25	3	Horizontal	169	1.79	-
PK	5.5792G	119.91	Inf	-Inf	5.58	3	Horizontal	169	1.79	-
AV	5.5816G	108.07	Inf	-Inf	5.59	3	Horizontal	169	1.79	-
PK	5.7376G	59.97	68.20	-8.23	5.83	3	Horizontal	169	1.79	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5700MHz_TX




EUT_Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6992G	115.35	Inf	-Inf	5.74	3	Vertical	181	1.85	-
AV	5.6968G	103.66	Inf	-Inf	5.74	3	Vertical	181	1.85	-
PK	5.7256G	68.16	68.20	-0.04	5.79	3	Vertical	181	1.85	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/03/2019

5700MHz_TX




EUT Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6992G	115.13	Inf	-Inf	5.74	3	Horizontal	180	1.67	-
AV	5.7016G	103.19	Inf	-Inf	5.74	3	Horizontal	180	1.67	-
PK	5.7252G	66.70	68.20	-1.50	5.79	3	Horizontal	180	1.67	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 71
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4524G	59.64	74.00	-14.36	5.19	3	Vertical	183	1.90	-
AV	5.4596G	47.25	54.00	-6.75	5.22	3	Vertical	183	1.90	-
PK	5.4668G	60.49	68.20	-7.71	5.25	3	Vertical	183	1.90	-
PK	5.726G	119.51	Inf	-Inf	5.79	3	Vertical	183	1.90	-
AV	5.7152G	107.22	Inf	-Inf	5.78	3	Vertical	183	1.90	-
PK	5.876G	60.50	68.20	-7.70	6.53	3	Vertical	183	1.90	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 71
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4368G	58.89	74.00	-15.11	5.14	3	Horizontal	179	1.76	-
AV	5.4452G	47.17	54.00	-6.83	5.18	3	Horizontal	179	1.76	-
PK	5.462G	58.42	68.20	-9.78	5.23	3	Horizontal	179	1.76	-
PK	5.7188G	119.44	Inf	-Inf	5.79	3	Horizontal	179	1.76	-
AV	5.7212G	107.06	Inf	-Inf	5.79	3	Horizontal	179	1.76	-
PK	5.9336G	61.87	68.20	-6.33	6.85	3	Horizontal	179	1.76	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5270MHz_TX




EUT_Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.135G	62.47	74.00	-11.53	4.25	3	Vertical	177	1.64	-
AV	5.1404G	50.44	54.00	-3.56	4.24	3	Vertical	177	1.64	-
PK	5.2742G	117.39	Inf	-Inf	4.54	3	Vertical	177	1.64	-
AV	5.2718G	106.42	Inf	-Inf	4.54	3	Vertical	177	1.64	-
PK	5.3666G	67.54	74.00	-6.46	4.87	3	Vertical	177	1.64	-
AV	5.3666G	53.97	54.00	-0.03	4.87	3	Vertical	177	1.64	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5270MHz_TX




EUT_Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1452G	61.94	74.00	-12.06	4.25	3	Horizontal	159	1.98	-
AV	5.1416G	49.40	54.00	-4.60	4.24	3	Horizontal	159	1.98	-
PK	5.267G	115.80	Inf	-Inf	4.52	3	Horizontal	159	1.98	-
AV	5.2688G	105.28	Inf	-Inf	4.53	3	Horizontal	159	1.98	-
PK	5.35G	67.60	74.00	-6.40	4.81	3	Horizontal	159	1.98	-
AV	5.3558G	53.55	54.00	-0.45	4.83	3	Horizontal	159	1.98	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5310MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 57
 01-E-4-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2992G	112.28	Inf	-Inf	4.64	3	Vertical	176	2.00	-
AV	5.3076G	101.24	Inf	-Inf	4.66	3	Vertical	176	2.00	-
PK	5.3544G	68.00	74.00	-6.00	4.82	3	Vertical	176	2.00	-
AV	5.3514G	53.92	54.00	-0.08	4.81	3	Vertical	176	2.00	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5310MHz_TX




EUT_Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.307G	111.57	Inf	-Inf	4.66	3	Horizontal	159	1.93	-
AV	5.3088G	100.34	Inf	-Inf	4.68	3	Horizontal	159	1.93	-
PK	5.35G	67.40	74.00	-6.60	4.81	3	Horizontal	159	1.93	-
AV	5.3508G	52.77	54.00	-1.23	4.81	3	Horizontal	159	1.93	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5510MHz_TX




EUT_Y_4TX
Setting 54
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	65.12	74.00	-8.88	5.22	3	Vertical	179	2.00	-
AV	5.4524G	51.41	54.00	-2.59	5.19	3	Vertical	179	2.00	-
PK	5.4602G	65.12	68.20	-3.08	5.22	3	Vertical	179	2.00	-
PK	5.5142G	112.03	Inf	-Inf	5.42	3	Vertical	179	2.00	-
AV	5.5076G	101.23	Inf	-Inf	5.41	3	Vertical	179	2.00	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5510MHz_TX




EUT Y_4TX
Setting 54
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4482G	62.53	74.00	-11.47	5.18	3	Horizontal	169	2.02	-
AV	5.45G	49.50	54.00	-4.50	5.19	3	Horizontal	169	2.02	-
PK	5.4674G	67.96	68.20	-0.24	5.25	3	Horizontal	169	2.02	-
PK	5.507G	111.35	Inf	-Inf	5.40	3	Horizontal	169	2.02	-
AV	5.5088G	100.91	Inf	-Inf	5.41	3	Horizontal	169	2.02	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5550MHz_TX




EUT_Y_4TX
Setting 74
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4576G	67.15	74.00	-6.85	5.21	3	Vertical	179	1.82	-
AV	5.457G	53.51	54.00	-0.49	5.21	3	Vertical	179	1.82	-
PK	5.4684G	68.03	68.20	-0.17	5.26	3	Vertical	179	1.82	-
PK	5.5416G	117.85	Inf	-Inf	5.48	3	Vertical	179	1.82	-
AV	5.5374G	106.46	Inf	-Inf	5.47	3	Vertical	179	1.82	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5550MHz_TX




EUT_Y_4TX
 Setting 74
 01-E-4-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4522G	64.31	74.00	-9.69	5.19	3	Horizontal	171	1.82	-
AV	5.4534G	51.01	54.00	-2.99	5.19	3	Horizontal	171	1.82	-
PK	5.4648G	66.31	68.20	-1.89	5.23	3	Horizontal	171	1.82	-
PK	5.5362G	117.19	Inf	-Inf	5.47	3	Horizontal	171	1.82	-
AV	5.5464G	106.04	Inf	-Inf	5.50	3	Horizontal	171	1.82	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5670MHz_TX




EUT Y_4TX
Setting 58
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6742G	112.63	Inf	-Inf	5.71	3	Vertical	179	1.65	-
AV	5.6778G	102.29	Inf	-Inf	5.72	3	Vertical	179	1.65	-
PK	5.7252G	64.96	68.20	-3.24	5.79	3	Vertical	179	1.65	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5670MHz_TX




EUT Y_4TX
 Setting 58
 01-E-4-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6562G	113.24	Inf	-Inf	5.70	3	Horizontal	171	1.68	-
AV	5.6676G	102.24	Inf	-Inf	5.71	3	Horizontal	171	1.68	-
PK	5.7264G	68.16	68.20	-0.04	5.79	3	Horizontal	171	1.68	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 73
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4544G	59.45	74.00	-14.55	5.19	3	Vertical	181	1.62	-
AV	5.4556G	48.65	54.00	-5.35	5.21	3	Vertical	181	1.62	-
PK	5.4676G	59.03	68.20	-9.17	5.25	3	Vertical	181	1.62	-
PK	5.7016G	117.62	Inf	-Inf	5.74	3	Vertical	181	1.62	-
AV	5.7136G	106.56	Inf	-Inf	5.78	3	Vertical	181	1.62	-
PK	5.8528G	61.71	68.20	-6.49	6.35	3	Vertical	181	1.62	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 73
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.428G	58.31	74.00	-15.69	5.10	3	Horizontal	183	1.76	-
AV	5.4352G	48.13	54.00	-5.87	5.14	3	Horizontal	183	1.76	-
PK	5.4688G	57.95	68.20	-10.25	5.26	3	Horizontal	183	1.76	-
PK	5.7064G	117.82	Inf	-Inf	5.75	3	Horizontal	183	1.76	-
AV	5.7064G	106.21	Inf	-Inf	5.75	3	Horizontal	183	1.76	-
PK	5.9176G	61.38	68.20	-6.82	6.78	3	Horizontal	183	1.76	-

802.11ax HEW80_Nss4,(MCS0)_4TX

13/05/2019

5290MHz_TX




EUT Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.145G	59.55	74.00	-14.45	4.25	3	Vertical	176	1.83	-
AV	5.143G	49.59	54.00	-4.41	4.24	3	Vertical	176	1.83	-
PK	5.284G	110.02	Inf	-Inf	4.58	3	Vertical	176	1.83	-
AV	5.282G	99.35	Inf	-Inf	4.58	3	Vertical	176	1.83	-
PK	5.368G	69.02	74.00	-4.98	4.87	3	Vertical	176	1.83	-
AV	5.366G	53.95	54.00	-0.05	4.87	3	Vertical	176	1.83	-
PK	5.471G	59.38	68.20	-8.82	5.26	3	Vertical	176	1.83	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5290MHz_TX




EUT Y_4TX
Setting 57
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.145G	59.13	74.00	-14.87	4.25	3	Horizontal	160	1.87	-
AV	5.15G	48.53	54.00	-5.47	4.25	3	Horizontal	160	1.87	-
PK	5.284G	108.70	Inf	-Inf	4.58	3	Horizontal	160	1.87	-
AV	5.282G	97.79	Inf	-Inf	4.58	3	Horizontal	160	1.87	-
PK	5.368G	67.96	74.00	-6.04	4.87	3	Horizontal	160	1.87	-
AV	5.386G	53.28	54.00	-0.72	4.94	3	Horizontal	160	1.87	-
PK	5.518G	58.24	68.20	-9.96	5.43	3	Horizontal	160	1.87	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5530MHz_TX




EUT_Y_4TX
Setting 55
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.325G	59.41	68.20	-8.79	4.73	3	Vertical	176	1.88	-
PK	5.46G	67.47	74.00	-6.53	5.22	3	Vertical	176	1.88	-
AV	5.458G	52.53	54.00	-1.47	5.21	3	Vertical	176	1.88	-
PK	5.461G	66.24	68.20	-1.96	5.22	3	Vertical	176	1.88	-
PK	5.524G	109.90	Inf	-Inf	5.45	3	Vertical	176	1.88	-
AV	5.521G	99.37	Inf	-Inf	5.44	3	Vertical	176	1.88	-
PK	5.734G	58.86	68.20	-9.34	5.81	3	Vertical	176	1.88	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5530MHz_TX




EUT Y_4TX
Setting 55
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.323G	58.42	68.20	-9.78	4.72	3	Horizontal	169	1.83	-
PK	5.446G	64.86	74.00	-9.14	5.18	3	Horizontal	169	1.83	-
AV	5.445G	52.86	54.00	-1.14	5.18	3	Horizontal	169	1.83	-
PK	5.464G	68.03	68.20	-0.17	5.23	3	Horizontal	169	1.83	-
PK	5.526G	109.85	Inf	-Inf	5.44	3	Horizontal	169	1.83	-
AV	5.522G	97.77	Inf	-Inf	5.44	3	Horizontal	169	1.83	-
PK	5.73G	59.13	68.20	-9.07	5.80	3	Horizontal	169	1.83	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5610MHz_TX




EUT Y_4TX
Setting 65
01-E-4-10
FSU
Low 30 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.74	74.00	-11.26	5.22	3	Vertical	180	2.02	-
AV	5.456G	50.80	54.00	-3.20	5.21	3	Vertical	180	2.02	-
PK	5.463G	64.37	68.20	-3.83	5.23	3	Vertical	180	2.02	-
PK	5.6G	111.97	Inf	-Inf	5.64	3	Vertical	180	2.02	-
AV	5.601G	100.97	Inf	-Inf	5.64	3	Vertical	180	2.02	-
PK	5.733G	67.58	68.20	-0.62	5.81	3	Vertical	180	2.02	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5610MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 65
 01-E-4-10
 FSU
 Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	61.86	74.00	-12.14	5.22	3	Horizontal	170	1.94	-
AV	5.457G	50.01	54.00	-3.99	5.21	3	Horizontal	170	1.94	-
PK	5.467G	64.80	68.20	-3.40	5.25	3	Horizontal	170	1.94	-
PK	5.606G	113.60	Inf	-Inf	5.65	3	Horizontal	170	1.94	-
AV	5.599G	101.37	Inf	-Inf	5.64	3	Horizontal	170	1.94	-
PK	5.727G	67.90	68.20	-0.30	5.79	3	Horizontal	170	1.94	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 75
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4464G	63.27	74.00	-10.73	5.18	3	Vertical	178	1.82	-
AV	5.4596G	50.82	54.00	-3.18	5.22	3	Vertical	178	1.82	-
PK	5.4656G	62.06	68.20	-6.14	5.25	3	Vertical	178	1.82	-
PK	5.684G	115.03	Inf	-Inf	5.72	3	Vertical	178	1.82	-
AV	5.6792G	104.37	Inf	-Inf	5.72	3	Vertical	178	1.82	-
PK	5.8616G	67.54	68.20	-0.66	6.41	3	Vertical	178	1.82	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 75
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	62.14	74.00	-11.86	5.19	3	Horizontal	175	1.85	-
AV	5.4476G	49.15	54.00	-4.85	5.18	3	Horizontal	175	1.85	-
PK	5.468G	59.47	68.20	-8.73	5.25	3	Horizontal	175	1.85	-
PK	5.684G	114.83	Inf	-Inf	5.72	3	Horizontal	175	1.85	-
AV	5.6792G	104.09	Inf	-Inf	5.72	3	Horizontal	175	1.85	-
PK	5.8676G	68.08	68.20	-0.12	6.46	3	Horizontal	175	1.85	-

802.11ax HEW160_Nss4,(MCS0)_4TX

29/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 53
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1412G	65.36	74.00	-8.64	4.24	3	Vertical	174	1.93	-
AV	5.1252G	53.54	54.00	-0.46	4.24	3	Vertical	174	1.93	-
PK	5.2612G	106.04	Inf	-Inf	4.49	3	Vertical	174	1.93	-
AV	5.2276G	95.53	Inf	-Inf	4.37	3	Vertical	174	1.93	-
PK	5.3876G	65.79	74.00	-8.21	4.94	3	Vertical	174	1.93	-
AV	5.3844G	53.79	54.00	-0.21	4.93	3	Vertical	174	1.93	-
PK	5.6004G	59.29	68.20	-8.91	5.64	3	Vertical	174	1.93	-

802.11ax HEW160_Nss4,(MCS0)_4TX

29/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 53
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1092G	62.97	74.00	-11.03	4.23	3	Horizontal	162	1.93	-
AV	5.1476G	52.38	54.00	-1.62	4.25	3	Horizontal	162	1.93	-
PK	5.2708G	104.57	Inf	-Inf	4.53	3	Horizontal	162	1.93	-
AV	5.2788G	93.66	Inf	-Inf	4.57	3	Horizontal	162	1.93	-
PK	5.3732G	65.08	74.00	-8.92	4.89	3	Horizontal	162	1.93	-
AV	5.3876G	53.09	54.00	-0.91	4.94	3	Horizontal	162	1.93	-
PK	5.5156G	59.41	68.20	-8.79	5.42	3	Horizontal	162	1.93	-

802.11ax HEW160_Nss4,(MCS0)_4TX

29/03/2019

5570MHz_TX




EUT_Y_4TX
Setting 53
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3284G	60.85	68.20	-7.35	4.75	3	Vertical	176	1.96	-
PK	5.4548G	65.71	74.00	-8.29	5.19	3	Vertical	176	1.96	-
AV	5.4548G	53.95	54.00	-0.05	5.19	3	Vertical	176	1.96	-
PK	5.4676G	66.47	68.20	-1.73	5.25	3	Vertical	176	1.96	-
PK	5.562G	106.86	Inf	-Inf	5.54	3	Vertical	176	1.96	-
AV	5.562G	97.15	Inf	-Inf	5.54	3	Vertical	176	1.96	-
PK	5.7348G	65.65	68.20	-2.55	5.81	3	Vertical	176	1.96	-

802.11ax HEW160_Nss4,(MCS0)_4TX

29/03/2019

5570MHz_TX



EUT Y_4TX
Setting 53
01-E-4-10
FSU
Low 30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.322G	59.77	68.20	-8.43	4.72	3	Horizontal	166	1.72	-
PK	5.458G	62.98	74.00	-11.02	5.21	3	Horizontal	166	1.72	-
AV	5.442G	52.42	54.00	-1.58	5.16	3	Horizontal	166	1.72	-
PK	5.4644G	63.75	68.20	-4.45	5.23	3	Horizontal	166	1.72	-
PK	5.5812G	106.62	Inf	-Inf	5.58	3	Horizontal	166	1.72	-
AV	5.5876G	95.51	Inf	-Inf	5.61	3	Horizontal	166	1.72	-
PK	5.7268G	65.83	68.20	-2.37	5.79	3	Horizontal	166	1.72	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.1721G	68.19	68.20	-0.01	17.93	3	Vertical	140	1.52	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 81
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7812G	70.04	74.00	-3.96	14.16	3	Vertical	171	1.50	-
AV	15.7812G	53.68	54.00	-0.32	14.16	3	Vertical	171	1.50	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5260MHz_TX




EUT Y_4TX
Setting 81
01-Z-1
FSU
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.78152G	67.90	74.00	-6.10	14.16	3	Horizontal	150	1.50	-
AV	15.78096G	52.13	54.00	-1.87	14.16	3	Horizontal	150	1.50	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5300MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 83
 01-Z-1
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9017G	69.11	74.00	-4.89	14.02	3	Vertical	184	2.78	-
AV	15.9025G	53.86	54.00	-0.14	14.02	3	Vertical	184	2.78	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 83
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.904G	64.40	74.00	-9.60	14.02	3	Horizontal	241	1.50	-
AV	15.9044G	50.99	54.00	-3.01	14.02	3	Horizontal	241	1.50	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5320MHz_TX




EUT Y_4TX
Setting 84
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9617G	68.47	74.00	-5.53	13.94	3	Vertical	140	2.71	-
AV	15.9626G	53.67	54.00	-0.33	13.94	3	Vertical	140	2.71	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5320MHz_TX



EUT_Y_4TX
Setting 84
01-Z-1
FSU
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9659G	66.12	74.00	-7.88	13.94	3	Horizontal	21	1.50	-
AV	15.9656G	52.56	54.00	-1.44	13.94	3	Horizontal	21	1.50	-



802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5500MHz_TX




EUT Y_4TX
 Setting 76
 01-Z-1
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9992G	54.36	74.00	-19.64	11.71	3	Vertical	133	1.86	-
AV	11.0014G	41.40	54.00	-12.60	11.71	3	Vertical	133	1.86	-
PK	16.4905G	65.81	68.20	-2.39	15.72	3	Vertical	182	2.62	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5500MHz_TX



EUT Y_4TX
Setting 76
01-Z-1
FSU
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0017G	55.38	74.00	-18.62	11.71	3	Horizontal	139	1.50	-
AV	11.0022G	42.48	54.00	-11.52	11.71	3	Horizontal	139	1.50	-
PK	16.4943G	68.18	68.20	-0.02	15.74	3	Horizontal	32	1.84	-



802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5580MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT Y_4TX
 Setting 78
 01-Z-1
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1619G	54.53	74.00	-19.47	11.78	3	Vertical	183	2.96	-
AV	11.1636G	41.56	54.00	-12.44	11.78	3	Vertical	183	2.96	-
PK	16.7342G	65.66	68.20	-2.54	16.63	3	Vertical	180	1.41	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5580MHz_TX




EUT Y_4TX
Setting 78
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1633G	55.01	74.00	-18.99	11.78	3	Horizontal	134	1.50	-
AV	11.1643G	41.65	54.00	-12.35	11.78	3	Horizontal	134	1.50	-
PK	16.7353G	67.90	68.20	-0.30	16.64	3	Horizontal	121	2.52	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5700MHz_TX




EUT Y_4TX
Setting 78
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4003G	54.63	74.00	-19.37	11.89	3	Vertical	141	1.48	-
AV	11.3997G	41.70	54.00	-12.30	11.89	3	Vertical	141	1.48	-
PK	17.112G	67.91	68.20	-0.29	17.82	3	Vertical	180	1.81	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5700MHz_TX




EUT_Y_4TX
Setting 78
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4088G	56.25	74.00	-17.75	11.89	3	Horizontal	204	1.42	-
AV	11.4077G	42.43	54.00	-11.57	11.89	3	Horizontal	204	1.42	-
PK	17.0936G	68.03	68.20	-0.17	17.79	3	Horizontal	187	1.52	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 78
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4183G	55.10	74.00	-18.90	11.89	3	Vertical	216	1.01	-
AV	11.4421G	41.94	54.00	-12.06	11.90	3	Vertical	216	1.01	-
PK	17.1536G	67.89	68.20	-0.31	17.89	3	Vertical	143	1.15	-

802.11a_Nss1,(6Mbps)_4TX

01/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 78
01-Z-1
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4456G	55.79	74.00	-18.21	11.90	3	Horizontal	132	1.50	-
AV	11.4463G	42.55	54.00	-11.45	11.90	3	Horizontal	132	1.50	-
PK	17.1613G	68.09	68.20	-0.11	17.90	3	Horizontal	46	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5260MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT Y_4TX
 Setting 81
 01-B-2
 FSU
 High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7801G	67.99	74.00	-6.01	14.16	3	Vertical	171	1.56	-
AV	15.7805G	53.78	54.00	-0.22	14.16	3	Vertical	171	1.56	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5260MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 81
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7774G	67.78	74.00	-6.22	14.16	3	Horizontal	148	1.58	-
AV	15.7802G	52.52	54.00	-1.48	14.16	3	Horizontal	148	1.58	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5300MHz_TX




EUT Y_4TX
Setting 84
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.90332G	69.56	74.00	-4.44	14.02	3	Vertical	184	1.55	-
AV	15.89852G	53.78	54.00	-0.22	14.03	3	Vertical	184	1.55	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5300MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT_Y_4TX
 Setting 84
 01-B-2
 FSU
 High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.89994G	65.60	74.00	-8.40	14.02	3	Horizontal	99	1.47	-
AV	15.90006G	50.46	54.00	-3.54	14.02	3	Horizontal	99	1.47	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5320MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 84
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.96744G	68.99	74.00	-5.01	13.94	3	Vertical	186	2.71	-
AV	15.96024G	53.97	54.00	-0.03	13.95	3	Vertical	186	2.71	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5320MHz_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT_Y_4TX
Setting 84
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.96333G	67.04	74.00	-6.96	13.94	3	Horizontal	21	1.50	-
AV	15.95838G	52.05	54.00	-1.95	13.95	3	Horizontal	21	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5500MHz_TX




EUT Y_4TX
Setting 76
01-B-2
FSU
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0015G	54.29	74.00	-19.71	11.71	3	Vertical	201	2.27	-
AV	10.9985G	40.35	54.00	-13.65	11.71	3	Vertical	201	2.27	-
PK	16.49106G	68.18	68.20	-0.02	15.72	3	Vertical	182	2.60	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5500MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 76
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.003G	55.40	74.00	-18.60	11.71	3	Horizontal	200	1.45	-
AV	10.9982G	41.77	54.00	-12.23	11.71	3	Horizontal	200	1.45	-
PK	16.49118G	66.94	68.20	-1.26	15.72	3	Horizontal	208	1.53	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5580MHz_TX




EUT Y_4TX
Setting 83
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15868G	54.50	74.00	-19.50	11.78	3	Vertical	187	2.31	-
AV	11.15808G	40.74	54.00	-13.26	11.78	3	Vertical	187	2.31	-
PK	16.73706G	67.98	68.20	-0.22	16.64	3	Vertical	181	1.74	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5580MHz_TX




EUT Y_4TX
Setting 83
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.16288G	55.28	74.00	-18.72	11.78	3	Horizontal	199	1.48	-
AV	11.1582G	42.14	54.00	-11.86	11.78	3	Horizontal	199	1.48	-
PK	16.7337G	67.70	68.20	-0.50	16.62	3	Horizontal	191	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5700MHz_TX




EUT Y_4TX
Setting 77
01-B-2
FSU
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3925G	54.73	74.00	-19.27	11.88	3	Vertical	141	1.50	-
AV	11.3998G	40.60	54.00	-13.40	11.89	3	Vertical	141	1.50	-
PK	17.1065G	68.13	68.20	-0.07	17.81	3	Vertical	180	1.78	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5700MHz_TX



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT Y_4TX
Setting 77
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4052G	54.91	74.00	-19.09	11.89	3	Horizontal	201	1.50	-
AV	11.403G	40.76	54.00	-13.24	11.89	3	Horizontal	201	1.50	-
PK	17.1073G	67.15	68.20	-1.05	17.81	3	Horizontal	186	2.24	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 78
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4399G	55.46	74.00	-18.54	11.90	3	Vertical	141	1.44	-
AV	11.44G	40.94	54.00	-13.06	11.90	3	Vertical	141	1.44	-
PK	17.1721G	68.19	68.20	-0.01	17.93	3	Vertical	140	1.52	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/04/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 78
01-B-2
FSU
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4355G	55.84	74.00	-18.16	11.90	3	Horizontal	203	1.48	-
AV	11.4384G	42.07	54.00	-11.93	11.90	3	Horizontal	203	1.48	-
PK	17.1509G	67.74	68.20	-0.46	17.89	3	Horizontal	204	1.55	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5270MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 87
 01-B-2
 FSU
 High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7903G	65.80	74.00	-8.20	14.16	3	Vertical	171	1.50	-
AV	15.8002G	53.82	54.00	-0.18	14.14	3	Vertical	171	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5270MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 87
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.8253G	65.02	74.00	-8.98	14.11	3	Horizontal	151	1.38	-
AV	15.8053G	52.95	54.00	-1.05	14.14	3	Horizontal	151	1.38	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5310MHz_TX




EUT Y_4TX
Setting 87
01-B-2
FSU
High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9308G	66.27	74.00	-7.73	13.98	3	Vertical	186	2.72	-
AV	15.93G	53.94	54.00	-0.06	13.98	3	Vertical	186	2.72	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5310MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 87
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9434G	63.50	74.00	-10.50	13.96	3	Horizontal	222	1.33	-
AV	15.9333G	51.19	54.00	-2.81	13.98	3	Horizontal	222	1.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5510MHz_TX




EUT Y_4TX
Setting 84
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0014G	54.71	74.00	-19.29	11.71	3	Vertical	203	2.25	-
AV	11.0108G	42.15	54.00	-11.85	11.71	3	Vertical	203	2.25	-
PK	16.526G	68.09	68.20	-0.11	15.85	3	Vertical	179	2.27	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5510MHz_TX




EUT Y_4TX
Setting 84
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0248G	54.93	74.00	-19.07	11.72	3	Horizontal	198	1.50	-
AV	11.0208G	42.08	54.00	-11.92	11.72	3	Horizontal	198	1.50	-
PK	16.5192G	66.82	68.20	-1.38	15.84	3	Horizontal	115	2.47	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5550MHz_TX




EUT Y_4TX
Setting 84
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1207G	54.01	74.00	-19.99	11.76	3	Vertical	197	1.30	-
AV	11.0816G	41.53	54.00	-12.47	11.75	3	Vertical	197	1.30	-
PK	16.6407G	68.15	68.20	-0.05	16.28	3	Vertical	145	1.81	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/04/2019

5550MHz_TX




EUT Y_4TX
Setting 84
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0983G	55.00	74.00	-19.00	11.76	3	Horizontal	199	1.57	-
AV	11.1033G	42.96	54.00	-11.04	11.75	3	Horizontal	199	1.57	-
PK	16.6462G	66.67	68.20	-1.53	16.31	3	Horizontal	29	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

02/04/2019

5670MHz_TX




EUT Y_4TX
Setting 83
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3451G	55.13	74.00	-18.87	11.86	3	Vertical	134	1.42	-
AV	11.3442G	42.45	54.00	-11.55	11.86	3	Vertical	134	1.42	-
PK	17.0143G	68.02	68.20	-0.18	17.64	3	Vertical	164	2.30	-

802.11ax HEW40_Nss1,(MCS0)_4TX

02/04/2019

5670MHz_TX




EUT Y_4TX
Setting 83
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3486G	55.75	74.00	-18.25	11.87	3	Horizontal	204	1.41	-
AV	11.3433G	43.56	54.00	-10.44	11.86	3	Horizontal	204	1.41	-
PK	17.0145G	67.11	68.20	-1.09	17.64	3	Horizontal	28	1.89	-

802.11ax HEW40_Nss1,(MCS0)_4TX

02/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 83
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.42G	54.49	74.00	-19.51	11.89	3	Vertical	142	1.49	-
AV	11.4202G	42.62	54.00	-11.38	11.89	3	Vertical	142	1.49	-
PK	17.1326G	65.12	68.20	-3.08	17.86	3	Vertical	125	1.55	-

802.11ax HEW40_Nss1,(MCS0)_4TX

02/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 83
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4185G	56.07	74.00	-17.93	11.89	3	Horizontal	203	1.43	-
AV	11.4184G	43.57	54.00	-10.43	11.89	3	Horizontal	203	1.43	-
PK	17.1327G	67.96	68.20	-0.24	17.86	3	Horizontal	184	2.95	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5290MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT Y_4TX
 Setting 93
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.883G	53.89	54.00	-0.11	14.04	3	Vertical	185	1.00	-
PK	15.9004G	66.06	74.00	-7.94	14.02	3	Vertical	185	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5290MHz_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT Y_4TX
 Setting 93
 01-B-2
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.8702G	63.70	74.00	-10.30	14.06	3	Horizontal	98	1.50	-
AV	15.8752G	51.82	54.00	-2.18	14.04	3	Horizontal	98	1.50	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5530MHz_TX




EUT Y_4TX
Setting 94
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0524G	53.96	74.00	-20.04	11.73	3	Vertical	203	1.50	-
AV	11.0552G	41.48	54.00	-12.52	11.73	3	Vertical	203	1.50	-
PK	16.576G	67.10	68.20	-1.10	16.04	3	Vertical	128	1.53	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5530MHz_TX




EUT Y_4TX
Setting 94
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0574G	54.51	74.00	-19.49	11.73	3	Horizontal	198	1.50	-
AV	11.058G	42.01	54.00	-11.99	11.73	3	Horizontal	198	1.50	-
PK	16.5664G	68.15	68.20	-0.05	16.01	3	Horizontal	104	1.55	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5610MHz_TX




EUT Y_4TX
Setting 95
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1744G	54.49	74.00	-19.51	11.78	3	Vertical	209	1.50	-
AV	11.2274G	41.58	54.00	-12.42	11.82	3	Vertical	209	1.50	-
PK	16.8422G	68.12	68.20	-0.08	17.04	3	Vertical	144	1.89	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5610MHz_TX




EUT Y_4TX
Setting 95
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.2376G	54.95	74.00	-19.05	11.81	3	Horizontal	135	1.50	-
AV	11.2084G	42.17	54.00	-11.83	11.80	3	Horizontal	135	1.50	-
PK	16.8022G	65.85	68.20	-2.35	16.89	3	Horizontal	102	1.50	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3607G	54.14	74.00	-19.86	11.87	3	Vertical	139	1.50	-
AV	11.396G	41.86	54.00	-12.14	11.88	3	Vertical	139	1.50	-
PK	17.06622G	67.51	68.20	-0.69	17.74	3	Vertical	181	1.74	-

802.11ax HEW80_Nss1,(MCS0)_4TX

02/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3636G	55.16	74.00	-18.84	11.87	3	Horizontal	131	1.47	-
AV	11.3932G	42.59	54.00	-11.41	11.88	3	Horizontal	131	1.47	-
PK	17.0541G	68.01	68.20	-0.19	17.71	3	Horizontal	27	1.49	-

802.11ax HEW160_Nss1,(MCS0)_4TX

02/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 91
01-B-2
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.76055G	64.70	74.00	-9.30	14.18	3	Vertical	172	1.50	-
AV	15.76025G	53.87	54.00	-0.13	14.18	3	Vertical	172	1.50	-

802.11ax HEW160_Nss1,(MCS0)_4TX

02/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 91
01-B-2
FSU
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.6933G	64.78	74.00	-9.22	14.27	3	Horizontal	122	2.59	-
AV	15.735G	53.74	54.00	-0.26	14.22	3	Horizontal	122	2.59	-

802.11ax HEW160_Nss1,(MCS0)_4TX

02/04/2019

5570MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 97
 01-M-1
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	16.6824G	68.04	68.20	-0.16	16.44	3	Vertical	145	1.81	-

802.11ax HEW160_Nss1,(MCS0)_4TX

02/04/2019

5570MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_Y_4TX
 Setting 97
 01-M-1
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	16.6563G	66.22	68.20	-1.98	16.34	3	Horizontal	27	1.56	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.452G	53.97	54.00	-0.03	5.19	3	Horizontal	164	2.12	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5260MHz_TX




EUT_Y_1TX
Setting 81
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.113G	57.81	74.00	-16.19	4.22	3	Vertical	180	2.31	-
AV	5.1472G	45.29	54.00	-8.71	4.25	3	Vertical	180	2.31	-
PK	5.2618G	110.74	Inf	-Inf	4.50	3	Vertical	180	2.31	-
AV	5.2624G	100.57	Inf	-Inf	4.50	3	Vertical	180	2.31	-
PK	5.3704G	59.39	74.00	-14.61	4.88	3	Vertical	180	2.31	-
AV	5.3962G	46.75	54.00	-7.25	4.98	3	Vertical	180	2.31	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5260MHz_TX




EUT Y_1TX
Setting 81
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1154G	58.14	74.00	-15.86	4.23	3	Horizontal	181	1.59	-
AV	5.15G	45.50	54.00	-8.50	4.25	3	Horizontal	181	1.59	-
PK	5.2624G	111.13	Inf	-Inf	4.50	3	Horizontal	181	1.59	-
AV	5.2642G	101.05	Inf	-Inf	4.50	3	Horizontal	181	1.59	-
PK	5.4076G	59.86	74.00	-14.14	5.02	3	Horizontal	181	1.59	-
AV	5.4004G	46.46	54.00	-7.54	4.99	3	Horizontal	181	1.59	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5300MHz_TX




EUT Y_1TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3016G	109.98	Inf	-Inf	4.64	3	Vertical	200	1.26	-
AV	5.298G	99.85	Inf	-Inf	4.63	3	Vertical	200	1.26	-
PK	5.3532G	62.61	74.00	-11.39	4.82	3	Vertical	200	1.26	-
AV	5.35G	46.71	54.00	-7.29	4.81	3	Vertical	200	1.26	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5300MHZ_TX




EUT Y_1TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3024G	110.98	Inf	-Inf	4.65	3	Horizontal	170	1.47	-
AV	5.304G	101.06	Inf	-Inf	4.65	3	Horizontal	170	1.47	-
PK	5.3532G	62.89	74.00	-11.11	4.82	3	Horizontal	170	1.47	-
AV	5.35G	47.05	54.00	-6.95	4.81	3	Horizontal	170	1.47	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5320MHz_TX




EUT Y_1TX
Setting 80
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3266G	109.37	Inf	-Inf	4.74	3	Vertical	171	1.47	-
AV	5.324G	99.22	Inf	-Inf	4.72	3	Vertical	171	1.47	-
PK	5.3524G	70.16	74.00	-3.84	4.82	3	Vertical	171	1.47	-
AV	5.3506G	52.09	54.00	-1.91	4.81	3	Vertical	171	1.47	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5320MHz_TX




EUT_Y_1TX
Setting 80
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3216G	110.91	Inf	-Inf	4.71	3	Horizontal	200	1.47	-
AV	5.324G	100.84	Inf	-Inf	4.72	3	Horizontal	200	1.47	-
PK	5.3524G	72.02	74.00	-1.98	4.82	3	Horizontal	200	1.47	-
AV	5.35G	53.63	54.00	-0.37	4.81	3	Horizontal	200	1.47	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5500MHZ_TX




EUT Y_1TX
Setting 73
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	64.63	74.00	-9.37	5.21	3	Vertical	184	1.59	-
AV	5.4596G	47.16	54.00	-6.84	5.22	3	Vertical	184	1.59	-
PK	5.47G	67.98	68.20	-0.22	5.26	3	Vertical	184	1.59	-
PK	5.5024G	109.35	Inf	-Inf	5.38	3	Vertical	184	1.59	-
AV	5.504G	99.25	Inf	-Inf	5.39	3	Vertical	184	1.59	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5500MHz_TX




EUT_Y_1TX
Setting 73
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	65.38	74.00	-8.62	5.21	3	Horizontal	162	1.66	-
AV	5.4564G	47.24	54.00	-6.76	5.21	3	Horizontal	162	1.66	-
PK	5.4696G	67.96	68.20	-0.24	5.26	3	Horizontal	162	1.66	-
PK	5.5016G	110.81	Inf	-Inf	5.38	3	Horizontal	162	1.66	-
AV	5.5016G	100.46	Inf	-Inf	5.38	3	Horizontal	162	1.66	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5580MHZ_TX




EUT_Y_1TX
 Setting 78
 01-Z-1-10
 FSP
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3872G	59.42	74.00	-14.58	4.94	3	Vertical	205	1.72	-
AV	5.412G	46.29	54.00	-7.71	5.04	3	Vertical	205	1.72	-
PK	5.468G	58.87	68.20	-9.33	5.25	3	Vertical	205	1.72	-
PK	5.5816G	108.62	Inf	-Inf	5.59	3	Vertical	205	1.72	-
AV	5.5816G	98.92	Inf	-Inf	5.59	3	Vertical	205	1.72	-
PK	5.7616G	60.04	68.20	-8.16	5.87	3	Vertical	205	1.72	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5580MHZ_TX




EUT_Y_1TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3904G	59.09	74.00	-14.91	4.95	3	Horizontal	163	1.50	-
AV	5.4248G	46.51	54.00	-7.49	5.08	3	Horizontal	163	1.50	-
PK	5.468G	58.62	68.20	-9.58	5.25	3	Horizontal	163	1.50	-
PK	5.5816G	108.64	Inf	-Inf	5.59	3	Horizontal	163	1.50	-
AV	5.5816G	99.05	Inf	-Inf	5.59	3	Horizontal	163	1.50	-
PK	5.744G	59.68	68.20	-8.52	5.84	3	Horizontal	163	1.50	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5700MHz_TX




EUT Y_1TX
Setting 68
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7016G	106.24	Inf	-Inf	5.74	3	Vertical	204	1.50	-
AV	5.6956G	96.27	Inf	-Inf	5.74	3	Vertical	204	1.50	-
PK	5.7268G	66.50	68.20	-1.70	5.79	3	Vertical	204	1.50	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5700MHz_TX




EUT_Y_1TX
Setting 68
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7016G	107.50	Inf	-Inf	5.74	3	Horizontal	197	1.50	-
AV	5.7028G	97.17	Inf	-Inf	5.75	3	Horizontal	197	1.50	-
PK	5.7264G	67.99	68.20	-0.21	5.79	3	Horizontal	197	1.50	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	59.22	74.00	-14.78	5.18	3	Vertical	192	1.50	-
AV	5.4584G	46.54	54.00	-7.46	5.22	3	Vertical	192	1.50	-
PK	5.46G	58.85	68.20	-9.35	5.22	3	Vertical	192	1.50	-
PK	5.7224G	108.90	Inf	-Inf	5.79	3	Vertical	192	1.50	-
AV	5.7176G	98.99	Inf	-Inf	5.79	3	Vertical	192	1.50	-
PK	5.942G	60.61	68.20	-7.59	6.89	3	Vertical	192	1.50	-

802.11a_Nss1,(6Mbps)_1TX

09/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4452G	59.29	74.00	-14.71	5.18	3	Horizontal	183	1.44	-
AV	5.45G	46.26	54.00	-7.74	5.19	3	Horizontal	183	1.44	-
PK	5.4608G	58.24	68.20	-9.96	5.22	3	Horizontal	183	1.44	-
PK	5.7212G	110.23	Inf	-Inf	5.79	3	Horizontal	183	1.44	-
AV	5.7176G	100.23	Inf	-Inf	5.79	3	Horizontal	183	1.44	-
PK	5.9552G	59.84	68.20	-8.36	6.95	3	Horizontal	183	1.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5260MHz_TX




EUT Y_1TX
Setting 81
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1436G	57.36	74.00	-16.64	4.24	3	Vertical	180	2.29	-
AV	5.1472G	44.55	54.00	-9.45	4.25	3	Vertical	180	2.29	-
PK	5.257G	112.37	Inf	-Inf	4.48	3	Vertical	180	2.29	-
AV	5.263G	98.40	Inf	-Inf	4.50	3	Vertical	180	2.29	-
PK	5.4016G	58.72	74.00	-15.28	4.99	3	Vertical	180	2.29	-
AV	5.4046G	45.72	54.00	-8.28	5.00	3	Vertical	180	2.29	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5260MHz_TX




EUT Y_1TX
Setting 81
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1334G	57.66	74.00	-16.34	4.24	3	Horizontal	181	1.60	-
AV	5.1466G	44.72	54.00	-9.28	4.25	3	Horizontal	181	1.60	-
PK	5.257G	113.04	Inf	-Inf	4.48	3	Horizontal	181	1.60	-
AV	5.263G	99.16	Inf	-Inf	4.50	3	Horizontal	181	1.60	-
PK	5.395G	58.90	74.00	-15.10	4.98	3	Horizontal	181	1.60	-
AV	5.4094G	45.67	54.00	-8.33	5.03	3	Horizontal	181	1.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5300MHz_TX




EUT_Y_1TX
Setting 84
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	113.96	Inf	-Inf	4.63	3	Vertical	182	2.19	-
AV	5.2984G	100.90	Inf	-Inf	4.64	3	Vertical	182	2.19	-
PK	5.3508G	64.00	74.00	-10.00	4.81	3	Vertical	182	2.19	-
AV	5.35G	48.41	54.00	-5.59	4.81	3	Vertical	182	2.19	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5300MHz_TX




EUT Y_1TX
Setting 84
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2972G	113.16	Inf	-Inf	4.63	3	Horizontal	169	1.50	-
AV	5.3028G	100.68	Inf	-Inf	4.65	3	Horizontal	169	1.50	-
PK	5.3512G	65.04	74.00	-8.96	4.81	3	Horizontal	169	1.50	-
AV	5.35G	48.46	54.00	-5.54	4.81	3	Horizontal	169	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5320MHz_TX




EUT Y_1TX
Setting 84
01-Z-1-10
FSP
High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.317G	110.57	Inf	-Inf	4.70	3	Vertical	171	1.45	-
AV	5.3278G	96.89	Inf	-Inf	4.74	3	Vertical	171	1.45	-
PK	5.3516G	70.72	74.00	-3.28	4.81	3	Vertical	171	1.45	-
AV	5.35G	52.25	54.00	-1.75	4.81	3	Vertical	171	1.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5320MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_1TX
 Setting 84
 01-Z-1-10
 FSP
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.317G	112.20	Inf	-Inf	4.70	3	Horizontal	201	1.47	-
AV	5.323G	98.38	Inf	-Inf	4.72	3	Horizontal	201	1.47	-
PK	5.3516G	71.90	74.00	-2.10	4.81	3	Horizontal	201	1.47	-
AV	5.35G	53.61	54.00	-0.39	4.81	3	Horizontal	201	1.47	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5500MHz_TX




EUT Y_1TX
Setting 69
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4598G	61.08	74.00	-12.92	5.22	3	Vertical	184	1.85	-
AV	5.4598G	46.71	54.00	-7.29	5.22	3	Vertical	184	1.85	-
PK	5.468G	67.60	68.20	-0.60	5.25	3	Vertical	184	1.85	-
PK	5.4968G	110.96	Inf	-Inf	5.37	3	Vertical	184	1.85	-
AV	5.4956G	97.31	Inf	-Inf	5.37	3	Vertical	184	1.85	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5500MHz_TX




EUT_Y_1TX
Setting 69
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	63.00	74.00	-11.00	5.22	3	Horizontal	201	1.47	-
AV	5.4597G	47.02	54.00	-6.98	5.22	3	Horizontal	201	1.47	-
PK	5.4696G	68.14	68.20	-0.06	5.26	3	Horizontal	201	1.47	-
PK	5.4968G	111.89	Inf	-Inf	5.37	3	Horizontal	201	1.47	-
AV	5.4952G	98.05	Inf	-Inf	5.37	3	Horizontal	201	1.47	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5580MHz_TX




EUT_Y_1TX
Setting 83
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4528G	59.05	74.00	-14.95	5.19	3	Vertical	205	1.57	-
AV	5.4584G	45.92	54.00	-8.08	5.22	3	Vertical	205	1.57	-
PK	5.4608G	58.65	68.20	-9.55	5.22	3	Vertical	205	1.57	-
PK	5.5768G	112.47	Inf	-Inf	5.57	3	Vertical	205	1.57	-
AV	5.5816G	99.03	Inf	-Inf	5.59	3	Vertical	205	1.57	-
PK	5.7712G	59.92	68.20	-8.28	5.90	3	Vertical	205	1.57	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5580MHz_TX




EUT_Y_1TX
Setting 83
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3944G	60.03	74.00	-13.97	4.97	3	Horizontal	165	2.11	-
AV	5.4599G	45.87	54.00	-8.13	5.22	3	Horizontal	165	2.11	-
PK	5.4664G	58.35	68.20	-9.85	5.25	3	Horizontal	165	2.11	-
PK	5.5768G	113.78	Inf	-Inf	5.57	3	Horizontal	165	2.11	-
AV	5.5816G	100.24	Inf	-Inf	5.59	3	Horizontal	165	2.11	-
PK	5.7616G	59.46	68.20	-8.74	5.87	3	Horizontal	165	2.11	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5700MHz_TX




EUT Y_1TX
Setting 61
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6954G	107.21	Inf	-Inf	5.74	3	Vertical	204	1.50	-
AV	5.6954G	93.59	Inf	-Inf	5.74	3	Vertical	204	1.50	-
PK	5.7252G	66.43	68.20	-1.77	5.79	3	Vertical	204	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5700MHz_TX




EUT Y_1TX
Setting 61
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.697G	108.02	Inf	-Inf	5.74	3	Horizontal	198	1.48	-
AV	5.7032G	94.51	Inf	-Inf	5.75	3	Horizontal	198	1.48	-
PK	5.7256G	68.00	68.20	-0.20	5.79	3	Horizontal	198	1.48	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 78
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4488G	58.63	74.00	-15.37	5.19	3	Vertical	180	1.50	-
AV	5.4464G	45.77	54.00	-8.23	5.18	3	Vertical	180	1.50	-
PK	5.468G	58.94	68.20	-9.26	5.25	3	Vertical	180	1.50	-
PK	5.7176G	111.98	Inf	-Inf	5.79	3	Vertical	180	1.50	-
AV	5.7176G	97.94	Inf	-Inf	5.79	3	Vertical	180	1.50	-
PK	5.9588G	60.61	68.20	-7.59	6.97	3	Vertical	180	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

09/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 78
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	58.99	74.00	-15.01	5.22	3	Horizontal	197	1.56	-
AV	5.456G	45.77	54.00	-8.23	5.21	3	Horizontal	197	1.56	-
PK	5.468G	58.67	68.20	-9.53	5.25	3	Horizontal	197	1.56	-
PK	5.7224G	111.32	Inf	-Inf	5.79	3	Horizontal	197	1.56	-
AV	5.7176G	99.25	Inf	-Inf	5.79	3	Horizontal	197	1.56	-
PK	5.858G	60.26	68.20	-7.94	6.39	3	Horizontal	197	1.56	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5270MHz_TX




EUT Y_1TX
Setting 87
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.147G	58.99	74.00	-15.01	4.25	3	Vertical	181	2.15	-
AV	5.1452G	46.96	54.00	-7.04	4.25	3	Vertical	181	2.15	-
PK	5.2862G	110.53	Inf	-Inf	4.59	3	Vertical	181	2.15	-
AV	5.2742G	99.09	Inf	-Inf	4.54	3	Vertical	181	2.15	-
PK	5.3528G	66.13	74.00	-7.87	4.82	3	Vertical	181	2.15	-
AV	5.35G	53.11	54.00	-0.89	4.81	3	Vertical	181	2.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5270MHz_TX




EUT_Y_1TX
Setting 87
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.138G	60.85	74.00	-13.15	4.24	3	Horizontal	180	1.50	-
AV	5.15G	47.51	54.00	-6.49	4.25	3	Horizontal	180	1.50	-
PK	5.2622G	110.99	Inf	-Inf	4.50	3	Horizontal	180	1.50	-
AV	5.267G	98.85	Inf	-Inf	4.52	3	Horizontal	180	1.50	-
PK	5.3528G	65.29	74.00	-8.71	4.82	3	Horizontal	180	1.50	-
AV	5.35G	53.22	54.00	-0.78	4.81	3	Horizontal	180	1.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5310MHz_TX




EUT Y_1TX
Setting 68
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.302G	105.51	Inf	-Inf	4.65	3	Vertical	171	1.50	-
AV	5.3228G	93.58	Inf	-Inf	4.72	3	Vertical	171	1.50	-
PK	5.3524G	70.88	74.00	-3.12	4.82	3	Vertical	171	1.50	-
AV	5.3504G	52.85	54.00	-1.15	4.81	3	Vertical	171	1.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5310MHz_TX




EUT_Y_1TX
Setting 68
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.326G	107.05	Inf	-Inf	4.74	3	Horizontal	200	1.47	-
AV	5.3228G	95.49	Inf	-Inf	4.72	3	Horizontal	200	1.47	-
PK	5.3528G	71.95	74.00	-2.05	4.82	3	Horizontal	200	1.47	-
AV	5.3504G	53.95	54.00	-0.05	4.81	3	Horizontal	200	1.47	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5510MHz_TX




EUT Y_1TX
Setting 59
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4597G	64.20	74.00	-9.80	5.22	3	Vertical	183	1.61	-
AV	5.4596G	47.95	54.00	-6.05	5.22	3	Vertical	183	1.61	-
PK	5.4656G	66.24	68.20	-1.96	5.25	3	Vertical	183	1.61	-
PK	5.5024G	105.03	Inf	-Inf	5.38	3	Vertical	183	1.61	-
AV	5.5136G	92.65	Inf	-Inf	5.42	3	Vertical	183	1.61	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5510MHz_TX




EUT_Y_1TX
Setting 59
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	65.94	74.00	-8.06	5.22	3	Horizontal	175	1.80	-
AV	5.4584G	48.42	54.00	-5.58	5.22	3	Horizontal	175	1.80	-
PK	5.4656G	67.98	68.20	-0.22	5.25	3	Horizontal	175	1.80	-
PK	5.5024G	106.72	Inf	-Inf	5.38	3	Horizontal	175	1.80	-
AV	5.5044G	94.38	Inf	-Inf	5.39	3	Horizontal	175	1.80	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5550MHz_TX




EUT_Y_1TX
Setting 84
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4564G	64.80	74.00	-9.20	5.21	3	Vertical	184	1.49	-
AV	5.4594G	49.82	54.00	-4.18	5.22	3	Vertical	184	1.49	-
PK	5.4698G	64.10	68.20	-4.10	5.26	3	Vertical	184	1.49	-
PK	5.535G	110.22	Inf	-Inf	5.47	3	Vertical	184	1.49	-
AV	5.5362G	97.99	Inf	-Inf	5.47	3	Vertical	184	1.49	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5550MHz_TX




EUT_Y_1TX
Setting 84
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4576G	64.62	74.00	-9.38	5.21	3	Horizontal	162	1.53	-
AV	5.4598G	50.23	54.00	-3.77	5.22	3	Horizontal	162	1.53	-
PK	5.4698G	65.77	68.20	-2.43	5.26	3	Horizontal	162	1.53	-
PK	5.5422G	110.85	Inf	-Inf	5.48	3	Horizontal	162	1.53	-
AV	5.5362G	98.63	Inf	-Inf	5.47	3	Horizontal	162	1.53	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5670MHz_TX




EUT_Y_1TX
Setting 69
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6548G	106.22	Inf	-Inf	5.69	3	Vertical	204	1.48	-
AV	5.6772G	94.50	Inf	-Inf	5.72	3	Vertical	204	1.48	-
PK	5.728G	65.78	68.20	-2.42	5.80	3	Vertical	204	1.48	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5670MHz_TX




EUT Y_1TX
Setting 69
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.686G	106.58	Inf	-Inf	5.73	3	Horizontal	197	1.50	-
AV	5.6772G	94.84	Inf	-Inf	5.72	3	Horizontal	197	1.50	-
PK	5.728G	68.05	68.20	-0.15	5.80	3	Horizontal	197	1.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 83
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4352G	58.77	74.00	-15.23	5.14	3	Vertical	192	1.41	-
AV	5.4352G	47.20	54.00	-6.80	5.14	3	Vertical	192	1.41	-
PK	5.4697G	59.07	68.20	-9.13	5.26	3	Vertical	192	1.41	-
PK	5.6944G	108.76	Inf	-Inf	5.73	3	Vertical	192	1.41	-
AV	5.7148G	97.27	Inf	-Inf	5.78	3	Vertical	192	1.41	-
PK	5.8576G	60.60	68.20	-7.60	6.39	3	Vertical	192	1.41	-

802.11ax HEW40_Nss1,(MCS0)_1TX

09/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 83
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	59.06	74.00	-14.94	5.21	3	Horizontal	181	1.50	-
AV	5.4599G	47.04	54.00	-6.96	5.22	3	Horizontal	181	1.50	-
PK	5.4688G	59.30	68.20	-8.90	5.26	3	Horizontal	181	1.50	-
PK	5.6956G	109.43	Inf	-Inf	5.74	3	Horizontal	181	1.50	-
AV	5.7148G	97.73	Inf	-Inf	5.78	3	Horizontal	181	1.50	-
PK	5.902G	60.08	68.20	-8.12	6.71	3	Horizontal	181	1.50	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5290MHz_TX




EUT Y_1TX
Setting 67
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.07G	58.53	74.00	-15.47	4.26	3	Vertical	182	2.31	-
AV	5.143G	46.28	54.00	-7.72	4.24	3	Vertical	182	2.31	-
PK	5.305G	103.63	Inf	-Inf	4.65	3	Vertical	182	2.31	-
AV	5.303G	91.54	Inf	-Inf	4.65	3	Vertical	182	2.31	-
PK	5.352G	68.74	74.00	-5.26	4.82	3	Vertical	182	2.31	-
AV	5.35G	52.89	54.00	-1.11	4.81	3	Vertical	182	2.31	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5290MHz_TX




EUT_Y_1TX
Setting 67
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	58.96	74.00	-15.04	4.25	3	Horizontal	207	1.68	-
AV	5.147G	47.34	54.00	-6.66	4.25	3	Horizontal	207	1.68	-
PK	5.306G	104.15	Inf	-Inf	4.66	3	Horizontal	207	1.68	-
AV	5.301G	91.76	Inf	-Inf	4.64	3	Horizontal	207	1.68	-
PK	5.355G	68.57	74.00	-5.43	4.82	3	Horizontal	207	1.68	-
AV	5.352G	53.84	54.00	-0.16	4.82	3	Horizontal	207	1.68	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5530MHz_TX




EUT_Y_1TX
Setting 66
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	65.59	74.00	-8.41	5.20	3	Vertical	184	1.47	-
AV	5.444G	50.79	54.00	-3.21	5.16	3	Vertical	184	1.47	-
PK	5.465G	66.24	68.20	-1.96	5.25	3	Vertical	184	1.47	-
PK	5.54G	102.98	Inf	-Inf	5.48	3	Vertical	184	1.47	-
AV	5.515G	91.40	Inf	-Inf	5.42	3	Vertical	184	1.47	-
PK	5.752G	59.17	68.20	-9.03	5.85	3	Vertical	184	1.47	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5530MHz_TX




EUT_Y_1TX
Setting 66
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	65.95	74.00	-8.05	5.19	3	Horizontal	160	1.66	-
AV	5.456G	51.65	54.00	-2.35	5.21	3	Horizontal	160	1.66	-
PK	5.469G	67.99	68.20	-0.21	5.26	3	Horizontal	160	1.66	-
PK	5.509G	103.77	Inf	-Inf	5.41	3	Horizontal	160	1.66	-
AV	5.502G	92.28	Inf	-Inf	5.38	3	Horizontal	160	1.66	-
PK	5.759G	59.23	68.20	-8.97	5.87	3	Horizontal	160	1.66	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5610MHz_TX




EUT_Y_1TX
Setting 82
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.434G	61.03	74.00	-12.97	5.12	3	Vertical	206	1.48	-
AV	5.458G	49.31	54.00	-4.69	5.21	3	Vertical	206	1.48	-
PK	5.463G	62.56	68.20	-5.64	5.23	3	Vertical	206	1.48	-
PK	5.609G	106.50	Inf	-Inf	5.65	3	Vertical	206	1.48	-
AV	5.605G	94.83	Inf	-Inf	5.65	3	Vertical	206	1.48	-
PK	5.726G	66.22	68.20	-1.98	5.79	3	Vertical	206	1.48	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5610MHz_TX




EUT_Y_1TX
Setting 82
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.451G	62.37	74.00	-11.63	5.18	3	Horizontal	166	2.24	-
AV	5.4597G	50.34	54.00	-3.66	5.22	3	Horizontal	166	2.24	-
PK	5.4697G	63.03	68.20	-5.17	5.26	3	Horizontal	166	2.24	-
PK	5.625G	108.56	Inf	-Inf	5.67	3	Horizontal	166	2.24	-
AV	5.602G	95.43	Inf	-Inf	5.64	3	Horizontal	166	2.24	-
PK	5.737G	68.05	68.20	-0.15	5.81	3	Horizontal	166	2.24	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 93
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	60.52	74.00	-13.48	5.16	3	Vertical	204	1.53	-
AV	5.4536G	48.69	54.00	-5.31	5.19	3	Vertical	204	1.53	-
PK	5.4698G	61.26	68.20	-6.94	5.26	3	Vertical	204	1.53	-
PK	5.6888G	107.68	Inf	-Inf	5.73	3	Vertical	204	1.53	-
AV	5.6768G	96.54	Inf	-Inf	5.72	3	Vertical	204	1.53	-
PK	5.852G	65.47	68.20	-2.73	6.34	3	Vertical	204	1.53	-

802.11ax HEW80_Nss1,(MCS0)_1TX

09/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 93
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4392G	61.65	74.00	-12.35	5.15	3	Horizontal	197	1.49	-
AV	5.4536G	49.23	54.00	-4.77	5.19	3	Horizontal	197	1.49	-
PK	5.4608G	61.28	68.20	-6.92	5.22	3	Horizontal	197	1.49	-
PK	5.7056G	109.38	Inf	-Inf	5.75	3	Horizontal	197	1.49	-
AV	5.7032G	96.77	Inf	-Inf	5.75	3	Horizontal	197	1.49	-
PK	5.8502G	68.12	68.20	-0.08	6.33	3	Horizontal	197	1.49	-

802.11ax HEW160_Nss1,(MCS0)_1TX

09/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
Setting 60
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1216G	60.58	74.00	-13.42	4.23	3	Vertical	180	1.50	-
AV	5.148G	49.82	54.00	-4.18	4.25	3	Vertical	180	1.50	-
PK	5.2332G	98.24	Inf	-Inf	4.39	3	Vertical	180	1.50	-
AV	5.2668G	87.23	Inf	-Inf	4.52	3	Vertical	180	1.50	-
PK	5.3856G	65.47	74.00	-8.53	4.94	3	Vertical	180	1.50	-
AV	5.3856G	52.34	54.00	-1.66	4.94	3	Vertical	180	1.50	-

802.11ax HEW160_Nss1,(MCS0)_1TX

09/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
Setting 60
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1276G	64.61	74.00	-9.39	4.24	3	Horizontal	181	1.67	-
AV	5.148G	51.84	54.00	-2.16	4.25	3	Horizontal	181	1.67	-
PK	5.2332G	100.08	Inf	-Inf	4.39	3	Horizontal	181	1.67	-
AV	5.2344G	88.72	Inf	-Inf	4.39	3	Horizontal	181	1.67	-
PK	5.3892G	65.92	74.00	-8.08	4.95	3	Horizontal	181	1.67	-
AV	5.3856G	53.80	54.00	-0.20	4.94	3	Horizontal	181	1.67	-

802.11ax HEW160_Nss1,(MCS0)_1TX

09/04/2019

5570MHz_TX




EUT Y_1TX
Setting 63
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	67.07	74.00	-6.93	5.18	3	Vertical	184	1.48	-
AV	5.452G	53.90	54.00	-0.10	5.19	3	Vertical	184	1.48	-
PK	5.468G	66.33	68.20	-1.87	5.25	3	Vertical	184	1.48	-
PK	5.515G	99.03	Inf	-Inf	5.42	3	Vertical	184	1.48	-
AV	5.562G	88.67	Inf	-Inf	5.54	3	Vertical	184	1.48	-
PK	5.726G	67.10	68.20	-1.10	5.79	3	Vertical	184	1.48	-

802.11ax HEW160_Nss1,(MCS0)_1TX

09/04/2019

5570MHz_TX



EUT_Y_1TX
Setting 63
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	67.18	74.00	-6.82	5.18	3	Horizontal	164	2.12	-
AV	5.452G	53.97	54.00	-0.03	5.19	3	Horizontal	164	2.12	-
PK	5.468G	66.83	68.20	-1.37	5.25	3	Horizontal	164	2.12	-
PK	5.553G	100.57	Inf	-Inf	5.52	3	Horizontal	164	2.12	-
AV	5.562G	89.61	Inf	-Inf	5.54	3	Horizontal	164	2.12	-
PK	5.726G	66.90	68.20	-1.30	5.79	3	Horizontal	164	2.12	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2.(MCS0)_2TX	Pass	AV	5.458G	53.96	54.00	-0.04	5.21	3	Vertical	179	1.49	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5260MHz_TX




EUT Y_2TX
Setting 81
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1124G	58.48	74.00	-15.52	4.23	3	Vertical	202	1.50	-
AV	5.1118G	46.42	54.00	-7.58	4.23	3	Vertical	202	1.50	-
PK	5.254G	113.81	Inf	-Inf	4.47	3	Vertical	202	1.50	-
AV	5.2516G	102.46	Inf	-Inf	4.46	3	Vertical	202	1.50	-
PK	5.4022G	59.69	74.00	-14.31	5.00	3	Vertical	202	1.50	-
AV	5.3608G	47.43	54.00	-6.57	4.85	3	Vertical	202	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5260MHz_TX




EUT Y_2TX
Setting 81
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1454G	58.78	74.00	-15.22	4.25	3	Horizontal	169	1.50	-
AV	5.1478G	46.76	54.00	-7.24	4.25	3	Horizontal	169	1.50	-
PK	5.2588G	114.87	Inf	-Inf	4.49	3	Horizontal	169	1.50	-
AV	5.2588G	103.50	Inf	-Inf	4.49	3	Horizontal	169	1.50	-
PK	5.362G	60.04	74.00	-13.96	4.86	3	Horizontal	169	1.50	-
AV	5.4016G	47.45	54.00	-6.55	4.99	3	Horizontal	169	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5300MHz_TX




EUT_Y_2TX
Setting 84
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.294G	114.80	Inf	-Inf	4.62	3	Vertical	200	1.50	-
AV	5.3016G	103.62	Inf	-Inf	4.64	3	Vertical	200	1.50	-
PK	5.3516G	67.73	74.00	-6.27	4.81	3	Vertical	200	1.50	-
AV	5.35G	51.54	54.00	-2.46	4.81	3	Vertical	200	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5300MHz_TX




EUT_Y_2TX
Setting 84
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2952G	115.86	Inf	-Inf	4.63	3	Horizontal	170	1.50	-
AV	5.2952G	104.39	Inf	-Inf	4.63	3	Horizontal	170	1.50	-
PK	5.3512G	67.64	74.00	-6.36	4.81	3	Horizontal	170	1.50	-
AV	5.3504G	52.03	54.00	-1.97	4.81	3	Horizontal	170	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5320MHz_TX




EUT Y_2TX
Setting 71
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.314G	111.49	Inf	-Inf	4.69	3	Vertical	201	1.48	-
AV	5.3218G	100.28	Inf	-Inf	4.72	3	Vertical	201	1.48	-
PK	5.3534G	67.81	74.00	-6.19	4.82	3	Vertical	201	1.48	-
AV	5.35G	52.71	54.00	-1.29	4.81	3	Vertical	201	1.48	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5320MHz_TX




EUT_Y_2TX
Setting 71
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3188G	112.60	Inf	-Inf	4.71	3	Horizontal	199	1.47	-
AV	5.3268G	101.23	Inf	-Inf	4.74	3	Horizontal	199	1.47	-
PK	5.3526G	69.13	74.00	-4.87	4.82	3	Horizontal	199	1.47	-
AV	5.3502G	53.79	54.00	-0.21	4.81	3	Horizontal	199	1.47	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5500MHz_TX




EUT Y_2TX
Setting 69
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	62.02	74.00	-11.98	5.19	3	Vertical	184	1.50	-
AV	5.46G	48.04	54.00	-5.96	5.22	3	Vertical	184	1.50	-
PK	5.4692G	67.82	68.20	-0.38	5.26	3	Vertical	184	1.50	-
PK	5.494G	112.27	Inf	-Inf	5.35	3	Vertical	184	1.50	-
AV	5.5012G	100.90	Inf	-Inf	5.38	3	Vertical	184	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5500MHz_TX




EUT Y_2TX
Setting 69
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	61.36	74.00	-12.64	5.22	3	Horizontal	162	1.41	-
AV	5.46G	48.33	54.00	-5.67	5.22	3	Horizontal	162	1.41	-
PK	5.4692G	67.85	68.20	-0.35	5.26	3	Horizontal	162	1.41	-
PK	5.4952G	113.48	Inf	-Inf	5.37	3	Horizontal	162	1.41	-
AV	5.4952G	102.39	Inf	-Inf	5.37	3	Horizontal	162	1.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5580MHz_TX




EUT Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	60.84	74.00	-13.16	5.19	3	Vertical	178	1.48	-
AV	5.4584G	47.88	54.00	-6.12	5.22	3	Vertical	178	1.48	-
PK	5.4688G	59.36	68.20	-8.84	5.26	3	Vertical	178	1.48	-
PK	5.5744G	114.88	Inf	-Inf	5.58	3	Vertical	178	1.48	-
AV	5.5816G	104.22	Inf	-Inf	5.59	3	Vertical	178	1.48	-
PK	5.7384G	59.90	68.20	-8.30	5.83	3	Vertical	178	1.48	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5580MHz_TX




EUT Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.412G	60.09	74.00	-13.91	5.04	3	Horizontal	165	1.47	-
AV	5.4544G	47.79	54.00	-6.21	5.19	3	Horizontal	165	1.47	-
PK	5.4672G	58.94	68.20	-9.26	5.25	3	Horizontal	165	1.47	-
PK	5.5752G	115.48	Inf	-Inf	5.57	3	Horizontal	165	1.47	-
AV	5.5752G	104.43	Inf	-Inf	5.57	3	Horizontal	165	1.47	-
PK	5.7424G	59.79	68.20	-8.41	5.83	3	Horizontal	165	1.47	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5700MHz_TX




EUT Y_2TX
Setting 61
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7054G	108.94	Inf	-Inf	5.75	3	Vertical	183	1.50	-
AV	5.7016G	97.76	Inf	-Inf	5.74	3	Vertical	183	1.50	-
PK	5.7252G	68.15	68.20	-0.05	5.79	3	Vertical	183	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5700MHz_TX




EUT Y_2TX
Setting 61
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6954G	109.72	Inf	-Inf	5.74	3	Horizontal	182	1.50	-
AV	5.6948G	98.45	Inf	-Inf	5.73	3	Horizontal	182	1.50	-
PK	5.7254G	67.96	68.20	-0.24	5.79	3	Horizontal	182	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4392G	59.24	74.00	-14.76	5.15	3	Vertical	179	1.50	-
AV	5.4464G	47.23	54.00	-6.77	5.18	3	Vertical	179	1.50	-
PK	5.47G	58.78	68.20	-9.42	5.26	3	Vertical	179	1.50	-
PK	5.714G	112.86	Inf	-Inf	5.78	3	Vertical	179	1.50	-
AV	5.7212G	102.30	Inf	-Inf	5.79	3	Vertical	179	1.50	-
PK	5.9264G	60.40	68.20	-7.80	6.81	3	Vertical	179	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

09/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4236G	60.20	74.00	-13.80	5.08	3	Horizontal	182	1.65	-
AV	5.4356G	47.36	54.00	-6.64	5.14	3	Horizontal	182	1.65	-
PK	5.462G	58.68	68.20	-9.52	5.23	3	Horizontal	182	1.65	-
PK	5.7152G	114.17	Inf	-Inf	5.78	3	Horizontal	182	1.65	-
AV	5.7176G	102.91	Inf	-Inf	5.79	3	Horizontal	182	1.65	-
PK	5.9744G	60.41	68.20	-7.79	7.04	3	Horizontal	182	1.65	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5270MHz_TX




EUT_Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2556G	112.93	Inf	-Inf	4.48	3	Vertical	199	1.40	-
AV	5.2568G	100.67	Inf	-Inf	4.48	3	Vertical	199	1.40	-
PK	5.3544G	65.99	74.00	-8.01	4.82	3	Vertical	199	1.40	-
AV	5.3512G	52.88	54.00	-1.12	4.81	3	Vertical	199	1.40	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5270MHz_TX




EUT_Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2608G	112.30	Inf	-Inf	4.49	3	Horizontal	168	1.50	-
AV	5.2656G	100.99	Inf	-Inf	4.52	3	Horizontal	168	1.50	-
PK	5.3672G	67.23	74.00	-6.77	4.87	3	Horizontal	168	1.50	-
AV	5.3504G	53.82	54.00	-0.18	4.81	3	Horizontal	168	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5310MHz_TX




EUT_Y_2TX
Setting 62
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3056G	106.77	Inf	-Inf	4.66	3	Vertical	189	1.49	-
AV	5.3152G	95.07	Inf	-Inf	4.70	3	Vertical	189	1.49	-
PK	5.35G	70.23	74.00	-3.77	4.81	3	Vertical	189	1.49	-
AV	5.3508G	50.69	54.00	-3.31	4.81	3	Vertical	189	1.49	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5310MHz_TX




EUT Y_2TX
Setting 62
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3056G	107.25	Inf	-Inf	4.66	3	Horizontal	170	1.50	-
AV	5.3064G	96.01	Inf	-Inf	4.66	3	Horizontal	170	1.50	-
PK	5.3508G	73.67	74.00	-0.33	4.81	3	Horizontal	170	1.50	-
AV	5.3524G	50.56	54.00	-3.44	4.82	3	Horizontal	170	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5510MHz_TX




EUT Y_2TX
Setting 53
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	66.22	74.00	-7.78	5.22	3	Vertical	184	1.50	-
AV	5.4596G	48.05	54.00	-5.95	5.22	3	Vertical	184	1.50	-
PK	5.4636G	65.09	68.20	-3.11	5.23	3	Vertical	184	1.50	-
PK	5.5108G	105.68	Inf	-Inf	5.41	3	Vertical	184	1.50	-
AV	5.5092G	94.04	Inf	-Inf	5.41	3	Vertical	184	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5510MHz_TX




EUT_Y_2TX
Setting 53
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	65.09	74.00	-8.91	5.22	3	Horizontal	162	1.64	-
AV	5.4588G	47.81	54.00	-6.19	5.22	3	Horizontal	162	1.64	-
PK	5.4656G	67.94	68.20	-0.26	5.25	3	Horizontal	162	1.64	-
PK	5.5056G	106.23	Inf	-Inf	5.39	3	Horizontal	162	1.64	-
AV	5.5064G	94.98	Inf	-Inf	5.40	3	Horizontal	162	1.64	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5550MHz_TX




EUT Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	67.20	74.00	-6.80	5.19	3	Vertical	178	1.50	-
AV	5.46G	51.66	54.00	-2.34	5.22	3	Vertical	178	1.50	-
PK	5.4684G	66.48	68.20	-1.72	5.26	3	Vertical	178	1.50	-
PK	5.5616G	112.68	Inf	-Inf	5.54	3	Vertical	178	1.50	-
AV	5.5488G	101.29	Inf	-Inf	5.51	3	Vertical	178	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5550MHz_TX




EUT_Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	66.98	74.00	-7.02	5.22	3	Horizontal	163	1.60	-
AV	5.46G	52.10	54.00	-1.90	5.22	3	Horizontal	163	1.60	-
PK	5.466G	68.05	68.20	-0.15	5.25	3	Horizontal	163	1.60	-
PK	5.5352G	112.84	Inf	-Inf	5.47	3	Horizontal	163	1.60	-
AV	5.5464G	101.98	Inf	-Inf	5.50	3	Horizontal	163	1.60	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5670MHz_TX




EUT Y_2TX
Setting 68
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6764G	108.71	Inf	-Inf	5.72	3	Vertical	192	1.50	-
AV	5.6756G	97.36	Inf	-Inf	5.72	3	Vertical	192	1.50	-
PK	5.7372G	66.74	68.20	-1.46	5.81	3	Vertical	192	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5670MHz_TX




EUT Y_2TX
Setting 68
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6764G	108.08	Inf	-Inf	5.72	3	Horizontal	183	2.23	-
AV	5.6788G	97.48	Inf	-Inf	5.72	3	Horizontal	183	2.23	-
PK	5.7292G	67.86	68.20	-0.34	5.80	3	Horizontal	183	2.23	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4412G	58.98	74.00	-15.02	5.15	3	Vertical	180	1.53	-
AV	5.446G	47.43	54.00	-6.57	5.18	3	Vertical	180	1.53	-
PK	5.4616G	59.44	68.20	-8.76	5.22	3	Vertical	180	1.53	-
PK	5.716G	111.47	Inf	-Inf	5.78	3	Vertical	180	1.53	-
AV	5.7088G	100.14	Inf	-Inf	5.76	3	Vertical	180	1.53	-
PK	5.9212G	60.47	68.20	-7.73	6.80	3	Vertical	180	1.53	-

802.11ax HEW40_Nss2,(MCS0)_2TX

09/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 83
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4172G	59.72	74.00	-14.28	5.06	3	Horizontal	181	1.50	-
AV	5.4148G	47.49	54.00	-6.51	5.04	3	Horizontal	181	1.50	-
PK	5.4676G	59.29	68.20	-8.91	5.25	3	Horizontal	181	1.50	-
PK	5.7172G	111.21	Inf	-Inf	5.78	3	Horizontal	181	1.50	-
AV	5.7148G	100.18	Inf	-Inf	5.78	3	Horizontal	181	1.50	-
PK	5.8756G	60.74	68.20	-7.46	6.52	3	Horizontal	181	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5290MHz_TX




EUT_Y_2TX
Setting 64
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.126G	58.74	74.00	-15.26	4.24	3	Vertical	201	1.50	-
AV	5.149G	47.67	54.00	-6.33	4.25	3	Vertical	201	1.50	-
PK	5.281G	104.46	Inf	-Inf	4.57	3	Vertical	201	1.50	-
AV	5.279G	93.86	Inf	-Inf	4.57	3	Vertical	201	1.50	-
PK	5.35G	67.38	74.00	-6.62	4.81	3	Vertical	201	1.50	-
AV	5.353G	53.51	54.00	-0.49	4.82	3	Vertical	201	1.50	-
PK	5.491G	58.95	68.20	-9.25	5.34	3	Vertical	201	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5290MHz_TX




EUT Y_2TX
Setting 64
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	59.63	74.00	-14.37	4.25	3	Horizontal	169	1.50	-
AV	5.07G	47.88	54.00	-6.12	4.26	3	Horizontal	169	1.50	-
PK	5.266G	104.69	Inf	-Inf	4.52	3	Horizontal	169	1.50	-
AV	5.282G	94.54	Inf	-Inf	4.58	3	Horizontal	169	1.50	-
PK	5.386G	67.63	74.00	-6.37	4.94	3	Horizontal	169	1.50	-
AV	5.35G	53.87	54.00	-0.13	4.81	3	Horizontal	169	1.50	-
PK	5.487G	59.32	68.20	-8.88	5.33	3	Horizontal	169	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5530MHz_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT_Y_2TX
Setting 63
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.344G	58.81	68.20	-9.39	4.80	3	Vertical	184	1.48	-
PK	5.453G	64.01	74.00	-9.99	5.19	3	Vertical	184	1.48	-
AV	5.46G	52.57	54.00	-1.43	5.22	3	Vertical	184	1.48	-
PK	5.466G	67.67	68.20	-0.53	5.25	3	Vertical	184	1.48	-
PK	5.52G	105.28	Inf	-Inf	5.44	3	Vertical	184	1.48	-
AV	5.519G	94.79	Inf	-Inf	5.44	3	Vertical	184	1.48	-
PK	5.73G	59.43	68.20	-8.77	5.80	3	Vertical	184	1.48	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5530MHz_TX




EUT Y_2TX
Setting 63
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.346G	59.16	68.20	-9.04	4.81	3	Horizontal	161	1.50	-
PK	5.457G	65.24	74.00	-8.76	5.21	3	Horizontal	161	1.50	-
AV	5.46G	53.29	54.00	-0.71	5.22	3	Horizontal	161	1.50	-
PK	5.47G	68.15	68.20	-0.05	5.26	3	Horizontal	161	1.50	-
PK	5.506G	105.07	Inf	-Inf	5.39	3	Horizontal	161	1.50	-
AV	5.518G	95.14	Inf	-Inf	5.43	3	Horizontal	161	1.50	-
PK	5.732G	58.88	68.20	-9.32	5.80	3	Horizontal	161	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5610MHz_TX




EUT Y_2TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.445G	65.03	74.00	-8.97	5.18	3	Vertical	179	1.67	-
AV	5.456G	52.50	54.00	-1.50	5.21	3	Vertical	179	1.67	-
PK	5.47G	63.94	68.20	-4.26	5.26	3	Vertical	179	1.67	-
PK	5.613G	107.67	Inf	-Inf	5.65	3	Vertical	179	1.67	-
AV	5.602G	98.01	Inf	-Inf	5.64	3	Vertical	179	1.67	-
PK	5.744G	67.28	68.20	-0.92	5.84	3	Vertical	179	1.67	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5610MHz_TX




EUT_Y_2TX
Setting 78
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	64.48	74.00	-9.52	5.19	3	Horizontal	165	1.56	-
AV	5.454G	53.69	54.00	-0.31	5.19	3	Horizontal	165	1.56	-
PK	5.469G	64.80	68.20	-3.40	5.26	3	Horizontal	165	1.56	-
PK	5.605G	108.10	Inf	-Inf	5.65	3	Horizontal	165	1.56	-
AV	5.601G	98.24	Inf	-Inf	5.64	3	Horizontal	165	1.56	-
PK	5.726G	66.68	68.20	-1.52	5.79	3	Horizontal	165	1.56	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 87
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	61.82	74.00	-12.18	5.20	3	Vertical	192	1.48	-
AV	5.457G	51.26	54.00	-2.74	5.21	3	Vertical	192	1.48	-
PK	5.467G	61.54	68.20	-6.66	5.25	3	Vertical	192	1.48	-
PK	5.68G	109.20	Inf	-Inf	5.72	3	Vertical	192	1.48	-
AV	5.679G	99.91	Inf	-Inf	5.72	3	Vertical	192	1.48	-
PK	5.869G	66.19	68.20	-2.01	6.47	3	Vertical	192	1.48	-

802.11ax HEW80_Nss2,(MCS0)_2TX

09/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 87
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.446G	62.99	74.00	-11.01	5.18	3	Horizontal	183	1.47	-
AV	5.458G	51.27	54.00	-2.73	5.21	3	Horizontal	183	1.47	-
PK	5.467G	63.57	68.20	-4.63	5.25	3	Horizontal	183	1.47	-
PK	5.686G	109.30	Inf	-Inf	5.73	3	Horizontal	183	1.47	-
AV	5.682G	99.77	Inf	-Inf	5.72	3	Horizontal	183	1.47	-
PK	5.85G	67.87	68.20	-0.33	6.33	3	Horizontal	183	1.47	-

802.11ax HEW160_Nss2,(MCS0)_2TX

09/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 59
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.143G	65.06	74.00	-8.94	4.24	3	Vertical	199	1.56	-
AV	5.144G	51.82	54.00	-2.18	4.24	3	Vertical	199	1.56	-
PK	5.259G	101.54	Inf	-Inf	4.49	3	Vertical	199	1.56	-
AV	5.239G	90.45	Inf	-Inf	4.42	3	Vertical	199	1.56	-
PK	5.389G	68.15	74.00	-5.85	4.95	3	Vertical	199	1.56	-
AV	5.378G	53.79	54.00	-0.21	4.91	3	Vertical	199	1.56	-
PK	5.467G	60.64	68.20	-7.56	5.25	3	Vertical	199	1.56	-

802.11ax HEW160_Nss2,(MCS0)_2TX

09/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 59
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	66.38	74.00	-7.62	4.25	3	Horizontal	169	1.66	-
AV	5.146G	52.96	54.00	-1.04	4.25	3	Horizontal	169	1.66	-
PK	5.213G	100.61	Inf	-Inf	4.32	3	Horizontal	169	1.66	-
AV	5.235G	90.88	Inf	-Inf	4.39	3	Horizontal	169	1.66	-
PK	5.381G	68.31	74.00	-5.69	4.92	3	Horizontal	169	1.66	-
AV	5.376G	53.93	54.00	-0.07	4.91	3	Horizontal	169	1.66	-
PK	5.47G	60.91	68.20	-7.29	5.26	3	Horizontal	169	1.66	-

802.11ax HEW160_Nss2,(MCS0)_2TX

09/04/2019

5570MHz_TX




EUT Y_2TX
Setting 59
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.327G	59.18	68.20	-9.02	4.74	3	Vertical	179	1.49	-
PK	5.458G	65.56	74.00	-8.44	5.21	3	Vertical	179	1.49	-
AV	5.458G	53.96	54.00	-0.04	5.21	3	Vertical	179	1.49	-
PK	5.468G	66.33	68.20	-1.87	5.25	3	Vertical	179	1.49	-
PK	5.579G	101.40	Inf	-Inf	5.58	3	Vertical	179	1.49	-
AV	5.583G	90.42	Inf	-Inf	5.60	3	Vertical	179	1.49	-
PK	5.788G	63.89	68.20	-4.31	5.94	3	Vertical	179	1.49	-

802.11ax HEW160_Nss2,(MCS0)_2TX

09/04/2019

5570MHz_TX



EUT Y_2TX
Setting 59
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.342G	59.13	68.20	-9.07	4.80	3	Horizontal	162	1.49	-
PK	5.46G	67.09	74.00	-6.91	5.22	3	Horizontal	162	1.49	-
AV	5.455G	53.86	54.00	-0.14	5.20	3	Horizontal	162	1.49	-
PK	5.465G	67.63	68.20	-0.57	5.25	3	Horizontal	162	1.49	-
PK	5.533G	101.47	Inf	-Inf	5.47	3	Horizontal	162	1.49	-
AV	5.539G	90.97	Inf	-Inf	5.48	3	Horizontal	162	1.49	-
PK	5.726G	63.86	68.20	-4.34	5.79	3	Horizontal	162	1.49	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3516G	53.98	54.00	-0.02	4.81	3	Horizontal	169	1.63	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1484G	58.18	74.00	-15.82	4.25	3	Vertical	179	1.62	-
AV	5.1358G	45.37	54.00	-8.63	4.25	3	Vertical	179	1.62	-
PK	5.2666G	117.17	Inf	-Inf	4.52	3	Vertical	179	1.62	-
AV	5.2666G	107.34	Inf	-Inf	4.52	3	Vertical	179	1.62	-
PK	5.3692G	59.14	74.00	-14.86	4.88	3	Vertical	179	1.62	-
AV	5.3734G	46.60	54.00	-7.40	4.89	3	Vertical	179	1.62	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	59.88	74.00	-14.12	4.25	3	Horizontal	193	1.69	-
AV	5.149G	46.09	54.00	-7.91	4.25	3	Horizontal	193	1.69	-
PK	5.2576G	117.85	Inf	-Inf	4.48	3	Horizontal	193	1.69	-
AV	5.2576G	108.62	Inf	-Inf	4.48	3	Horizontal	193	1.69	-
PK	5.368G	59.41	74.00	-14.59	4.87	3	Horizontal	193	1.69	-
AV	5.365G	47.04	54.00	-6.96	4.86	3	Horizontal	193	1.69	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 83
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3066G	117.65	Inf	-Inf	4.66	3	Vertical	196	1.67	-
AV	5.3066G	107.93	Inf	-Inf	4.66	3	Vertical	196	1.67	-
PK	5.35G	67.81	74.00	-6.19	4.81	3	Vertical	196	1.67	-
AV	5.35G	49.72	54.00	-4.28	4.81	3	Vertical	196	1.67	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 83
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.297G	118.26	Inf	-Inf	4.63	3	Horizontal	184	1.50	-
AV	5.2976G	108.66	Inf	-Inf	4.63	3	Horizontal	184	1.50	-
PK	5.3516G	66.94	74.00	-7.06	4.81	3	Horizontal	184	1.50	-
AV	5.3522G	48.17	54.00	-5.83	4.82	3	Horizontal	184	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5320MHz_TX




EUT_Y_4TX
Setting 74
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	116.18	Inf	-Inf	4.74	3	Vertical	197	1.62	-
AV	5.3276G	106.90	Inf	-Inf	4.74	3	Vertical	197	1.62	-
PK	5.35G	69.82	74.00	-4.18	4.81	3	Vertical	197	1.62	-
AV	5.35G	53.94	54.00	-0.06	4.81	3	Vertical	197	1.62	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5320MHz_TX




EUT_Y_4TX
Setting 74
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3192G	115.69	Inf	-Inf	4.71	3	Horizontal	178	1.50	-
AV	5.3208G	106.21	Inf	-Inf	4.71	3	Horizontal	178	1.50	-
PK	5.3604G	71.75	74.00	-2.25	4.85	3	Horizontal	178	1.50	-
AV	5.3592G	49.74	54.00	-4.26	4.85	3	Horizontal	178	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5500MHZ_TX




EUT_Y_4TX
Setting 55
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4468G	58.33	74.00	-15.67	5.18	3	Vertical	173	1.58	-
AV	5.456G	45.57	54.00	-8.43	5.21	3	Vertical	173	1.58	-
PK	5.4688G	68.08	68.20	-0.12	5.26	3	Vertical	173	1.58	-
PK	5.5076G	112.83	Inf	-Inf	5.41	3	Vertical	173	1.58	-
AV	5.5076G	103.23	Inf	-Inf	5.41	3	Vertical	173	1.58	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5500MHz_TX




EUT Y_4TX
Setting 55
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4464G	58.43	74.00	-15.57	5.18	3	Horizontal	161	1.65	-
AV	5.438G	45.84	54.00	-8.16	5.14	3	Horizontal	161	1.65	-
PK	5.4668G	58.80	68.20	-9.40	5.25	3	Horizontal	161	1.65	-
PK	5.498G	112.38	Inf	-Inf	5.37	3	Horizontal	161	1.65	-
AV	5.4984G	103.03	Inf	-Inf	5.38	3	Horizontal	161	1.65	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5580MHz_TX




EUT_Y_4TX
 Setting 78
 01-M-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4384G	58.73	74.00	-15.27	5.15	3	Vertical	179	2.30	-
AV	5.456G	46.26	54.00	-7.74	5.21	3	Vertical	179	2.30	-
PK	5.4656G	58.79	68.20	-9.41	5.25	3	Vertical	179	2.30	-
PK	5.5864G	118.09	Inf	-Inf	5.60	3	Vertical	179	2.30	-
AV	5.5856G	108.59	Inf	-Inf	5.60	3	Vertical	179	2.30	-
PK	5.7528G	58.93	68.20	-9.27	5.86	3	Vertical	179	2.30	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5580MHz_TX




EUT_Y_4TX
Setting 78
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	58.60	74.00	-15.40	5.21	3	Horizontal	177	1.58	-
AV	5.4584G	46.04	54.00	-7.96	5.22	3	Horizontal	177	1.58	-
PK	5.4696G	58.54	68.20	-9.66	5.26	3	Horizontal	177	1.58	-
PK	5.5792G	117.39	Inf	-Inf	5.58	3	Horizontal	177	1.58	-
AV	5.5784G	108.27	Inf	-Inf	5.58	3	Horizontal	177	1.58	-
PK	5.7408G	59.99	68.20	-8.21	5.83	3	Horizontal	177	1.58	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5700MHz_TX




EUT_Y_4TX
Setting 55
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7076G	112.73	Inf	-Inf	5.76	3	Vertical	180	2.25	-
AV	5.7076G	103.22	Inf	-Inf	5.76	3	Vertical	180	2.25	-
PK	5.7264G	67.96	68.20	-0.24	5.79	3	Vertical	180	2.25	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5700MHz_TX




EUT_Y_4TX
Setting 55
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6972G	112.78	Inf	-Inf	5.74	3	Horizontal	167	1.49	-
AV	5.6972G	103.17	Inf	-Inf	5.74	3	Horizontal	167	1.49	-
PK	5.7312G	65.31	68.20	-2.89	5.80	3	Horizontal	167	1.49	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 78
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4524G	58.02	74.00	-15.98	5.19	3	Vertical	179	1.60	-
AV	5.4584G	45.69	54.00	-8.31	5.22	3	Vertical	179	1.60	-
PK	5.47G	58.68	68.20	-9.52	5.26	3	Vertical	179	1.60	-
PK	5.726G	118.17	Inf	-Inf	5.79	3	Vertical	179	1.60	-
AV	5.726G	108.37	Inf	-Inf	5.79	3	Vertical	179	1.60	-
PK	5.8568G	60.22	68.20	-7.98	6.38	3	Vertical	179	1.60	-

802.11a_Nss1,(6Mbps)_4TX

02/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 78
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4368G	58.13	74.00	-15.87	5.14	3	Horizontal	183	2.28	-
AV	5.4488G	45.50	54.00	-8.50	5.19	3	Horizontal	183	2.28	-
PK	5.4632G	58.58	68.20	-9.62	5.23	3	Horizontal	183	2.28	-
PK	5.7164G	118.75	Inf	-Inf	5.78	3	Horizontal	183	2.28	-
AV	5.7176G	108.80	Inf	-Inf	5.79	3	Horizontal	183	2.28	-
PK	5.9732G	59.93	68.20	-8.27	7.03	3	Horizontal	183	2.28	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/04/2019

5260MHz_TX




EUT Y_4TX
Setting 81
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1304G	58.46	74.00	-15.54	4.24	3	Vertical	181	1.50	-
AV	5.14G	45.19	54.00	-8.81	4.24	3	Vertical	181	1.50	-
PK	5.2684G	116.94	Inf	-Inf	4.53	3	Vertical	181	1.50	-
AV	5.2636G	105.81	Inf	-Inf	4.50	3	Vertical	181	1.50	-
PK	5.401G	59.33	74.00	-14.67	4.99	3	Vertical	181	1.50	-
AV	5.377G	46.43	54.00	-7.57	4.91	3	Vertical	181	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 81
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1268G	58.22	74.00	-15.78	4.24	3	Horizontal	171	1.49	-
AV	5.1454G	45.66	54.00	-8.34	4.25	3	Horizontal	171	1.49	-
PK	5.2654G	115.55	Inf	-Inf	4.52	3	Horizontal	171	1.49	-
AV	5.2552G	105.05	Inf	-Inf	4.48	3	Horizontal	171	1.49	-
PK	5.3986G	59.54	74.00	-14.46	4.99	3	Horizontal	171	1.49	-
AV	5.3644G	46.06	54.00	-7.94	4.86	3	Horizontal	171	1.49	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/04/2019

5300MHz_TX




EUT Y_4TX
 Setting 84
 01-M-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3036G	119.44	Inf	-Inf	4.65	3	Vertical	196	1.58	-
AV	5.2984G	107.57	Inf	-Inf	4.64	3	Vertical	196	1.58	-
PK	5.3508G	72.70	74.00	-1.30	4.81	3	Vertical	196	1.58	-
AV	5.3504G	52.04	54.00	-1.96	4.81	3	Vertical	196	1.58	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 84
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3048G	119.38	Inf	-Inf	4.65	3	Horizontal	186	1.70	-
AV	5.2948G	108.16	Inf	-Inf	4.62	3	Horizontal	186	1.70	-
PK	5.35G	69.64	74.00	-4.36	4.81	3	Horizontal	186	1.70	-
AV	5.35G	52.42	54.00	-1.58	4.81	3	Horizontal	186	1.70	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/04/2019

5320MHz_TX



EUT_Y_4TX
Setting 69
01-M-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3284G	115.09	Inf	-Inf	4.75	3	Vertical	196	1.47	-
AV	5.3236G	102.52	Inf	-Inf	4.72	3	Vertical	196	1.47	-
PK	5.35G	73.20	74.00	-0.80	4.81	3	Vertical	196	1.47	-
AV	5.35G	53.30	54.00	-0.70	4.81	3	Vertical	196	1.47	-