


802.11ax HEW160\_Nss1,(MCS0)\_4TX

30/03/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 46  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1268G	61.47	74.00	-12.53	4.24	3	Vertical	183	1.66	-
AV	5.1252G	50.74	54.00	-3.26	4.24	3	Vertical	183	1.66	-
PK	5.282G	106.37	Inf	-Inf	4.58	3	Vertical	183	1.66	-
AV	5.2724G	95.29	Inf	-Inf	4.54	3	Vertical	183	1.66	-
PK	5.3636G	62.60	74.00	-11.40	4.86	3	Vertical	183	1.66	-
AV	5.3732G	52.58	54.00	-1.42	4.89	3	Vertical	183	1.66	-
PK	5.5268G	60.36	68.20	-7.84	5.44	3	Vertical	183	1.66	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

30/03/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 46  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	61.65	74.00	-12.35	4.25	3	Horizontal	172	1.92	-
AV	5.1332G	50.68	54.00	-3.32	4.24	3	Horizontal	172	1.92	-
PK	5.266G	104.26	Inf	-Inf	4.52	3	Horizontal	172	1.92	-
AV	5.2612G	94.96	Inf	-Inf	4.49	3	Horizontal	172	1.92	-
PK	5.3828G	63.24	74.00	-10.76	4.93	3	Horizontal	172	1.92	-
AV	5.3828G	53.86	54.00	-0.14	4.93	3	Horizontal	172	1.92	-
PK	5.6212G	58.72	68.20	-9.48	5.66	3	Horizontal	172	1.92	-

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

30/03/2019

### 5570MHz\_TX




EUT\_Y\_4TX  
Setting 50  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3252G	59.52	68.20	-8.68	4.74	3	Vertical	182	1.72	-
PK	5.4516G	64.05	74.00	-9.95	5.18	3	Vertical	182	1.72	-
AV	5.4372G	53.88	54.00	-0.12	5.14	3	Vertical	182	1.72	-
PK	5.4676G	63.49	68.20	-4.71	5.25	3	Vertical	182	1.72	-
PK	5.602G	108.86	Inf	-Inf	5.64	3	Vertical	182	1.72	-
AV	5.562G	98.40	Inf	-Inf	5.54	3	Vertical	182	1.72	-
PK	5.7268G	63.17	68.20	-5.03	5.79	3	Vertical	182	1.72	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

30/03/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 50  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3156G	58.37	68.20	-9.83	4.70	3	Horizontal	177	1.92	-
PK	5.4468G	63.63	74.00	-10.37	5.18	3	Horizontal	177	1.92	-
AV	5.4532G	53.17	54.00	-0.83	5.19	3	Horizontal	177	1.92	-
PK	5.466G	62.42	68.20	-5.78	5.25	3	Horizontal	177	1.92	-
PK	5.5604G	107.21	Inf	-Inf	5.54	3	Horizontal	177	1.92	-
AV	5.602G	97.30	Inf	-Inf	5.64	3	Horizontal	177	1.92	-
PK	5.7252G	64.97	68.20	-3.23	5.79	3	Horizontal	177	1.92	-




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	68.13	68.20	-0.07	5.26	3	Horizontal	171	1.80

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	62.37	74.00	-11.63	4.25	3	Vertical	187	1.13	-
AV	5.149G	49.57	54.00	-4.43	4.25	3	Vertical	187	1.13	-
PK	5.2588G	124.78	Inf	-Inf	4.49	3	Vertical	187	1.13	-
AV	5.2564G	108.52	Inf	-Inf	4.48	3	Vertical	187	1.13	-
PK	5.3626G	66.58	74.00	-7.42	4.86	3	Vertical	187	1.13	-
AV	5.3524G	52.97	54.00	-1.03	4.82	3	Vertical	187	1.13	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5260MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1358G	64.48	74.00	-9.52	4.25	3	Horizontal	176	1.53	-
AV	5.1436G	50.16	54.00	-3.84	4.24	3	Horizontal	176	1.53	-
PK	5.257G	126.85	Inf	-Inf	4.48	3	Horizontal	176	1.53	-
AV	5.2594G	114.98	Inf	-Inf	4.49	3	Horizontal	176	1.53	-
PK	5.35G	67.20	74.00	-6.80	4.81	3	Horizontal	176	1.53	-
AV	5.35G	52.98	54.00	-1.02	4.81	3	Horizontal	176	1.53	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5300MHz\_TX



Lim.PK  
 PK  
 Lim.AV  
 AV

EUT\_Y\_4TX  
Setting 79  
01-C-5-13  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3088G	123.42	Inf	-Inf	4.68	3	Vertical	187	2.33	-
AV	5.3084G	111.46	Inf	-Inf	4.68	3	Vertical	187	2.33	-
PK	5.3524G	70.88	74.00	-3.12	4.82	3	Vertical	187	2.33	-
AV	5.35G	52.96	54.00	-1.04	4.81	3	Vertical	187	2.33	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5300MHz\_TX




EUT\_Y\_4TX  
Setting 79  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3008G	123.77	Inf	-Inf	4.64	3	Horizontal	180	1.51	-
AV	5.3048G	111.78	Inf	-Inf	4.65	3	Horizontal	180	1.51	-
PK	5.3504G	72.30	74.00	-1.70	4.81	3	Horizontal	180	1.51	-
AV	5.3504G	53.06	54.00	-0.94	4.81	3	Horizontal	180	1.51	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5320MHz\_TX




EUT\_Y\_4TX  
Setting 51  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3212G	118.01	Inf	-Inf	4.71	3	Vertical	180	1.95	-
AV	5.3118G	105.53	Inf	-Inf	4.69	3	Vertical	180	1.95	-
PK	5.355G	70.52	74.00	-3.48	4.82	3	Vertical	180	1.95	-
AV	5.35G	53.64	54.00	-0.36	4.81	3	Vertical	180	1.95	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5320MHz\_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT\_Y\_4TX  
Setting 51  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3142G	120.59	Inf	-Inf	4.69	3	Horizontal	177	1.77	-
AV	5.3154G	108.59	Inf	-Inf	4.70	3	Horizontal	177	1.77	-
PK	5.3598G	68.25	74.00	-5.75	4.85	3	Horizontal	177	1.77	-
AV	5.3502G	53.84	54.00	-0.16	4.81	3	Horizontal	177	1.77	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5500MHz\_TX




EUT\_Y\_4TX  
Setting 46  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4428G	62.92	74.00	-11.08	5.16	3	Vertical	172	1.57	-
PK	5.4668G	68.05	68.20	-0.15	5.25	3	Vertical	172	1.57	-
AV	5.458G	49.82	54.00	-4.18	5.21	3	Vertical	172	1.57	-
PK	5.492G	118.66	Inf	-Inf	5.35	3	Vertical	172	1.57	-
AV	5.4916G	107.47	Inf	-Inf	5.34	3	Vertical	172	1.57	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5500MHz\_TX




EUT\_Y\_4TX  
Setting 46  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4468G	63.16	74.00	-10.84	5.18	3	Horizontal	178	1.87	-
PK	5.47G	67.85	68.20	-0.35	5.26	3	Horizontal	178	1.87	-
AV	5.4996G	50.30	54.00	-3.70	5.22	3	Horizontal	178	1.87	-
PK	5.4932G	121.05	Inf	-Inf	5.35	3	Horizontal	178	1.87	-
AV	5.4952G	108.77	Inf	-Inf	5.37	3	Horizontal	178	1.87	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	65.02	74.00	-8.98	5.18	3	Vertical	186	1.44	-
AV	5.4584G	50.80	54.00	-3.20	5.22	3	Vertical	186	1.44	-
PK	5.4696G	64.64	68.20	-3.56	5.26	3	Vertical	186	1.44	-
PK	5.5856G	124.51	Inf	-Inf	5.60	3	Vertical	186	1.44	-
AV	5.5864G	113.17	Inf	-Inf	5.60	3	Vertical	186	1.44	-
PK	5.7264G	63.76	68.20	-4.44	5.79	3	Vertical	186	1.44	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-C-5-13  
FSP



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4472G	63.89	74.00	-10.11	5.18	3	Horizontal	180	1.51	-
AV	5.4208G	51.08	54.00	-2.92	5.07	3	Horizontal	180	1.51	-
PK	5.4696G	63.68	68.20	-4.52	5.26	3	Horizontal	180	1.51	-
PK	5.5728G	127.70	Inf	-Inf	5.58	3	Horizontal	180	1.51	-
AV	5.5736G	116.01	Inf	-Inf	5.58	3	Horizontal	180	1.51	-
PK	5.7272G	63.75	68.20	-4.45	5.79	3	Horizontal	180	1.51	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5700MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  

EUT\_Y\_4TX  
Setting 41  
01-C-5-13  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7008G	114.95	Inf	-Inf	5.74	3	Vertical	184	1.04	-
AV	5.7036G	103.00	Inf	-Inf	5.75	3	Vertical	184	1.04	-
PK	5.7254G	64.79	68.20	-3.41	5.79	3	Vertical	184	1.04	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 41  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7082G	117.48	Inf	-Inf	5.76	3	Horizontal	177	1.50	-
AV	5.7068G	104.79	Inf	-Inf	5.75	3	Horizontal	177	1.50	-
PK	5.7258G	68.08	68.20	-0.12	5.79	3	Horizontal	177	1.50	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 91  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	62.63	74.00	-11.37	5.22	3	Vertical	177	1.38	-
AV	5.4536G	50.05	54.00	-3.95	5.19	3	Vertical	177	1.38	-
PK	5.4601G	62.63	68.20	-5.57	5.22	3	Vertical	177	1.38	-
PK	5.7152G	124.66	Inf	-Inf	5.78	3	Vertical	177	1.38	-
AV	5.7152G	112.99	Inf	-Inf	5.78	3	Vertical	177	1.38	-
PK	5.8568G	68.03	68.20	-0.17	6.38	3	Vertical	177	1.38	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 91  
01-C-5-13  
FSP



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4476G	63.13	74.00	-10.87	5.18	3	Horizontal	176	1.60	-
AV	5.4428G	50.15	54.00	-3.85	5.16	3	Horizontal	176	1.60	-
PK	5.4698G	62.90	68.20	-5.30	5.26	3	Horizontal	176	1.60	-
PK	5.7212G	126.69	Inf	-Inf	5.79	3	Horizontal	176	1.60	-
AV	5.7272G	115.91	Inf	-Inf	5.79	3	Horizontal	176	1.60	-
PK	5.851G	68.06	68.20	-0.14	6.34	3	Horizontal	176	1.60	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5270MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_4TX  
Setting 63  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1344G	63.30	74.00	-10.70	4.24	3	Vertical	183	1.48	-
AV	5.1458G	50.25	54.00	-3.75	4.25	3	Vertical	183	1.48	-
PK	5.2676G	116.82	Inf	-Inf	4.52	3	Vertical	183	1.48	-
AV	5.2766G	105.51	Inf	-Inf	4.55	3	Vertical	183	1.48	-
PK	5.3558G	71.09	74.00	-2.91	4.83	3	Vertical	183	1.48	-
AV	5.3528G	53.92	54.00	-0.08	4.82	3	Vertical	183	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5270MHz\_TX




EUT\_Y\_4TX  
Setting 63  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	61.44	74.00	-12.56	4.25	3	Horizontal	173	1.44	-
AV	5.1476G	49.54	54.00	-4.46	4.25	3	Horizontal	173	1.44	-
PK	5.2652G	121.15	Inf	-Inf	4.52	3	Horizontal	173	1.44	-
AV	5.2628G	109.54	Inf	-Inf	4.50	3	Horizontal	173	1.44	-
PK	5.35G	67.96	74.00	-6.04	4.81	3	Horizontal	173	1.44	-
AV	5.3552G	53.83	54.00	-0.17	4.83	3	Horizontal	173	1.44	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5310MHz\_TX



Lim.PK  
 PK  
 Lim.AV  
 AV


EUT\_Y\_4TX  
Setting 46  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3154G	110.47	Inf	-Inf	4.70	3	Vertical	182	1.41	-
AV	5.3016G	100.56	Inf	-Inf	4.64	3	Vertical	182	1.41	-
PK	5.3544G	73.78	74.00	-0.22	4.82	3	Vertical	182	1.41	-
AV	5.352G	53.13	54.00	-0.87	4.82	3	Vertical	182	1.41	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5310MHz\_TX




EUT\_Y\_4TX  
Setting 46  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3004G	116.17	Inf	-Inf	4.64	3	Horizontal	172	1.66	-
AV	5.304G	104.27	Inf	-Inf	4.65	3	Horizontal	172	1.66	-
PK	5.3604G	70.16	74.00	-3.84	4.85	3	Horizontal	172	1.66	-
AV	5.3508G	52.70	54.00	-1.30	4.81	3	Horizontal	172	1.66	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5510MHz\_TX



EUT\_Y\_4TX  
Setting 41  
01-M-1-13  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	69.15	74.00	-4.85	5.22	3	Vertical	190	1.43	-
AV	5.4416G	50.27	54.00	-3.73	5.15	3	Vertical	190	1.43	-
PK	5.4612G	67.31	68.20	-0.89	5.22	3	Vertical	190	1.43	-
PK	5.4964G	111.62	Inf	-Inf	5.37	3	Vertical	190	1.43	-
AV	5.4956G	101.79	Inf	-Inf	5.37	3	Vertical	190	1.43	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5510MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV


EUT\_Y\_4TX  
Setting 41  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4504G	63.45	74.00	-10.55	5.18	3	Horizontal	171	1.80	-
AV	5.4596G	50.85	54.00	-3.15	5.22	3	Horizontal	171	1.80	-
PK	5.47G	68.13	68.20	-0.07	5.26	3	Horizontal	171	1.80	-
PK	5.4948G	115.48	Inf	-Inf	5.35	3	Horizontal	171	1.80	-
AV	5.4952G	104.08	Inf	-Inf	5.37	3	Horizontal	171	1.80	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5550MHz\_TX




EUT\_Y\_4TX  
Setting 65  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4524G	63.38	74.00	-10.62	5.19	3	Vertical	171	1.43	-
AV	5.4572G	51.16	54.00	-2.84	5.21	3	Vertical	171	1.43	-
PK	5.466G	65.23	68.20	-2.97	5.25	3	Vertical	171	1.43	-
PK	5.5676G	117.25	Inf	-Inf	5.56	3	Vertical	171	1.43	-
AV	5.5676G	106.26	Inf	-Inf	5.56	3	Vertical	171	1.43	-
PK	5.7316G	62.57	68.20	-5.63	5.80	3	Vertical	171	1.43	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5550MHz\_TX




EUT\_Y\_4TX  
Setting 65  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	67.94	74.00	-6.06	5.19	3	Horizontal	178	1.52	-
PK	5.4612G	68.13	68.20	-0.07	5.22	3	Horizontal	178	1.52	-
AV	5.4596G	52.08	54.00	-1.92	5.22	3	Horizontal	178	1.52	-
PK	5.5532G	121.03	Inf	-Inf	5.52	3	Horizontal	178	1.52	-
AV	5.5556G	109.63	Inf	-Inf	5.52	3	Horizontal	178	1.52	-
PK	5.73G	62.62	68.20	-5.58	5.80	3	Horizontal	178	1.52	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5670MHz\_TX




EUT\_Y\_4TX  
Setting 53  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.666G	112.48	Inf	-Inf	5.71	3	Vertical	179	1.66	-
AV	5.6548G	103.86	Inf	-Inf	5.69	3	Vertical	179	1.66	-
PK	5.7364G	67.12	68.20	-1.08	5.81	3	Vertical	179	1.66	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5670MHz\_TX




EUT\_Y\_4TX  
Setting 53  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.682G	116.28	Inf	-Inf	5.72	3	Horizontal	177	1.63	-
AV	5.6788G	104.68	Inf	-Inf	5.72	3	Horizontal	177	1.63	-
PK	5.7372G	67.98	68.20	-0.22	5.81	3	Horizontal	177	1.63	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 82  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4268G	62.80	74.00	-11.20	5.10	3	Vertical	186	2.53	-
AV	5.4448G	50.73	54.00	-3.27	5.16	3	Vertical	186	2.53	-
PK	5.4664G	62.46	68.20	-5.74	5.25	3	Vertical	186	2.53	-
PK	5.704G	121.09	Inf	-Inf	5.75	3	Vertical	186	2.53	-
AV	5.704G	109.48	Inf	-Inf	5.75	3	Vertical	186	2.53	-
PK	5.8516G	64.51	68.20	-3.69	6.34	3	Vertical	186	2.53	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 82  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	62.54	74.00	-11.46	5.19	3	Horizontal	176	1.49	-
AV	5.4316G	50.90	54.00	-3.10	5.11	3	Horizontal	176	1.49	-
PK	5.47G	63.00	68.20	-5.20	5.26	3	Horizontal	176	1.49	-
PK	5.7148G	123.01	Inf	-Inf	5.78	3	Horizontal	176	1.49	-
AV	5.716G	111.27	Inf	-Inf	5.78	3	Horizontal	176	1.49	-
PK	5.8564G	68.01	68.20	-0.19	6.38	3	Horizontal	176	1.49	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5290MHz\_TX



EUT\_Y\_4TX  
Setting 43  
01-M-1-13  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1116G	61.80	74.00	-12.20	4.23	3	Vertical	183	1.36	-
AV	5.1476G	49.25	54.00	-4.75	4.25	3	Vertical	183	1.36	-
PK	5.3004G	108.20	Inf	-Inf	4.64	3	Vertical	183	1.36	-
AV	5.2996G	97.22	Inf	-Inf	4.64	3	Vertical	183	1.36	-
PK	5.374G	69.55	74.00	-4.45	4.89	3	Vertical	183	1.36	-
AV	5.3524G	52.27	54.00	-1.73	4.82	3	Vertical	183	1.36	-
PK	5.4716G	63.02	68.20	-5.18	5.26	3	Vertical	183	1.36	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5290MHz\_TX




EUT\_Y\_4TX  
Setting 43  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1204G	61.47	74.00	-12.53	4.23	3	Horizontal	180	1.43	-
AV	5.1468G	49.11	54.00	-4.89	4.25	3	Horizontal	180	1.43	-
PK	5.3076G	110.71	Inf	-Inf	4.66	3	Horizontal	180	1.43	-
AV	5.3212G	98.91	Inf	-Inf	4.71	3	Horizontal	180	1.43	-
PK	5.354G	68.55	74.00	-5.45	4.82	3	Horizontal	180	1.43	-
AV	5.35G	53.83	54.00	-0.17	4.81	3	Horizontal	180	1.43	-
PK	5.474G	61.76	68.20	-6.44	5.27	3	Horizontal	180	1.43	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5530MHz\_TX




EUT\_Y\_4TX  
Setting 46  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3364G	60.80	68.20	-7.40	4.77	3	Vertical	187	2.25	-
PK	5.4388G	64.28	74.00	-9.72	5.15	3	Vertical	187	2.25	-
AV	5.4452G	51.85	54.00	-2.15	5.18	3	Vertical	187	2.25	-
PK	5.4684G	63.64	68.20	-4.56	5.26	3	Vertical	187	2.25	-
PK	5.4996G	110.76	Inf	-Inf	5.38	3	Vertical	187	2.25	-
AV	5.4972G	101.74	Inf	-Inf	5.37	3	Vertical	187	2.25	-
PK	5.7268G	61.63	68.20	-6.57	5.79	3	Vertical	187	2.25	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5530MHz\_TX




EUT\_Y\_4TX  
Setting 46  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3436G	61.54	68.20	-6.66	4.80	3	Horizontal	179	1.50	-
PK	5.4284G	66.79	74.00	-7.21	5.11	3	Horizontal	179	1.50	-
PK	5.4652G	68.01	68.20	-0.19	5.25	3	Horizontal	179	1.50	-
AV	5.4572G	52.91	54.00	-1.09	5.21	3	Horizontal	179	1.50	-
AV	5.4948G	103.80	Inf	-Inf	5.35	3	Horizontal	179	1.50	-
PK	5.5316G	112.62	Inf	-Inf	5.46	3	Horizontal	179	1.50	-
PK	5.7292G	61.19	68.20	-7.01	5.80	3	Horizontal	179	1.50	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5610MHz\_TX




EUT Y\_4TX  
Setting 56  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	62.80	74.00	-11.20	5.22	3	Vertical	177	1.75	-
AV	5.4548G	50.73	54.00	-3.27	5.19	3	Vertical	177	1.75	-
PK	5.466G	63.64	68.20	-4.56	5.25	3	Vertical	177	1.75	-
PK	5.6092G	113.66	Inf	-Inf	5.65	3	Vertical	177	1.75	-
AV	5.5828G	105.24	Inf	-Inf	5.60	3	Vertical	177	1.75	-
PK	5.726G	64.22	68.20	-3.98	5.79	3	Vertical	177	1.75	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5610MHz\_TX




EUT\_Y\_4TX  
Setting 56  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	63.14	74.00	-10.86	5.22	3	Horizontal	179	1.47	-
AV	5.458G	50.75	54.00	-3.25	5.21	3	Horizontal	179	1.47	-
PK	5.47G	63.87	68.20	-4.33	5.26	3	Horizontal	179	1.47	-
PK	5.6252G	115.15	Inf	-Inf	5.67	3	Horizontal	179	1.47	-
AV	5.6084G	102.97	Inf	-Inf	5.65	3	Horizontal	179	1.47	-
PK	5.7276G	68.00	68.20	-0.20	5.80	3	Horizontal	179	1.47	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3912G	62.37	74.00	-11.63	4.95	3	Vertical	185	2.40	-
AV	5.4596G	50.51	54.00	-3.49	5.22	3	Vertical	185	2.40	-
PK	5.47G	63.07	68.20	-5.13	5.26	3	Vertical	185	2.40	-
PK	5.7056G	115.29	Inf	-Inf	5.75	3	Vertical	185	2.40	-
AV	5.7056G	103.68	Inf	-Inf	5.75	3	Vertical	185	2.40	-
PK	5.852G	65.01	68.20	-3.19	6.34	3	Vertical	185	2.40	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4404G	62.40	74.00	-11.60	5.15	3	Horizontal	182	1.59	-
AV	5.456G	50.54	54.00	-3.46	5.21	3	Horizontal	182	1.59	-
PK	5.4668G	62.34	68.20	-5.86	5.25	3	Horizontal	182	1.59	-
PK	5.6912G	117.49	Inf	-Inf	5.73	3	Horizontal	182	1.59	-
AV	5.6972G	104.98	Inf	-Inf	5.74	3	Horizontal	182	1.59	-
PK	5.858G	68.09	68.20	-0.11	6.39	3	Horizontal	182	1.59	-

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX



EUT\_Y\_4TX  
Setting 43  
01-M-1-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.0484G	60.46	74.00	-13.54	4.31	3	Vertical	175	1.87	-
AV	5.1444G	49.96	54.00	-4.04	4.24	3	Vertical	175	1.87	-
PK	5.2724G	102.55	Inf	-Inf	4.54	3	Vertical	175	1.87	-
AV	5.2724G	90.18	Inf	-Inf	4.54	3	Vertical	175	1.87	-
PK	5.3908G	67.91	74.00	-6.09	4.95	3	Vertical	175	1.87	-
AV	5.3732G	53.81	54.00	-0.19	4.89	3	Vertical	175	1.87	-
PK	5.4868G	59.93	68.20	-8.27	5.33	3	Vertical	175	1.87	-



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 43  
01-M-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.114G	60.83	74.00	-13.17	4.22	3	Horizontal	175	1.41	-
AV	5.1476G	49.91	54.00	-4.09	4.25	3	Horizontal	175	1.41	-
PK	5.266G	107.63	Inf	-Inf	4.52	3	Horizontal	175	1.41	-
AV	5.2292G	96.62	Inf	-Inf	4.38	3	Horizontal	175	1.41	-
PK	5.3524G	63.01	74.00	-10.99	4.82	3	Horizontal	175	1.41	-
AV	5.35G	52.34	54.00	-1.66	4.81	3	Horizontal	175	1.41	-
PK	5.4964G	60.21	68.20	-7.99	5.37	3	Horizontal	175	1.41	-

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5570MHz\_TX




EUT\_Y\_4TX  
Setting 42  
01-M-1-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2772G	58.79	68.20	-9.41	4.55	3	Vertical	186	2.42	-
PK	5.4548G	61.53	74.00	-12.47	5.19	3	Vertical	186	2.42	-
AV	5.434G	51.58	54.00	-2.42	5.12	3	Vertical	186	2.42	-
PK	5.4644G	61.62	68.20	-6.58	5.23	3	Vertical	186	2.42	-
PK	5.4932G	106.54	Inf	-Inf	5.35	3	Vertical	186	2.42	-
AV	5.498G	101.82	Inf	-Inf	5.37	3	Vertical	186	2.42	-
PK	5.7316G	61.23	68.20	-6.97	5.80	3	Vertical	186	2.42	-

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5570MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  

EUT\_Y\_4TX  
Setting 42  
01-M-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2804G	59.36	68.20	-8.84	4.57	3	Horizontal	178	1.47	-
PK	5.4516G	64.53	74.00	-9.47	5.18	3	Horizontal	178	1.47	-
AV	5.4564G	53.82	54.00	-0.18	5.21	3	Horizontal	178	1.47	-
PK	5.466G	64.00	68.20	-4.20	5.25	3	Horizontal	178	1.47	-
PK	5.5588G	109.60	Inf	-Inf	5.54	3	Horizontal	178	1.47	-
AV	5.5812G	98.05	Inf	-Inf	5.58	3	Horizontal	178	1.47	-
PK	5.7268G	64.91	68.20	-3.29	5.79	3	Horizontal	178	1.47	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	PK	5.7308G	68.17	68.20	-0.03	5.80	3	Vertical	181	1.97	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1448G	58.71	74.00	-15.29	4.24	3	Vertical	182	1.87	-
AV	5.116G	46.54	54.00	-7.46	4.23	3	Vertical	182	1.87	-
PK	5.2624G	119.02	Inf	-Inf	4.50	3	Vertical	182	1.87	-
AV	5.2672G	106.00	Inf	-Inf	4.52	3	Vertical	182	1.87	-
PK	5.3632G	59.69	74.00	-14.31	4.86	3	Vertical	182	1.87	-
AV	5.3668G	48.14	54.00	-5.86	4.87	3	Vertical	182	1.87	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.116G	58.54	74.00	-15.46	4.23	3	Horizontal	173	1.84	-
AV	5.1472G	46.46	54.00	-7.54	4.25	3	Horizontal	173	1.84	-
PK	5.2522G	117.29	Inf	-Inf	4.47	3	Horizontal	173	1.84	-
AV	5.2606G	105.35	Inf	-Inf	4.49	3	Horizontal	173	1.84	-
PK	5.3626G	60.14	74.00	-13.86	4.86	3	Horizontal	173	1.84	-
AV	5.3692G	47.77	54.00	-6.23	4.88	3	Horizontal	173	1.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5300MHz\_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT\_Y\_4TX  
Setting 79  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.296G	119.70	Inf	-Inf	4.63	3	Vertical	185	1.49	-
AV	5.296G	107.33	Inf	-Inf	4.63	3	Vertical	185	1.49	-
PK	5.3588G	68.75	74.00	-5.25	4.85	3	Vertical	185	1.49	-
AV	5.3504G	52.56	54.00	-1.44	4.81	3	Vertical	185	1.49	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5300MHz\_TX



EUT\_Y\_4TX  
Setting 79  
01-M-1-10  
FSU  
Low\_30 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2924G	119.22	Inf	-Inf	4.61	3	Horizontal	174	1.85	-
AV	5.2964G	106.53	Inf	-Inf	4.63	3	Horizontal	174	1.85	-
PK	5.3588G	65.86	74.00	-8.14	4.85	3	Horizontal	174	1.85	-
AV	5.35G	51.98	54.00	-2.02	4.81	3	Horizontal	174	1.85	-





802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

5320MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_4TX  
 Setting 64  
 01-M-1-10  
 FSU  
 Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3252G	115.94	Inf	-Inf	4.74	3	Vertical	182	1.80	-
AV	5.3272G	104.09	Inf	-Inf	4.74	3	Vertical	182	1.80	-
PK	5.35G	70.67	74.00	-3.33	4.81	3	Vertical	182	1.80	-
AV	5.35G	53.73	54.00	-0.27	4.81	3	Vertical	182	1.80	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5320MHz\_TX




EUT\_Y\_4TX  
Setting 64  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3128G	115.17	Inf	-Inf	4.69	3	Horizontal	171	1.88	-
AV	5.3164G	102.70	Inf	-Inf	4.70	3	Horizontal	171	1.88	-
PK	5.35G	71.74	74.00	-2.26	4.81	3	Horizontal	171	1.88	-
AV	5.35G	52.99	54.00	-1.01	4.81	3	Horizontal	171	1.88	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 58  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4264G	59.40	74.00	-14.60	5.10	3	Vertical	182	1.84	-
PK	5.464G	67.95	68.20	-0.25	5.23	3	Vertical	182	1.84	-
AV	5.46G	47.51	54.00	-6.49	5.22	3	Vertical	182	1.84	-
PK	5.5012G	115.67	Inf	-Inf	5.38	3	Vertical	182	1.84	-
AV	5.4972G	103.17	Inf	-Inf	5.37	3	Vertical	182	1.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5500MHz\_TX




EUT Y\_4TX  
Setting 58  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	59.45	74.00	-14.55	5.22	3	Horizontal	175	1.83	-
AV	5.4596G	47.10	54.00	-6.90	5.22	3	Horizontal	175	1.83	-
PK	5.4632G	63.19	68.20	-5.01	5.23	3	Horizontal	175	1.83	-
PK	5.4924G	115.23	Inf	-Inf	5.35	3	Horizontal	175	1.83	-
AV	5.496G	102.67	Inf	-Inf	5.37	3	Horizontal	175	1.83	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4464G	61.22	74.00	-12.78	5.18	3	Vertical	178	1.84	-
AV	5.4536G	49.07	54.00	-4.93	5.19	3	Vertical	178	1.84	-
PK	5.4632G	61.15	68.20	-7.05	5.23	3	Vertical	178	1.84	-
PK	5.5824G	124.43	Inf	-Inf	5.59	3	Vertical	178	1.84	-
AV	5.5816G	111.35	Inf	-Inf	5.59	3	Vertical	178	1.84	-
PK	5.7376G	61.23	68.20	-6.97	5.83	3	Vertical	178	1.84	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5580MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	60.81	74.00	-13.19	5.22	3	Horizontal	177	1.82	-
AV	5.456G	48.68	54.00	-5.32	5.21	3	Horizontal	177	1.82	-
PK	5.464G	61.23	68.20	-6.97	5.23	3	Horizontal	177	1.82	-
PK	5.5728G	123.36	Inf	-Inf	5.58	3	Horizontal	177	1.82	-
AV	5.5768G	110.99	Inf	-Inf	5.57	3	Horizontal	177	1.82	-
PK	5.74G	61.62	68.20	-6.58	5.83	3	Horizontal	177	1.82	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 55  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7028G	114.51	Inf	-Inf	5.75	3	Vertical	182	1.82	-
AV	5.6976G	102.64	Inf	-Inf	5.74	3	Vertical	182	1.82	-
PK	5.7256G	66.49	68.20	-1.71	5.79	3	Vertical	182	1.82	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

### 5700MHz\_TX



EUT Y\_4TX  
Setting 55  
01-M-1-10  
FSU  
Low\_30 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6924G	115.06	Inf	-Inf	5.73	3	Horizontal	178	1.95	-
AV	5.6964G	102.47	Inf	-Inf	5.74	3	Horizontal	178	1.95	-
PK	5.726G	68.09	68.20	-0.11	5.79	3	Horizontal	178	1.95	-



802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 101  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	59.54	74.00	-14.46	5.22	3	Vertical	184	1.80	-
AV	5.4524G	47.71	54.00	-6.29	5.19	3	Vertical	184	1.80	-
PK	5.4632G	58.86	68.20	-9.34	5.23	3	Vertical	184	1.80	-
PK	5.7224G	123.15	Inf	-Inf	5.79	3	Vertical	184	1.80	-
AV	5.7128G	111.41	Inf	-Inf	5.78	3	Vertical	184	1.80	-
PK	5.8556G	61.21	68.20	-6.99	6.36	3	Vertical	184	1.80	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

30/03/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 101  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	59.06	74.00	-14.94	5.18	3	Horizontal	179	1.92	-
AV	5.4368G	47.19	54.00	-6.81	5.14	3	Horizontal	179	1.92	-
PK	5.46G	58.25	68.20	-9.95	5.22	3	Horizontal	179	1.92	-
PK	5.7128G	123.45	Inf	-Inf	5.78	3	Horizontal	179	1.92	-
AV	5.7164G	110.87	Inf	-Inf	5.78	3	Horizontal	179	1.92	-
PK	5.8532G	62.43	68.20	-5.77	6.35	3	Horizontal	179	1.92	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5270MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	59.33	74.00	-14.67	4.25	3	Vertical	185	1.74	-
AV	5.1476G	48.48	54.00	-5.52	4.25	3	Vertical	185	1.74	-
PK	5.2862G	115.10	Inf	-Inf	4.59	3	Vertical	185	1.74	-
AV	5.2862G	105.22	Inf	-Inf	4.52	3	Vertical	185	1.74	-
PK	5.3642G	66.46	74.00	-7.54	4.86	3	Vertical	185	1.74	-
AV	5.3648G	53.82	54.00	-0.18	4.86	3	Vertical	185	1.74	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5270MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1356G	59.01	74.00	-14.99	4.25	3	Horizontal	173	1.91	-
AV	5.1476G	48.09	54.00	-5.91	4.25	3	Horizontal	173	1.91	-
PK	5.2826G	114.87	Inf	-Inf	4.58	3	Horizontal	173	1.91	-
AV	5.2778G	104.70	Inf	-Inf	4.55	3	Horizontal	173	1.91	-
PK	5.3642G	67.29	74.00	-6.71	4.86	3	Horizontal	173	1.91	-
AV	5.3642G	53.89	54.00	-0.11	4.86	3	Horizontal	173	1.91	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

5310MHz\_TX




EUT\_Y\_4TX  
Setting 53  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3136G	110.25	Inf	-Inf	4.69	3	Vertical	182	1.81	-
AV	5.3072G	100.50	Inf	-Inf	4.66	3	Vertical	182	1.81	-
PK	5.3548G	67.35	74.00	-6.65	4.82	3	Vertical	182	1.81	-
AV	5.3536G	53.87	54.00	-0.13	4.82	3	Vertical	182	1.81	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5310MHz\_TX




EUT\_Y\_4TX  
Setting 53  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3248G	109.17	Inf	-Inf	4.72	3	Horizontal	170	1.89	-
AV	5.318G	98.86	Inf	-Inf	4.70	3	Horizontal	170	1.89	-
PK	5.362G	64.35	74.00	-9.65	4.86	3	Horizontal	170	1.89	-
AV	5.3536G	51.15	54.00	-2.85	4.82	3	Horizontal	170	1.89	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5510MHz\_TX




EUT\_Y\_4TX  
Setting 56  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4516G	65.66	74.00	-8.34	5.18	3	Vertical	180	1.75	-
AV	5.4524G	51.28	54.00	-2.72	5.19	3	Vertical	180	1.75	-
PK	5.47G	68.06	68.20	-0.14	5.26	3	Vertical	180	1.75	-
PK	5.5136G	112.08	Inf	-Inf	5.42	3	Vertical	180	1.75	-
AV	5.5072G	101.99	Inf	-Inf	5.40	3	Vertical	180	1.75	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5510MHz\_TX



- Lim.PK
- PK
- Lim.AV
- AV

EUT\_Y\_4TX  
Setting 56  
01-M-1-10  
FSU  
Low\_30 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	65.82	74.00	-8.18	5.22	3	Horizontal	178	1.88	-
AV	5.46G	52.30	54.00	-1.70	5.22	3	Horizontal	178	1.88	-
PK	5.462G	67.27	68.20	-0.93	5.23	3	Horizontal	178	1.88	-
PK	5.5248G	111.52	Inf	-Inf	5.45	3	Horizontal	178	1.88	-
AV	5.5112G	101.18	Inf	-Inf	5.41	3	Horizontal	178	1.88	-



### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5550MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4532G	67.83	74.00	-6.17	5.19	3	Vertical	179	1.73	-
AV	5.454G	53.93	54.00	-0.07	5.19	3	Vertical	179	1.73	-
PK	5.47G	64.91	68.20	-3.29	5.26	3	Vertical	179	1.73	-
PK	5.554G	115.80	Inf	-Inf	5.52	3	Vertical	179	1.73	-
AV	5.5468G	106.47	Inf	-Inf	5.50	3	Vertical	179	1.73	-
PK	5.7268G	61.02	68.20	-7.18	5.79	3	Vertical	179	1.73	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5550MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4564G	63.08	74.00	-10.92	5.21	3	Horizontal	177	1.75	-
AV	5.4572G	51.28	54.00	-2.72	5.21	3	Horizontal	177	1.75	-
PK	5.4644G	66.92	68.20	-1.28	5.23	3	Horizontal	177	1.75	-
PK	5.5572G	116.41	Inf	-Inf	5.53	3	Horizontal	177	1.75	-
AV	5.558G	105.91	Inf	-Inf	5.54	3	Horizontal	177	1.75	-
PK	5.7276G	60.52	68.20	-7.68	5.80	3	Horizontal	177	1.75	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5670MHz\_TX




EUT Y\_4TX  
Setting 58  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6736G	112.71	Inf	-Inf	5.71	3	Vertical	183	1.78	-
AV	5.6672G	102.63	Inf	-Inf	5.71	3	Vertical	183	1.78	-
PK	5.7252G	67.39	68.20	-0.81	5.79	3	Vertical	183	1.78	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5670MHz\_TX




EUT\_Y\_4TX  
Setting 58  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6824G	112.73	Inf	-Inf	5.72	3	Horizontal	180	1.89	-
AV	5.6812G	101.82	Inf	-Inf	5.72	3	Horizontal	180	1.89	-
PK	5.7252G	67.96	68.20	-0.24	5.79	3	Horizontal	180	1.89	-

802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 95  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.452G	59.71	74.00	-14.29	5.19	3	Vertical	184	1.86	-
AV	5.452G	49.43	54.00	-4.57	5.19	3	Vertical	184	1.86	-
PK	5.4688G	60.22	68.20	-7.98	5.26	3	Vertical	184	1.86	-
PK	5.7136G	121.07	Inf	-Inf	5.78	3	Vertical	184	1.86	-
AV	5.6932G	110.03	Inf	-Inf	5.73	3	Vertical	184	1.86	-
PK	5.8684G	68.04	68.20	-0.16	6.47	3	Vertical	184	1.86	-

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

30/03/2019

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 95  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4124G	59.11	74.00	-14.89	5.04	3	Horizontal	180	1.80	-
AV	5.452G	48.92	54.00	-5.08	5.19	3	Horizontal	180	1.80	-
PK	5.4616G	58.93	68.20	-9.27	5.22	3	Horizontal	180	1.80	-
PK	5.7028G	119.18	Inf	-Inf	5.75	3	Horizontal	180	1.80	-
AV	5.7076G	109.10	Inf	-Inf	5.76	3	Horizontal	180	1.80	-
PK	5.8588G	67.95	68.20	-0.25	6.39	3	Horizontal	180	1.80	-

802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

5290MHz\_TX




EUT\_Y\_4TX  
Setting 55  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1196G	58.33	74.00	-15.67	4.23	3	Vertical	182	1.83	-
AV	5.1252G	47.67	54.00	-6.33	4.24	3	Vertical	182	1.83	-
PK	5.2932G	108.09	Inf	-Inf	4.62	3	Vertical	182	1.83	-
AV	5.3004G	97.53	Inf	-Inf	4.64	3	Vertical	182	1.83	-
PK	5.3652G	68.30	74.00	-5.70	4.87	3	Vertical	182	1.83	-
AV	5.3668G	53.94	54.00	-0.06	4.87	3	Vertical	182	1.83	-
PK	5.482G	59.22	68.20	-8.98	5.31	3	Vertical	182	1.83	-

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5290MHz\_TX



EUT Y\_4TX  
Setting 55  
01-M-1-10  
FSU  
Low\_30 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1412G	58.05	74.00	-15.95	4.24	3	Horizontal	173	1.81	-
AV	5.15G	47.60	54.00	-6.40	4.25	3	Horizontal	173	1.81	-
PK	5.2828G	106.58	Inf	-Inf	4.58	3	Horizontal	173	1.81	-
AV	5.2764G	96.19	Inf	-Inf	4.55	3	Horizontal	173	1.81	-
PK	5.3556G	68.10	74.00	-5.90	4.83	3	Horizontal	173	1.81	-
AV	5.3556G	53.82	54.00	-0.18	4.83	3	Horizontal	173	1.81	-
PK	5.49G	60.18	68.20	-8.02	5.34	3	Horizontal	173	1.81	-



### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 57  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3428G	58.83	68.20	-9.37	4.80	3	Vertical	180	1.71	-
PK	5.446G	67.41	74.00	-6.59	5.18	3	Vertical	180	1.71	-
AV	5.4436G	53.89	54.00	-0.11	5.16	3	Vertical	180	1.71	-
PK	5.4636G	65.81	68.20	-2.39	5.23	3	Vertical	180	1.71	-
PK	5.5524G	108.92	Inf	-Inf	5.51	3	Vertical	180	1.71	-
AV	5.5124G	99.12	Inf	-Inf	5.41	3	Vertical	180	1.71	-
PK	5.7268G	59.54	68.20	-8.66	5.79	3	Vertical	180	1.71	-

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5530MHz\_TX




EUT\_Y\_4TX  
Setting 57  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.346G	58.29	68.20	-9.91	4.81	3	Horizontal	178	1.72	-
PK	5.4532G	67.16	74.00	-6.84	5.19	3	Horizontal	178	1.72	-
AV	5.4548G	53.33	54.00	-0.67	5.19	3	Horizontal	178	1.72	-
PK	5.4684G	64.03	68.20	-4.17	5.26	3	Horizontal	178	1.72	-
PK	5.5156G	108.65	Inf	-Inf	5.42	3	Horizontal	178	1.72	-
AV	5.5164G	98.15	Inf	-Inf	5.42	3	Horizontal	178	1.72	-
PK	5.7276G	60.09	68.20	-8.11	5.80	3	Horizontal	178	1.72	-

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5610MHz\_TX




EUT\_Y\_4TX  
Setting 66  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4516G	64.98	74.00	-9.02	5.18	3	Vertical	181	1.76	-
AV	5.4532G	51.28	54.00	-2.72	5.19	3	Vertical	181	1.76	-
PK	5.4636G	62.19	68.20	-6.01	5.23	3	Vertical	181	1.76	-
PK	5.6012G	111.19	Inf	-Inf	5.64	3	Vertical	181	1.76	-
AV	5.5924G	101.27	Inf	-Inf	5.61	3	Vertical	181	1.76	-
PK	5.7268G	68.16	68.20	-0.04	5.79	3	Vertical	181	1.76	-

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5610MHz\_TX




EUT\_Y\_4TX  
Setting 66  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	61.95	74.00	-12.05	5.19	3	Horizontal	177	1.81	-
AV	5.4564G	50.25	54.00	-3.75	5.21	3	Horizontal	177	1.81	-
PK	5.462G	64.69	68.20	-3.51	5.23	3	Horizontal	177	1.81	-
PK	5.602G	111.21	Inf	-Inf	5.64	3	Horizontal	177	1.81	-
AV	5.6412G	100.49	Inf	-Inf	5.68	3	Horizontal	177	1.81	-
PK	5.7348G	66.22	68.20	-1.98	5.81	3	Horizontal	177	1.81	-

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 72  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	59.66	74.00	-14.34	5.22	3	Vertical	183	1.85	-
AV	5.4488G	48.99	54.00	-5.01	5.19	3	Vertical	183	1.85	-
PK	5.47G	59.30	68.20	-8.90	5.26	3	Vertical	183	1.85	-
PK	5.6816G	113.33	Inf	-Inf	5.72	3	Vertical	183	1.85	-
AV	5.7056G	103.50	Inf	-Inf	5.75	3	Vertical	183	1.85	-
PK	5.8652G	67.51	68.20	-0.69	6.44	3	Vertical	183	1.85	-

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

30/03/2019

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4392G	58.82	74.00	-15.18	5.15	3	Horizontal	181	1.81	-
AV	5.4524G	48.23	54.00	-5.77	5.19	3	Horizontal	181	1.81	-
PK	5.4656G	58.78	68.20	-9.42	5.25	3	Horizontal	181	1.81	-
PK	5.684G	112.36	Inf	-Inf	5.72	3	Horizontal	181	1.81	-
AV	5.6816G	102.55	Inf	-Inf	5.72	3	Horizontal	181	1.81	-
PK	5.8568G	68.05	68.20	-0.15	6.38	3	Horizontal	181	1.81	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

30/03/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 50  
01-C-5-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1264G	62.20	74.00	-11.80	4.24	3	Vertical	183	1.83	-
AV	5.1216G	51.21	54.00	-2.79	4.23	3	Vertical	183	1.83	-
PK	5.2656G	103.39	Inf	-Inf	4.52	3	Vertical	183	1.83	-
AV	5.2524G	93.33	Inf	-Inf	4.47	3	Vertical	183	1.83	-
PK	5.3736G	64.73	74.00	-9.27	4.89	3	Vertical	183	1.83	-
AV	5.3724G	53.92	54.00	-0.08	4.89	3	Vertical	183	1.83	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

30/03/2019

5250MHz Straddle 5.25-5.35GHz\_TX



EUT\_Y\_4TX  
Setting 50  
01-C-5-10  
FSU  
Low\_30 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.0952G	61.33	74.00	-12.67	4.22	3	Horizontal	172	1.50	-
AV	5.0964G	51.73	54.00	-2.27	4.22	3	Horizontal	172	1.50	-
PK	5.2396G	102.08	Inf	-Inf	4.40	3	Horizontal	172	1.50	-
AV	5.2572G	91.97	Inf	-Inf	4.48	3	Horizontal	172	1.50	-
PK	5.3844G	65.99	74.00	-8.01	4.93	3	Horizontal	172	1.50	-
AV	5.3844G	52.53	54.00	-1.47	4.93	3	Horizontal	172	1.50	-







802.11ax HEW160\_Nss4,(MCS0)\_4TX

30/03/2019

5570MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT Y\_4TX  
 Setting 49  
 01-C-5-10  
 FSU  
 Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	64.56	74.00	-9.44	5.18	3	Vertical	181	1.97	-
AV	5.4524G	52.93	54.00	-1.07	5.19	3	Vertical	181	1.97	-
PK	5.4608G	61.87	68.20	-6.33	5.22	3	Vertical	181	1.97	-
PK	5.5712G	104.79	Inf	-Inf	5.57	3	Vertical	181	1.97	-
AV	5.5724G	94.73	Inf	-Inf	5.57	3	Vertical	181	1.97	-
PK	5.7308G	68.17	68.20	-0.03	5.80	3	Vertical	181	1.97	-

802.11ax HEW160\_Nss4,(MCS0)\_4TX

30/03/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 49  
01-C-5-10  
FSU  
Low\_30 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	62.74	74.00	-11.26	5.19	3	Horizontal	176	1.90	-
AV	5.4536G	51.97	54.00	-2.03	5.19	3	Horizontal	176	1.90	-
PK	5.4632G	62.31	68.20	-5.89	5.23	3	Horizontal	176	1.90	-
PK	5.582G	104.81	Inf	-Inf	5.59	3	Horizontal	176	1.90	-
AV	5.5832G	93.73	Inf	-Inf	5.60	3	Horizontal	176	1.90	-
PK	5.732G	62.37	68.20	-5.83	5.80	3	Horizontal	176	1.90	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	15.96184G	53.98	54.00	-0.02	13.94	3	Vertical	184	1.79	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
 Setting 74  
 01-C-5  
 FSP  
 High 70 degree

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.7816G	68.55	74.00	-5.45	14.16	3	Vertical	182	1.52	-
AV	15.7801G	51.97	54.00	-2.03	14.16	3	Vertical	182	1.52	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5260MHz\_TX




EUT Y\_4TX  
Setting 74  
01-C-5  
FSP  
High 70 degree

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.7814G	68.68	74.00	-5.32	14.16	3	Horizontal	228	1.93	-
AV	15.7785G	53.82	54.00	-0.18	14.16	3	Horizontal	228	1.93	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5300MHz\_TX




EUT Y\_4TX  
Setting 77  
01-C-5  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6083G	53.93	74.00	-20.07	11.19	3	Vertical	159	1.52	-
AV	10.6042G	41.04	54.00	-12.96	11.18	3	Vertical	159	1.52	-
PK	15.9015G	66.19	74.00	-7.81	14.02	3	Vertical	182	1.56	-
AV	15.9007G	51.58	54.00	-2.42	14.02	3	Vertical	182	1.56	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5300MHz\_TX



EUT Y\_4TX  
Setting 77  
01-C-5  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6069G	54.55	74.00	-19.45	11.18	3	Horizontal	112	1.53	-
AV	10.6095G	41.71	54.00	-12.29	11.19	3	Horizontal	112	1.53	-
PK	15.9017G	69.26	74.00	-4.74	14.02	3	Horizontal	231	1.71	-
AV	15.9028G	53.84	54.00	-0.16	14.02	3	Horizontal	231	1.71	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5320MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV

EUT\_Y\_4TX  
 Setting 77  
 01-C-5  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6173G	53.35	74.00	-20.65	11.19	3	Vertical	322	1.47	-
AV	10.6521G	40.13	54.00	-13.87	11.24	3	Vertical	322	1.47	-
PK	15.9544G	68.33	74.00	-5.67	13.96	3	Vertical	185	1.75	-
AV	15.9555G	53.83	54.00	-0.17	13.96	3	Vertical	185	1.75	-






### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5320MHz\_TX



EUT Y\_4TX  
Setting 77  
01-C-5  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6396G	54.15	74.00	-19.85	11.23	3	Horizontal	111	1.53	-
AV	10.6394G	40.91	54.00	-13.09	11.23	3	Horizontal	111	1.53	-
PK	15.9591G	63.62	74.00	-10.38	13.95	3	Horizontal	220	1.50	-
AV	15.9592G	50.57	54.00	-3.43	13.95	3	Horizontal	220	1.50	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5500MHz\_TX




EUT Y\_4TX  
Setting 82  
01-C-5  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9841G	54.54	74.00	-19.46	11.69	3	Vertical	39	2.28	-
AV	11.0052G	40.99	54.00	-13.01	11.71	3	Vertical	39	2.28	-
PK	16.5109G	68.02	68.20	-0.18	15.81	3	Vertical	196	1.57	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5500MHz\_TX



EUT Y\_4TX  
Setting 82  
01-C-5  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9995G	55.46	74.00	-18.54	11.71	3	Horizontal	112	1.72	-
AV	11.0018G	42.44	54.00	-11.56	11.71	3	Horizontal	112	1.72	-
PK	16.501G	65.76	68.20	-2.44	15.77	3	Horizontal	122	1.50	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5580MHz\_TX



EUT Y\_4TX  
 Setting 86  
 01-C-5  
 FSP  
 High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1494G	54.05	74.00	-19.95	11.78	3	Vertical	269	1.79	-
AV	11.1505G	41.05	54.00	-12.95	11.78	3	Vertical	269	1.79	-
PK	16.7521G	67.99	68.20	-0.21	16.69	3	Vertical	192	1.58	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5580MHz\_TX



EUT Y\_4TX  
Setting 86  
01-C-5  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1594G	54.80	74.00	-19.20	11.78	3	Horizontal	290	1.87	-
AV	11.1604G	40.79	54.00	-13.21	11.78	3	Horizontal	290	1.87	-
PK	16.744G	65.26	68.20	-2.94	16.67	3	Horizontal	237	1.54	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5700MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV


EUT Y\_4TX  
 Setting 87  
 01-C-5  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4019G	59.30	74.00	-14.70	11.89	3	Vertical	149	2.26	-
AV	11.4017G	47.25	54.00	-6.75	11.89	3	Vertical	149	2.26	-
PK	17.0982G	68.02	68.20	-0.18	17.80	3	Vertical	186	2.30	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 87  
01-C-5  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.401G	58.08	74.00	-15.92	11.89	3	Horizontal	234	1.44	-
AV	11.4011G	45.64	54.00	-8.36	11.89	3	Horizontal	234	1.44	-
PK	17.0994G	67.53	68.20	-0.67	17.80	3	Horizontal	117	1.47	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_4TX  
Setting 93  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.44114G	61.30	74.00	-12.70	11.90	3	Vertical	150	2.29	-
AV	11.44108G	47.83	54.00	-6.17	11.90	3	Vertical	150	2.29	-
PK	17.157G	68.04	68.20	-0.16	17.90	3	Vertical	146	1.50	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 93  
01-W-3  
FSP  
High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4409G	58.36	74.00	-15.64	11.90	3	Horizontal	234	1.39	-
AV	11.44078G	45.57	54.00	-8.43	11.90	3	Horizontal	234	1.39	-
PK	17.15892G	68.13	68.20	-0.07	17.90	3	Horizontal	118	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5260MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT Y\_4TX  
 Setting 78  
 01-W-3  
 FSP  
 High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.78336G	68.08	74.00	-5.92	14.17	3	Vertical	166	2.31	-
AV	15.77838G	53.02	54.00	-0.98	14.16	3	Vertical	166	2.31	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5260MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_4TX  
 Setting 78  
 01-W-3  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.774G	68.84	74.00	-5.16	14.18	3	Horizontal	187	1.58	-
AV	15.77898G	53.86	54.00	-0.14	14.16	3	Horizontal	187	1.58	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5300MHz\_TX




EUT Y\_4TX  
Setting 78  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.60032G	54.64	74.00	-19.36	11.17	3	Vertical	172	1.31	-
AV	10.60908G	40.25	54.00	-13.75	11.19	3	Vertical	172	1.31	-
PK	15.9048G	68.61	74.00	-5.39	14.02	3	Vertical	176	2.99	-
AV	15.89948G	53.93	54.00	-0.07	14.02	3	Vertical	176	2.99	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5300MHz\_TX




EUT Y\_4TX  
Setting 78  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.60484G	54.16	74.00	-19.84	11.18	3	Horizontal	111	1.46	-
AV	10.60996G	40.33	54.00	-13.67	11.19	3	Horizontal	111	1.46	-
PK	15.89952G	66.05	74.00	-7.95	14.02	3	Horizontal	236	1.50	-
AV	15.89936G	50.66	54.00	-3.34	14.02	3	Horizontal	236	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5320MHz\_TX




EUT Y\_4TX  
Setting 80  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.64324G	54.07	74.00	-19.93	11.23	3	Vertical	140	1.45	-
AV	10.63868G	40.27	54.00	-13.73	11.23	3	Vertical	140	1.45	-
PK	15.96172G	69.37	74.00	-4.63	13.94	3	Vertical	184	1.79	-
AV	15.96184G	53.98	54.00	-0.02	13.94	3	Vertical	184	1.79	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5320MHz\_TX



EUT Y\_4TX  
Setting 80  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.63732G	53.80	74.00	-20.20	11.23	3	Horizontal	174	1.82	-
AV	10.64428G	39.78	54.00	-14.22	11.23	3	Horizontal	174	1.82	-
PK	15.96324G	65.03	74.00	-8.97	13.94	3	Horizontal	32	1.50	-
AV	15.95832G	50.53	54.00	-3.47	13.96	3	Horizontal	32	1.50	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5500MHz\_TX



EUT Y\_4TX  
Setting 81  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.99408G	55.56	74.00	-18.44	11.71	3	Vertical	149	1.26	-
AV	10.99912G	41.85	54.00	-12.15	11.71	3	Vertical	149	1.26	-
PK	16.49112G	68.14	68.20	-0.06	15.72	3	Vertical	195	1.52	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5500MHz\_TX




EUT Y\_4TX  
Setting 81  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00028G	53.98	74.00	-20.02	11.71	3	Horizontal	182	1.50	-
AV	11.00188G	40.03	54.00	-13.97	11.71	3	Horizontal	182	1.50	-
PK	16.5092G	67.54	68.20	-0.66	15.80	3	Horizontal	105	1.58	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5580MHz\_TX




EUT Y\_4TX  
Setting 92  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15924G	57.82	74.00	-16.18	11.78	3	Vertical	150	1.17	-
AV	11.15896G	44.27	54.00	-9.73	11.78	3	Vertical	150	1.17	-
PK	16.7364G	68.11	68.20	-0.09	16.64	3	Vertical	191	1.60	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5580MHz\_TX




EUT Y\_4TX  
Setting 92  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15892G	55.32	74.00	-18.68	11.78	3	Horizontal	202	1.50	-
AV	11.15976G	41.43	54.00	-12.57	11.78	3	Horizontal	202	1.50	-
PK	16.73972G	66.72	68.20	-1.48	16.65	3	Horizontal	141	1.36	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 89  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3958G	58.43	74.00	-15.57	11.88	3	Vertical	148	1.73	-
AV	11.40072G	44.81	54.00	-9.19	11.89	3	Vertical	148	1.73	-
PK	17.10424G	68.07	68.20	-0.13	17.81	3	Vertical	187	2.30	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 89  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40024G	58.30	74.00	-15.70	11.89	3	Horizontal	235	1.47	-
AV	11.40012G	44.45	54.00	-9.55	11.89	3	Horizontal	235	1.47	-
PK	17.09936G	67.07	68.20	-1.13	17.80	3	Horizontal	119	1.48	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 102  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.43352G	59.04	74.00	-14.96	11.90	3	Vertical	146	1.32	-
AV	11.44364G	45.46	54.00	-8.54	11.90	3	Vertical	146	1.32	-
PK	17.19936G	68.14	68.20	-0.06	17.90	3	Vertical	188	1.82	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_4TX  
Setting 102  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.44012G	59.41	74.00	-14.59	11.90	3	Horizontal	234	1.45	-
AV	11.4404G	45.97	54.00	-8.03	11.90	3	Horizontal	234	1.45	-
PK	17.165G	67.78	68.20	-0.42	17.91	3	Horizontal	117	1.50	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5270MHz\_TX



Lim.PK  
 PK  
 Lim.AV  
 AV

EUT Y\_4TX  
 Setting 77  
 01-W-3  
 FSP  
 High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.79912G	66.26	74.00	-7.74	14.14	3	Vertical	185	2.99	-
AV	15.80384G	53.85	54.00	-0.15	14.14	3	Vertical	185	2.99	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5270MHz\_TX




EUT Y\_4TX  
Setting 77  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.8192G	65.16	74.00	-8.84	14.12	3	Horizontal	128	1.47	-
AV	15.81928G	52.52	54.00	-1.48	14.12	3	Horizontal	128	1.47	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 85  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.60016G	54.12	74.00	-19.88	11.17	3	Vertical	218	2.79	-
AV	10.61312G	41.53	54.00	-12.47	11.19	3	Vertical	218	2.79	-
PK	15.92952G	65.88	74.00	-8.12	13.98	3	Vertical	180	1.48	-
AV	15.92952G	53.53	54.00	-0.47	13.98	3	Vertical	180	1.48	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5310MHz\_TX



EUT Y\_4TX  
Setting 85  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6224G	54.35	74.00	-19.65	11.20	3	Horizontal	247	1.57	-
AV	10.62264G	41.64	54.00	-12.36	11.20	3	Horizontal	247	1.57	-
PK	15.93G	66.19	74.00	-7.81	13.98	3	Horizontal	190	2.04	-
AV	15.92008G	53.89	54.00	-0.11	14.00	3	Horizontal	190	2.04	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 89  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0116G	54.08	74.00	-19.92	11.71	3	Vertical	3	1.95	-
AV	11.0048G	41.07	54.00	-12.93	11.71	3	Vertical	3	1.95	-
PK	16.5213G	68.14	68.20	-0.06	15.84	3	Vertical	196	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5510MHz\_TX



EUT Y\_4TX  
Setting 89  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0271G	54.24	74.00	-19.76	11.73	3	Horizontal	180	1.50	-
AV	11.0217G	41.81	54.00	-12.19	11.72	3	Horizontal	180	1.50	-
PK	16.5238G	67.02	68.20	-1.18	15.85	3	Horizontal	106	1.59	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5550MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV


EUT Y\_4TX  
 Setting 103  
 01-W-3  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1185G	53.39	74.00	-20.61	11.76	3	Vertical	22	1.65	-
AV	11.0789G	41.32	54.00	-12.68	11.75	3	Vertical	22	1.65	-
PK	16.6562G	68.07	68.20	-0.13	16.34	3	Vertical	202	1.48	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5550MHz\_TX




EUT Y\_4TX  
Setting 103  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0877G	53.90	74.00	-20.10	11.75	3	Horizontal	277	1.59	-
AV	11.1011G	41.55	54.00	-12.45	11.75	3	Horizontal	277	1.59	-
PK	16.6442G	67.44	68.20	-0.76	16.30	3	Horizontal	138	1.49	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5670MHz\_TX



EUT Y\_4TX  
Setting 100  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3499G	55.12	74.00	-18.88	11.87	3	Vertical	358	1.98	-
AV	11.3364G	41.94	54.00	-12.06	11.86	3	Vertical	358	1.98	-
PK	17.0048G	68.15	68.20	-0.05	17.63	3	Vertical	183	1.50	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5670MHz\_TX




EUT Y\_4TX  
Setting 100  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3391G	55.25	74.00	-18.75	11.86	3	Horizontal	225	1.34	-
AV	11.3462G	43.41	54.00	-10.59	11.87	3	Horizontal	225	1.34	-
PK	16.9998G	67.59	68.20	-0.61	17.62	3	Horizontal	143	1.49	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 106  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4086G	54.82	74.00	-19.18	11.89	3	Vertical	60	2.39	-
AV	11.4093G	42.38	54.00	-11.62	11.89	3	Vertical	60	2.39	-
PK	17.1409G	68.17	68.20	-0.03	17.87	3	Vertical	186	2.80	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 106  
01-W-3  
FSP  
High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4428G	55.72	74.00	-18.28	11.90	3	Horizontal	158	1.79	-
AV	11.4173G	43.08	54.00	-10.92	11.89	3	Horizontal	158	1.79	-
PK	17.1199G	67.85	68.20	-0.35	17.83	3	Horizontal	118	1.45	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5290MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  

EUT Y\_4TX  
 Setting 86  
 01-W-3  
 FSP  
 High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.83912G	53.85	54.00	-0.15	14.09	3	Vertical	189	1.63	-
PK	15.85432G	67.16	74.00	-6.84	14.08	3	Vertical	189	1.63	-



802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5290MHz\_TX



Lim.PK  
 PK  
 Lim.AV  
 AV


EUT\_Y\_4TX  
 Setting 86  
 01-W-3  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.8396G	67.42	74.00	-6.58	14.09	3	Horizontal	125	2.37	-
AV	15.83448G	53.98	54.00	-0.02	14.10	3	Horizontal	125	2.37	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5530MHz\_TX




EUT Y\_4TX  
 Setting 110  
 01-W-3  
 FSP  
 High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.084G	54.04	74.00	-19.96	11.75	3	Vertical	65	2.43	-
AV	11.1084G	41.68	54.00	-12.32	11.75	3	Vertical	65	2.43	-
PK	16.54644G	66.58	68.20	-1.62	15.94	3	Vertical	196	1.50	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5530MHz\_TX



- Lim.PK 
- PK 
- Lim.AV 
- AV 

EUT Y\_4TX  
Setting 110  
01-W-3  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0916G	53.77	74.00	-20.23	11.76	3	Horizontal	325	2.19	-
AV	11.0838G	41.46	54.00	-12.54	11.75	3	Horizontal	325	2.19	-
PK	16.5848G	66.62	68.20	-1.58	16.07	3	Horizontal	128	1.50	-



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5610MHz\_TX



EUT Y\_4TX  
 Setting 110  
 01-W-3  
 FSP  
 High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.2666G	55.32	74.00	-18.68	11.82	3	Vertical	94	2.40	-
AV	11.2414G	42.64	54.00	-11.36	11.81	3	Vertical	94	2.40	-
PK	16.8112G	65.31	68.20	-2.89	16.92	3	Vertical	192	1.50	-



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5610MHz\_TX




EUT\_Y\_4TX  
Setting 110  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.2464G	54.90	74.00	-19.10	11.82	3	Horizontal	246	1.43	-
AV	11.245G	41.64	54.00	-12.36	11.82	3	Horizontal	246	1.43	-
PK	16.8126G	63.80	68.20	-4.40	16.92	3	Horizontal	142	1.00	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 110  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.393G	57.05	74.00	-16.95	11.88	3	Vertical	148	1.24	-
AV	11.3916G	45.43	54.00	-8.57	11.88	3	Vertical	148	1.24	-
PK	17.0594G	67.15	68.20	-1.05	17.72	3	Vertical	187	2.28	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 110  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4106G	54.59	74.00	-19.41	11.89	3	Horizontal	292	2.33	-
AV	11.4024G	42.17	54.00	-11.83	11.89	3	Horizontal	292	2.33	-
PK	17.0594G	66.25	68.20	-1.95	17.72	3	Horizontal	119	1.45	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 91  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7436G	63.42	74.00	-10.58	14.20	3	Vertical	166	1.47	-
AV	15.7592G	53.89	54.00	-0.11	14.18	3	Vertical	166	1.47	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 91  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.6936G	66.46	74.00	-7.54	14.27	3	Horizontal	54	1.43	-
AV	15.7148G	53.94	54.00	-0.06	14.25	3	Horizontal	54	1.43	-

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

### 5570MHz\_TX




EUT Y\_4TX  
 Setting 110  
 01-W-3  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.09G	54.40	74.00	-19.60	11.76	3	Vertical	135	1.29	-
AV	11.1212G	43.39	54.00	-10.61	11.76	3	Vertical	135	1.29	-
PK	16.6916G	65.09	68.20	-3.11	16.48	3	Vertical	190	1.61	-

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

### 5570MHz\_TX



EUT\_Y\_4TX  
Setting 110  
01-W-3  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1772G	54.34	74.00	-19.66	11.79	3	Horizontal	225	1.82	-
AV	11.1196G	43.59	54.00	-10.41	11.76	3	Horizontal	225	1.82	-
PK	16.616G	65.14	68.20	-3.06	16.19	3	Horizontal	138	1.50	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.96	54.00	-0.04	4.81	3	Horizontal	198	1.49



### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5260MHz\_TX




EUT\_Y\_1TX  
Setting 74  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1286G	57.97	74.00	-16.03	4.24	3	Vertical	209	1.68	-
AV	5.1484G	45.83	54.00	-8.17	4.25	3	Vertical	209	1.68	-
PK	5.2618G	108.51	Inf	-Inf	4.50	3	Vertical	209	1.68	-
AV	5.2642G	98.29	Inf	-Inf	4.50	3	Vertical	209	1.68	-
PK	5.3686G	59.33	74.00	-14.67	4.88	3	Vertical	209	1.68	-
AV	5.4022G	46.81	54.00	-7.19	5.00	3	Vertical	209	1.68	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5260MHz\_TX




EUT Y\_1TX  
Setting 74  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	58.27	74.00	-15.73	4.25	3	Horizontal	161	2.38	-
AV	5.1424G	45.84	54.00	-8.16	4.24	3	Horizontal	161	2.38	-
PK	5.2618G	110.20	Inf	-Inf	4.50	3	Horizontal	161	2.38	-
AV	5.2552G	99.94	Inf	-Inf	4.48	3	Horizontal	161	2.38	-
PK	5.3638G	59.47	74.00	-14.53	4.86	3	Horizontal	161	2.38	-
AV	5.3848G	46.97	54.00	-7.03	4.93	3	Horizontal	161	2.38	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5300MHZ\_TX




EUT\_Y\_1TX  
Setting 77  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3016G	109.51	Inf	-Inf	4.64	3	Vertical	173	1.43	-
AV	5.298G	99.27	Inf	-Inf	4.63	3	Vertical	173	1.43	-
PK	5.388G	60.34	74.00	-13.66	4.94	3	Vertical	173	1.43	-
AV	5.3604G	46.69	54.00	-7.31	4.85	3	Vertical	173	1.43	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5300MHz\_TX




EUT Y\_1TX  
Setting 77  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3016G	110.36	Inf	-Inf	4.64	3	Horizontal	162	2.39	-
AV	5.2956G	100.14	Inf	-Inf	4.63	3	Horizontal	162	2.39	-
PK	5.3536G	60.78	74.00	-13.22	4.82	3	Horizontal	162	2.39	-
AV	5.3708G	46.95	54.00	-7.05	4.88	3	Horizontal	162	2.39	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5320MHz\_TX




EUT Y\_1TX  
Setting 77  
01-C-5-10  
FSP  
High\_70 degree



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3216G	110.08	Inf	-Inf	4.71	3	Vertical	173	1.32	-
AV	5.3242G	99.81	Inf	-Inf	4.72	3	Vertical	173	1.32	-
PK	5.3522G	69.80	74.00	-4.20	4.82	3	Vertical	173	1.32	-
AV	5.3502G	51.68	54.00	-2.32	4.81	3	Vertical	173	1.32	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5320MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_1TX  
 Setting 77  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3226G	108.92	Inf	-Inf	4.72	3	Horizontal	202	1.50	-
AV	5.324G	98.76	Inf	-Inf	4.72	3	Horizontal	202	1.50	-
PK	5.3526G	68.79	74.00	-5.21	4.82	3	Horizontal	202	1.50	-
AV	5.3504G	51.35	54.00	-2.65	4.81	3	Horizontal	202	1.50	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5500MHz\_TX




EUT\_Y\_1TX  
Setting 72  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	63.49	74.00	-10.51	5.22	3	Vertical	180	1.33	-
AV	5.4496G	47.09	54.00	-6.91	5.19	3	Vertical	180	1.33	-
PK	5.4698G	66.77	68.20	-1.43	5.26	3	Vertical	180	1.33	-
PK	5.5024G	109.47	Inf	-Inf	5.38	3	Vertical	180	1.33	-
AV	5.504G	99.35	Inf	-Inf	5.39	3	Vertical	180	1.33	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5500MHz\_TX



EUT\_Y\_1TX  
Setting 72  
01-C-5-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	65.34	74.00	-8.66	5.21	3	Horizontal	202	1.48	-
AV	5.4596G	47.57	54.00	-6.43	5.22	3	Horizontal	202	1.48	-
PK	5.4697G	68.09	68.20	-0.11	5.26	3	Horizontal	202	1.48	-
PK	5.5024G	110.48	Inf	-Inf	5.38	3	Horizontal	202	1.48	-
AV	5.504G	100.28	Inf	-Inf	5.39	3	Horizontal	202	1.48	-



### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5580MHz\_TX




EUT\_Y\_1TX  
Setting 86  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.408G	60.38	74.00	-13.62	5.02	3	Vertical	200	1.42	-
AV	5.4576G	47.14	54.00	-6.86	5.21	3	Vertical	200	1.42	-
PK	5.4672G	59.80	68.20	-8.40	5.25	3	Vertical	200	1.42	-
PK	5.5824G	112.51	Inf	-Inf	5.59	3	Vertical	200	1.42	-
AV	5.5824G	102.50	Inf	-Inf	5.59	3	Vertical	200	1.42	-
PK	5.7704G	59.91	68.20	-8.29	5.90	3	Vertical	200	1.42	-

802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

5580MHZ\_TX




EUT\_Y\_1TX  
Setting 86  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4008G	60.03	74.00	-13.97	4.99	3	Horizontal	204	1.60	-
AV	5.4544G	47.11	54.00	-6.89	5.19	3	Horizontal	204	1.60	-
PK	5.4688G	59.73	68.20	-8.47	5.26	3	Horizontal	204	1.60	-
PK	5.5824G	113.28	Inf	-Inf	5.59	3	Horizontal	204	1.60	-
AV	5.5816G	103.22	Inf	-Inf	5.59	3	Horizontal	204	1.60	-
PK	5.7384G	61.18	68.20	-7.02	5.83	3	Horizontal	204	1.60	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5700MHz\_TX




EUT\_Y\_1TX  
Setting 65  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7016G	106.85	Inf	-Inf	5.74	3	Vertical	188	2.34	-
AV	5.704G	96.63	Inf	-Inf	5.75	3	Vertical	188	2.34	-
PK	5.7264G	67.63	68.20	-0.57	5.79	3	Vertical	188	2.34	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5700MHz\_TX




EUT\_Y\_1TX  
Setting 65  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7024G	107.18	Inf	-Inf	5.74	3	Horizontal	192	1.59	-
AV	5.7044G	96.99	Inf	-Inf	5.75	3	Horizontal	192	1.59	-
PK	5.7264G	67.95	68.20	-0.25	5.79	3	Horizontal	192	1.59	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 93  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4392G	60.22	74.00	-13.78	5.15	3	Vertical	184	1.30	-
AV	5.4464G	46.74	54.00	-7.26	5.18	3	Vertical	184	1.30	-
PK	5.468G	59.83	68.20	-8.37	5.25	3	Vertical	184	1.30	-
PK	5.7152G	112.03	Inf	-Inf	5.78	3	Vertical	184	1.30	-
AV	5.7176G	101.82	Inf	-Inf	5.79	3	Vertical	184	1.30	-
PK	5.9312G	61.08	68.20	-7.12	6.83	3	Vertical	184	1.30	-

### 802.11a\_Nss1,(6Mbps)\_1TX

11/04/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 93  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4332G	58.91	74.00	-15.09	5.12	3	Horizontal	186	1.48	-
AV	5.4524G	46.91	54.00	-7.09	5.19	3	Horizontal	186	1.48	-
PK	5.462G	59.37	68.20	-8.83	5.23	3	Horizontal	186	1.48	-
PK	5.7248G	112.02	Inf	-Inf	5.80	3	Horizontal	186	1.48	-
AV	5.7224G	102.24	Inf	-Inf	5.79	3	Horizontal	186	1.48	-
PK	5.954G	60.63	68.20	-7.57	6.94	3	Horizontal	186	1.48	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5260MHz\_TX




EUT\_Y\_1TX  
Setting 78  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	58.17	74.00	-15.83	4.25	3	Vertical	218	1.62	-
AV	5.15G	46.02	54.00	-7.98	4.25	3	Vertical	218	1.62	-
PK	5.257G	111.77	Inf	-Inf	4.48	3	Vertical	218	1.62	-
AV	5.2582G	98.91	Inf	-Inf	4.48	3	Vertical	218	1.62	-
PK	5.3956G	59.56	74.00	-14.44	4.98	3	Vertical	218	1.62	-
AV	5.401G	46.65	54.00	-7.35	4.99	3	Vertical	218	1.62	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5260MHz\_TX



EUT\_Y\_1TX  
Setting 78  
01-M-1-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.137G	59.07	74.00	-14.93	4.25	3	Horizontal	160	2.41	-
AV	5.1388G	45.93	54.00	-8.07	4.24	3	Horizontal	160	2.41	-
PK	5.257G	113.48	Inf	-Inf	4.48	3	Horizontal	160	2.41	-
AV	5.2582G	100.53	Inf	-Inf	4.48	3	Horizontal	160	2.41	-
PK	5.4082G	59.23	74.00	-14.77	5.02	3	Horizontal	160	2.41	-
AV	5.4022G	46.94	54.00	-7.06	5.00	3	Horizontal	160	2.41	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5300MHz\_TX




EUT Y\_1TX  
Setting 78  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2972G	112.21	Inf	-Inf	4.63	3	Vertical	175	2.30	-
AV	5.2984G	99.35	Inf	-Inf	4.64	3	Vertical	175	2.30	-
PK	5.3504G	60.99	74.00	-13.01	4.81	3	Vertical	175	2.30	-
AV	5.35G	47.14	54.00	-6.86	4.81	3	Vertical	175	2.30	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5300MHz\_TX




EUT\_Y\_1TX  
Setting 78  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	113.14	Inf	-Inf	4.63	3	Horizontal	162	2.39	-
AV	5.298G	100.06	Inf	-Inf	4.63	3	Horizontal	162	2.39	-
PK	5.35G	61.84	74.00	-12.16	4.81	3	Horizontal	162	2.39	-
AV	5.3508G	47.34	54.00	-6.66	4.81	3	Horizontal	162	2.39	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5320MHz\_TX



Lim.PK  
 PK  
 Lim.AV  
 AV


EUT\_Y\_1TX  
 Setting 77  
 01-M-1-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3172G	111.97	Inf	-Inf	4.70	3	Vertical	173	1.31	-
AV	5.3228G	98.23	Inf	-Inf	4.72	3	Vertical	173	1.31	-
PK	5.3516G	72.37	74.00	-1.63	4.81	3	Vertical	173	1.31	-
AV	5.35G	53.82	54.00	-0.18	4.81	3	Vertical	173	1.31	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5320MHz\_TX




EUT\_Y\_1TX  
Setting 77  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3172G	111.03	Inf	-Inf	4.70	3	Horizontal	200	1.49	-
AV	5.3228G	97.43	Inf	-Inf	4.72	3	Horizontal	200	1.49	-
PK	5.3516G	71.86	74.00	-2.14	4.81	3	Horizontal	200	1.49	-
AV	5.35G	53.79	54.00	-0.21	4.81	3	Horizontal	200	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5500MHz\_TX




EUT Y\_1TX  
Setting 66  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	60.31	74.00	-13.69	5.22	3	Vertical	179	1.16	-
AV	5.4584G	47.29	54.00	-6.71	5.22	3	Vertical	179	1.16	-
PK	5.4692G	66.84	68.20	-1.36	5.26	3	Vertical	179	1.16	-
PK	5.4932G	110.57	Inf	-Inf	5.35	3	Vertical	179	1.16	-
AV	5.5028G	98.23	Inf	-Inf	5.39	3	Vertical	179	1.16	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5500MHz\_TX




EUT\_Y\_1TX  
Setting 66  
01-M-1-10  
FSP  
High\_70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.50	74.00	-11.50	5.22	3	Horizontal	203	1.51	-
AV	5.4596G	47.54	54.00	-6.46	5.22	3	Horizontal	203	1.51	-
PK	5.468G	68.03	68.20	-0.17	5.25	3	Horizontal	203	1.51	-
PK	5.4968G	112.07	Inf	-Inf	5.37	3	Horizontal	203	1.51	-
AV	5.498G	99.17	Inf	-Inf	5.37	3	Horizontal	203	1.51	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

5580MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_1TX  
 Setting 92  
 01-M-1-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4448G	60.89	74.00	-13.11	5.16	3	Vertical	200	1.30	-
AV	5.4592G	47.03	54.00	-6.97	5.22	3	Vertical	200	1.30	-
PK	5.4688G	60.03	68.20	-8.17	5.26	3	Vertical	200	1.30	-
PK	5.5768G	115.20	Inf	-Inf	5.57	3	Vertical	200	1.30	-
AV	5.5832G	102.60	Inf	-Inf	5.60	3	Vertical	200	1.30	-
PK	5.772G	60.17	68.20	-8.03	5.90	3	Vertical	200	1.30	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5580MHz\_TX



EUT\_Y\_1TX  
Setting 92  
01-M-1-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.432G	60.22	74.00	-13.78	5.12	3	Horizontal	205	1.50	-
AV	5.46G	47.14	54.00	-6.86	5.22	3	Horizontal	205	1.50	-
PK	5.4624G	59.62	68.20	-8.58	5.23	3	Horizontal	205	1.50	-
PK	5.5856G	114.70	Inf	-Inf	5.60	3	Horizontal	205	1.50	-
AV	5.5784G	103.13	Inf	-Inf	5.58	3	Horizontal	205	1.50	-
PK	5.7792G	60.71	68.20	-7.49	5.91	3	Horizontal	205	1.50	-



802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

5700MHz\_TX




EUT\_Y\_1TX  
Setting 63  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6968G	108.62	Inf	-Inf	5.74	3	Vertical	182	2.34	-
AV	5.7032G	95.91	Inf	-Inf	5.75	3	Vertical	182	2.34	-
PK	5.7276G	68.09	68.20	-0.11	5.80	3	Vertical	182	2.34	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5700MHz\_TX




EUT\_Y\_1TX  
Setting 63  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6968G	108.82	Inf	-Inf	5.74	3	Horizontal	193	1.59	-
AV	5.6984G	96.13	Inf	-Inf	5.74	3	Horizontal	193	1.59	-
PK	5.7288G	67.69	68.20	-0.51	5.80	3	Horizontal	193	1.59	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 102  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4236G	60.06	74.00	-13.94	5.08	3	Vertical	182	1.30	-
AV	5.4416G	46.70	54.00	-7.30	5.15	3	Vertical	182	1.30	-
PK	5.468G	59.12	68.20	-9.08	5.25	3	Vertical	182	1.30	-
PK	5.7176G	115.43	Inf	-Inf	5.79	3	Vertical	182	1.30	-
AV	5.7188G	102.23	Inf	-Inf	5.79	3	Vertical	182	1.30	-
PK	5.9684G	60.84	68.20	-7.36	7.02	3	Vertical	182	1.30	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

11/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 102  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	60.43	74.00	-13.57	5.19	3	Horizontal	184	1.49	-
AV	5.456G	46.88	54.00	-7.12	5.21	3	Horizontal	184	1.49	-
PK	5.4696G	58.67	68.20	-9.53	5.25	3	Horizontal	184	1.49	-
PK	5.7116G	115.47	Inf	-Inf	5.76	3	Horizontal	184	1.49	-
AV	5.7188G	102.59	Inf	-Inf	5.79	3	Horizontal	184	1.49	-
PK	5.8652G	60.65	68.20	-7.55	6.44	3	Horizontal	184	1.49	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5270MHz\_TX




EUT\_Y\_1TX  
Setting 77  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1422G	59.18	74.00	-14.82	4.24	3	Vertical	177	2.34	-
AV	5.1284G	46.99	54.00	-7.01	4.24	3	Vertical	177	2.34	-
PK	5.2622G	109.73	Inf	-Inf	4.50	3	Vertical	177	2.34	-
AV	5.267G	97.34	Inf	-Inf	4.52	3	Vertical	177	2.34	-
PK	5.35G	61.68	74.00	-12.32	4.81	3	Vertical	177	2.34	-
AV	5.3504G	48.97	54.00	-5.03	4.81	3	Vertical	177	2.34	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5270MHz\_TX




EUT\_Y\_1TX  
Setting 77  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1416G	58.98	74.00	-15.02	4.24	3	Horizontal	161	2.40	-
AV	5.1446G	46.88	54.00	-7.12	4.24	3	Horizontal	161	2.40	-
PK	5.2622G	110.38	Inf	-Inf	4.50	3	Horizontal	161	2.40	-
AV	5.2736G	97.98	Inf	-Inf	4.54	3	Horizontal	161	2.40	-
PK	5.3522G	62.92	74.00	-11.08	4.82	3	Horizontal	161	2.40	-
AV	5.3528G	49.39	54.00	-4.61	4.82	3	Horizontal	161	2.40	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5310MHz\_TX




EUT Y\_1TX  
Setting 66  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.302G	105.94	Inf	-Inf	4.65	3	Vertical	173	1.33	-
AV	5.316G	93.67	Inf	-Inf	4.70	3	Vertical	173	1.33	-
PK	5.3508G	67.63	74.00	-6.37	4.81	3	Vertical	173	1.33	-
AV	5.35G	52.76	54.00	-1.24	4.81	3	Vertical	173	1.33	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5310MHz\_TX



EUT\_Y\_1TX  
Setting 66  
01-M-1-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.302G	105.00	Inf	-Inf	4.65	3	Horizontal	198	1.49	-
AV	5.3248G	93.18	Inf	-Inf	4.72	3	Horizontal	198	1.49	-
PK	5.35G	70.03	74.00	-3.97	4.81	3	Horizontal	198	1.49	-
AV	5.35G	53.96	54.00	-0.04	4.81	3	Horizontal	198	1.49	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5510MHz\_TX




EUT\_Y\_1TX  
Setting 61  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	63.77	74.00	-10.23	5.22	3	Vertical	179	1.33	-
AV	5.4588G	49.17	54.00	-4.83	5.22	3	Vertical	179	1.33	-
PK	5.4692G	67.42	68.20	-0.78	5.26	3	Vertical	179	1.33	-
PK	5.5024G	106.71	Inf	-Inf	5.38	3	Vertical	179	1.33	-
AV	5.516G	94.24	Inf	-Inf	5.42	3	Vertical	179	1.33	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5510MHz\_TX




EUT\_Y\_1TX  
Setting 61  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	63.34	74.00	-10.66	5.22	3	Horizontal	203	1.50	-
AV	5.4596G	49.33	54.00	-4.67	5.22	3	Horizontal	203	1.50	-
PK	5.4692G	68.09	68.20	-0.11	5.26	3	Horizontal	203	1.50	-
PK	5.5024G	107.52	Inf	-Inf	5.38	3	Horizontal	203	1.50	-
AV	5.516G	95.33	Inf	-Inf	5.42	3	Horizontal	203	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5550MHz\_TX




EUT Y\_1TX  
Setting 85  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	65.48	74.00	-8.52	5.19	3	Vertical	180	1.14	-
AV	5.4596G	51.64	54.00	-2.36	5.22	3	Vertical	180	1.14	-
PK	5.47G	66.20	68.20	-2.00	5.26	3	Vertical	180	1.14	-
PK	5.566G	111.56	Inf	-Inf	5.55	3	Vertical	180	1.14	-
AV	5.554G	99.23	Inf	-Inf	5.52	3	Vertical	180	1.14	-
PK	5.7484G	60.26	68.20	-7.94	5.85	3	Vertical	180	1.14	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5550MHz\_TX




EUT\_Y\_1TX  
Setting 85  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	65.79	74.00	-8.21	5.21	3	Horizontal	201	1.50	-
AV	5.4596G	52.24	54.00	-1.76	5.22	3	Horizontal	201	1.50	-
PK	5.47G	68.10	68.20	-0.10	5.26	3	Horizontal	201	1.50	-
PK	5.542G	111.84	Inf	-Inf	5.48	3	Horizontal	201	1.50	-
AV	5.5628G	99.64	Inf	-Inf	5.55	3	Horizontal	201	1.50	-
PK	5.7276G	60.14	68.20	-8.06	5.80	3	Horizontal	201	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5670MHz\_TX




EUT\_Y\_1TX  
Setting 69  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.654G	106.24	Inf	-Inf	5.69	3	Vertical	180	1.47	-
AV	5.6744G	94.70	Inf	-Inf	5.71	3	Vertical	180	1.47	-
PK	5.732G	65.71	68.20	-2.49	5.80	3	Vertical	180	1.47	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

### 5670MHz\_TX




EUT\_Y\_1TX  
Setting 69  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6544G	107.89	Inf	-Inf	5.69	3	Horizontal	186	1.50	-
AV	5.6772G	95.61	Inf	-Inf	5.72	3	Horizontal	186	1.50	-
PK	5.7324G	68.16	68.20	-0.04	5.80	3	Horizontal	186	1.50	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 101  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4172G	60.34	74.00	-13.66	5.06	3	Vertical	183	2.29	-
AV	5.446G	47.57	54.00	-6.43	5.18	3	Vertical	183	2.29	-
PK	5.4676G	59.92	68.20	-8.28	5.25	3	Vertical	183	2.29	-
PK	5.7256G	112.00	Inf	-Inf	5.79	3	Vertical	183	2.29	-
AV	5.7124G	100.11	Inf	-Inf	5.76	3	Vertical	183	2.29	-
PK	5.85G	65.90	68.20	-2.30	6.33	3	Vertical	183	2.29	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

11/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_1TX  
Setting 101  
01-M-1-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4376G	60.87	74.00	-13.13	5.14	3	Horizontal	195	1.50	-
AV	5.4592G	47.80	54.00	-6.20	5.22	3	Horizontal	195	1.50	-
PK	5.4628G	59.69	68.20	-8.51	5.23	3	Horizontal	195	1.50	-
PK	5.7256G	112.61	Inf	-Inf	5.79	3	Horizontal	195	1.50	-
AV	5.7136G	100.48	Inf	-Inf	5.78	3	Horizontal	195	1.50	-
PK	5.85G	68.13	68.20	-0.07	6.33	3	Horizontal	195	1.50	-



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

### 5290MHz\_TX




EUT\_Y\_1TX  
Setting 66  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1148G	58.68	74.00	-15.32	4.22	3	Vertical	173	2.20	-
AV	5.1476G	46.95	54.00	-7.05	4.25	3	Vertical	173	2.20	-
PK	5.2804G	102.39	Inf	-Inf	4.57	3	Vertical	173	2.20	-
AV	5.2796G	90.64	Inf	-Inf	4.57	3	Vertical	173	2.20	-
PK	5.3644G	67.91	74.00	-6.09	4.86	3	Vertical	173	2.20	-
AV	5.3564G	52.26	54.00	-1.74	4.83	3	Vertical	173	2.20	-
PK	5.4828G	60.04	68.20	-8.16	5.31	3	Vertical	173	2.20	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

### 5290MHz\_TX




EUT\_Y\_1TX  
Setting 66  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1372G	58.61	74.00	-15.39	4.25	3	Horizontal	160	2.41	-
AV	5.1452G	46.70	54.00	-7.30	4.25	3	Horizontal	160	2.41	-
PK	5.2804G	103.14	Inf	-Inf	4.57	3	Horizontal	160	2.41	-
AV	5.2772G	91.40	Inf	-Inf	4.55	3	Horizontal	160	2.41	-
PK	5.3509G	70.06	74.00	-3.94	4.81	3	Horizontal	160	2.41	-
AV	5.351G	53.80	54.00	-0.20	4.81	3	Horizontal	160	2.41	-
PK	5.4852G	59.81	68.20	-8.39	5.33	3	Horizontal	160	2.41	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

### 5530MHz\_TX




EUT\_Y\_1TX  
Setting 62  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3348G	59.44	68.20	-8.76	4.76	3	Vertical	182	1.14	-
PK	5.4508G	64.33	74.00	-9.67	5.18	3	Vertical	182	1.14	-
AV	5.458G	50.29	54.00	-3.71	5.21	3	Vertical	182	1.14	-
PK	5.462G	66.01	68.20	-2.19	5.23	3	Vertical	182	1.14	-
PK	5.5204G	102.81	Inf	-Inf	5.44	3	Vertical	182	1.14	-
AV	5.5428G	91.44	Inf	-Inf	5.49	3	Vertical	182	1.14	-
PK	5.726G	59.75	68.20	-8.45	5.79	3	Vertical	182	1.14	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

### 5530MHz\_TX




EUT\_Y\_1TX  
Setting 62  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3428G	59.38	68.20	-8.82	4.80	3	Horizontal	203	1.49	-
PK	5.45G	65.28	74.00	-8.72	5.19	3	Horizontal	203	1.49	-
PK	5.4644G	68.00	68.20	-0.20	5.23	3	Horizontal	203	1.49	-
AV	5.4588G	50.69	54.00	-3.31	5.22	3	Horizontal	203	1.49	-
PK	5.5204G	103.88	Inf	-Inf	5.44	3	Horizontal	203	1.49	-
AV	5.5148G	92.29	Inf	-Inf	5.42	3	Horizontal	203	1.49	-
PK	5.726G	58.69	68.20	-9.51	5.79	3	Horizontal	203	1.49	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

### 5610MHz\_TX




EUT\_Y\_1TX  
Setting 78  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	63.04	74.00	-10.96	5.22	3	Vertical	181	1.14	-
AV	5.4564G	50.09	54.00	-3.91	5.21	3	Vertical	181	1.14	-
PK	5.4652G	63.56	68.20	-4.64	5.25	3	Vertical	181	1.14	-
PK	5.5884G	106.32	Inf	-Inf	5.61	3	Vertical	181	1.14	-
AV	5.6052G	94.69	Inf	-Inf	5.65	3	Vertical	181	1.14	-
PK	5.7268G	67.04	68.20	-1.16	5.79	3	Vertical	181	1.14	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

### 5610MHz\_TX




EUT Y\_1TX  
Setting 78  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	63.05	74.00	-10.95	5.22	3	Horizontal	193	1.53	-
AV	5.454G	50.36	54.00	-3.64	5.19	3	Horizontal	193	1.53	-
PK	5.4628G	63.94	68.20	-4.26	5.23	3	Horizontal	193	1.53	-
PK	5.614G	106.78	Inf	-Inf	5.65	3	Horizontal	193	1.53	-
AV	5.602G	94.91	Inf	-Inf	5.64	3	Horizontal	193	1.53	-
PK	5.7364G	68.03	68.20	-0.17	5.81	3	Horizontal	193	1.53	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 84  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	59.89	74.00	-14.11	5.19	3	Vertical	180	1.45	-
AV	5.4548G	48.04	54.00	-5.96	5.19	3	Vertical	180	1.45	-
PK	5.4692G	60.21	68.20	-7.99	5.26	3	Vertical	180	1.45	-
PK	5.6888G	106.38	Inf	-Inf	5.73	3	Vertical	180	1.45	-
AV	5.6768G	95.12	Inf	-Inf	5.72	3	Vertical	180	1.45	-
PK	5.8544G	65.95	68.20	-2.25	6.36	3	Vertical	180	1.45	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

11/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_1TX  
Setting 84  
01-M-1-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	60.59	74.00	-13.41	5.19	3	Horizontal	193	1.50	-
AV	5.4536G	48.44	54.00	-5.56	5.19	3	Horizontal	193	1.50	-
PK	5.46G	59.76	68.20	-8.44	5.22	3	Horizontal	193	1.50	-
PK	5.7032G	107.11	Inf	-Inf	5.75	3	Horizontal	193	1.50	-
AV	5.6768G	95.42	Inf	-Inf	5.72	3	Horizontal	193	1.50	-
PK	5.8544G	68.08	68.20	-0.12	6.36	3	Horizontal	193	1.50	-



802.11ax HEW160\_Nss1,(MCS0)\_1TX

11/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_1TX  
Setting 59  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1252G	61.14	74.00	-12.86	4.24	3	Vertical	216	1.66	-
AV	5.1476G	50.46	54.00	-3.54	4.25	3	Vertical	216	1.66	-
PK	5.2548G	98.11	Inf	-Inf	4.47	3	Vertical	216	1.66	-
AV	5.2276G	87.21	Inf	-Inf	4.37	3	Vertical	216	1.66	-
PK	5.4052G	63.02	74.00	-10.98	5.02	3	Vertical	216	1.66	-
AV	5.378G	51.90	54.00	-2.10	4.91	3	Vertical	216	1.66	-
PK	5.4868G	60.20	68.20	-8.00	5.33	3	Vertical	216	1.66	-

802.11ax HEW160\_Nss1,(MCS0)\_1TX

11/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_1TX  
Setting 59  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1444G	60.78	74.00	-13.22	4.24	3	Horizontal	162	2.34	-
AV	5.1476G	50.62	54.00	-3.38	4.25	3	Horizontal	162	2.34	-
PK	5.2324G	100.28	Inf	-Inf	4.39	3	Horizontal	162	2.34	-
AV	5.234G	88.70	Inf	-Inf	4.39	3	Horizontal	162	2.34	-
PK	5.386G	64.62	74.00	-9.38	4.94	3	Horizontal	162	2.34	-
AV	5.378G	53.89	54.00	-0.11	4.91	3	Horizontal	162	2.34	-
PK	5.4788G	60.38	68.20	-7.82	5.30	3	Horizontal	162	2.34	-

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

11/04/2019

### 5570MHz\_TX




EUT\_Y\_1TX  
Setting 59  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2868G	58.77	68.20	-9.43	4.59	3	Vertical	199	1.15	-
PK	5.4596G	64.98	74.00	-9.02	5.22	3	Vertical	199	1.15	-
AV	5.458G	53.14	54.00	-0.86	5.21	3	Vertical	199	1.15	-
PK	5.4644G	64.58	68.20	-3.62	5.23	3	Vertical	199	1.15	-
PK	5.5748G	99.61	Inf	-Inf	5.58	3	Vertical	199	1.15	-
AV	5.5796G	88.69	Inf	-Inf	5.58	3	Vertical	199	1.15	-
PK	5.7252G	65.22	68.20	-2.98	5.79	3	Vertical	199	1.15	-

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

11/04/2019

### 5570MHz\_TX



EUT Y\_1TX  
Setting 59  
01-M-1-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1796G	58.96	68.20	-9.24	4.26	3	Horizontal	203	1.49	-
PK	5.458G	63.84	74.00	-10.16	5.21	3	Horizontal	203	1.49	-
AV	5.4596G	53.87	54.00	-0.13	5.22	3	Horizontal	203	1.49	-
PK	5.4644G	65.53	68.20	-2.67	5.23	3	Horizontal	203	1.49	-
PK	5.5748G	100.71	Inf	-Inf	5.58	3	Horizontal	203	1.49	-
AV	5.562G	90.09	Inf	-Inf	5.54	3	Horizontal	203	1.49	-
PK	5.7284G	65.33	68.20	-2.87	5.80	3	Horizontal	203	1.49	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2.(MCS0)_2TX	Pass	AV	5.385G	53.98	54.00	-0.02	4.94	3	Vertical	181	2.69	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5260MHz\_TX




EUT\_Y\_2TX  
 Setting 78  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1382G	60.28	74.00	-13.72	4.24	3	Vertical	181	2.46	-
AV	5.1454G	47.17	54.00	-6.83	4.25	3	Vertical	181	2.46	-
PK	5.2636G	115.58	Inf	-Inf	4.50	3	Vertical	181	2.46	-
AV	5.2552G	103.84	Inf	-Inf	4.48	3	Vertical	181	2.46	-
PK	5.3974G	60.94	74.00	-13.06	4.98	3	Vertical	181	2.46	-
AV	5.3956G	48.01	54.00	-5.99	4.98	3	Vertical	181	2.46	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5260MHz\_TX




EUT Y\_2TX  
Setting 78  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.122G	58.84	74.00	-15.16	4.23	3	Horizontal	158	1.38	-
AV	5.1466G	46.46	54.00	-7.54	4.25	3	Horizontal	158	1.38	-
PK	5.2582G	112.97	Inf	-Inf	4.48	3	Horizontal	158	1.38	-
AV	5.2582G	101.74	Inf	-Inf	4.48	3	Horizontal	158	1.38	-
PK	5.377G	59.39	74.00	-14.61	4.91	3	Horizontal	158	1.38	-
AV	5.3836G	47.31	54.00	-6.69	4.93	3	Horizontal	158	1.38	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5300MHz\_TX



EUT\_Y\_2TX  
Setting 78  
01-C-5-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3036G	113.90	Inf	-Inf	4.65	3	Vertical	173	2.18	-
AV	5.2952G	102.36	Inf	-Inf	4.63	3	Vertical	173	2.18	-
PK	5.3502G	62.42	74.00	-11.58	4.81	3	Vertical	173	2.18	-
AV	5.3502G	48.27	54.00	-5.73	4.81	3	Vertical	173	2.18	-



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5300MHz\_TX




EUT\_Y\_2TX  
Setting 78  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2992G	113.14	Inf	-Inf	4.64	3	Horizontal	159	1.50	-
AV	5.2976G	101.12	Inf	-Inf	4.63	3	Horizontal	159	1.50	-
PK	5.3504G	62.47	74.00	-11.53	4.81	3	Horizontal	159	1.50	-
AV	5.3508G	48.15	54.00	-5.85	4.81	3	Horizontal	159	1.50	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5320MHz\_TX




EUT Y\_2TX  
Setting 70  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3234G	113.64	Inf	-Inf	4.72	3	Vertical	175	1.32	-
AV	5.315G	101.07	Inf	-Inf	4.70	3	Vertical	175	1.32	-
PK	5.3528G	69.59	74.00	-4.41	4.82	3	Vertical	175	1.32	-
AV	5.3502G	53.78	54.00	-0.22	4.81	3	Vertical	175	1.32	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5320MHz\_TX




EUT\_Y\_2TX  
Setting 70  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3224G	111.13	Inf	-Inf	4.72	3	Horizontal	161	1.41	-
AV	5.3216G	99.72	Inf	-Inf	4.71	3	Horizontal	161	1.41	-
PK	5.3534G	67.46	74.00	-6.54	4.82	3	Horizontal	161	1.41	-
AV	5.3502G	52.65	54.00	-1.35	4.81	3	Horizontal	161	1.41	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5500MHz\_TX




EUT Y\_2TX  
Setting 67  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	62.89	74.00	-11.11	5.22	3	Vertical	177	1.47	-
AV	5.4597G	48.87	54.00	-5.13	5.22	3	Vertical	177	1.47	-
PK	5.4698G	68.12	68.20	-0.08	5.26	3	Vertical	177	1.47	-
PK	5.5036G	113.86	Inf	-Inf	5.39	3	Vertical	177	1.47	-
AV	5.4948G	101.91	Inf	-Inf	5.35	3	Vertical	177	1.47	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5500MHz\_TX




EUT\_Y\_2TX  
Setting 67  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	61.53	74.00	-12.47	5.22	3	Horizontal	163	1.61	-
AV	5.456G	48.47	54.00	-5.53	5.21	3	Horizontal	163	1.61	-
PK	5.4696G	68.08	68.20	-0.12	5.26	3	Horizontal	163	1.61	-
PK	5.4984G	112.32	Inf	-Inf	5.38	3	Horizontal	163	1.61	-
AV	5.5036G	101.10	Inf	-Inf	5.39	3	Horizontal	163	1.61	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

5580MHz\_TX




EUT Y\_2TX  
 Setting 92  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4424G	61.05	74.00	-12.95	5.16	3	Vertical	201	1.21	-
AV	5.4576G	48.10	54.00	-5.90	5.21	3	Vertical	201	1.21	-
PK	5.4672G	60.06	68.20	-8.14	5.25	3	Vertical	201	1.21	-
PK	5.5816G	117.32	Inf	-Inf	5.59	3	Vertical	201	1.21	-
AV	5.5752G	106.12	Inf	-Inf	5.57	3	Vertical	201	1.21	-
PK	5.744G	60.34	68.20	-7.86	5.84	3	Vertical	201	1.21	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

5580MHz\_TX




EUT Y\_2TX  
Setting 92  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4488G	60.17	74.00	-13.83	5.19	3	Horizontal	194	1.60	-
AV	5.4504G	48.11	54.00	-5.89	5.18	3	Horizontal	194	1.60	-
PK	5.4624G	60.07	68.20	-8.13	5.23	3	Horizontal	194	1.60	-
PK	5.5824G	118.07	Inf	-Inf	5.59	3	Horizontal	194	1.60	-
AV	5.5816G	106.63	Inf	-Inf	5.59	3	Horizontal	194	1.60	-
PK	5.744G	60.22	68.20	-7.98	5.84	3	Horizontal	194	1.60	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5700MHz\_TX



EUT Y\_2TX  
Setting 61  
01-C-5-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7036G	109.88	Inf	-Inf	5.75	3	Vertical	183	1.18	-
AV	5.695G	98.88	Inf	-Inf	5.73	3	Vertical	183	1.18	-
PK	5.7262G	66.69	68.20	-1.51	5.79	3	Vertical	183	1.18	-







### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

### 5700MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT Y\_2TX  
 Setting 61  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7028G	109.78	Inf	-Inf	5.75	3	Horizontal	194	1.58	-
AV	5.7016G	98.67	Inf	-Inf	5.74	3	Horizontal	194	1.58	-
PK	5.7258G	68.07	68.20	-0.13	5.79	3	Horizontal	194	1.58	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 100  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4332G	60.52	74.00	-13.48	5.12	3	Vertical	181	1.31	-
AV	5.4548G	47.78	54.00	-6.22	5.19	3	Vertical	181	1.31	-
PK	5.468G	59.57	68.20	-8.63	5.25	3	Vertical	181	1.31	-
PK	5.7152G	117.00	Inf	-Inf	5.78	3	Vertical	181	1.31	-
AV	5.7152G	105.70	Inf	-Inf	5.78	3	Vertical	181	1.31	-
PK	5.8592G	61.24	68.20	-6.96	6.40	3	Vertical	181	1.31	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 100  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4572G	59.49	74.00	-14.51	5.21	3	Horizontal	194	1.53	-
AV	5.456G	47.90	54.00	-6.10	5.21	3	Horizontal	194	1.53	-
PK	5.462G	59.18	68.20	-9.02	5.23	3	Horizontal	194	1.53	-
PK	5.714G	117.17	Inf	-Inf	5.78	3	Horizontal	194	1.53	-
AV	5.7176G	105.60	Inf	-Inf	5.79	3	Horizontal	194	1.53	-
PK	5.8544G	61.50	68.20	-6.70	6.36	3	Horizontal	194	1.53	-

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

### 5270MHz\_TX




EUT Y\_2TX  
Setting 77  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1278G	58.95	74.00	-15.05	4.24	3	Vertical	207	1.61	-
AV	5.1494G	47.09	54.00	-6.91	4.25	3	Vertical	207	1.61	-
PK	5.2604G	110.07	Inf	-Inf	4.49	3	Vertical	207	1.61	-
AV	5.2664G	99.19	Inf	-Inf	4.52	3	Vertical	207	1.61	-
PK	5.357G	63.61	74.00	-10.39	4.83	3	Vertical	207	1.61	-
AV	5.3502G	49.85	54.00	-4.15	4.81	3	Vertical	207	1.61	-

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

### 5270MHz\_TX




EUT\_Y\_2TX  
Setting 77  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1272G	58.71	74.00	-15.29	4.24	3	Horizontal	158	1.50	-
AV	5.1314G	46.66	54.00	-7.34	4.24	3	Horizontal	158	1.50	-
PK	5.2748G	110.06	Inf	-Inf	4.54	3	Horizontal	158	1.50	-
AV	5.2748G	98.56	Inf	-Inf	4.54	3	Horizontal	158	1.50	-
PK	5.354G	63.86	74.00	-10.14	4.82	3	Horizontal	158	1.50	-
AV	5.3522G	49.52	54.00	-4.48	4.82	3	Horizontal	158	1.50	-

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

### 5310MHz\_TX




EUT Y\_2TX  
Setting 64  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3216G	107.34	Inf	-Inf	4.71	3	Vertical	174	1.31	-
AV	5.3184G	96.71	Inf	-Inf	4.71	3	Vertical	174	1.31	-
PK	5.3502G	71.87	74.00	-2.13	4.81	3	Vertical	174	1.31	-
AV	5.3504G	53.82	54.00	-0.18	4.81	3	Vertical	174	1.31	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

5310MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV


EUT\_Y\_2TX  
 Setting 64  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3148G	107.40	Inf	-Inf	4.69	3	Horizontal	161	1.43	-
AV	5.3232G	95.19	Inf	-Inf	4.72	3	Horizontal	161	1.43	-
PK	5.3512G	70.07	74.00	-3.93	4.81	3	Horizontal	161	1.43	-
AV	5.3512G	52.17	54.00	-1.83	4.81	3	Horizontal	161	1.43	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

5510MHz\_TX



EUT Y\_2TX  
Setting 57  
01-C-5-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	65.45	74.00	-8.55	5.19	3	Vertical	180	1.35	-
AV	5.4592G	48.70	54.00	-5.30	5.22	3	Vertical	180	1.35	-
PK	5.4697G	68.05	68.20	-0.15	5.26	3	Vertical	180	1.35	-
PK	5.5004G	107.18	Inf	-Inf	5.38	3	Vertical	180	1.35	-
AV	5.502G	96.35	Inf	-Inf	5.38	3	Vertical	180	1.35	-



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

### 5510MHz\_TX




EUT\_Y\_2TX  
Setting 57  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	64.93	74.00	-9.07	5.21	3	Horizontal	193	1.63	-
AV	5.4552G	48.37	54.00	-5.63	5.21	3	Horizontal	193	1.63	-
PK	5.4676G	65.53	68.20	-2.67	5.25	3	Horizontal	193	1.63	-
PK	5.5148G	108.05	Inf	-Inf	5.42	3	Horizontal	193	1.63	-
AV	5.5144G	96.14	Inf	-Inf	5.42	3	Horizontal	193	1.63	-

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

### 5550MHz\_TX




EUT Y\_2TX  
Setting 83  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4598G	66.69	74.00	-7.31	5.22	3	Vertical	177	1.50	-
AV	5.4588G	52.80	54.00	-1.20	5.22	3	Vertical	177	1.50	-
PK	5.4678G	68.12	68.20	-0.08	5.25	3	Vertical	177	1.50	-
PK	5.5332G	111.97	Inf	-Inf	5.47	3	Vertical	177	1.50	-
AV	5.5584G	100.97	Inf	-Inf	5.54	3	Vertical	177	1.50	-

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

### 5550MHz\_TX




EUT\_Y\_2TX  
Setting 83  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4522G	67.34	74.00	-6.66	5.19	3	Horizontal	169	1.64	-
AV	5.4594G	51.95	54.00	-2.05	5.22	3	Horizontal	169	1.64	-
PK	5.4699G	67.48	68.20	-0.72	5.26	3	Horizontal	169	1.64	-
PK	5.5548G	112.92	Inf	-Inf	5.52	3	Horizontal	169	1.64	-
AV	5.5542G	101.26	Inf	-Inf	5.52	3	Horizontal	169	1.64	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

5670MHz\_TX




EUT\_Y\_2TX  
Setting 66  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6736G	107.78	Inf	-Inf	5.71	3	Vertical	182	1.26	-
AV	5.6784G	97.25	Inf	-Inf	5.72	3	Vertical	182	1.26	-
PK	5.7294G	68.03	68.20	-0.17	5.80	3	Vertical	182	1.26	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

5670MHz\_TX




EUT Y\_2TX  
Setting 66  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6748G	108.72	Inf	-Inf	5.71	3	Horizontal	184	1.49	-
AV	5.6754G	96.69	Inf	-Inf	5.72	3	Horizontal	184	1.49	-
PK	5.7276G	66.90	68.20	-1.30	5.80	3	Horizontal	184	1.49	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 100  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4244G	60.76	74.00	-13.24	5.08	3	Vertical	183	1.28	-
AV	5.4196G	48.20	54.00	-5.80	5.07	3	Vertical	183	1.28	-
PK	5.4664G	59.40	68.20	-8.80	5.25	3	Vertical	183	1.28	-
PK	5.716G	113.73	Inf	-Inf	5.78	3	Vertical	183	1.28	-
AV	5.7112G	102.51	Inf	-Inf	5.76	3	Vertical	183	1.28	-
PK	5.8501G	67.27	68.20	-0.93	6.33	3	Vertical	183	1.28	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

10/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 100  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4448G	59.97	74.00	-14.03	5.16	3	Horizontal	194	1.59	-
AV	5.4448G	48.18	54.00	-5.82	5.16	3	Horizontal	194	1.59	-
PK	5.4698G	60.02	68.20	-8.18	5.26	3	Horizontal	194	1.59	-
PK	5.722G	114.40	Inf	-Inf	5.79	3	Horizontal	194	1.59	-
AV	5.7088G	103.14	Inf	-Inf	5.76	3	Horizontal	194	1.59	-
PK	5.8564G	68.02	68.20	-0.18	6.38	3	Horizontal	194	1.59	-

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

10/04/2019

### 5290MHz\_TX



EUT\_Y\_2TX  
Setting 60  
01-C-5-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.073G	58.82	74.00	-15.18	4.26	3	Vertical	172	2.19	-
AV	5.052G	48.06	54.00	-5.94	4.29	3	Vertical	172	2.19	-
PK	5.303G	103.19	Inf	-Inf	4.65	3	Vertical	172	2.19	-
AV	5.295G	93.30	Inf	-Inf	4.62	3	Vertical	172	2.19	-
PK	5.365G	71.19	74.00	-2.81	4.86	3	Vertical	172	2.19	-
AV	5.387G	52.78	54.00	-1.22	4.94	3	Vertical	172	2.19	-



802.11ax HEW80\_Nss2,(MCS0)\_2TX

10/04/2019

5290MHz\_TX




EUT\_Y\_2TX  
Setting 60  
01-C-5-10  
FSP  
High\_70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.133G	58.79	74.00	-15.21	4.24	3	Horizontal	161	1.50	-
AV	5.147G	48.17	54.00	-5.83	4.25	3	Horizontal	161	1.50	-
PK	5.293G	103.97	Inf	-Inf	4.62	3	Horizontal	161	1.50	-
AV	5.307G	92.90	Inf	-Inf	4.66	3	Horizontal	161	1.50	-
PK	5.363G	72.48	74.00	-1.52	4.86	3	Horizontal	161	1.50	-
AV	5.356G	53.78	54.00	-0.22	4.83	3	Horizontal	161	1.50	-

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

11/04/2019

### 5530MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_2TX  
 Setting 54  
 01-C-5-10  
 FSP  
 High\_70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	64.82	74.00	-9.18	5.22	3	Vertical	179	1.41	-
AV	5.458G	50.52	54.00	-3.48	5.21	3	Vertical	179	1.41	-
PK	5.465G	65.21	68.20	-2.99	5.25	3	Vertical	179	1.41	-
PK	5.537G	103.96	Inf	-Inf	5.47	3	Vertical	179	1.41	-
AV	5.518G	93.68	Inf	-Inf	5.43	3	Vertical	179	1.41	-
PK	5.77G	59.50	68.20	-8.70	5.90	3	Vertical	179	1.41	-

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

11/04/2019

### 5530MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_2TX  
 Setting 54  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.449G	61.62	74.00	-12.38	5.19	3	Horizontal	161	1.50	-
PK	5.462G	68.05	68.20	-0.15	5.23	3	Horizontal	161	1.50	-
AV	5.459G	50.63	54.00	-3.37	5.22	3	Horizontal	161	1.50	-
PK	5.503G	103.48	Inf	-Inf	5.39	3	Horizontal	161	1.50	-
AV	5.52G	93.42	Inf	-Inf	5.44	3	Horizontal	161	1.50	-
PK	5.736G	59.44	68.20	-8.76	5.81	3	Horizontal	161	1.50	-

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

11/04/2019

### 5610MHz\_TX




EUT\_Y\_2TX  
Setting 70  
01-C-5-10  
FSP  
High\_70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.446G	62.69	74.00	-11.31	5.18	3	Vertical	203	2.34	-
AV	5.459G	49.90	54.00	-4.10	5.22	3	Vertical	203	2.34	-
PK	5.465G	61.49	68.20	-6.71	5.25	3	Vertical	203	2.34	-
PK	5.63G	107.01	Inf	-Inf	5.67	3	Vertical	203	2.34	-
AV	5.605G	96.89	Inf	-Inf	5.65	3	Vertical	203	2.34	-
PK	5.729G	64.19	68.20	-4.01	5.80	3	Vertical	203	2.34	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

11/04/2019

5610MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  


EUT\_Y\_2TX  
 Setting 70  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.422G	63.52	74.00	-10.48	5.08	3	Horizontal	195	1.61	-
AV	5.452G	50.57	54.00	-3.43	5.19	3	Horizontal	195	1.61	-
PK	5.469G	61.43	68.20	-6.77	5.26	3	Horizontal	195	1.61	-
PK	5.583G	107.87	Inf	-Inf	5.60	3	Horizontal	195	1.61	-
AV	5.6G	97.47	Inf	-Inf	5.64	3	Horizontal	195	1.61	-
PK	5.726G	68.05	68.20	-0.15	5.79	3	Horizontal	195	1.61	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

11/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 81  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	60.69	74.00	-13.31	5.19	3	Vertical	181	1.24	-
AV	5.444G	49.82	54.00	-4.18	5.16	3	Vertical	181	1.24	-
PK	5.4656G	61.88	68.20	-6.32	5.25	3	Vertical	181	1.24	-
PK	5.6852G	108.93	Inf	-Inf	5.73	3	Vertical	181	1.24	-
AV	5.6852G	98.69	Inf	-Inf	5.73	3	Vertical	181	1.24	-
PK	5.8502G	66.66	68.20	-1.54	6.33	3	Vertical	181	1.24	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

11/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 81  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4416G	60.78	74.00	-13.22	5.15	3	Horizontal	187	1.68	-
AV	5.4008G	49.46	54.00	-4.54	4.99	3	Horizontal	187	1.68	-
PK	5.462G	61.84	68.20	-6.36	5.23	3	Horizontal	187	1.68	-
PK	5.6804G	108.25	Inf	-Inf	5.72	3	Horizontal	187	1.68	-
AV	5.6804G	98.75	Inf	-Inf	5.72	3	Horizontal	187	1.68	-
PK	5.8664G	68.04	68.20	-0.16	6.45	3	Horizontal	187	1.68	-

802.11ax HEW160\_Nss2,(MCS0)\_2TX

11/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_2TX  
Setting 56  
01-C-5-10  
FSP  
High\_70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	66.33	74.00	-7.67	4.25	3	Vertical	181	2.69	-
AV	5.144G	51.95	54.00	-2.05	4.24	3	Vertical	181	2.69	-
PK	5.266G	99.70	Inf	-Inf	4.52	3	Vertical	181	2.69	-
AV	5.266G	89.67	Inf	-Inf	4.52	3	Vertical	181	2.69	-
PK	5.379G	68.67	74.00	-5.33	4.92	3	Vertical	181	2.69	-
AV	5.385G	53.98	54.00	-0.02	4.94	3	Vertical	181	2.69	-



802.11ax HEW160\_Nss2,(MCS0)\_2TX

11/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_2TX  
Setting 56  
01-C-5-10  
FSP  
High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.137G	63.92	74.00	-10.08	4.25	3	Horizontal	156	1.13	-
AV	5.147G	50.54	54.00	-3.46	4.25	3	Horizontal	156	1.13	-
PK	5.226G	98.84	Inf	-Inf	4.37	3	Horizontal	156	1.13	-
AV	5.268G	89.00	Inf	-Inf	4.52	3	Horizontal	156	1.13	-
PK	5.382G	67.16	74.00	-6.84	4.93	3	Horizontal	156	1.13	-
AV	5.378G	53.15	54.00	-0.85	4.91	3	Horizontal	156	1.13	-

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

11/04/2019

### 5570MHz\_TX




EUT\_Y\_2TX  
Setting 54  
01-C-5-10  
FSP  
High\_70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4597G	66.83	74.00	-7.17	5.22	3	Vertical	179	1.41	-
AV	5.4566G	52.90	54.00	-1.10	5.21	3	Vertical	179	1.41	-
PK	5.4698G	68.02	68.20	-0.18	5.26	3	Vertical	179	1.41	-
PK	5.513G	100.60	Inf	-Inf	5.42	3	Vertical	179	1.41	-
AV	5.565G	90.60	Inf	-Inf	5.55	3	Vertical	179	1.41	-
PK	5.783G	63.02	68.20	-5.18	5.92	3	Vertical	179	1.41	-

### 802.11ax HEW160\_Nss2,(MCS0)\_2TX

11/04/2019

### 5570MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  

EUT Y\_2TX  
 Setting 54  
 01-C-5-10  
 FSP  
 High\_70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	66.59	74.00	-7.41	5.18	3	Horizontal	195	1.60	-
AV	5.458G	52.79	54.00	-1.21	5.21	3	Horizontal	195	1.60	-
PK	5.468G	67.65	68.20	-0.55	5.25	3	Horizontal	195	1.60	-
PK	5.586G	101.28	Inf	-Inf	5.60	3	Horizontal	195	1.60	-
AV	5.589G	91.31	Inf	-Inf	5.61	3	Horizontal	195	1.60	-
PK	5.727G	65.22	68.20	-2.98	5.79	3	Horizontal	195	1.60	-




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7276G	68.18	68.20	-0.02	5.80	3	Horizontal	185	1.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
 Setting 74  
 01-W-3-10  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.123G	58.34	74.00	-15.66	4.22	3	Vertical	171	2.31	-
AV	5.149G	45.61	54.00	-8.39	4.25	3	Vertical	171	2.31	-
PK	5.2582G	118.39	Inf	-Inf	4.48	3	Vertical	171	2.31	-
AV	5.2576G	109.08	Inf	-Inf	4.48	3	Vertical	171	2.31	-
PK	5.3746G	60.17	74.00	-13.83	4.89	3	Vertical	171	2.31	-
AV	5.4004G	47.27	54.00	-6.73	4.99	3	Vertical	171	2.31	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	58.63	74.00	-15.37	4.25	3	Horizontal	162	2.41	-
AV	5.149G	45.49	54.00	-8.51	4.25	3	Horizontal	162	2.41	-
PK	5.2672G	116.01	Inf	-Inf	4.52	3	Horizontal	162	2.41	-
AV	5.2678G	106.64	Inf	-Inf	4.52	3	Horizontal	162	2.41	-
PK	5.35G	59.98	74.00	-14.02	4.81	3	Horizontal	162	2.41	-
AV	5.395G	46.87	54.00	-7.13	4.98	3	Horizontal	162	2.41	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5300MHz\_TX




EUT\_Y\_4TX  
Setting 77  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2984G	118.83	Inf	-Inf	4.64	3	Vertical	173	1.43	-
AV	5.2976G	109.66	Inf	-Inf	4.63	3	Vertical	173	1.43	-
PK	5.3568G	64.99	74.00	-9.01	4.83	3	Vertical	173	1.43	-
AV	5.3564G	48.16	54.00	-5.84	4.83	3	Vertical	173	1.43	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5300MHz\_TX



EUT\_Y\_4TX  
Setting 77  
01-W-3-10  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3064G	116.66	Inf	-Inf	4.66	3	Horizontal	165	1.50	-
AV	5.3064G	106.91	Inf	-Inf	4.66	3	Horizontal	165	1.50	-
PK	5.35G	64.01	74.00	-9.99	4.81	3	Horizontal	165	1.50	-
AV	5.3504G	47.87	54.00	-6.13	4.81	3	Horizontal	165	1.50	-



### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5320MHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3182G	117.45	Inf	-Inf	4.70	3	Vertical	172	1.48	-
AV	5.3178G	108.14	Inf	-Inf	4.70	3	Vertical	172	1.48	-
PK	5.3568G	72.70	74.00	-1.30	4.83	3	Vertical	172	1.48	-
AV	5.3574G	50.44	54.00	-3.56	4.83	3	Vertical	172	1.48	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5320MHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3276G	115.03	Inf	-Inf	4.74	3	Horizontal	160	1.45	-
AV	5.3276G	105.81	Inf	-Inf	4.74	3	Horizontal	160	1.45	-
PK	5.35G	72.19	74.00	-1.81	4.81	3	Horizontal	160	1.45	-
AV	5.35G	53.94	54.00	-0.06	4.81	3	Horizontal	160	1.45	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5500MHz\_TX




EUT\_Y\_4TX  
Setting 54  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4416G	59.72	74.00	-14.28	5.15	3	Vertical	191	1.55	-
AV	5.456G	46.94	54.00	-7.06	5.21	3	Vertical	191	1.55	-
PK	5.4696G	62.50	68.20	-5.70	5.26	3	Vertical	191	1.55	-
PK	5.4988G	113.99	Inf	-Inf	5.38	3	Vertical	191	1.55	-
AV	5.4992G	104.82	Inf	-Inf	5.38	3	Vertical	191	1.55	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5500MHz\_TX




EUT\_Y\_4TX  
Setting 54  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4064G	59.94	74.00	-14.06	5.02	3	Horizontal	164	1.63	-
AV	5.452G	46.88	54.00	-7.12	5.19	3	Horizontal	164	1.63	-
PK	5.4684G	68.03	68.20	-0.17	5.26	3	Horizontal	164	1.63	-
PK	5.5068G	113.89	Inf	-Inf	5.40	3	Horizontal	164	1.63	-
AV	5.5064G	104.33	Inf	-Inf	5.40	3	Horizontal	164	1.63	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5580MHz\_TX




EUT Y\_4TX  
Setting 86  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.44G	60.60	74.00	-13.40	5.15	3	Vertical	184	2.30	-
AV	5.4576G	47.61	54.00	-6.39	5.21	3	Vertical	184	2.30	-
PK	5.4608G	59.91	68.20	-8.29	5.22	3	Vertical	184	2.30	-
PK	5.5816G	121.10	Inf	-Inf	5.59	3	Vertical	184	2.30	-
AV	5.5824G	112.00	Inf	-Inf	5.59	3	Vertical	184	2.30	-
PK	5.748G	60.61	68.20	-7.59	5.85	3	Vertical	184	2.30	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5580MHz\_TX




EUT\_Y\_4TX  
Setting 86  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	60.68	74.00	-13.32	5.22	3	Horizontal	165	1.57	-
AV	5.444G	47.61	54.00	-6.39	5.16	3	Horizontal	165	1.57	-
PK	5.4688G	59.82	68.20	-8.38	5.26	3	Horizontal	165	1.57	-
PK	5.5872G	121.27	Inf	-Inf	5.60	3	Horizontal	165	1.57	-
AV	5.5864G	111.48	Inf	-Inf	5.60	3	Horizontal	165	1.57	-
PK	5.7688G	60.01	68.20	-8.19	5.90	3	Horizontal	165	1.57	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 55  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6992G	112.48	Inf	-Inf	5.74	3	Vertical	194	1.55	-
AV	5.6994G	103.12	Inf	-Inf	5.74	3	Vertical	194	1.55	-
PK	5.7326G	61.70	68.20	-6.50	5.81	3	Vertical	194	1.55	-

### 802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

### 5700MHz\_TX



EUT\_Y\_4TX  
Setting 55  
01-W-3-10  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7074G	112.80	Inf	-Inf	5.75	3	Horizontal	185	1.49	-
AV	5.7076G	103.55	Inf	-Inf	5.76	3	Horizontal	185	1.49	-
PK	5.7276G	68.18	68.20	-0.02	5.80	3	Horizontal	185	1.49	-



802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 93  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7208G	121.12	Inf	-Inf	5.79	3	Vertical	189	2.39	-
AV	5.7208G	111.44	Inf	-Inf	5.79	3	Vertical	189	2.39	-
PK	5.8904G	60.94	68.20	-7.26	6.62	3	Vertical	189	2.39	-

802.11a\_Nss1,(6Mbps)\_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 93  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7272G	120.51	Inf	-Inf	5.79	3	Horizontal	189	1.50	-
AV	5.7272G	110.70	Inf	-Inf	5.79	3	Horizontal	189	1.50	-
PK	5.9008G	60.64	68.20	-7.56	6.70	3	Horizontal	189	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 78  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1254G	58.92	74.00	-15.08	4.24	3	Vertical	179	2.46	-
AV	5.149G	45.89	54.00	-8.11	4.25	3	Vertical	179	2.46	-
PK	5.2576G	121.01	Inf	-Inf	4.48	3	Vertical	179	2.46	-
AV	5.2624G	108.52	Inf	-Inf	4.50	3	Vertical	179	2.46	-
PK	5.3716G	60.39	74.00	-13.61	4.88	3	Vertical	179	2.46	-
AV	5.371G	47.08	54.00	-6.92	4.88	3	Vertical	179	2.46	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 78  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1454G	58.53	74.00	-15.47	4.25	3	Horizontal	171	1.50	-
AV	5.1484G	45.07	54.00	-8.93	4.25	3	Horizontal	171	1.50	-
PK	5.266G	118.38	Inf	-Inf	4.52	3	Horizontal	171	1.50	-
AV	5.2612G	105.95	Inf	-Inf	4.49	3	Horizontal	171	1.50	-
PK	5.401G	60.22	74.00	-13.78	4.99	3	Horizontal	171	1.50	-
AV	5.3964G	46.59	54.00	-7.41	4.98	3	Horizontal	171	1.50	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 78  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	120.72	Inf	-Inf	4.63	3	Vertical	181	1.25	-
AV	5.3024G	107.57	Inf	-Inf	4.65	3	Vertical	181	1.25	-
PK	5.3532G	69.64	74.00	-4.36	4.82	3	Vertical	181	1.25	-
AV	5.3532G	50.26	54.00	-3.74	4.82	3	Vertical	181	1.25	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5300MHz\_TX




EUT\_Y\_4TX  
Setting 78  
01-W-3-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2984G	118.84	Inf	-Inf	4.64	3	Horizontal	164	1.45	-
AV	5.2984G	106.18	Inf	-Inf	4.64	3	Horizontal	164	1.45	-
PK	5.3544G	66.96	74.00	-7.04	4.82	3	Horizontal	164	1.45	-
AV	5.35G	50.18	54.00	-3.82	4.81	3	Horizontal	164	1.45	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 01-Z-1-10  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.317G	117.59	Inf	-Inf	4.70	3	Vertical	180	1.20	-
AV	5.3224G	105.98	Inf	-Inf	4.72	3	Vertical	180	1.20	-
PK	5.3526G	73.87	74.00	-0.13	4.82	3	Vertical	180	1.20	-
AV	5.3526G	52.77	54.00	-1.23	4.82	3	Vertical	180	1.20	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5320MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV

EUT\_Y\_4TX  
 Setting 65  
 01-Z-1-10  
 FSP  
 High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3286G	116.48	Inf	-Inf	4.75	3	Horizontal	162	1.44	-
AV	5.3288G	104.43	Inf	-Inf	4.75	3	Horizontal	162	1.44	-
PK	5.354G	72.11	74.00	-1.89	4.82	3	Horizontal	162	1.44	-
AV	5.354G	51.03	54.00	-2.97	4.82	3	Horizontal	162	1.44	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5500MHz\_TX




EUT\_Y\_4TX  
Setting 61  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.80	74.00	-11.20	5.22	3	Vertical	179	2.37	-
AV	5.4592G	47.71	54.00	-6.29	5.22	3	Vertical	179	2.37	-
PK	5.47G	67.97	68.20	-0.23	5.26	3	Vertical	179	2.37	-
PK	5.4972G	117.84	Inf	-Inf	5.37	3	Vertical	179	2.37	-
AV	5.5024G	106.52	Inf	-Inf	5.38	3	Vertical	179	2.37	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 61  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4532G	60.35	74.00	-13.65	5.19	3	Horizontal	162	1.61	-
AV	5.4592G	47.47	54.00	-6.53	5.22	3	Horizontal	162	1.61	-
PK	5.4684G	67.86	68.20	-0.34	5.26	3	Horizontal	162	1.61	-
PK	5.5088G	117.46	Inf	-Inf	5.41	3	Horizontal	162	1.61	-
AV	5.4984G	106.11	Inf	-Inf	5.38	3	Horizontal	162	1.61	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5580MHz\_TX




EUT\_Y\_4TX  
Setting 92  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.416G	61.31	74.00	-12.69	5.06	3	Vertical	178	2.29	-
AV	5.4256G	48.06	54.00	-5.94	5.10	3	Vertical	178	2.29	-
PK	5.4672G	60.04	68.20	-8.16	5.25	3	Vertical	178	2.29	-
PK	5.5768G	123.86	Inf	-Inf	5.57	3	Vertical	178	2.29	-
AV	5.5824G	112.54	Inf	-Inf	5.59	3	Vertical	178	2.29	-
PK	5.7304G	61.03	68.20	-7.17	5.80	3	Vertical	178	2.29	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 92  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.42G	60.19	74.00	-13.81	5.07	3	Horizontal	174	1.49	-
AV	5.4096G	47.76	54.00	-6.24	5.03	3	Horizontal	174	1.49	-
PK	5.4664G	60.17	68.20	-8.03	5.25	3	Horizontal	174	1.49	-
PK	5.5856G	123.52	Inf	-Inf	5.60	3	Horizontal	174	1.49	-
AV	5.5808G	112.66	Inf	-Inf	5.58	3	Horizontal	174	1.49	-
PK	5.744G	60.81	68.20	-7.39	5.84	3	Horizontal	174	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5700MHz\_TX




EUT\_Y\_4TX  
Setting 47  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7024G	112.74	Inf	-Inf	5.74	3	Vertical	156	2.26	-
AV	5.7024G	100.43	Inf	-Inf	5.74	3	Vertical	156	2.26	-
PK	5.7274G	68.16	68.20	-0.04	5.79	3	Vertical	156	2.26	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

### 5700MHz\_TX




EUT\_Y\_4TX  
Setting 47  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7088G	113.13	Inf	-Inf	5.76	3	Horizontal	187	1.50	-
AV	5.6988G	101.28	Inf	-Inf	5.74	3	Horizontal	187	1.50	-
PK	5.7292G	67.42	68.20	-0.78	5.80	3	Horizontal	187	1.50	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 102  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4476G	59.92	74.00	-14.08	5.18	3	Vertical	157	2.12	-
AV	5.4296G	47.18	54.00	-6.82	5.11	3	Vertical	157	2.12	-
PK	5.4608G	59.45	68.20	-8.75	5.22	3	Vertical	157	2.12	-
PK	5.7176G	122.66	Inf	-Inf	5.79	3	Vertical	157	2.12	-
AV	5.7176G	111.30	Inf	-Inf	5.79	3	Vertical	157	2.12	-
PK	5.85G	63.09	68.20	-5.11	6.33	3	Vertical	157	2.12	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_4TX  
Setting 102  
01-Z-1-10  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.432G	59.90	74.00	-14.10	5.12	3	Horizontal	187	1.50	-
AV	5.4524G	47.36	54.00	-6.64	5.19	3	Horizontal	187	1.50	-
PK	5.462G	59.39	68.20	-8.81	5.23	3	Horizontal	187	1.50	-
PK	5.7188G	122.98	Inf	-Inf	5.79	3	Horizontal	187	1.50	-
AV	5.7188G	112.41	Inf	-Inf	5.79	3	Horizontal	187	1.50	-
PK	5.852G	64.74	68.20	-3.46	6.34	3	Horizontal	187	1.50	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5270MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2624G	118.65	Inf	-Inf	4.50	3	Vertical	179	2.44	-
AV	5.2676G	106.53	Inf	-Inf	4.52	3	Vertical	179	2.44	-
PK	5.3552G	68.19	74.00	-5.81	4.83	3	Vertical	179	2.44	-
AV	5.3528G	53.82	54.00	-0.18	4.82	3	Vertical	179	2.44	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5270MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2684G	114.81	Inf	-Inf	4.53	3	Horizontal	188	1.50	-
AV	5.2636G	104.21	Inf	-Inf	4.50	3	Horizontal	188	1.50	-
PK	5.3664G	65.97	74.00	-8.03	4.87	3	Horizontal	188	1.50	-
AV	5.3544G	51.77	54.00	-2.23	4.82	3	Horizontal	188	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5310MHz\_TX




EUT\_Y\_4TX  
Setting 56  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2948G	111.35	Inf	-Inf	4.62	3	Vertical	171	1.48	-
AV	5.3248G	100.61	Inf	-Inf	4.72	3	Vertical	171	1.48	-
PK	5.3504G	70.77	74.00	-3.23	4.81	3	Vertical	171	1.48	-
AV	5.35G	53.80	54.00	-0.20	4.81	3	Vertical	171	1.48	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5310MHz\_TX




EUT\_Y\_4TX  
Setting 56  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.324G	110.75	Inf	-Inf	4.72	3	Horizontal	164	1.50	-
AV	5.3136G	99.71	Inf	-Inf	4.69	3	Horizontal	164	1.50	-
PK	5.3576G	70.19	74.00	-3.81	4.83	3	Horizontal	164	1.50	-
AV	5.3536G	51.50	54.00	-2.50	4.82	3	Horizontal	164	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5510MHz\_TX




EUT Y\_4TX  
Setting 54  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	63.28	74.00	-10.72	5.21	3	Vertical	179	2.36	-
AV	5.458G	49.42	54.00	-4.58	5.21	3	Vertical	179	2.36	-
PK	5.4672G	67.62	68.20	-0.58	5.25	3	Vertical	179	2.36	-
PK	5.5024G	114.52	Inf	-Inf	5.38	3	Vertical	179	2.36	-
AV	5.5176G	102.21	Inf	-Inf	5.43	3	Vertical	179	2.36	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5510MHz\_TX




EUT\_Y\_4TX  
Setting 54  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	65.80	74.00	-8.20	5.21	3	Horizontal	162	1.64	-
AV	5.4584G	49.64	54.00	-4.36	5.22	3	Horizontal	162	1.64	-
PK	5.4632G	66.06	68.20	-2.14	5.23	3	Horizontal	162	1.64	-
PK	5.5036G	112.85	Inf	-Inf	5.39	3	Horizontal	162	1.64	-
AV	5.5136G	102.22	Inf	-Inf	5.42	3	Horizontal	162	1.64	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5550MHz\_TX




EUT\_Y\_4TX  
Setting 76  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	66.23	74.00	-7.77	5.19	3	Vertical	177	2.38	-
AV	5.4576G	51.29	54.00	-2.71	5.21	3	Vertical	177	2.38	-
PK	5.4672G	68.01	68.20	-0.19	5.25	3	Vertical	177	2.38	-
PK	5.5424G	118.77	Inf	-Inf	5.48	3	Vertical	177	2.38	-
AV	5.5572G	107.15	Inf	-Inf	5.53	3	Vertical	177	2.38	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5550MHz\_TX



EUT Y\_4TX  
Setting 76  
01-Z-1-10  
FSP  
High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	64.71	74.00	-9.29	5.18	3	Horizontal	173	1.50	-
AV	5.456G	50.17	54.00	-3.83	5.21	3	Horizontal	173	1.50	-
PK	5.4608G	66.22	68.20	-1.98	5.22	3	Horizontal	173	1.50	-
PK	5.566G	119.11	Inf	-Inf	5.55	3	Horizontal	173	1.50	-
AV	5.5564G	107.13	Inf	-Inf	5.53	3	Horizontal	173	1.50	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5670MHz\_TX




EUT\_Y\_4TX  
Setting 59  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6772G	114.13	Inf	-Inf	5.72	3	Vertical	181	2.34	-
AV	5.6776G	102.52	Inf	-Inf	5.72	3	Vertical	181	2.34	-
PK	5.7256G	68.08	68.20	-0.12	5.79	3	Vertical	181	2.34	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5670MHz\_TX




EUT Y\_4TX  
Setting 59  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6836G	113.44	Inf	-Inf	5.72	3	Horizontal	185	1.70	-
AV	5.6736G	102.58	Inf	-Inf	5.71	3	Horizontal	185	1.70	-
PK	5.7288G	65.04	68.20	-3.16	5.80	3	Horizontal	185	1.70	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 92  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	59.89	74.00	-14.11	5.19	3	Vertical	181	2.34	-
AV	5.446G	48.16	54.00	-5.84	5.18	3	Vertical	181	2.34	-
PK	5.4652G	59.85	68.20	-8.35	5.25	3	Vertical	181	2.34	-
PK	5.7028G	120.07	Inf	-Inf	5.75	3	Vertical	181	2.34	-
AV	5.7076G	108.44	Inf	-Inf	5.76	3	Vertical	181	2.34	-
PK	5.8576G	66.54	68.20	-1.66	6.39	3	Vertical	181	2.34	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

10/04/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 92  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4484G	60.10	74.00	-13.90	5.19	3	Horizontal	187	1.50	-
AV	5.4448G	47.96	54.00	-6.04	5.16	3	Horizontal	187	1.50	-
PK	5.4616G	59.40	68.20	-8.80	5.22	3	Horizontal	187	1.50	-
PK	5.704G	119.17	Inf	-Inf	5.75	3	Horizontal	187	1.50	-
AV	5.7136G	109.33	Inf	-Inf	5.78	3	Horizontal	187	1.50	-
PK	5.854G	68.05	68.20	-0.15	6.35	3	Horizontal	187	1.50	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5290MHz\_TX




EUT\_Y\_4TX  
Setting 55  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.141G	58.75	74.00	-15.25	4.24	3	Vertical	178	2.43	-
AV	5.144G	46.70	54.00	-7.30	4.24	3	Vertical	178	2.43	-
PK	5.268G	109.45	Inf	-Inf	4.52	3	Vertical	178	2.43	-
AV	5.262G	98.36	Inf	-Inf	4.50	3	Vertical	178	2.43	-
PK	5.353G	67.85	74.00	-6.15	4.82	3	Vertical	178	2.43	-
AV	5.353G	53.80	54.00	-0.20	4.82	3	Vertical	178	2.43	-
PK	5.513G	59.83	68.20	-8.37	5.42	3	Vertical	178	2.43	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5290MHz\_TX




EUT Y\_4TX  
Setting 55  
01-Z-1-10  
FSP  
High 70 degree



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	58.28	74.00	-15.72	4.25	3	Horizontal	172	1.49	-
AV	5.148G	46.32	54.00	-7.68	4.25	3	Horizontal	172	1.49	-
PK	5.316G	107.47	Inf	-Inf	4.70	3	Horizontal	172	1.49	-
AV	5.296G	96.34	Inf	-Inf	4.63	3	Horizontal	172	1.49	-
PK	5.364G	68.21	74.00	-5.79	4.86	3	Horizontal	172	1.49	-
AV	5.352G	52.09	54.00	-1.91	4.82	3	Horizontal	172	1.49	-
PK	5.532G	60.04	68.20	-8.16	5.46	3	Horizontal	172	1.49	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5530MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


EUT\_Y\_4TX  
 Setting 57  
 01-Z-1-10  
 FSP  
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.327G	59.42	68.20	-8.78	4.74	3	Vertical	179	1.34	-
PK	5.452G	67.17	74.00	-6.83	5.19	3	Vertical	179	1.34	-
AV	5.457G	53.85	54.00	-0.15	5.21	3	Vertical	179	1.34	-
PK	5.466G	65.40	68.20	-2.80	5.25	3	Vertical	179	1.34	-
PK	5.502G	110.49	Inf	-Inf	5.38	3	Vertical	179	1.34	-
AV	5.542G	99.89	Inf	-Inf	5.48	3	Vertical	179	1.34	-
PK	5.728G	59.09	68.20	-9.11	5.80	3	Vertical	179	1.34	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5530MHz\_TX



EUT\_Y\_4TX  
 Setting 57  
 01-Z-1-10  
 FSP  
 High 70 degree


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.319G	58.81	68.20	-9.39	4.71	3	Horizontal	171	1.56	-
PK	5.447G	65.11	74.00	-8.89	5.18	3	Horizontal	171	1.56	-
AV	5.46G	52.82	54.00	-1.18	5.22	3	Horizontal	171	1.56	-
PK	5.461G	66.46	68.20	-1.74	5.22	3	Horizontal	171	1.56	-
PK	5.521G	110.80	Inf	-Inf	5.44	3	Horizontal	171	1.56	-
AV	5.536G	99.73	Inf	-Inf	5.47	3	Horizontal	171	1.56	-
PK	5.733G	59.52	68.20	-8.68	5.81	3	Horizontal	171	1.56	-



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

### 5610MHz\_TX




EUT\_Y\_4TX  
Setting 69  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.457G	64.06	74.00	-9.94	5.21	3	Vertical	179	2.30	-
AV	5.457G	49.92	54.00	-4.08	5.21	3	Vertical	179	2.30	-
PK	5.467G	63.43	68.20	-4.77	5.25	3	Vertical	179	2.30	-
PK	5.588G	113.26	Inf	-Inf	5.61	3	Vertical	179	2.30	-
AV	5.582G	102.59	Inf	-Inf	5.59	3	Vertical	179	2.30	-
PK	5.733G	67.97	68.20	-0.23	5.81	3	Vertical	179	2.30	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 69  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	62.49	74.00	-11.51	5.22	3	Horizontal	172	1.61	-
AV	5.46G	50.26	54.00	-3.74	5.22	3	Horizontal	172	1.61	-
PK	5.461G	63.38	68.20	-4.82	5.22	3	Horizontal	172	1.61	-
PK	5.601G	113.87	Inf	-Inf	5.64	3	Horizontal	172	1.61	-
AV	5.616G	102.85	Inf	-Inf	5.66	3	Horizontal	172	1.61	-
PK	5.731G	67.27	68.20	-0.93	5.80	3	Horizontal	172	1.61	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 77  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.426G	61.24	74.00	-12.76	5.10	3	Vertical	181	2.46	-
AV	5.456G	48.32	54.00	-5.68	5.21	3	Vertical	181	2.46	-
PK	5.4696G	60.92	68.20	-7.28	5.25	3	Vertical	181	2.46	-
PK	5.6768G	114.17	Inf	-Inf	5.72	3	Vertical	181	2.46	-
AV	5.678G	103.62	Inf	-Inf	5.72	3	Vertical	181	2.46	-
PK	5.8544G	66.97	68.20	-1.23	6.36	3	Vertical	181	2.46	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

10/04/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 77  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	60.77	74.00	-13.23	5.19	3	Horizontal	186	1.69	-
AV	5.4548G	47.97	54.00	-6.03	5.19	3	Horizontal	186	1.69	-
PK	5.4656G	60.85	68.20	-7.35	5.25	3	Horizontal	186	1.69	-
PK	5.6888G	115.68	Inf	-Inf	5.73	3	Horizontal	186	1.69	-
AV	5.6792G	103.71	Inf	-Inf	5.72	3	Horizontal	186	1.69	-
PK	5.85G	67.91	68.20	-0.29	6.33	3	Horizontal	186	1.69	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 49  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.117G	61.13	74.00	-12.87	4.23	3	Vertical	176	2.48	-
AV	5.125G	51.31	54.00	-2.69	4.23	3	Vertical	176	2.48	-
PK	5.283G	105.09	Inf	-Inf	4.58	3	Vertical	176	2.48	-
AV	5.263G	94.97	Inf	-Inf	4.50	3	Vertical	176	2.48	-
PK	5.466G	60.11	68.20	-8.09	5.25	3	Vertical	176	2.48	-
AV	5.388G	53.73	54.00	-0.27	4.94	3	Vertical	176	2.48	-
PK	5.388G	63.86	74.00	-10.14	4.94	3	Vertical	176	2.48	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 49  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.101G	59.89	74.00	-14.11	4.22	3	Horizontal	172	1.50	-
AV	5.141G	49.54	54.00	-4.46	4.24	3	Horizontal	172	1.50	-
PK	5.256G	103.53	Inf	-Inf	4.48	3	Horizontal	172	1.50	-
AV	5.261G	93.31	Inf	-Inf	4.49	3	Horizontal	172	1.50	-
PK	5.475G	59.45	68.20	-8.75	5.27	3	Horizontal	172	1.50	-
AV	5.383G	53.12	54.00	-0.88	4.93	3	Horizontal	172	1.50	-
PK	5.384G	62.56	74.00	-11.44	4.93	3	Horizontal	172	1.50	-

802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

5570MHz\_TX




EUT\_Y\_4TX  
Setting 50  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.349G	59.16	68.20	-9.04	4.82	3	Vertical	179	2.30	-
PK	5.448G	63.02	74.00	-10.98	5.18	3	Vertical	179	2.30	-
AV	5.445G	53.69	54.00	-0.31	5.18	3	Vertical	179	2.30	-
PK	5.465G	63.01	68.20	-5.19	5.25	3	Vertical	179	2.30	-
PK	5.602G	106.92	Inf	-Inf	5.64	3	Vertical	179	2.30	-
AV	5.562G	96.42	Inf	-Inf	5.54	3	Vertical	179	2.30	-
PK	5.727G	62.17	68.20	-6.03	5.79	3	Vertical	179	2.30	-

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

10/04/2019

### 5570MHz\_TX



EUT Y\_4TX  
Setting 50  
01-Z-1-10  
FSP  
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.331G	59.99	68.20	-8.21	4.75	3	Horizontal	174	1.67	-
PK	5.454G	62.54	74.00	-11.46	5.19	3	Horizontal	174	1.67	-
AV	5.452G	52.57	54.00	-1.43	5.19	3	Horizontal	174	1.67	-
PK	5.466G	61.95	68.20	-6.25	5.25	3	Horizontal	174	1.67	-
PK	5.561G	106.31	Inf	-Inf	5.54	3	Horizontal	174	1.67	-
AV	5.571G	96.57	Inf	-Inf	5.57	3	Horizontal	174	1.67	-
PK	5.737G	61.48	68.20	-6.72	5.81	3	Horizontal	174	1.67	-






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.45G	73.98	74.00	-0.02	5.19	3	Horizontal	165	1.69	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5260MHz\_TX




EUT\_Y\_4TX  
Setting 76  
01-M-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	64.58	74.00	-9.42	4.25	3	Vertical	168	1.44	-
AV	5.1484G	49.24	54.00	-4.76	4.25	3	Vertical	168	1.44	-
PK	5.2558G	121.39	Inf	-Inf	4.48	3	Vertical	168	1.44	-
AV	5.257G	107.14	Inf	-Inf	4.48	3	Vertical	168	1.44	-
PK	5.35G	68.17	74.00	-5.83	4.81	3	Vertical	168	1.44	-
AV	5.3506G	53.16	54.00	-0.84	4.81	3	Vertical	168	1.44	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 76  
01-M-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	62.00	74.00	-12.00	4.25	3	Horizontal	187	1.49	-
AV	5.1448G	48.32	54.00	-5.68	4.24	3	Horizontal	187	1.49	-
PK	5.2546G	122.08	Inf	-Inf	4.47	3	Horizontal	187	1.49	-
AV	5.257G	110.48	Inf	-Inf	4.48	3	Horizontal	187	1.49	-
PK	5.353G	68.90	74.00	-5.10	4.82	3	Horizontal	187	1.49	-
AV	5.3506G	53.82	54.00	-0.18	4.81	3	Horizontal	187	1.49	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5300MHz\_TX




EUT\_Y\_4TX  
Setting 62  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.292G	119.19	Inf	-Inf	4.61	3	Vertical	214	1.80	-
AV	5.2924G	107.76	Inf	-Inf	4.61	3	Vertical	214	1.80	-
PK	5.35G	67.86	74.00	-6.14	4.81	3	Vertical	214	1.80	-
AV	5.3512G	52.64	54.00	-1.36	4.81	3	Vertical	214	1.80	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5300MHz\_TX




EUT\_Y\_4TX  
Setting 62  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3088G	121.67	Inf	-Inf	4.68	3	Horizontal	191	1.48	-
AV	5.3088G	109.65	Inf	-Inf	4.68	3	Horizontal	191	1.48	-
PK	5.3548G	70.05	74.00	-3.95	4.82	3	Horizontal	191	1.48	-
AV	5.3504G	53.79	54.00	-0.21	4.81	3	Horizontal	191	1.48	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5320MHz\_TX




EUT\_Y\_4TX  
Setting 52  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3188G	116.14	Inf	-Inf	4.71	3	Vertical	172	1.52	-
AV	5.3156G	101.82	Inf	-Inf	4.70	3	Vertical	172	1.52	-
PK	5.356G	68.05	74.00	-5.95	4.83	3	Vertical	172	1.52	-
AV	5.35G	53.95	54.00	-0.05	4.81	3	Vertical	172	1.52	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5320MHz\_TX




EUT\_Y\_4TX  
Setting 52  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3284G	117.96	Inf	-Inf	4.75	3	Horizontal	170	1.67	-
AV	5.3292G	105.66	Inf	-Inf	4.75	3	Horizontal	170	1.67	-
PK	5.3524G	70.93	74.00	-3.07	4.82	3	Horizontal	170	1.67	-
AV	5.3504G	53.81	54.00	-0.19	4.81	3	Horizontal	170	1.67	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5500MHz\_TX



EUT\_Y\_4TX  
Setting 48  
01-M-1-13  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.452G	62.23	74.00	-11.77	5.19	3	Vertical	150	1.75	-
AV	5.4544G	49.53	54.00	-4.47	5.19	3	Vertical	150	1.75	-
PK	5.4692G	63.69	68.20	-4.51	5.26	3	Vertical	150	1.75	-
PK	5.508G	116.89	Inf	-Inf	5.41	3	Vertical	150	1.75	-
AV	5.5052G	103.90	Inf	-Inf	5.39	3	Vertical	150	1.75	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5500MHz\_TX




EUT\_Y\_4TX  
Setting 48  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4544G	62.44	74.00	-11.56	5.19	3	Horizontal	161	1.47	-
AV	5.4568G	49.69	54.00	-4.31	5.21	3	Horizontal	161	1.47	-
PK	5.4696G	68.05	68.20	-0.15	5.26	3	Horizontal	161	1.47	-
PK	5.508G	119.34	Inf	-Inf	5.41	3	Horizontal	161	1.47	-
AV	5.504G	107.11	Inf	-Inf	5.39	3	Horizontal	161	1.47	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5580MHz\_TX




EUT\_Y\_4TX  
Setting 87  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	65.44	74.00	-8.56	5.22	3	Vertical	153	1.68	-
AV	5.4568G	51.28	54.00	-2.72	5.21	3	Vertical	153	1.68	-
PK	5.4664G	65.99	68.20	-2.21	5.25	3	Vertical	153	1.68	-
PK	5.5816G	124.43	Inf	-Inf	5.59	3	Vertical	153	1.68	-
AV	5.5816G	113.25	Inf	-Inf	5.59	3	Vertical	153	1.68	-
PK	5.7336G	63.60	68.20	-4.60	5.81	3	Vertical	153	1.68	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 87  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	65.68	74.00	-8.32	5.21	3	Horizontal	166	1.49	-
AV	5.4576G	52.67	54.00	-1.33	5.21	3	Horizontal	166	1.49	-
PK	5.4696G	67.97	68.20	-0.23	5.26	3	Horizontal	166	1.49	-
PK	5.5768G	126.54	Inf	-Inf	5.57	3	Horizontal	166	1.49	-
AV	5.5856G	114.59	Inf	-Inf	5.60	3	Horizontal	166	1.49	-
PK	5.7328G	64.44	68.20	-3.76	5.81	3	Horizontal	166	1.49	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5700MHz\_TX




EUT\_Y\_4TX  
Setting 45  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6916G	115.84	Inf	-Inf	5.73	3	Vertical	159	1.60	-
AV	5.6908G	104.57	Inf	-Inf	5.73	3	Vertical	159	1.60	-
PK	5.7252G	64.83	68.20	-3.37	5.79	3	Vertical	159	1.60	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5700MHz\_TX




EUT\_Y\_4TX  
Setting 45  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.692G	115.44	Inf	-Inf	5.73	3	Horizontal	204	1.49	-
AV	5.694G	103.70	Inf	-Inf	5.73	3	Horizontal	204	1.49	-
PK	5.7256G	67.96	68.20	-0.24	5.79	3	Horizontal	204	1.49	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 89  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.426G	62.72	74.00	-11.28	5.10	3	Vertical	140	1.71	-
AV	5.4428G	49.38	54.00	-4.62	5.16	3	Vertical	140	1.71	-
PK	5.4692G	61.53	68.20	-6.67	5.26	3	Vertical	140	1.71	-
PK	5.7116G	120.92	Inf	-Inf	5.76	3	Vertical	140	1.71	-
AV	5.7128G	109.27	Inf	-Inf	5.78	3	Vertical	140	1.71	-
PK	5.8556G	64.79	68.20	-3.41	6.36	3	Vertical	140	1.71	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 89  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.42G	62.00	74.00	-12.00	5.07	3	Horizontal	185	1.83	-
AV	5.4344G	49.62	54.00	-4.38	5.12	3	Horizontal	185	1.83	-
PK	5.462G	61.39	68.20	-6.81	5.23	3	Horizontal	185	1.83	-
PK	5.7152G	123.67	Inf	-Inf	5.78	3	Horizontal	185	1.83	-
AV	5.7188G	111.48	Inf	-Inf	5.79	3	Horizontal	185	1.83	-
PK	5.8508G	68.04	68.20	-0.16	6.33	3	Horizontal	185	1.83	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5270MHz\_TX



EUT\_Y\_4TX  
Setting 62  
01-M-1-13  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.129G	61.57	74.00	-12.43	4.24	3	Vertical	193	1.40	-
AV	5.1488G	48.28	54.00	-5.72	4.25	3	Vertical	193	1.40	-
PK	5.2574G	114.44	Inf	-Inf	4.48	3	Vertical	193	1.40	-
AV	5.2562G	103.93	Inf	-Inf	4.48	3	Vertical	193	1.40	-
PK	5.3594G	66.37	74.00	-7.63	4.85	3	Vertical	193	1.40	-
AV	5.3522G	51.09	54.00	-2.91	4.82	3	Vertical	193	1.40	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5270MHz\_TX




EUT\_Y\_4TX  
Setting 62  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	61.59	74.00	-12.41	4.25	3	Horizontal	164	1.50	-
AV	5.1242G	48.34	54.00	-5.66	4.23	3	Horizontal	164	1.50	-
PK	5.2736G	115.27	Inf	-Inf	4.54	3	Horizontal	164	1.50	-
AV	5.2676G	103.87	Inf	-Inf	4.52	3	Horizontal	164	1.50	-
PK	5.3534G	67.12	74.00	-6.88	4.82	3	Horizontal	164	1.50	-
AV	5.351G	53.74	54.00	-0.26	4.81	3	Horizontal	164	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5310MHz\_TX




EUT\_Y\_4TX  
Setting 49  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3154G	109.96	Inf	-Inf	4.70	3	Vertical	187	2.31	-
AV	5.295G	97.22	Inf	-Inf	4.62	3	Vertical	187	2.31	-
PK	5.3514G	72.54	74.00	-1.46	4.81	3	Vertical	187	2.31	-
AV	5.3514G	53.88	54.00	-0.12	4.81	3	Vertical	187	2.31	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5310MHz\_TX




EUT\_Y\_4TX  
Setting 49  
01-M-1-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.328G	112.33	Inf	-Inf	4.74	3	Horizontal	192	1.50	-
AV	5.322G	101.10	Inf	-Inf	4.72	3	Horizontal	192	1.50	-
PK	5.3532G	73.95	74.00	-0.05	4.82	3	Horizontal	192	1.50	-
AV	5.3544G	52.83	54.00	-1.17	4.82	3	Horizontal	192	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5510MHz\_TX




EUT\_Y\_4TX  
Setting 47  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	64.66	74.00	-9.34	5.21	3	Vertical	151	1.50	-
AV	5.4592G	48.94	54.00	-5.06	5.22	3	Vertical	151	1.50	-
PK	5.4604G	63.51	68.20	-4.69	5.22	3	Vertical	151	1.50	-
PK	5.4936G	107.06	Inf	-Inf	5.35	3	Vertical	151	1.50	-
AV	5.5024G	94.38	Inf	-Inf	5.38	3	Vertical	151	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

5510MHz\_TX




EUT\_Y\_4TX  
Setting 47  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4552G	65.71	74.00	-8.29	5.21	3	Horizontal	194	1.44	-
AV	5.4592G	49.33	54.00	-4.67	5.22	3	Horizontal	194	1.44	-
PK	5.4692G	68.10	68.20	-0.10	5.26	3	Horizontal	194	1.44	-
PK	5.5148G	114.31	Inf	-Inf	5.42	3	Horizontal	194	1.44	-
AV	5.5116G	101.76	Inf	-Inf	5.41	3	Horizontal	194	1.44	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5550MHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4582G	66.98	74.00	-7.02	5.21	3	Vertical	206	1.06	-
AV	5.4598G	50.81	54.00	-3.19	5.22	3	Vertical	206	1.06	-
PK	5.4696G	66.14	68.20	-2.06	5.26	3	Vertical	206	1.06	-
PK	5.5368G	113.70	Inf	-Inf	5.47	3	Vertical	206	1.06	-
AV	5.5452G	102.98	Inf	-Inf	5.50	3	Vertical	206	1.06	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2019

### 5550MHz\_TX



EUT\_Y\_4TX  
Setting 70  
01-C-5-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4402G	65.69	74.00	-8.31	5.15	3	Horizontal	168	1.80	-
PK	5.4672G	68.00	68.20	-0.20	5.25	3	Horizontal	168	1.80	-
AV	5.4597G	52.19	54.00	-1.81	5.22	3	Horizontal	168	1.80	-
PK	5.541G	120.70	Inf	-Inf	5.48	3	Horizontal	168	1.80	-
AV	5.5356G	107.68	Inf	-Inf	5.47	3	Horizontal	168	1.80	-