


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/04/2019

5670MHz_TX




EUT_Y_4TX
Setting 56
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6814G	107.62	Inf	-Inf	5.72	3	Vertical	139	1.49	-
AV	5.6532G	96.93	Inf	-Inf	5.69	3	Vertical	139	1.49	-
PK	5.7366G	65.26	68.20	-2.94	5.81	3	Vertical	139	1.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/04/2019

5670MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT_Y_4TX
Setting 56
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6748G	114.76	Inf	-Inf	5.71	3	Horizontal	209	1.50	-
AV	5.6748G	102.37	Inf	-Inf	5.71	3	Horizontal	209	1.50	-
PK	5.7264G	68.11	68.20	-0.09	5.79	3	Horizontal	209	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	60.92	74.00	-13.08	5.19	3	Vertical	164	1.82	-
AV	5.4544G	48.89	54.00	-5.11	5.19	3	Vertical	164	1.82	-
PK	5.4698G	60.61	68.20	-7.59	5.26	3	Vertical	164	1.82	-
PK	5.7172G	116.07	Inf	-Inf	5.78	3	Vertical	164	1.82	-
AV	5.7196G	104.41	Inf	-Inf	5.79	3	Vertical	164	1.82	-
PK	5.8528G	67.40	68.20	-0.80	6.35	3	Vertical	164	1.82	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4424G	61.04	74.00	-12.96	5.16	3	Horizontal	187	1.67	-
AV	5.4424G	49.10	54.00	-4.90	5.16	3	Horizontal	187	1.67	-
PK	5.4664G	61.02	68.20	-7.18	5.25	3	Horizontal	187	1.67	-
PK	5.7016G	119.87	Inf	-Inf	5.74	3	Horizontal	187	1.67	-
AV	5.7028G	108.05	Inf	-Inf	5.75	3	Horizontal	187	1.67	-
PK	5.8501G	68.04	68.20	-0.16	6.33	3	Horizontal	187	1.67	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5290MHz_TX




EUT_Y_4TX
Setting 50
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1148G	60.73	74.00	-13.27	4.22	3	Vertical	192	1.50	-
AV	5.1492G	47.61	54.00	-6.39	4.25	3	Vertical	192	1.50	-
PK	5.2604G	111.13	Inf	-Inf	4.49	3	Vertical	192	1.50	-
AV	5.3036G	92.10	Inf	-Inf	4.65	3	Vertical	192	1.50	-
PK	5.3524G	70.50	74.00	-3.50	4.82	3	Vertical	192	1.50	-
AV	5.3564G	52.62	54.00	-1.38	4.83	3	Vertical	192	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5290MHz_TX




EUT_Y_4TX
Setting 50
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1084G	60.78	74.00	-13.22	4.23	3	Horizontal	166	1.26	-
AV	5.1492G	47.47	54.00	-6.53	4.25	3	Horizontal	166	1.26	-
PK	5.2964G	108.35	Inf	-Inf	4.63	3	Horizontal	166	1.26	-
AV	5.2908G	95.68	Inf	-Inf	4.60	3	Horizontal	166	1.26	-
PK	5.3572G	69.44	74.00	-4.56	4.83	3	Horizontal	166	1.26	-
AV	5.3501G	53.81	54.00	-0.19	4.81	3	Horizontal	166	1.26	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5530MHz_TX




EUT_Y_4TX
Setting 50
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	64.65	74.00	-9.35	5.19	3	Vertical	173	1.50	-
AV	5.4597G	50.02	54.00	-3.98	5.22	3	Vertical	173	1.50	-
PK	5.462G	64.33	68.20	-3.87	5.23	3	Vertical	173	1.50	-
PK	5.498G	107.77	Inf	-Inf	5.37	3	Vertical	173	1.50	-
AV	5.492G	86.15	Inf	-Inf	5.35	3	Vertical	173	1.50	-
PK	5.764G	62.23	68.20	-5.97	5.89	3	Vertical	173	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5530MHz_TX




EUT Y_4TX
Setting 50
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	68.20	74.00	-5.80	5.20	3	Horizontal	160	1.50	-
AV	5.455G	51.33	54.00	-2.67	5.20	3	Horizontal	160	1.50	-
PK	5.464G	67.99	68.20	-0.21	5.23	3	Horizontal	160	1.50	-
PK	5.543G	111.51	Inf	-Inf	5.49	3	Horizontal	160	1.50	-
AV	5.542G	98.03	Inf	-Inf	5.48	3	Horizontal	160	1.50	-
PK	5.753G	62.07	68.20	-6.13	5.86	3	Horizontal	160	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5610MHz_TX




EUT_Y_4TX
Setting 65
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.446G	65.56	74.00	-8.44	5.18	3	Vertical	182	2.48	-
AV	5.452G	49.93	54.00	-4.07	5.19	3	Vertical	182	2.48	-
PK	5.467G	65.79	68.20	-2.41	5.25	3	Vertical	182	2.48	-
PK	5.585G	115.77	Inf	-Inf	5.60	3	Vertical	182	2.48	-
AV	5.626G	98.50	Inf	-Inf	5.67	3	Vertical	182	2.48	-
PK	5.748G	67.98	68.20	-0.22	5.85	3	Vertical	182	2.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5610MHz_TX




EUT_Y_4TX
Setting 65
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4598G	62.04	74.00	-11.96	5.22	3	Horizontal	164	1.50	-
AV	5.4598G	49.00	54.00	-5.00	5.22	3	Horizontal	164	1.50	-
PK	5.467G	64.42	68.20	-3.78	5.25	3	Horizontal	164	1.50	-
PK	5.587G	115.42	Inf	-Inf	5.60	3	Horizontal	164	1.50	-
AV	5.599G	94.42	Inf	-Inf	5.64	3	Horizontal	164	1.50	-
PK	5.728G	66.77	68.20	-1.43	5.80	3	Horizontal	164	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 75
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4464G	61.84	74.00	-12.16	5.18	3	Vertical	197	1.50	-
PK	5.4697G	62.67	68.20	-5.53	5.26	3	Vertical	197	1.50	-
AV	5.4584G	48.72	54.00	-5.28	5.22	3	Vertical	197	1.50	-
PK	5.6588G	116.46	Inf	-Inf	5.70	3	Vertical	197	1.50	-
AV	5.708G	96.27	Inf	-Inf	5.76	3	Vertical	197	1.50	-
PK	5.8544G	68.14	68.20	-0.06	6.36	3	Vertical	197	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 75
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4344G	62.26	74.00	-11.74	5.12	3	Horizontal	211	1.47	-
AV	5.4596G	49.05	54.00	-4.95	5.22	3	Horizontal	211	1.47	-
PK	5.4668G	61.63	68.20	-6.57	5.25	3	Horizontal	211	1.47	-
PK	5.678G	115.57	Inf	-Inf	5.72	3	Horizontal	211	1.47	-
AV	5.7044G	102.78	Inf	-Inf	5.75	3	Horizontal	211	1.47	-
PK	5.852G	67.98	68.20	-0.22	6.34	3	Horizontal	211	1.47	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 53
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	69.66	74.00	-4.34	4.24	3	Vertical	181	2.94	-
AV	5.146G	49.76	54.00	-4.24	4.25	3	Vertical	181	2.94	-
PK	5.183G	103.04	Inf	-Inf	4.26	3	Vertical	181	2.94	-
AV	5.222G	90.26	Inf	-Inf	4.36	3	Vertical	181	2.94	-
PK	5.387G	70.68	74.00	-3.32	4.94	3	Vertical	181	2.94	-
AV	5.358G	49.94	54.00	-4.06	4.83	3	Vertical	181	2.94	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 53
01-C-5-13
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.14G	66.99	74.00	-7.01	4.24	3	Horizontal	174	1.50	-
AV	5.146G	50.43	54.00	-3.57	4.25	3	Horizontal	174	1.50	-
PK	5.254G	106.93	Inf	-Inf	4.47	3	Horizontal	174	1.50	-
AV	5.255G	93.90	Inf	-Inf	4.48	3	Horizontal	174	1.50	-
PK	5.401G	73.03	74.00	-0.97	4.99	3	Horizontal	174	1.50	-
AV	5.36G	53.89	54.00	-0.11	4.85	3	Horizontal	174	1.50	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

13/04/2019

5570MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
Setting 48
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.453G	67.69	74.00	-6.31	5.19	3	Vertical	205	1.35	-
AV	5.454G	50.04	54.00	-3.96	5.19	3	Vertical	205	1.35	-
PK	5.467G	65.79	68.20	-2.41	5.25	3	Vertical	205	1.35	-
PK	5.625G	101.04	Inf	-Inf	5.67	3	Vertical	205	1.35	-
AV	5.628G	89.19	Inf	-Inf	5.67	3	Vertical	205	1.35	-
PK	5.726G	65.27	68.20	-2.93	5.79	3	Vertical	205	1.35	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

13/04/2019

5570MHz_TX



EUT_Y_4TX
Setting 48
01-C-5-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	73.98	74.00	-0.02	5.19	3	Horizontal	165	1.69	-
AV	5.458G	49.85	54.00	-4.15	5.21	3	Horizontal	165	1.69	-
PK	5.469G	64.51	68.20	-3.69	5.26	3	Horizontal	165	1.69	-
PK	5.573G	104.73	Inf	-Inf	5.58	3	Horizontal	165	1.69	-
AV	5.629G	91.61	Inf	-Inf	5.67	3	Horizontal	165	1.69	-
PK	5.739G	66.23	68.20	-1.97	5.83	3	Horizontal	165	1.69	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.4684G	68.18	68.20	-0.02	5.26	3	Vertical	181	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5260MHz_TX




EUT_Y_4TX
Setting 78
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1388G	58.91	74.00	-15.09	4.24	3	Vertical	177	2.40	-
AV	5.1484G	47.10	54.00	-6.90	4.25	3	Vertical	177	2.40	-
PK	5.257G	118.18	Inf	-Inf	4.48	3	Vertical	177	2.40	-
AV	5.2576G	105.71	Inf	-Inf	4.48	3	Vertical	177	2.40	-
PK	5.3986G	60.84	74.00	-13.16	4.99	3	Vertical	177	2.40	-
AV	5.41G	48.34	54.00	-5.66	5.03	3	Vertical	177	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5260MHz_TX




EUT Y_4TX
Setting 78
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1106G	57.85	74.00	-16.15	4.23	3	Horizontal	187	1.50	-
AV	5.1154G	46.45	54.00	-7.55	4.23	3	Horizontal	187	1.50	-
PK	5.2666G	115.92	Inf	-Inf	4.52	3	Horizontal	187	1.50	-
AV	5.2636G	103.91	Inf	-Inf	4.50	3	Horizontal	187	1.50	-
PK	5.4004G	60.06	74.00	-13.94	4.99	3	Horizontal	187	1.50	-
AV	5.4034G	48.39	54.00	-5.61	5.00	3	Horizontal	187	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 78
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	118.30	Inf	-Inf	4.63	3	Vertical	176	2.40	-
AV	5.296G	105.39	Inf	-Inf	4.63	3	Vertical	176	2.40	-
PK	5.3524G	65.35	74.00	-8.65	4.82	3	Vertical	176	2.40	-
AV	5.35G	51.52	54.00	-2.48	4.81	3	Vertical	176	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5300MHz_TX




EUT_Y_4TX
Setting 78
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3064G	115.80	Inf	-Inf	4.66	3	Horizontal	162	1.49	-
AV	5.3036G	103.92	Inf	-Inf	4.65	3	Horizontal	162	1.49	-
PK	5.3524G	63.96	74.00	-10.04	4.82	3	Horizontal	162	1.49	-
AV	5.35G	50.54	54.00	-3.46	4.81	3	Horizontal	162	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5320MHz_TX




EUT_Y_4TX
Setting 66
01-Z-1-10
FSU
High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3168G	116.02	Inf	-Inf	4.70	3	Vertical	173	2.53	-
AV	5.3158G	102.70	Inf	-Inf	4.70	3	Vertical	173	2.53	-
PK	5.351G	67.21	74.00	-6.79	4.81	3	Vertical	173	2.53	-
AV	5.35G	53.64	54.00	-0.36	4.81	3	Vertical	173	2.53	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5320MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 66
 01-Z-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3264G	113.65	Inf	-Inf	4.74	3	Horizontal	162	1.49	-
AV	5.3238G	101.35	Inf	-Inf	4.72	3	Horizontal	162	1.49	-
PK	5.3518G	66.71	74.00	-7.29	4.82	3	Horizontal	162	1.49	-
AV	5.3502G	52.93	54.00	-1.07	4.81	3	Horizontal	162	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5500MHz_TX




EUT Y_4TX
Setting 65
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	61.16	74.00	-12.84	5.22	3	Vertical	181	2.40	-
AV	5.46G	49.05	54.00	-4.95	5.22	3	Vertical	181	2.40	-
PK	5.4684G	68.18	68.20	-0.02	5.26	3	Vertical	181	2.40	-
PK	5.5028G	115.73	Inf	-Inf	5.39	3	Vertical	181	2.40	-
AV	5.5016G	103.42	Inf	-Inf	5.38	3	Vertical	181	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5500MHz_TX




EUT_Y_4TX
 Setting 65
 01-Z-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4456G	60.49	74.00	-13.51	5.18	3	Horizontal	161	1.64	-
AV	5.4596G	48.64	54.00	-5.36	5.22	3	Horizontal	161	1.64	-
PK	5.46999G	68.17	68.20	-0.03	5.26	3	Horizontal	161	1.64	-
PK	5.5064G	114.77	Inf	-Inf	5.40	3	Horizontal	161	1.64	-
AV	5.5036G	103.27	Inf	-Inf	5.39	3	Horizontal	161	1.64	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5580MHz_TX




EUT Y_4TX
Setting 92
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.388G	60.56	74.00	-13.44	4.94	3	Vertical	179	1.13	-
AV	5.4256G	48.71	54.00	-5.29	5.10	3	Vertical	179	1.13	-
PK	5.468G	60.65	68.20	-7.55	5.25	3	Vertical	179	1.13	-
PK	5.5752G	121.17	Inf	-Inf	5.57	3	Vertical	179	1.13	-
AV	5.5776G	108.29	Inf	-Inf	5.58	3	Vertical	179	1.13	-
PK	5.7432G	60.47	68.20	-7.73	5.84	3	Vertical	179	1.13	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5580MHz_TX




EUT_Y_4TX
Setting 92
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4576G	61.51	74.00	-12.49	5.21	3	Horizontal	185	1.50	-
AV	5.4576G	48.43	54.00	-5.57	5.21	3	Horizontal	185	1.50	-
PK	5.4656G	59.84	68.20	-8.36	5.25	3	Horizontal	185	1.50	-
PK	5.5864G	120.47	Inf	-Inf	5.60	3	Horizontal	185	1.50	-
AV	5.584G	108.68	Inf	-Inf	5.60	3	Horizontal	185	1.50	-
PK	5.7352G	60.62	68.20	-7.58	5.81	3	Horizontal	185	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5700MHz_TX



- Lim.PK
- PK
- Lim.AV
- AV


EUT_Y_4TX
Setting 60
01-Z-1-10
FSU
High 70 degree



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6918G	111.57	Inf	-Inf	5.73	3	Vertical	159	1.49	-
AV	5.6934G	99.87	Inf	-Inf	5.73	3	Vertical	159	1.49	-
PK	5.7264G	67.33	68.20	-0.87	5.79	3	Vertical	159	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5700MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 60
 01-Z-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7036G	112.88	Inf	-Inf	5.75	3	Horizontal	186	1.49	-
AV	5.7038G	100.67	Inf	-Inf	5.75	3	Horizontal	186	1.49	-
PK	5.7252G	68.17	68.20	-0.03	5.79	3	Horizontal	186	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.426G	60.19	74.00	-13.81	5.10	3	Vertical	159	1.45	-
AV	5.4512G	47.92	54.00	-6.08	5.18	3	Vertical	159	1.45	-
PK	5.462G	59.17	68.20	-9.03	5.23	3	Vertical	159	1.45	-
PK	5.7224G	119.56	Inf	-Inf	5.79	3	Vertical	159	1.45	-
AV	5.714G	107.68	Inf	-Inf	5.78	3	Vertical	159	1.45	-
PK	5.9048G	61.29	68.20	-6.91	6.72	3	Vertical	159	1.45	-

802.11ax HEW20_Nss4,(MCS0)_4TX

10/04/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4308G	59.72	74.00	-14.28	5.11	3	Horizontal	187	1.47	-
AV	5.4488G	48.12	54.00	-5.88	5.19	3	Horizontal	187	1.47	-
PK	5.462G	60.36	68.20	-7.84	5.23	3	Horizontal	187	1.47	-
PK	5.726G	120.66	Inf	-Inf	5.79	3	Horizontal	187	1.47	-
AV	5.7236G	108.57	Inf	-Inf	5.80	3	Horizontal	187	1.47	-
PK	5.882G	61.34	68.20	-6.86	6.57	3	Horizontal	187	1.47	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5270MHz_TX




EUT_Y_4TX
Setting 75
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2736G	114.23	Inf	-Inf	4.54	3	Vertical	180	2.47	-
AV	5.268G	103.89	Inf	-Inf	4.52	3	Vertical	180	2.47	-
PK	5.358G	65.73	74.00	-8.27	4.83	3	Vertical	180	2.47	-
AV	5.3544G	53.83	54.00	-0.17	4.82	3	Vertical	180	2.47	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5270MHz_TX




EUT_Y_4TX
Setting 75
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2572G	111.71	Inf	-Inf	4.48	3	Horizontal	188	1.49	-
AV	5.2592G	101.42	Inf	-Inf	4.49	3	Horizontal	188	1.49	-
PK	5.364G	64.67	74.00	-9.33	4.86	3	Horizontal	188	1.49	-
AV	5.3508G	52.23	54.00	-1.77	4.81	3	Horizontal	188	1.49	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5310MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


EUT Y_4TX
 Setting 57
 01-Z-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3276G	109.86	Inf	-Inf	4.74	3	Vertical	172	1.49	-
AV	5.3256G	98.49	Inf	-Inf	4.74	3	Vertical	172	1.49	-
PK	5.3508G	69.12	74.00	-4.88	4.81	3	Vertical	172	1.49	-
AV	5.3504G	53.82	54.00	-0.18	4.81	3	Vertical	172	1.49	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5310MHz_TX




EUT_Y_4TX
Setting 57
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3224G	107.81	Inf	-Inf	4.72	3	Horizontal	195	1.47	-
AV	5.318G	97.41	Inf	-Inf	4.70	3	Horizontal	195	1.47	-
PK	5.3616G	67.58	74.00	-6.42	4.85	3	Horizontal	195	1.47	-
AV	5.354G	52.29	54.00	-1.71	4.82	3	Horizontal	195	1.47	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5510MHz_TX




EUT Y_4TX
Setting 57
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4552G	65.52	74.00	-8.48	5.21	3	Vertical	179	2.41	-
AV	5.454G	52.66	54.00	-1.34	5.19	3	Vertical	179	2.41	-
PK	5.4652G	67.97	68.20	-0.23	5.25	3	Vertical	179	2.41	-
PK	5.4936G	110.51	Inf	-Inf	5.35	3	Vertical	179	2.41	-
AV	5.5072G	100.22	Inf	-Inf	5.40	3	Vertical	179	2.41	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5510MHz_TX




EUT Y_4TX
Setting 57
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	63.73	74.00	-10.27	5.21	3	Horizontal	170	1.68	-
AV	5.46G	50.88	54.00	-3.12	5.22	3	Horizontal	170	1.68	-
PK	5.4628G	68.17	68.20	-0.03	5.23	3	Horizontal	170	1.68	-
PK	5.5172G	110.37	Inf	-Inf	5.42	3	Horizontal	170	1.68	-
AV	5.518G	100.26	Inf	-Inf	5.43	3	Horizontal	170	1.68	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5550MHz_TX




EUT_Y_4TX
Setting 78
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	65.92	74.00	-8.08	5.22	3	Vertical	181	2.46	-
AV	5.4588G	52.94	54.00	-1.06	5.22	3	Vertical	181	2.46	-
PK	5.4624G	68.05	68.20	-0.15	5.23	3	Vertical	181	2.46	-
PK	5.5536G	115.31	Inf	-Inf	5.52	3	Vertical	181	2.46	-
AV	5.5428G	105.56	Inf	-Inf	5.49	3	Vertical	181	2.46	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5550MHz_TX




EUT Y_4TX
Setting 78
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4532G	66.63	74.00	-7.37	5.19	3	Horizontal	169	1.72	-
AV	5.4596G	52.27	54.00	-1.73	5.22	3	Horizontal	169	1.72	-
PK	5.4624G	66.31	68.20	-1.89	5.23	3	Horizontal	169	1.72	-
PK	5.5572G	115.96	Inf	-Inf	5.53	3	Horizontal	169	1.72	-
AV	5.558G	105.30	Inf	-Inf	5.54	3	Horizontal	169	1.72	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5670MHz_TX




EUT Y_4TX
Setting 61
01-Z-1-10
FSU
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6736G	110.68	Inf	-Inf	5.71	3	Vertical	180	2.50	-
AV	5.6672G	100.06	Inf	-Inf	5.71	3	Vertical	180	2.50	-
PK	5.7256G	67.89	68.20	-0.31	5.79	3	Vertical	180	2.50	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5670MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 61
 01-Z-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6824G	110.40	Inf	-Inf	5.72	3	Horizontal	172	1.50	-
AV	5.678G	99.66	Inf	-Inf	5.72	3	Horizontal	172	1.50	-
PK	5.7256G	67.10	68.20	-1.10	5.79	3	Horizontal	172	1.50	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 97
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4292G	59.85	74.00	-14.15	5.11	3	Vertical	160	1.42	-
AV	5.4292G	49.48	54.00	-4.52	5.11	3	Vertical	160	1.42	-
PK	5.4688G	59.83	68.20	-8.37	5.26	3	Vertical	160	1.42	-
PK	5.6992G	116.38	Inf	-Inf	5.74	3	Vertical	160	1.42	-
AV	5.7148G	105.51	Inf	-Inf	5.78	3	Vertical	160	1.42	-
PK	5.8588G	66.89	68.20	-1.31	6.39	3	Vertical	160	1.42	-

802.11ax HEW40_Nss4,(MCS0)_4TX

10/04/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 97
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4112G	60.79	74.00	-13.21	5.03	3	Horizontal	188	1.48	-
AV	5.4544G	49.61	54.00	-4.39	5.19	3	Horizontal	188	1.48	-
PK	5.4676G	60.08	68.20	-8.12	5.25	3	Horizontal	188	1.48	-
PK	5.698G	116.46	Inf	-Inf	5.74	3	Horizontal	188	1.48	-
AV	5.7172G	106.71	Inf	-Inf	5.78	3	Horizontal	188	1.48	-
PK	5.8624G	67.96	68.20	-0.24	6.42	3	Horizontal	188	1.48	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5290MHz_TX




EUT Y_4TX
Setting 55
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.078G	59.17	74.00	-14.83	4.25	3	Vertical	184	1.30	-
AV	5.147G	48.06	54.00	-5.94	4.25	3	Vertical	184	1.30	-
PK	5.282G	105.20	Inf	-Inf	4.58	3	Vertical	184	1.30	-
AV	5.306G	95.12	Inf	-Inf	4.66	3	Vertical	184	1.30	-
PK	5.365G	73.66	74.00	-0.34	4.86	3	Vertical	184	1.30	-
AV	5.353G	52.96	54.00	-1.04	4.82	3	Vertical	184	1.30	-
PK	5.48G	60.34	68.20	-7.86	5.30	3	Vertical	184	1.30	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5290MHz_TX




EUT Y_4TX
Setting 55
01-Z-1-10
FSU
High 70 degree




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.137G	58.41	74.00	-15.59	4.25	3	Horizontal	159	1.50	-
AV	5.147G	48.19	54.00	-5.81	4.25	3	Horizontal	159	1.50	-
PK	5.298G	104.92	Inf	-Inf	4.63	3	Horizontal	159	1.50	-
AV	5.299G	94.86	Inf	-Inf	4.64	3	Horizontal	159	1.50	-
PK	5.361G	73.80	74.00	-0.20	4.85	3	Horizontal	159	1.50	-
AV	5.359G	52.99	54.00	-1.01	4.85	3	Horizontal	159	1.50	-
PK	5.486G	59.80	68.20	-8.40	5.33	3	Horizontal	159	1.50	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5530MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 52
 01-Z-1-10
 FSU
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.298G	58.70	68.20	-9.50	4.63	3	Vertical	180	2.32	-
PK	5.425G	65.04	74.00	-8.96	5.10	3	Vertical	180	2.32	-
AV	5.456G	52.26	54.00	-1.74	5.21	3	Vertical	180	2.32	-
PK	5.464G	68.02	68.20	-0.18	5.23	3	Vertical	180	2.32	-
PK	5.522G	105.87	Inf	-Inf	5.44	3	Vertical	180	2.32	-
AV	5.513G	96.06	Inf	-Inf	5.42	3	Vertical	180	2.32	-
PK	5.759G	59.35	68.20	-8.85	5.87	3	Vertical	180	2.32	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5530MHz_TX




EUT Y_4TX
Setting 52
01-Z-1-10
FSU
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.335G	58.54	68.20	-9.66	4.77	3	Horizontal	164	1.71	-
PK	5.458G	66.11	74.00	-7.89	5.21	3	Horizontal	164	1.71	-
AV	5.456G	51.56	54.00	-2.44	5.21	3	Horizontal	164	1.71	-
PK	5.464G	65.45	68.20	-2.75	5.23	3	Horizontal	164	1.71	-
PK	5.516G	108.04	Inf	-Inf	5.42	3	Horizontal	164	1.71	-
AV	5.519G	96.86	Inf	-Inf	5.44	3	Horizontal	164	1.71	-
PK	5.743G	60.04	68.20	-8.16	5.84	3	Horizontal	164	1.71	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5610MHz_TX




EUT Y_4TX
Setting 66
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	65.59	74.00	-8.41	5.16	3	Vertical	181	2.44	-
AV	5.453G	50.32	54.00	-3.68	5.19	3	Vertical	181	2.44	-
PK	5.464G	68.08	68.20	-0.12	5.23	3	Vertical	181	2.44	-
PK	5.633G	108.78	Inf	-Inf	5.67	3	Vertical	181	2.44	-
AV	5.583G	98.74	Inf	-Inf	5.60	3	Vertical	181	2.44	-
PK	5.733G	65.02	68.20	-3.18	5.81	3	Vertical	181	2.44	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5610MHz_TX




EUT Y_4TX
Setting 66
01-Z-1-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	61.08	74.00	-12.92	5.22	3	Horizontal	182	1.55	-
AV	5.459G	50.50	54.00	-3.50	5.22	3	Horizontal	182	1.55	-
PK	5.469G	61.32	68.20	-6.88	5.26	3	Horizontal	182	1.55	-
PK	5.598G	110.39	Inf	-Inf	5.64	3	Horizontal	182	1.55	-
AV	5.599G	99.81	Inf	-Inf	5.64	3	Horizontal	182	1.55	-
PK	5.727G	66.07	68.20	-2.13	5.79	3	Horizontal	182	1.55	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 76
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.451G	59.67	74.00	-14.33	5.18	3	Vertical	160	1.46	-
PK	5.463G	60.78	68.20	-7.42	5.23	3	Vertical	160	1.46	-
AV	5.4597G	48.69	54.00	-5.31	5.22	3	Vertical	160	1.46	-
PK	5.682G	110.42	Inf	-Inf	5.72	3	Vertical	160	1.46	-
AV	5.673G	100.69	Inf	-Inf	5.71	3	Vertical	160	1.46	-
PK	5.868G	64.55	68.20	-3.65	6.47	3	Vertical	160	1.46	-

802.11ax HEW80_Nss4,(MCS0)_4TX

10/04/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 76
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	61.23	74.00	-12.77	5.18	3	Horizontal	187	1.50	-
AV	5.456G	49.52	54.00	-4.48	5.21	3	Horizontal	187	1.50	-
PK	5.464G	61.21	68.20	-6.99	5.23	3	Horizontal	187	1.50	-
PK	5.678G	111.81	Inf	-Inf	5.72	3	Horizontal	187	1.50	-
AV	5.679G	101.03	Inf	-Inf	5.72	3	Horizontal	187	1.50	-
PK	5.859G	67.98	68.20	-0.22	6.39	3	Horizontal	187	1.50	-

802.11ax HEW160_Nss4,(MCS0)_4TX

10/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 51
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.093G	62.12	74.00	-11.88	4.23	3	Vertical	185	1.54	-
AV	5.132G	51.50	54.00	-2.50	4.24	3	Vertical	185	1.54	-
PK	5.253G	101.25	Inf	-Inf	4.47	3	Vertical	185	1.54	-
AV	5.253G	91.74	Inf	-Inf	4.47	3	Vertical	185	1.54	-
PK	5.405G	65.74	74.00	-8.26	5.01	3	Vertical	185	1.54	-
AV	5.383G	52.12	54.00	-1.88	4.93	3	Vertical	185	1.54	-

802.11ax HEW160_Nss4,(MCS0)_4TX

10/04/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 51
01-C-5-10
FSP
High 70 degree





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.096G	60.63	74.00	-13.37	4.22	3	Horizontal	188	1.50	-
AV	5.096G	50.59	54.00	-3.41	4.22	3	Horizontal	188	1.50	-
PK	5.237G	101.34	Inf	-Inf	4.41	3	Horizontal	188	1.50	-
AV	5.263G	90.34	Inf	-Inf	4.50	3	Horizontal	188	1.50	-
PK	5.406G	67.13	74.00	-6.87	5.02	3	Horizontal	188	1.50	-
AV	5.387G	53.85	54.00	-0.15	4.94	3	Horizontal	188	1.50	-

802.11ax HEW160_Nss4,(MCS0)_4TX

10/04/2019

5570MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT_Y_4TX
 Setting 51
 01-C-5-10
 FSP
 High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.424G	65.19	74.00	-8.81	5.08	3	Vertical	183	2.30	-
AV	5.442G	53.16	54.00	-0.84	5.16	3	Vertical	183	2.30	-
PK	5.463G	63.28	68.20	-4.92	5.23	3	Vertical	183	2.30	-
PK	5.573G	103.43	Inf	-Inf	5.58	3	Vertical	183	2.30	-
AV	5.573G	93.82	Inf	-Inf	5.58	3	Vertical	183	2.30	-
PK	5.726G	63.11	68.20	-5.09	5.79	3	Vertical	183	2.30	-

802.11ax HEW160_Nss4,(MCS0)_4TX

10/04/2019

5570MHz_TX



EUT Y_4TX
Setting 51
01-C-5-10
FSP
High 70 degree

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.452G	62.35	74.00	-11.65	5.19	3	Horizontal	175	1.48	-
AV	5.452G	53.76	54.00	-0.24	5.19	3	Horizontal	175	1.48	-
PK	5.463G	60.82	68.20	-7.38	5.23	3	Horizontal	175	1.48	-
PK	5.581G	104.11	Inf	-Inf	5.58	3	Horizontal	175	1.48	-
AV	5.566G	93.32	Inf	-Inf	5.55	3	Horizontal	175	1.48	-
PK	5.726G	64.83	68.20	-3.37	5.79	3	Horizontal	175	1.48	-