



Radio2-CDD

Profile: 2032034R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.155	29.028	-33.845	74.000	11.126	PK
2	*	15540.000	51.079	33.191	-22.921	74.000	17.888	PK

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.155	29.028	-33.845	74.000	11.126	PK
2	*	15540.000	51.079	33.191	-22.921	74.000	17.888	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.968	28.854	-34.032	74.000	11.114	PK
2	*	15660.000	50.158	33.025	-23.842	74.000	17.133	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.304	25.190	-37.696	74.000	11.114	PK
2	*	15660.000	46.461	29.328	-27.539	74.000	17.133	PK

Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.758	26.858	-36.242	74.000	10.900	PK
2	*	15720.000	50.016	31.272	-23.984	74.000	18.744	PK

Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	36.985	26.085	-37.015	74.000	10.900	PK
2		15720.000	-874.266	-893.010	-948.266	74.000	18.744	PK

Profile: 2032034R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.288	26.538	-34.712	74.000	12.751	PK
2	*	17235.000	52.178	31.952	-21.822	74.000	20.226	PK

Profile: 2032034R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.312	24.562	-36.688	74.000	12.751	PK
2	*	17235.000	49.647	29.421	-24.353	74.000	20.226	PK

Profile: 2032034R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.016	26.860	-33.984	74.000	13.156	PK
2	*	17355.000	53.644	30.645	-20.356	74.000	22.998	PK

Profile: 2032034R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.534	25.378	-35.466	74.000	13.156	PK
2	*	17355.000	52.101	29.102	-21.899	74.000	22.998	PK

Profile: 2032034R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.845	26.955	-33.155	74.000	13.889	PK
2	*	17475.000	52.408	30.825	-21.592	74.000	21.583	PK

Profile: 2032034R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.666	25.776	-34.334	74.000	13.889	PK
2	*	17475.000	51.087	29.504	-22.913	74.000	21.583	PK

Profile: 2032034R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.811	27.684	-35.189	74.000	11.126	PK
2	*	15540.000	49.167	31.279	-24.833	74.000	17.888	PK

Profile: 2032034R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.704	25.577	-37.296	74.000	11.126	PK
2	*	15540.000	47.777	29.889	-26.223	74.000	17.888	PK

Profile: 2032034R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	38.324	27.210	-35.676	74.000	11.114	PK
2	*	15660.000	48.650	31.517	-25.350	74.000	17.133	PK

Profile: 2032034R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.455	24.341	-38.545	74.000	11.114	PK
2	*	15660.000	47.148	30.015	-26.852	74.000	17.133	PK

Profile: 2032034R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.761	26.861	-36.239	74.000	10.900	PK
2	*	15720.000	49.306	30.562	-24.694	74.000	18.744	PK

Profile: 2032034R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	35.570	24.670	-38.430	74.000	10.900	PK
2	*	15720.000	48.309	29.565	-25.691	74.000	18.744	PK

Profile: 2032034R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.537	26.787	-34.463	74.000	12.751	PK
2	*	17235.000	51.981	31.755	-22.019	74.000	20.226	PK

Profile: 2032034R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.214	25.464	-35.786	74.000	12.751	PK
2	*	17235.000	49.944	29.718	-24.056	74.000	20.226	PK

Profile: 2032034R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.954	27.798	-33.046	74.000	13.156	PK
2	*	17355.000	53.726	30.727	-20.274	74.000	22.998	PK

Profile: 2032034R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	37.733	24.577	-36.267	74.000	13.156	PK
2	*	17355.000	51.555	28.556	-22.445	74.000	22.998	PK

Profile: 2032034R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.647	26.757	-33.353	74.000	13.889	PK
2	*	17475.000	52.445	30.862	-21.555	74.000	21.583	PK

Profile: 2032034R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.337	25.447	-34.663	74.000	13.889	PK
2	*	17475.000	51.198	29.615	-22.802	74.000	21.583	PK

Profile: 2032034R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	38.405	27.242	-35.595	74.000	11.163	PK
2	*	15570.000	48.622	31.593	-25.378	74.000	17.029	PK

Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	35.702	24.539	-38.298	74.000	11.163	PK
2	*	15570.000	46.350	29.321	-27.650	74.000	17.029	PK

Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.554	26.587	-36.446	74.000	10.967	PK
2	*	15690.000	48.062	29.486	-25.938	74.000	18.576	PK

Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.944	24.977	-38.056	74.000	10.967	PK
2	*	15690.000	49.183	30.607	-24.817	74.000	18.576	PK

Profile: 2032034R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.420	27.369	-33.580	74.000	13.051	PK
2	*	17265.000	51.798	31.070	-22.202	74.000	20.728	PK

Profile: 2032034R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.184	25.133	-35.816	74.000	13.051	PK
2	*	17265.000	49.899	29.171	-24.101	74.000	20.728	PK

Profile: 2032034R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.817	26.494	-34.183	74.000	13.324	PK
2	*	17385.000	52.616	30.441	-21.384	74.000	22.175	PK

Profile: 2032034R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.619	25.296	-35.381	74.000	13.324	PK
2	*	17385.000	51.203	29.028	-22.797	74.000	22.175	PK

Profile: 2032034R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.927	26.800	-36.073	74.000	11.126	PK
2	*	15540.000	49.593	31.705	-24.407	74.000	17.888	PK

Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.396	26.269	-36.604	74.000	11.126	PK
2	*	15540.000	47.994	30.106	-26.006	74.000	17.888	PK

Profile: 2032034R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.793	26.679	-36.207	74.000	11.114	PK
2	*	15660.000	48.359	31.226	-25.641	74.000	17.133	PK

Profile: 2032034R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.479	24.365	-38.521	74.000	11.114	PK
2	*	15660.000	47.223	30.090	-26.777	74.000	17.133	PK

Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.069	26.169	-36.931	74.000	10.900	PK
2	*	15720.000	48.331	29.587	-25.669	74.000	18.744	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.722	25.822	-37.278	74.000	10.900	PK
2	*	15720.000	48.333	29.589	-25.667	74.000	18.744	PK

Profile: 2032034R	Page No.: 119
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.814	26.064	-35.186	74.000	12.751	PK
2	*	17235.000	50.099	29.873	-23.901	74.000	20.226	PK

Profile: 2032034R	Page No.: 120
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.827	26.077	-35.173	74.000	12.751	PK
2	*	17235.000	49.250	29.024	-24.750	74.000	20.226	PK

Profile: 2032034R	Page No.: 121
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.248	27.092	-33.752	74.000	13.156	PK
2	*	17355.000	53.080	30.081	-20.920	74.000	22.998	PK

Profile: 2032034R	Page No.: 122
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.651	25.495	-35.349	74.000	13.156	PK
2	*	17355.000	51.720	28.721	-22.280	74.000	22.998	PK

Profile: 2032034R	Page No.: 123
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11650.000	39.432	25.542	-34.568	74.000	13.889	PK
2		17475.000	-871.427	-893.010	-945.427	74.000	21.583	PK

Profile: 2032034R	Page No.: 124
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.788	25.898	-34.212	74.000	13.889	PK
2	*	17475.000	50.649	29.066	-23.351	74.000	21.583	PK

Profile: 2032034R	Page No.: 125
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.633	25.470	-37.367	74.000	11.163	PK
2	*	15570.000	46.935	29.906	-27.065	74.000	17.029	PK

Profile: 2032034R	Page No.: 126
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.224	26.061	-36.776	74.000	11.163	PK
2	*	15570.000	47.156	30.127	-26.844	74.000	17.029	PK

Profile: 2032034R	Page No.: 127
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.300	26.333	-36.700	74.000	10.967	PK
2	*	15690.000	50.633	32.057	-23.367	74.000	18.576	PK

Profile: 2032034R	Page No.: 128
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.672	25.705	-37.328	74.000	10.967	PK
2	*	15690.000	48.816	30.240	-25.184	74.000	18.576	PK

Profile: 2032034R	Page No.: 129
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.585	27.534	-33.415	74.000	13.051	PK
2	*	17265.000	52.397	31.669	-21.603	74.000	20.728	PK

Profile: 2032034R	Page No.: 130
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.730	25.679	-35.270	74.000	13.051	PK
2	*	17265.000	49.713	28.985	-24.287	74.000	20.728	PK

Profile: 2032034R	Page No.: 131
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	37.726	24.403	-36.274	74.000	13.324	PK
2	*	17385.000	50.583	28.408	-23.417	74.000	22.175	PK

Profile: 2032034R	Page No.: 132
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.040	25.717	-34.960	74.000	13.324	PK
2	*	17385.000	51.474	29.299	-22.526	74.000	22.175	PK

Profile: 2032034R	Page No.: 133
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	37.493	26.849	-36.507	74.000	10.645	PK
2	*	15630.000	47.771	31.429	-26.229	74.000	16.342	PK

Profile: 2032034R	Page No.: 134
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	35.980	25.336	-38.020	74.000	10.645	PK
2	*	15630.000	45.903	29.561	-28.097	74.000	16.342	PK

Profile: 2032034R	Page No.: 135
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	39.344	26.071	-34.656	74.000	13.272	PK
2	*	17325.000	52.260	29.980	-21.740	74.000	22.280	PK

Profile: 2032034R	Page No.: 136
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.002	26.729	-33.998	74.000	13.272	PK
2	*	17325.000	50.355	28.075	-23.645	74.000	22.280	PK

Profile: 2032034R	Page No.: 137
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.555	27.428	-35.445	74.000	11.126	PK
2	*	15540.000	49.802	31.914	-24.198	74.000	17.888	PK

Profile: 2032034R	Page No.: 138
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.901	25.774	-37.099	74.000	11.126	PK
2	*	15540.000	47.095	29.207	-26.905	74.000	17.888	PK

Profile: 2032034R	Page No.: 139
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.865	25.751	-37.135	74.000	11.114	PK
2	*	15660.000	46.524	29.391	-27.476	74.000	17.133	PK

Profile: 2032034R	Page No.: 140
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.378	25.264	-37.622	74.000	11.114	PK
2	*	15660.000	47.099	29.966	-26.901	74.000	17.133	PK

Profile: 2032034R	Page No.: 141
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.815	26.915	-36.185	74.000	10.900	PK
2	*	15720.000	49.758	31.014	-24.242	74.000	18.744	PK

Profile: 2032034R	Page No.: 142
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.719	26.819	-36.281	74.000	10.900	PK
2	*	15720.000	48.091	29.347	-25.909	74.000	18.744	PK

Profile: 2032034R	Page No.: 143
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.422	26.672	-34.578	74.000	12.751	PK
2	*	17235.000	51.082	30.856	-22.918	74.000	20.226	PK

Profile: 2032034R	Page No.: 144
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.671	24.921	-36.329	74.000	12.751	PK
2	*	17235.000	49.489	29.263	-24.511	74.000	20.226	PK

Profile: 2032034R	Page No.: 145
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.520	27.364	-33.480	74.000	13.156	PK
2	*	17355.000	53.038	30.039	-20.962	74.000	22.998	PK

Profile: 2032034R	Page No.: 146
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.914	25.758	-35.086	74.000	13.156	PK
2	*	17355.000	51.491	28.492	-22.509	74.000	22.998	PK

Profile: 2032034R	Page No.: 147
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.652	26.762	-33.348	74.000	13.889	PK
2	*	17475.000	52.730	31.147	-21.270	74.000	21.583	PK

Profile: 2032034R	Page No.: 148
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.320	25.430	-34.680	74.000	13.889	PK
2	*	17475.000	51.030	29.447	-22.970	74.000	21.583	PK

Profile: 2032034R	Page No.: 149
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.209	26.046	-36.791	74.000	11.163	PK
2	*	15570.000	47.694	30.665	-26.306	74.000	17.029	PK

Profile: 2032034R	Page No.: 150
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.923	26.760	-36.077	74.000	11.163	PK
2	*	15570.000	47.964	30.935	-26.036	74.000	17.029	PK

Profile: 2032034R	Page No.: 151
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	38.011	27.044	-35.989	74.000	10.967	PK
2	*	15690.000	50.200	31.624	-23.800	74.000	18.576	PK

Profile: 2032034R	Page No.: 152
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.001	26.034	-36.999	74.000	10.967	PK
2	*	15690.000	47.951	29.375	-26.049	74.000	18.576	PK

Profile: 2032034R	Page No.: 153
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.591	27.540	-33.409	74.000	13.051	PK
2	*	17265.000	51.157	30.429	-22.843	74.000	20.728	PK

Profile: 2032034R	Page No.: 154
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.179	25.128	-35.821	74.000	13.051	PK
2	*	17265.000	50.298	29.570	-23.702	74.000	20.728	PK

Profile: 2032034R	Page No.: 155
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	37.736	24.413	-36.264	74.000	13.324	PK
2	*	17385.000	50.448	28.273	-23.552	74.000	22.175	PK

Profile: 2032034R	Page No.: 156
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.384	25.061	-35.616	74.000	13.324	PK
2	*	17385.000	51.015	28.840	-22.985	74.000	22.175	PK

Profile: 2032034R	Page No.: 157
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	37.181	26.537	-36.819	74.000	10.645	PK
2	*	15630.000	48.410	32.068	-25.590	74.000	16.342	PK

Profile: 2032034R	Page No.: 158
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	35.835	25.191	-38.165	74.000	10.645	PK
2	*	15630.000	45.968	29.626	-28.032	74.000	16.342	PK

Profile: 2032034R	Page No.: 159
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.321	27.048	-33.679	74.000	13.272	PK
2	*	17325.000	53.652	31.372	-20.348	74.000	22.280	PK


Profile: 2032034R	Page No.: 160
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	38.608	25.335	-35.392	74.000	13.272	PK
2	*	17325.000	51.917	29.637	-22.083	74.000	22.280	PK


Radio3-5G full band mode-2*2 CDD

Profile: 2032034R	Page No.: 2
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.905	26.779	-36.095	74.000	11.126	PK
2	*	15540.000	49.724	31.836	-24.276	74.000	17.888	PK

Profile: 2032034R	Page No.: 3
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.616	31.490	-31.384	74.000	11.126	PK
2	*	15540.000	50.399	32.511	-23.601	74.000	17.888	PK

Profile: 2032034R	Page No.: 4
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.645	26.531	-36.355	74.000	11.114	PK
2	*	15660.000	48.930	31.797	-25.070	74.000	17.133	PK

Profile: 2032034R	Page No.: 5
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.361	25.247	-37.639	74.000	11.114	PK
2	*	15660.000	49.618	32.485	-24.382	74.000	17.133	PK

Profile: 2032034R	Page No.: 6
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.695	26.795	-36.305	74.000	10.900	PK
2	*	15720.000	48.789	30.045	-25.211	74.000	18.744	PK

Profile: 2032034R	Page No.: 7
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.22	27.32	-35.78	74.000	10.900	PK
2	*	15720.000	49.608	30.864	-24.392	74.000	18.744	PK

Profile: 2032034R	Page No.: 8
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.503	27.752	-33.497	74.000	12.751	PK
2	*	17235.000	51.990	31.764	-22.010	74.000	20.226	PK

Profile: 2032034R	Page No.: 9
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.562	24.811	-36.438	74.000	12.751	PK
2	*	17235.000	48.251	28.025	-25.749	74.000	20.226	PK

Profile: 2032034R	Page No.: 10
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.219	28.063	-32.781	74.000	13.156	PK
2	*	17355.000	52.967	29.969	-21.033	74.000	22.998	PK

Profile: 2032034R	Page No.: 11
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.685	27.529	-33.315	74.000	13.156	PK
2	*	17355.000	51.851	28.853	-22.149	74.000	22.998	PK

Profile: 2032034R	Page No.: 12
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.325	25.436	-34.675	74.000	13.889	PK
2	*	17475.000	52.206	30.623	-21.794	74.000	21.583	PK

Profile: 2032034R	Page No.: 13
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.256	27.367	-32.744	74.000	13.889	PK
2	*	17475.000	51.436	29.853	-22.564	74.000	21.583	PK

Profile: 2032034R	Page No.: 14
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.727	28.601	-34.273	74.000	11.126	PK
2	*	15540.000	46.468	28.58	-27.532	74.000	17.888	PK

Profile: 2032034R	Page No.: 15
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.349	27.223	-35.651	74.000	11.126	PK
2	*	15540.000	49.199	31.311	-24.801	74.000	17.888	PK

Profile: 2032034R	Page No.: 16
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.829	26.715	-36.171	74.000	11.114	PK
2	*	15660.000	47.997	30.864	-26.003	74.000	17.133	PK

Profile: 2032034R	Page No.: 17
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.469	25.355	-37.531	74.000	11.114	PK
2	*	15660.000	47.131	29.998	-26.869	74.000	17.133	PK

Profile: 2032034R	Page No.: 18
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.527	27.627	-35.473	74.000	10.900	PK
2	*	15720.000	49.236	30.492	-24.764	74.000	18.744	PK

Profile: 2032034R	Page No.: 19
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.583	27.683	-35.417	74.000	10.900	PK
2	*	15720.000	49.499	30.755	-24.501	74.000	18.744	PK

Profile: 2032034R	Page No.: 20
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.465	26.714	-34.535	74.000	12.751	PK
2	*	17235.000	50.557	30.331	-23.443	74.000	20.226	PK

Profile: 2032034R	Page No.: 21
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.485	25.734	-35.515	74.000	12.751	PK
2	*	17235.000	50.439	30.213	-23.561	74.000	20.226	PK

Profile: 2032034R	Page No.: 22
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.404	26.248	-34.596	74.000	13.156	PK
2	*	17355.000	52.955	29.957	-21.045	74.000	22.998	PK

Profile: 2032034R	Page No.: 23
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.391	26.235	-34.609	74.000	13.156	PK
2	*	17355.000	54.040	31.042	-19.960	74.000	22.998	PK

Profile: 2032034R	Page No.: 24
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.547	25.658	-34.453	74.000	13.889	PK
2	*	17475.000	50.642	29.059	-23.358	74.000	21.583	PK

Profile: 2032034R	Page No.: 25
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.335	25.446	-34.665	74.000	13.889	PK
2	*	17475.000	50.832	29.249	-23.168	74.000	21.583	PK

Profile: 2032034R	Page No.: 26
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.654	26.491	-36.346	74.000	11.163	PK
2	*	15570.000	48.224	31.195	-25.776	74.000	17.029	PK

Profile: 2032034R	Page No.: 27
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.478	28.315	-34.522	74.000	11.163	PK
2	*	15570.000	46.324	29.295	-27.676	74.000	17.029	PK

Profile: 2032034R	Page No.: 28
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	38.549	27.582	-35.451	74.000	10.967	PK
2	*	15690.000	49.357	30.781	-24.643	74.000	18.576	PK

Profile: 2032034R	Page No.: 29
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.885	25.918	-37.115	74.000	10.967	PK
2	*	15690.000	49.491	30.915	-24.509	74.000	18.576	PK

Profile: 2032034R	Page No.: 30
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.285	26.234	-34.715	74.000	13.051	PK
2	*	17265.000	50.448	29.72	-23.552	74.000	20.728	PK

Profile: 2032034R	Page No.: 31
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.741	25.690	-35.259	74.000	13.051	PK
2	*	17265.000	51.287	30.559	-22.713	74.000	20.728	PK

Profile: 2032034R	Page No.: 32
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.110	25.786	-34.890	74.000	13.324	PK
2	*	17385.000	50.919	28.744	-23.081	74.000	22.175	PK

Profile: 2032034R	Page No.: 33
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.827	25.503	-35.173	74.000	13.324	PK
2	*	17385.000	51.073	28.898	-22.927	74.000	22.175	PK

Profile: 2032034R	Page No.: 34
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.114	26.988	-35.886	74.000	11.126	PK
2	*	15540.000	48.728	30.840	-25.272	74.000	17.888	PK

Profile: 2032034R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.876	25.750	-37.124	74.000	11.126	PK
2	*	15540.000	48.745	30.857	-25.255	74.000	17.888	PK

Profile: 2032034R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	38.218	27.104	-35.782	74.000	11.114	PK
2	*	15660.000	48.656	31.523	-25.344	74.000	17.133	PK

Profile: 2032034R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.548	26.434	-36.452	74.000	11.114	PK
2	*	15660.000	49.642	32.509	-24.358	74.000	17.133	PK

Profile: 2032034R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.448	26.548	-36.552	74.000	10.900	PK
2	*	15720.000	47.245	28.501	-26.755	74.000	18.744	PK

Profile: 2032034R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.875	25.975	-37.125	74.000	10.900	PK
2	*	15720.000	49.632	30.888	-24.368	74.000	18.744	PK

Profile: 2032034R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.446	25.695	-35.554	74.000	12.751	PK
2	*	17235.000	50.244	30.018	-23.756	74.000	20.226	PK

Profile: 2032034R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.395	27.644	-33.605	74.000	12.751	PK
2	*	17235.000	50.281	30.055	-23.719	74.000	20.226	PK

Profile: 2032034R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.654	27.498	-33.346	74.000	13.156	PK
2	*	17355.000	52.763	29.765	-21.237	74.000	22.998	PK

Profile: 2032034R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.436	27.28	-33.564	74.000	13.156	PK
2	*	17355.000	51.237	28.239	-22.763	74.000	22.998	PK

Profile: 2032034R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.568	27.679	-32.432	74.000	13.889	PK
2	*	17475.000	50.546	28.963	-23.454	74.000	21.583	PK

Profile: 2032034R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.654	28.765	-31.346	74.000	13.889	PK
2	*	17475.000	51.624	30.041	-22.376	74.000	21.583	PK

Profile: 2032034R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.624	26.461	-36.376	74.000	11.163	PK
2	*	15570.000	48.225	31.196	-25.775	74.000	17.029	PK

Profile: 2032034R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.567	25.404	-37.433	74.000	11.163	PK
2	*	15570.000	48.392	31.363	-25.608	74.000	17.029	PK

Profile: 2032034R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	38.514	27.547	-35.486	74.000	10.967	PK
2	*	15690.000	48.265	29.689	-25.735	74.000	18.576	PK

Profile: 2032034R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.569	25.602	-37.431	74.000	10.967	PK
2	*	15690.000	47.735	29.159	-26.265	74.000	18.576	PK

Profile: 2032034R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.448	26.397	-34.552	74.000	13.051	PK
2	*	17265.000	51.688	30.96	-22.312	74.000	20.728	PK

Profile: 2032034R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.213	26.162	-34.787	74.000	13.051	PK
2	*	17265.000	51.127	30.399	-22.873	74.000	20.728	PK

Profile: 2032034R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.265	26.941	-33.735	74.000	13.324	PK
2	*	17385.000	52.495	30.32	-21.505	74.000	22.175	PK

Profile: 2032034R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.329	28.005	-32.671	74.000	13.324	PK
2	*	17385.000	51.654	29.479	-22.346	74.000	22.175	PK

Profile: 2032034R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.456	25.811	-37.544	74.000	10.645	PK
2	*	15630.000	47.573	31.231	-26.427	74.000	16.342	PK

Profile: 2032034R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	37.247	26.602	-36.753	74.000	10.645	PK
2	*	15630.000	48.264	31.922	-25.736	74.000	16.342	PK

Profile: 2032034R	Page No.: 162
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.654	29.382	-31.346	74.000	13.272	PK
2	*	17325.000	55.146	32.866	-18.854	74.000	22.280	PK

Profile: 2032034R	Page No.: 163
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	39.285	26.013	-34.715	74.000	13.272	PK
2	*	17325.000	51.896	29.616	-22.104	74.000	22.280	PK

Profile: 2032034R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.599	29.473	-33.401	74.000	11.126	PK
2	*	15540.000	50.487	32.599	-23.513	74.000	17.888	PK

Profile: 2032034R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.973	29.847	-33.027	74.000	11.126	PK
2	*	15540.000	51.673	33.785	-22.327	74.000	17.888	PK

Profile: 2032034R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	38.734	27.620	-35.266	74.000	11.114	PK
2	*	15660.000	49.370	32.237	-24.630	74.000	17.133	PK

Profile: 2032034R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.418	26.304	-36.582	74.000	11.114	PK
2	*	15660.000	47.481	30.348	-26.519	74.000	17.133	PK

Profile: 2032034R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.147	27.247	-35.853	74.000	10.900	PK
2	*	15720.000	50.984	32.24	-23.016	74.000	18.744	PK

Profile: 2032034R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.178	25.278	-37.822	74.000	10.900	PK
2	*	15720.000	47.824	29.08	-26.176	74.000	18.744	PK

Profile: 2032034R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.247	27.496	-33.753	74.000	12.751	PK
2	*	17235.000	52.634	32.408	-21.366	74.000	20.226	PK

Profile: 2032034R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.172	25.421	-35.828	74.000	12.751	PK
2	*	17235.000	50.247	30.021	-23.753	74.000	20.226	PK

Profile: 2032034R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.285	28.129	-32.715	74.000	13.156	PK
2	*	17355.000	53.379	30.381	-20.621	74.000	22.998	PK

Profile: 2032034R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.366	27.21	-33.634	74.000	13.156	PK
2	*	17355.000	54.248	31.25	-19.752	74.000	22.998	PK

Profile: 2032034R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.127	26.238	-33.873	74.000	13.889	PK
2	*	17475.000	50.548	28.965	-23.452	74.000	21.583	PK

Profile: 2032034R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	38.931	25.042	-35.069	74.000	13.889	PK
2	*	17475.000	51.234	29.651	-22.766	74.000	21.583	PK

Profile: 2032034R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.591	26.428	-36.409	74.000	11.163	PK
2	*	15570.000	49.875	32.846	-24.125	74.000	17.029	PK

Profile: 2032034R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.248	26.085	-36.752	74.000	11.163	PK
2	*	15570.000	48.567	31.538	-25.433	74.000	17.029	PK

Profile: 2032034R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.148	26.181	-36.852	74.000	10.967	PK
2	*	15690.000	50.571	31.995	-23.429	74.000	18.576	PK

Profile: 2032034R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	38.447	27.48	-35.553	74.000	10.967	PK
2	*	15690.000	51.493	32.917	-22.507	74.000	18.576	PK

Profile: 2032034R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.243	27.192	-33.757	74.000	13.051	PK
2	*	17265.000	52.682	31.954	-21.318	74.000	20.728	PK

Profile: 2032034R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.211	28.16	-32.789	74.000	13.051	PK
2	*	17265.000	50.431	29.703	-23.569	74.000	20.728	PK

Profile: 2032034R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.399	25.075	-35.601	74.000	13.324	PK
2	*	17385.000	53.124	30.949	-20.876	74.000	22.175	PK

Profile: 2032034R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.119	26.795	-33.881	74.000	13.324	PK
2	*	17385.000	54.234	32.059	-19.766	74.000	22.175	PK

Profile: 2032034R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	37.212	26.567	-36.788	74.000	10.645	PK
2	*	15630.000	46.399	30.057	-27.601	74.000	16.342	PK

Profile: 2032034R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.278	25.633	-37.722	74.000	10.645	PK
2	*	15630.000	47.843	31.501	-26.157	74.000	16.342	PK

Profile: 2032034R	Page No.: 166
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.392	28.12	-32.608	74.000	13.272	PK
2	*	17325.000	54.107	31.827	-19.893	74.000	22.280	PK


Profile: 2032034R	Page No.: 167
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.288	27.016	-33.712	74.000	13.272	PK
2	*	17325.000	51.334	29.054	-22.666	74.000	22.280	PK


Radio3-5G full band mode-4*4 CDD

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.947	28.821	-34.053	74.000	11.126	PK
2	*	15540.000	50.272	32.384	-23.728	74.000	17.888	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.263	25.137	-37.737	74.000	11.126	PK
2	*	15540.000	47.288	29.400	-26.712	74.000	17.888	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.151	26.037	-36.849	74.000	11.114	PK
2	*	15660.000	47.057	29.924	-26.943	74.000	17.133	PK

Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.748	26.634	-36.252	74.000	11.114	PK
2	*	15660.000	46.649	29.516	-27.351	74.000	17.133	PK

Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.456	25.556	-37.544	74.000	10.900	PK
2	*	15720.000	46.953	28.209	-27.047	74.000	18.744	PK

Profile: 2032034R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.429	25.529	-37.571	74.000	10.900	PK
2	*	15720.000	48.400	29.656	-25.600	74.000	18.744	PK

Profile: 2032034R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.831	25.080	-36.169	74.000	12.751	PK
2	*	17235.000	48.855	28.629	-25.145	74.000	20.226	PK

Profile: 2032034R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.203	27.452	-33.797	74.000	12.751	PK
2	*	17235.000	50.557	30.331	-23.443	74.000	20.226	PK

Profile: 2032034R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	37.704	24.548	-36.296	74.000	13.156	PK
2	*	17355.000	50.790	27.792	-23.210	74.000	22.998	PK

Profile: 2032034R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	36.957	23.801	-37.043	74.000	13.156	PK
2	*	17355.000	52.116	29.118	-21.884	74.000	22.998	PK

Profile: 2032034R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.092	25.203	-34.908	74.000	13.889	PK
2	*	17475.000	50.652	29.069	-23.348	74.000	21.583	PK

Profile: 2032034R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.512	27.623	-32.488	74.000	13.889	PK
2	*	17475.000	51.935	30.352	-22.065	74.000	21.583	PK

Profile: 2032034R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.567	25.441	-37.433	74.000	11.126	PK
2	*	15540.000	48.566	30.678	-25.434	74.000	17.888	PK

Profile: 2032034R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.359	28.233	-35.556	74.000	11.126	PK
2	*	15540.000	50.406	32.518	-23.616	74.000	17.888	PK

Profile: 2032034R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.736	26.622	-36.264	74.000	11.114	PK
2	*	15660.000	47.840	30.707	-26.160	74.000	17.133	PK

Profile: 2032034R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.423	26.309	-36.577	74.000	11.114	PK
2	*	15660.000	46.314	29.181	-27.686	74.000	17.133	PK

Profile: 2032034R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.294	25.394	-37.706	74.000	10.900	PK
2	*	15720.000	47.172	28.428	-26.828	74.000	18.744	PK

Profile: 2032034R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.234	27.334	-35.766	74.000	10.900	PK
2	*	15720.000	50.544	31.800	-23.456	74.000	18.744	PK

Profile: 2032034R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.188	25.437	-35.812	74.000	12.751	PK
2	*	17235.000	49.226	29.000	-24.774	74.000	20.226	PK

Profile: 2032034R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.987	27.236	-34.013	74.000	12.751	PK
2	*	17235.000	49.607	29.381	-24.393	74.000	20.226	PK

Profile: 2032034R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.055	24.899	-35.945	74.000	13.156	PK
2	*	17355.000	50.939	27.941	-23.061	74.000	22.998	PK

Profile: 2032034R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	37.352	24.196	-36.648	74.000	13.156	PK
2	*	17355.000	52.189	29.191	-21.811	74.000	22.998	PK

Profile: 2032034R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	38.721	24.832	-35.279	74.000	13.889	PK
2	*	17475.000	50.345	28.762	-23.655	74.000	21.583	PK

Profile: 2032034R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.766	26.877	-33.234	74.000	13.889	PK
2	*	17475.000	51.869	30.286	-22.131	74.000	21.583	PK

Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	35.990	24.827	-38.010	74.000	11.163	PK
2	*	15570.000	46.859	29.830	-27.141	74.000	17.029	PK

Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.652	25.489	-37.348	74.000	11.163	PK
2	*	15570.000	47.777	30.748	-26.223	74.000	17.029	PK

Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.994	25.027	-38.006	74.000	10.967	PK
2	*	15690.000	46.738	28.162	-27.262	74.000	18.576	PK

Profile: 2032034R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.699	25.732	-37.301	74.000	10.967	PK
2	*	15690.000	48.112	29.536	-25.888	74.000	18.576	PK

Profile: 2032034R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.300	25.249	-35.700	74.000	13.051	PK
2	*	17265.000	50.340	29.612	-23.660	74.000	20.728	PK

Profile: 2032034R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.662	25.611	-35.338	74.000	13.051	PK
2	*	17265.000	50.082	29.354	-23.918	74.000	20.728	PK

Profile: 2032034R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.141	25.817	-34.859	74.000	13.324	PK
2	*	17385.000	50.334	28.159	-23.666	74.000	22.175	PK

Profile: 2032034R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.089	25.765	-34.911	74.000	13.324	PK
2	*	17385.000	51.265	29.090	-22.735	74.000	22.175	PK

Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.276	26.150	-36.724	74.000	11.126	PK
2	*	15540.000	48.410	30.522	-25.590	74.000	17.888	PK

Profile: 2032034R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.230	27.104	-35.770	74.000	11.126	PK
2	*	15540.000	48.679	30.791	-25.321	74.000	17.888	PK

Profile: 2032034R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.086	24.972	-37.914	74.000	11.114	PK
2	*	15660.000	46.964	29.831	-27.036	74.000	17.133	PK

Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.188	26.074	-36.812	74.000	11.114	PK
2	*	15660.000	46.089	28.956	-27.911	74.000	17.133	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.225	25.325	-37.775	74.000	10.900	PK
2	*	15720.000	47.311	28.567	-26.689	74.000	18.744	PK

Profile: 2032034R	Page No.: 119
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.387	25.487	-37.613	74.000	10.900	PK
2	*	15720.000	48.176	29.432	-25.824	74.000	18.744	PK

Profile: 2032034R	Page No.: 120
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.443	25.692	-35.557	74.000	12.751	PK
2	*	17235.000	48.645	28.419	-25.355	74.000	20.226	PK