



|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 126            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.224                 | 26.061               | -36.776         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 47.156                 | 30.127               | -26.844         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 127            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 37.300                 | 26.333               | -36.700         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 50.633                 | 32.057               | -23.367         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 128            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.672                 | 25.705               | -37.328         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 48.816                 | 30.240               | -25.184         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 133            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 37.493                 | 26.849               | -36.507         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 47.771                 | 31.429               | -26.229         | 74.000         | 16.342      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 134            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 35.980                 | 25.336               | -38.020         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 45.903                 | 29.561               | -28.097         | 74.000         | 16.342      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 137            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 38.555                 | 27.428               | -35.445         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 49.802                 | 31.914               | -24.198         | 74.000         | 17.888      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 138            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 36.901                 | 25.774               | -37.099         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 47.095                 | 29.207               | -26.905         | 74.000         | 17.888      | PK   |


|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 139            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 36.865                 | 25.751               | -37.135         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 46.524                 | 29.391               | -27.476         | 74.000         | 17.133      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 140            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 36.378                 | 25.264               | -37.622         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 47.099                 | 29.966               | -26.901         | 74.000         | 17.133      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 141            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 37.815                 | 26.915               | -36.185         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 49.758                 | 31.014               | -24.242         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 142            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 37.719                 | 26.819               | -36.281         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 48.091                 | 29.347               | -25.909         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 149            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.209                 | 26.046               | -36.791         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 47.694                 | 30.665               | -26.306         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 150            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.923                 | 26.760               | -36.077         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 47.964                 | 30.935               | -26.036         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 151            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 38.011                 | 27.044               | -35.989         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 50.200                 | 31.624               | -23.800         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 152            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 37.001                 | 26.034               | -36.999         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 47.951                 | 29.375               | -26.049         | 74.000         | 18.576      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 157            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 37.181                 | 26.537               | -36.819         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 48.410                 | 32.068               | -25.590         | 74.000         | 16.342      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 158            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 21:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 35.835                 | 25.191               | -38.165         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 45.968                 | 29.626               | -28.032         | 74.000         | 16.342      | PK   |


### Radio3-5G full band mode-2\*2 CDD

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 2              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:33 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 37.905                 | 26.779               | -36.095         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 49.724                 | 31.836               | -24.276         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 3              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:34 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.616                 | 31.490               | -31.384         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 50.399                 | 32.511               | -23.601         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 4              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:35 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.645                 | 26.531               | -36.355         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 48.930                 | 31.797               | -25.070         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 5              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:35 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 36.361                 | 25.247               | -37.639         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 49.618                 | 32.485               | -24.382         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 6              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:37 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 37.695                 | 26.795               | -36.305         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 48.789                 | 30.045               | -25.211         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 7              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:37 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 38.22                  | 27.32                | -35.78          | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 49.608                 | 30.864               | -24.392         | 74.000         | 18.744      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 8              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:38 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.503                 | 27.752               | -33.497         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 51.990                 | 31.764               | -22.010         | 74.000         | 20.226      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 9              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:38 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 37.562                 | 24.811               | -36.438         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 48.251                 | 28.025               | -25.749         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 10             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:40 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 41.219                 | 28.063               | -32.781         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.967                 | 29.969               | -21.033         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 11             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:40 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 40.685                 | 27.529               | -33.315         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 51.851                 | 28.853               | -22.149         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 12             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:41 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 39.325                 | 25.436               | -34.675         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 52.206                 | 30.623               | -21.794         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 13             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:41 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 41.256                 | 27.367               | -32.744         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 51.436                 | 29.853               | -22.564         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 14             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:51 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 39.727                 | 28.601               | -34.273         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 46.468                 | 28.58                | -27.532         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 15             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:52 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 38.349                 | 27.223               | -35.651         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 49.199                 | 31.311               | -24.801         | 74.000         | 17.888      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 16             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:52 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.829                 | 26.715               | -36.171         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 47.997                 | 30.864               | -26.003         | 74.000         | 17.133      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 17             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 36.469                 | 25.355               | -37.531         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 47.131                 | 29.998               | -26.869         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 18             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 38.527                 | 27.627               | -35.473         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 49.236                 | 30.492               | -24.764         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 19             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 38.583                 | 27.683               | -35.417         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 49.499                 | 30.755               | -24.501         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 20             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 39.465                 | 26.714               | -34.535         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.557                 | 30.331               | -23.443         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 21             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 38.485                 | 25.734               | -35.515         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.439                 | 30.213               | -23.561         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 22             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 39.404                 | 26.248               | -34.596         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.955                 | 29.957               | -21.045         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 23             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 39.391                 | 26.235               | -34.609         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 54.040                 | 31.042               | -19.960         | 74.000         | 22.998      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 24             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 39.547                 | 25.658               | -34.453         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.642                 | 29.059               | -23.358         | 74.000         | 21.583      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 25             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 39.335                 | 25.446               | -34.665         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.832                 | 29.249               | -23.168         | 74.000         | 21.583      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 26             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.654                 | 26.491               | -36.346         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 48.224                 | 31.195               | -25.776         | 74.000         | 17.029      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 27             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 39.478                 | 28.315               | -34.522         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 46.324                 | 29.295               | -27.676         | 74.000         | 17.029      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 28             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 38.549                 | 27.582               | -35.451         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 49.357                 | 30.781               | -24.643         | 74.000         | 18.576      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 29             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.885                 | 25.918               | -37.115         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 49.491                 | 30.915               | -24.509         | 74.000         | 18.576      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 30             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 39.285                 | 26.234               | -34.715         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.448                 | 29.72                | -23.552         | 74.000         | 20.728      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 31             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:58 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 38.741                 | 25.690               | -35.259         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 51.287                 | 30.559               | -22.713         | 74.000         | 20.728      | PK   |


|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 32             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:58 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 39.110                 | 25.786               | -34.890         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 50.919                 | 28.744               | -23.081         | 74.000         | 22.175      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 33             |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 19:58 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 38.827                 | 25.503               | -35.173         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 51.073                 | 28.898               | -22.927         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 34             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 38.114                 | 26.988               | -35.886         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 48.728                 | 30.840               | -25.272         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 35             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 36.876                 | 25.750               | -37.124         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 48.745                 | 30.857               | -25.255         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 36             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:01 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 38.218                 | 27.104               | -35.782         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 48.656                 | 31.523               | -25.344         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 37             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:01 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.548                 | 26.434               | -36.452         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 49.642                 | 32.509               | -24.358         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 38             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 37.448                 | 26.548               | -36.552         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 47.245                 | 28.501               | -26.755         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 39             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.875                 | 25.975               | -37.125         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 49.632                 | 30.888               | -24.368         | 74.000         | 18.744      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 40             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 38.446                 | 25.695               | -35.554         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.244                 | 30.018               | -23.756         | 74.000         | 20.226      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 41             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.395                 | 27.644               | -33.605         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.281                 | 30.055               | -23.719         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 42             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 40.654                 | 27.498               | -33.346         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.763                 | 29.765               | -21.237         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 43             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 40.436                 | 27.28                | -33.564         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 51.237                 | 28.239               | -22.763         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 44             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 41.568                 | 27.679               | -32.432         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.546                 | 28.963               | -23.454         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 45             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 42.654                 | 28.765               | -31.346         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 51.624                 | 30.041               | -22.376         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 46             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.624                 | 26.461               | -36.376         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 48.225                 | 31.196               | -25.775         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 47             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 36.567                 | 25.404               | -37.433         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 48.392                 | 31.363               | -25.608         | 74.000         | 17.029      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 48             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 38.514                 | 27.547               | -35.486         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 48.265                 | 29.689               | -25.735         | 74.000         | 18.576      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 49             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.569                 | 25.602               | -37.431         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 47.735                 | 29.159               | -26.265         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 50             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 39.448                 | 26.397               | -34.552         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 51.688                 | 30.96                | -22.312         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 51             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 39.213                 | 26.162               | -34.787         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 51.127                 | 30.399               | -22.873         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 52             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 40.265                 | 26.941               | -33.735         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 52.495                 | 30.32                | -21.505         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 53             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 41.329                 | 28.005               | -32.671         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 51.654                 | 29.479               | -22.346         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 54             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 36.456                 | 25.811               | -37.544         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 47.573                 | 31.231               | -26.427         | 74.000         | 16.342      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 55             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 37.247                 | 26.602               | -36.753         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 48.264                 | 31.922               | -25.736         | 74.000         | 16.342      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 162            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:52 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 42.654                 | 29.382               | -31.346         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 55.146                 | 32.866               | -18.854         | 74.000         | 22.280      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 163            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:52 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 39.285                 | 26.013               | -34.715         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 51.896                 | 29.616               | -22.104         | 74.000         | 22.280      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 58             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 40.599                 | 29.473               | -33.401         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 50.487                 | 32.599               | -23.513         | 74.000         | 17.888      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 59             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:08 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 40.973                 | 29.847               | -33.027         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 51.673                 | 33.785               | -22.327         | 74.000         | 17.888      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 60             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:08 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 38.734                 | 27.620               | -35.266         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 49.370                 | 32.237               | -24.630         | 74.000         | 17.133      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 61             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:09 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.418                 | 26.304               | -36.582         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 47.481                 | 30.348               | -26.519         | 74.000         | 17.133      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 62             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:09 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 38.147                 | 27.247               | -35.853         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 50.984                 | 32.24                | -23.016         | 74.000         | 18.744      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 63             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:09 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.178                 | 25.278               | -37.822         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 47.824                 | 29.08                | -26.176         | 74.000         | 18.744      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 64             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.247                 | 27.496               | -33.753         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 52.634                 | 32.408               | -21.366         | 74.000         | 20.226      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 65             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:10 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 38.172                 | 25.421               | -35.828         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.247                 | 30.021               | -23.753         | 74.000         | 20.226      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 66             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:10 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 41.285                 | 28.129               | -32.715         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 53.379                 | 30.381               | -20.621         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 67             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:11 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 40.366                 | 27.21                | -33.634         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 54.248                 | 31.25                | -19.752         | 74.000         | 22.998      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 68             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:11 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 40.127                 | 26.238               | -33.873         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.548                 | 28.965               | -23.452         | 74.000         | 21.583      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 69             |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:12 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 38.931                 | 25.042               | -35.069         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 51.234                 | 29.651               | -22.766         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 70             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:12 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.591                 | 26.428               | -36.409         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 49.875                 | 32.846               | -24.125         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 71             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:12 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.248                 | 26.085               | -36.752         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 48.567                 | 31.538               | -25.433         | 74.000         | 17.029      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 72             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:13 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 37.148                 | 26.181               | -36.852         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 50.571                 | 31.995               | -23.429         | 74.000         | 18.576      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 73             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:13 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 38.447                 | 27.48                | -35.553         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 51.493                 | 32.917               | -22.507         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 74             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:13 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 40.243                 | 27.192               | -33.757         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 52.682                 | 31.954               | -21.318         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 75             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:14 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 41.211                 | 28.16                | -32.789         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.431                 | 29.703               | -23.569         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 76             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:14 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 38.399                 | 25.075               | -35.601         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 53.124                 | 30.949               | -20.876         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 77             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:14 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 40.119                 | 26.795               | -33.881         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 54.234                 | 32.059               | -19.766         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 78             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 37.212                 | 26.567               | -36.788         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 46.399                 | 30.057               | -27.601         | 74.000         | 16.342      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 79             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 36.278                 | 25.633               | -37.722         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 47.843                 | 31.501               | -26.157         | 74.000         | 16.342      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 166            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 41.392                 | 28.12                | -32.608         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 54.107                 | 31.827               | -19.893         | 74.000         | 22.280      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 167            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 40.288                 | 27.016               | -33.712         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 51.334                 | 29.054               | -22.666         | 74.000         | 22.280      | PK   |


### Radio3-5G full band mode-4\*4 CDD

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 82             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:19 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 39.947                 | 28.821               | -34.053         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 50.272                 | 32.384               | -23.728         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 83             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:20 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 36.263                 | 25.137               | -37.737         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 47.288                 | 29.400               | -26.712         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 84             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:20 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.151                 | 26.037               | -36.849         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 47.057                 | 29.924               | -26.943         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 85             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:20 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.748                 | 26.634               | -36.252         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 46.649                 | 29.516               | -27.351         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 86             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:20 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.456                 | 25.556               | -37.544         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 46.953                 | 28.209               | -27.047         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 87             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:21 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.429                 | 25.529               | -37.571         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 48.400                 | 29.656               | -25.600         | 74.000         | 18.744      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 88             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:21 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 37.831                 | 25.080               | -36.169         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 48.855                 | 28.629               | -25.145         | 74.000         | 20.226      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 89             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:21 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.203                 | 27.452               | -33.797         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.557                 | 30.331               | -23.443         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 90             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:21 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 37.704                 | 24.548               | -36.296         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 50.790                 | 27.792               | -23.210         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 91             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:22 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 36.957                 | 23.801               | -37.043         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.116                 | 29.118               | -21.884         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 92             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:22 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 39.092                 | 25.203               | -34.908         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.652                 | 29.069               | -23.348         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 93             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 20:22 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 41.512                 | 27.623               | -32.488         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 51.935                 | 30.352               | -22.065         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 94             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 36.567                 | 25.441               | -37.433         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 48.566                 | 30.678               | -25.434         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 95             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 39.359                 | 28.233               | -35.556         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 50.406                 | 32.518               | -23.616         | 74.000         | 17.888      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 96             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.736                 | 26.622               | -36.264         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 47.840                 | 30.707               | -26.160         | 74.000         | 17.133      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 97             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.423                 | 26.309               | -36.577         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 46.314                 | 29.181               | -27.686         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 98             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.294                 | 25.394               | -37.706         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 47.172                 | 28.428               | -26.828         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 99             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 38.234                 | 27.334               | -35.766         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 50.544                 | 31.800               | -23.456         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 100            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 38.188                 | 25.437               | -35.812         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 49.226                 | 29.000               | -24.774         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 101            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 39.987                 | 27.236               | -34.013         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 49.607                 | 29.381               | -24.393         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 102            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 38.055                 | 24.899               | -35.945         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 50.939                 | 27.941               | -23.061         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 103            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 37.352                 | 24.196               | -36.648         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.189                 | 29.191               | -21.811         | 74.000         | 22.998      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 104            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:27 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 38.721                 | 24.832               | -35.279         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.345                 | 28.762               | -23.655         | 74.000         | 21.583      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 105            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:27 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 40.766                 | 26.877               | -33.234         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 51.869                 | 30.286               | -22.131         | 74.000         | 21.583      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 106            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:27 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 35.990                 | 24.827               | -38.010         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 46.859                 | 29.830               | -27.141         | 74.000         | 17.029      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 107            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:27 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 36.652                 | 25.489               | -37.348         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 47.777                 | 30.748               | -26.223         | 74.000         | 17.029      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 108            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:28 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 35.994                 | 25.027               | -38.006         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 46.738                 | 28.162               | -27.262         | 74.000         | 18.576      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 109            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:28 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.699                 | 25.732               | -37.301         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 48.112                 | 29.536               | -25.888         | 74.000         | 18.576      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 110            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:28 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 38.300                 | 25.249               | -35.700         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.340                 | 29.612               | -23.660         | 74.000         | 20.728      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 111            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:28 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 38.662                 | 25.611               | -35.338         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.082                 | 29.354               | -23.918         | 74.000         | 20.728      | PK   |


|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 112            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:30 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 39.141                 | 25.817               | -34.859         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 50.334                 | 28.159               | -23.666         | 74.000         | 22.175      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 2032034R                                  | Page No.: 113            |
| Engineer: Neil                                     |                          |
| Site: AC5  | Time: 2020/06/18 - 20:31 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 39.089                 | 25.765               | -34.911         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 51.265                 | 29.090               | -22.735         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 114            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:32 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 37.276                 | 26.150               | -36.724         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 48.410                 | 30.522               | -25.590         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 115            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:32 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 38.230                 | 27.104               | -35.770         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 48.679                 | 30.791               | -25.321         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 116            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:33 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 36.086                 | 24.972               | -37.914         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 46.964                 | 29.831               | -27.036         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 117            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:33 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.188                 | 26.074               | -36.812         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 46.089                 | 28.956               | -27.911         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 118            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:33 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.225                 | 25.325               | -37.775         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 47.311                 | 28.567               | -26.689         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 119            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:34 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.387                 | 25.487               | -37.613         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 48.176                 | 29.432               | -25.824         | 74.000         | 18.744      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 120            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 38.443                 | 25.692               | -35.557         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 48.645                 | 28.419               | -25.355         | 74.000         | 20.226      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 121            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.251                 | 27.500               | -33.749         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 51.144                 | 30.918               | -22.856         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 122            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 38.235                 | 25.079               | -35.765         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 50.707                 | 27.709               | -23.293         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 123            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 39.589                 | 26.433               | -34.411         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.351                 | 29.353               | -21.649         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 124            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 38.876                 | 24.987               | -35.124         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.271                 | 28.688               | -23.729         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 125            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 39.460                 | 25.571               | -34.540         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.469                 | 28.886               | -23.531         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 126            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 36.182                 | 25.019               | -37.818         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 47.430                 | 30.401               | -26.570         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 127            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 37.368                 | 26.205               | -36.632         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 49.142                 | 32.113               | -24.858         | 74.000         | 17.029      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 128            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 37.104                 | 26.137               | -36.896         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 50.813                 | 32.237               | -23.187         | 74.000         | 18.576      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 129            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:38 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.543                 | 25.576               | -37.457         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 47.617                 | 29.041               | -26.383         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 130            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:38 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 38.853                 | 25.802               | -35.147         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.407                 | 29.679               | -23.593         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 131            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:38 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 40.354                 | 27.303               | -33.646         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 51.587                 | 30.859               | -22.413         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 132            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:39 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 40.608                 | 27.284               | -33.392         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 54.018                 | 31.843               | -19.982         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 133            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:39 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 40.920                 | 27.596               | -33.080         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 53.554                 | 31.379               | -20.446         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 134            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:40 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 36.402                 | 25.757               | -37.598         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 47.914                 | 31.572               | -26.086         | 74.000         | 16.342      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 135            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:40 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 38.121                 | 27.476               | -35.879         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 49.054                 | 32.712               | -24.946         | 74.000         | 16.342      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 164            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:52 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 40.530                 | 27.258               | -33.470         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 52.705                 | 30.425               | -21.295         | 74.000         | 22.280      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 165            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 38.202                 | 24.930               | -35.798         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 53.936                 | 31.656               | -20.064         | 74.000         | 22.280      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 138            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:41 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 36.953                 | 25.827               | -37.047         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 48.095                 | 30.207               | -25.905         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 139            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:41 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 37.651                 | 26.525               | -36.349         | 74.000         | 11.126      | PK   |
| 2  | *    | 15540.000       | 47.001                 | 29.113               | -26.999         | 74.000         | 17.888      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 140            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:41 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 36.501                 | 25.387               | -37.499         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 46.374                 | 29.241               | -27.626         | 74.000         | 17.133      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 141            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:41 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 37.484                 | 26.370               | -36.516         | 74.000         | 11.114      | PK   |
| 2  | *    | 15660.000       | 48.778                 | 31.645               | -25.222         | 74.000         | 17.133      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 142            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:42 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.092                 | 25.192               | -37.908         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 47.327                 | 28.583               | -26.673         | 74.000         | 18.744      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 143            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:42 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 36.979                 | 26.079               | -37.021         | 74.000         | 10.900      | PK   |
| 2  | *    | 15720.000       | 48.146                 | 29.402               | -25.854         | 74.000         | 18.744      | PK   |


|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 144            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:42 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 37.917                 | 25.166               | -36.083         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 48.925                 | 28.699               | -25.075         | 74.000         | 20.226      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 145            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:43 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.263                 | 27.512               | -33.737         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 51.103                 | 30.877               | -22.897         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 146            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:43 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 37.978                 | 24.822               | -36.022         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 51.018                 | 28.020               | -22.982         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 147            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:43 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 38.976                 | 25.820               | -35.024         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.112                 | 29.114               | -21.888         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 148            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:44 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 38.869                 | 24.980               | -35.131         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 50.458                 | 28.875               | -23.542         | 74.000         | 21.583      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 2032034R                                    | Page No.: 149            |
| Engineer: Neil                                       |                          |
| Site: AC5  | Time: 2020/06/18 - 20:44 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 40.500                 | 26.611               | -33.500         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 53.092                 | 31.509               | -20.908         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 150            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:44 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 39.136                 | 27.973               | -34.864         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 49.572                 | 32.543               | -24.428         | 74.000         | 17.029      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 151            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:45 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 39.952                 | 28.789               | -34.048         | 74.000         | 11.163      | PK   |
| 2  | *    | 15570.000       | 49.005                 | 31.976               | -24.995         | 74.000         | 17.029      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 152            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:45 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.817                 | 25.850               | -37.183         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 47.987                 | 29.411               | -26.013         | 74.000         | 18.576      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 153            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:45 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 36.071                 | 25.104               | -37.929         | 74.000         | 10.967      | PK   |
| 2  | *    | 15690.000       | 47.656                 | 29.080               | -26.344         | 74.000         | 18.576      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 154            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:45 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 38.154                 | 25.103               | -35.846         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.726                 | 29.998               | -23.274         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 155            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:46 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 39.693                 | 26.642               | -34.307         | 74.000         | 13.051      | PK   |
| 2  | *    | 17265.000       | 50.022                 | 29.294               | -23.978         | 74.000         | 20.728      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 156            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:46 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 38.454                 | 25.130               | -35.546         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 51.638                 | 29.463               | -22.362         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 157            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:46 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 41.466                 | 28.142               | -32.534         | 74.000         | 13.324      | PK   |
| 2  | *    | 17385.000       | 53.961                 | 31.786               | -20.039         | 74.000         | 22.175      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 158            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:47 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 36.288                 | 25.643               | -37.712         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 45.831                 | 29.489               | -28.169         | 74.000         | 16.342      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 159            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:47 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 37.570                 | 26.925               | -36.430         | 74.000         | 10.645      | PK   |
| 2  | *    | 15630.000       | 45.374                 | 29.032               | -28.626         | 74.000         | 16.342      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 160            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:48 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 39.021                 | 25.749               | -34.979         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 50.601                 | 28.321               | -23.399         | 74.000         | 22.280      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 161            |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 20:48 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 40.897                 | 27.625               | -33.103         | 74.000         | 13.272      | PK   |
| 2  | *    | 17325.000       | 53.811                 | 31.531               | -20.189         | 74.000         | 22.280      | PK   |


### Radio3-5G high band mode-2\*2 CDD

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 8              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:38 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.110                 | 28.359               | -32.890         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 52.022                 | 31.796               | -21.978         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 9              |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:38 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 38.771                 | 26.020               | -35.229         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 48.586                 | 28.360               | -25.414         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 10             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:40 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.074                 | 28.918               | -31.926         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.989                 | 29.991               | -21.011         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 11             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:40 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 40.678                 | 27.522               | -33.322         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 51.939                 | 28.941               | -22.061         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 12             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:41 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 39.135                 | 25.246               | -34.865         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 52.307                 | 30.724               | -21.693         | 74.000         | 21.583      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                           | Page No.: 13             |
| Engineer: Neil                              |                          |
| Site: AC5                                   | Time: 2020/06/18 - 19:41 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 40.073                 | 26.184               | -33.927         | 74.000         | 13.889      | PK   |
| 2  | *    | 17475.000       | 51.328                 | 29.745               | -22.672         | 74.000         | 21.583      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 20             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 39.069                 | 26.318               | -34.931         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.232                 | 30.006               | -23.768         | 74.000         | 20.226      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 21             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 39.203                 | 26.452               | -34.797         | 74.000         | 12.751      | PK   |
| 2  | *    | 17235.000       | 50.789                 | 30.563               | -23.211         | 74.000         | 20.226      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 22             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 39.631                 | 26.475               | -34.369         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 52.783                 | 29.785               | -21.217         | 74.000         | 22.998      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 2032034R                                   | Page No.: 23             |
| Engineer: Neil                                      |                          |
| Site: AC5   | Time: 2020/06/18 - 19:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 39.686                 | 26.530               | -34.314         | 74.000         | 13.156      | PK   |
| 2  | *    | 17355.000       | 53.763                 | 30.765               | -20.237         | 74.000         | 22.998      | PK   |