



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.98
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.69
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.77
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.69
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.86
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.98
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.47
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.82



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.97	5.00
6195MHz	Pass	4.88	5.00
6415MHz	Pass	4.91	5.00
6435MHz	Pass	4.97	5.00
6475MHz	Pass	4.99	5.00
6515MHz	Pass	4.93	5.00
6535MHz	Pass	4.76	5.00
6695MHz	Pass	4.86	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.77	5.00
6895MHz	Pass	4.83	5.00
6995MHz	Pass	4.90	5.00
7095MHz	Pass	4.68	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.09	5.00
6205MHz	Pass	4.98	5.00
6405MHz	Pass	4.87	5.00
6445MHz	Pass	4.84	5.00
6485MHz	Pass	4.85	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.90	5.00
6565MHz	Pass	4.91	5.00
6685MHz	Pass	4.99	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6925MHz	Pass	4.92	5.00
7005MHz	Pass	4.95	5.00
7085MHz	Pass	4.99	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.84	5.00
6225MHz	Pass	4.99	5.00
6385MHz	Pass	4.93	5.00
6465MHz	Pass	4.95	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.85	5.00
6625MHz	Pass	4.98	5.00
6705MHz	Pass	4.78	5.00
6785MHz	Pass	4.85	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6945MHz	Pass	4.83	5.00
7025MHz	Pass	4.97	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.95	5.00
6185MHz	Pass	4.82	5.00
6345MHz	Pass	4.90	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.77	5.00
6665MHz	Pass	4.95	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.84	5.00
6985MHz	Pass	4.82	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.65	5.00
6265MHz	Pass	4.69	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	3.43	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.69	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.47	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	3.35	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



























































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	60.07M	36.71	40.00	-3.29	Vertical



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	31.94M	28.75	40.00	-11.25	-8.14	3	Horizontal	0	1.50	-	36.89	23.10	1.16	32.40
PK	60.07M	29.00	40.00	-11.00	-18.33	3	Horizontal	87	2.00	-	47.33	12.53	1.41	32.27
PK	101.78M	29.85	43.50	-13.65	-13.57	3	Horizontal	291	3.00	-	43.42	17.10	1.68	32.35
PK	479.11M	39.32	46.00	-6.68	-5.69	3	Horizontal	360	2.00	"Worst"	45.01	23.17	3.19	32.05
PK	897.18M	38.33	46.00	-7.67	-0.80	3	Horizontal	96	1.50	-	39.13	26.46	4.31	31.57
PK	903.97M	38.34	46.00	-7.66	-0.70	3	Horizontal	360	1.25	-	39.04	26.42	4.33	31.45




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	17.85638G	50.24	54.00	-3.76	3	Horizontal	317	1.80	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 setting 47
 03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	60.81	88.20	-27.39	53.76	3	Vertical	116	2.45	-	34.53	7.62	35.10
RMS	5.9242G	49.09	68.20	-19.11	42.01	3	Vertical	116	2.45	-	34.55	7.63	35.10
PK	5.9614G	111.43	Inf	-Inf	104.29	3	Vertical	116	2.45	-	34.60	7.66	35.12
RMS	5.9636G	100.14	Inf	-Inf	93.00	3	Vertical	116	2.45	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
setting 47
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	60.19	88.20	-28.01	53.18	3	Horizontal	269	1.00	-	34.49	7.61	35.09
RMS	5.9138G	49.18	68.20	-19.02	42.13	3	Horizontal	269	1.00	-	34.53	7.62	35.10
PK	5.9528G	103.32	Inf	-Inf	96.19	3	Horizontal	269	1.00	-	34.60	7.65	35.12
RMS	5.9606G	91.98	Inf	-Inf	84.84	3	Horizontal	269	1.00	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 setting 47
 03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90846G	56.55	74.00	-17.45	49.11	3	Vertical	296	1.07	-	39.20	11.47	43.23
AV	11.91016G	44.67	54.00	-9.33	37.23	3	Vertical	296	1.07	-	39.20	11.47	43.23
PK	17.86318G	63.22	74.00	-10.78	45.90	3	Vertical	66	1.21	-	44.87	13.85	41.40
AV	17.87292G	50.23	54.00	-3.77	32.92	3	Vertical	66	1.21	-	44.85	13.85	41.39

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 setting 47
 03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91488G	55.75	74.00	-18.25	48.31	3	Horizontal	96	1.19	-	39.20	11.47	43.23
AV	11.90254G	43.37	54.00	-10.63	35.94	3	Horizontal	96	1.19	-	39.20	11.47	43.24
PK	17.87024G	63.25	74.00	-10.75	45.93	3	Horizontal	317	1.80	-	44.86	13.85	41.39
AV	17.85638G	50.24	54.00	-3.76	32.92	3	Horizontal	317	1.80	-	44.89	13.84	41.41

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 setting 47
 03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.81996G	42.62	83.54	-40.92	36.73	1	Vertical	7	1.80	-	38.98	17.35	50.44
AV	23.8233G	30.09	63.54	-33.45	24.22	1	Vertical	7	1.80	-	38.96	17.35	50.44

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 setting 47
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81704G	49.37	83.54	-34.17	43.46	1	Horizontal	213	1.80	-	39.00	17.35	50.44
AV	23.8108G	38.56	63.54	-24.98	32.62	1	Horizontal	213	1.80	-	39.04	17.34	50.44

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39476G	55.30	74.00	-18.70	48.20	3	Vertical	278	1.40	-	38.61	11.65	43.16
AV	12.38804G	42.82	54.00	-11.18	35.72	3	Vertical	278	1.40	-	38.62	11.65	43.17

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38996G	55.29	74.00	-18.71	48.19	3	Horizontal	247	1.60	-	38.62	11.65	43.17
AV	12.38919G	42.81	54.00	-11.19	35.71	3	Horizontal	247	1.60	-	38.62	11.65	43.17

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5808G	58.54	83.54	-25.00	56.07	1	Vertical	337	1.73	-	37.70	15.27	50.50
AV	18.58492G	44.48	63.54	-19.06	42.01	1	Vertical	337	1.73	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57734G	49.68	83.54	-33.86	47.20	1	Horizontal	237	1.58	-	37.70	15.27	50.49
AV	18.584G	36.18	63.54	-27.36	33.71	1	Horizontal	237	1.58	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83158G	55.71	88.20	-32.49	47.60	3	Vertical	141	2.99	-	39.13	11.80	42.82
RMS	12.82684G	43.20	68.20	-25.00	35.11	3	Vertical	141	2.99	-	39.11	11.80	42.82

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83055G	55.65	88.20	-32.55	47.55	3	Horizontal	193	1.80	-	39.12	11.80	42.82
RMS	12.83257G	43.25	68.20	-24.95	35.14	3	Horizontal	193	1.80	-	39.13	11.80	42.82

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24352G	49.00	83.54	-34.54	47.14	1	Vertical	148	2.63	-	37.91	15.24	51.29
AV	19.24032G	36.64	63.54	-26.90	34.77	1	Vertical	148	2.63	-	37.92	15.24	51.29

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
 setting 44
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24616G	48.31	83.54	-35.23	46.46	1	Horizontal	119	2.08	-	37.91	15.24	51.30
AV	19.25196G	36.63	63.54	-26.91	34.79	1	Horizontal	119	2.08	-	37.90	15.24	51.30

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
setting 54
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	62.87	88.20	-25.33	55.79	3	Vertical	118	2.20	-	34.55	7.63	35.10
RMS	5.9248G	49.41	68.20	-18.79	42.33	3	Vertical	118	2.20	-	34.55	7.63	35.10
PK	5.969G	111.08	Inf	-Inf	103.94	3	Vertical	118	2.20	-	34.60	7.67	35.13
RMS	5.9714G	100.09	Inf	-Inf	92.95	3	Vertical	118	2.20	-	34.60	7.67	35.13

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
setting 54
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.18	88.20	-29.02	52.10	3	Horizontal	269	1.08	-	34.55	7.63	35.10
RMS	5.9242G	49.08	68.20	-19.12	42.00	3	Horizontal	269	1.08	-	34.55	7.63	35.10
PK	5.973G	102.46	Inf	-Inf	95.32	3	Horizontal	269	1.08	-	34.60	7.67	35.13
RMS	5.9712G	91.26	Inf	-Inf	84.12	3	Horizontal	269	1.08	-	34.60	7.67	35.13

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 setting 54
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92676G	55.67	74.00	-18.33	48.22	3	Vertical	299	1.38	-	39.20	11.48	43.23
AV	11.92977G	42.45	54.00	-11.55	35.00	3	Vertical	299	1.38	-	39.20	11.48	43.23

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 setting 54
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92687G	55.28	74.00	-18.72	47.83	3	Horizontal	151	2.26	-	39.20	11.48	43.23
AV	11.93261G	42.42	54.00	-11.58	34.97	3	Horizontal	151	2.26	-	39.20	11.48	43.23

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 setting 54
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.89237G	40.18	83.54	-43.36	36.87	1	Vertical	310	1.53	-	37.38	15.23	49.30
AV	17.89794G	26.69	63.54	-36.85	23.39	1	Vertical	310	1.53	-	37.39	15.23	49.32

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 setting 54
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.89659G	39.50	83.54	-44.04	36.21	1	Horizontal	298	1.50	-	37.38	15.23	49.32
AV	17.89189G	26.80	63.54	-36.74	23.50	1	Horizontal	298	1.50	-	37.37	15.23	49.30

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
 setting 56
 03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.40949G	55.75	74.00	-18.25	48.65	3	Vertical	244	1.48	-	38.60	11.66	43.16
AV	12.41218G	42.22	54.00	-11.78	35.12	3	Vertical	244	1.48	-	38.60	11.66	43.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
 setting 56
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41394G	55.39	74.00	-18.61	48.29	3	Horizontal	220	1.12	-	38.60	11.66	43.16
AV	12.40771G	42.28	54.00	-11.72	35.18	3	Horizontal	220	1.12	-	38.60	11.66	43.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
 setting 56
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61764G	39.35	83.54	-44.19	36.88	1	Vertical	166	1.58	-	37.74	15.27	50.54
AV	18.61475G	26.31	63.54	-37.23	23.85	1	Vertical	166	1.58	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
 setting 56
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6124G	38.81	83.54	-44.73	36.35	1	Horizontal	306	1.57	-	37.72	15.27	50.53
AV	18.61293G	26.21	63.54	-37.33	23.75	1	Horizontal	306	1.57	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
 setting 49
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81077G	55.45	88.20	-32.75	47.45	3	Vertical	102	1.43	-	39.04	11.80	42.84
RMS	12.81072G	42.71	68.20	-25.49	34.71	3	Vertical	102	1.43	-	39.04	11.80	42.84

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
 setting 49
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81G	55.80	88.20	-32.40	47.80	3	Horizontal	295	1.06	-	39.04	11.80	42.84
RMS	12.8087G	42.62	68.20	-25.58	34.64	3	Horizontal	295	1.06	-	39.03	11.79	42.84

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
 setting 49
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21775G	38.90	83.54	-44.64	36.96	1	Vertical	302	1.54	-	37.96	15.24	51.26
AV	19.21817G	25.81	63.54	-37.73	23.87	1	Vertical	302	1.54	-	37.96	15.24	51.26

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
 setting 49
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21494G	38.62	83.54	-44.92	36.67	1	Horizontal	326	1.56	-	37.97	15.24	51.26
AV	19.21422G	25.67	63.54	-37.87	23.72	1	Horizontal	326	1.56	-	37.97	15.24	51.26

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
setting 65
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	66.83	88.20	-21.37	59.75	3	Vertical	114	2.27	-	34.55	7.63	35.10
RMS	5.925G	51.67	68.20	-16.53	44.59	3	Vertical	114	2.27	-	34.55	7.63	35.10
PK	5.9794G	110.96	Inf	-Inf	103.82	3	Vertical	114	2.27	-	34.60	7.67	35.13
RMS	5.997G	99.66	Inf	-Inf	92.51	3	Vertical	114	2.27	-	34.60	7.69	35.14

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 setting 65
 03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.84	88.20	-26.36	54.76	3	Horizontal	312	2.64	-	34.55	7.63	35.10
RMS	5.9246G	49.43	68.20	-18.77	42.35	3	Horizontal	312	2.64	-	34.55	7.63	35.10
PK	6.0022G	103.79	Inf	-Inf	96.64	3	Horizontal	312	2.64	-	34.60	7.69	35.14
RMS	5.9986G	92.13	Inf	-Inf	84.98	3	Horizontal	312	2.64	-	34.60	7.69	35.14

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 setting 65
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97175G	55.04	74.00	-18.96	47.60	3	Vertical	81	3.00	-	39.16	11.50	43.22
AV	11.97291G	42.45	54.00	-11.55	35.02	3	Vertical	81	3.00	-	39.15	11.50	43.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 setting 65
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97099G	55.69	74.00	-18.31	48.25	3	Horizontal	167	1.58	-	39.16	11.50	43.22
AV	11.97133G	42.43	54.00	-11.57	34.99	3	Horizontal	167	1.58	-	39.16	11.50	43.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 setting 65
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95577G	39.60	83.54	-43.94	36.30	1	Vertical	307	1.51	-	37.51	15.27	49.48
AV	17.95699G	27.16	63.54	-36.38	23.86	1	Vertical	307	1.51	-	37.51	15.27	49.48

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 setting 65
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.9597G	39.53	83.54	-44.01	36.23	1	Horizontal	27	1.52	-	37.52	15.27	49.49
AV	17.95682G	27.19	63.54	-36.35	23.89	1	Horizontal	27	1.52	-	37.51	15.27	49.48

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 setting 69
 03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44729G	55.44	74.00	-18.56	48.33	3	Vertical	69	2.70	-	38.60	11.67	43.16
AV	12.44592G	42.32	54.00	-11.68	35.21	3	Vertical	69	2.70	-	38.60	11.67	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 setting 69
 03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44857G	55.89	74.00	-18.11	48.78	3	Horizontal	248	2.00	-	38.60	11.67	43.16
AV	12.45419G	42.33	54.00	-11.67	35.21	3	Horizontal	248	2.00	-	38.61	11.67	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 setting 69
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67014G	39.22	83.54	-44.32	36.83	1	Vertical	13	1.58	-	37.72	15.27	50.60
AV	18.67243G	26.26	63.54	-37.28	23.89	1	Vertical	13	1.58	-	37.71	15.27	50.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 setting 69
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67597G	38.78	83.54	-44.76	36.42	1	Horizontal	216	1.56	-	37.70	15.27	50.61
AV	18.67038G	26.24	63.54	-37.30	23.85	1	Horizontal	216	1.56	-	37.72	15.27	50.60

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 setting 63
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7702G	55.29	88.20	-32.91	47.51	3	Vertical	355	2.61	-	38.88	11.78	42.88
RMS	12.76918G	42.42	68.20	-25.78	34.64	3	Vertical	355	2.61	-	38.88	11.78	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 setting 63
 03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76691G	55.66	88.20	-32.54	47.89	3	Horizontal	153	2.15	-	38.87	11.78	42.88
RMS	12.77311G	42.49	68.20	-25.71	34.70	3	Horizontal	153	2.15	-	38.89	11.78	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 setting 63
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15461G	37.93	83.54	-45.61	36.15	1	Vertical	183	1.55	-	37.73	15.24	51.19
AV	19.15461G	25.33	63.54	-38.21	23.55	1	Vertical	183	1.55	-	37.73	15.24	51.19

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 setting 63
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15766G	38.24	83.54	-45.30	36.44	1	Horizontal	226	1.54	-	37.75	15.24	51.19
AV	19.15832G	25.28	63.54	-38.26	23.48	1	Horizontal	226	1.54	-	37.75	15.24	51.19

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 setting 73
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	72.02	88.20	-16.18	64.94	3	Vertical	113	2.35	-	34.55	7.63	35.10
RMS	5.925G	60.96	68.20	-7.24	53.88	3	Vertical	113	2.35	-	34.55	7.63	35.10
PK	5.9514G	113.06	Inf	-Inf	105.93	3	Vertical	113	2.35	-	34.60	7.65	35.12
RMS	6.0514G	100.03	Inf	-Inf	92.79	3	Vertical	113	2.35	-	34.61	7.75	35.12

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 setting 73
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	65.32	88.20	-22.88	58.24	3	Horizontal	312	2.60	-	34.55	7.63	35.10
RMS	5.925G	54.78	68.20	-13.42	47.70	3	Horizontal	312	2.60	-	34.55	7.63	35.10
PK	6.0466G	103.69	Inf	-Inf	96.47	3	Horizontal	312	2.60	-	34.60	7.74	35.12
RMS	6.049G	92.57	Inf	-Inf	85.34	3	Horizontal	312	2.60	-	34.60	7.75	35.12

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 setting 73
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04545G	54.90	74.00	-19.10	47.56	3	Vertical	262	2.35	-	39.01	11.54	43.21
AV	12.05147G	42.17	54.00	-11.83	34.84	3	Vertical	262	2.35	-	39.00	11.54	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 setting 73
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04693G	55.63	74.00	-18.37	48.29	3	Horizontal	69	1.15	-	39.01	11.54	43.21
AV	12.05347G	42.24	54.00	-11.76	34.92	3	Horizontal	69	1.15	-	38.99	11.54	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 setting 73
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07506G	51.89	83.54	-31.65	48.81	1	Vertical	53	1.80	-	37.50	15.30	49.72
AV	18.07341G	38.50	63.54	-25.04	35.43	1	Vertical	53	1.80	-	37.49	15.30	49.72

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 setting 73
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08232G	51.44	83.54	-32.10	48.34	1	Horizontal	297.3	1.80	-	37.53	15.30	49.73
AV	18.08319G	35.09	63.54	-28.45	31.99	1	Horizontal	297.3	1.80	-	37.53	15.30	49.73

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 setting 75
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36804G	55.26	74.00	-18.74	48.12	3	Vertical	17	2.92	-	38.66	11.65	43.17
AV	12.37022G	42.21	54.00	-11.79	35.07	3	Vertical	17	2.92	-	38.66	11.65	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 setting 75
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36665G	56.63	74.00	-17.37	49.49	3	Horizontal	140	1.22	-	38.67	11.64	43.17
AV	12.36919G	42.11	54.00	-11.89	34.97	3	Horizontal	140	1.22	-	38.66	11.65	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 setting 75
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55118G	48.76	83.54	-34.78	46.25	1	Vertical	352	1.80	-	37.70	15.27	50.46
AV	18.55572G	36.12	63.54	-27.42	33.62	1	Vertical	352	1.80	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 setting 75
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55464G	45.62	83.54	-37.92	43.12	1	Horizontal	160	2.15	-	37.70	15.27	50.47
AV	18.54506G	34.11	63.54	-29.43	31.57	1	Horizontal	160	2.15	-	37.72	15.27	50.45

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 setting 73
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69052G	55.30	74.00	-18.70	47.63	3	Vertical	87	2.55	-	38.88	11.75	42.96
AV	12.68736G	42.57	54.00	-11.43	34.91	3	Vertical	87	2.55	-	38.87	11.75	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 setting 73
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6927G	55.82	74.00	-18.18	48.13	3	Horizontal	335	1.95	-	38.89	11.76	42.96
AV	12.68554G	42.50	54.00	-11.50	34.84	3	Horizontal	335	1.95	-	38.87	11.75	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
setting 73
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02606G	49.45	83.54	-34.09	47.33	1	Vertical	301	1.42	-	37.90	15.25	51.03
AV	19.02772G	37.27	63.54	-26.27	35.15	1	Vertical	301	1.42	-	37.90	15.25	51.03

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



EUT_Z_2TX
 setting 73
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0339G	49.10	83.54	-34.44	46.99	1	Horizontal	245	1.46	-	37.90	15.25	51.04
AV	19.02568G	37.26	63.54	-26.28	35.14	1	Horizontal	245	1.46	-	37.90	15.25	51.03




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	17.9697G	49.26	54.00	-4.74	3	Vertical	153	2.50	76

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 54
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	61.67	88.20	-26.53	54.61	3	Vertical	133	2.23	-	32.40	7.63	32.97
RMS	5.8896G	51.25	68.20	-16.95	44.23	3	Vertical	133	2.23	-	32.36	7.62	32.96
PK	5.9632G	109.32	Inf	-Inf	102.22	3	Vertical	133	2.23	-	32.43	7.66	32.99
RMS	5.96G	99.58	Inf	-Inf	92.49	3	Vertical	133	2.23	-	32.42	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 SET 54
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8728G	61.84	88.20	-26.36	54.89	3	Horizontal	116.5	1.05	-	32.29	7.62	32.96
RMS	5.9058G	51.08	68.20	-17.12	44.02	3	Horizontal	116.5	1.05	-	32.40	7.63	32.97
PK	5.9592G	103.11	Inf	-Inf	96.02	3	Horizontal	116.5	1.05	-	32.42	7.66	32.99
RMS	5.9626G	93.67	Inf	-Inf	86.57	3	Horizontal	116.5	1.05	-	32.43	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 SET 54
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90377G	55.10	74.00	-18.90	48.36	3	Vertical	264	1.80	68	38.91	11.07	43.24
AV	11.90465G	44.00	54.00	-10.00	37.26	3	Vertical	264	1.80	68	38.91	11.07	43.24
PK	17.87607G	61.62	74.00	-12.38	43.26	3	Vertical	1	1.13	68	46.33	13.41	41.38
AV	17.86485G	48.73	54.00	-5.27	30.66	3	Vertical	1	1.13	68	46.06	13.41	41.40

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 54
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91284G	54.77	74.00	-19.23	48.00	3	Horizontal	49	1.80	68	38.93	11.07	43.23
AV	11.89641G	43.83	54.00	-10.17	37.11	3	Horizontal	49	1.80	68	38.90	11.06	43.24
PK	17.86845G	61.51	74.00	-12.49	43.36	3	Horizontal	109	1.10	68	46.14	13.41	41.40
AV	17.87391G	48.35	54.00	-5.65	30.06	3	Horizontal	109	1.10	68	46.27	13.41	41.39

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 54
01-1-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82417G	52.37	83.54	-31.17	46.51	1	Vertical	36	1.53	-	38.95	17.35	50.44			
AV	23.826G	43.62	63.54	-19.92	37.76	1	Vertical	36	1.53	-	38.94	17.35	50.43			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 54
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.816G	52.68	83.54	-30.86	46.78	1	Horizontal	167	1.83	-	39.00	17.34	50.44
AV	23.8227G	43.05	63.54	-20.49	37.18	1	Horizontal	167	1.83	-	38.96	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 54
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40806G	55.42	74.00	-18.58	48.55	3	Vertical	208	2.30	59	38.75	11.28	43.16
AV	12.38497G	44.32	54.00	-9.68	37.39	3	Vertical	208	2.30	59	38.83	11.27	43.17

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 54
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40586G	55.76	74.00	-18.24	48.89	3	Horizontal	360	1.23	59	38.76	11.27	43.16
AV	12.39256G	44.50	54.00	-9.50	37.59	3	Horizontal	360	1.23	59	38.81	11.27	43.17

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 54
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58462G	53.29	83.54	-30.25	50.82	1	Vertical	225	1.54	-	37.70	15.27	50.50
AV	18.58523G	43.49	63.54	-20.05	41.02	1	Vertical	225	1.54	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 54
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5864G	53.37	83.54	-30.17	50.90	1	Horizontal	124	1.78	-	37.70	15.27	50.50
AV	18.5857G	43.85	63.54	-19.69	41.38	1	Horizontal	124	1.78	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 55
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8282G	55.80	88.20	-32.40	47.93	3	Vertical	6	1.57	62	39.26	11.43	42.82
RMS	12.82089G	44.62	68.20	-23.58	36.78	3	Vertical	6	1.57	62	39.24	11.43	42.83

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 55
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81949G	55.39	88.20	-32.81	47.55	3	Horizontal	315	1.80	62	39.24	11.43	42.83
RMS	12.81222G	44.44	68.20	-23.76	36.63	3	Horizontal	315	1.80	62	39.22	11.43	42.84

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 55
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.213G	54.51	83.54	-29.03	52.56	1	Vertical	261	1.48	-	37.97	15.24	51.26
AV	19.2167G	43.88	63.54	-19.66	41.93	1	Vertical	261	1.48	-	37.97	15.24	51.26

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 55
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24534G	54.37	83.54	-29.17	52.51	1	Horizontal	109	1.57	-	37.91	15.24	51.29
AV	19.2457G	43.85	63.54	-19.69	41.99	1	Horizontal	109	1.57	-	37.91	15.24	51.29

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 62
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	62.00	88.20	-26.20	54.94	3	Vertical	134	2.57	-	32.40	7.63	32.97
RMS	5.9246G	51.85	68.20	-16.35	44.78	3	Vertical	134	2.57	-	32.40	7.64	32.97
PK	5.9792G	108.86	Inf	-Inf	101.72	3	Vertical	134	2.57	-	32.46	7.67	32.99
RMS	5.9698G	99.61	Inf	-Inf	92.50	3	Vertical	134	2.57	-	32.44	7.66	32.99

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 SET 62
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9076G	62.06	88.20	-26.14	55.00	3	Horizontal	115	1.05	-	32.40	7.63	32.97
RMS	5.893G	51.32	68.20	-16.88	44.28	3	Horizontal	115	1.05	-	32.37	7.63	32.96
PK	5.974G	103.28	Inf	-Inf	96.15	3	Horizontal	115	1.05	-	32.45	7.67	32.99
RMS	5.9772G	93.18	Inf	-Inf	86.05	3	Horizontal	115	1.05	-	32.45	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 62
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93759G	55.08	74.00	-18.92	48.24	3	Vertical	79	1.80	74	38.98	11.09	43.23
AV	11.9077G	43.76	54.00	-10.24	37.00	3	Vertical	79	1.80	74	38.92	11.07	43.23
PK	17.89641G	61.26	74.00	-12.74	42.38	3	Vertical	29	1.40	74	46.81	13.42	41.35
AV	17.9097G	48.91	54.00	-5.09	29.71	3	Vertical	29	1.40	74	47.11	13.42	41.33

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 SET 62
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92081G	54.56	74.00	-19.44	47.77	3	Horizontal	184	1.72	74	38.94	11.08	43.23
AV	11.91953G	43.78	54.00	-10.22	36.99	3	Horizontal	184	1.72	74	38.94	11.08	43.23
PK	17.90829G	60.92	74.00	-13.08	41.75	3	Horizontal	261	2.06	74	47.08	13.42	41.33
AV	17.90229G	48.85	54.00	-5.15	29.82	3	Horizontal	261	2.06	74	46.95	13.42	41.34

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 62
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85997G	57.81	83.54	-25.73	52.08	1	Vertical	71	1.58	-	38.80	17.36	50.43
AV	23.8616G	46.58	63.54	-16.96	40.85	1	Vertical	71	1.58	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 62
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86084G	57.46	83.54	-26.08	51.73	1	Horizontal	190	1.66	-	38.80	17.36	50.43
AV	23.86057G	46.74	63.54	-16.80	41.01	1	Horizontal	190	1.66	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 61
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38818G	55.76	74.00	-18.24	48.84	3	Vertical	31	1.80	69	38.82	11.27	43.17
AV	12.41168G	44.19	54.00	-9.81	37.34	3	Vertical	31	1.80	69	38.73	11.28	43.16

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 61
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38531G	55.31	74.00	-18.69	48.38	3	Horizontal	1	1.06	69	38.83	11.27	43.17
AV	12.37555G	44.26	54.00	-9.74	37.32	3	Horizontal	1	1.06	69	38.85	11.26	43.17

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)


06/02/2024

EUT_Z_2TX
SET 61
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61394G	57.92	83.54	-25.62	55.46	1	Vertical	152	1.74	-	37.73	15.27	50.54
AV	18.61445G	46.17	63.54	-17.37	43.71	1	Vertical	152	1.74	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 61
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61624G	57.96	83.54	-25.58	55.50	1	Horizontal	305	1.60	-	37.73	15.27	50.54
AV	18.616G	46.52	63.54	-17.02	44.06	1	Horizontal	305	1.60	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 62
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7929G	56.33	88.20	-31.87	48.61	3	Vertical	34	2.57	73	39.16	11.42	42.86
RMS	12.77316G	44.87	68.20	-23.33	37.30	3	Vertical	34	2.57	73	39.04	11.41	42.88

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 62
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84285G	56.82	88.20	-31.38	48.90	3	Horizontal	151	1.83	73	39.29	11.44	42.81
RMS	12.78107G	44.74	68.20	-23.46	37.10	3	Horizontal	151	1.83	73	39.09	11.42	42.87

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 62
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21459G	57.71	83.54	-25.83	55.76	1	Vertical	332	1.97	-	37.97	15.24	51.26
AV	19.2139G	46.69	63.54	-16.85	44.74	1	Vertical	332	1.97	-	37.97	15.24	51.26

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
 SET 62
 01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2151G	57.61	83.54	-25.93	55.66	1	Horizontal	52	1.47	-	37.97	15.24	51.26
AV	19.21484G	46.29	63.54	-17.25	44.34	1	Horizontal	52	1.47	-	37.97	15.24	51.26

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 68
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	66.63	88.20	-21.57	59.56	3	Vertical	136	2.43	-	32.40	7.64	32.97
RMS	5.9242G	54.46	68.20	-13.74	47.39	3	Vertical	136	2.43	-	32.40	7.64	32.97
PK	6.019G	109.65	Inf	-Inf	102.43	3	Vertical	136	2.43	-	32.54	7.68	33.00
RMS	5.9998G	100.08	Inf	-Inf	92.90	3	Vertical	136	2.43	-	32.50	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 68
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.85	88.20	-26.35	54.78	3	Horizontal	120	1.05	-	32.40	7.64	32.97
RMS	5.925G	52.12	68.20	-16.08	45.05	3	Horizontal	120	1.05	-	32.40	7.64	32.97
PK	6.019G	101.32	Inf	-Inf	94.10	3	Horizontal	120	1.05	-	32.54	7.68	33.00
RMS	6.0162G	92.32	Inf	-Inf	85.11	3	Horizontal	120	1.05	-	32.53	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 SET 68
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94794G	55.69	74.00	-18.31	48.83	3	Vertical	18	1.80	76	39.00	11.09	43.23
AV	12.03633G	45.96	54.00	-8.04	38.79	3	Vertical	18	1.80	76	39.25	11.13	43.21
PK	17.96112G	61.33	74.00	-12.67	40.78	3	Vertical	153	2.50	76	48.36	13.44	41.25
AV	17.9697G	49.26	54.00	-4.74	28.43	3	Vertical	153	2.50	76	48.63	13.44	41.24

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 68
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.01971G	55.19	74.00	-18.81	48.10	3	Horizontal	173	1.80	76	39.18	11.13	43.22
AV	12.02211G	45.87	54.00	-8.13	38.77	3	Horizontal	173	1.80	76	39.19	11.13	43.22
PK	17.95335G	61.02	74.00	-12.98	40.74	3	Horizontal	286	2.36	-	48.11	13.43	41.26
AV	17.96409G	48.57	54.00	-5.43	27.93	3	Horizontal	286	2.36	-	48.45	13.44	41.25

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 68
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9391G	57.55	83.54	-25.99	-155.23	1	Vertical	254	1.59	73	239.65	15.38	42.25
AV	23.9387G	46.41	63.54	-17.13	-166.36	1	Vertical	254	1.59	73	239.64	15.38	42.25

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 68
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9414G	57.06	83.54	-26.48	51.21	1	Horizontal	143	1.62	-	38.88	17.38	50.41
AV	23.94205G	46.68	63.54	-16.86	40.83	1	Horizontal	143	1.62	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 68
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3704G	55.65	74.00	-18.35	48.70	3	Vertical	258	1.80	77	38.86	11.26	43.17
AV	12.40572G	45.94	54.00	-8.06	39.06	3	Vertical	258	1.80	77	38.77	11.27	43.16

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 68
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4094G	55.14	74.00	-18.86	48.28	3	Horizontal	104	1.80	77	38.74	11.28	43.16
AV	12.46886G	45.40	54.00	-8.60	38.75	3	Horizontal	104	1.80	77	38.50	11.30	43.15

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 68
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67621G	57.16	83.54	-26.38	54.80	1	Vertical	28	1.58	-	37.70	15.27	50.61
AV	18.6753G	46.74	63.54	-16.80	44.38	1	Vertical	28	1.58	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 68
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67584G	57.64	83.54	-25.90	55.28	1	Horizontal	262	1.75	-	37.70	15.27	50.61
AV	18.6757G	46.83	63.54	-16.71	44.47	1	Horizontal	262	1.75	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78614G	56.45	88.20	-31.75	48.77	3	Vertical	8	1.27	74	39.12	11.42	42.86
RMS	12.75114G	46.72	68.20	-21.48	39.30	3	Vertical	8	1.27	74	38.91	11.41	42.90

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.72796G	56.27	88.20	-31.93	48.93	3	Horizontal	1	1.13	74	38.86	11.40	42.92
RMS	12.7334G	46.60	68.20	-21.60	39.25	3	Horizontal	1	1.13	74	38.87	11.40	42.92

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1543G	57.34	83.54	-26.20	55.56	1	Vertical	169	1.84	-	37.73	15.24	51.19
AV	19.15691G	47.47	63.54	-16.07	45.68	1	Vertical	169	1.84	-	37.74	15.24	51.19

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 69
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1539G	57.57	83.54	-25.97	55.79	1	Horizontal	347	1.42	-	37.72	15.24	51.18
AV	19.1605G	47.62	63.54	-15.92	45.81	1	Horizontal	347	1.42	-	37.76	15.24	51.19

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 SET 80
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9245G	71.50	88.20	-16.70	64.43	3	Vertical	136	2.36	-	32.40	7.64	32.97
RMS	5.9245G	62.57	68.20	-5.63	55.50	3	Vertical	136	2.36	-	32.40	7.64	32.97
PK	6.044G	109.12	Inf	-Inf	101.84	3	Vertical	136	2.36	-	32.59	7.69	33.00
RMS	6.05G	100.28	Inf	-Inf	93.00	3	Vertical	136	2.36	-	32.60	7.69	33.01

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 80
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9245G	67.28	88.20	-20.92	60.21	3	Horizontal	117	1.05	-	32.40	7.64	32.97
RMS	5.925G	57.12	68.20	-11.08	50.05	3	Horizontal	117	1.05	-	32.40	7.64	32.97
PK	6.046G	103.56	Inf	-Inf	96.28	3	Horizontal	117	1.05	-	32.59	7.69	33.00
RMS	6.0575G	94.64	Inf	-Inf	87.37	3	Horizontal	117	1.05	-	32.59	7.69	33.01

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 80
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1069G	55.42	74.00	-18.58	48.17	3	Vertical	86	2.66	80	39.30	11.16	43.21
AV	12.10275G	46.15	54.00	-7.85	38.90	3	Vertical	86	2.66	80	39.30	11.16	43.21

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 80
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.09859G	55.48	74.00	-18.52	48.23	3	Horizontal	3	1.80	80	39.30	11.16	43.21
AV	12.10243G	46.15	54.00	-7.85	38.90	3	Horizontal	3	1.80	80	39.30	11.16	43.21

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 80
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07462G	60.03	83.54	-23.51	56.95	1	Vertical	134	1.65	-	37.50	15.30	49.72
AV	18.07438G	49.47	63.54	-14.07	46.39	1	Vertical	134	1.65	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 80
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07613G	60.84	83.54	-22.70	57.76	1	Horizontal	228	1.64	-	37.50	15.30	49.72
AV	18.07552G	49.60	63.54	-13.94	46.52	1	Horizontal	228	1.64	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38177G	55.14	74.00	-18.86	48.20	3	Vertical	199	1.80	80	38.84	11.27	43.17
AV	12.36265G	46.07	54.00	-7.93	39.11	3	Vertical	199	1.80	80	38.87	11.26	43.17

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40307G	54.67	74.00	-19.33	47.78	3	Horizontal	299	1.80	80	38.78	11.27	43.16
AV	12.38982G	45.51	54.00	-8.49	38.59	3	Horizontal	299	1.80	80	38.82	11.27	43.17

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5563G	60.18	83.54	-23.36	57.68	1	Vertical	84	1.86	-	37.70	15.27	50.47
AV	18.55622G	49.69	63.54	-13.85	47.19	1	Vertical	84	1.86	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55524G	60.46	83.54	-23.08	57.96	1	Horizontal	293	1.79	-	37.70	15.27	50.47
AV	18.55497G	49.36	63.54	-14.18	46.86	1	Horizontal	293	1.79	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 SET 80
 01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.70477G	57.13	88.20	-31.07	49.88	3	Vertical	314	1.80	80	38.81	11.39	42.95
RMS	12.72695G	47.05	68.20	-21.15	39.72	3	Vertical	314	1.80	80	38.85	11.40	42.92

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 80
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.71259G	55.25	88.20	-32.95	47.97	3	Horizontal	90	1.80	80	38.83	11.39	42.94
RMS	12.7028G	46.90	68.20	-21.30	39.65	3	Horizontal	90	1.80	80	38.81	11.39	42.95

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 80
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03173G	60.37	83.54	-23.17	58.26	1	Vertical	116	1.68	-	37.90	15.25	51.04
AV	19.03242G	49.29	63.54	-14.25	47.18	1	Vertical	116	1.68	-	37.90	15.25	51.04

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX



EUT_Z_2TX
SET 80
01-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03447G	60.25	83.54	-23.29	58.14	1	Horizontal	326	1.54	-	37.90	15.25	51.04
AV	19.03665G	49.71	63.54	-13.83	47.60	1	Horizontal	326	1.54	-	37.90	15.25	51.04




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS15)_2TX	Pass	RMS	7.125G	68.09	68.20	-0.11	3	Vertical	191	2.20	73

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 48
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	58.83	88.20	-29.37	51.76	3	Vertical	129	2.48	48	32.40	7.64	32.97
RMS	5.9244G	46.43	68.20	-21.77	39.36	3	Vertical	129	2.48	48	32.40	7.64	32.97
PK	5.953G	109.83	Inf	-Inf	102.74	3	Vertical	129	2.48	48	32.41	7.66	32.98
RMS	5.9628G	97.77	Inf	-Inf	90.67	3	Vertical	129	2.48	48	32.43	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 48
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	58.47	88.20	-29.73	51.50	3	Horizontal	117	1.06	48	32.31	7.62	32.96
RMS	5.924G	45.91	68.20	-22.29	38.84	3	Horizontal	117	1.06	48	32.40	7.64	32.97
PK	5.9486G	104.46	Inf	-Inf	97.39	3	Horizontal	117	1.06	48	32.40	7.65	32.98
RMS	5.9462G	91.01	Inf	-Inf	83.94	3	Horizontal	117	1.06	48	32.40	7.65	32.98

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 48
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91019G	48.66	74.00	-25.34	42.04	3	Vertical	65	2.55	-	39.20	10.65	43.23
AV	11.90956G	36.87	54.00	-17.13	30.25	3	Vertical	65	2.55	-	39.20	10.65	43.23
PK	17.86464G	61.87	74.00	-12.13	43.47	3	Vertical	269	1.34	-	44.87	14.93	41.40
AV	17.86482G	49.78	54.00	-4.22	31.38	3	Vertical	269	1.34	-	44.87	14.93	41.40

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 48
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90977G	48.87	74.00	-25.13	42.25	3	Horizontal	165	2.58	-	39.20	10.65	43.23
AV	11.90952G	36.70	54.00	-17.30	30.08	3	Horizontal	165	2.58	-	39.20	10.65	43.23
PK	17.86526G	62.52	74.00	-11.48	44.12	3	Horizontal	359	1.97	-	44.87	14.93	41.40
AV	17.86494G	49.49	54.00	-4.51	31.09	3	Horizontal	359	1.97	-	44.87	14.93	41.40

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 48
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81841G	55.76	83.54	-27.78	49.86	1	Vertical	16	1.68	-	38.99	17.35	50.44
AV	23.81914G	44.49	63.54	-19.05	38.59	1	Vertical	16	1.68	-	38.99	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 48
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82217G	56.37	83.54	-27.17	50.49	1	Horizontal	139	1.45	-	38.97	17.35	50.44
AV	23.82174G	44.36	63.54	-19.18	38.48	1	Horizontal	139	1.45	-	38.97	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39013G	49.47	74.00	-24.53	42.97	3	Vertical	325	2.78	-	38.62	11.05	43.17
AV	12.39011G	36.95	54.00	-17.05	30.45	3	Vertical	325	2.78	-	38.62	11.05	43.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 46
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39028G	49.51	74.00	-24.49	43.01	3	Horizontal	310	2.17	-	38.62	11.05	43.17
AV	12.39016G	36.71	54.00	-17.29	30.21	3	Horizontal	310	2.17	-	38.62	11.05	43.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 46
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5854G	56.06	83.54	-27.48	53.59	1	Vertical	179	2.67	-	37.70	15.27	50.50
AV	18.58452G	44.09	63.54	-19.45	41.62	1	Vertical	179	2.67	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58517G	56.26	83.54	-27.28	53.79	1	Horizontal	245	1.98	-	37.70	15.27	50.50
AV	18.58453G	44.96	63.54	-18.58	42.49	1	Horizontal	245	1.98	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82979G	49.58	88.20	-38.62	41.83	3	Vertical	30	1.21	-	39.12	11.45	42.82
RMS	12.82968G	37.64	68.20	-30.56	29.89	3	Vertical	30	1.21	-	39.12	11.45	42.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82973G	50.03	88.20	-38.17	42.28	3	Horizontal	294	2.08	-	39.12	11.45	42.82
RMS	12.82967G	37.36	68.20	-30.84	29.62	3	Horizontal	294	2.08	-	39.12	11.44	42.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2449G	55.36	83.54	-28.18	53.50	1	Vertical	90	2.71	-	37.91	15.24	51.29
AV	19.2445G	44.60	63.54	-18.94	42.74	1	Vertical	90	2.71	-	37.91	15.24	51.29

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24528G	56.45	83.54	-27.09	54.59	1	Horizontal	247	1.38	-	37.91	15.24	51.29
AV	19.24476G	44.66	63.54	-18.88	42.80	1	Horizontal	247	1.38	-	37.91	15.24	51.29

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86993G	59.41	88.20	-28.79	42.21	3	Vertical	348	2.32	-	39.20	11.48	33.48
RMS	12.8695G	46.89	68.20	-21.31	29.69	3	Vertical	348	2.32	-	39.20	11.48	33.48

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86967G	59.11	88.20	-29.09	41.91	3	Horizontal	356	1.86	-	39.20	11.48	33.48
RMS	12.86951G	46.71	68.20	-21.49	29.51	3	Horizontal	356	1.86	-	39.20	11.48	33.48

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30514G	56.31	83.54	-27.23	54.47	1	Vertical	352	2.56	-	37.98	15.23	51.37
AV	19.30458G	45.67	63.54	-17.87	43.83	1	Vertical	352	2.56	-	37.98	15.23	51.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30538G	55.05	83.54	-28.49	53.21	1	Horizontal	283	1.72	-	37.98	15.23	51.37
AV	19.30489G	43.62	63.54	-19.92	41.78	1	Horizontal	283	1.72	-	37.98	15.23	51.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95018G	58.01	88.20	-30.19	40.53	3	Vertical	99	1.61	-	39.30	11.55	33.37
RMS	12.94954G	45.85	68.20	-22.35	28.37	3	Vertical	99	1.61	-	39.30	11.55	33.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.94994G	58.15	88.20	-30.05	40.67	3	Horizontal	72	2.33	-	39.30	11.55	33.37
RMS	12.94983G	45.63	68.20	-22.57	28.15	3	Horizontal	72	2.33	-	39.30	11.55	33.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 46
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42492G	56.96	83.54	-26.58	55.34	1	Vertical	142	2.67	-	37.90	15.23	51.51
AV	19.42475G	44.07	63.54	-19.47	42.45	1	Vertical	142	2.67	-	37.90	15.23	51.51

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42466G	56.52	83.54	-27.02	54.90	1	Horizontal	210	1.13	-	37.90	15.23	51.51
AV	19.42471G	44.07	63.54	-19.47	42.45	1	Horizontal	210	1.13	-	37.90	15.23	51.51

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03042G	59.03	88.20	-29.17	41.30	3	Vertical	275	1.04	-	39.36	11.63	33.26
RMS	13.02958G	47.12	68.20	-21.08	29.39	3	Vertical	275	1.04	-	39.36	11.63	33.26

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03033G	59.03	88.20	-29.17	41.30	3	Horizontal	265	2.74	-	39.36	11.63	33.26
RMS	13.02975G	46.83	68.20	-21.37	29.10	3	Horizontal	265	2.74	-	39.36	11.63	33.26

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54478G	56.93	83.54	-26.61	55.26	1	Vertical	358	2.67	-	38.09	15.22	51.64
AV	19.54472G	45.34	63.54	-18.20	43.67	1	Vertical	358	2.67	-	38.09	15.22	51.64

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54514G	56.69	83.54	-26.85	55.02	1	Horizontal	198	2.45	-	38.09	15.22	51.64
AV	19.54463G	44.57	63.54	-18.97	42.90	1	Horizontal	198	2.45	-	38.09	15.22	51.64

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06975G	59.04	88.20	-29.16	41.12	3	Vertical	138	1.96	-	39.48	11.66	33.22
RMS	13.06979G	47.15	68.20	-21.05	29.23	3	Vertical	138	1.96	-	39.48	11.66	33.22

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06978G	58.86	88.20	-29.34	40.94	3	Horizontal	66	1.72	-	39.48	11.66	33.22
RMS	13.06983G	46.59	68.20	-21.61	28.67	3	Horizontal	66	1.72	-	39.48	11.66	33.22

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60543G	58.02	83.54	-25.52	56.65	1	Vertical	309	1.91	-	37.83	15.22	51.68
AV	19.60459G	48.48	63.54	-15.06	47.11	1	Vertical	309	1.91	-	37.83	15.22	51.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 44
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60456G	56.56	83.54	-26.98	55.19	1	Horizontal	204	2.71	-	37.83	15.22	51.68
AV	19.60457G	47.97	63.54	-15.57	46.60	1	Horizontal	204	2.71	-	37.83	15.22	51.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 42
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38988G	49.79	74.00	-24.21	40.50	3	Vertical	10	1.15	-	40.08	11.95	42.74
AV	13.39012G	37.87	54.00	-16.13	28.57	3	Vertical	10	1.15	-	40.08	11.96	42.74

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 42
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38971G	50.11	74.00	-23.89	40.82	3	Horizontal	347	1.00	-	40.08	11.95	42.74
AV	13.39014G	37.52	54.00	-16.48	28.22	3	Horizontal	347	1.00	-	40.08	11.96	42.74

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 42
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08468G	57.81	83.54	-25.73	56.70	1	Vertical	262	1.95	-	37.84	15.27	52.00
AV	20.0847G	47.13	63.54	-16.41	46.02	1	Vertical	262	1.95	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 42
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08531G	56.14	83.54	-27.40	55.03	1	Horizontal	221	2.69	-	37.84	15.27	52.00
AV	20.08472G	47.90	63.54	-15.64	46.79	1	Horizontal	221	2.69	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75017G	51.47	88.20	-36.73	41.20	3	Vertical	54	1.44	-	40.60	12.28	42.61
RMS	13.74975G	39.47	68.20	-28.73	29.20	3	Vertical	54	1.44	-	40.60	12.28	42.61

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75045G	51.20	88.20	-37.00	40.93	3	Horizontal	109	1.40	-	40.60	12.28	42.61
RMS	13.7495G	39.39	68.20	-28.81	29.12	3	Horizontal	109	1.40	-	40.60	12.28	42.61

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62495G	56.96	83.54	-26.58	55.36	1	Vertical	220	2.63	-	37.95	15.70	52.05
AV	20.62459G	47.69	63.54	-15.85	46.09	1	Vertical	220	2.63	-	37.95	15.70	52.05

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
SET 47
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62466G	58.43	83.54	-25.11	56.83	1	Horizontal	33	1.26	-	37.95	15.70	52.05
AV	20.62451G	48.37	63.54	-15.17	46.77	1	Horizontal	33	1.26	-	37.95	15.70	52.05

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 48
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79046G	51.74	88.20	-36.46	41.33	3	Vertical	252	2.78	-	40.68	12.32	42.59
RMS	13.78964G	39.57	68.20	-28.63	29.16	3	Vertical	252	2.78	-	40.68	12.32	42.59

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 48
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78972G	52.71	88.20	-35.49	42.30	3	Horizontal	344	1.62	-	40.68	12.32	42.59
RMS	13.78957G	39.39	68.20	-28.81	28.98	3	Horizontal	344	1.62	-	40.68	12.32	42.59

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 48
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68472G	59.24	83.54	-24.30	57.66	1	Vertical	24	1.20	-	37.90	15.75	52.07
AV	20.68472G	48.45	63.54	-15.09	46.87	1	Vertical	24	1.20	-	37.90	15.75	52.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
SET 48
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68532G	59.26	83.54	-24.28	57.68	1	Horizontal	142	2.70	-	37.90	15.75	52.07
AV	20.68472G	48.20	63.54	-15.34	46.62	1	Horizontal	142	2.70	-	37.90	15.75	52.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 50
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99005G	52.10	88.20	-36.10	40.91	3	Vertical	357	2.33	-	41.16	12.50	42.47
RMS	13.99036G	40.43	68.20	-27.77	29.24	3	Vertical	357	2.33	-	41.16	12.50	42.47

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 50
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99003G	52.56	88.20	-35.64	41.37	3	Horizontal	316	2.64	-	41.16	12.50	42.47
RMS	13.99011G	40.01	68.20	-28.19	28.82	3	Horizontal	316	2.64	-	41.16	12.50	42.47

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 50
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98475G	58.32	83.54	-25.22	56.56	1	Vertical	149	1.93	-	37.96	15.99	52.19
AV	20.98496G	49.08	63.54	-14.46	47.32	1	Vertical	149	1.93	-	37.96	15.99	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
SET 50
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98499G	59.82	83.54	-23.72	58.06	1	Horizontal	226	2.38	-	37.96	15.99	52.19
AV	20.98493G	48.84	63.54	-14.70	47.08	1	Horizontal	226	2.38	-	37.96	15.99	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 46
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0912G	109.78	Inf	-Inf	98.74	3	Vertical	107	2.35	33	35.55	8.53	33.04
RMS	7.0912G	97.55	Inf	-Inf	86.51	3	Vertical	107	2.35	33	35.55	8.53	33.04
PK	7.1832G	63.59	88.20	-24.61	52.12	3	Vertical	107	2.35	33	36.03	8.50	33.06
RMS	7.1928G	50.72	68.20	-17.48	39.23	3	Vertical	107	2.35	33	36.07	8.49	33.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 46
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0898G	101.19	Inf	-Inf	90.16	3	Horizontal	146	1.06	33	35.54	8.53	33.04
RMS	7.0894G	89.63	Inf	-Inf	78.60	3	Horizontal	146	1.06	33	35.54	8.53	33.04
PK	7.1398G	63.52	88.20	-24.68	52.22	3	Horizontal	146	1.06	33	35.84	8.51	33.05
RMS	7.1564G	50.64	68.20	-17.56	39.26	3	Horizontal	146	1.06	33	35.93	8.51	33.06

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19002G	53.66	88.20	-34.54	41.78	3	Vertical	78	2.23	-	41.66	12.63	42.41
RMS	14.19023G	41.91	68.20	-26.29	30.03	3	Vertical	78	2.23	-	41.66	12.63	42.41

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18997G	53.89	88.20	-34.31	42.01	3	Horizontal	290	1.14	-	41.66	12.63	42.41
RMS	14.19035G	41.51	68.20	-26.69	29.63	3	Horizontal	290	1.14	-	41.66	12.63	42.41

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28549G	59.85	83.54	-23.69	57.54	1	Vertical	335	2.79	-	38.28	16.23	52.20
AV	21.28518G	48.50	63.54	-15.04	46.19	1	Vertical	335	2.79	-	38.28	16.23	52.20

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 46
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28514G	59.82	83.54	-23.72	57.51	1	Horizontal	305	2.42	-	38.28	16.23	52.20
AV	21.28455G	48.24	63.54	-15.30	45.93	1	Horizontal	305	2.42	-	38.28	16.23	52.20

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 SET 54
 01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	74.09	88.20	-14.11	67.02	3	Vertical	132	2.34	54	32.40	7.64	32.97
RMS	5.925G	49.62	68.20	-18.58	42.55	3	Vertical	132	2.34	54	32.40	7.64	32.97
PK	5.955G	109.09	Inf	-Inf	102.00	3	Vertical	132	2.34	54	32.41	7.66	32.98
RMS	5.9826G	96.78	Inf	-Inf	89.63	3	Vertical	132	2.34	54	32.47	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 54
01-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	64.91	88.20	-23.29	57.84	3	Horizontal	116	1.05	54	32.40	7.64	32.97
RMS	5.924G	46.85	68.20	-21.35	39.78	3	Horizontal	116	1.05	54	32.40	7.64	32.97
PK	5.9792G	102.70	Inf	-Inf	95.56	3	Horizontal	116	1.05	54	32.46	7.67	32.99
RMS	5.9788G	90.02	Inf	-Inf	82.88	3	Horizontal	116	1.05	54	32.46	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92982G	48.92	74.00	-25.08	42.29	3	Vertical	161	2.82	-	39.20	10.66	43.23
AV	11.9295G	36.47	54.00	-17.53	29.84	3	Vertical	161	2.82	-	39.20	10.66	43.23
PK	17.89524G	61.83	74.00	-12.17	43.42	3	Vertical	351	2.29	-	44.81	14.95	41.35
AV	17.8945G	48.09	54.00	-5.91	29.68	3	Vertical	351	2.29	-	44.81	14.95	41.35

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92958G	48.48	74.00	-25.52	41.85	3	Horizontal	341	2.49	-	39.20	10.66	43.23
AV	11.92956G	36.34	54.00	-17.66	29.71	3	Horizontal	341	2.49	-	39.20	10.66	43.23
PK	17.8954G	61.52	74.00	-12.48	43.11	3	Horizontal	150	2.93	-	44.81	14.95	41.35
AV	17.8945G	48.63	54.00	-5.37	30.22	3	Horizontal	150	2.93	-	44.81	14.95	41.35

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85871G	56.52	83.54	-27.02	50.79	1	Vertical	194	1.55	-	38.80	17.36	50.43
AV	23.85962G	47.63	63.54	-15.91	41.90	1	Vertical	194	1.55	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 54
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85961G	56.83	83.54	-26.71	51.10	1	Horizontal	221	1.49	-	38.80	17.36	50.43
AV	23.85602G	47.09	63.54	-16.45	41.36	1	Horizontal	221	1.49	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 53
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40972G	49.09	74.00	-24.91	42.59	3	Vertical	175	1.19	-	38.60	11.06	43.16
AV	12.40953G	36.48	54.00	-17.52	29.98	3	Vertical	175	1.19	-	38.60	11.06	43.16

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 53
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41047G	48.11	74.00	-25.89	41.61	3	Horizontal	34	2.32	-	38.60	11.06	43.16
AV	12.4095G	36.32	54.00	-17.68	29.82	3	Horizontal	34	2.32	-	38.60	11.06	43.16

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 53
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61517G	58.95	83.54	-24.59	56.49	1	Vertical	350	2.87	-	37.73	15.27	50.54
AV	18.61454G	47.03	63.54	-16.51	44.57	1	Vertical	350	2.87	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 53
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61487G	57.66	83.54	-25.88	55.20	1	Horizontal	318	1.70	-	37.73	15.27	50.54
AV	18.61451G	47.85	63.54	-15.69	45.39	1	Horizontal	318	1.70	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 57
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81012G	49.14	88.20	-39.06	41.51	3	Vertical	168	1.96	-	39.04	11.43	42.84
RMS	12.80986G	37.42	68.20	-30.78	29.79	3	Vertical	168	1.96	-	39.04	11.43	42.84

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 57
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81033G	49.07	88.20	-39.13	41.44	3	Horizontal	37	2.11	-	39.04	11.43	42.84
RMS	12.80959G	36.88	68.20	-31.32	29.25	3	Horizontal	37	2.11	-	39.04	11.43	42.84

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 57
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.215G	58.66	83.54	-24.88	56.71	1	Vertical	196	1.97	-	37.97	15.24	51.26
AV	19.2145G	47.02	63.54	-16.52	45.07	1	Vertical	196	1.97	-	37.97	15.24	51.26

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 57
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21475G	58.88	83.54	-24.66	56.93	1	Horizontal	231	1.44	-	37.97	15.24	51.26
AV	19.2145G	47.83	63.54	-15.71	45.88	1	Horizontal	231	1.44	-	37.97	15.24	51.26

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88989G	49.12	88.20	-39.08	41.18	3	Vertical	169	1.87	-	39.20	11.50	42.76			
RMS	12.88984G	37.61	68.20	-30.59	29.67	3	Vertical	169	1.87	-	39.20	11.50	42.76			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89029G	49.28	88.20	-38.92	41.34	3	Horizontal	181	2.97	-	39.20	11.50	42.76
RMS	12.88957G	37.15	68.20	-31.05	29.21	3	Horizontal	181	2.97	-	39.20	11.50	42.76

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33493G	59.58	83.54	-23.96	57.89	1	Vertical	3	1.80	-	37.86	15.23	51.40
AV	19.33546G	48.64	63.54	-14.90	46.95	1	Vertical	3	1.80	-	37.86	15.23	51.40

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
SET 56
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33498G	58.01	83.54	-25.53	56.32	1	Horizontal	340	1.23	-	37.86	15.23	51.40
AV	19.33452G	48.36	63.54	-15.18	46.67	1	Horizontal	340	1.23	-	37.86	15.23	51.40

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX



EUT_Z_2TX
SET 56
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97001G	48.46	88.20	-39.74	40.27	3	Vertical	261	1.85	-	39.30	11.57	42.68
RMS	12.9695G	36.42	68.20	-31.78	28.23	3	Vertical	261	1.85	-	39.30	11.57	42.68