



**FCC 47 CFR PART 15 Subpart C
(Class II Permissive Change)**

TEST REPORT

For

WIRELESS DIMMABLE TRANSLATOR

Model Number: LEDRGBWL-75W, LED6ZONE-72W

Trade Name: Dals

Issued to

Dals Lighting Inc.
30 Rolland Briere, Suite 104 Blainville QC J7C 5R8, Canada

Issued by

Compliance Certification Services Inc.
No.11, Wugong 6th Rd., Wugu Dist.,
New Taipei City 24891, Taiwan. (R.O.C.)
<http://www.ccsrf.com>
service@ccsrf.com
Issued Date: February 20, 2013



***Note:** This report shall not be reproduced except in full, without the written approval of Compliance Certification Services Inc. This document may be altered or revised by Compliance Certification Services Inc. personnel only, and shall be noted in the revision section of the document.*



Revision History

Rev.	Issue Date	Revisions	Effect Page	Revised By
00	December 10, 2012	Initial Issue	ALL	Kelly Cheng
01	February 20, 2013	See the following Note Rev. (01)	ALL	Kelly Cheng

Rev. (01):

- 1. Increasing the voltage (DC 24V/36V/48V).*
- 2. Other information, please refer to the T121206J05 and this test report.*



TABLE OF CONTENTS

1. TEST RESULT CERTIFICATION.....	4
2. EUT DESCRIPTION.....	5
3. TECHNICAL JUSTIFICATION.....	6
APPENDIX 1 - PHOTOGRAPHS OF EUT	



1. TEST RESULT CERTIFICATION

Applicant: Dals Lighting Inc.
30 Rolland Briere, Suite 104 Blainville QC J7C 5R8, Canada

Manufacturer: RISE LIGHTING CO., LTD
No.7, Wu Chuan 1st rd., Hsin Chuang Dist., New Taipei City

Equipment Under Test: WIRELESS DIMMABLE TRANSLATOR

Trade Name: Dals

Model Number: LEDRGBWL-75W, LED6ZONE-72W

Date of Test: October 8 ~ November 29, 2012

APPLICABLE STANDARDS	
STANDARD	TEST RESULT
FCC 47 CFR Part 15 Subpart C	No non-compliance noted

We hereby certify that:

The above equipment was tested by Compliance Certification Services Inc. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4: 2009 and the energy emitted by the sample EUT tested as described in this report is in compliance with the requirements emission limits of FCC Rules Part 15.107, 15.109, 15.207, 15.209 and 15.249.
The test results of this report relate only to the tested sample identified in this report.

Approved by:

Reviewed by:

Miller Lee
Section Manager
Compliance Certification Services Inc.

Gina Lo
Section Manager
Compliance Certification Services Inc.



2. EUT DESCRIPTION

Product	WIRELESS DIMMABLE TRANSLATOR																			
Trade Name	Dals																			
Model Number	LEDRGBWL-75W, LED6ZONE-72W																			
Model Discrepancy	<p>LEDRGBWL-75W : R/G/B dimmable translator Flicker-free R/G/B dimming from 0% to 100% 8 preset color combinations. 8 default color transition speed and a "auto-rim" function.</p> <p>LED6ZONE-72W : Six zones dimmable translator Dimming ranges from 0% to 100% with flicker-free quality. Built-in 10/60/100% brightness for user selection.</p>																			
Power Supply	DC 12V/24V/36V/48V																			
Received Date	February 8, 2013																			
Frequency Range	<table border="1"> <thead> <tr> <th>Channel</th> <th>Frequency (MHz)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2411.5</td> </tr> <tr> <td>2</td> <td>2413.5</td> </tr> <tr> <td>3</td> <td>2419.5</td> </tr> <tr> <td>4</td> <td>2421.5</td> </tr> <tr> <td>5</td> <td>2427.5</td> </tr> <tr> <td>6</td> <td>2437.5</td> </tr> <tr> <td>7</td> <td>2443.5</td> </tr> <tr> <td>8</td> <td>2458.5</td> </tr> </tbody> </table>		Channel	Frequency (MHz)	1	2411.5	2	2413.5	3	2419.5	4	2421.5	5	2427.5	6	2437.5	7	2443.5	8	2458.5
Channel	Frequency (MHz)																			
1	2411.5																			
2	2413.5																			
3	2419.5																			
4	2421.5																			
5	2427.5																			
6	2437.5																			
7	2443.5																			
8	2458.5																			
Modulation Technique	GFSK																			
Antenna Gain	4.63dBi																			
Antenna Designation	PCB Antenna																			
Antenna Manufacturer	AMICCOM																			
Class II Permissive Change	Increasing the voltage (DC 24V/36V/48V).																			

Remark:

1. The sample selected for test was production product and was provided by manufacturer.
2. This submittal(s) (test report) is intended for FCC ID: QXYTRANSLATOR filing to comply with Section 15.107 & 15.109 (FCC Part 15, Subpart B) and Section 15.207, 15.209, 15.249.



3. TECHNICAL JUSTIFICATION

This application is to alternate DC 24V, 36V and 48V input voltage. EUT will convert the voltage automatically. After the verification, they will not affect the RF function and no additional test will be required.