




802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39947G	45.75	54.00	-8.25	18.00	3	Vertical	35	1.31	-	27.75	39.68	12.55	34.23
PK	11.39865G	59.07	74.00	-14.93	18.00	3	Vertical	35	1.31	-	41.07	39.68	12.55	34.23



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40227G	45.68	54.00	-8.32	18.00	3	Horizontal	201	1.10	-	27.68	39.68	12.55	34.23
PK	11.40089G	57.97	74.00	-16.03	18.00	3	Horizontal	201	1.10	-	39.97	39.68	12.55	34.23



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	41.62	54.00	-12.38	6.70	3	Vertical	182	1.50	-	34.92	31.68	9.18	34.16
AV	5.7176G	96.92	Inf	-Inf	6.87	3	Vertical	182	1.50	-	90.05	31.85	9.37	34.35
PK	5.46G	53.68	68.20	-14.52	6.70	3	Vertical	182	1.50	-	46.98	31.68	9.18	34.16
PK	5.7176G	105.58	Inf	-Inf	6.87	3	Vertical	182	1.50	-	98.71	31.85	9.37	34.35
PK	5.936G	55.81	68.20	-12.39	7.64	3	Vertical	182	1.50	-	48.17	32.40	9.53	34.29



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	41.77	54.00	-12.23	6.67	3	Horizontal	73	2.09	-	35.10	31.66	9.18	34.17
AV	5.7164G	97.84	Inf	-Inf	6.87	3	Horizontal	73	2.09	-	90.97	31.85	9.37	34.35
PK	5.4608G	53.94	68.20	-14.26	6.70	3	Horizontal	73	2.09	-	47.24	31.68	9.18	34.16
PK	5.7164G	106.19	Inf	-Inf	6.87	3	Horizontal	73	2.09	-	99.32	31.85	9.37	34.35
PK	5.9192G	55.68	68.20	-12.52	7.59	3	Horizontal	73	2.09	-	48.09	32.40	9.52	34.33



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44114G	46.51	54.00	-7.49	17.97	3	Vertical	235	2.42	-	28.54	39.63	12.57	34.23
PK	11.43868G	59.94	74.00	-14.06	17.97	3	Vertical	235	2.42	-	41.97	39.63	12.57	34.23



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44089G	46.02	54.00	-7.98	17.97	3	Horizontal	193	2.56	-	28.05	39.63	12.57	34.23
PK	11.44087G	58.76	74.00	-15.24	17.97	3	Horizontal	193	2.56	-	40.79	39.63	12.57	34.23



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	97.11	Inf	-Inf	6.97	3	Vertical	182	1.50	-	90.14	31.93	9.40	34.36
PK	5.6262G	56.13	68.20	-12.07	6.56	3	Vertical	182	1.50	-	49.57	31.65	9.25	34.34
PK	5.7414G	105.81	Inf	-Inf	6.96	3	Vertical	182	1.50	-	98.85	31.92	9.40	34.36
PK	5.9406G	55.26	68.20	-12.94	7.66	3	Vertical	182	1.50	-	47.60	32.40	9.54	34.28



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	97.64	Inf	-Inf	6.98	3	Horizontal	70	2.05	-	90.66	31.94	9.40	34.36
PK	5.637G	55.44	68.20	-12.76	6.60	3	Horizontal	70	2.05	-	48.84	31.67	9.27	34.34
PK	5.7462G	106.16	Inf	-Inf	6.98	3	Horizontal	70	2.05	-	99.18	31.94	9.40	34.36
PK	5.943G	55.74	68.20	-12.46	7.66	3	Horizontal	70	2.05	-	48.08	32.40	9.54	34.28



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49203G	47.42	54.00	-6.58	17.93	3	Vertical	99	2.83	-	29.49	39.56	12.60	34.23
PK	11.49129G	61.59	74.00	-12.41	17.93	3	Vertical	99	2.83	-	43.66	39.56	12.60	34.23



802.11a_Nss1,(6Mbps)_2TX

25/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49031G	46.00	54.00	-8.00	17.93	3	Horizontal	130	1.50	-	28.07	39.56	12.60	34.23
PK	11.49151G	58.90	74.00	-15.10	17.93	3	Horizontal	130	1.50	-	40.97	39.56	12.60	34.23



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	97.92	Inf	-Inf	7.14	3	Vertical	193	2.71	-	90.78	32.06	9.45	34.37
PK	5.5666G	54.94	68.20	-13.26	6.63	3	Vertical	193	2.71	-	48.31	31.67	9.21	34.25
PK	5.7838G	106.82	Inf	-Inf	7.13	3	Vertical	193	2.71	-	99.69	32.05	9.45	34.37
PK	5.9578G	56.21	68.20	-11.99	7.70	3	Vertical	193	2.71	-	48.51	32.40	9.54	34.24



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	93.46	Inf	-Inf	7.14	3	Horizontal	248	1.01	-	86.32	32.06	9.45	34.37
PK	5.6134G	55.40	68.20	-12.80	6.53	3	Horizontal	248	1.01	-	48.87	31.63	9.24	34.34
PK	5.7814G	102.69	Inf	-Inf	7.11	3	Horizontal	248	1.01	-	95.58	32.04	9.44	34.37
PK	5.9362G	55.38	68.20	-12.82	7.64	3	Horizontal	248	1.01	-	47.74	32.40	9.53	34.29



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57246G	47.42	54.00	-6.58	17.87	3	Vertical	163	2.69	-	29.55	39.46	12.65	34.24
PK	11.5688G	60.49	74.00	-13.51	17.86	3	Vertical	163	2.69	-	42.63	39.46	12.64	34.24



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57234G	46.55	54.00	-7.45	17.87	3	Horizontal	255	1.01	-	28.68	39.46	12.65	34.24
PK	11.5712G	60.06	74.00	-13.94	17.87	3	Horizontal	255	1.01	-	42.19	39.46	12.65	34.24



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	95.15	Inf	-Inf	7.30	3	Vertical	188	1.50	-	87.85	32.19	9.48	34.37
PK	5.5838G	54.48	68.20	-13.72	6.56	3	Vertical	188	1.50	-	47.92	31.63	9.22	34.29
PK	5.8238G	104.10	Inf	-Inf	7.28	3	Vertical	188	1.50	-	96.82	32.17	9.48	34.37
PK	5.9426G	56.12	68.20	-12.08	7.66	3	Vertical	188	1.50	-	48.46	32.40	9.54	34.28



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	95.89	Inf	-Inf	7.30	3	Horizontal	276	1.01	-	88.59	32.19	9.48	34.37
PK	5.6498G	54.35	68.20	-13.85	6.64	3	Horizontal	276	1.01	-	47.71	31.70	9.28	34.34
PK	5.8286G	104.70	Inf	-Inf	7.30	3	Horizontal	276	1.01	-	97.40	32.19	9.48	34.37
PK	5.9402G	56.28	68.20	-11.92	7.65	3	Horizontal	276	1.01	-	48.63	32.40	9.53	34.28



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63614G	45.37	54.00	-8.63	17.81	3	Vertical	91	1.37	-	27.56	39.37	12.68	34.24
PK	11.66308G	58.03	74.00	-15.97	17.80	3	Vertical	91	1.37	-	40.23	39.34	12.70	34.24



802.11a_Nss1,(6Mbps)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66488G	45.37	54.00	-8.63	17.80	3	Horizontal	303	2.16	-	27.57	39.34	12.70	34.24
PK	11.64586G	58.20	74.00	-15.80	17.81	3	Horizontal	303	2.16	-	40.39	39.36	12.69	34.24



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	43.26	54.00	-10.74	6.63	3	Vertical	149	2.97	-	36.63	31.84	9.06	34.27
AV	5.1786G	91.35	Inf	-Inf	6.47	3	Vertical	149	2.97	-	84.88	31.69	9.06	34.28
PK	5.136G	55.36	74.00	-18.64	6.65	3	Vertical	149	2.97	-	48.71	31.86	9.06	34.27
PK	5.1824G	100.70	Inf	-Inf	6.45	3	Vertical	149	2.97	-	94.25	31.67	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1474G	43.83	54.00	-10.17	6.60	3	Horizontal	107	1.12	-	37.23	31.81	9.06	34.27
AV	5.1766G	93.59	Inf	-Inf	6.47	3	Horizontal	107	1.12	-	87.12	31.69	9.06	34.28
PK	5.1442G	56.72	74.00	-17.28	6.61	3	Horizontal	107	1.12	-	50.11	31.82	9.06	34.27
PK	5.1836G	102.97	Inf	-Inf	6.45	3	Horizontal	107	1.12	-	96.52	31.67	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36228G	51.63	68.20	-16.57	14.80	3	Vertical	242	1.35	-	36.83	39.37	10.33	34.90



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35178G	51.97	68.20	-16.23	14.78	3	Horizontal	25	1.53	-	37.19	39.36	10.33	34.91



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1192G	42.97	54.00	-11.03	6.71	3	Vertical	145	1.01	-	36.26	31.92	9.06	34.27
AV	5.202G	89.93	Inf	-Inf	6.37	3	Vertical	145	1.01	-	83.56	31.59	9.06	34.28
PK	5.1268G	55.49	74.00	-18.51	6.68	3	Vertical	145	1.01	-	48.81	31.89	9.06	34.27
PK	5.2044G	98.99	Inf	-Inf	6.36	3	Vertical	145	1.01	-	92.63	31.58	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	43.03	54.00	-10.97	6.60	3	Horizontal	355	2.78	-	36.43	31.81	9.06	34.27
AV	5.1972G	90.12	Inf	-Inf	6.39	3	Horizontal	355	2.78	-	83.73	31.61	9.06	34.28
PK	5.1088G	55.47	74.00	-18.53	6.75	3	Horizontal	355	2.78	-	48.72	31.96	9.06	34.27
PK	5.1968G	99.16	Inf	-Inf	6.39	3	Horizontal	355	2.78	-	92.77	31.61	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39682G	52.12	68.20	-16.08	14.88	3	Vertical	15	1.06	-	37.24	39.42	10.33	34.87



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39532G	52.70	68.20	-15.50	14.87	3	Horizontal	189	1.98	-	37.83	39.41	10.33	34.87

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.096G	42.98	54.00	-11.02	6.78	3	Vertical	142	2.81	-	36.20	31.98	9.06	34.26
AV	5.237G	92.72	Inf	-Inf	6.24	3	Vertical	142	2.81	-	86.48	31.45	9.08	34.29
AV	5.3768G	41.48	54.00	-12.52	6.27	3	Vertical	142	2.81	-	35.21	31.43	9.15	34.31
PK	5.1404G	55.45	74.00	-18.55	6.63	3	Vertical	142	2.81	-	48.82	31.84	9.06	34.27
PK	5.2352G	101.88	Inf	-Inf	6.25	3	Vertical	142	2.81	-	95.63	31.46	9.08	34.29
PK	5.3642G	53.02	74.00	-20.98	6.23	3	Vertical	142	2.81	-	46.79	31.39	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.099G	43.12	54.00	-10.88	6.79	3	Horizontal	102	1.50	-	36.33	32.00	9.06	34.27
AV	5.2382G	91.35	Inf	-Inf	6.24	3	Horizontal	102	1.50	-	85.11	31.45	9.08	34.29
AV	5.3846G	41.24	54.00	-12.76	6.30	3	Horizontal	102	1.50	-	34.94	31.45	9.16	34.31
PK	5.1272G	56.29	74.00	-17.71	6.68	3	Horizontal	102	1.50	-	49.61	31.89	9.06	34.27
PK	5.2382G	100.93	Inf	-Inf	6.24	3	Horizontal	102	1.50	-	94.69	31.45	9.08	34.29
PK	5.3702G	53.83	74.00	-20.17	6.25	3	Horizontal	102	1.50	-	47.58	31.41	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48648G	52.90	68.20	-15.30	15.08	3	Vertical	214	1.00	-	37.82	39.53	10.35	34.80



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47628G	51.82	68.20	-16.38	15.07	3	Horizontal	56	2.11	-	36.75	39.52	10.35	34.80



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1112G	43.05	54.00	-10.95	6.75	3	Vertical	117	2.99	-	36.30	31.96	9.06	34.27
AV	5.2618G	93.35	Inf	-Inf	6.15	3	Vertical	117	2.99	-	87.20	31.35	9.09	34.29
AV	5.3566G	41.71	54.00	-12.29	6.20	3	Vertical	117	2.99	-	35.51	31.37	9.14	34.31
PK	5.1496G	54.89	74.00	-19.11	6.59	3	Vertical	117	2.99	-	48.30	31.80	9.06	34.27
PK	5.2624G	102.16	Inf	-Inf	6.15	3	Vertical	117	2.99	-	96.01	31.35	9.09	34.29
PK	5.3866G	53.44	74.00	-20.56	6.31	3	Vertical	117	2.99	-	47.13	31.46	9.16	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.113G	43.14	54.00	-10.86	6.74	3	Horizontal	103	1.01	-	36.40	31.95	9.06	34.27
AV	5.257G	92.40	Inf	-Inf	6.17	3	Horizontal	103	1.01	-	86.23	31.37	9.09	34.29
AV	5.4052G	41.50	54.00	-12.50	6.39	3	Horizontal	103	1.01	-	35.11	31.52	9.17	34.30
PK	5.1154G	55.19	74.00	-18.81	6.73	3	Horizontal	103	1.01	-	48.46	31.94	9.06	34.27
PK	5.263G	101.49	Inf	-Inf	6.15	3	Horizontal	103	1.01	-	95.34	31.35	9.09	34.29
PK	5.3638G	53.88	74.00	-20.12	6.23	3	Horizontal	103	1.01	-	47.65	31.39	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5056G	51.92	68.20	-16.28	15.13	3	Vertical	150	2.05	-	36.79	39.56	10.35	34.78



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50692G	51.96	68.20	-16.24	15.13	3	Horizontal	247	1.06	-	36.83	39.56	10.35	34.78



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	91.65	Inf	-Inf	6.02	3	Vertical	144	2.25	-	85.63	31.21	9.11	34.30
AV	5.3532G	41.85	54.00	-12.15	6.19	3	Vertical	144	2.25	-	35.66	31.36	9.14	34.31
PK	5.296G	101.59	Inf	-Inf	6.03	3	Vertical	144	2.25	-	95.56	31.22	9.11	34.30
PK	5.3868G	56.13	74.00	-17.87	6.31	3	Vertical	144	2.25	-	49.82	31.46	9.16	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	89.52	Inf	-Inf	6.01	3	Horizontal	124	2.10	-	83.51	31.20	9.11	34.30
AV	5.3572G	41.46	54.00	-12.54	6.20	3	Horizontal	124	2.10	-	35.26	31.37	9.14	34.31
PK	5.2956G	98.18	Inf	-Inf	6.03	3	Horizontal	124	2.10	-	92.15	31.22	9.11	34.30
PK	5.3736G	54.26	74.00	-19.74	6.26	3	Horizontal	124	2.10	-	48.00	31.42	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59334G	52.55	68.20	-15.65	15.33	3	Vertical	132	2.21	-	37.22	39.67	10.37	34.71



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58938G	52.14	68.20	-16.06	15.33	3	Horizontal	338	1.09	-	36.81	39.67	10.37	34.71



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.317G	91.38	Inf	-Inf	6.07	3	Vertical	142	2.10	-	85.31	31.25	9.12	34.30
AV	5.3546G	41.93	54.00	-12.07	6.19	3	Vertical	142	2.10	-	35.74	31.36	9.14	34.31
PK	5.317G	100.62	Inf	-Inf	6.07	3	Vertical	142	2.10	-	94.55	31.25	9.12	34.30
PK	5.35G	54.19	74.00	-19.81	6.18	3	Vertical	142	2.10	-	48.01	31.35	9.14	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	90.50	Inf	-Inf	6.07	3	Horizontal	48	2.28	-	84.43	31.25	9.12	34.30
AV	5.3504G	41.68	54.00	-12.32	6.18	3	Horizontal	48	2.28	-	35.50	31.35	9.14	34.31
PK	5.3168G	100.01	Inf	-Inf	6.07	3	Horizontal	48	2.28	-	93.94	31.25	9.12	34.30
PK	5.3556G	54.60	74.00	-19.40	6.20	3	Horizontal	48	2.28	-	48.40	31.37	9.14	34.31



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65368G	39.58	54.00	-14.42	15.47	3	Vertical	274	2.27	-	24.11	39.75	10.38	34.66
PK	10.6505G	52.81	74.00	-21.19	15.47	3	Vertical	274	2.27	-	37.34	39.75	10.38	34.66



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65068G	39.55	54.00	-14.45	15.47	3	Horizontal	82	2.48	-	24.08	39.75	10.38	34.66
PK	10.65146G	53.74	74.00	-20.26	15.47	3	Horizontal	82	2.48	-	38.27	39.75	10.38	34.66



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	42.90	54.00	-11.10	6.70	3	Vertical	140	2.28	-	36.20	31.68	9.18	34.16
AV	5.4982G	92.12	Inf	-Inf	6.92	3	Vertical	140	2.28	-	85.20	31.79	9.19	34.06
PK	5.4674G	55.79	68.20	-12.41	6.75	3	Vertical	140	2.28	-	49.04	31.70	9.19	34.14
PK	5.497G	101.54	Inf	-Inf	6.91	3	Vertical	140	2.28	-	94.63	31.79	9.19	34.07



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	42.23	54.00	-11.77	6.70	3	Horizontal	47	2.63	-	35.53	31.68	9.18	34.16
AV	5.4972G	88.82	Inf	-Inf	6.91	3	Horizontal	47	2.63	-	81.91	31.79	9.19	34.07
PK	5.462G	54.61	68.20	-13.59	6.71	3	Horizontal	47	2.63	-	47.90	31.69	9.18	34.16
PK	5.4976G	98.30	Inf	-Inf	6.91	3	Horizontal	47	2.63	-	91.39	31.79	9.19	34.07



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99712G	39.84	54.00	-14.16	16.27	3	Vertical	27	2.24	-	23.57	40.20	10.44	34.37
PK	10.98836G	52.99	74.00	-21.01	16.24	3	Vertical	27	2.24	-	36.75	40.18	10.44	34.38



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00126G	39.77	54.00	-14.23	16.27	3	Horizontal	37	1.02	-	23.50	40.20	10.44	34.37
PK	11.00984G	52.63	74.00	-21.37	16.27	3	Horizontal	37	1.02	-	36.36	40.19	10.45	34.37

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	41.91	54.00	-12.09	6.61	3	Vertical	140	2.35	-	35.30	31.63	9.18	34.20
AV	5.583G	90.45	Inf	-Inf	6.56	3	Vertical	140	2.35	-	83.89	31.63	9.22	34.29
PK	5.463G	53.62	68.20	-14.58	6.72	3	Vertical	140	2.35	-	46.90	31.69	9.18	34.15
PK	5.577G	99.69	Inf	-Inf	6.59	3	Vertical	140	2.35	-	93.10	31.65	9.22	34.28
PK	5.7276G	54.14	68.20	-14.06	6.90	3	Vertical	140	2.35	-	47.24	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	41.70	54.00	-12.30	6.70	3	Horizontal	52	2.93	-	35.00	31.68	9.18	34.16
AV	5.583G	87.95	Inf	-Inf	6.56	3	Horizontal	52	2.93	-	81.39	31.63	9.22	34.29
PK	5.4666G	53.39	68.20	-14.81	6.75	3	Horizontal	52	2.93	-	46.64	31.70	9.19	34.14
PK	5.5752G	97.26	Inf	-Inf	6.60	3	Horizontal	52	2.93	-	90.66	31.65	9.22	34.27
PK	5.7252G	53.78	68.20	-14.42	6.90	3	Horizontal	52	2.93	-	46.88	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.175G	40.15	54.00	-13.85	16.10	3	Vertical	180	1.97	-	24.05	39.99	10.53	34.42
PK	11.15514G	53.40	74.00	-20.60	16.12	3	Vertical	180	1.97	-	37.28	40.01	10.52	34.41



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1666G	40.14	54.00	-13.86	16.11	3	Horizontal	26	1.90	-	24.03	40.00	10.52	34.41
PK	11.16258G	53.03	74.00	-20.97	16.11	3	Horizontal	26	1.90	-	36.92	40.00	10.52	34.41



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	90.13	Inf	-Inf	6.78	3	Vertical	134	2.80	-	83.35	31.79	9.34	34.35
PK	5.6968G	99.02	Inf	-Inf	6.78	3	Vertical	134	2.80	-	92.24	31.79	9.34	34.35
PK	5.7284G	55.96	68.20	-12.24	6.91	3	Vertical	134	2.80	-	49.05	31.89	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	89.37	Inf	-Inf	6.79	3	Horizontal	104	1.01	-	82.58	31.80	9.34	34.35
PK	5.6968G	98.76	Inf	-Inf	6.78	3	Horizontal	104	1.01	-	91.98	31.79	9.34	34.35
PK	5.7272G	55.89	68.20	-12.31	6.90	3	Horizontal	104	1.01	-	48.99	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38548G	39.40	54.00	-14.60	15.90	3	Vertical	176	1.62	-	23.50	39.74	10.63	34.47
PK	11.38572G	52.52	74.00	-21.48	15.90	3	Vertical	176	1.62	-	36.62	39.74	10.63	34.47



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39988G	39.30	54.00	-14.70	15.88	3	Horizontal	215	2.42	-	23.42	39.72	10.64	34.48
PK	11.3943G	52.84	74.00	-21.16	15.89	3	Horizontal	215	2.42	-	36.95	39.73	10.64	34.48



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	41.60	54.00	-12.40	6.70	3	Vertical	134	2.76	-	34.90	31.68	9.18	34.16
AV	5.7236G	89.53	Inf	-Inf	6.89	3	Vertical	134	2.76	-	82.64	31.87	9.37	34.35
PK	5.4644G	53.29	68.20	-14.91	6.73	3	Vertical	134	2.76	-	46.56	31.69	9.19	34.15
PK	5.7236G	98.10	Inf	-Inf	6.89	3	Vertical	134	2.76	-	91.21	31.87	9.37	34.35
PK	5.9144G	55.78	68.20	-12.42	7.57	3	Vertical	134	2.76	-	48.21	32.40	9.52	34.35



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	41.58	54.00	-12.42	6.66	3	Horizontal	106	1.01	-	34.92	31.66	9.18	34.18
AV	5.7176G	89.26	Inf	-Inf	6.87	3	Horizontal	106	1.01	-	82.39	31.85	9.37	34.35
PK	5.4644G	53.91	68.20	-14.29	6.73	3	Horizontal	106	1.01	-	47.18	31.69	9.19	34.15
PK	5.7164G	98.21	Inf	-Inf	6.87	3	Horizontal	106	1.01	-	91.34	31.85	9.37	34.35
PK	5.9408G	55.77	68.20	-12.43	7.66	3	Horizontal	106	1.01	-	48.11	32.40	9.54	34.28



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4379G	39.21	54.00	-14.79	15.84	3	Vertical	290	2.02	-	23.37	39.67	10.66	34.49
PK	11.45308G	52.54	74.00	-21.46	15.83	3	Vertical	290	2.02	-	36.71	39.66	10.66	34.49



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4307G	39.19	54.00	-14.81	15.84	3	Horizontal	65	2.38	-	23.35	39.68	10.65	34.49
PK	11.42506G	52.26	74.00	-21.74	15.86	3	Horizontal	65	2.38	-	36.40	39.69	10.65	34.48

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	90.45	Inf	-Inf	6.97	3	Vertical	138	2.77	-	83.48	31.93	9.40	34.36
PK	5.5806G	55.30	68.20	-12.90	6.57	3	Vertical	138	2.77	-	48.73	31.64	9.22	34.29
PK	5.7414G	100.83	Inf	-Inf	6.96	3	Vertical	138	2.77	-	93.87	31.92	9.40	34.36
PK	5.9694G	55.43	68.20	-12.77	7.74	3	Vertical	138	2.77	-	47.69	32.40	9.55	34.21



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	90.58	Inf	-Inf	6.98	3	Horizontal	103	1.01	-	83.60	31.94	9.40	34.36
PK	5.5878G	54.55	68.20	-13.65	6.53	3	Horizontal	103	1.01	-	48.02	31.62	9.22	34.31
PK	5.7474G	99.07	Inf	-Inf	6.98	3	Horizontal	103	1.01	-	92.09	31.94	9.40	34.36
PK	5.9742G	55.41	68.20	-12.79	7.75	3	Horizontal	103	1.01	-	47.66	32.40	9.55	34.20



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49912G	39.20	54.00	-14.80	15.79	3	Vertical	11	2.36	-	23.41	39.60	10.69	34.50
PK	11.4954G	52.51	74.00	-21.49	15.79	3	Vertical	11	2.36	-	36.72	39.61	10.68	34.50



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47518G	39.18	54.00	-14.82	15.80	3	Horizontal	82	2.49	-	23.38	39.63	10.67	34.50
PK	11.48796G	52.47	74.00	-21.53	15.79	3	Horizontal	82	2.49	-	36.68	39.61	10.68	34.50



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	89.84	Inf	-Inf	7.14	3	Vertical	130	2.84	-	82.70	32.06	9.45	34.37
PK	5.5258G	54.83	68.20	-13.37	6.82	3	Vertical	130	2.84	-	48.01	31.75	9.20	34.13
PK	5.7814G	99.18	Inf	-Inf	7.11	3	Vertical	130	2.84	-	92.07	32.04	9.44	34.37
PK	5.989G	54.87	68.20	-13.33	7.79	3	Vertical	130	2.84	-	47.08	32.40	9.56	34.17

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	90.23	Inf	-Inf	7.14	3	Horizontal	104	1.05	-	83.09	32.06	9.45	34.37
PK	5.5498G	54.78	68.20	-13.42	6.71	3	Horizontal	104	1.05	-	48.07	31.70	9.21	34.20
PK	5.7802G	99.22	Inf	-Inf	7.11	3	Horizontal	104	1.05	-	92.11	32.04	9.44	34.37
PK	5.9374G	56.19	68.20	-12.01	7.64	3	Horizontal	104	1.05	-	48.55	32.40	9.53	34.29



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56022G	38.85	54.00	-15.15	15.73	3	Vertical	48	2.39	-	23.12	39.53	10.72	34.52
PK	11.56094G	52.27	74.00	-21.73	15.73	3	Vertical	48	2.39	-	36.54	39.53	10.72	34.52



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56016G	38.95	54.00	-15.05	15.73	3	Horizontal	172	2.33	-	23.22	39.53	10.72	34.52
PK	11.5676G	52.97	74.00	-21.03	15.72	3	Horizontal	172	2.33	-	37.25	39.52	10.72	34.52

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	89.07	Inf	-Inf	7.27	3	Vertical	129	2.36	-	81.80	32.16	9.48	34.37
PK	5.537G	54.66	68.20	-13.54	6.78	3	Vertical	129	2.36	-	47.88	31.73	9.21	34.16
PK	5.8202G	97.95	Inf	-Inf	7.27	3	Vertical	129	2.36	-	90.68	32.16	9.48	34.37
PK	5.9594G	55.14	68.20	-13.06	7.70	3	Vertical	129	2.36	-	47.44	32.40	9.54	34.24



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	86.10	Inf	-Inf	7.27	3	Horizontal	213	2.99	-	78.83	32.16	9.48	34.37
PK	5.5922G	54.40	68.20	-13.80	6.52	3	Horizontal	213	2.99	-	47.88	31.62	9.22	34.32
PK	5.8214G	94.86	Inf	-Inf	7.27	3	Horizontal	213	2.99	-	87.59	32.16	9.48	34.37
PK	5.9774G	55.37	68.20	-12.83	7.76	3	Horizontal	213	2.99	-	47.61	32.40	9.55	34.19



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6422G	39.20	54.00	-14.80	15.65	3	Vertical	278	1.18	-	23.55	39.43	10.76	34.54
PK	11.64904G	52.52	74.00	-21.48	15.63	3	Vertical	278	1.18	-	36.89	39.42	10.76	34.55



802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66404G	39.31	54.00	-14.69	15.62	3	Horizontal	54	2.43	-	23.69	39.40	10.77	34.55
PK	11.65156G	52.38	74.00	-21.62	15.63	3	Horizontal	54	2.43	-	36.75	39.42	10.76	34.55



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.81	54.00	-10.19	6.59	3	Vertical	140	2.24	-	37.22	31.80	9.06	34.27
AV	5.1776G	94.31	Inf	-Inf	6.47	3	Vertical	140	2.24	-	87.84	31.69	9.06	34.28
PK	5.1462G	56.84	74.00	-17.16	6.61	3	Vertical	140	2.24	-	50.23	31.82	9.06	34.27
PK	5.1834G	105.52	Inf	-Inf	6.45	3	Vertical	140	2.24	-	99.07	31.67	9.06	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.23	54.00	-8.77	6.59	3	Horizontal	168	2.99	-	38.64	31.80	9.06	34.27
AV	5.183G	95.66	Inf	-Inf	6.45	3	Horizontal	168	2.99	-	89.21	31.67	9.06	34.28
PK	5.1444G	58.91	74.00	-15.09	6.61	3	Horizontal	168	2.99	-	52.30	31.82	9.06	34.27
PK	5.1766G	105.12	Inf	-Inf	6.47	3	Horizontal	168	2.99	-	98.65	31.69	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3639G	57.28	68.20	-10.92	16.69	3	Vertical	183	2.23	-	40.59	39.37	11.95	34.63



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3597G	58.68	68.20	-9.52	16.68	3	Horizontal	77	1.40	-	42.00	39.37	11.94	34.63



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	43.25	54.00	-10.75	6.62	3	Vertical	124	2.60	-	36.63	31.83	9.06	34.27
AV	5.1968G	94.49	Inf	-Inf	6.39	3	Vertical	124	2.60	-	88.10	31.61	9.06	34.28
PK	5.1444G	55.62	74.00	-18.38	6.61	3	Vertical	124	2.60	-	49.01	31.82	9.06	34.27
PK	5.1956G	104.04	Inf	-Inf	6.40	3	Vertical	124	2.60	-	97.64	31.62	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	43.23	54.00	-10.77	6.63	3	Horizontal	106	1.56	-	36.60	31.84	9.06	34.27
AV	5.1972G	92.76	Inf	-Inf	6.39	3	Horizontal	106	1.56	-	86.37	31.61	9.06	34.28
PK	5.108G	55.63	74.00	-18.37	6.76	3	Horizontal	106	1.56	-	48.87	31.97	9.06	34.27
PK	5.2044G	102.16	Inf	-Inf	6.36	3	Horizontal	106	1.56	-	95.80	31.58	9.06	34.28



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39784G	57.54	68.20	-10.66	16.78	3	Vertical	98	2.31	-	40.76	39.42	11.97	34.61



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41296G	57.51	68.20	-10.69	16.82	3	Horizontal	286	1.03	-	40.69	39.44	11.98	34.60



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1008G	43.53	54.00	-10.47	6.79	3	Vertical	132	2.75	-	36.74	32.00	9.06	34.27
AV	5.2358G	94.20	Inf	-Inf	6.25	3	Vertical	132	2.75	-	87.95	31.46	9.08	34.29
AV	5.3882G	41.70	54.00	-12.30	6.31	3	Vertical	132	2.75	-	35.39	31.46	9.16	34.31
PK	5.1326G	54.83	74.00	-19.17	6.66	3	Vertical	132	2.75	-	48.17	31.87	9.06	34.27
PK	5.2382G	103.11	Inf	-Inf	6.24	3	Vertical	132	2.75	-	96.87	31.45	9.08	34.29
PK	5.35G	53.86	74.00	-20.14	6.18	3	Vertical	132	2.75	-	47.68	31.35	9.14	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0918G	42.81	54.00	-11.19	6.77	3	Horizontal	248	1.25	-	36.04	31.96	9.06	34.25
AV	5.2424G	93.42	Inf	-Inf	6.22	3	Horizontal	248	1.25	-	87.20	31.43	9.08	34.29
AV	5.3708G	41.49	54.00	-12.51	6.25	3	Horizontal	248	1.25	-	35.24	31.41	9.15	34.31
PK	5.135G	55.02	74.00	-18.98	6.65	3	Horizontal	248	1.25	-	48.37	31.86	9.06	34.27
PK	5.2436G	102.91	Inf	-Inf	6.22	3	Horizontal	248	1.25	-	96.69	31.43	9.08	34.29
PK	5.3606G	53.75	74.00	-20.25	6.22	3	Horizontal	248	1.25	-	47.53	31.38	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46896G	57.70	68.20	-10.50	16.96	3	Vertical	64	1.40	-	40.74	39.51	12.01	34.56



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4902G	57.66	68.20	-10.54	17.01	3	Horizontal	265	1.52	-	40.65	39.54	12.02	34.55



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1202G	42.85	54.00	-11.15	6.71	3	Vertical	176	1.50	-	36.14	31.92	9.06	34.27
AV	5.2612G	95.93	Inf	-Inf	6.16	3	Vertical	176	1.50	-	89.77	31.36	9.09	34.29
AV	5.3566G	41.44	54.00	-12.56	6.20	3	Vertical	176	1.50	-	35.24	31.37	9.14	34.31
PK	5.1436G	54.81	74.00	-19.19	6.62	3	Vertical	176	1.50	-	48.19	31.83	9.06	34.27
PK	5.2636G	105.05	Inf	-Inf	6.15	3	Vertical	176	1.50	-	98.90	31.35	9.09	34.29
PK	5.3596G	53.31	74.00	-20.69	6.21	3	Vertical	176	1.50	-	47.10	31.38	9.14	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1148G	42.69	54.00	-11.31	6.73	3	Horizontal	29	2.99	-	35.96	31.94	9.06	34.27
AV	5.263G	84.37	Inf	-Inf	6.15	3	Horizontal	29	2.99	-	78.22	31.35	9.09	34.29
AV	5.359G	41.40	54.00	-12.60	6.21	3	Horizontal	29	2.99	-	35.19	31.38	9.14	34.31
PK	5.1124G	55.03	74.00	-18.97	6.74	3	Horizontal	29	2.99	-	48.29	31.95	9.06	34.27
PK	5.2624G	101.99	Inf	-Inf	6.15	3	Horizontal	29	2.99	-	95.84	31.35	9.09	34.29
PK	5.362G	53.96	74.00	-20.04	6.23	3	Horizontal	29	2.99	-	47.73	31.39	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53164G	58.05	68.20	-10.15	17.11	3	Vertical	278	1.04	-	40.94	39.59	12.04	34.52



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5332G	58.63	68.20	-9.57	17.11	3	Horizontal	49	1.81	-	41.52	39.59	12.04	34.52



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	94.95	Inf	-Inf	6.02	3	Vertical	183	1.41	-	88.93	31.21	9.11	34.30
AV	5.3504G	42.26	54.00	-11.74	6.18	3	Vertical	183	1.41	-	36.08	31.35	9.14	34.31
PK	5.296G	104.91	Inf	-Inf	6.03	3	Vertical	183	1.41	-	98.88	31.22	9.11	34.30
PK	5.3668G	54.07	74.00	-19.93	6.24	3	Vertical	183	1.41	-	47.83	31.40	9.15	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	98.15	Inf	-Inf	6.03	3	Horizontal	248	1.25	-	92.12	31.22	9.11	34.30
AV	5.3504G	42.06	54.00	-11.94	6.18	3	Horizontal	248	1.25	-	35.88	31.35	9.14	34.31
PK	5.2968G	104.37	Inf	-Inf	6.02	3	Horizontal	248	1.25	-	98.35	31.21	9.11	34.30
PK	5.3544G	54.00	74.00	-20.00	6.19	3	Horizontal	248	1.25	-	47.81	31.36	9.14	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58926G	57.69	68.20	-10.51	17.27	3	Vertical	137	1.50	-	40.42	39.67	12.08	34.48



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58566G	58.10	68.20	-10.10	17.26	3	Horizontal	111	1.47	-	40.84	39.66	12.08	34.48



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3214G	95.19	Inf	-Inf	6.08	3	Vertical	182	2.06	-	89.11	31.26	9.12	34.30
AV	5.35G	44.64	54.00	-9.36	6.18	3	Vertical	182	2.06	-	38.46	31.35	9.14	34.31
PK	5.3178G	104.49	Inf	-Inf	6.07	3	Vertical	182	2.06	-	98.42	31.25	9.12	34.30
PK	5.3504G	59.82	74.00	-14.18	6.18	3	Vertical	182	2.06	-	53.64	31.35	9.14	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	94.28	Inf	-Inf	6.08	3	Horizontal	244	1.50	-	88.20	31.26	9.12	34.30
AV	5.3502G	43.13	54.00	-10.87	6.18	3	Horizontal	244	1.50	-	36.95	31.35	9.14	34.31
PK	5.3178G	103.89	Inf	-Inf	6.07	3	Horizontal	244	1.50	-	97.82	31.25	9.12	34.30
PK	5.3518G	57.44	74.00	-16.56	6.19	3	Horizontal	244	1.50	-	51.25	31.36	9.14	34.31



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62686G	45.07	54.00	-8.93	17.35	3	Vertical	195	2.19	-	27.72	39.71	12.10	34.46
PK	10.63202G	57.43	74.00	-16.57	17.37	3	Vertical	195	2.19	-	40.06	39.72	12.10	34.45



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63628G	45.13	54.00	-8.87	17.38	3	Horizontal	12	1.68	-	27.75	39.73	12.10	34.45
PK	10.63436G	57.43	74.00	-16.57	17.37	3	Horizontal	12	1.68	-	40.06	39.72	12.10	34.45



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.55	54.00	-11.45	6.70	3	Vertical	188	1.50	-	35.85	31.68	9.18	34.16
AV	5.5032G	95.43	Inf	-Inf	6.92	3	Vertical	188	1.50	-	88.51	31.79	9.20	34.07
PK	5.462G	55.31	68.20	-12.89	6.71	3	Vertical	188	1.50	-	48.60	31.69	9.18	34.16
PK	5.5026G	105.37	Inf	-Inf	6.92	3	Vertical	188	1.50	-	98.45	31.79	9.20	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	42.59	54.00	-11.41	6.67	3	Horizontal	232	2.24	-	35.92	31.66	9.18	34.17
AV	5.4958G	94.10	Inf	-Inf	6.91	3	Horizontal	232	2.24	-	87.19	31.79	9.19	34.07
PK	5.4686G	55.54	68.20	-12.66	6.76	3	Horizontal	232	2.24	-	48.78	31.71	9.19	34.14
PK	5.4976G	104.79	Inf	-Inf	6.91	3	Horizontal	232	2.24	-	97.88	31.79	9.19	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00414G	45.91	54.00	-8.09	18.30	3	Vertical	264	1.24	-	27.61	40.19	12.32	34.21
PK	11.00264G	58.33	74.00	-15.67	18.31	3	Vertical	264	1.24	-	40.02	40.20	12.32	34.21



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99538G	45.88	54.00	-8.12	18.29	3	Horizontal	231	2.30	-	27.59	40.19	12.31	34.21
PK	10.98578G	58.76	74.00	-15.24	18.27	3	Horizontal	231	2.30	-	40.49	40.18	12.31	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	41.57	54.00	-12.43	6.68	3	Vertical	185	1.50	-	34.89	31.67	9.18	34.17
AV	5.5824G	95.37	Inf	-Inf	6.57	3	Vertical	185	1.50	-	88.80	31.64	9.22	34.29
PK	5.4678G	54.17	68.20	-14.03	6.75	3	Vertical	185	1.50	-	47.42	31.70	9.19	34.14
PK	5.5818G	104.33	Inf	-Inf	6.57	3	Vertical	185	1.50	-	97.76	31.64	9.22	34.29
PK	5.7252G	54.51	68.20	-13.69	6.90	3	Vertical	185	1.50	-	47.61	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	41.58	54.00	-12.42	6.68	3	Horizontal	69	1.50	-	34.90	31.67	9.18	34.17
AV	5.583G	93.17	Inf	-Inf	6.56	3	Horizontal	69	1.50	-	86.61	31.63	9.22	34.29
PK	5.463G	53.34	68.20	-14.86	6.72	3	Horizontal	69	1.50	-	46.62	31.69	9.18	34.15
PK	5.577G	102.63	Inf	-Inf	6.59	3	Horizontal	69	1.50	-	96.04	31.65	9.22	34.28
PK	5.7252G	54.17	68.20	-14.03	6.90	3	Horizontal	69	1.50	-	47.27	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16012G	45.88	54.00	-8.12	18.18	3	Vertical	42	1.93	-	27.70	39.99	12.41	34.22
PK	11.15454G	58.80	74.00	-15.20	18.18	3	Vertical	42	1.93	-	40.62	40.00	12.40	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17296G	45.99	54.00	-8.01	18.18	3	Horizontal	247	1.21	-	27.81	39.98	12.42	34.22
PK	11.1567G	58.91	74.00	-15.09	18.19	3	Horizontal	247	1.21	-	40.72	40.00	12.41	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	98.06	Inf	-Inf	6.81	3	Vertical	183	2.53	-	91.25	31.81	9.35	34.35
PK	5.6976G	108.07	Inf	-Inf	6.79	3	Vertical	183	2.53	-	101.28	31.80	9.34	34.35
PK	5.7252G	60.70	68.20	-7.50	6.90	3	Vertical	183	2.53	-	53.80	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	93.83	Inf	-Inf	6.81	3	Horizontal	201	1.78	-	87.02	31.81	9.35	34.35
PK	5.702G	103.17	Inf	-Inf	6.81	3	Horizontal	201	1.78	-	96.36	31.81	9.35	34.35
PK	5.7256G	58.95	68.20	-9.25	6.90	3	Horizontal	201	1.78	-	52.05	31.88	9.38	34.36



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4126G	45.40	54.00	-8.60	17.98	3	Vertical	157	2.22	-	27.42	39.66	12.55	34.23
PK	11.41458G	57.87	74.00	-16.13	17.99	3	Vertical	157	2.22	-	39.88	39.66	12.56	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4033G	45.33	54.00	-8.67	18.00	3	Horizontal	246	1.21	-	27.33	39.68	12.55	34.23
PK	11.39508G	57.99	74.00	-16.01	18.00	3	Horizontal	246	1.21	-	39.99	39.69	12.54	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	41.60	54.00	-12.40	6.66	3	Vertical	188	1.56	-	34.94	31.66	9.18	34.18
AV	5.7176G	95.83	Inf	-Inf	6.87	3	Vertical	188	1.56	-	88.96	31.85	9.37	34.35
PK	5.4692G	53.65	68.20	-14.55	6.76	3	Vertical	188	1.56	-	46.89	31.71	9.19	34.14
PK	5.7164G	104.80	Inf	-Inf	6.87	3	Vertical	188	1.56	-	97.93	31.85	9.37	34.35
PK	5.9624G	56.55	68.20	-11.65	7.72	3	Vertical	188	1.56	-	48.83	32.40	9.55	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	41.48	54.00	-12.52	6.70	3	Horizontal	199	1.50	-	34.78	31.68	9.18	34.16
AV	5.7236G	93.15	Inf	-Inf	6.89	3	Horizontal	199	1.50	-	86.26	31.87	9.37	34.35
PK	5.4644G	53.63	68.20	-14.57	6.73	3	Horizontal	199	1.50	-	46.90	31.69	9.19	34.15
PK	5.7248G	101.77	Inf	-Inf	6.90	3	Horizontal	199	1.50	-	94.87	31.87	9.38	34.35
PK	5.966G	55.49	68.20	-12.71	7.73	3	Horizontal	199	1.50	-	47.76	32.40	9.55	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42854G	45.25	54.00	-8.75	17.97	3	Vertical	94	2.38	-	27.28	39.64	12.56	34.23
PK	11.43502G	58.54	74.00	-15.46	17.97	3	Vertical	94	2.38	-	40.57	39.63	12.57	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43112G	45.32	54.00	-8.68	17.97	3	Horizontal	75	2.43	-	27.35	39.64	12.56	34.23
PK	11.4529G	58.12	74.00	-15.88	17.96	3	Horizontal	75	2.43	-	40.16	39.61	12.58	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	98.98	Inf	-Inf	6.97	3	Vertical	9	2.22	-	92.01	31.93	9.40	34.36
PK	5.6466G	55.73	68.20	-12.47	6.63	3	Vertical	9	2.22	-	49.10	31.69	9.28	34.34
PK	5.7426G	107.91	Inf	-Inf	6.97	3	Vertical	9	2.22	-	100.94	31.93	9.40	34.36
PK	5.9646G	55.73	68.20	-12.47	7.73	3	Vertical	9	2.22	-	48.00	32.40	9.55	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	92.17	Inf	-Inf	6.96	3	Horizontal	93	1.50	-	85.21	31.92	9.40	34.36
PK	5.6262G	54.43	68.20	-13.77	6.56	3	Horizontal	93	1.50	-	47.87	31.65	9.25	34.34
PK	5.7426G	101.25	Inf	-Inf	6.97	3	Horizontal	93	1.50	-	94.28	31.93	9.40	34.36
PK	5.9418G	55.57	68.20	-12.63	7.66	3	Horizontal	93	1.50	-	47.91	32.40	9.54	34.28



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48628G	45.28	54.00	-8.72	17.94	3	Vertical	300	1.33	-	27.34	39.57	12.60	34.23
PK	11.50434G	57.75	74.00	-16.25	17.91	3	Vertical	300	1.33	-	39.84	39.54	12.61	34.24



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4966G	45.31	54.00	-8.69	17.92	3	Horizontal	66	1.59	-	27.39	39.55	12.60	34.23
PK	11.49714G	57.79	74.00	-16.21	17.92	3	Horizontal	66	1.59	-	39.87	39.55	12.60	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	94.22	Inf	-Inf	7.13	3	Vertical	184	1.59	-	87.09	32.05	9.45	34.37
PK	5.6242G	54.79	68.20	-13.41	6.56	3	Vertical	184	1.59	-	48.23	31.65	9.25	34.34
PK	5.7886G	103.48	Inf	-Inf	7.15	3	Vertical	184	1.59	-	96.33	32.07	9.45	34.37
PK	5.9626G	55.23	68.20	-12.97	7.72	3	Vertical	184	1.59	-	47.51	32.40	9.55	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	94.44	Inf	-Inf	7.13	3	Horizontal	280	1.32	-	87.31	32.05	9.45	34.37
PK	5.6194G	55.74	68.20	-12.46	6.55	3	Horizontal	280	1.32	-	49.19	31.64	9.25	34.34
PK	5.7814G	103.92	Inf	-Inf	7.11	3	Horizontal	280	1.32	-	96.81	32.04	9.44	34.37
PK	5.9602G	55.00	68.20	-13.20	7.70	3	Horizontal	280	1.32	-	47.30	32.40	9.54	34.24



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57642G	45.05	54.00	-8.95	17.86	3	Vertical	50	2.37	-	27.19	39.45	12.65	34.24
PK	11.57816G	57.96	74.00	-16.04	17.86	3	Vertical	50	2.37	-	40.10	39.45	12.65	34.24



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57372G	45.01	54.00	-8.99	17.86	3	Horizontal	225	1.59	-	27.15	39.45	12.65	34.24
PK	11.5562G	58.36	74.00	-15.64	17.88	3	Horizontal	225	1.59	-	40.48	39.48	12.64	34.24



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	93.91	Inf	-Inf	7.27	3	Vertical	209	1.50	-	86.64	32.16	9.48	34.37
PK	5.6366G	54.56	68.20	-13.64	6.60	3	Vertical	209	1.50	-	47.96	31.67	9.27	34.34
PK	5.8202G	103.87	Inf	-Inf	7.27	3	Vertical	209	1.50	-	96.60	32.16	9.48	34.37
PK	5.9678G	56.01	68.20	-12.19	7.73	3	Vertical	209	1.50	-	48.28	32.40	9.55	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	94.61	Inf	-Inf	7.30	3	Horizontal	278	1.02	-	87.31	32.19	9.48	34.37
PK	5.5862G	55.64	68.20	-12.56	6.55	3	Horizontal	278	1.02	-	49.09	31.63	9.22	34.30
PK	5.8226G	104.53	Inf	-Inf	7.28	3	Horizontal	278	1.02	-	97.25	32.17	9.48	34.37
PK	5.9798G	55.17	68.20	-13.03	7.76	3	Horizontal	278	1.02	-	47.41	32.40	9.55	34.19



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63908G	45.28	54.00	-8.72	17.82	3	Vertical	40	1.33	-	27.46	39.37	12.69	34.24
PK	11.6563G	58.22	74.00	-15.78	17.80	3	Vertical	40	1.33	-	40.42	39.35	12.69	34.24



802.11ac VHT20_Nss1,(MCS0)_2TX

26/07/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64568G	45.31	54.00	-8.69	17.81	3	Horizontal	210	1.34	-	27.50	39.36	12.69	34.24
PK	11.65252G	58.61	74.00	-15.39	17.80	3	Horizontal	210	1.34	-	40.81	39.35	12.69	34.24



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	44.06	54.00	-9.94	6.59	3	Vertical	142	2.46	-	37.47	31.80	9.06	34.27
AV	5.1836G	89.17	Inf	-Inf	6.45	3	Vertical	142	2.46	-	82.72	31.67	9.06	34.28
PK	5.1148G	55.59	74.00	-18.41	6.73	3	Vertical	142	2.46	-	48.86	31.94	9.06	34.27
PK	5.1808G	98.49	Inf	-Inf	6.46	3	Vertical	142	2.46	-	92.03	31.68	9.06	34.28



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	43.86	54.00	-10.14	6.61	3	Horizontal	351	2.82	-	37.25	31.82	9.06	34.27
AV	5.192G	87.31	Inf	-Inf	6.41	3	Horizontal	351	2.82	-	80.90	31.63	9.06	34.28
PK	5.1196G	55.60	74.00	-18.40	6.71	3	Horizontal	351	2.82	-	48.89	31.92	9.06	34.27
PK	5.1844G	96.35	Inf	-Inf	6.44	3	Horizontal	351	2.82	-	89.91	31.66	9.06	34.28



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37304G	52.52	68.20	-15.68	14.82	3	Vertical	260	1.27	-	37.70	39.38	10.33	34.89



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38294G	52.30	68.20	-15.90	14.85	3	Horizontal	42	2.44	-	37.45	39.40	10.33	34.88



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	43.64	54.00	-10.36	6.64	3	Vertical	135	2.81	-	37.00	31.85	9.06	34.27
AV	5.2256G	90.15	Inf	-Inf	6.28	3	Vertical	135	2.81	-	83.87	31.50	9.07	34.29
PK	5.1336G	54.80	74.00	-19.20	6.66	3	Vertical	135	2.81	-	48.14	31.87	9.06	34.27
PK	5.22G	99.12	Inf	-Inf	6.31	3	Vertical	135	2.81	-	92.81	31.52	9.07	34.28



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	43.99	54.00	-10.01	6.63	3	Horizontal	103	1.01	-	37.36	31.84	9.06	34.27
AV	5.222G	90.01	Inf	-Inf	6.30	3	Horizontal	103	1.01	-	83.71	31.51	9.07	34.28
PK	5.1392G	56.42	74.00	-17.58	6.63	3	Horizontal	103	1.01	-	49.79	31.84	9.06	34.27
PK	5.2184G	98.75	Inf	-Inf	6.32	3	Horizontal	103	1.01	-	92.43	31.53	9.07	34.28



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4591G	52.38	68.20	-15.82	15.03	3	Vertical	356	1.52	-	37.35	39.50	10.35	34.82



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45754G	52.01	68.20	-16.19	15.02	3	Horizontal	37	2.32	-	36.99	39.49	10.35	34.82



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2796G	89.66	Inf	-Inf	6.08	3	Vertical	139	2.23	-	83.58	31.28	9.10	34.30
AV	5.3688G	42.26	54.00	-11.74	6.25	3	Vertical	139	2.23	-	36.01	31.41	9.15	34.31
PK	5.2768G	98.82	Inf	-Inf	6.09	3	Vertical	139	2.23	-	92.73	31.29	9.10	34.30
PK	5.368G	53.85	74.00	-20.15	6.24	3	Vertical	139	2.23	-	47.61	31.40	9.15	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2792G	86.93	Inf	-Inf	6.08	3	Horizontal	349	2.65	-	80.85	31.28	9.10	34.30
AV	5.3556G	41.88	54.00	-12.12	6.20	3	Horizontal	349	2.65	-	35.68	31.37	9.14	34.31
PK	5.2812G	96.10	Inf	-Inf	6.08	3	Horizontal	349	2.65	-	90.02	31.28	9.10	34.30
PK	5.3544G	53.83	74.00	-20.17	6.19	3	Horizontal	349	2.65	-	47.64	31.36	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54498G	51.99	68.20	-16.21	15.22	3	Vertical	30	1.33	-	36.77	39.61	10.36	34.75



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54924G	52.12	68.20	-16.08	15.23	3	Horizontal	111	1.34	-	36.89	39.61	10.36	34.74



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	90.08	Inf	-Inf	6.08	3	Vertical	133	2.88	-	84.00	31.26	9.12	34.30
AV	5.35G	46.09	54.00	-7.91	6.18	3	Vertical	133	2.88	-	39.91	31.35	9.14	34.31
PK	5.3192G	99.07	Inf	-Inf	6.08	3	Vertical	133	2.88	-	92.99	31.26	9.12	34.30
PK	5.3508G	56.76	74.00	-17.24	6.18	3	Vertical	133	2.88	-	50.58	31.35	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	89.44	Inf	-Inf	6.04	3	Horizontal	101	1.00	-	83.40	31.22	9.12	34.30
AV	5.35G	45.61	54.00	-8.39	6.18	3	Horizontal	101	1.00	-	39.43	31.35	9.14	34.31
PK	5.3048G	98.68	Inf	-Inf	6.03	3	Horizontal	101	1.00	-	92.65	31.21	9.12	34.30
PK	5.3508G	57.76	74.00	-16.24	6.18	3	Horizontal	101	1.00	-	51.58	31.35	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63368G	40.30	54.00	-13.70	15.43	3	Vertical	114	2.04	-	24.87	39.72	10.38	34.67
PK	10.63434G	52.52	74.00	-21.48	15.43	3	Vertical	114	2.04	-	37.09	39.72	10.38	34.67



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61802G	40.26	54.00	-13.74	15.38	3	Horizontal	249	1.89	-	24.88	39.70	10.37	34.69
PK	10.63362G	52.57	74.00	-21.43	15.43	3	Horizontal	249	1.89	-	37.14	39.72	10.38	34.67



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.98	54.00	-10.02	6.70	3	Vertical	137	2.28	-	37.28	31.68	9.18	34.16
AV	5.5016G	89.30	Inf	-Inf	6.94	3	Vertical	137	2.28	-	82.36	31.80	9.20	34.06
PK	5.468G	58.36	68.20	-9.84	6.75	3	Vertical	137	2.28	-	51.61	31.70	9.19	34.14
PK	5.5004G	98.55	Inf	-Inf	6.94	3	Vertical	137	2.28	-	91.61	31.80	9.20	34.06



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	43.39	54.00	-10.61	6.66	3	Horizontal	105	1.05	-	36.73	31.66	9.18	34.18
AV	5.5156G	87.61	Inf	-Inf	6.87	3	Horizontal	105	1.05	-	80.74	31.77	9.20	34.10
PK	5.4664G	55.83	68.20	-12.37	6.75	3	Horizontal	105	1.05	-	49.08	31.70	9.19	34.14
PK	5.5008G	96.89	Inf	-Inf	6.94	3	Horizontal	105	1.05	-	89.95	31.80	9.20	34.06



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01952G	40.33	54.00	-13.67	16.25	3	Vertical	116	2.14	-	24.08	40.18	10.45	34.38
PK	11.01232G	53.37	74.00	-20.63	16.27	3	Vertical	116	2.14	-	37.10	40.19	10.45	34.37



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0179G	40.52	54.00	-13.48	16.26	3	Horizontal	41	2.32	-	24.26	40.18	10.45	34.37
PK	11.0113G	52.80	74.00	-21.20	16.27	3	Horizontal	41	2.32	-	36.53	40.19	10.45	34.37



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	43.01	54.00	-10.99	6.66	3	Vertical	136	2.14	-	36.35	31.66	9.18	34.18
AV	5.5524G	87.94	Inf	-Inf	6.70	3	Vertical	136	2.14	-	81.24	31.70	9.21	34.21
PK	5.4612G	53.88	68.20	-14.32	6.70	3	Vertical	136	2.14	-	47.18	31.68	9.18	34.16
PK	5.56G	96.93	Inf	-Inf	6.66	3	Vertical	136	2.14	-	90.27	31.68	9.21	34.23



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	43.15	54.00	-10.85	6.70	3	Horizontal	45	2.84	-	36.45	31.68	9.18	34.16
AV	5.5484G	86.38	Inf	-Inf	6.71	3	Horizontal	45	2.84	-	79.67	31.70	9.21	34.20
PK	5.4656G	54.03	68.20	-14.17	6.74	3	Horizontal	45	2.84	-	47.29	31.70	9.19	34.15
PK	5.5388G	95.24	Inf	-Inf	6.76	3	Horizontal	45	2.84	-	88.48	31.72	9.21	34.17



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08608G	40.35	54.00	-13.65	16.19	3	Vertical	26	2.45	-	24.16	40.10	10.48	34.39
PK	11.10438G	52.67	74.00	-21.33	16.16	3	Vertical	26	2.45	-	36.51	40.07	10.49	34.40



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09688G	40.80	54.00	-13.20	16.17	3	Horizontal	101	1.91	-	24.63	40.08	10.49	34.40
PK	11.10876G	53.55	74.00	-20.45	16.17	3	Horizontal	101	1.91	-	37.38	40.07	10.50	34.40



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6604G	87.93	Inf	-Inf	6.67	3	Vertical	109	2.85	-	81.26	31.72	9.30	34.35
PK	5.661G	97.29	Inf	-Inf	6.67	3	Vertical	109	2.85	-	90.62	31.72	9.30	34.35
PK	5.8008G	55.35	68.20	-12.85	7.20	3	Vertical	109	2.85	-	48.15	32.10	9.47	34.37



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.661G	86.80	Inf	-Inf	6.67	3	Horizontal	104	1.01	-	80.13	31.72	9.30	34.35
PK	5.658G	96.02	Inf	-Inf	6.66	3	Horizontal	104	1.01	-	89.36	31.72	9.29	34.35
PK	5.8146G	55.26	68.20	-12.94	7.24	3	Horizontal	104	1.01	-	48.02	32.14	9.47	34.37



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32812G	40.53	54.00	-13.47	15.95	3	Vertical	27	2.16	-	24.58	39.81	10.60	34.46
PK	11.34954G	53.05	74.00	-20.95	15.93	3	Vertical	27	2.16	-	37.12	39.78	10.61	34.46



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35014G	40.72	54.00	-13.28	15.93	3	Horizontal	77	2.32	-	24.79	39.78	10.61	34.46
PK	11.34558G	52.87	74.00	-21.13	15.94	3	Horizontal	77	2.32	-	36.93	39.79	10.61	34.46



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.76	54.00	-11.24	6.70	3	Vertical	125	2.81	-	36.06	31.68	9.18	34.16
AV	5.6992G	87.71	Inf	-Inf	6.79	3	Vertical	125	2.81	-	80.92	31.80	9.34	34.35
PK	5.4664G	53.90	68.20	-14.30	6.75	3	Vertical	125	2.81	-	47.15	31.70	9.19	34.14
PK	5.7076G	96.29	Inf	-Inf	6.82	3	Vertical	125	2.81	-	89.47	31.82	9.35	34.35
PK	5.9596G	55.30	68.20	-12.90	7.70	3	Vertical	125	2.81	-	47.60	32.40	9.54	34.24



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	42.73	54.00	-11.27	6.65	3	Horizontal	97	1.36	-	36.08	31.65	9.18	34.18
AV	5.698G	86.80	Inf	-Inf	6.79	3	Horizontal	97	1.36	-	80.01	31.80	9.34	34.35
PK	5.4688G	53.30	68.20	-14.90	6.76	3	Horizontal	97	1.36	-	46.54	31.71	9.19	34.14
PK	5.698G	95.69	Inf	-Inf	6.79	3	Horizontal	97	1.36	-	88.90	31.80	9.34	34.35
PK	5.9512G	55.92	68.20	-12.28	7.68	3	Horizontal	97	1.36	-	48.24	32.40	9.54	34.26



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42624G	39.94	54.00	-14.06	15.85	3	Vertical	145	2.38	-	24.09	39.69	10.65	34.49
PK	11.4194G	52.79	74.00	-21.21	15.87	3	Vertical	145	2.38	-	36.92	39.70	10.65	34.48



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42408G	40.33	54.00	-13.67	15.86	3	Horizontal	174	2.36	-	24.47	39.69	10.65	34.48
PK	11.4137G	52.15	74.00	-21.85	15.86	3	Horizontal	174	2.36	-	36.29	39.70	10.64	34.48



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7658G	86.77	Inf	-Inf	5.45	3	Vertical	142	1.83	-	81.32	32.27	7.65	34.47
PK	5.6146G	55.68	68.20	-12.52	5.18	3	Vertical	142	1.83	-	50.50	32.06	7.55	34.43
PK	5.7442G	95.77	Inf	-Inf	5.41	3	Vertical	142	1.83	-	90.36	32.24	7.63	34.46
PK	5.977G	55.87	68.20	-12.33	5.83	3	Vertical	142	1.83	-	50.04	32.57	7.78	34.52



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7658G	88.28	Inf	-Inf	5.45	3	Horizontal	111	1.48	-	82.83	32.27	7.65	34.47
PK	5.6446G	55.76	68.20	-12.44	5.23	3	Horizontal	111	1.48	-	50.53	32.10	7.57	34.44
PK	5.7526G	98.19	Inf	-Inf	5.42	3	Horizontal	111	1.48	-	92.77	32.25	7.64	34.47
PK	5.9878G	55.98	68.20	-12.22	5.85	3	Horizontal	111	1.48	-	50.13	32.58	7.79	34.52



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51558G	39.93	54.00	-14.07	15.76	3	Vertical	15	2.39	-	24.17	39.58	10.69	34.51
PK	11.49866G	52.14	74.00	-21.86	15.79	3	Vertical	15	2.39	-	36.35	39.60	10.69	34.50



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51318G	39.83	54.00	-14.17	15.76	3	Horizontal	312	2.22	-	24.07	39.58	10.69	34.51
PK	11.5145G	52.78	74.00	-21.22	15.76	3	Horizontal	312	2.22	-	37.02	39.58	10.69	34.51



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	86.38	Inf	-Inf	5.48	3	Vertical	142	1.42	-	80.90	32.30	7.66	34.48
PK	5.6438G	55.25	68.20	-12.95	5.23	3	Vertical	142	1.42	-	50.02	32.10	7.57	34.44
PK	5.7878G	95.38	Inf	-Inf	5.48	3	Vertical	142	1.42	-	89.90	32.30	7.66	34.48
PK	5.9606G	56.21	68.20	-11.99	5.80	3	Vertical	142	1.42	-	50.41	32.54	7.77	34.51



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	87.64	Inf	-Inf	5.49	3	Horizontal	112	1.49	-	82.15	32.31	7.66	34.48
PK	5.6342G	55.72	68.20	-12.48	5.21	3	Horizontal	112	1.49	-	50.51	32.09	7.56	34.44
PK	5.7914G	97.08	Inf	-Inf	5.49	3	Horizontal	112	1.49	-	91.59	32.31	7.66	34.48
PK	5.9606G	55.88	68.20	-12.32	5.80	3	Horizontal	112	1.49	-	50.08	32.54	7.77	34.51



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5798G	39.77	54.00	-14.23	15.70	3	Vertical	78	2.18	-	24.07	39.50	10.73	34.53
PK	11.59426G	52.47	74.00	-21.53	15.69	3	Vertical	78	2.18	-	36.78	39.49	10.73	34.53



802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.587G	39.60	54.00	-14.40	15.70	3	Horizontal	103	2.38	-	23.90	39.50	10.73	34.53
PK	11.57878G	52.25	74.00	-21.75	15.70	3	Horizontal	103	2.38	-	36.55	39.51	10.72	34.53



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.19	54.00	-3.81	6.59	3	Vertical	236	2.89	-	43.60	31.80	9.06	34.27
AV	5.1824G	88.78	Inf	-Inf	6.45	3	Vertical	236	2.89	-	82.33	31.67	9.06	34.28
PK	5.1488G	62.60	74.00	-11.40	6.59	3	Vertical	236	2.89	-	56.01	31.80	9.06	34.27
PK	5.1852G	97.97	Inf	-Inf	6.44	3	Vertical	236	2.89	-	91.53	31.66	9.06	34.28



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.60	54.00	-8.40	6.59	3	Horizontal	105	1.70	-	39.01	31.80	9.06	34.27
AV	5.1824G	89.89	Inf	-Inf	6.45	3	Horizontal	105	1.70	-	83.44	31.67	9.06	34.28
PK	5.15G	56.76	74.00	-17.24	6.59	3	Horizontal	105	1.70	-	50.17	31.80	9.06	34.27
PK	5.1808G	100.61	Inf	-Inf	6.46	3	Horizontal	105	1.70	-	94.15	31.68	9.06	34.28



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3845G	57.52	68.20	-10.68	16.74	3	Vertical	358	2.25	-	40.78	39.40	11.96	34.62



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3851G	57.42	68.20	-10.78	16.74	3	Horizontal	220	1.92	-	40.68	39.40	11.96	34.62



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	43.83	54.00	-10.17	6.62	3	Vertical	175	1.48	-	37.21	31.83	9.06	34.27
AV	5.2336G	92.13	Inf	-Inf	6.26	3	Vertical	175	1.48	-	85.87	31.47	9.08	34.29
PK	5.1396G	55.19	74.00	-18.81	6.63	3	Vertical	175	1.48	-	48.56	31.84	9.06	34.27
PK	5.2268G	102.33	Inf	-Inf	6.27	3	Vertical	175	1.48	-	96.06	31.49	9.07	34.29



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1332G	43.30	54.00	-10.70	6.66	3	Horizontal	24	2.91	-	36.64	31.87	9.06	34.27
AV	5.2224G	88.82	Inf	-Inf	6.30	3	Horizontal	24	2.91	-	82.52	31.51	9.07	34.28
PK	5.1416G	54.40	74.00	-19.60	6.62	3	Horizontal	24	2.91	-	47.78	31.83	9.06	34.27
PK	5.238G	99.23	Inf	-Inf	6.24	3	Horizontal	24	2.91	-	92.99	31.45	9.08	34.29



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47398G	57.91	68.20	-10.29	16.97	3	Vertical	87	1.52	-	40.94	39.52	12.01	34.56



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4567G	57.84	68.20	-10.36	16.92	3	Horizontal	98	1.12	-	40.92	39.49	12.00	34.57



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2584G	87.45	Inf	-Inf	6.17	3	Vertical	96	1.50	-	81.28	31.37	9.09	34.29
AV	5.3588G	42.05	54.00	-11.95	6.21	3	Vertical	96	1.50	-	35.84	31.38	9.14	34.31
PK	5.2636G	97.08	Inf	-Inf	6.15	3	Vertical	96	1.50	-	90.93	31.35	9.09	34.29
PK	5.352G	54.05	74.00	-19.95	6.19	3	Vertical	96	1.50	-	47.86	31.36	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2816G	92.73	Inf	-Inf	6.07	3	Horizontal	249	2.03	-	86.66	31.27	9.10	34.30
AV	5.354G	42.26	54.00	-11.74	6.19	3	Horizontal	249	2.03	-	36.07	31.36	9.14	34.31
PK	5.2816G	102.49	Inf	-Inf	6.07	3	Horizontal	249	2.03	-	96.42	31.27	9.10	34.30
PK	5.3516G	53.97	74.00	-20.03	6.18	3	Horizontal	249	2.03	-	47.79	31.35	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54176G	58.92	68.20	-9.28	17.14	3	Vertical	171	1.50	-	41.78	39.60	12.05	34.51



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54175G	57.97	68.20	-10.23	17.14	3	Horizontal	271	1.50	-	40.83	39.60	12.05	34.51



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	92.83	Inf	-Inf	6.08	3	Vertical	185	2.99	-	86.75	31.26	9.12	34.30
AV	5.3516G	47.72	54.00	-6.28	6.18	3	Vertical	185	2.99	-	41.54	31.35	9.14	34.31
PK	5.322G	102.10	Inf	-Inf	6.09	3	Vertical	185	2.99	-	96.01	31.27	9.12	34.30
PK	5.3512G	59.29	74.00	-14.71	6.18	3	Vertical	185	2.99	-	53.11	31.35	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	92.00	Inf	-Inf	6.07	3	Horizontal	247	1.50	-	85.93	31.25	9.12	34.30
AV	5.35G	47.15	54.00	-6.85	6.18	3	Horizontal	247	1.50	-	40.97	31.35	9.14	34.31
PK	5.32G	100.66	Inf	-Inf	6.08	3	Horizontal	247	1.50	-	94.58	31.26	9.12	34.30
PK	5.3532G	58.33	74.00	-15.67	6.19	3	Horizontal	247	1.50	-	52.14	31.36	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62163G	46.42	54.00	-7.58	17.35	3	Vertical	115	1.50	-	29.07	39.71	12.10	34.46
PK	10.61755G	58.22	74.00	-15.78	17.33	3	Vertical	115	1.50	-	40.89	39.70	12.09	34.46



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61874G	46.09	54.00	-7.91	17.33	3	Horizontal	191	2.98	-	28.76	39.70	12.09	34.46
PK	10.61962G	58.37	74.00	-15.63	17.34	3	Horizontal	191	2.98	-	41.03	39.71	12.09	34.46



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.47	54.00	-9.53	6.70	3	Vertical	189	1.47	-	37.77	31.68	9.18	34.16
AV	5.5164G	92.32	Inf	-Inf	6.86	3	Vertical	189	1.47	-	85.46	31.77	9.20	34.11
PK	5.4676G	62.07	68.20	-6.13	6.75	3	Vertical	189	1.47	-	55.32	31.70	9.19	34.14
PK	5.5204G	101.58	Inf	-Inf	6.84	3	Vertical	189	1.47	-	94.74	31.76	9.20	34.12



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.15	54.00	-10.85	6.70	3	Horizontal	231	1.86	-	36.45	31.68	9.18	34.16
AV	5.522G	90.40	Inf	-Inf	6.84	3	Horizontal	231	1.86	-	83.56	31.76	9.20	34.12
PK	5.4684G	57.69	68.20	-10.51	6.76	3	Horizontal	231	1.86	-	50.93	31.71	9.19	34.14
PK	5.5196G	99.23	Inf	-Inf	6.85	3	Horizontal	231	1.86	-	92.38	31.76	9.20	34.11



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02191G	46.90	54.00	-7.10	18.29	3	Vertical	280	1.50	-	28.61	40.17	12.33	34.21
PK	11.01919G	59.56	74.00	-14.44	18.30	3	Vertical	280	1.50	-	41.26	40.18	12.33	34.21



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01945G	47.07	54.00	-6.93	18.29	3	Horizontal	14	1.50	-	28.78	40.17	12.33	34.21
PK	11.02124G	59.27	74.00	-14.73	18.29	3	Horizontal	14	1.50	-	40.98	40.17	12.33	34.21



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	42.69	54.00	-11.31	6.65	3	Vertical	185	1.50	-	36.04	31.65	9.18	34.18
AV	5.5596G	91.35	Inf	-Inf	6.66	3	Vertical	185	1.50	-	84.69	31.68	9.21	34.23
PK	5.4696G	54.30	68.20	-13.90	6.76	3	Vertical	185	1.50	-	47.54	31.71	9.19	34.14
PK	5.56G	100.48	Inf	-Inf	6.66	3	Vertical	185	1.50	-	93.82	31.68	9.21	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.47	54.00	-11.53	6.70	3	Horizontal	225	1.50	-	35.77	31.68	9.18	34.16
AV	5.5604G	86.77	Inf	-Inf	6.66	3	Horizontal	225	1.50	-	80.11	31.68	9.21	34.23
PK	5.4656G	54.09	68.20	-14.11	6.74	3	Horizontal	225	1.50	-	47.35	31.70	9.19	34.15
PK	5.556G	95.94	Inf	-Inf	6.68	3	Horizontal	225	1.50	-	89.26	31.69	9.21	34.22



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10164G	47.05	54.00	-6.95	18.22	3	Vertical	98	1.50	-	28.83	40.07	12.37	34.22
PK	11.10082G	59.31	74.00	-14.69	18.22	3	Vertical	98	1.50	-	41.09	40.07	12.37	34.22



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10187G	47.18	54.00	-6.82	18.22	3	Horizontal	18	2.14	-	28.96	40.07	12.37	34.22
PK	11.10185G	59.18	74.00	-14.82	18.22	3	Horizontal	18	2.14	-	40.96	40.07	12.37	34.22



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6616G	94.30	Inf	-Inf	6.67	3	Vertical	191	2.68	-	87.63	31.72	9.30	34.35
PK	5.6814G	103.30	Inf	-Inf	6.73	3	Vertical	191	2.68	-	96.57	31.76	9.32	34.35
PK	5.7252G	56.50	68.20	-11.70	6.90	3	Vertical	191	2.68	-	49.60	31.88	9.38	34.36



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6634G	89.11	Inf	-Inf	6.68	3	Horizontal	60	1.50	-	82.43	31.73	9.30	34.35
PK	5.6652G	98.14	Inf	-Inf	6.68	3	Horizontal	60	1.50	-	91.46	31.73	9.30	34.35
PK	5.7978G	55.54	68.20	-12.66	7.18	3	Horizontal	60	1.50	-	48.36	32.09	9.46	34.37



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34226G	46.40	54.00	-7.60	18.04	3	Vertical	254	1.76	-	28.36	39.76	12.51	34.23
PK	11.33919G	58.56	74.00	-15.44	18.04	3	Vertical	254	1.76	-	40.52	39.76	12.51	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34193G	46.55	54.00	-7.45	18.04	3	Horizontal	312	1.50	-	28.51	39.76	12.51	34.23
PK	11.3379G	58.67	74.00	-15.33	18.04	3	Horizontal	312	1.50	-	40.63	39.76	12.51	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	42.68	54.00	-11.32	6.68	3	Vertical	185	1.94	-	36.00	31.67	9.18	34.17
AV	5.6992G	95.63	Inf	-Inf	6.79	3	Vertical	185	1.94	-	88.84	31.80	9.34	34.35
PK	5.4688G	54.41	68.20	-13.79	6.76	3	Vertical	185	1.94	-	47.65	31.71	9.19	34.14
PK	5.6992G	105.20	Inf	-Inf	6.79	3	Vertical	185	1.94	-	98.41	31.80	9.34	34.35
PK	5.8744G	55.45	68.20	-12.75	7.44	3	Vertical	185	1.94	-	48.01	32.32	9.50	34.38



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4424G	42.67	54.00	-11.33	6.61	3	Horizontal	76	1.98	-	36.06	31.63	9.18	34.20
AV	5.698G	94.58	Inf	-Inf	6.79	3	Horizontal	76	1.98	-	87.79	31.80	9.34	34.35
PK	5.4652G	53.92	68.20	-14.28	6.74	3	Horizontal	76	1.98	-	47.18	31.70	9.19	34.15
PK	5.698G	103.19	Inf	-Inf	6.79	3	Horizontal	76	1.98	-	96.40	31.80	9.34	34.35
PK	5.9164G	55.64	68.20	-12.56	7.58	3	Horizontal	76	1.98	-	48.06	32.40	9.52	34.34



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42218G	46.61	54.00	-7.39	17.98	3	Vertical	355	1.50	-	28.63	39.65	12.56	34.23
PK	11.42244G	58.31	74.00	-15.69	17.98	3	Vertical	355	1.50	-	40.33	39.65	12.56	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42031G	46.75	54.00	-7.25	17.98	3	Horizontal	295	1.50	-	28.77	39.65	12.56	34.23
PK	11.42144G	58.74	74.00	-15.26	17.98	3	Horizontal	295	1.50	-	40.76	39.65	12.56	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	92.02	Inf	-Inf	6.97	3	Vertical	5	1.50	-	85.05	31.93	9.40	34.36
PK	5.6446G	55.01	68.20	-13.19	6.63	3	Vertical	5	1.50	-	48.38	31.69	9.28	34.34
PK	5.7622G	101.17	Inf	-Inf	7.05	3	Vertical	5	1.50	-	94.12	31.99	9.42	34.36
PK	5.9434G	55.64	68.20	-12.56	7.66	3	Vertical	5	1.50	-	47.98	32.40	9.54	34.28



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	92.85	Inf	-Inf	7.04	3	Horizontal	249	1.41	-	85.81	31.98	9.42	34.36
PK	5.5978G	55.12	68.20	-13.08	6.49	3	Horizontal	249	1.41	-	48.63	31.60	9.22	34.33
PK	5.7514G	101.18	Inf	-Inf	7.00	3	Horizontal	249	1.41	-	94.18	31.95	9.41	34.36
PK	5.9614G	55.79	68.20	-12.41	7.72	3	Horizontal	249	1.41	-	48.07	32.40	9.55	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51148G	46.61	54.00	-7.39	17.91	3	Vertical	151	2.54	-	28.70	39.54	12.61	34.24
PK	11.51163G	58.83	74.00	-15.17	17.90	3	Vertical	151	2.54	-	40.93	39.53	12.61	34.24



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51051G	46.29	54.00	-7.71	17.91	3	Horizontal	192	1.50	-	28.38	39.54	12.61	34.24
PK	11.51128G	58.83	74.00	-15.17	17.91	3	Horizontal	192	1.50	-	40.92	39.54	12.61	34.24



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	95.65	Inf	-Inf	7.14	3	Vertical	196	2.83	-	88.51	32.06	9.45	34.37
PK	5.6378G	54.74	68.20	-13.46	6.61	3	Vertical	196	2.83	-	48.13	31.68	9.27	34.34
PK	5.7842G	105.30	Inf	-Inf	7.13	3	Vertical	196	2.83	-	98.17	32.05	9.45	34.37
PK	5.9582G	55.68	68.20	-12.52	7.70	3	Vertical	196	2.83	-	47.98	32.40	9.54	34.24



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	91.55	Inf	-Inf	7.20	3	Horizontal	280	1.05	-	84.35	32.10	9.47	34.37
PK	5.5766G	54.82	68.20	-13.38	6.60	3	Horizontal	280	1.05	-	48.22	31.65	9.22	34.27
PK	5.783G	100.42	Inf	-Inf	7.13	3	Horizontal	280	1.05	-	93.29	32.05	9.45	34.37
PK	5.957G	55.57	68.20	-12.63	7.70	3	Horizontal	280	1.05	-	47.87	32.40	9.54	34.24



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59211G	47.12	54.00	-6.88	17.85	3	Vertical	152	1.55	-	29.27	39.43	12.66	34.24
PK	11.5885G	59.26	74.00	-14.74	17.85	3	Vertical	152	1.55	-	41.41	39.43	12.66	34.24



802.11ac VHT40_Nss1,(MCS0)_2TX

26/07/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59239G	46.59	54.00	-7.41	17.85	3	Horizontal	274	1.30	-	28.74	39.43	12.66	34.24
PK	11.59233G	59.00	74.00	-15.00	17.85	3	Horizontal	274	1.30	-	41.15	39.43	12.66	34.24



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.01	54.00	-7.99	4.36	3	Vertical	152	1.41	-	41.65	31.76	7.03	34.43
AV	5.189G	85.58	Inf	-Inf	4.45	3	Vertical	152	1.41	-	81.13	31.78	7.09	34.42
AV	5.352G	43.84	54.00	-10.16	4.72	3	Vertical	152	1.41	-	39.12	31.84	7.29	34.41
PK	5.138G	58.54	74.00	-15.46	4.35	3	Vertical	152	1.41	-	54.19	31.76	7.02	34.43
PK	5.189G	95.77	Inf	-Inf	4.45	3	Vertical	152	1.41	-	91.32	31.78	7.09	34.42
PK	5.457G	55.45	74.00	-18.55	4.89	3	Vertical	152	1.41	-	50.56	31.88	7.42	34.41



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.93	54.00	-7.07	4.36	3	Horizontal	115	1.29	-	42.57	31.76	7.03	34.43
AV	5.188G	87.25	Inf	-Inf	4.44	3	Horizontal	115	1.29	-	82.81	31.78	7.08	34.42
AV	5.376G	43.52	54.00	-10.48	4.76	3	Horizontal	115	1.29	-	38.76	31.85	7.32	34.41
PK	5.149G	58.59	74.00	-15.41	4.37	3	Horizontal	115	1.29	-	54.22	31.76	7.04	34.43
PK	5.19G	97.35	Inf	-Inf	4.45	3	Horizontal	115	1.29	-	92.90	31.78	7.09	34.42
PK	5.36G	55.90	74.00	-18.10	4.73	3	Horizontal	115	1.29	-	51.17	31.84	7.30	34.41



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4179G	52.52	68.20	-15.68	14.93	3	Vertical	359	1.88	-	37.59	39.44	10.34	34.85



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41892G	52.63	68.20	-15.57	14.93	3	Horizontal	58	1.36	-	37.70	39.44	10.34	34.85



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	43.73	54.00	-10.27	4.36	3	Vertical	130	2.85	-	39.37	31.76	7.03	34.43
AV	5.298G	86.90	Inf	-Inf	4.62	3	Vertical	130	2.85	-	82.28	31.82	7.22	34.42
AV	5.351G	51.19	54.00	-2.81	4.72	3	Vertical	130	2.85	-	46.47	31.84	7.29	34.41
PK	5.142G	55.38	74.00	-18.62	4.36	3	Vertical	130	2.85	-	51.02	31.76	7.03	34.43
PK	5.303G	96.77	Inf	-Inf	4.63	3	Vertical	130	2.85	-	92.14	31.82	7.23	34.42
PK	5.351G	62.98	74.00	-11.02	4.72	3	Vertical	130	2.85	-	58.26	31.84	7.29	34.41



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	43.41	54.00	-10.59	4.36	3	Horizontal	115	1.49	-	39.05	31.76	7.03	34.43
AV	5.304G	86.99	Inf	-Inf	4.63	3	Horizontal	115	1.49	-	82.36	31.82	7.23	34.42
AV	5.352G	50.89	54.00	-3.11	4.72	3	Horizontal	115	1.49	-	46.17	31.84	7.29	34.41
PK	5.117G	55.04	74.00	-18.96	4.31	3	Horizontal	115	1.49	-	50.73	31.75	6.99	34.43
PK	5.302G	96.18	Inf	-Inf	4.63	3	Horizontal	115	1.49	-	91.55	31.82	7.23	34.42
PK	5.351G	62.66	74.00	-11.34	4.72	3	Horizontal	115	1.49	-	57.94	31.84	7.29	34.41



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59302G	52.95	68.20	-15.25	15.33	3	Vertical	350	2.47	-	37.62	39.67	10.37	34.71



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58162G	52.85	68.20	-15.35	15.31	3	Horizontal	26	1.87	-	37.54	39.66	10.37	34.72



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.33	54.00	-6.67	4.90	3	Vertical	151	1.93	-	42.43	31.88	7.43	34.41
AV	5.554G	85.92	Inf	-Inf	5.07	3	Vertical	151	1.93	-	80.85	31.98	7.51	34.42
PK	5.466G	60.12	68.20	-8.08	4.91	3	Vertical	151	1.93	-	55.21	31.89	7.43	34.41
PK	5.553G	94.90	Inf	-Inf	5.06	3	Vertical	151	1.93	-	89.84	31.97	7.51	34.42
PK	5.759G	55.46	68.20	-12.74	5.43	3	Vertical	151	1.93	-	50.03	32.26	7.64	34.47



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.38	54.00	-7.62	4.90	3	Horizontal	116	1.31	-	41.48	31.88	7.43	34.41
AV	5.554G	85.47	Inf	-Inf	5.07	3	Horizontal	116	1.31	-	80.40	31.98	7.51	34.42
PK	5.463G	57.64	68.20	-10.56	4.91	3	Horizontal	116	1.31	-	52.73	31.89	7.43	34.41
PK	5.554G	94.99	Inf	-Inf	5.07	3	Horizontal	116	1.31	-	89.92	31.98	7.51	34.42
PK	5.768G	55.83	68.20	-12.37	5.46	3	Horizontal	116	1.31	-	50.37	32.28	7.65	34.47



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04626G	40.44	54.00	-13.56	16.23	3	Vertical	172	1.94	-	24.21	40.14	10.47	34.38
PK	11.0675G	52.57	74.00	-21.43	16.21	3	Vertical	172	1.94	-	36.36	40.12	10.48	34.39



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04572G	40.63	54.00	-13.37	16.24	3	Horizontal	333	2.12	-	24.39	40.15	10.47	34.38
PK	11.04842G	53.33	74.00	-20.67	16.23	3	Horizontal	333	2.12	-	37.10	40.14	10.47	34.38



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.413G	43.61	54.00	-10.39	4.83	3	Vertical	147	2.27	-	38.78	31.87	7.37	34.41
AV	5.588G	84.48	Inf	-Inf	5.12	3	Vertical	147	2.27	-	79.36	32.02	7.53	34.43
PK	5.465G	54.66	68.20	-13.54	4.91	3	Vertical	147	2.27	-	49.75	31.89	7.43	34.41
PK	5.59G	93.66	Inf	-Inf	5.13	3	Vertical	147	2.27	-	88.53	32.03	7.53	34.43
PK	5.835G	55.58	68.20	-12.62	5.57	3	Vertical	147	2.27	-	50.01	32.37	7.69	34.49



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.408G	43.58	54.00	-10.42	4.81	3	Horizontal	120	1.42	-	38.77	31.86	7.36	34.41
AV	5.588G	85.44	Inf	-Inf	5.12	3	Horizontal	120	1.42	-	80.32	32.02	7.53	34.43
PK	5.468G	54.67	68.20	-13.53	4.92	3	Horizontal	120	1.42	-	49.75	31.89	7.44	34.41
PK	5.595G	94.50	Inf	-Inf	5.14	3	Horizontal	120	1.42	-	89.36	32.03	7.54	34.43
PK	5.802G	55.66	68.20	-12.54	5.51	3	Horizontal	120	1.42	-	50.15	32.32	7.67	34.48



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21172G	40.83	54.00	-13.17	16.07	3	Vertical	112	2.14	-	24.76	39.95	10.55	34.43
PK	11.22882G	53.23	74.00	-20.77	16.05	3	Vertical	112	2.14	-	37.18	39.93	10.55	34.43



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22054G	40.94	54.00	-13.06	16.06	3	Horizontal	184	2.46	-	24.88	39.94	10.55	34.43
PK	11.223G	53.11	74.00	-20.89	16.05	3	Horizontal	184	2.46	-	37.06	39.93	10.55	34.43



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4116G	43.31	54.00	-10.69	4.81	3	Vertical	142	1.30	-	38.50	31.86	7.36	34.41
AV	5.666G	84.38	Inf	-Inf	5.27	3	Vertical	142	1.30	-	79.11	32.13	7.58	34.44
PK	5.4644G	54.51	68.20	-13.69	4.91	3	Vertical	142	1.30	-	49.60	31.89	7.43	34.41
PK	5.6744G	94.08	Inf	-Inf	5.29	3	Vertical	142	1.30	-	88.79	32.14	7.59	34.44
PK	5.852G	56.21	68.20	-11.99	5.60	3	Vertical	142	1.30	-	50.61	32.39	7.70	34.49



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	43.48	54.00	-10.52	4.86	3	Horizontal	114	1.73	-	38.62	31.87	7.40	34.41
AV	5.672G	85.33	Inf	-Inf	5.29	3	Horizontal	114	1.73	-	80.04	32.14	7.59	34.44
PK	5.4632G	54.87	68.20	-13.33	4.91	3	Horizontal	114	1.73	-	49.96	31.89	7.43	34.41
PK	5.6756G	94.34	Inf	-Inf	5.29	3	Horizontal	114	1.73	-	89.05	32.15	7.59	34.45
PK	5.8796G	55.49	68.20	-12.71	5.65	3	Horizontal	114	1.73	-	49.84	32.43	7.72	34.50



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3803G	40.34	54.00	-13.66	15.90	3	Vertical	261	1.90	-	24.44	39.74	10.63	34.47
PK	11.37514G	52.54	74.00	-21.46	15.91	3	Vertical	261	1.90	-	36.63	39.75	10.63	34.47



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39224G	40.28	54.00	-13.72	15.88	3	Horizontal	47	2.40	-	24.40	39.73	10.63	34.48
PK	11.36626G	53.00	74.00	-21.00	15.91	3	Horizontal	47	2.40	-	37.09	39.76	10.62	34.47



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	83.90	Inf	-Inf	5.46	3	Vertical	141	1.86	-	78.44	32.28	7.65	34.47
PK	5.6322G	56.13	68.20	-12.07	5.21	3	Vertical	141	1.86	-	50.92	32.09	7.56	34.44
PK	5.7858G	93.69	Inf	-Inf	5.48	3	Vertical	141	1.86	-	88.21	32.30	7.66	34.48
PK	5.931G	55.46	68.20	-12.74	5.74	3	Vertical	141	1.86	-	49.72	32.50	7.75	34.51



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	84.27	Inf	-Inf	5.46	3	Horizontal	109	1.49	-	78.81	32.28	7.65	34.47
PK	5.6322G	55.96	68.20	-12.24	5.21	3	Horizontal	109	1.49	-	50.75	32.09	7.56	34.44
PK	5.7714G	94.96	Inf	-Inf	5.46	3	Horizontal	109	1.49	-	89.50	32.28	7.65	34.47
PK	5.9694G	56.39	68.20	-11.81	5.83	3	Horizontal	109	1.49	-	50.56	32.56	7.78	34.51



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54886G	39.71	54.00	-14.29	15.73	3	Vertical	53	2.09	-	23.98	39.54	10.71	34.52
PK	11.5509G	52.27	74.00	-21.73	15.73	3	Vertical	53	2.09	-	36.54	39.54	10.71	34.52



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

27/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.535G	39.81	54.00	-14.19	15.75	3	Horizontal	287	1.50	-	24.06	39.56	10.70	34.51
PK	11.53608G	52.41	74.00	-21.59	15.75	3	Horizontal	287	1.50	-	36.66	39.56	10.70	34.51



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.64	54.00	-0.36	6.60	3	Vertical	179	2.99	-	47.04	31.81	9.06	34.27
AV	5.234G	92.11	Inf	-Inf	6.25	3	Vertical	179	2.99	-	85.86	31.46	9.08	34.29
AV	5.457G	42.81	54.00	-11.19	6.68	3	Vertical	179	2.99	-	36.13	31.67	9.18	34.17
PK	5.148G	65.28	74.00	-8.72	6.60	3	Vertical	179	2.99	-	58.68	31.81	9.06	34.27
PK	5.212G	101.32	Inf	-Inf	6.33	3	Vertical	179	2.99	-	94.99	31.55	9.06	34.28
PK	5.366G	54.47	74.00	-19.53	6.24	3	Vertical	179	2.99	-	48.23	31.40	9.15	34.31



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.92	54.00	-6.08	6.59	3	Horizontal	72	1.28	-	41.33	31.80	9.06	34.27
AV	5.202G	87.91	Inf	-Inf	6.37	3	Horizontal	72	1.28	-	81.54	31.59	9.06	34.28
AV	5.46G	42.39	54.00	-11.61	6.70	3	Horizontal	72	1.28	-	35.69	31.68	9.18	34.16
PK	5.141G	58.29	74.00	-15.71	6.63	3	Horizontal	72	1.28	-	51.66	31.84	9.06	34.27
PK	5.212G	97.20	Inf	-Inf	6.33	3	Horizontal	72	1.28	-	90.87	31.55	9.06	34.28
PK	5.435G	53.79	74.00	-20.21	6.57	3	Horizontal	72	1.28	-	47.22	31.61	9.18	34.22



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40662G	57.92	68.20	-10.28	16.80	3	Vertical	283	1.87	-	41.12	39.43	11.97	34.60



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41298G	58.09	68.20	-10.11	16.82	3	Horizontal	197	1.69	-	41.27	39.44	11.98	34.60



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	44.13	54.00	-9.87	6.65	3	Vertical	176	2.97	-	37.48	31.86	9.06	34.27
AV	5.28G	91.00	Inf	-Inf	6.08	3	Vertical	176	2.97	-	84.92	31.28	9.10	34.30
AV	5.35G	52.74	54.00	-1.26	6.18	3	Vertical	176	2.97	-	46.56	31.35	9.14	34.31
PK	5.117G	55.57	74.00	-18.43	6.72	3	Vertical	176	2.97	-	48.85	31.93	9.06	34.27
PK	5.307G	100.41	Inf	-Inf	6.04	3	Vertical	176	2.97	-	94.37	31.22	9.12	34.30
PK	5.35G	63.49	74.00	-10.51	6.18	3	Vertical	176	2.97	-	57.31	31.35	9.14	34.31



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.068G	43.75	54.00	-10.25	6.69	3	Horizontal	72	2.09	-	37.06	31.84	9.06	34.21
AV	5.304G	88.38	Inf	-Inf	6.02	3	Horizontal	72	2.09	-	82.36	31.21	9.11	34.30
AV	5.35G	52.43	54.00	-1.57	6.18	3	Horizontal	72	2.09	-	46.25	31.35	9.14	34.31
PK	5.053G	55.92	74.00	-18.08	6.65	3	Horizontal	72	2.09	-	49.27	31.77	9.06	34.18
PK	5.295G	98.15	Inf	-Inf	6.03	3	Horizontal	72	2.09	-	92.12	31.22	9.11	34.30
PK	5.354G	64.99	74.00	-9.01	6.19	3	Horizontal	72	2.09	-	58.80	31.36	9.14	34.31



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58402G	58.82	68.20	-9.38	17.25	3	Vertical	23	2.03	-	41.57	39.66	12.07	34.48



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57946G	58.32	68.20	-9.88	17.23	3	Horizontal	99	2.36	-	41.09	39.65	12.07	34.49



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.79	54.00	-2.21	6.70	3	Vertical	15	2.85	-	45.09	31.68	9.18	34.16
AV	5.552G	91.93	Inf	-Inf	6.70	3	Vertical	15	2.85	-	85.23	31.70	9.21	34.21
PK	5.464G	64.45	68.20	-3.75	6.72	3	Vertical	15	2.85	-	57.73	31.69	9.18	34.15
PK	5.543G	101.09	Inf	-Inf	6.74	3	Vertical	15	2.85	-	94.35	31.71	9.21	34.18
PK	5.763G	55.57	68.20	-12.63	7.05	3	Vertical	15	2.85	-	48.52	31.99	9.42	34.36



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.78	54.00	-3.22	6.70	3	Horizontal	71	1.95	-	44.08	31.68	9.18	34.16
AV	5.548G	90.23	Inf	-Inf	6.72	3	Horizontal	71	1.95	-	83.51	31.70	9.21	34.19
PK	5.469G	62.69	68.20	-5.51	6.76	3	Horizontal	71	1.95	-	55.93	31.71	9.19	34.14
PK	5.553G	99.47	Inf	-Inf	6.69	3	Horizontal	71	1.95	-	92.78	31.69	9.21	34.21
PK	5.751G	54.73	68.20	-13.47	7.00	3	Horizontal	71	1.95	-	47.73	31.95	9.41	34.36



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.069G	47.13	54.00	-6.87	18.25	3	Vertical	128	2.05	-	28.88	40.11	12.35	34.21
PK	11.07362G	58.72	74.00	-15.28	18.25	3	Vertical	128	2.05	-	40.47	40.10	12.36	34.21



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07224G	47.48	54.00	-6.52	18.26	3	Horizontal	87	1.92	-	29.22	40.11	12.36	34.21
PK	11.04638G	58.98	74.00	-15.02	18.27	3	Horizontal	87	1.92	-	40.71	40.14	12.34	34.21



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	42.75	54.00	-11.25	6.68	3	Vertical	15	2.81	-	36.07	31.67	9.18	34.17
AV	5.623G	96.14	Inf	-Inf	6.56	3	Vertical	15	2.81	-	89.58	31.65	9.25	34.34
PK	5.469G	54.61	68.20	-13.59	6.76	3	Vertical	15	2.81	-	47.85	31.71	9.19	34.14
PK	5.598G	102.63	Inf	-Inf	6.49	3	Vertical	15	2.81	-	96.14	31.60	9.22	34.33
PK	5.766G	55.76	68.20	-12.44	7.07	3	Vertical	15	2.81	-	48.69	32.00	9.43	34.36



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	42.69	54.00	-11.31	6.64	3	Horizontal	75	1.89	-	36.05	31.65	9.18	34.19
AV	5.615G	91.35	Inf	-Inf	6.53	3	Horizontal	75	1.89	-	84.82	31.63	9.24	34.34
PK	5.465G	53.66	68.20	-14.54	6.74	3	Horizontal	75	1.89	-	46.92	31.70	9.19	34.15
PK	5.612G	100.21	Inf	-Inf	6.52	3	Horizontal	75	1.89	-	93.69	31.62	9.24	34.34
PK	5.774G	55.95	68.20	-12.25	7.10	3	Horizontal	75	1.89	-	48.85	32.02	9.44	34.36



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23194G	46.88	54.00	-7.12	18.13	3	Vertical	42	2.14	-	28.75	39.90	12.45	34.22
PK	11.22342G	58.92	74.00	-15.08	18.13	3	Vertical	42	2.14	-	40.79	39.91	12.44	34.22



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21238G	46.96	54.00	-7.04	18.14	3	Horizontal	72	1.47	-	28.82	39.92	12.44	34.22
PK	11.2251G	58.76	74.00	-15.24	18.14	3	Horizontal	72	1.47	-	40.62	39.91	12.45	34.22



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	42.62	54.00	-11.38	6.49	3	Vertical	183	2.68	-	36.13	31.57	9.17	34.25
AV	5.6684G	92.86	Inf	-Inf	6.70	3	Vertical	183	2.68	-	86.16	31.74	9.31	34.35
PK	5.468G	54.34	68.20	-13.86	6.75	3	Vertical	183	2.68	-	47.59	31.70	9.19	34.14
PK	5.6756G	102.28	Inf	-Inf	6.72	3	Vertical	183	2.68	-	95.56	31.75	9.32	34.35
PK	5.978G	56.35	68.20	-11.85	7.76	3	Vertical	183	2.68	-	48.59	32.40	9.55	34.19



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	42.79	54.00	-11.21	6.63	3	Horizontal	301	1.50	-	36.16	31.64	9.18	34.19
AV	5.666G	90.56	Inf	-Inf	6.68	3	Horizontal	301	1.50	-	83.88	31.73	9.30	34.35
PK	5.462G	54.39	68.20	-13.81	6.71	3	Horizontal	301	1.50	-	47.68	31.69	9.18	34.16
PK	5.678G	99.87	Inf	-Inf	6.73	3	Horizontal	301	1.50	-	93.14	31.76	9.32	34.35
PK	5.8748G	56.46	68.20	-11.74	7.44	3	Horizontal	301	1.50	-	49.02	32.32	9.50	34.38



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37382G	46.36	54.00	-7.64	18.01	3	Vertical	112	1.01	-	28.35	39.71	12.53	34.23
PK	11.36662G	58.06	74.00	-15.94	18.02	3	Vertical	112	1.01	-	40.04	39.72	12.53	34.23



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39434G	46.23	54.00	-7.77	18.00	3	Horizontal	117	1.21	-	28.23	39.69	12.54	34.23
PK	11.36638G	57.88	74.00	-16.12	18.02	3	Horizontal	117	1.21	-	39.86	39.72	12.53	34.23



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7582G	93.12	Inf	-Inf	7.03	3	Vertical	12	2.20	-	86.09	31.97	9.42	34.36
PK	5.649G	60.35	68.20	-7.85	6.64	3	Vertical	12	2.20	-	53.71	31.70	9.28	34.34
PK	5.7606G	102.42	Inf	-Inf	7.04	3	Vertical	12	2.20	-	95.38	31.98	9.42	34.36
PK	5.931G	55.73	68.20	-12.47	7.62	3	Vertical	12	2.20	-	48.11	32.40	9.53	34.31



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	90.64	Inf	-Inf	7.11	3	Horizontal	300	1.50	-	83.53	32.04	9.44	34.37
PK	5.6358G	57.13	68.20	-11.07	6.60	3	Horizontal	300	1.50	-	50.53	31.67	9.27	34.34
PK	5.7786G	99.99	Inf	-Inf	7.11	3	Horizontal	300	1.50	-	92.88	32.04	9.44	34.37
PK	5.943G	56.15	68.20	-12.05	7.66	3	Horizontal	300	1.50	-	48.49	32.40	9.54	34.28



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54208G	46.13	54.00	-7.87	17.89	3	Vertical	234	1.19	-	28.24	39.50	12.63	34.24
PK	11.54946G	58.57	74.00	-15.43	17.88	3	Vertical	234	1.19	-	40.69	39.49	12.63	34.24



802.11ac VHT80_Nss1,(MCS0)_2TX

26/07/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5584G	45.91	54.00	-8.09	17.87	3	Horizontal	214	1.35	-	28.04	39.47	12.64	34.24
PK	11.5482G	57.65	74.00	-16.35	17.88	3	Horizontal	214	1.35	-	39.77	39.49	12.63	34.24