




802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.46	54.00	-0.54	31.54	3	Vertical	183	2.35	-	21.92	27.54	4.00	-
AV	2.4178G	106.37	Inf	-Inf	31.48	3	Vertical	183	2.35	-	74.89	27.46	4.02	-
PK	2.3826G	60.24	74.00	-13.76	31.56	3	Vertical	183	2.35	-	28.68	27.57	3.99	-
PK	2.4178G	110.04	Inf	-Inf	31.48	3	Vertical	183	2.35	-	78.56	27.46	4.02	-



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.383G	51.40	54.00	-2.60	31.56	3	Horizontal	166	1.52	-	19.84	27.57	3.99	-
AV	2.4178G	105.65	Inf	-Inf	31.48	3	Horizontal	166	1.52	-	74.17	27.46	4.02	-
PK	2.389G	59.96	74.00	-14.04	31.54	3	Horizontal	166	1.52	-	28.42	27.54	4.00	-
PK	2.418G	107.90	Inf	-Inf	31.48	3	Horizontal	166	1.52	-	76.42	27.46	4.02	-



802.11b_Nss1,(1Mbps)_2TX

20/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3826G	50.81	54.00	-3.19	31.56	3	Vertical	193	2.34	-	19.25	27.57	3.99	-
AV	2.4354G	108.33	Inf	-Inf	31.47	3	Vertical	193	2.34	-	76.86	27.43	4.04	-
AV	2.4914G	50.24	54.00	-3.76	31.41	3	Vertical	193	2.34	-	18.83	27.32	4.09	-
PK	2.369G	59.65	74.00	-14.35	31.60	3	Vertical	193	2.34	-	28.05	27.62	3.98	-
PK	2.4362G	110.37	Inf	-Inf	31.47	3	Vertical	193	2.34	-	78.90	27.43	4.04	-
PK	2.4838G	59.14	74.00	-14.86	31.41	3	Vertical	193	2.34	-	27.73	27.33	4.08	-



802.11b_Nss1,(1Mbps)_2TX

20/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.381G	50.03	54.00	-3.97	31.57	3	Horizontal	168	2.81	-	18.46	27.58	3.99	-
AV	2.4354G	108.05	Inf	-Inf	31.47	3	Horizontal	168	2.81	-	76.58	27.43	4.04	-
AV	2.491G	50.45	54.00	-3.55	31.41	3	Horizontal	168	2.81	-	19.04	27.32	4.09	-
PK	2.3662G	59.79	74.00	-14.21	31.61	3	Horizontal	168	2.81	-	28.18	27.64	3.97	-
PK	2.4342G	109.98	Inf	-Inf	31.47	3	Horizontal	168	2.81	-	78.51	27.43	4.04	-
PK	2.4862G	59.86	74.00	-14.14	31.42	3	Horizontal	168	2.81	-	28.44	27.33	4.09	-



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	48.04	54.00	-5.96	7.23	3	Vertical	151	2.27	-	40.81	31.17	5.83	29.77
PK	4.87436G	56.05	74.00	-17.95	7.23	3	Vertical	151	2.27	-	48.82	31.17	5.83	29.77



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87406G	45.33	54.00	-8.67	7.23	3	Horizontal	108	1.90	-	38.10	31.17	5.83	29.77
PK	4.87406G	51.22	74.00	-22.78	7.23	3	Horizontal	108	1.90	-	43.99	31.17	5.83	29.77



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	104.64	Inf	-Inf	31.45	3	Vertical	185	1.50	-	73.19	27.39	4.06	-
AV	2.4838G	53.06	54.00	-0.94	31.41	3	Vertical	185	1.50	-	21.65	27.33	4.08	-
PK	2.4542G	106.93	Inf	-Inf	31.45	3	Vertical	185	1.50	-	75.48	27.39	4.06	-
PK	2.4854G	60.77	74.00	-13.23	31.42	3	Vertical	185	1.50	-	29.35	27.33	4.09	-



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	106.64	Inf	-Inf	31.45	3	Horizontal	169	2.74	-	75.19	27.39	4.06	-
AV	2.4836G	53.48	54.00	-0.52	31.41	3	Horizontal	169	2.74	-	22.07	27.33	4.08	-
PK	2.4562G	109.27	Inf	-Inf	31.45	3	Horizontal	169	2.74	-	77.82	27.39	4.06	-
PK	2.4836G	61.96	74.00	-12.04	31.41	3	Horizontal	169	2.74	-	30.55	27.33	4.08	-



802.11b_Nss1,(1Mbps)_2TX

20/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	105.58	Inf	-Inf	31.44	3	Vertical	191	2.29	-	74.14	27.37	4.07	-
AV	2.4835G	53.16	54.00	-0.84	31.41	3	Vertical	191	2.29	-	21.75	27.33	4.08	-
PK	2.4628G	106.90	Inf	-Inf	31.44	3	Vertical	191	2.29	-	75.46	27.37	4.07	-
PK	2.489G	61.97	74.00	-12.03	31.41	3	Vertical	191	2.29	-	30.56	27.32	4.09	-



802.11b_Nss1,(1Mbps)_2TX

20/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	104.01	Inf	-Inf	31.44	3	Horizontal	166	2.98	-	72.57	27.38	4.06	-
AV	2.4835G	53.31	54.00	-0.69	31.41	3	Horizontal	166	2.98	-	21.90	27.33	4.08	-
PK	2.4612G	106.05	Inf	-Inf	31.44	3	Horizontal	166	2.98	-	74.61	27.38	4.06	-
PK	2.4884G	62.59	74.00	-11.41	31.41	3	Horizontal	166	2.98	-	31.18	27.32	4.09	-



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	46.81	54.00	-7.19	7.37	3	Vertical	357	1.68	-	39.44	31.27	5.87	29.77
PK	4.92364G	54.71	74.00	-19.29	7.37	3	Vertical	357	1.68	-	47.34	31.27	5.87	29.77



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	45.39	54.00	-8.61	7.37	3	Horizontal	185	2.04	-	38.02	31.27	5.87	29.77
PK	4.92382G	55.95	74.00	-18.05	7.37	3	Horizontal	185	2.04	-	48.58	31.27	5.87	29.77



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4688G	99.59	Inf	-Inf	31.43	3	Vertical	271	2.32	-	68.16	27.36	4.07	-
AV	2.4835G	53.50	54.00	-0.50	31.41	3	Vertical	271	2.32	-	22.09	27.33	4.08	-
PK	2.4696G	101.67	Inf	-Inf	31.43	3	Vertical	271	2.32	-	70.24	27.36	4.07	-
PK	2.4835G	68.75	74.00	-5.25	31.41	3	Vertical	271	2.32	-	37.34	27.33	4.08	-



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	99.44	Inf	-Inf	31.44	3	Horizontal	174	2.73	-	68.00	27.37	4.07	-
AV	2.4842G	52.96	54.00	-1.04	31.42	3	Horizontal	174	2.73	-	21.54	27.33	4.09	-
PK	2.4642G	101.82	Inf	-Inf	31.44	3	Horizontal	174	2.73	-	70.38	27.37	4.07	-
PK	2.4836G	61.06	74.00	-12.94	31.41	3	Horizontal	174	2.73	-	29.65	27.33	4.08	-



802.11b_Nss1,(1Mbps)_2TX

22/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93393G	39.62	54.00	-14.38	7.40	3	Vertical	328	1.83	-	32.22	31.30	5.87	29.77
PK	4.9338G	51.50	74.00	-22.50	7.40	3	Vertical	328	1.83	-	44.10	31.30	5.87	29.77



802.11b_Nss1,(1Mbps)_2TX

22/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93388G	38.51	54.00	-15.49	7.40	3	Horizontal	122	2.06	-	31.11	31.30	5.87	29.77
PK	4.93394G	47.19	74.00	-26.81	7.40	3	Horizontal	122	2.06	-	39.79	31.30	5.87	29.77



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4744G	93.97	Inf	-Inf	31.43	3	Vertical	267	2.09	-	62.54	27.35	4.08	-
AV	2.4868G	53.62	54.00	-0.38	31.42	3	Vertical	267	2.09	-	22.20	27.33	4.09	-
PK	2.4748G	96.32	Inf	-Inf	31.43	3	Vertical	267	2.09	-	64.89	27.35	4.08	-
PK	2.4858G	62.65	74.00	-11.35	31.42	3	Vertical	267	2.09	-	31.23	27.33	4.09	-



802.11b_Nss1,(1Mbps)_2TX

21/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4738G	93.27	Inf	-Inf	31.43	3	Horizontal	190	2.75	-	61.84	27.35	4.08	-
AV	2.4866G	52.53	54.00	-1.47	31.42	3	Horizontal	190	2.75	-	21.11	27.33	4.09	-
PK	2.4736G	95.27	Inf	-Inf	31.43	3	Horizontal	190	2.75	-	63.84	27.35	4.08	-
PK	2.4866G	61.42	74.00	-12.58	31.42	3	Horizontal	190	2.75	-	30.00	27.33	4.09	-



802.11b_Nss1,(1Mbps)_2TX

22/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94394G	35.59	54.00	-18.41	7.44	3	Vertical	235	2.28	-	28.15	31.33	5.88	29.77
PK	4.94428G	46.27	74.00	-27.73	7.44	3	Vertical	235	2.28	-	38.83	31.33	5.88	29.77



802.11b_Nss1,(1Mbps)_2TX

22/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94402G	35.39	54.00	-18.61	7.44	3	Horizontal	195	1.47	-	27.95	31.33	5.88	29.77
PK	4.94362G	45.76	74.00	-28.24	7.44	3	Horizontal	195	1.47	-	38.32	31.33	5.88	29.77



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.62	54.00	-1.38	32.09	3	Vertical	168	1.40	-	20.53	27.37	4.72	-
AV	2.4086G	98.49	Inf	-Inf	32.17	3	Vertical	168	1.40	-	66.32	27.43	4.74	-
PK	2.386G	69.67	74.00	-4.33	32.07	3	Vertical	168	1.40	-	37.60	27.36	4.71	-
PK	2.4094G	108.33	Inf	-Inf	32.17	3	Vertical	168	1.40	-	76.16	27.43	4.74	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.35	54.00	-0.65	32.09	3	Horizontal	304	1.36	-	21.26	27.37	4.72	-
AV	2.409G	100.20	Inf	-Inf	32.17	3	Horizontal	304	1.36	-	68.03	27.43	4.74	-
PK	2.3844G	68.27	74.00	-5.73	32.06	3	Horizontal	304	1.36	-	36.21	27.35	4.71	-
PK	2.4088G	109.82	Inf	-Inf	32.17	3	Horizontal	304	1.36	-	77.65	27.43	4.74	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8252G	30.79	54.00	-23.21	3.70	3	Vertical	222	2.20	-	27.09	31.39	6.79	34.48
PK	4.8225G	48.56	74.00	-25.44	3.69	3	Vertical	222	2.20	-	44.87	31.38	6.79	34.48



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81974G	32.72	54.00	-21.28	3.69	3	Horizontal	280	1.50	-	29.03	31.38	6.79	34.48
PK	4.82282G	48.95	74.00	-25.05	3.69	3	Horizontal	280	1.50	-	45.26	31.38	6.79	34.48



802.11g_Nss1,(6Mbps)_1TX(Port1)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.58	54.00	-0.42	32.09	3	Vertical	169	1.97	-	21.49	27.37	4.72	-
AV	2.419G	99.88	Inf	-Inf	32.21	3	Vertical	169	1.97	-	67.67	27.46	4.75	-
PK	2.3894G	70.51	74.00	-3.49	32.09	3	Vertical	169	1.97	-	38.42	27.37	4.72	-
PK	2.4204G	110.03	Inf	-Inf	32.21	3	Vertical	169	1.97	-	77.82	27.46	4.75	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.04	54.00	-1.96	32.09	3	Horizontal	26	1.95	-	19.95	27.37	4.72	-
AV	2.4136G	97.05	Inf	-Inf	32.19	3	Horizontal	26	1.95	-	64.86	27.44	4.75	-
PK	2.385G	63.50	74.00	-10.50	32.07	3	Horizontal	26	1.95	-	31.43	27.36	4.71	-
PK	2.4142G	102.81	Inf	-Inf	32.19	3	Horizontal	26	1.95	-	70.62	27.44	4.75	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.19	54.00	-4.81	32.09	3	Vertical	172	1.64	-	17.10	27.37	4.72	-
AV	2.435G	102.32	Inf	-Inf	32.27	3	Vertical	172	1.64	-	70.05	27.50	4.77	-
AV	2.4835G	47.24	54.00	-6.76	32.48	3	Vertical	172	1.64	-	14.76	27.65	4.83	-
PK	2.389G	63.74	74.00	-10.26	32.09	3	Vertical	172	1.64	-	31.65	27.37	4.72	-
PK	2.435G	111.98	Inf	-Inf	32.27	3	Vertical	172	1.64	-	79.71	27.50	4.77	-
PK	2.4866G	60.73	74.00	-13.27	32.49	3	Vertical	172	1.64	-	28.24	27.66	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.50	54.00	-6.50	32.09	3	Horizontal	22	1.75	-	15.41	27.37	4.72	-
AV	2.4338G	98.73	Inf	-Inf	32.27	3	Horizontal	22	1.75	-	66.46	27.50	4.77	-
AV	2.4835G	46.11	54.00	-7.89	32.48	3	Horizontal	22	1.75	-	13.63	27.65	4.83	-
PK	2.3898G	60.60	74.00	-13.40	32.09	3	Horizontal	22	1.75	-	28.51	27.37	4.72	-
PK	2.435G	108.69	Inf	-Inf	32.27	3	Horizontal	22	1.75	-	76.42	27.50	4.77	-
PK	2.4835G	58.81	74.00	-15.19	32.48	3	Horizontal	22	1.75	-	26.33	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87419G	33.89	54.00	-20.11	3.81	3	Vertical	7	2.37	-	30.08	31.47	6.81	34.47
PK	4.8746G	48.81	74.00	-25.19	3.81	3	Vertical	7	2.37	-	45.00	31.47	6.81	34.47



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87364G	32.60	54.00	-21.40	3.81	3	Horizontal	180	2.90	-	28.79	31.47	6.81	34.47
PK	4.87431G	54.14	74.00	-19.86	3.81	3	Horizontal	180	2.90	-	50.33	31.47	6.81	34.47



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	101.87	Inf	-Inf	32.35	3	Vertical	176	1.89	-	69.52	27.56	4.79	-
AV	2.4836G	53.58	54.00	-0.42	32.48	3	Vertical	176	1.89	-	21.10	27.65	4.83	-
PK	2.4546G	112.14	Inf	-Inf	32.35	3	Vertical	176	1.89	-	79.79	27.56	4.79	-
PK	2.4842G	67.72	74.00	-6.28	32.48	3	Vertical	176	1.89	-	35.24	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4528G	100.04	Inf	-Inf	32.35	3	Horizontal	15	2.55	-	67.69	27.56	4.79	-
AV	2.4835G	52.72	54.00	-1.28	32.48	3	Horizontal	15	2.55	-	20.24	27.65	4.83	-
PK	2.4544G	110.30	Inf	-Inf	32.35	3	Horizontal	15	2.55	-	77.95	27.56	4.79	-
PK	2.484G	66.91	74.00	-7.09	32.48	3	Horizontal	15	2.55	-	34.43	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4584G	100.33	Inf	-Inf	32.38	3	Vertical	178	1.91	-	67.95	27.58	4.80	-
AV	2.4835G	53.09	54.00	-0.91	32.48	3	Vertical	178	1.91	-	20.61	27.65	4.83	-
PK	2.4582G	110.65	Inf	-Inf	32.37	3	Vertical	178	1.91	-	78.28	27.57	4.80	-
PK	2.4836G	70.56	74.00	-3.44	32.48	3	Vertical	178	1.91	-	38.08	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4574G	96.12	Inf	-Inf	32.37	3	Horizontal	22	2.74	-	63.75	27.57	4.80	-
AV	2.4835G	51.53	54.00	-2.47	32.48	3	Horizontal	22	2.74	-	19.05	27.65	4.83	-
PK	2.4584G	106.07	Inf	-Inf	32.38	3	Horizontal	22	2.74	-	73.69	27.58	4.80	-
PK	2.4835G	67.78	74.00	-6.22	32.48	3	Horizontal	22	2.74	-	35.30	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92436G	33.32	54.00	-20.68	3.93	3	Vertical	354	2.53	-	29.39	31.56	6.82	34.45
PK	4.92592G	46.85	74.00	-27.15	3.94	3	Vertical	354	2.53	-	42.91	31.57	6.82	34.45



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92424G	33.80	54.00	-20.20	3.93	3	Horizontal	194	2.23	-	29.87	31.56	6.82	34.45
PK	4.92232G	49.49	74.00	-24.51	3.93	3	Horizontal	194	2.23	-	45.56	31.56	6.82	34.45



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	96.45	Inf	-Inf	32.39	3	Vertical	172	1.90	-	64.06	27.59	4.80	-
AV	2.4835G	53.88	54.00	-0.12	32.48	3	Vertical	172	1.90	-	21.40	27.65	4.83	-
PK	2.4632G	106.19	Inf	-Inf	32.39	3	Vertical	172	1.90	-	73.80	27.59	4.80	-
PK	2.4838G	69.51	74.00	-4.49	32.48	3	Vertical	172	1.90	-	37.03	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	92.64	Inf	-Inf	32.39	3	Horizontal	23	1.65	-	60.25	27.59	4.80	-
AV	2.4835G	51.53	54.00	-2.47	32.48	3	Horizontal	23	1.65	-	19.05	27.65	4.83	-
PK	2.4706G	102.94	Inf	-Inf	32.42	3	Horizontal	23	1.65	-	70.52	27.61	4.81	-
PK	2.4838G	67.72	74.00	-6.28	32.48	3	Horizontal	23	1.65	-	35.24	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93389G	30.72	54.00	-23.28	3.96	3	Vertical	352	2.47	-	26.76	31.58	6.83	34.45
PK	4.93581G	44.89	74.00	-29.11	3.96	3	Vertical	352	2.47	-	40.93	31.58	6.83	34.45



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93518G	32.14	54.00	-21.86	3.96	3	Horizontal	185	2.03	-	28.18	31.58	6.83	34.45
PK	4.9338G	48.80	74.00	-25.20	3.96	3	Horizontal	185	2.03	-	44.84	31.58	6.83	34.45



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4682G	82.55	Inf	-Inf	32.41	3	Vertical	172	1.68	-	50.14	27.60	4.81	-
AV	2.4835G	53.66	54.00	-0.34	32.48	3	Vertical	172	1.68	-	21.18	27.65	4.83	-
PK	2.4754G	92.49	Inf	-Inf	32.45	3	Vertical	172	1.68	-	60.04	27.63	4.82	-
PK	2.4842G	69.40	74.00	-4.60	32.48	3	Vertical	172	1.68	-	36.92	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4756G	81.30	Inf	-Inf	32.45	3	Horizontal	14	2.48	-	48.85	27.63	4.82	-
AV	2.4836G	53.46	54.00	-0.54	32.48	3	Horizontal	14	2.48	-	20.98	27.65	4.83	-
PK	2.4756G	91.12	Inf	-Inf	32.45	3	Horizontal	14	2.48	-	58.67	27.63	4.82	-
PK	2.4836G	70.57	74.00	-3.43	32.48	3	Horizontal	14	2.48	-	38.09	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94704G	29.58	54.00	-24.42	3.98	3	Vertical	360	2.50	-	25.60	31.60	6.83	34.45
PK	4.9431G	42.90	74.00	-31.10	3.98	3	Vertical	360	2.50	-	38.92	31.60	6.83	34.45



802.11g_Nss1,(6Mbps)_1TX(Port1)

28/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94646G	29.58	54.00	-24.42	3.98	3	Horizontal	208	2.42	-	25.60	31.60	6.83	34.45
PK	4.94512G	43.68	74.00	-30.32	3.98	3	Horizontal	208	2.42	-	39.70	31.60	6.83	34.45



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.16	54.00	-5.84	32.09	3	Vertical	165	1.56	-	16.07	27.37	4.72	-
AV	2.4156G	90.10	Inf	-Inf	32.20	3	Vertical	165	1.56	-	57.90	27.45	4.75	-
PK	2.389G	62.27	74.00	-11.73	32.09	3	Vertical	165	1.56	-	30.18	27.37	4.72	-
PK	2.4114G	108.14	Inf	-Inf	32.17	3	Vertical	165	1.56	-	75.97	27.43	4.74	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.37	54.00	-0.63	32.09	3	Horizontal	0	2.60	-	21.28	27.37	4.72	-
AV	2.4088G	97.54	Inf	-Inf	32.17	3	Horizontal	0	2.60	-	65.37	27.43	4.74	-
PK	2.39G	68.35	74.00	-5.65	32.09	3	Horizontal	0	2.60	-	36.26	27.37	4.72	-
PK	2.4098G	107.38	Inf	-Inf	32.17	3	Horizontal	0	2.60	-	75.21	27.43	4.74	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8381G	30.31	54.00	-23.69	3.72	3	Vertical	101	1.43	-	26.59	31.41	6.79	34.48
PK	4.80984G	43.83	74.00	-30.17	3.66	3	Vertical	101	1.43	-	40.17	31.36	6.79	34.49



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82334G	30.35	54.00	-23.65	3.69	3	Horizontal	274	2.28	-	26.66	31.38	6.79	34.48
PK	4.82544G	43.99	74.00	-30.01	3.70	3	Horizontal	274	2.28	-	40.29	31.39	6.79	34.48



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.49	54.00	-1.51	32.09	3	Vertical	194	1.40	-	20.40	27.37	4.72	-
AV	2.4182G	96.14	Inf	-Inf	32.20	3	Vertical	194	1.40	-	63.94	27.45	4.75	-
PK	2.3896G	67.51	74.00	-6.49	32.09	3	Vertical	194	1.40	-	35.42	27.37	4.72	-
PK	2.419G	106.12	Inf	-Inf	32.21	3	Vertical	194	1.40	-	73.91	27.46	4.75	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.32	54.00	-0.68	32.09	3	Horizontal	196	2.53	-	21.23	27.37	4.72	-
AV	2.4194G	99.02	Inf	-Inf	32.21	3	Horizontal	196	2.53	-	66.81	27.46	4.75	-
PK	2.3896G	67.54	74.00	-6.46	32.09	3	Horizontal	196	2.53	-	35.45	27.37	4.72	-
PK	2.4196G	108.74	Inf	-Inf	32.21	3	Horizontal	196	2.53	-	76.53	27.46	4.75	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.26	54.00	-6.74	32.09	3	Vertical	274	1.81	-	15.17	27.37	4.72	-
AV	2.4342G	99.35	Inf	-Inf	32.27	3	Vertical	274	1.81	-	67.08	27.50	4.77	-
AV	2.4835G	48.34	54.00	-5.66	32.48	3	Vertical	274	1.81	-	15.86	27.65	4.83	-
PK	2.3718G	60.03	74.00	-13.97	32.02	3	Vertical	274	1.81	-	28.01	27.32	4.70	-
PK	2.4346G	109.22	Inf	-Inf	32.27	3	Vertical	274	1.81	-	76.95	27.50	4.77	-
PK	2.485G	62.50	74.00	-11.50	32.48	3	Vertical	274	1.81	-	30.02	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.05	54.00	-6.95	32.09	3	Horizontal	360	2.33	-	14.96	27.37	4.72	-
AV	2.4334G	98.62	Inf	-Inf	32.27	3	Horizontal	360	2.33	-	66.35	27.50	4.77	-
AV	2.4838G	48.50	54.00	-5.50	32.48	3	Horizontal	360	2.33	-	16.02	27.65	4.83	-
PK	2.3894G	60.03	74.00	-13.97	32.09	3	Horizontal	360	2.33	-	27.94	27.37	4.72	-
PK	2.4354G	108.50	Inf	-Inf	32.28	3	Horizontal	360	2.33	-	76.22	27.51	4.77	-
PK	2.4838G	62.43	74.00	-11.57	32.48	3	Horizontal	360	2.33	-	29.95	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.869G	30.48	54.00	-23.52	3.80	3	Vertical	109	2.32	-	26.68	31.46	6.81	34.47
PK	4.87178G	44.67	74.00	-29.33	3.81	3	Vertical	109	2.32	-	40.86	31.47	6.81	34.47



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8717G	31.47	54.00	-22.53	3.81	3	Horizontal	260	1.86	-	27.66	31.47	6.81	34.47
PK	4.8714G	44.69	74.00	-29.31	3.81	3	Horizontal	260	1.86	-	40.88	31.47	6.81	34.47



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4534G	92.41	Inf	-Inf	32.35	3	Vertical	23	1.65	-	60.06	27.56	4.79	-
AV	2.4836G	48.78	54.00	-5.22	32.48	3	Vertical	23	1.65	-	16.30	27.65	4.83	-
PK	2.4544G	102.00	Inf	-Inf	32.35	3	Vertical	23	1.65	-	69.65	27.56	4.79	-
PK	2.4848G	63.22	74.00	-10.78	32.48	3	Vertical	23	1.65	-	30.74	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4534G	97.75	Inf	-Inf	32.35	3	Horizontal	195	2.28	-	65.40	27.56	4.79	-
AV	2.4835G	53.34	54.00	-0.66	32.48	3	Horizontal	195	2.28	-	20.86	27.65	4.83	-
PK	2.4556G	107.82	Inf	-Inf	32.37	3	Horizontal	195	2.28	-	75.45	27.57	4.80	-
PK	2.4856G	66.64	74.00	-7.36	32.49	3	Horizontal	195	2.28	-	34.15	27.66	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	93.49	Inf	-Inf	32.38	3	Vertical	289	2.41	-	61.11	27.58	4.80	-
AV	2.4835G	50.02	54.00	-3.98	32.48	3	Vertical	289	2.41	-	17.54	27.65	4.83	-
PK	2.4584G	103.39	Inf	-Inf	32.38	3	Vertical	289	2.41	-	71.01	27.58	4.80	-
PK	2.4836G	64.12	74.00	-9.88	32.48	3	Vertical	289	2.41	-	31.64	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4656G	96.77	Inf	-Inf	32.41	3	Horizontal	190	2.19	-	64.36	27.60	4.81	-
AV	2.4835G	53.65	54.00	-0.35	32.48	3	Horizontal	190	2.19	-	21.17	27.65	4.83	-
PK	2.464G	106.77	Inf	-Inf	32.39	3	Horizontal	190	2.19	-	74.38	27.59	4.80	-
PK	2.4835G	69.02	74.00	-4.98	32.48	3	Horizontal	190	2.19	-	36.54	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91944G	30.61	54.00	-23.39	3.92	3	Vertical	271	1.56	-	26.69	31.55	6.82	34.45
PK	4.90978G	44.37	74.00	-29.63	3.90	3	Vertical	271	1.56	-	40.47	31.54	6.82	34.46



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92328G	30.50	54.00	-23.50	3.93	3	Horizontal	114	2.25	-	26.57	31.56	6.82	34.45
PK	4.93168G	43.57	74.00	-30.43	3.96	3	Horizontal	114	2.25	-	39.61	31.58	6.83	34.45



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	89.89	Inf	-Inf	32.39	3	Vertical	274	2.44	-	57.50	27.59	4.80	-
AV	2.4835G	51.20	54.00	-2.80	32.48	3	Vertical	274	2.44	-	18.72	27.65	4.83	-
PK	2.469G	99.82	Inf	-Inf	32.42	3	Vertical	274	2.44	-	67.40	27.61	4.81	-
PK	2.4835G	66.92	74.00	-7.08	32.48	3	Vertical	274	2.44	-	34.44	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.471G	93.58	Inf	-Inf	32.42	3	Horizontal	189	2.07	-	61.16	27.61	4.81	-
AV	2.4835G	53.09	54.00	-0.91	32.48	3	Horizontal	189	2.07	-	20.61	27.65	4.83	-
PK	2.471G	103.74	Inf	-Inf	32.42	3	Horizontal	189	2.07	-	71.32	27.61	4.81	-
PK	2.4835G	70.42	74.00	-3.58	32.48	3	Horizontal	189	2.07	-	37.94	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91912G	30.49	54.00	-23.51	3.92	3	Vertical	299	2.07	-	26.57	31.55	6.82	34.45
PK	4.94402G	43.96	74.00	-30.04	3.98	3	Vertical	299	2.07	-	39.98	31.60	6.83	34.45



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94768G	30.52	54.00	-23.48	3.99	3	Horizontal	109	2.17	-	26.53	31.61	6.83	34.45
PK	4.9268G	43.58	74.00	-30.42	3.94	3	Horizontal	109	2.17	-	39.64	31.57	6.82	34.45



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4746G	81.38	Inf	-Inf	32.44	3	Vertical	270	1.79	-	48.94	27.62	4.82	-
AV	2.4835G	52.90	54.00	-1.10	32.48	3	Vertical	270	1.79	-	20.42	27.65	4.83	-
PK	2.4746G	90.99	Inf	-Inf	32.44	3	Vertical	270	1.79	-	58.55	27.62	4.82	-
PK	2.4838G	67.92	74.00	-6.08	32.48	3	Vertical	270	1.79	-	35.44	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	82.44	Inf	-Inf	32.42	3	Horizontal	190	2.04	-	50.02	27.61	4.81	-
AV	2.4835G	53.58	54.00	-0.42	32.48	3	Horizontal	190	2.04	-	21.10	27.65	4.83	-
PK	2.4696G	92.35	Inf	-Inf	32.42	3	Horizontal	190	2.04	-	59.93	27.61	4.81	-
PK	2.4835G	69.88	74.00	-4.12	32.48	3	Horizontal	190	2.04	-	37.40	27.65	4.83	-



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94838G	30.56	54.00	-23.44	3.99	3	Vertical	325	1.40	-	26.57	31.61	6.83	34.45
PK	4.95864G	43.66	74.00	-30.34	4.02	3	Vertical	325	1.40	-	39.64	31.63	6.83	34.44



802.11g_Nss1,(6Mbps)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9317G	30.45	54.00	-23.55	3.96	3	Horizontal	197	1.18	-	26.49	31.58	6.83	34.45
PK	4.94064G	44.49	74.00	-29.51	3.97	3	Horizontal	197	1.18	-	40.52	31.59	6.83	34.45



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.04	54.00	-0.96	31.54	3	Vertical	165	2.21	-	21.50	27.54	4.00	-
AV	2.4078G	104.29	Inf	-Inf	31.49	3	Vertical	165	2.21	-	72.80	27.48	4.01	-
PK	2.39G	67.54	74.00	-6.46	31.54	3	Vertical	165	2.21	-	36.00	27.54	4.00	-
PK	2.4076G	112.21	Inf	-Inf	31.49	3	Vertical	165	2.21	-	80.72	27.48	4.01	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.30	54.00	-0.70	31.54	3	Horizontal	298	1.01	-	21.76	27.54	4.00	-
AV	2.4096G	102.56	Inf	-Inf	31.50	3	Horizontal	298	1.01	-	71.06	27.48	4.02	-
PK	2.385G	68.06	74.00	-5.94	31.55	3	Horizontal	298	1.01	-	36.51	27.56	3.99	-
PK	2.4096G	110.59	Inf	-Inf	31.50	3	Horizontal	298	1.01	-	79.09	27.48	4.02	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8254G	35.20	54.00	-18.80	7.14	3	Vertical	0	2.40	-	28.06	31.13	5.79	29.78
PK	4.8204G	54.19	74.00	-19.81	7.13	3	Vertical	0	2.40	-	47.06	31.12	5.79	29.78



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82608G	34.40	54.00	-19.60	7.14	3	Horizontal	161	1.48	-	27.26	31.13	5.79	29.78
PK	4.82436G	50.66	74.00	-23.34	7.13	3	Horizontal	161	1.48	-	43.53	31.12	5.79	29.78



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	53.57	54.00	-0.43	31.54	3	Vertical	165	1.19	-	22.03	27.54	4.00	-
AV	2.4132G	103.95	Inf	-Inf	31.49	3	Vertical	165	1.19	-	72.46	27.47	4.02	-
PK	2.3868G	68.19	74.00	-5.81	31.54	3	Vertical	165	1.19	-	36.65	27.55	3.99	-
PK	2.4206G	112.41	Inf	-Inf	31.49	3	Vertical	165	1.19	-	80.92	27.46	4.03	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.64	54.00	-0.36	31.54	3	Horizontal	303	1.50	-	22.10	27.54	4.00	-
AV	2.415G	101.30	Inf	-Inf	31.49	3	Horizontal	303	1.50	-	69.81	27.47	4.02	-
PK	2.3874G	66.21	74.00	-7.79	31.54	3	Horizontal	303	1.50	-	34.67	27.55	3.99	-
PK	2.4152G	109.75	Inf	-Inf	31.49	3	Horizontal	303	1.50	-	78.26	27.47	4.02	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.85	54.00	-4.15	31.54	3	Vertical	163	1.55	-	18.31	27.54	4.00	-
AV	2.4334G	103.76	Inf	-Inf	31.47	3	Vertical	163	1.55	-	72.29	27.43	4.04	-
AV	2.4835G	48.56	54.00	-5.44	31.41	3	Vertical	163	1.55	-	17.15	27.33	4.08	-
PK	2.3898G	62.47	74.00	-11.53	31.54	3	Vertical	163	1.55	-	30.93	27.54	4.00	-
PK	2.4334G	112.15	Inf	-Inf	31.47	3	Vertical	163	1.55	-	80.68	27.43	4.04	-
PK	2.4894G	60.19	74.00	-13.81	31.41	3	Vertical	163	1.55	-	28.78	27.32	4.09	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	49.41	54.00	-4.59	31.55	3	Horizontal	297	1.50	-	17.86	27.55	4.00	-
AV	2.4358G	100.73	Inf	-Inf	31.47	3	Horizontal	297	1.50	-	69.26	27.43	4.04	-
AV	2.4842G	48.03	54.00	-5.97	31.42	3	Horizontal	297	1.50	-	16.61	27.33	4.09	-
PK	2.3886G	61.30	74.00	-12.70	31.55	3	Horizontal	297	1.50	-	29.75	27.55	4.00	-
PK	2.4354G	108.90	Inf	-Inf	31.47	3	Horizontal	297	1.50	-	77.43	27.43	4.04	-
PK	2.4962G	59.51	74.00	-14.49	31.41	3	Horizontal	297	1.50	-	28.10	27.31	4.10	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86926G	36.05	54.00	-17.95	7.23	3	Vertical	360	2.28	-	28.82	31.17	5.83	29.77
PK	4.8752G	52.54	74.00	-21.46	7.24	3	Vertical	360	2.28	-	45.30	31.18	5.83	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87718G	35.65	54.00	-18.35	7.24	3	Horizontal	157	2.30	-	28.41	31.18	5.83	29.77
PK	4.8752G	50.52	74.00	-23.48	7.24	3	Horizontal	157	2.30	-	43.28	31.18	5.83	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	102.32	Inf	-Inf	31.45	3	Vertical	166	1.03	-	70.87	27.39	4.06	-
AV	2.4868G	52.43	54.00	-1.57	31.42	3	Vertical	166	1.03	-	21.01	27.33	4.09	-
PK	2.4544G	110.69	Inf	-Inf	31.45	3	Vertical	166	1.03	-	79.24	27.39	4.06	-
PK	2.4882G	66.60	74.00	-7.40	31.41	3	Vertical	166	1.03	-	35.19	27.32	4.09	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4598G	101.67	Inf	-Inf	31.44	3	Horizontal	167	1.41	-	70.23	27.38	4.06	-
AV	2.4842G	53.77	54.00	-0.23	31.42	3	Horizontal	167	1.41	-	22.35	27.33	4.09	-
PK	2.4606G	110.47	Inf	-Inf	31.44	3	Horizontal	167	1.41	-	79.03	27.38	4.06	-
PK	2.4838G	67.37	74.00	-6.63	31.41	3	Horizontal	167	1.41	-	35.96	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	101.65	Inf	-Inf	31.45	3	Vertical	170	2.09	-	70.20	27.39	4.06	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	170	2.09	-	22.20	27.33	4.08	-
PK	2.4652G	109.34	Inf	-Inf	31.44	3	Vertical	170	2.09	-	77.90	27.37	4.07	-
PK	2.4835G	69.25	74.00	-4.75	31.41	3	Vertical	170	2.09	-	37.84	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	100.74	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	69.30	27.37	4.07	-
AV	2.4835G	53.08	54.00	-0.92	31.41	3	Horizontal	167	1.50	-	21.67	27.33	4.08	-
PK	2.4652G	109.33	Inf	-Inf	31.44	3	Horizontal	167	1.50	-	77.89	27.37	4.07	-
PK	2.484G	66.78	74.00	-7.22	31.41	3	Horizontal	167	1.50	-	35.37	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	34.94	54.00	-19.06	7.36	3	Vertical	360	1.01	-	27.58	31.27	5.86	29.77
PK	4.9285G	47.10	74.00	-26.90	7.39	3	Vertical	360	1.01	-	39.71	31.29	5.87	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	35.15	54.00	-18.85	7.36	3	Horizontal	186	3.00	-	27.79	31.27	5.86	29.77
PK	4.92346G	49.11	74.00	-24.89	7.36	3	Horizontal	186	3.00	-	41.75	31.27	5.86	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4684G	96.08	Inf	-Inf	31.43	3	Vertical	253	2.09	-	64.65	27.36	4.07	-
AV	2.4835G	53.61	54.00	-0.39	31.41	3	Vertical	253	2.09	-	22.20	27.33	4.08	-
PK	2.4688G	104.33	Inf	-Inf	31.43	3	Vertical	253	2.09	-	72.90	27.36	4.07	-
PK	2.4846G	68.96	74.00	-5.04	31.42	3	Vertical	253	2.09	-	37.54	27.33	4.09	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	98.37	Inf	-Inf	31.44	3	Horizontal	171	2.74	-	66.93	27.37	4.07	-
AV	2.4835G	52.68	54.00	-1.32	31.41	3	Horizontal	171	2.74	-	21.27	27.33	4.08	-
PK	2.4634G	106.67	Inf	-Inf	31.44	3	Horizontal	171	2.74	-	75.23	27.37	4.07	-
PK	2.4858G	64.67	74.00	-9.33	31.42	3	Horizontal	171	2.74	-	33.25	27.33	4.09	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93964G	33.04	54.00	-20.96	7.43	3	Vertical	175	1.56	-	25.61	31.32	5.88	29.77
PK	4.94132G	45.43	74.00	-28.57	7.43	3	Vertical	175	1.56	-	38.00	31.32	5.88	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9334G	33.33	54.00	-20.67	7.40	3	Horizontal	186	2.87	-	25.93	31.30	5.87	29.77
PK	4.9379G	47.91	74.00	-26.09	7.42	3	Horizontal	186	2.87	-	40.49	31.31	5.88	29.77



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.47G	82.42	Inf	-Inf	31.43	3	Vertical	269	2.08	-	50.99	27.36	4.07	-
AV	2.4844G	53.01	54.00	-0.99	31.42	3	Vertical	269	2.08	-	21.59	27.33	4.09	-
PK	2.47G	90.55	Inf	-Inf	31.43	3	Vertical	269	2.08	-	59.12	27.36	4.07	-
PK	2.4835G	68.51	74.00	-5.49	31.41	3	Vertical	269	2.08	-	37.10	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

21/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4726G	82.80	Inf	-Inf	31.42	3	Horizontal	171	2.76	-	51.38	27.35	4.07	-
AV	2.4835G	53.40	54.00	-0.60	31.41	3	Horizontal	171	2.76	-	21.99	27.33	4.08	-
PK	2.4732G	90.68	Inf	-Inf	31.42	3	Horizontal	171	2.76	-	59.26	27.35	4.07	-
PK	2.4836G	66.96	74.00	-7.04	31.41	3	Horizontal	171	2.76	-	35.55	27.33	4.08	-



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94358G	32.82	54.00	-21.18	7.44	3	Vertical	4	1.55	-	25.38	31.33	5.88	29.77
PK	4.94094G	45.06	74.00	-28.94	7.43	3	Vertical	4	1.55	-	37.63	31.32	5.88	29.77



802.11g_Nss1,(6Mbps)_2TX

22/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94328G	32.81	54.00	-21.19	7.44	3	Horizontal	101	1.24	-	25.37	31.33	5.88	29.77
PK	4.94442G	45.68	74.00	-28.32	7.44	3	Horizontal	101	1.24	-	38.24	31.33	5.88	29.77



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.19	54.00	-0.81	32.09	3	Vertical	170	2.00	-	21.10	27.37	4.72	-
AV	2.4096G	100.49	Inf	-Inf	32.17	3	Vertical	170	2.00	-	68.32	27.43	4.74	-
PK	2.3828G	69.00	74.00	-5.00	32.06	3	Vertical	170	2.00	-	36.94	27.35	4.71	-
PK	2.4144G	110.84	Inf	-Inf	32.19	3	Vertical	170	2.00	-	78.65	27.44	4.75	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.65	54.00	-0.35	32.09	3	Horizontal	303	1.39	-	21.56	27.37	4.72	-
AV	2.4088G	100.94	Inf	-Inf	32.17	3	Horizontal	303	1.39	-	68.77	27.43	4.74	-
PK	2.3844G	71.03	74.00	-2.97	32.06	3	Horizontal	303	1.39	-	38.97	27.35	4.71	-
PK	2.4092G	110.72	Inf	-Inf	32.17	3	Horizontal	303	1.39	-	78.55	27.43	4.74	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	32.84	54.00	-21.16	3.69	3	Vertical	0	1.90	-	29.15	31.38	6.79	34.48
PK	4.82532G	48.75	74.00	-25.25	3.70	3	Vertical	0	1.90	-	45.05	31.39	6.79	34.48



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83258G	31.87	54.00	-22.13	3.71	3	Horizontal	12	2.59	-	28.16	31.40	6.79	34.48
PK	4.82274G	49.82	74.00	-24.18	3.69	3	Horizontal	12	2.59	-	46.13	31.38	6.79	34.48



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.33	54.00	-0.67	32.09	3	Vertical	172	1.92	-	21.24	27.37	4.72	-
AV	2.4194G	103.18	Inf	-Inf	32.21	3	Vertical	172	1.92	-	70.97	27.46	4.75	-
PK	2.3888G	69.12	74.00	-4.88	32.09	3	Vertical	172	1.92	-	37.03	27.37	4.72	-
PK	2.4188G	112.95	Inf	-Inf	32.21	3	Vertical	172	1.92	-	80.74	27.46	4.75	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.37	54.00	-2.63	32.09	3	Horizontal	23	1.88	-	19.28	27.37	4.72	-
AV	2.4148G	99.53	Inf	-Inf	32.19	3	Horizontal	23	1.88	-	67.34	27.44	4.75	-
PK	2.3894G	66.12	74.00	-7.88	32.09	3	Horizontal	23	1.88	-	34.03	27.37	4.72	-
PK	2.415G	109.64	Inf	-Inf	32.20	3	Horizontal	23	1.88	-	77.44	27.45	4.75	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.24	54.00	-2.76	32.09	3	Vertical	169	1.97	-	19.15	27.37	4.72	-
AV	2.4342G	103.10	Inf	-Inf	32.27	3	Vertical	169	1.97	-	70.83	27.50	4.77	-
AV	2.4835G	47.95	54.00	-6.05	32.48	3	Vertical	169	1.97	-	15.47	27.65	4.83	-
PK	2.3894G	66.77	74.00	-7.23	32.09	3	Vertical	169	1.97	-	34.68	27.37	4.72	-
PK	2.4338G	113.10	Inf	-Inf	32.27	3	Vertical	169	1.97	-	80.83	27.50	4.77	-
PK	2.4858G	61.40	74.00	-12.60	32.49	3	Vertical	169	1.97	-	28.91	27.66	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.14	54.00	-1.86	32.09	3	Horizontal	304	1.46	-	20.05	27.37	4.72	-
AV	2.4326G	102.40	Inf	-Inf	32.27	3	Horizontal	304	1.46	-	70.13	27.50	4.77	-
AV	2.4835G	48.09	54.00	-5.91	32.48	3	Horizontal	304	1.46	-	15.61	27.65	4.83	-
PK	2.3894G	68.23	74.00	-5.77	32.09	3	Horizontal	304	1.46	-	36.14	27.37	4.72	-
PK	2.4334G	112.19	Inf	-Inf	32.27	3	Horizontal	304	1.46	-	79.92	27.50	4.77	-
PK	2.485G	62.57	74.00	-11.43	32.48	3	Horizontal	304	1.46	-	30.09	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87433G	33.55	54.00	-20.45	3.81	3	Vertical	220	1.50	-	29.74	31.47	6.81	34.47
PK	4.87365G	50.92	74.00	-23.08	3.81	3	Vertical	220	1.50	-	47.11	31.47	6.81	34.47



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87189G	32.91	54.00	-21.09	3.81	3	Horizontal	256	1.50	-	29.10	31.47	6.81	34.47
PK	4.87435G	51.83	74.00	-22.17	3.81	3	Horizontal	256	1.50	-	48.02	31.47	6.81	34.47



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	102.16	Inf	-Inf	32.35	3	Vertical	173	1.76	-	69.81	27.56	4.79	-
AV	2.4835G	53.80	54.00	-0.20	32.48	3	Vertical	173	1.76	-	21.32	27.65	4.83	-
PK	2.4538G	112.03	Inf	-Inf	32.35	3	Vertical	173	1.76	-	79.68	27.56	4.79	-
PK	2.489G	67.32	74.00	-6.68	32.50	3	Vertical	173	1.76	-	34.82	27.67	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.459G	99.60	Inf	-Inf	32.38	3	Horizontal	16	2.37	-	67.22	27.58	4.80	-
AV	2.4835G	52.00	54.00	-2.00	32.48	3	Horizontal	16	2.37	-	19.52	27.65	4.83	-
PK	2.4594G	109.46	Inf	-Inf	32.38	3	Horizontal	16	2.37	-	77.08	27.58	4.80	-
PK	2.4838G	66.98	74.00	-7.02	32.48	3	Horizontal	16	2.37	-	34.50	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4594G	100.56	Inf	-Inf	32.38	3	Vertical	169	1.70	-	68.18	27.58	4.80	-
AV	2.4835G	53.30	54.00	-0.70	32.48	3	Vertical	169	1.70	-	20.82	27.65	4.83	-
PK	2.4594G	111.03	Inf	-Inf	32.38	3	Vertical	169	1.70	-	78.65	27.58	4.80	-
PK	2.4838G	71.98	74.00	-2.02	32.48	3	Vertical	169	1.70	-	39.50	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	99.51	Inf	-Inf	32.40	3	Horizontal	306	1.49	-	67.11	27.59	4.81	-
AV	2.4835G	53.15	54.00	-0.85	32.48	3	Horizontal	306	1.49	-	20.67	27.65	4.83	-
PK	2.4646G	109.45	Inf	-Inf	32.40	3	Horizontal	306	1.49	-	77.05	27.59	4.81	-
PK	2.4836G	70.73	74.00	-3.27	32.48	3	Horizontal	306	1.49	-	38.25	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9234G	32.22	54.00	-21.78	3.93	3	Vertical	82	2.48	-	28.29	31.56	6.82	34.45
PK	4.91782G	45.95	74.00	-28.05	3.92	3	Vertical	82	2.48	-	42.03	31.55	6.82	34.45



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92688G	30.77	54.00	-23.23	3.94	3	Horizontal	280	1.59	-	26.83	31.57	6.82	34.45
PK	4.92316G	44.36	74.00	-29.64	3.93	3	Horizontal	280	1.59	-	40.43	31.56	6.82	34.45



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	96.71	Inf	-Inf	32.40	3	Vertical	172	1.71	-	64.31	27.59	4.81	-
AV	2.4835G	53.55	54.00	-0.45	32.48	3	Vertical	172	1.71	-	21.07	27.65	4.83	-
PK	2.4642G	106.60	Inf	-Inf	32.40	3	Vertical	172	1.71	-	74.20	27.59	4.81	-
PK	2.4835G	70.40	74.00	-3.60	32.48	3	Vertical	172	1.71	-	37.92	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	93.95	Inf	-Inf	32.39	3	Horizontal	13	2.30	-	61.56	27.59	4.80	-
AV	2.4835G	52.66	54.00	-1.34	32.48	3	Horizontal	13	2.30	-	20.18	27.65	4.83	-
PK	2.463G	103.67	Inf	-Inf	32.39	3	Horizontal	13	2.30	-	71.28	27.59	4.80	-
PK	2.4835G	70.42	74.00	-3.58	32.48	3	Horizontal	13	2.30	-	37.94	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93922G	31.09	54.00	-22.91	3.97	3	Vertical	51	2.16	-	27.12	31.59	6.83	34.45
PK	4.93304G	44.87	74.00	-29.13	3.96	3	Vertical	51	2.16	-	40.91	31.58	6.83	34.45



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93454G	30.66	54.00	-23.34	3.96	3	Horizontal	107	1.52	-	26.70	31.58	6.83	34.45
PK	4.92404G	43.76	74.00	-30.24	3.93	3	Horizontal	107	1.52	-	39.83	31.56	6.82	34.45



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	83.85	Inf	-Inf	32.42	3	Vertical	171	1.72	-	51.43	27.61	4.81	-
AV	2.4835G	53.84	54.00	-0.16	32.48	3	Vertical	171	1.72	-	21.36	27.65	4.83	-
PK	2.47G	93.80	Inf	-Inf	32.42	3	Vertical	171	1.72	-	61.38	27.61	4.81	-
PK	2.4836G	71.68	74.00	-2.32	32.48	3	Vertical	171	1.72	-	39.20	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4752G	80.97	Inf	-Inf	32.45	3	Horizontal	13	2.32	-	48.52	27.63	4.82	-
AV	2.4835G	53.37	54.00	-0.63	32.48	3	Horizontal	13	2.32	-	20.89	27.65	4.83	-
PK	2.4744G	91.50	Inf	-Inf	32.44	3	Horizontal	13	2.32	-	59.06	27.62	4.82	-
PK	2.484G	70.81	74.00	-3.19	32.48	3	Horizontal	13	2.32	-	38.33	27.65	4.83	-



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94666G	30.62	54.00	-23.38	3.98	3	Vertical	115	2.29	-	26.64	31.60	6.83	34.45
PK	4.92332G	43.47	74.00	-30.53	3.93	3	Vertical	115	2.29	-	39.54	31.56	6.82	34.45



802.11n HT20_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92128G	30.57	54.00	-23.43	3.93	3	Horizontal	334	1.56	-	26.64	31.56	6.82	34.45
PK	4.9421G	44.51	74.00	-29.49	3.98	3	Horizontal	334	1.56	-	40.53	31.60	6.83	34.45



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	48.62	54.00	-5.38	33.75	3	Vertical	135	2.91	-	14.87	27.64	6.11	-
AV	2.4148G	87.33	Inf	-Inf	33.71	3	Vertical	135	2.91	-	53.62	27.59	6.12	-
PK	2.3896G	62.95	74.00	-11.05	33.75	3	Vertical	135	2.91	-	29.20	27.64	6.11	-
PK	2.4144G	96.91	Inf	-Inf	33.71	3	Vertical	135	2.91	-	63.20	27.59	6.12	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.88	54.00	-0.12	33.75	3	Horizontal	187	2.82	-	20.13	27.64	6.11	-
AV	2.408G	98.26	Inf	-Inf	33.71	3	Horizontal	187	2.82	-	64.55	27.59	6.12	-
PK	2.3892G	71.50	74.00	-2.50	33.75	3	Horizontal	187	2.82	-	37.75	27.64	6.11	-
PK	2.4144G	108.55	Inf	-Inf	33.71	3	Horizontal	187	2.82	-	74.84	27.59	6.12	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82156G	34.42	54.00	-19.58	5.72	3	Vertical	318	2.88	-	28.70	31.10	8.91	34.29
PK	4.82209G	47.09	74.00	-26.91	5.72	3	Vertical	318	2.88	-	41.37	31.10	8.91	34.29



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82159G	34.45	54.00	-19.55	5.72	3	Horizontal	0	2.93	-	28.73	31.10	8.91	34.29
PK	4.82513G	47.27	74.00	-26.73	5.73	3	Horizontal	0	2.93	-	41.54	31.10	8.92	34.29



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.64	54.00	-3.36	33.75	3	Vertical	179	1.50	-	16.89	27.64	6.11	-
AV	2.418G	95.01	Inf	-Inf	33.70	3	Vertical	179	1.50	-	61.31	27.58	6.12	-
PK	2.3896G	64.85	74.00	-9.15	33.75	3	Vertical	179	1.50	-	31.10	27.64	6.11	-
PK	2.4162G	104.49	Inf	-Inf	33.70	3	Vertical	179	1.50	-	70.79	27.58	6.12	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.65	54.00	-0.35	33.75	3	Horizontal	187	1.92	-	19.90	27.64	6.11	-
AV	2.4198G	98.77	Inf	-Inf	33.70	3	Horizontal	187	1.92	-	65.07	27.58	6.12	-
PK	2.39G	67.37	74.00	-6.63	33.75	3	Horizontal	187	1.92	-	33.62	27.64	6.11	-
PK	2.4202G	108.11	Inf	-Inf	33.70	3	Horizontal	187	1.92	-	74.41	27.58	6.12	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	48.72	54.00	-5.28	33.76	3	Vertical	188	2.03	-	14.96	27.65	6.11	-
AV	2.4342G	95.71	Inf	-Inf	33.70	3	Vertical	188	2.03	-	62.01	27.57	6.13	-
AV	2.4838G	48.91	54.00	-5.09	33.67	3	Vertical	188	2.03	-	15.24	27.52	6.15	-
PK	2.3866G	60.90	74.00	-13.10	33.76	3	Vertical	188	2.03	-	27.14	27.65	6.11	-
PK	2.4342G	105.47	Inf	-Inf	33.70	3	Vertical	188	2.03	-	71.77	27.57	6.13	-
PK	2.4886G	60.77	74.00	-13.23	33.66	3	Vertical	188	2.03	-	27.11	27.51	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.29	54.00	-5.71	33.75	3	Horizontal	194	1.48	-	14.54	27.64	6.11	-
AV	2.435G	98.77	Inf	-Inf	33.70	3	Horizontal	194	1.48	-	65.07	27.57	6.13	-
AV	2.4835G	48.62	54.00	-5.38	33.67	3	Horizontal	194	1.48	-	14.95	27.52	6.15	-
PK	2.389G	60.86	74.00	-13.14	33.75	3	Horizontal	194	1.48	-	27.11	27.64	6.11	-
PK	2.4338G	108.00	Inf	-Inf	33.70	3	Horizontal	194	1.48	-	74.30	27.57	6.13	-
PK	2.4838G	62.17	74.00	-11.83	33.67	3	Horizontal	194	1.48	-	28.50	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87244G	33.98	54.00	-20.02	5.78	3	Vertical	277	1.50	-	28.20	31.10	8.96	34.28
PK	4.8718G	47.26	74.00	-26.74	5.77	3	Vertical	277	1.50	-	41.49	31.10	8.95	34.28



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87522G	33.88	54.00	-20.12	5.78	3	Horizontal	93	2.60	-	28.10	31.10	8.96	34.28
PK	4.87402G	47.07	74.00	-26.93	5.78	3	Horizontal	93	2.60	-	41.29	31.10	8.96	34.28



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	95.49	Inf	-Inf	33.68	3	Vertical	186	1.50	-	61.81	27.54	6.14	-
AV	2.4835G	53.26	54.00	-0.74	33.67	3	Vertical	186	1.50	-	19.59	27.52	6.15	-
PK	2.454G	104.96	Inf	-Inf	33.68	3	Vertical	186	1.50	-	71.28	27.55	6.13	-
PK	2.4835G	67.72	74.00	-6.28	33.67	3	Vertical	186	1.50	-	34.05	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	95.19	Inf	-Inf	33.68	3	Horizontal	335	1.00	-	61.51	27.55	6.13	-
AV	2.4835G	53.83	54.00	-0.17	33.67	3	Horizontal	335	1.00	-	20.16	27.52	6.15	-
PK	2.4534G	104.38	Inf	-Inf	33.68	3	Horizontal	335	1.00	-	70.70	27.55	6.13	-
PK	2.4835G	66.94	74.00	-7.06	33.67	3	Horizontal	335	1.00	-	33.27	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	90.27	Inf	-Inf	33.68	3	Vertical	355	1.50	-	56.59	27.54	6.14	-
AV	2.4835G	50.07	54.00	-3.93	33.67	3	Vertical	355	1.50	-	16.40	27.52	6.15	-
PK	2.4658G	99.72	Inf	-Inf	33.67	3	Vertical	355	1.50	-	66.05	27.53	6.14	-
PK	2.4836G	62.62	74.00	-11.38	33.67	3	Vertical	355	1.50	-	28.95	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	95.39	Inf	-Inf	33.68	3	Horizontal	13	1.00	-	61.71	27.54	6.14	-
AV	2.4835G	53.62	54.00	-0.38	33.67	3	Horizontal	13	1.00	-	19.95	27.52	6.15	-
PK	2.466G	104.76	Inf	-Inf	33.67	3	Horizontal	13	1.00	-	71.09	27.53	6.14	-
PK	2.4835G	68.55	74.00	-5.45	33.67	3	Horizontal	13	1.00	-	34.88	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92538G	34.46	54.00	-19.54	5.98	3	Vertical	7	1.50	-	28.48	31.20	9.00	34.22
PK	4.92577G	47.79	74.00	-26.21	5.98	3	Vertical	7	1.50	-	41.81	31.20	9.00	34.22



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92424G	34.34	54.00	-19.66	5.98	3	Horizontal	51	1.31	-	28.36	31.20	9.00	34.22
PK	4.92545G	47.15	74.00	-26.85	5.98	3	Horizontal	51	1.31	-	41.17	31.20	9.00	34.22



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	92.46	Inf	-Inf	33.68	3	Vertical	274	1.88	-	58.78	27.54	6.14	-
AV	2.4835G	52.94	54.00	-1.06	33.67	3	Vertical	274	1.88	-	19.27	27.52	6.15	-
PK	2.4642G	102.04	Inf	-Inf	33.68	3	Vertical	274	1.88	-	68.36	27.54	6.14	-
PK	2.4836G	68.02	74.00	-5.98	33.67	3	Vertical	274	1.88	-	34.35	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4696G	92.92	Inf	-Inf	33.67	3	Horizontal	187	2.01	-	59.25	27.53	6.14	-
AV	2.4835G	53.73	54.00	-0.27	33.67	3	Horizontal	187	2.01	-	20.06	27.52	6.15	-
PK	2.4642G	102.82	Inf	-Inf	33.68	3	Horizontal	187	2.01	-	69.14	27.54	6.14	-
PK	2.4842G	69.38	74.00	-4.62	33.67	3	Horizontal	187	2.01	-	35.71	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93511G	34.90	54.00	-19.10	6.05	3	Vertical	107	1.48	-	28.85	31.24	9.01	34.20
PK	4.9322G	48.11	74.00	-25.89	6.02	3	Vertical	139	1.48	-	42.09	31.23	9.00	34.21



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93218G	34.71	54.00	-19.29	6.02	3	Horizontal	23	1.50	-	28.69	31.23	9.00	34.21
PK	4.93619G	47.75	74.00	-26.25	6.05	3	Horizontal	23	1.50	-	41.70	31.24	9.01	34.20



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4736G	81.23	Inf	-Inf	33.67	3	Vertical	268	2.05	-	47.56	27.53	6.14	-
AV	2.4835G	53.77	54.00	-0.23	33.67	3	Vertical	268	2.05	-	20.10	27.52	6.15	-
PK	2.4748G	90.51	Inf	-Inf	33.67	3	Vertical	268	2.05	-	56.84	27.53	6.14	-
PK	2.4842G	70.30	74.00	-3.70	33.67	3	Vertical	268	2.05	-	36.63	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	81.08	Inf	-Inf	33.67	3	Horizontal	187	2.03	-	47.41	27.53	6.14	-
AV	2.4835G	53.87	54.00	-0.13	33.67	3	Horizontal	187	2.03	-	20.20	27.52	6.15	-
PK	2.4764G	89.94	Inf	-Inf	33.66	3	Horizontal	187	2.03	-	56.28	27.52	6.14	-
PK	2.4835G	69.80	74.00	-4.20	33.67	3	Horizontal	187	2.03	-	36.13	27.52	6.15	-



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94184G	34.42	54.00	-19.58	6.09	3	Vertical	148	1.71	-	28.33	31.27	9.01	34.19
PK	4.94279G	47.36	74.00	-26.64	6.09	3	Vertical	148	1.71	-	41.27	31.27	9.01	34.19



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94303G	34.67	54.00	-19.33	6.09	3	Horizontal	48	2.50	-	28.58	31.27	9.01	34.19
PK	4.94206G	47.34	74.00	-26.66	6.09	3	Horizontal	48	2.50	-	41.25	31.27	9.01	34.19



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.58	54.00	-0.42	31.54	3	Vertical	165	2.22	-	22.04	27.54	4.00	-
AV	2.408G	103.41	Inf	-Inf	31.49	3	Vertical	165	2.22	-	71.92	27.48	4.01	-
PK	2.39G	69.53	74.00	-4.47	31.54	3	Vertical	165	2.22	-	37.99	27.54	4.00	-
PK	2.4086G	112.00	Inf	-Inf	31.49	3	Vertical	165	2.22	-	80.51	27.48	4.01	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.44	54.00	-0.56	31.54	3	Horizontal	293	1.10	-	21.90	27.54	4.00	-
AV	2.4078G	101.49	Inf	-Inf	31.49	3	Horizontal	293	1.10	-	70.00	27.48	4.01	-
PK	2.3866G	67.48	74.00	-6.52	31.54	3	Horizontal	293	1.10	-	35.94	27.55	3.99	-
PK	2.409G	110.28	Inf	-Inf	31.49	3	Horizontal	293	1.10	-	78.79	27.48	4.01	-



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81914G	32.91	54.00	-21.09	7.13	3	Vertical	228	2.07	-	25.78	31.12	5.79	29.78
PK	4.82076G	51.23	74.00	-22.77	7.13	3	Vertical	228	2.07	-	44.10	31.12	5.79	29.78



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82238G	34.55	54.00	-19.45	7.13	3	Horizontal	307	1.50	-	27.42	31.12	5.79	29.78
PK	4.82004G	55.20	74.00	-18.80	7.13	3	Horizontal	307	1.50	-	48.07	31.12	5.79	29.78



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	53.51	54.00	-0.49	31.55	3	Vertical	183	1.70	-	21.96	27.55	4.00	-
AV	2.4158G	102.68	Inf	-Inf	31.49	3	Vertical	183	1.70	-	71.19	27.47	4.02	-
PK	2.3896G	64.50	74.00	-9.50	31.54	3	Vertical	183	1.70	-	32.96	27.54	4.00	-
PK	2.4138G	110.44	Inf	-Inf	31.49	3	Vertical	183	1.70	-	78.95	27.47	4.02	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.76	54.00	-0.24	31.54	3	Horizontal	299	1.14	-	22.22	27.54	4.00	-
AV	2.418G	100.87	Inf	-Inf	31.48	3	Horizontal	299	1.14	-	69.39	27.46	4.02	-
PK	2.3856G	64.56	74.00	-9.44	31.55	3	Horizontal	299	1.14	-	33.01	27.56	3.99	-
PK	2.4156G	110.32	Inf	-Inf	31.49	3	Horizontal	299	1.14	-	78.83	27.47	4.02	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.91	54.00	-5.09	31.54	3	Vertical	162	2.36	-	17.37	27.54	4.00	-
AV	2.435G	103.51	Inf	-Inf	31.47	3	Vertical	162	2.36	-	72.04	27.43	4.04	-
AV	2.4842G	47.58	54.00	-6.42	31.42	3	Vertical	162	2.36	-	16.16	27.33	4.09	-
PK	2.389G	60.51	74.00	-13.49	31.54	3	Vertical	162	2.36	-	28.97	27.54	4.00	-
PK	2.4358G	112.55	Inf	-Inf	31.47	3	Vertical	162	2.36	-	81.08	27.43	4.04	-
PK	2.493G	59.45	74.00	-14.55	31.40	3	Vertical	162	2.36	-	28.05	27.31	4.09	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	47.49	54.00	-6.51	31.55	3	Horizontal	172	2.80	-	15.94	27.55	4.00	-
AV	2.4354G	102.30	Inf	-Inf	31.47	3	Horizontal	172	2.80	-	70.83	27.43	4.04	-
AV	2.4835G	48.35	54.00	-5.65	31.41	3	Horizontal	172	2.80	-	16.94	27.33	4.08	-
PK	2.3886G	60.35	74.00	-13.65	31.55	3	Horizontal	172	2.80	-	28.80	27.55	4.00	-
PK	2.441G	111.32	Inf	-Inf	31.46	3	Horizontal	172	2.80	-	79.86	27.42	4.04	-
PK	2.4835G	62.19	74.00	-11.81	31.41	3	Horizontal	172	2.80	-	30.78	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87298G	32.96	54.00	-21.04	7.23	3	Vertical	61	1.46	-	25.73	31.17	5.83	29.77
PK	4.87502G	52.08	74.00	-21.92	7.24	3	Vertical	61	1.46	-	44.84	31.18	5.83	29.77



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88612G	32.29	54.00	-21.71	7.26	3	Horizontal	307	1.49	-	25.03	31.19	5.84	29.77
PK	4.87586G	49.12	74.00	-24.88	7.24	3	Horizontal	307	1.49	-	41.88	31.18	5.83	29.77



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	98.43	Inf	-Inf	31.45	3	Vertical	136	2.04	-	66.98	27.39	4.06	-
AV	2.4835G	52.58	54.00	-1.42	31.41	3	Vertical	136	2.04	-	21.17	27.33	4.08	-
PK	2.4556G	106.99	Inf	-Inf	31.45	3	Vertical	136	2.04	-	75.54	27.39	4.06	-
PK	2.4835G	64.79	74.00	-9.21	31.41	3	Vertical	136	2.04	-	33.38	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	101.02	Inf	-Inf	31.45	3	Horizontal	188	1.89	-	69.57	27.39	4.06	-
AV	2.4835G	53.72	54.00	-0.28	31.41	3	Horizontal	188	1.89	-	22.31	27.33	4.08	-
PK	2.4594G	109.46	Inf	-Inf	31.44	3	Horizontal	188	1.89	-	78.02	27.38	4.06	-
PK	2.4836G	66.50	74.00	-7.50	31.41	3	Horizontal	188	1.89	-	35.09	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	100.41	Inf	-Inf	31.44	3	Vertical	262	1.92	-	68.97	27.38	4.06	-
AV	2.4835G	53.31	54.00	-0.69	31.41	3	Vertical	262	1.92	-	21.90	27.33	4.08	-
PK	2.4584G	109.15	Inf	-Inf	31.44	3	Vertical	262	1.92	-	77.71	27.38	4.06	-
PK	2.4835G	70.80	74.00	-3.20	31.41	3	Vertical	262	1.92	-	39.39	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	98.70	Inf	-Inf	31.44	3	Horizontal	163	2.69	-	67.26	27.38	4.06	-
AV	2.4835G	53.46	54.00	-0.54	31.41	3	Horizontal	163	2.69	-	22.05	27.33	4.08	-
PK	2.4644G	109.04	Inf	-Inf	31.44	3	Horizontal	163	2.69	-	77.60	27.37	4.07	-
PK	2.4838G	68.14	74.00	-5.86	31.41	3	Horizontal	163	2.69	-	36.73	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9264G	34.71	54.00	-19.29	7.38	3	Vertical	184	1.66	-	27.33	31.28	5.87	29.77
PK	4.92406G	45.36	74.00	-28.64	7.37	3	Vertical	184	1.66	-	37.99	31.27	5.87	29.77



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92346G	33.99	54.00	-20.01	7.36	3	Horizontal	91	1.76	-	26.63	31.27	5.86	29.77
PK	4.92202G	48.06	74.00	-25.94	7.36	3	Horizontal	91	1.76	-	40.70	31.27	5.86	29.77



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	95.34	Inf	-Inf	31.44	3	Vertical	139	1.29	-	63.90	27.37	4.07	-
AV	2.4835G	53.31	54.00	-0.69	31.41	3	Vertical	139	1.29	-	21.90	27.33	4.08	-
PK	2.464G	104.07	Inf	-Inf	31.44	3	Vertical	139	1.29	-	72.63	27.37	4.07	-
PK	2.4835G	72.28	74.00	-1.72	31.41	3	Vertical	139	1.29	-	40.87	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	93.15	Inf	-Inf	31.44	3	Horizontal	311	1.50	-	61.71	27.37	4.07	-
AV	2.4835G	52.26	54.00	-1.74	31.41	3	Horizontal	311	1.50	-	20.85	27.33	4.08	-
PK	2.4644G	101.60	Inf	-Inf	31.44	3	Horizontal	311	1.50	-	70.16	27.37	4.07	-
PK	2.4835G	65.80	74.00	-8.20	31.41	3	Horizontal	311	1.50	-	34.39	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94348G	32.95	54.00	-21.05	7.44	3	Vertical	194	1.52	-	25.51	31.33	5.88	29.77
PK	4.93694G	47.31	74.00	-26.69	7.41	3	Vertical	194	1.52	-	39.90	31.31	5.87	29.77



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94078G	32.78	54.00	-21.22	7.43	3	Horizontal	203	1.27	-	25.35	31.32	5.88	29.77
PK	4.93802G	46.38	74.00	-27.62	7.42	3	Horizontal	203	1.27	-	38.96	31.31	5.88	29.77



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4676G	77.09	Inf	-Inf	31.43	3	Vertical	139	1.29	-	45.66	27.36	4.07	-
AV	2.4835G	51.09	54.00	-2.91	31.41	3	Vertical	139	1.29	-	19.68	27.33	4.08	-
PK	2.468G	85.95	Inf	-Inf	31.43	3	Vertical	139	1.29	-	54.52	27.36	4.07	-
PK	2.4836G	68.07	74.00	-5.93	31.41	3	Vertical	139	1.29	-	36.66	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

21/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4738G	79.85	Inf	-Inf	31.43	3	Horizontal	185	2.75	-	48.42	27.35	4.08	-
AV	2.4835G	53.86	54.00	-0.14	31.41	3	Horizontal	185	2.75	-	22.45	27.33	4.08	-
PK	2.4752G	89.12	Inf	-Inf	31.43	3	Horizontal	185	2.75	-	57.69	27.35	4.08	-
PK	2.4836G	68.45	74.00	-5.55	31.41	3	Horizontal	185	2.75	-	37.04	27.33	4.08	-



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94232G	32.68	54.00	-21.32	7.44	3	Vertical	287	1.41	-	25.24	31.33	5.88	29.77
PK	4.93278G	46.20	74.00	-27.80	7.40	3	Vertical	287	1.41	-	38.80	31.30	5.87	29.77



802.11n HT20_Nss1,(MCS0)_2TX

22/07/2019

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9425G	32.68	54.00	-21.32	7.44	3	Horizontal	162	1.62	-	25.24	31.33	5.88	29.77
PK	4.93338G	48.39	74.00	-25.61	7.40	3	Horizontal	162	1.62	-	40.99	31.30	5.87	29.77



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.12	54.00	-1.88	32.09	3	Vertical	171	1.91	-	20.03	27.37	4.72	-
AV	2.4204G	95.61	Inf	-Inf	32.21	3	Vertical	171	1.91	-	63.40	27.46	4.75	-
AV	2.4844G	45.86	54.00	-8.14	32.48	3	Vertical	171	1.91	-	13.38	27.65	4.83	-
PK	2.39G	65.03	74.00	-8.97	32.09	3	Vertical	171	1.91	-	32.94	27.37	4.72	-
PK	2.418G	105.33	Inf	-Inf	32.20	3	Vertical	171	1.91	-	73.13	27.45	4.75	-
PK	2.4904G	56.83	74.00	-17.17	32.51	3	Vertical	171	1.91	-	24.32	27.67	4.84	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.72	54.00	-0.28	32.09	3	Horizontal	305	1.50	-	21.63	27.37	4.72	-
AV	2.4136G	94.68	Inf	-Inf	32.19	3	Horizontal	305	1.50	-	62.49	27.44	4.75	-
AV	2.492G	45.79	54.00	-8.21	32.52	3	Horizontal	305	1.50	-	13.27	27.68	4.84	-
PK	2.39G	66.44	74.00	-7.56	32.09	3	Horizontal	305	1.50	-	34.35	27.37	4.72	-
PK	2.4104G	104.22	Inf	-Inf	32.17	3	Horizontal	305	1.50	-	72.05	27.43	4.74	-
PK	2.4944G	57.40	74.00	-16.60	32.52	3	Horizontal	305	1.50	-	24.88	27.68	4.84	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85774G	31.41	54.00	-22.59	3.77	3	Vertical	209	1.04	-	27.64	31.44	6.80	34.47
PK	4.8551G	45.63	74.00	-28.37	3.77	3	Vertical	209	1.04	-	41.86	31.44	6.80	34.47



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85714G	31.26	54.00	-22.74	3.77	3	Horizontal	39	2.26	-	27.49	31.44	6.80	34.47
PK	4.83674G	43.61	74.00	-30.39	3.72	3	Horizontal	39	2.26	-	39.89	31.41	6.79	34.48



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	53.14	54.00	-0.86	32.09	3	Vertical	169	1.49	-	21.05	27.37	4.72	-
AV	2.4162G	94.48	Inf	-Inf	32.20	3	Vertical	169	1.49	-	62.28	27.45	4.75	-
AV	2.4862G	46.10	54.00	-7.90	32.49	3	Vertical	169	1.49	-	13.61	27.66	4.83	-
PK	2.3898G	64.53	74.00	-9.47	32.09	3	Vertical	169	1.49	-	32.44	27.37	4.72	-
PK	2.4198G	103.77	Inf	-Inf	32.21	3	Vertical	169	1.49	-	71.56	27.46	4.75	-
PK	2.4942G	57.36	74.00	-16.64	32.52	3	Vertical	169	1.49	-	24.84	27.68	4.84	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.76	54.00	-0.24	32.09	3	Horizontal	303	1.44	-	21.67	27.37	4.72	-
AV	2.417G	96.24	Inf	-Inf	32.20	3	Horizontal	303	1.44	-	64.04	27.45	4.75	-
AV	2.4886G	46.00	54.00	-8.00	32.50	3	Horizontal	303	1.44	-	13.50	27.67	4.83	-
PK	2.3894G	65.83	74.00	-8.17	32.09	3	Horizontal	303	1.44	-	33.74	27.37	4.72	-
PK	2.4162G	105.18	Inf	-Inf	32.20	3	Horizontal	303	1.44	-	72.98	27.45	4.75	-
PK	2.4938G	57.89	74.00	-16.11	32.52	3	Horizontal	303	1.44	-	25.37	27.68	4.84	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.83	54.00	-0.17	32.09	3	Vertical	170	1.95	-	21.74	27.37	4.72	-
AV	2.4266G	99.93	Inf	-Inf	32.24	3	Vertical	170	1.95	-	67.69	27.48	4.76	-
AV	2.4835G	48.64	54.00	-5.36	32.48	3	Vertical	170	1.95	-	16.16	27.65	4.83	-
PK	2.3894G	65.22	74.00	-8.78	32.09	3	Vertical	170	1.95	-	33.13	27.37	4.72	-
PK	2.427G	109.63	Inf	-Inf	32.24	3	Vertical	170	1.95	-	77.39	27.48	4.76	-
PK	2.4858G	60.50	74.00	-13.50	32.49	3	Vertical	170	1.95	-	28.01	27.66	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.57	54.00	-3.43	32.09	3	Horizontal	21	1.80	-	18.48	27.37	4.72	-
AV	2.4274G	96.19	Inf	-Inf	32.24	3	Horizontal	21	1.80	-	63.95	27.48	4.76	-
AV	2.4835G	47.11	54.00	-6.89	32.48	3	Horizontal	21	1.80	-	14.63	27.65	4.83	-
PK	2.3898G	63.36	74.00	-10.64	32.09	3	Horizontal	21	1.80	-	31.27	27.37	4.72	-
PK	2.4298G	105.38	Inf	-Inf	32.25	3	Horizontal	21	1.80	-	73.13	27.49	4.76	-
PK	2.4838G	59.42	74.00	-14.58	32.48	3	Horizontal	21	1.80	-	26.94	27.65	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86902G	31.90	54.00	-22.10	3.80	3	Vertical	124	1.86	-	28.10	31.46	6.81	34.47
PK	4.8725G	48.41	74.00	-25.59	3.81	3	Vertical	124	1.86	-	44.60	31.47	6.81	34.47



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86896G	31.66	54.00	-22.34	3.80	3	Horizontal	248	1.58	-	27.86	31.46	6.81	34.47
PK	4.87508G	47.51	74.00	-26.49	3.82	3	Horizontal	248	1.58	-	43.69	31.48	6.81	34.47



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	49.54	54.00	-4.46	32.08	3	Vertical	170	1.93	-	17.46	27.36	4.72	-
AV	2.4358G	99.03	Inf	-Inf	32.28	3	Vertical	170	1.93	-	66.75	27.51	4.77	-
AV	2.4838G	53.58	54.00	-0.42	32.48	3	Vertical	170	1.93	-	21.10	27.65	4.83	-
PK	2.3882G	61.79	74.00	-12.21	32.08	3	Vertical	170	1.93	-	29.71	27.36	4.72	-
PK	2.4386G	108.29	Inf	-Inf	32.30	3	Vertical	170	1.93	-	75.99	27.52	4.78	-
PK	2.4866G	65.56	74.00	-8.44	32.49	3	Vertical	170	1.93	-	33.07	27.66	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.13	54.00	-5.87	32.09	3	Horizontal	20	1.70	-	16.04	27.37	4.72	-
AV	2.437G	95.38	Inf	-Inf	32.28	3	Horizontal	20	1.70	-	63.10	27.51	4.77	-
AV	2.4854G	51.64	54.00	-2.36	32.49	3	Horizontal	20	1.70	-	19.15	27.66	4.83	-
PK	2.3842G	58.74	74.00	-15.26	32.06	3	Horizontal	20	1.70	-	26.68	27.35	4.71	-
PK	2.4354G	105.22	Inf	-Inf	32.28	3	Horizontal	20	1.70	-	72.94	27.51	4.77	-
PK	2.4835G	63.13	74.00	-10.87	32.48	3	Horizontal	20	1.70	-	30.65	27.65	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	49.02	54.00	-4.98	32.09	3	Vertical	173	2.00	-	16.93	27.37	4.72	-
AV	2.4416G	98.26	Inf	-Inf	32.30	3	Vertical	173	2.00	-	65.96	27.52	4.78	-
AV	2.4852G	53.68	54.00	-0.32	32.49	3	Vertical	173	2.00	-	21.19	27.66	4.83	-
PK	2.3892G	61.33	74.00	-12.67	32.09	3	Vertical	173	2.00	-	29.24	27.37	4.72	-
PK	2.442G	107.98	Inf	-Inf	32.31	3	Vertical	173	2.00	-	75.67	27.53	4.78	-
PK	2.4852G	65.87	74.00	-8.13	32.49	3	Vertical	173	2.00	-	33.38	27.66	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.07	54.00	-4.93	32.09	3	Horizontal	304	1.19	-	16.98	27.37	4.72	-
AV	2.4412G	97.61	Inf	-Inf	32.30	3	Horizontal	304	1.19	-	65.31	27.52	4.78	-
AV	2.4852G	53.66	54.00	-0.34	32.49	3	Horizontal	304	1.19	-	21.17	27.66	4.83	-
PK	2.3892G	61.98	74.00	-12.02	32.09	3	Horizontal	304	1.19	-	29.89	27.37	4.72	-
PK	2.4416G	107.48	Inf	-Inf	32.30	3	Horizontal	304	1.19	-	75.18	27.52	4.78	-
PK	2.4904G	66.35	74.00	-7.65	32.51	3	Horizontal	304	1.19	-	33.84	27.67	4.84	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91138G	32.34	54.00	-21.66	3.90	3	Vertical	259	2.19	-	28.44	31.54	6.82	34.46
PK	4.90298G	45.70	74.00	-28.30	3.89	3	Vertical	259	2.19	-	41.81	31.53	6.82	34.46



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90724G	31.26	54.00	-22.74	3.89	3	Horizontal	232	1.14	-	27.37	31.53	6.82	34.46
PK	4.90508G	46.72	74.00	-27.28	3.89	3	Horizontal	232	1.14	-	42.83	31.53	6.82	34.46



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3682G	45.83	54.00	-8.17	31.99	3	Vertical	174	2.09	-	13.84	27.30	4.69	-
AV	2.445G	92.89	Inf	-Inf	32.32	3	Vertical	174	2.09	-	60.57	27.54	4.78	-
AV	2.4835G	53.34	54.00	-0.66	32.48	3	Vertical	174	2.09	-	20.86	27.65	4.83	-
PK	2.3822G	56.87	74.00	-17.13	32.06	3	Vertical	174	2.09	-	24.81	27.35	4.71	-
PK	2.4462G	102.40	Inf	-Inf	32.32	3	Vertical	174	2.09	-	70.08	27.54	4.78	-
PK	2.4835G	65.96	74.00	-8.04	32.48	3	Vertical	174	2.09	-	33.48	27.65	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.369G	45.32	54.00	-8.68	32.00	3	Horizontal	20	2.38	-	13.32	27.31	4.69	-
AV	2.451G	96.24	Inf	-Inf	32.34	3	Horizontal	20	2.38	-	63.90	27.55	4.79	-
AV	2.4835G	51.02	54.00	-2.98	32.48	3	Horizontal	20	2.38	-	18.54	27.65	4.83	-
PK	2.3618G	56.94	74.00	-17.06	31.98	3	Horizontal	20	2.38	-	24.96	27.29	4.69	-
PK	2.4466G	99.00	Inf	-Inf	32.32	3	Horizontal	20	2.38	-	66.68	27.54	4.78	-
PK	2.4835G	62.47	74.00	-11.53	32.48	3	Horizontal	20	2.38	-	29.99	27.65	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9131G	31.98	54.00	-22.02	3.90	3	Vertical	80	1.69	-	28.08	31.54	6.82	34.46
PK	4.9026G	46.71	74.00	-27.29	3.88	3	Vertical	80	1.69	-	42.83	31.52	6.82	34.46



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90206G	32.05	54.00	-21.95	3.88	3	Horizontal	342	1.02	-	28.17	31.52	6.82	34.46
PK	4.90308G	45.76	74.00	-28.24	3.89	3	Horizontal	342	1.02	-	41.87	31.53	6.82	34.46



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3872G	45.19	54.00	-8.81	32.08	3	Vertical	172	1.78	-	13.11	27.36	4.72	-
AV	2.4532G	79.71	Inf	-Inf	32.35	3	Vertical	172	1.78	-	47.36	27.56	4.79	-
AV	2.4835G	53.07	54.00	-0.93	32.48	3	Vertical	172	1.78	-	20.59	27.65	4.83	-
PK	2.3648G	56.35	74.00	-17.65	31.98	3	Vertical	172	1.78	-	24.37	27.29	4.69	-
PK	2.4596G	89.40	Inf	-Inf	32.38	3	Vertical	172	1.78	-	57.02	27.58	4.80	-
PK	2.4848G	66.49	74.00	-7.51	32.48	3	Vertical	172	1.78	-	34.01	27.65	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	45.38	54.00	-8.62	32.08	3	Horizontal	13	2.37	-	13.30	27.36	4.72	-
AV	2.4508G	78.05	Inf	-Inf	32.34	3	Horizontal	13	2.37	-	45.71	27.55	4.79	-
AV	2.4835G	52.04	54.00	-1.96	32.48	3	Horizontal	13	2.37	-	19.56	27.65	4.83	-
PK	2.3812G	56.68	74.00	-17.32	32.05	3	Horizontal	13	2.37	-	24.63	27.34	4.71	-
PK	2.4512G	87.64	Inf	-Inf	32.34	3	Horizontal	13	2.37	-	55.30	27.55	4.79	-
PK	2.4835G	63.71	74.00	-10.29	32.48	3	Horizontal	13	2.37	-	31.23	27.65	4.83	-



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90942G	31.61	54.00	-22.39	3.90	3	Vertical	115	1.34	-	27.71	31.54	6.82	34.46
PK	4.92388G	44.05	74.00	-29.95	3.93	3	Vertical	115	1.34	-	40.12	31.56	6.82	34.45



802.11n HT40_Nss1,(MCS0)_1TX(Port1)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9114G	32.00	54.00	-22.00	3.90	3	Horizontal	140	2.12	-	28.10	31.54	6.82	34.46
PK	4.91062G	43.85	74.00	-30.15	3.90	3	Horizontal	140	2.12	-	39.95	31.54	6.82	34.46



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.11	54.00	-0.89	35.83	3	Vertical	190	1.48	-	17.28	27.64	8.19	-
AV	2.4372G	96.18	Inf	-Inf	35.73	3	Vertical	190	1.48	-	60.45	27.56	8.17	-
AV	2.4952G	49.72	54.00	-4.28	35.64	3	Vertical	190	1.48	-	14.08	27.50	8.14	-
PK	2.386G	65.69	74.00	-8.31	35.86	3	Vertical	190	1.48	-	29.83	27.66	8.20	-
PK	2.4116G	102.30	Inf	-Inf	35.77	3	Vertical	190	1.48	-	66.53	27.59	8.18	-
PK	2.4996G	61.49	74.00	-12.51	35.64	3	Vertical	190	1.48	-	25.85	27.50	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	53.30	54.00	-0.70	35.85	3	Horizontal	0	1.07	-	17.45	27.65	8.20	-
AV	2.4096G	93.54	Inf	-Inf	35.77	3	Horizontal	0	1.07	-	57.77	27.59	8.18	-
AV	2.4872G	50.09	54.00	-3.91	35.65	3	Horizontal	0	1.07	-	14.44	27.51	8.14	-
PK	2.384G	64.58	74.00	-9.42	35.86	3	Horizontal	0	1.07	-	28.72	27.66	8.20	-
PK	2.4116G	102.03	Inf	-Inf	35.77	3	Horizontal	0	1.07	-	66.26	27.59	8.18	-
PK	2.4988G	61.19	74.00	-12.81	35.64	3	Horizontal	0	1.07	-	25.55	27.50	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84474G	35.36	54.00	-18.64	5.74	3	Vertical	229	1.50	-	29.62	31.10	8.93	34.29
PK	4.8432G	47.58	74.00	-26.42	5.74	3	Vertical	229	1.50	-	41.84	31.10	8.93	34.29



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8445G	35.41	54.00	-18.59	5.74	3	Horizontal	121	2.50	-	29.67	31.10	8.93	34.29
PK	4.84617G	48.41	74.00	-25.59	5.74	3	Horizontal	121	2.50	-	42.67	31.10	8.93	34.29



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	53.58	54.00	-0.42	35.85	3	Vertical	192	1.50	-	17.73	27.65	8.20	-
AV	2.415G	92.73	Inf	-Inf	35.77	3	Vertical	192	1.50	-	56.96	27.59	8.18	-
AV	2.4994G	49.83	54.00	-4.17	35.64	3	Vertical	192	1.50	-	14.19	27.50	8.14	-
PK	2.3878G	66.06	74.00	-7.94	35.85	3	Vertical	192	1.50	-	30.21	27.65	8.20	-
PK	2.4158G	101.24	Inf	-Inf	35.76	3	Vertical	192	1.50	-	65.48	27.58	8.18	-
PK	2.4842G	61.17	74.00	-12.83	35.66	3	Vertical	192	1.50	-	25.51	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.42	54.00	-0.58	35.83	3	Horizontal	6	1.00	-	17.59	27.64	8.19	-
AV	2.417G	93.54	Inf	-Inf	35.76	3	Horizontal	6	1.00	-	57.78	27.58	8.18	-
AV	2.4998G	50.31	54.00	-3.69	35.64	3	Horizontal	6	1.00	-	14.67	27.50	8.14	-
PK	2.3886G	64.90	74.00	-9.10	35.85	3	Horizontal	6	1.00	-	29.05	27.65	8.20	-
PK	2.429G	103.10	Inf	-Inf	35.74	3	Horizontal	6	1.00	-	67.36	27.57	8.17	-
PK	2.4966G	61.48	74.00	-12.52	35.64	3	Horizontal	6	1.00	-	25.84	27.50	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.44	54.00	-1.56	35.83	3	Vertical	281	1.92	-	16.61	27.64	8.19	-
AV	2.441G	94.49	Inf	-Inf	35.72	3	Vertical	281	1.92	-	58.77	27.56	8.16	-
AV	2.4835G	53.61	54.00	-0.39	35.66	3	Vertical	281	1.92	-	17.95	27.52	8.14	-
PK	2.3894G	64.76	74.00	-9.24	35.83	3	Vertical	281	1.92	-	28.93	27.64	8.19	-
PK	2.4426G	103.58	Inf	-Inf	35.72	3	Vertical	281	1.92	-	67.86	27.56	8.16	-
PK	2.4842G	66.89	74.00	-7.11	35.66	3	Vertical	281	1.92	-	31.23	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.02	54.00	-1.98	35.83	3	Horizontal	188	1.50	-	16.19	27.64	8.19	-
AV	2.4294G	95.08	Inf	-Inf	35.74	3	Horizontal	188	1.50	-	59.34	27.57	8.17	-
AV	2.4842G	53.57	54.00	-0.43	35.66	3	Horizontal	188	1.50	-	17.91	27.52	8.14	-
PK	2.3898G	63.89	74.00	-10.11	35.83	3	Horizontal	188	1.50	-	28.06	27.64	8.19	-
PK	2.4386G	103.57	Inf	-Inf	35.73	3	Horizontal	188	1.50	-	67.84	27.56	8.17	-
PK	2.4842G	65.93	74.00	-8.07	35.66	3	Horizontal	188	1.50	-	30.27	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88498G	35.03	54.00	-18.97	5.80	3	Vertical	17	2.21	-	29.23	31.10	8.97	34.27
PK	4.85966G	47.00	74.00	-27.00	5.77	3	Vertical	17	2.21	-	41.23	31.10	8.95	34.28



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88366G	35.45	54.00	-18.55	5.79	3	Horizontal	141	1.50	-	29.66	31.10	8.96	34.27
PK	4.8884G	47.11	74.00	-26.89	5.80	3	Horizontal	141	1.50	-	41.31	31.10	8.97	34.27



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3838G	49.84	54.00	-4.16	35.86	3	Vertical	189	2.11	-	13.98	27.66	8.20	-
AV	2.435G	92.29	Inf	-Inf	35.74	3	Vertical	189	2.11	-	56.55	27.57	8.17	-
AV	2.4838G	53.77	54.00	-0.23	35.66	3	Vertical	189	2.11	-	18.11	27.52	8.14	-
PK	2.3478G	61.43	74.00	-12.57	36.05	3	Vertical	189	2.11	-	25.38	27.81	8.24	-
PK	2.457G	101.48	Inf	-Inf	35.70	3	Vertical	189	2.11	-	65.78	27.54	8.16	-
PK	2.4835G	64.91	74.00	-9.09	35.66	3	Vertical	189	2.11	-	29.25	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3562G	49.93	54.00	-4.07	36.01	3	Horizontal	183	1.23	-	13.92	27.78	8.23	-
AV	2.4506G	92.68	Inf	-Inf	35.71	3	Horizontal	183	1.23	-	56.97	27.55	8.16	-
AV	2.4838G	53.61	54.00	-0.39	35.66	3	Horizontal	183	1.23	-	17.95	27.52	8.14	-
PK	2.3714G	61.94	74.00	-12.06	35.92	3	Horizontal	183	1.23	-	26.02	27.71	8.21	-
PK	2.4542G	101.52	Inf	-Inf	35.71	3	Horizontal	183	1.23	-	65.81	27.55	8.16	-
PK	2.4835G	65.31	74.00	-8.69	35.66	3	Horizontal	183	1.23	-	29.65	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3532G	49.91	54.00	-4.09	36.02	3	Vertical	185	1.50	-	13.89	27.79	8.23	-
AV	2.4508G	91.31	Inf	-Inf	35.71	3	Vertical	185	1.50	-	55.60	27.55	8.16	-
AV	2.484G	53.62	54.00	-0.38	35.66	3	Vertical	185	1.50	-	17.96	27.52	8.14	-
PK	2.382G	61.94	74.00	-12.06	35.87	3	Vertical	185	1.50	-	26.07	27.67	8.20	-
PK	2.4476G	101.13	Inf	-Inf	35.71	3	Vertical	185	1.50	-	65.42	27.55	8.16	-
PK	2.488G	65.73	74.00	-8.27	35.65	3	Vertical	185	1.50	-	30.08	27.51	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3752G	50.20	54.00	-3.80	35.91	3	Horizontal	188	1.50	-	14.29	27.70	8.21	-
AV	2.4408G	92.89	Inf	-Inf	35.72	3	Horizontal	188	1.50	-	57.17	27.56	8.16	-
AV	2.4856G	53.97	54.00	-0.03	35.65	3	Horizontal	188	1.50	-	18.32	27.51	8.14	-
PK	2.3672G	61.98	74.00	-12.02	35.95	3	Horizontal	188	1.50	-	26.03	27.73	8.22	-
PK	2.4408G	101.65	Inf	-Inf	35.72	3	Horizontal	188	1.50	-	65.93	27.56	8.16	-
PK	2.4892G	65.56	74.00	-8.44	35.65	3	Horizontal	188	1.50	-	29.91	27.51	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89938G	35.01	54.00	-18.99	5.81	3	Vertical	68	1.89	-	29.20	31.10	8.98	34.27
PK	4.90414G	47.28	74.00	-26.72	5.84	3	Vertical	68	1.89	-	41.44	31.12	8.98	34.26



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90458G	34.93	54.00	-19.07	5.84	3	Horizontal	42	2.40	-	29.09	31.12	8.98	34.26
PK	4.90442G	47.25	74.00	-26.75	5.84	3	Horizontal	42	2.40	-	41.41	31.12	8.98	34.26



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	49.73	54.00	-4.27	35.85	3	Vertical	187	1.50	-	13.88	27.65	8.20	-
AV	2.4526G	89.59	Inf	-Inf	35.71	3	Vertical	187	1.50	-	53.88	27.55	8.16	-
AV	2.4838G	52.30	54.00	-1.70	35.66	3	Vertical	187	1.50	-	16.64	27.52	8.14	-
PK	2.359G	61.57	74.00	-12.43	35.99	3	Vertical	187	1.50	-	25.58	27.76	8.23	-
PK	2.4618G	100.21	Inf	-Inf	35.69	3	Vertical	187	1.50	-	64.52	27.54	8.15	-
PK	2.4835G	64.66	74.00	-9.34	35.66	3	Vertical	187	1.50	-	29.00	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3598G	49.64	54.00	-4.36	35.99	3	Horizontal	185	1.12	-	13.65	27.76	8.23	-
AV	2.4642G	90.17	Inf	-Inf	35.69	3	Horizontal	185	1.12	-	54.48	27.54	8.15	-
AV	2.4835G	53.27	54.00	-0.73	35.66	3	Horizontal	185	1.12	-	17.61	27.52	8.14	-
PK	2.3622G	61.22	74.00	-12.78	35.97	3	Horizontal	185	1.12	-	25.25	27.75	8.22	-
PK	2.459G	98.83	Inf	-Inf	35.70	3	Horizontal	185	1.12	-	63.13	27.54	8.16	-
PK	2.4842G	65.45	74.00	-8.55	35.66	3	Horizontal	185	1.12	-	29.79	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8996G	35.34	54.00	-18.66	5.81	3	Vertical	86	1.95	-	29.53	31.10	8.98	34.27
PK	4.92738G	47.07	74.00	-26.93	5.99	3	Vertical	86	1.95	-	41.08	31.21	9.00	34.22



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92582G	35.03	54.00	-18.97	5.98	3	Horizontal	65	1.58	-	29.05	31.20	9.00	34.22
PK	4.90566G	47.11	74.00	-26.89	5.84	3	Horizontal	65	1.58	-	41.27	31.12	8.98	34.26



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3756G	49.94	54.00	-4.06	35.91	3	Vertical	259	2.03	-	14.03	27.70	8.21	-
AV	2.46G	76.35	Inf	-Inf	35.69	3	Vertical	259	2.03	-	40.66	27.54	8.15	-
AV	2.4835G	53.40	54.00	-0.60	35.66	3	Vertical	259	2.03	-	17.74	27.52	8.14	-
PK	2.3632G	61.07	74.00	-12.93	35.97	3	Vertical	259	2.03	-	25.10	27.75	8.22	-
PK	2.4528G	86.13	Inf	-Inf	35.71	3	Vertical	259	2.03	-	50.42	27.55	8.16	-
PK	2.484G	64.35	74.00	-9.65	35.66	3	Vertical	259	2.03	-	28.69	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3636G	49.61	54.00	-4.39	35.97	3	Horizontal	180	3.00	-	13.64	27.75	8.22	-
AV	2.4736G	77.51	Inf	-Inf	35.68	3	Horizontal	180	3.00	-	41.83	27.53	8.15	-
AV	2.4835G	53.93	54.00	-0.07	35.66	3	Horizontal	180	3.00	-	18.27	27.52	8.14	-
PK	2.38G	61.60	74.00	-12.40	35.88	3	Horizontal	180	3.00	-	25.72	27.68	8.20	-
PK	2.464G	86.26	Inf	-Inf	35.69	3	Horizontal	180	3.00	-	50.57	27.54	8.15	-
PK	2.4835G	66.00	74.00	-8.00	35.66	3	Horizontal	180	3.00	-	30.34	27.52	8.14	-



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93024G	35.38	54.00	-18.62	6.01	3	Vertical	179	1.82	-	29.37	31.22	9.00	34.21
PK	4.91572G	47.25	74.00	-26.75	5.91	3	Vertical	179	1.82	-	41.34	31.16	8.99	34.24



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

29/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93144G	35.55	54.00	-18.45	6.02	3	Horizontal	11	2.37	-	29.53	31.23	9.00	34.21
PK	4.92304G	47.99	74.00	-26.01	5.96	3	Horizontal	11	2.37	-	42.03	31.19	9.00	34.23



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.76	54.00	-0.24	31.54	3	Vertical	164	2.42	-	22.22	27.54	4.00	-
AV	2.4156G	97.60	Inf	-Inf	31.49	3	Vertical	164	2.42	-	66.11	27.47	4.02	-
AV	2.488G	47.57	54.00	-6.43	31.41	3	Vertical	164	2.42	-	16.16	27.32	4.09	-
PK	2.3896G	63.24	74.00	-10.76	31.54	3	Vertical	164	2.42	-	31.70	27.54	4.00	-
PK	2.4156G	106.07	Inf	-Inf	31.49	3	Vertical	164	2.42	-	74.58	27.47	4.02	-
PK	2.4936G	57.54	74.00	-16.46	31.40	3	Vertical	164	2.42	-	26.14	27.31	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.75	54.00	-0.25	31.54	3	Horizontal	298	1.04	-	22.21	27.54	4.00	-
AV	2.41G	95.47	Inf	-Inf	31.50	3	Horizontal	298	1.04	-	63.97	27.48	4.02	-
AV	2.486G	47.84	54.00	-6.16	31.42	3	Horizontal	298	1.04	-	16.42	27.33	4.09	-
PK	2.39G	63.25	74.00	-10.75	31.54	3	Horizontal	298	1.04	-	31.71	27.54	4.00	-
PK	2.4108G	102.93	Inf	-Inf	31.50	3	Horizontal	298	1.04	-	71.43	27.48	4.02	-
PK	2.4856G	57.56	74.00	-16.44	31.42	3	Horizontal	298	1.04	-	26.14	27.33	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8428G	35.69	54.00	-18.31	7.17	3	Horizontal	119	1.45	-	28.52	31.14	5.81	29.78
PK	4.84778G	48.34	74.00	-25.66	7.18	3	Horizontal	119	1.45	-	41.16	31.15	5.81	29.78



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84112G	34.27	54.00	-19.73	7.17	3	Horizontal	138	2.41	-	27.10	31.14	5.81	29.78
PK	4.85486G	44.70	74.00	-29.30	7.20	3	Horizontal	138	2.41	-	37.50	31.15	5.82	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.76	54.00	-0.24	31.54	3	Vertical	165	2.38	-	22.22	27.54	4.00	-
AV	2.4166G	98.50	Inf	-Inf	31.49	3	Vertical	165	2.38	-	67.01	27.47	4.02	-
AV	2.4978G	48.58	54.00	-5.42	31.40	3	Vertical	165	2.38	-	17.18	27.30	4.10	-
PK	2.389G	64.69	74.00	-9.31	31.54	3	Vertical	165	2.38	-	33.15	27.54	4.00	-
PK	2.419G	106.23	Inf	-Inf	31.48	3	Vertical	165	2.38	-	74.75	27.46	4.02	-
PK	2.4918G	58.70	74.00	-15.30	31.41	3	Vertical	165	2.38	-	27.29	27.32	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.88	54.00	-0.12	31.54	3	Horizontal	301	1.29	-	22.34	27.54	4.00	-
AV	2.4158G	95.24	Inf	-Inf	31.49	3	Horizontal	301	1.29	-	63.75	27.47	4.02	-
AV	2.4918G	48.35	54.00	-5.65	31.41	3	Horizontal	301	1.29	-	16.94	27.32	4.09	-
PK	2.3898G	63.56	74.00	-10.44	31.54	3	Horizontal	301	1.29	-	32.02	27.54	4.00	-
PK	2.4198G	103.81	Inf	-Inf	31.48	3	Horizontal	301	1.29	-	72.33	27.46	4.02	-
PK	2.4918G	58.70	74.00	-15.30	31.41	3	Horizontal	301	1.29	-	27.29	27.32	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.48	54.00	-3.52	31.54	3	Vertical	172	1.50	-	18.94	27.54	4.00	-
AV	2.4454G	96.42	Inf	-Inf	31.46	3	Vertical	172	1.50	-	64.96	27.41	4.05	-
AV	2.4842G	50.14	54.00	-3.86	31.42	3	Vertical	172	1.50	-	18.72	27.33	4.09	-
PK	2.389G	60.93	74.00	-13.07	31.54	3	Vertical	172	1.50	-	29.39	27.54	4.00	-
PK	2.427G	104.49	Inf	-Inf	31.48	3	Vertical	172	1.50	-	73.01	27.45	4.03	-
PK	2.4866G	59.66	74.00	-14.34	31.42	3	Vertical	172	1.50	-	28.24	27.33	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.63	54.00	-0.37	31.54	3	Horizontal	293	1.09	-	22.09	27.54	4.00	-
AV	2.4258G	98.87	Inf	-Inf	31.48	3	Horizontal	293	1.09	-	67.39	27.45	4.03	-
AV	2.4838G	50.71	54.00	-3.29	31.41	3	Horizontal	293	1.09	-	19.30	27.33	4.08	-
PK	2.3894G	66.34	74.00	-7.66	31.54	3	Horizontal	293	1.09	-	34.80	27.54	4.00	-
PK	2.4254G	106.82	Inf	-Inf	31.48	3	Horizontal	293	1.09	-	75.34	27.45	4.03	-
PK	2.4854G	60.80	74.00	-13.20	31.42	3	Horizontal	293	1.09	-	29.38	27.33	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86956G	33.74	54.00	-20.26	7.23	3	Vertical	104	2.32	-	26.51	31.17	5.83	29.77
PK	4.87532G	48.88	74.00	-25.12	7.24	3	Vertical	104	2.32	-	41.64	31.18	5.83	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86272G	33.80	54.00	-20.20	7.21	3	Horizontal	166	2.00	-	26.59	31.16	5.82	29.77
PK	4.87526G	46.38	74.00	-27.62	7.24	3	Horizontal	166	2.00	-	39.14	31.18	5.83	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	50.11	54.00	-3.89	31.55	3	Vertical	163	2.05	-	18.56	27.55	4.00	-
AV	2.435G	99.19	Inf	-Inf	31.47	3	Vertical	163	2.05	-	67.72	27.43	4.04	-
AV	2.4842G	53.46	54.00	-0.54	31.42	3	Vertical	163	2.05	-	22.04	27.33	4.09	-
PK	2.3882G	60.50	74.00	-13.50	31.54	3	Vertical	163	2.05	-	28.96	27.55	3.99	-
PK	2.4358G	107.26	Inf	-Inf	31.47	3	Vertical	163	2.05	-	75.79	27.43	4.04	-
PK	2.4838G	64.61	74.00	-9.39	31.41	3	Vertical	163	2.05	-	33.20	27.33	4.08	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.22	54.00	-5.78	31.54	3	Horizontal	171	1.34	-	16.68	27.54	4.00	-
AV	2.4542G	95.54	Inf	-Inf	31.45	3	Horizontal	171	1.34	-	64.09	27.39	4.06	-
AV	2.4838G	53.45	54.00	-0.55	31.41	3	Horizontal	171	1.34	-	22.04	27.33	4.08	-
PK	2.3886G	59.17	74.00	-14.83	31.55	3	Horizontal	171	1.34	-	27.62	27.55	4.00	-
PK	2.4362G	103.81	Inf	-Inf	31.47	3	Horizontal	171	1.34	-	72.34	27.43	4.04	-
PK	2.4854G	63.58	74.00	-10.42	31.42	3	Horizontal	171	1.34	-	32.16	27.33	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	49.11	54.00	-4.89	31.55	3	Vertical	177	1.93	-	17.56	27.55	4.00	-
AV	2.4456G	94.93	Inf	-Inf	31.46	3	Vertical	177	1.93	-	63.47	27.41	4.05	-
AV	2.4835G	53.17	54.00	-0.83	31.41	3	Vertical	177	1.93	-	21.76	27.33	4.08	-
PK	2.3868G	59.20	74.00	-14.80	31.54	3	Vertical	177	1.93	-	27.66	27.55	3.99	-
PK	2.442G	103.31	Inf	-Inf	31.47	3	Vertical	177	1.93	-	71.84	27.42	4.05	-
PK	2.4844G	63.24	74.00	-10.76	31.42	3	Vertical	177	1.93	-	31.82	27.33	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	48.22	54.00	-5.78	31.54	3	Horizontal	191	1.67	-	16.68	27.54	4.00	-
AV	2.446G	95.72	Inf	-Inf	31.46	3	Horizontal	191	1.67	-	64.26	27.41	4.05	-
AV	2.484G	53.72	54.00	-0.28	31.41	3	Horizontal	191	1.67	-	22.31	27.33	4.08	-
PK	2.3544G	58.18	74.00	-15.82	31.64	3	Horizontal	191	1.67	-	26.54	27.68	3.96	-
PK	2.4448G	103.36	Inf	-Inf	31.46	3	Horizontal	191	1.67	-	71.90	27.41	4.05	-
PK	2.4868G	63.07	74.00	-10.93	31.42	3	Horizontal	191	1.67	-	31.65	27.33	4.09	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90484G	33.78	54.00	-20.22	7.29	3	Vertical	202	1.84	-	26.49	31.21	5.85	29.77
PK	4.89236G	44.87	74.00	-29.13	7.26	3	Vertical	202	1.84	-	37.61	31.19	5.84	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90136G	33.62	54.00	-20.38	7.28	3	Horizontal	229	1.34	-	26.34	31.20	5.85	29.77
PK	4.9037G	45.70	74.00	-28.30	7.29	3	Horizontal	229	1.34	-	38.41	31.21	5.85	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3722G	47.97	54.00	-6.03	31.59	3	Vertical	175	2.92	-	16.38	27.61	3.98	-
AV	2.445G	92.43	Inf	-Inf	31.46	3	Vertical	175	2.92	-	60.97	27.41	4.05	-
AV	2.4835G	52.73	54.00	-1.27	31.41	3	Vertical	175	2.92	-	21.32	27.33	4.08	-
PK	2.379G	58.42	74.00	-15.58	31.57	3	Vertical	175	2.92	-	26.85	27.58	3.99	-
PK	2.4462G	100.48	Inf	-Inf	31.46	3	Vertical	175	2.92	-	69.02	27.41	4.05	-
PK	2.4835G	63.36	74.00	-10.64	31.41	3	Vertical	175	2.92	-	31.95	27.33	4.08	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	47.77	54.00	-6.23	31.63	3	Horizontal	192	1.65	-	16.14	27.66	3.97	-
AV	2.4454G	93.59	Inf	-Inf	31.46	3	Horizontal	192	1.65	-	62.13	27.41	4.05	-
AV	2.4835G	53.31	54.00	-0.69	31.41	3	Horizontal	192	1.65	-	21.90	27.33	4.08	-
PK	2.3738G	58.00	74.00	-16.00	31.58	3	Horizontal	192	1.65	-	26.42	27.60	3.98	-
PK	2.4458G	101.67	Inf	-Inf	31.46	3	Horizontal	192	1.65	-	70.21	27.41	4.05	-
PK	2.4835G	67.62	74.00	-6.38	31.41	3	Horizontal	192	1.65	-	36.21	27.33	4.08	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92504G	33.79	54.00	-20.21	7.38	3	Vertical	16	1.74	-	26.41	31.28	5.87	29.77
PK	4.92546G	44.72	74.00	-29.28	7.38	3	Vertical	16	1.74	-	37.34	31.28	5.87	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92114G	33.94	54.00	-20.06	7.35	3	Horizontal	13	1.15	-	26.59	31.26	5.86	29.77
PK	4.92654G	44.77	74.00	-29.23	7.38	3	Horizontal	13	1.15	-	37.39	31.28	5.87	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3688G	47.49	54.00	-6.51	31.60	3	Vertical	163	2.30	-	15.89	27.62	3.98	-
AV	2.4512G	78.41	Inf	-Inf	31.45	3	Vertical	163	2.30	-	46.96	27.40	4.05	-
AV	2.4835G	53.45	54.00	-0.55	31.41	3	Vertical	163	2.30	-	22.04	27.33	4.08	-
PK	2.3884G	57.94	74.00	-16.06	31.55	3	Vertical	163	2.30	-	26.39	27.55	4.00	-
PK	2.4528G	86.64	Inf	-Inf	31.45	3	Vertical	163	2.30	-	55.19	27.39	4.06	-
PK	2.4835G	63.15	74.00	-10.85	31.41	3	Vertical	163	2.30	-	31.74	27.33	4.08	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	47.51	54.00	-6.49	31.62	3	Horizontal	170	2.74	-	15.89	27.65	3.97	-
AV	2.456G	76.93	Inf	-Inf	31.45	3	Horizontal	170	2.74	-	45.48	27.39	4.06	-
AV	2.4835G	53.85	54.00	-0.15	31.41	3	Horizontal	170	2.74	-	22.44	27.33	4.08	-
PK	2.382G	57.99	74.00	-16.01	31.56	3	Horizontal	170	2.74	-	26.43	27.57	3.99	-
PK	2.4636G	85.29	Inf	-Inf	31.44	3	Horizontal	170	2.74	-	53.85	27.37	4.07	-
PK	2.4835G	63.44	74.00	-10.56	31.41	3	Horizontal	170	2.74	-	32.03	27.33	4.08	-



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92544G	34.03	54.00	-19.97	7.38	3	Vertical	348	1.65	-	26.65	31.28	5.87	29.77
PK	4.92652G	44.64	74.00	-29.36	7.38	3	Vertical	348	1.65	-	37.26	31.28	5.87	29.77



802.11n HT40_Nss1,(MCS0)_2TX

22/07/2019

2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92484G	34.13	54.00	-19.87	7.37	3	Horizontal	303	1.38	-	26.76	31.27	5.87	29.77
PK	4.92634G	44.83	74.00	-29.17	7.38	3	Horizontal	303	1.38	-	37.45	31.28	5.87	29.77