


802.11n HT40\_Nss1,(MCS0)\_1TX(Port2)


CSE NdB

2462MHz

31/07/2019



Port 2



RBW (Hz)  
100k  
VBW (Hz)  
300k  
Detector  
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44071G	3.67	-26.33	742.76M	-54.59	2.39892G	-54.04	2.48354G	-43.64	24.87099G	-39.16	2

802.11n HT40\_Nss1,(MCS0)\_2TX

CSE NdB

2422MHz

15/07/2019







Port 1  
Port 2



RBW (Hz)  
100k  
VBW (Hz)  
300k  
Detector  
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44075G	3.60	-26.40	1.87374G	-54.64	2.39984G	-31.18	2.5443G	-51.84	24.66589G	-37.53	1
2.44075G	3.60	-26.40	2.30826G	-54.53	2.3998G	-30.92	2.48366G	-52.35	24.39702G	-37.87	2







Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	30M	35.27	40.00	-4.73	-4.40	3	Horizontal	0	1.00	-






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	24.71	40.00	-15.29	-8.44	3	Vertical	360	1.00	-
2437MHz	Pass	PK	198.78M	31.11	43.50	-12.39	-10.66	3	Vertical	360	1.00	-
2437MHz	Pass	PK	274.44M	26.58	46.00	-19.42	-6.17	3	Vertical	360	1.00	-
2437MHz	Pass	PK	503.36M	31.71	46.00	-14.29	-2.42	3	Vertical	360	1.00	-
2437MHz	Pass	PK	600.36M	31.39	46.00	-14.61	-1.09	3	Vertical	360	1.00	-
2437MHz	Pass	PK	792.42M	30.63	46.00	-15.37	1.02	3	Vertical	360	1.00	-
2437MHz	Pass	PK	30M	35.27	40.00	-4.73	-4.40	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	175.5M	31.14	43.50	-12.36	-10.92	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	278.32M	29.62	46.00	-16.38	-6.27	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	353.98M	29.74	46.00	-16.26	-4.83	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	503.36M	34.66	46.00	-11.34	-2.42	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	792.42M	33.21	46.00	-12.79	1.02	3	Horizontal	0	1.00	-

### 802.11n HT40\_Nss1,(MCS0)\_2TX

16/07/2019

### 2437MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	24.71	40.00	-15.29	-8.44	3	Vertical	360	1.00	-	33.15	18.67	0.57	27.68
PK	198.78M	31.11	43.50	-12.39	-10.66	3	Vertical	360	1.00	-	41.77	14.43	2.30	27.39
PK	274.44M	26.58	46.00	-19.42	-6.17	3	Vertical	360	1.00	-	32.75	18.17	2.84	27.18
PK	503.36M	31.71	46.00	-14.29	-2.42	3	Vertical	360	1.00	-	34.13	22.68	3.33	28.43
PK	600.36M	31.39	46.00	-14.61	-1.09	3	Vertical	360	1.00	-	32.48	23.75	3.67	28.51
PK	792.42M	30.63	46.00	-15.37	1.02	3	Vertical	360	1.00	-	29.61	25.04	4.16	28.18

### 802.11n HT40\_Nss1,(MCS0)\_2TX

16/07/2019

### 2437MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.27	40.00	-4.73	-4.40	3	Horizontal	0	1.00	-	39.67	23.01	0.29	27.70
PK	175.5M	31.14	43.50	-12.36	-10.92	3	Horizontal	0	1.00	-	42.06	14.51	2.07	27.50
PK	278.32M	29.62	46.00	-16.38	-6.27	3	Horizontal	0	1.00	-	35.89	18.03	2.87	27.17
PK	353.98M	29.74	46.00	-16.26	-4.83	3	Horizontal	0	1.00	-	34.57	19.58	3.11	27.52
PK	503.36M	34.66	46.00	-11.34	-2.42	3	Horizontal	0	1.00	-	37.08	22.68	3.33	28.43
PK	792.42M	33.21	46.00	-12.79	1.02	3	Horizontal	0	1.00	-	32.19	25.04	4.16	28.18



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	AV	2.3888G	51.70	54.00	-2.30	33.75	3	Horizontal	202	1.00	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	53.61	54.00	-0.39	33.67	3	Horizontal	203	1.50	-
802.11g_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	2.4835G	51.44	54.00	-2.56	33.67	3	Horizontal	203	1.46	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.3896G	53.95	54.00	-0.05	33.75	3	Horizontal	202	1.86	-
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	51.46	54.00	-2.54	33.67	3	Horizontal	200	1.49	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.90	54.00	-0.10	33.67	3	Vertical	183	2.79	-
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	53.82	54.00	-0.18	33.67	3	Horizontal	195	1.49	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	2.3892G	53.91	54.00	-0.09	33.75	3	Horizontal	222	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	45.81	54.00	-8.19	33.75	3	Vertical	95	1.11	-
2412MHz	Pass	AV	2.4148G	94.49	Inf	-Inf	33.71	3	Vertical	95	1.11	-
2412MHz	Pass	PK	2.3868G	58.61	74.00	-15.39	33.76	3	Vertical	95	1.11	-
2412MHz	Pass	PK	2.4112G	96.85	Inf	-Inf	33.71	3	Vertical	95	1.11	-
2412MHz	Pass	AV	2.3888G	51.70	54.00	-2.30	33.75	3	Horizontal	202	1.00	-
2412MHz	Pass	AV	2.4138G	105.56	Inf	-Inf	33.71	3	Horizontal	202	1.00	-
2412MHz	Pass	PK	2.387G	60.85	74.00	-13.15	33.76	3	Horizontal	202	1.00	-
2412MHz	Pass	PK	2.4112G	109.25	Inf	-Inf	33.71	3	Horizontal	202	1.01	-
2412MHz	Pass	AV	4.82404G	36.99	54.00	-17.01	5.73	3	Vertical	0	1.12	-
2412MHz	Pass	PK	4.82386G	52.28	74.00	-21.72	5.73	3	Vertical	0	1.12	-
2412MHz	Pass	AV	4.82405G	34.82	54.00	-19.18	5.73	3	Horizontal	275	3.00	-
2412MHz	Pass	PK	4.82398G	54.22	74.00	-19.78	5.73	3	Horizontal	275	3.00	-
2417MHz	Pass	AV	2.3794G	47.75	54.00	-6.25	33.79	3	Vertical	189	3.00	-
2417MHz	Pass	AV	2.4188G	100.69	Inf	-Inf	33.70	3	Vertical	189	3.00	-
2417MHz	Pass	PK	2.3866G	59.71	74.00	-14.29	33.76	3	Vertical	189	3.00	-
2417MHz	Pass	PK	2.4162G	103.60	Inf	-Inf	33.70	3	Vertical	189	3.00	-
2417MHz	Pass	AV	2.3794G	50.17	54.00	-3.83	33.79	3	Horizontal	201	1.00	-
2417MHz	Pass	AV	2.4152G	104.74	Inf	-Inf	33.70	3	Horizontal	201	1.00	-
2417MHz	Pass	PK	2.3728G	59.63	74.00	-14.37	33.83	3	Horizontal	201	1.00	-
2417MHz	Pass	PK	2.4162G	107.78	Inf	-Inf	33.70	3	Horizontal	201	1.00	-
2437MHz	Pass	AV	2.3802G	46.34	54.00	-7.66	33.79	3	Vertical	69	2.88	-
2437MHz	Pass	AV	2.4354G	101.18	Inf	-Inf	33.69	3	Vertical	69	2.88	-
2437MHz	Pass	AV	2.4914G	45.66	54.00	-8.34	33.66	3	Vertical	69	2.88	-
2437MHz	Pass	PK	2.389G	58.17	74.00	-15.83	33.75	3	Vertical	69	2.88	-
2437MHz	Pass	PK	2.4362G	103.72	Inf	-Inf	33.69	3	Vertical	69	2.88	-
2437MHz	Pass	PK	2.4846G	58.05	74.00	-15.95	33.67	3	Vertical	69	2.88	-
2437MHz	Pass	AV	2.3686G	48.97	54.00	-5.03	33.85	3	Horizontal	203	1.35	-
2437MHz	Pass	AV	2.4362G	107.54	Inf	-Inf	33.69	3	Horizontal	203	1.35	-
2437MHz	Pass	AV	2.4838G	47.76	54.00	-6.24	33.67	3	Horizontal	203	1.35	-
2437MHz	Pass	PK	2.3802G	60.61	74.00	-13.39	33.79	3	Horizontal	203	1.35	-
2437MHz	Pass	PK	2.4362G	111.86	Inf	-Inf	33.69	3	Horizontal	203	1.35	-
2437MHz	Pass	PK	2.4962G	59.52	74.00	-14.48	33.65	3	Horizontal	203	1.35	-
2437MHz	Pass	AV	4.87398G	41.12	54.00	-12.88	5.78	3	Vertical	3	1.50	-
2437MHz	Pass	PK	4.87392G	50.97	74.00	-23.03	5.78	3	Vertical	3	1.50	-
2437MHz	Pass	AV	4.87393G	42.15	54.00	-11.85	5.78	3	Horizontal	256	2.89	-
2437MHz	Pass	PK	4.87382G	55.22	74.00	-18.78	5.78	3	Horizontal	256	2.89	-
2457MHz	Pass	AV	2.4562G	101.08	Inf	-Inf	33.68	3	Vertical	185	3.00	-
2457MHz	Pass	AV	2.4906G	45.98	54.00	-8.02	33.66	3	Vertical	185	3.00	-
2457MHz	Pass	PK	2.4562G	104.02	Inf	-Inf	33.68	3	Vertical	185	3.00	-
2457MHz	Pass	PK	2.4966G	59.03	74.00	-14.97	33.65	3	Vertical	185	3.00	-
2457MHz	Pass	AV	2.4588G	104.06	Inf	-Inf	33.68	3	Horizontal	200	1.00	-
2457MHz	Pass	AV	2.4866G	47.14	54.00	-6.86	33.66	3	Horizontal	200	1.00	-
2457MHz	Pass	PK	2.4578G	106.55	Inf	-Inf	33.68	3	Horizontal	200	1.00	-
2457MHz	Pass	PK	2.4835G	59.29	74.00	-14.71	33.67	3	Horizontal	200	1.00	-
2462MHz	Pass	AV	2.4612G	93.68	Inf	-Inf	33.68	3	Vertical	96	1.00	-
2462MHz	Pass	AV	2.4836G	45.61	54.00	-8.39	33.67	3	Vertical	96	1.00	-
2462MHz	Pass	PK	2.4612G	96.04	Inf	-Inf	33.68	3	Vertical	96	1.00	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.494G	58.70	74.00	-15.30	33.66	3	Vertical	96	1.00	-
2462MHz	Pass	AV	2.4638G	103.92	Inf	-Inf	33.68	3	Horizontal	201	1.19	-
2462MHz	Pass	AV	2.4835G	49.29	54.00	-4.71	33.67	3	Horizontal	201	1.19	-
2462MHz	Pass	PK	2.4612G	105.92	Inf	-Inf	33.68	3	Horizontal	201	1.19	-
2462MHz	Pass	PK	2.4856G	60.35	74.00	-13.65	33.66	3	Horizontal	201	1.19	-
2462MHz	Pass	AV	4.92399G	40.49	54.00	-13.51	5.98	3	Vertical	287	1.00	-
2462MHz	Pass	PK	4.92404G	49.85	74.00	-24.15	5.98	3	Vertical	287	1.00	-
2462MHz	Pass	AV	4.92396G	38.39	54.00	-15.61	5.98	3	Horizontal	256	1.40	-
2462MHz	Pass	PK	4.92394G	50.85	74.00	-23.15	5.98	3	Horizontal	256	1.40	-
2467MHz	Pass	AV	2.4662G	88.37	Inf	-Inf	33.67	3	Vertical	96	1.03	-
2467MHz	Pass	AV	2.4835G	45.47	54.00	-8.53	33.67	3	Vertical	96	1.03	-
2467MHz	Pass	PK	2.4662G	90.79	Inf	-Inf	33.67	3	Vertical	96	1.03	-
2467MHz	Pass	PK	2.4836G	58.40	74.00	-15.60	33.67	3	Vertical	96	1.03	-
2467MHz	Pass	AV	2.4662G	99.04	Inf	-Inf	33.67	3	Horizontal	200	1.03	-
2467MHz	Pass	AV	2.4835G	50.42	54.00	-3.58	33.67	3	Horizontal	200	1.03	-
2467MHz	Pass	PK	2.4662G	101.52	Inf	-Inf	33.67	3	Horizontal	200	1.03	-
2467MHz	Pass	PK	2.4972G	58.64	74.00	-15.36	33.65	3	Horizontal	200	1.03	-
2467MHz	Pass	AV	4.93396G	35.60	54.00	-18.40	6.03	3	Vertical	235	1.14	-
2467MHz	Pass	PK	4.9341G	46.59	74.00	-27.41	6.03	3	Vertical	235	1.14	-
2467MHz	Pass	AV	4.93394G	37.02	54.00	-16.98	6.03	3	Horizontal	299	1.00	-
2467MHz	Pass	PK	4.93394G	46.99	74.00	-27.01	6.03	3	Horizontal	299	1.00	-
2472MHz	Pass	AV	2.4702G	86.36	Inf	-Inf	33.67	3	Vertical	70	2.85	-
2472MHz	Pass	AV	2.4844G	45.51	54.00	-8.49	33.67	3	Vertical	70	2.85	-
2472MHz	Pass	PK	2.4692G	89.41	Inf	-Inf	33.67	3	Vertical	70	2.85	-
2472MHz	Pass	PK	2.4838G	58.35	74.00	-15.65	33.67	3	Vertical	70	2.85	-
2472MHz	Pass	AV	2.4732G	92.85	Inf	-Inf	33.67	3	Horizontal	200	1.48	-
2472MHz	Pass	AV	2.4848G	47.12	54.00	-6.88	33.67	3	Horizontal	200	1.48	-
2472MHz	Pass	PK	2.4712G	95.35	Inf	-Inf	33.67	3	Horizontal	200	1.48	-
2472MHz	Pass	PK	2.4888G	58.87	74.00	-15.13	33.66	3	Horizontal	200	1.48	-
2472MHz	Pass	AV	4.9446G	34.36	54.00	-19.64	6.10	3	Vertical	82	1.50	-
2472MHz	Pass	PK	4.94404G	46.59	74.00	-27.41	6.10	3	Vertical	82	1.50	-
2472MHz	Pass	AV	4.944G	34.30	54.00	-19.70	6.10	3	Horizontal	356	2.00	-
2472MHz	Pass	PK	4.94262G	45.77	74.00	-28.23	6.09	3	Horizontal	356	2.00	-
802.11b_Nss1_(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.386G	47.38	54.00	-6.62	33.77	3	Vertical	36	1.50	-
2412MHz	Pass	AV	2.4146G	100.06	Inf	-Inf	33.71	3	Vertical	36	1.50	-
2412MHz	Pass	PK	2.376G	59.62	74.00	-14.38	33.82	3	Vertical	36	1.50	-
2412MHz	Pass	PK	2.4146G	102.74	Inf	-Inf	33.71	3	Vertical	36	1.50	-
2412MHz	Pass	AV	2.3858G	53.37	54.00	-0.63	33.77	3	Horizontal	208	2.84	-
2412MHz	Pass	AV	2.4112G	107.44	Inf	-Inf	33.71	3	Horizontal	208	2.84	-
2412MHz	Pass	PK	2.386G	63.39	74.00	-10.61	33.77	3	Horizontal	208	2.84	-
2412MHz	Pass	PK	2.411G	110.15	Inf	-Inf	33.71	3	Horizontal	208	2.84	-
2412MHz	Pass	AV	4.82398G	44.93	54.00	-9.07	10.24	3	Vertical	15	1.03	-
2412MHz	Pass	PK	4.82413G	52.26	74.00	-21.74	10.24	3	Vertical	15	1.03	-
2412MHz	Pass	AV	4.82394G	44.18	54.00	-9.82	10.24	3	Horizontal	304	1.15	-
2412MHz	Pass	PK	4.82376G	58.20	74.00	-15.80	10.24	3	Horizontal	304	1.15	-
2417MHz	Pass	AV	2.39G	47.74	54.00	-6.26	33.75	3	Vertical	58	2.94	-
2417MHz	Pass	AV	2.4142G	100.59	Inf	-Inf	33.71	3	Vertical	58	2.94	-
2417MHz	Pass	PK	2.3832G	59.82	74.00	-14.18	33.78	3	Vertical	58	2.94	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.4142G	103.61	Inf	-Inf	33.71	3	Vertical	58	2.94	-
2417MHz	Pass	AV	2.39G	53.43	54.00	-0.57	33.75	3	Horizontal	209	1.20	-
2417MHz	Pass	AV	2.4152G	108.84	Inf	-Inf	33.70	3	Horizontal	209	1.20	-
2417MHz	Pass	PK	2.39G	63.00	74.00	-11.00	33.75	3	Horizontal	209	1.20	-
2417MHz	Pass	PK	2.416G	111.79	Inf	-Inf	33.70	3	Horizontal	209	1.20	-
2437MHz	Pass	AV	2.3882G	46.41	54.00	-7.59	33.76	3	Vertical	37	2.25	-
2437MHz	Pass	AV	2.4398G	103.25	Inf	-Inf	33.69	3	Vertical	37	2.25	-
2437MHz	Pass	AV	2.4838G	48.51	54.00	-5.49	33.67	3	Vertical	37	2.25	-
2437MHz	Pass	PK	2.3742G	60.71	74.00	-13.29	33.82	3	Vertical	37	2.25	-
2437MHz	Pass	PK	2.4398G	105.92	Inf	-Inf	33.69	3	Vertical	37	2.25	-
2437MHz	Pass	PK	2.4966G	60.02	74.00	-13.98	33.65	3	Vertical	37	2.25	-
2437MHz	Pass	AV	2.383G	52.60	54.00	-1.40	33.78	3	Horizontal	210	1.01	-
2437MHz	Pass	AV	2.4354G	109.00	Inf	-Inf	33.69	3	Horizontal	210	1.01	-
2437MHz	Pass	AV	2.4842G	49.83	54.00	-4.17	33.67	3	Horizontal	210	1.01	-
2437MHz	Pass	PK	2.383G	61.29	74.00	-12.71	33.78	3	Horizontal	210	1.01	-
2437MHz	Pass	PK	2.4362G	111.13	Inf	-Inf	33.69	3	Horizontal	210	1.01	-
2437MHz	Pass	PK	2.497G	60.23	74.00	-13.77	33.65	3	Horizontal	210	1.01	-
2437MHz	Pass	AV	4.87404G	45.74	54.00	-8.26	10.29	3	Vertical	14	1.00	-
2437MHz	Pass	PK	4.87391G	54.28	74.00	-19.72	10.29	3	Vertical	14	1.00	-
2437MHz	Pass	AV	4.87395G	43.86	54.00	-10.14	10.29	3	Horizontal	300	1.01	-
2437MHz	Pass	PK	4.87386G	60.18	74.00	-13.82	10.29	3	Horizontal	300	1.01	-
2457MHz	Pass	AV	2.4586G	101.08	Inf	-Inf	33.68	3	Vertical	123	1.01	-
2457MHz	Pass	AV	2.4838G	47.06	54.00	-6.94	33.67	3	Vertical	123	1.01	-
2457MHz	Pass	PK	2.4596G	103.88	Inf	-Inf	33.68	3	Vertical	123	1.01	-
2457MHz	Pass	PK	2.494G	59.69	74.00	-14.31	33.66	3	Vertical	123	1.01	-
2457MHz	Pass	AV	2.4562G	107.98	Inf	-Inf	33.68	3	Horizontal	205	1.02	-
2457MHz	Pass	AV	2.4836G	53.16	54.00	-0.84	33.67	3	Horizontal	205	1.02	-
2457MHz	Pass	PK	2.4562G	110.77	Inf	-Inf	33.68	3	Horizontal	205	1.02	-
2457MHz	Pass	PK	2.4836G	64.08	74.00	-9.92	33.67	3	Horizontal	205	1.02	-
2462MHz	Pass	AV	2.4582G	98.15	Inf	-Inf	33.68	3	Vertical	34	1.50	-
2462MHz	Pass	AV	2.4835G	47.39	54.00	-6.61	33.67	3	Vertical	34	1.50	-
2462MHz	Pass	PK	2.4574G	100.31	Inf	-Inf	33.68	3	Vertical	34	1.50	-
2462MHz	Pass	PK	2.497G	59.38	74.00	-14.62	33.65	3	Vertical	34	1.50	-
2462MHz	Pass	AV	2.4612G	106.10	Inf	-Inf	33.68	3	Horizontal	206	1.02	-
2462MHz	Pass	AV	2.4878G	53.53	54.00	-0.47	33.66	3	Horizontal	206	1.02	-
2462MHz	Pass	PK	2.4592G	108.60	Inf	-Inf	33.68	3	Horizontal	206	1.02	-
2462MHz	Pass	PK	2.488G	62.54	74.00	-11.46	33.66	3	Horizontal	206	1.02	-
2462MHz	Pass	AV	4.92397G	45.12	54.00	-8.88	10.29	3	Vertical	280	1.39	-
2462MHz	Pass	PK	4.92424G	55.45	74.00	-18.55	10.29	3	Vertical	280	1.39	-
2462MHz	Pass	AV	4.92397G	43.60	54.00	-10.40	10.29	3	Horizontal	113	2.07	-
2462MHz	Pass	PK	4.92388G	53.64	74.00	-20.36	10.29	3	Horizontal	113	2.07	-
2467MHz	Pass	PK	2.4642G	96.27	Inf	-Inf	33.68	3	Vertical	35	1.30	-
2467MHz	Pass	AV	2.4632G	93.36	Inf	-Inf	33.68	3	Vertical	35	1.30	-
2467MHz	Pass	PK	2.4922G	60.05	74.00	-13.95	33.66	3	Vertical	35	1.30	-
2467MHz	Pass	AV	2.4835G	48.47	54.00	-5.53	33.67	3	Vertical	35	1.30	-
2467MHz	Pass	AV	2.4662G	102.28	Inf	-Inf	33.67	3	Horizontal	203	1.50	-
2467MHz	Pass	AV	2.4835G	53.61	54.00	-0.39	33.67	3	Horizontal	203	1.50	-
2467MHz	Pass	PK	2.4662G	104.12	Inf	-Inf	33.67	3	Horizontal	203	1.50	-
2467MHz	Pass	PK	2.4835G	62.63	74.00	-11.37	33.67	3	Horizontal	203	1.50	-

Remark :

Page No. : F4 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2467MHz	Pass	AV	4.93395G	40.82	54.00	-13.18	10.28	3	Vertical	138	1.76	-
2467MHz	Pass	PK	4.9359G	53.90	74.00	-20.10	10.28	3	Vertical	138	1.76	-
2467MHz	Pass	AV	4.9319G	38.39	54.00	-15.61	10.28	3	Horizontal	114	1.36	-
2467MHz	Pass	PK	4.93422G	51.93	74.00	-22.07	10.28	3	Horizontal	114	1.36	-
2472MHz	Pass	AV	2.4682G	87.90	Inf	-Inf	33.67	3	Vertical	34	1.50	-
2472MHz	Pass	AV	2.4868G	47.26	54.00	-6.74	33.66	3	Vertical	34	1.50	-
2472MHz	Pass	PK	2.4692G	90.39	Inf	-Inf	33.67	3	Vertical	34	1.50	-
2472MHz	Pass	PK	2.496G	59.22	74.00	-14.78	33.65	3	Vertical	34	1.50	-
2472MHz	Pass	AV	2.4738G	95.89	Inf	-Inf	33.67	3	Horizontal	185	1.50	-
2472MHz	Pass	AV	2.4866G	53.58	54.00	-0.42	33.66	3	Horizontal	185	1.50	-
2472MHz	Pass	PK	2.4728G	98.23	Inf	-Inf	33.67	3	Horizontal	185	1.50	-
2472MHz	Pass	PK	2.487G	62.17	74.00	-11.83	33.66	3	Horizontal	185	1.50	-
2472MHz	Pass	AV	4.94511G	35.55	54.00	-18.45	10.26	3	Vertical	41	1.77	-
2472MHz	Pass	PK	4.94399G	49.06	74.00	-24.94	10.27	3	Vertical	41	1.77	-
2472MHz	Pass	AV	4.94159G	35.53	54.00	-18.47	10.27	3	Horizontal	329	1.07	-
2472MHz	Pass	PK	4.9451G	48.92	74.00	-25.08	10.26	3	Horizontal	329	1.07	-
802.11g_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.45	54.00	-6.55	33.75	3	Vertical	190	2.94	-
2412MHz	Pass	AV	2.41G	95.23	Inf	-Inf	33.71	3	Vertical	190	2.94	-
2412MHz	Pass	PK	2.3724G	63.40	74.00	-10.60	33.83	3	Vertical	190	2.94	-
2412MHz	Pass	PK	2.4078G	105.15	Inf	-Inf	33.71	3	Vertical	190	2.94	-
2412MHz	Pass	AV	2.3898G	49.52	54.00	-4.48	33.75	3	Horizontal	202	1.00	-
2412MHz	Pass	AV	2.4142G	100.18	Inf	-Inf	33.71	3	Horizontal	202	1.00	-
2412MHz	Pass	PK	2.3896G	64.54	74.00	-9.46	33.75	3	Horizontal	202	1.00	-
2412MHz	Pass	PK	2.4154G	109.53	Inf	-Inf	33.70	3	Horizontal	202	1.00	-
2412MHz	Pass	AV	4.8297G	32.24	54.00	-21.76	1.72	3	Vertical	58	1.23	-
2412MHz	Pass	PK	4.83078G	44.45	74.00	-29.55	1.73	3	Vertical	58	1.23	-
2412MHz	Pass	AV	4.82574G	32.35	54.00	-21.65	1.72	3	Horizontal	207	2.21	-
2412MHz	Pass	PK	4.81044G	44.09	74.00	-29.91	1.69	3	Horizontal	207	2.21	-
2417MHz	Pass	AV	2.3868G	46.74	54.00	-7.26	33.76	3	Vertical	187	2.97	-
2417MHz	Pass	AV	2.4188G	96.57	Inf	-Inf	33.70	3	Vertical	187	2.97	-
2417MHz	Pass	PK	2.3846G	59.11	74.00	-14.89	33.77	3	Vertical	187	2.97	-
2417MHz	Pass	PK	2.4132G	105.70	Inf	-Inf	33.71	3	Vertical	187	2.97	-
2417MHz	Pass	AV	2.3896G	47.72	54.00	-6.28	33.75	3	Horizontal	201	1.00	-
2417MHz	Pass	AV	2.4142G	100.40	Inf	-Inf	33.71	3	Horizontal	201	1.00	-
2417MHz	Pass	PK	2.3894G	60.42	74.00	-13.58	33.75	3	Horizontal	201	1.00	-
2417MHz	Pass	PK	2.4204G	110.11	Inf	-Inf	33.70	3	Horizontal	201	1.00	-
2437MHz	Pass	AV	2.361G	46.03	54.00	-7.97	33.88	3	Vertical	69	2.89	-
2437MHz	Pass	AV	2.435G	96.30	Inf	-Inf	33.70	3	Vertical	69	2.89	-
2437MHz	Pass	AV	2.4918G	46.09	54.00	-7.91	33.66	3	Vertical	69	2.89	-
2437MHz	Pass	PK	2.339G	58.48	74.00	-15.52	33.96	3	Vertical	69	2.89	-
2437MHz	Pass	PK	2.4346G	106.04	Inf	-Inf	33.70	3	Vertical	69	2.89	-
2437MHz	Pass	PK	2.4882G	58.06	74.00	-15.94	33.66	3	Vertical	69	2.89	-
2437MHz	Pass	AV	2.3894G	48.06	54.00	-5.94	33.75	3	Horizontal	202	1.04	-
2437MHz	Pass	AV	2.4342G	102.09	Inf	-Inf	33.70	3	Horizontal	202	1.04	-
2437MHz	Pass	AV	2.4846G	46.87	54.00	-7.13	33.67	3	Horizontal	202	1.04	-
2437MHz	Pass	PK	2.3882G	60.64	74.00	-13.36	33.76	3	Horizontal	202	1.04	-
2437MHz	Pass	PK	2.4406G	111.50	Inf	-Inf	33.69	3	Horizontal	202	1.04	-
2437MHz	Pass	PK	2.4882G	58.81	74.00	-15.19	33.66	3	Horizontal	202	1.04	-

Remark :

Page No. : F5 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.8797G	32.26	54.00	-21.74	1.81	3	Vertical	314	2.02	-
2437MHz	Pass	PK	4.87796G	49.05	74.00	-24.95	1.81	3	Vertical	314	2.02	-
2437MHz	Pass	AV	4.88024G	32.33	54.00	-21.67	1.81	3	Horizontal	121	1.68	-
2437MHz	Pass	PK	4.87754G	49.89	74.00	-24.11	1.81	3	Horizontal	121	1.68	-
2457MHz	Pass	AV	2.4534G	97.33	Inf	-Inf	33.68	3	Vertical	187	2.87	-
2457MHz	Pass	AV	2.4856G	47.01	54.00	-6.99	33.66	3	Vertical	187	2.87	-
2457MHz	Pass	PK	2.4608G	106.55	Inf	-Inf	33.68	3	Vertical	187	2.87	-
2457MHz	Pass	PK	2.4866G	59.08	74.00	-14.92	33.66	3	Vertical	187	2.87	-
2457MHz	Pass	AV	2.4554G	100.79	Inf	-Inf	33.68	3	Horizontal	203	1.50	-
2457MHz	Pass	AV	2.484G	48.52	54.00	-5.48	33.67	3	Horizontal	203	1.50	-
2457MHz	Pass	PK	2.4526G	110.26	Inf	-Inf	33.68	3	Horizontal	203	1.50	-
2457MHz	Pass	PK	2.4856G	62.25	74.00	-11.75	33.66	3	Horizontal	203	1.50	-
2462MHz	Pass	AV	2.4604G	88.29	Inf	-Inf	33.68	3	Vertical	95	1.00	-
2462MHz	Pass	AV	2.487G	47.65	54.00	-6.35	33.66	3	Vertical	95	1.00	-
2462MHz	Pass	PK	2.4584G	97.64	Inf	-Inf	33.68	3	Vertical	95	1.00	-
2462MHz	Pass	PK	2.4854G	58.35	74.00	-15.65	33.66	3	Vertical	95	1.00	-
2462MHz	Pass	AV	2.4586G	98.76	Inf	-Inf	33.68	3	Horizontal	200	1.50	-
2462MHz	Pass	AV	2.484G	47.99	54.00	-6.01	33.67	3	Horizontal	200	1.50	-
2462MHz	Pass	PK	2.4574G	108.13	Inf	-Inf	33.68	3	Horizontal	200	1.50	-
2462MHz	Pass	PK	2.4858G	60.59	74.00	-13.41	33.66	3	Horizontal	200	1.50	-
2462MHz	Pass	AV	4.93672G	32.53	54.00	-21.47	1.94	3	Vertical	217	2.11	-
2462MHz	Pass	PK	4.91734G	47.71	74.00	-26.29	1.89	3	Vertical	217	2.11	-
2462MHz	Pass	AV	4.93432G	32.34	54.00	-21.66	1.94	3	Horizontal	40	2.31	-
2462MHz	Pass	PK	4.92748G	46.91	74.00	-27.09	1.91	3	Horizontal	40	2.31	-
2467MHz	Pass	AV	2.4638G	82.73	Inf	-Inf	33.68	3	Vertical	97	1.00	-
2467MHz	Pass	AV	2.4835G	46.23	54.00	-7.77	33.67	3	Vertical	97	1.00	-
2467MHz	Pass	PK	2.4652G	92.57	Inf	-Inf	33.67	3	Vertical	97	1.00	-
2467MHz	Pass	PK	2.4856G	61.19	74.00	-12.81	33.66	3	Vertical	97	1.00	-
2467MHz	Pass	AV	2.463G	93.56	Inf	-Inf	33.68	3	Horizontal	200	1.50	-
2467MHz	Pass	AV	2.4836G	49.66	54.00	-4.34	33.67	3	Horizontal	200	1.50	-
2467MHz	Pass	PK	2.4644G	103.18	Inf	-Inf	33.68	3	Horizontal	200	1.50	-
2467MHz	Pass	PK	2.4835G	67.32	74.00	-6.68	33.67	3	Horizontal	200	1.50	-
2467MHz	Pass	AV	4.93766G	32.40	54.00	-21.60	1.95	3	Vertical	135	2.28	-
2467MHz	Pass	PK	4.94894G	44.52	74.00	-29.48	1.97	3	Vertical	135	2.28	-
2467MHz	Pass	AV	4.93814G	32.46	54.00	-21.54	1.95	3	Horizontal	280	1.07	-
2467MHz	Pass	PK	4.9412G	44.69	74.00	-29.31	1.95	3	Horizontal	280	1.07	-
2472MHz	Pass	AV	2.469G	66.98	Inf	-Inf	33.67	3	Vertical	97	1.57	-
2472MHz	Pass	AV	2.4848G	46.27	54.00	-7.73	33.67	3	Vertical	97	1.57	-
2472MHz	Pass	PK	2.4756G	76.50	Inf	-Inf	33.66	3	Vertical	97	1.57	-
2472MHz	Pass	PK	2.4946G	58.83	74.00	-15.17	33.66	3	Vertical	97	1.57	-
2472MHz	Pass	AV	2.4752G	78.24	Inf	-Inf	33.66	3	Horizontal	203	1.46	-
2472MHz	Pass	AV	2.4835G	51.44	54.00	-2.56	33.67	3	Horizontal	203	1.46	-
2472MHz	Pass	PK	2.4752G	87.32	Inf	-Inf	33.66	3	Horizontal	203	1.46	-
2472MHz	Pass	PK	2.485G	69.34	74.00	-4.66	33.67	3	Horizontal	203	1.46	-
2472MHz	Pass	AV	4.95888G	30.13	54.00	-23.87	4.02	3	Vertical	270	1.41	-
2472MHz	Pass	PK	4.95462G	43.15	74.00	-30.85	4.01	3	Vertical	270	1.41	-
2472MHz	Pass	AV	4.94616G	30.14	54.00	-23.86	3.98	3	Horizontal	276	2.33	-
2472MHz	Pass	PK	4.95006G	43.10	74.00	-30.90	4.00	3	Horizontal	276	2.33	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-

Remark :

Page No. : F6 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	AV	2.39G	48.61	54.00	-5.39	33.75	3	Vertical	34	2.01	-
2412MHz	Pass	AV	2.4144G	97.81	Inf	-Inf	33.71	3	Vertical	34	2.01	-
2412MHz	Pass	PK	2.39G	62.09	74.00	-11.91	33.75	3	Vertical	34	2.01	-
2412MHz	Pass	PK	2.4142G	106.50	Inf	-Inf	33.71	3	Vertical	34	2.01	-
2412MHz	Pass	AV	2.39G	53.53	54.00	-0.47	33.75	3	Horizontal	205	1.26	-
2412MHz	Pass	AV	2.41G	103.07	Inf	-Inf	33.71	3	Horizontal	205	1.26	-
2412MHz	Pass	PK	2.3896G	69.32	74.00	-4.68	33.75	3	Horizontal	205	1.26	-
2412MHz	Pass	PK	2.4108G	112.54	Inf	-Inf	33.71	3	Horizontal	205	1.26	-
2412MHz	Pass	AV	4.82234G	36.09	54.00	-17.91	10.23	3	Vertical	101	2.24	-
2412MHz	Pass	PK	4.82282G	48.78	74.00	-25.22	10.24	3	Vertical	101	2.24	-
2412MHz	Pass	AV	4.82192G	36.16	54.00	-17.84	10.23	3	Horizontal	193	2.47	-
2412MHz	Pass	PK	4.82226G	49.68	74.00	-24.32	10.23	3	Horizontal	193	2.47	-
2417MHz	Pass	AV	2.385G	47.07	54.00	-6.93	33.77	3	Vertical	33	1.07	-
2417MHz	Pass	AV	2.4196G	95.02	Inf	-Inf	33.70	3	Vertical	33	1.07	-
2417MHz	Pass	PK	2.3764G	59.92	74.00	-14.08	33.81	3	Vertical	33	1.07	-
2417MHz	Pass	PK	2.4184G	104.13	Inf	-Inf	33.70	3	Vertical	33	1.07	-
2417MHz	Pass	AV	2.3896G	53.95	54.00	-0.05	33.75	3	Horizontal	202	1.86	-
2417MHz	Pass	AV	2.4154G	105.49	Inf	-Inf	33.70	3	Horizontal	202	1.86	-
2417MHz	Pass	PK	2.39G	70.32	74.00	-3.68	33.75	3	Horizontal	202	1.86	-
2417MHz	Pass	PK	2.4152G	114.96	Inf	-Inf	33.70	3	Horizontal	202	1.86	-
2437MHz	Pass	AV	2.3898G	47.02	54.00	-6.98	33.75	3	Vertical	36	1.98	-
2437MHz	Pass	AV	2.4406G	100.73	Inf	-Inf	33.69	3	Vertical	36	1.98	-
2437MHz	Pass	AV	2.4874G	47.31	54.00	-6.69	33.66	3	Vertical	36	1.98	-
2437MHz	Pass	PK	2.3894G	59.13	74.00	-14.87	33.75	3	Vertical	36	1.98	-
2437MHz	Pass	PK	2.4402G	109.68	Inf	-Inf	33.69	3	Vertical	36	1.98	-
2437MHz	Pass	PK	2.4894G	59.65	74.00	-14.35	33.66	3	Vertical	36	1.98	-
2437MHz	Pass	AV	2.3886G	50.07	54.00	-3.93	33.76	3	Horizontal	207	1.50	-
2437MHz	Pass	AV	2.4346G	105.16	Inf	-Inf	33.70	3	Horizontal	207	1.50	-
2437MHz	Pass	AV	2.4835G	49.00	54.00	-5.00	33.67	3	Horizontal	207	1.50	-
2437MHz	Pass	PK	2.3866G	62.16	74.00	-11.84	33.76	3	Horizontal	207	1.50	-
2437MHz	Pass	PK	2.4338G	114.04	Inf	-Inf	33.70	3	Horizontal	207	1.50	-
2437MHz	Pass	PK	2.4838G	61.61	74.00	-12.39	33.67	3	Horizontal	207	1.50	-
2437MHz	Pass	AV	4.85966G	35.76	54.00	-18.24	10.28	3	Vertical	75	1.25	-
2437MHz	Pass	PK	4.8653G	48.78	74.00	-25.22	10.28	3	Vertical	75	1.25	-
2437MHz	Pass	AV	4.88546G	35.98	54.00	-18.02	10.30	3	Horizontal	179	1.03	-
2437MHz	Pass	PK	4.8644G	48.68	74.00	-25.32	10.28	3	Horizontal	179	1.03	-
2457MHz	Pass	AV	2.454G	100.02	Inf	-Inf	33.68	3	Vertical	55	2.89	-
2457MHz	Pass	AV	2.4868G	49.50	54.00	-4.50	33.66	3	Vertical	55	2.89	-
2457MHz	Pass	PK	2.454G	109.50	Inf	-Inf	33.68	3	Vertical	55	2.89	-
2457MHz	Pass	PK	2.4892G	64.31	74.00	-9.69	33.66	3	Vertical	55	2.89	-
2457MHz	Pass	AV	2.456G	106.11	Inf	-Inf	33.68	3	Horizontal	206	1.02	-
2457MHz	Pass	AV	2.4835G	53.95	54.00	-0.05	33.67	3	Horizontal	206	1.02	-
2457MHz	Pass	PK	2.4536G	114.99	Inf	-Inf	33.68	3	Horizontal	206	1.02	-
2457MHz	Pass	PK	2.489G	68.44	74.00	-5.56	33.66	3	Horizontal	206	1.02	-
2462MHz	Pass	AV	2.4578G	96.06	Inf	-Inf	33.68	3	Vertical	34	1.50	-
2462MHz	Pass	AV	2.4835G	48.11	54.00	-5.89	33.67	3	Vertical	34	1.50	-
2462MHz	Pass	PK	2.4584G	105.01	Inf	-Inf	33.68	3	Vertical	34	1.50	-
2462MHz	Pass	PK	2.488G	61.71	74.00	-12.29	33.66	3	Vertical	34	1.50	-
2462MHz	Pass	AV	2.4612G	101.21	Inf	-Inf	33.68	3	Horizontal	206	1.50	-

Remark :

Page No. : F7 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.4835G	53.78	54.00	-0.22	33.67	3	Horizontal	206	1.50	-
2462MHz	Pass	PK	2.4652G	110.40	Inf	-Inf	33.67	3	Horizontal	206	1.50	-
2462MHz	Pass	PK	2.4836G	69.25	74.00	-4.75	33.67	3	Horizontal	206	1.50	-
2462MHz	Pass	AV	4.92169G	35.75	54.00	-18.25	10.29	3	Vertical	278	2.20	-
2462MHz	Pass	PK	4.92649G	48.69	74.00	-25.31	10.29	3	Vertical	278	2.20	-
2462MHz	Pass	AV	4.92467G	35.84	54.00	-18.16	10.29	3	Horizontal	124	1.13	-
2462MHz	Pass	PK	4.92314G	48.69	74.00	-25.31	10.29	3	Horizontal	124	1.13	-
2467MHz	Pass	AV	2.4634G	90.91	Inf	-Inf	33.68	3	Vertical	34	1.50	-
2467MHz	Pass	AV	2.4848G	47.15	54.00	-6.85	33.67	3	Vertical	34	1.50	-
2467MHz	Pass	PK	2.4634G	99.87	Inf	-Inf	33.68	3	Vertical	34	1.50	-
2467MHz	Pass	PK	2.4866G	59.44	74.00	-14.56	33.66	3	Vertical	34	1.50	-
2467MHz	Pass	AV	2.4632G	97.36	Inf	-Inf	33.68	3	Horizontal	201	1.00	-
2467MHz	Pass	AV	2.4835G	53.33	54.00	-0.67	33.67	3	Horizontal	201	1.00	-
2467MHz	Pass	PK	2.4632G	106.74	Inf	-Inf	33.68	3	Horizontal	201	1.00	-
2467MHz	Pass	PK	2.4835G	70.37	74.00	-3.63	33.67	3	Horizontal	201	1.00	-
2467MHz	Pass	AV	4.93556G	36.10	54.00	-17.90	10.28	3	Vertical	268	1.48	-
2467MHz	Pass	PK	4.93524G	49.19	74.00	-24.81	10.28	3	Vertical	268	1.48	-
2467MHz	Pass	AV	4.93193G	36.13	54.00	-17.87	10.28	3	Horizontal	143	2.36	-
2467MHz	Pass	PK	4.93593G	48.85	74.00	-25.15	10.28	3	Horizontal	143	2.36	-
2472MHz	Pass	AV	2.4686G	73.68	Inf	-Inf	33.67	3	Vertical	35	1.50	-
2472MHz	Pass	AV	2.4835G	48.62	54.00	-5.38	33.67	3	Vertical	35	1.50	-
2472MHz	Pass	PK	2.4682G	83.08	Inf	-Inf	33.67	3	Vertical	35	1.50	-
2472MHz	Pass	PK	2.4842G	62.61	74.00	-11.39	33.67	3	Vertical	35	1.50	-
2472MHz	Pass	AV	2.4708G	80.59	Inf	-Inf	33.67	3	Horizontal	205	1.50	-
2472MHz	Pass	AV	2.4835G	53.16	54.00	-0.84	33.67	3	Horizontal	205	1.50	-
2472MHz	Pass	PK	2.47G	89.95	Inf	-Inf	33.67	3	Horizontal	205	1.50	-
2472MHz	Pass	PK	2.4836G	69.98	74.00	-4.02	33.67	3	Horizontal	205	1.50	-
2472MHz	Pass	AV	4.94157G	36.06	54.00	-17.94	10.27	3	Vertical	150	1.95	-
2472MHz	Pass	PK	4.943G	48.88	74.00	-25.12	10.26	3	Vertical	150	1.95	-
2472MHz	Pass	AV	4.94294G	36.10	54.00	-17.90	10.27	3	Horizontal	31	1.14	-
2472MHz	Pass	PK	4.94512G	48.67	74.00	-25.33	10.26	3	Horizontal	31	1.14	-
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	46.53	54.00	-7.47	33.75	3	Vertical	187	3.00	-
2412MHz	Pass	AV	2.4102G	92.66	Inf	-Inf	33.71	3	Vertical	187	3.00	-
2412MHz	Pass	PK	2.39G	61.97	74.00	-12.03	33.75	3	Vertical	187	3.00	-
2412MHz	Pass	PK	2.4088G	101.77	Inf	-Inf	33.71	3	Vertical	187	3.00	-
2412MHz	Pass	AV	2.39G	48.34	54.00	-5.66	33.75	3	Horizontal	203	1.50	-
2412MHz	Pass	AV	2.4078G	95.18	Inf	-Inf	33.71	3	Horizontal	203	1.50	-
2412MHz	Pass	PK	2.39G	60.53	74.00	-13.47	33.75	3	Horizontal	203	1.50	-
2412MHz	Pass	PK	2.4094G	105.14	Inf	-Inf	33.71	3	Horizontal	203	1.50	-
2412MHz	Pass	AV	4.82496G	32.38	54.00	-21.62	1.70	3	Vertical	262	1.84	-
2412MHz	Pass	PK	4.81206G	44.22	74.00	-29.78	1.69	3	Vertical	262	1.84	-
2412MHz	Pass	AV	4.82508G	34.57	54.00	-19.43	1.72	3	Horizontal	353	1.43	-
2412MHz	Pass	PK	4.81884G	48.48	74.00	-25.52	1.70	3	Horizontal	353	1.43	-
2417MHz	Pass	AV	2.389G	47.27	54.00	-6.73	33.75	3	Vertical	185	3.00	-
2417MHz	Pass	AV	2.419G	97.13	Inf	-Inf	33.70	3	Vertical	185	3.00	-
2417MHz	Pass	PK	2.381G	59.49	74.00	-14.51	33.79	3	Vertical	185	3.00	-
2417MHz	Pass	PK	2.4188G	106.99	Inf	-Inf	33.70	3	Vertical	185	3.00	-
2417MHz	Pass	AV	2.39G	48.69	54.00	-5.31	33.75	3	Horizontal	200	1.00	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.415G	100.58	Inf	-Inf	33.71	3	Horizontal	200	1.00	-
2417MHz	Pass	PK	2.381G	60.92	74.00	-13.08	33.79	3	Horizontal	200	1.00	-
2417MHz	Pass	PK	2.4142G	110.44	Inf	-Inf	33.71	3	Horizontal	200	1.00	-
2437MHz	Pass	AV	2.3866G	45.89	54.00	-8.11	33.76	3	Vertical	69	2.87	-
2437MHz	Pass	AV	2.4402G	95.99	Inf	-Inf	33.69	3	Vertical	69	2.87	-
2437MHz	Pass	AV	2.4862G	46.24	54.00	-7.76	33.66	3	Vertical	69	2.87	-
2437MHz	Pass	PK	2.3466G	58.15	74.00	-15.85	33.93	3	Vertical	69	2.87	-
2437MHz	Pass	PK	2.4414G	105.17	Inf	-Inf	33.69	3	Vertical	69	2.87	-
2437MHz	Pass	PK	2.489G	58.91	74.00	-15.09	33.66	3	Vertical	69	2.87	-
2437MHz	Pass	AV	2.3894G	48.56	54.00	-5.44	33.75	3	Horizontal	201	1.50	-
2437MHz	Pass	AV	2.435G	102.43	Inf	-Inf	33.70	3	Horizontal	201	1.50	-
2437MHz	Pass	AV	2.4835G	47.31	54.00	-6.69	33.67	3	Horizontal	201	1.50	-
2437MHz	Pass	PK	2.3554G	60.75	74.00	-13.25	33.90	3	Horizontal	201	1.50	-
2437MHz	Pass	PK	2.4334G	111.58	Inf	-Inf	33.70	3	Horizontal	201	1.50	-
2437MHz	Pass	PK	2.4886G	59.91	74.00	-14.09	33.66	3	Horizontal	201	1.50	-
2437MHz	Pass	AV	4.87208G	32.32	54.00	-21.68	1.79	3	Vertical	143	1.20	-
2437MHz	Pass	PK	4.86008G	44.13	74.00	-29.87	1.77	3	Vertical	143	1.20	-
2437MHz	Pass	AV	4.87346G	32.40	54.00	-21.60	1.79	3	Horizontal	320	1.78	-
2437MHz	Pass	PK	4.86824G	48.29	74.00	-25.71	1.78	3	Horizontal	320	1.78	-
2457MHz	Pass	AV	2.4556G	96.93	Inf	-Inf	33.68	3	Vertical	186	2.87	-
2457MHz	Pass	AV	2.4856G	47.65	54.00	-6.35	33.66	3	Vertical	186	2.87	-
2457MHz	Pass	PK	2.4588G	106.27	Inf	-Inf	33.68	3	Vertical	186	2.87	-
2457MHz	Pass	PK	2.487G	59.60	74.00	-14.40	33.66	3	Vertical	186	2.87	-
2457MHz	Pass	AV	2.4544G	100.60	Inf	-Inf	33.68	3	Horizontal	199	1.50	-
2457MHz	Pass	AV	2.484G	48.19	54.00	-5.81	33.67	3	Horizontal	199	1.50	-
2457MHz	Pass	PK	2.4538G	109.97	Inf	-Inf	33.68	3	Horizontal	199	1.50	-
2457MHz	Pass	PK	2.4858G	61.44	74.00	-12.56	33.66	3	Horizontal	199	1.50	-
2462MHz	Pass	AV	2.4588G	86.70	Inf	-Inf	33.68	3	Vertical	96	1.23	-
2462MHz	Pass	AV	2.4892G	45.95	54.00	-8.05	33.66	3	Vertical	96	1.23	-
2462MHz	Pass	PK	2.459G	96.20	Inf	-Inf	33.68	3	Vertical	96	1.23	-
2462MHz	Pass	PK	2.4864G	58.75	74.00	-15.25	33.66	3	Vertical	96	1.23	-
2462MHz	Pass	AV	2.4588G	95.14	Inf	-Inf	33.68	3	Horizontal	182	1.58	-
2462MHz	Pass	AV	2.4836G	47.78	54.00	-6.22	33.67	3	Horizontal	182	1.58	-
2462MHz	Pass	PK	2.4634G	104.44	Inf	-Inf	33.68	3	Horizontal	182	1.58	-
2462MHz	Pass	PK	2.4916G	59.65	74.00	-14.35	33.66	3	Horizontal	182	1.58	-
2462MHz	Pass	AV	4.92544G	32.56	54.00	-21.44	1.91	3	Vertical	155	1.63	-
2462MHz	Pass	PK	4.9189G	45.99	74.00	-28.01	1.90	3	Vertical	155	1.63	-
2462MHz	Pass	AV	4.936G	32.26	54.00	-21.74	1.94	3	Horizontal	67	2.36	-
2462MHz	Pass	PK	4.91944G	45.30	74.00	-28.70	1.90	3	Horizontal	67	2.36	-
2467MHz	Pass	AV	2.4648G	84.90	Inf	-Inf	33.68	3	Vertical	96	1.22	-
2467MHz	Pass	AV	2.4835G	46.56	54.00	-7.44	33.67	3	Vertical	96	1.22	-
2467MHz	Pass	PK	2.4642G	94.46	Inf	-Inf	33.68	3	Vertical	96	1.22	-
2467MHz	Pass	PK	2.4874G	57.90	74.00	-16.10	33.66	3	Vertical	96	1.22	-
2467MHz	Pass	AV	2.4644G	94.75	Inf	-Inf	33.68	3	Horizontal	200	1.49	-
2467MHz	Pass	AV	2.4835G	51.46	54.00	-2.54	33.67	3	Horizontal	200	1.49	-
2467MHz	Pass	PK	2.4636G	103.69	Inf	-Inf	33.68	3	Horizontal	200	1.49	-
2467MHz	Pass	PK	2.4835G	66.52	74.00	-7.48	33.67	3	Horizontal	200	1.49	-
2467MHz	Pass	AV	4.94852G	29.91	54.00	-24.09	3.99	3	Vertical	142	1.57	-
2467MHz	Pass	PK	4.93226G	42.74	74.00	-31.26	3.96	3	Vertical	142	1.57	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2467MHz	Pass	AV	4.93244G	30.16	54.00	-23.84	3.96	3	Horizontal	54	1.28	-
2467MHz	Pass	PK	4.93064G	43.46	74.00	-30.54	3.96	3	Horizontal	54	1.28	-
2472MHz	Pass	AV	2.475G	66.30	Inf	-Inf	33.66	3	Vertical	98	1.50	-
2472MHz	Pass	AV	2.4835G	46.76	54.00	-7.24	33.67	3	Vertical	98	1.50	-
2472MHz	Pass	PK	2.4702G	75.55	Inf	-Inf	33.67	3	Vertical	98	1.50	-
2472MHz	Pass	PK	2.4836G	60.17	74.00	-13.83	33.67	3	Vertical	98	1.50	-
2472MHz	Pass	AV	2.4686G	78.19	Inf	-Inf	33.67	3	Horizontal	199	1.50	-
2472MHz	Pass	AV	2.4835G	51.23	54.00	-2.77	33.67	3	Horizontal	199	1.50	-
2472MHz	Pass	PK	2.4762G	87.15	Inf	-Inf	33.66	3	Horizontal	199	1.50	-
2472MHz	Pass	PK	2.4835G	69.90	74.00	-4.10	33.67	3	Horizontal	199	1.50	-
2472MHz	Pass	AV	4.94832G	30.22	54.00	-23.78	3.99	3	Vertical	316	1.85	-
2472MHz	Pass	PK	4.94772G	43.32	74.00	-30.68	3.99	3	Vertical	316	1.85	-
2472MHz	Pass	AV	4.9428G	30.30	54.00	-23.70	3.98	3	Horizontal	209	2.14	-
2472MHz	Pass	PK	4.93512G	43.06	74.00	-30.94	3.96	3	Horizontal	209	2.14	-
802.11n HT20_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	49.23	54.00	-4.77	33.75	3	Vertical	132	2.99	-
2412MHz	Pass	AV	2.4162G	98.98	Inf	-Inf	33.70	3	Vertical	132	2.99	-
2412MHz	Pass	PK	2.3896G	63.07	74.00	-10.93	33.75	3	Vertical	132	2.99	-
2412MHz	Pass	PK	2.4146G	108.29	Inf	-Inf	33.71	3	Vertical	132	2.99	-
2412MHz	Pass	AV	2.39G	53.69	54.00	-0.31	33.75	3	Horizontal	202	1.01	-
2412MHz	Pass	AV	2.4078G	103.09	Inf	-Inf	33.71	3	Horizontal	202	1.01	-
2412MHz	Pass	PK	2.3894G	68.89	74.00	-5.11	33.75	3	Horizontal	202	1.01	-
2412MHz	Pass	PK	2.4162G	112.67	Inf	-Inf	33.70	3	Horizontal	202	1.01	-
2412MHz	Pass	AV	4.81176G	36.28	54.00	-17.72	10.23	3	Vertical	323	1.72	-
2412MHz	Pass	PK	4.82826G	48.53	74.00	-25.47	10.24	3	Vertical	323	1.72	-
2412MHz	Pass	AV	4.80918G	36.17	54.00	-17.83	10.22	3	Horizontal	183	2.04	-
2412MHz	Pass	PK	4.80972G	48.64	74.00	-25.36	10.22	3	Horizontal	183	2.04	-
2417MHz	Pass	AV	2.39G	48.98	54.00	-5.02	33.75	3	Vertical	76	2.99	-
2417MHz	Pass	AV	2.4138G	95.18	Inf	-Inf	33.71	3	Vertical	76	2.99	-
2417MHz	Pass	PK	2.388G	63.50	74.00	-10.50	33.76	3	Vertical	76	2.99	-
2417MHz	Pass	PK	2.4194G	106.28	Inf	-Inf	33.70	3	Vertical	76	2.99	-
2417MHz	Pass	AV	2.39G	53.23	54.00	-0.77	33.75	3	Horizontal	204	1.50	-
2417MHz	Pass	AV	2.4142G	104.26	Inf	-Inf	33.71	3	Horizontal	204	1.50	-
2417MHz	Pass	PK	2.3856G	68.80	74.00	-5.20	33.77	3	Horizontal	204	1.50	-
2417MHz	Pass	PK	2.4192G	114.33	Inf	-Inf	33.70	3	Horizontal	204	1.50	-
2437MHz	Pass	AV	2.3882G	49.55	54.00	-4.45	33.76	3	Vertical	182	2.87	-
2437MHz	Pass	AV	2.4342G	103.68	Inf	-Inf	33.70	3	Vertical	182	2.87	-
2437MHz	Pass	AV	2.4846G	48.59	54.00	-5.41	33.67	3	Vertical	182	2.87	-
2437MHz	Pass	PK	2.381G	61.16	74.00	-12.84	33.79	3	Vertical	182	2.87	-
2437MHz	Pass	PK	2.4322G	112.58	Inf	-Inf	33.70	3	Vertical	182	2.87	-
2437MHz	Pass	PK	2.4835G	60.32	74.00	-13.68	33.67	3	Vertical	182	2.87	-
2437MHz	Pass	AV	2.3898G	52.62	54.00	-1.38	33.75	3	Horizontal	204	1.51	-
2437MHz	Pass	AV	2.435G	107.34	Inf	-Inf	33.70	3	Horizontal	204	1.51	-
2437MHz	Pass	AV	2.4835G	51.03	54.00	-2.97	33.67	3	Horizontal	204	1.51	-
2437MHz	Pass	PK	2.3854G	64.23	74.00	-9.77	33.77	3	Horizontal	204	1.51	-
2437MHz	Pass	PK	2.4334G	116.62	Inf	-Inf	33.70	3	Horizontal	204	1.51	-
2437MHz	Pass	PK	2.4846G	63.00	74.00	-11.00	33.67	3	Horizontal	204	1.51	-
2437MHz	Pass	AV	4.8872G	35.80	54.00	-18.20	10.30	3	Vertical	292	1.50	-
2437MHz	Pass	PK	4.88174G	48.27	74.00	-25.73	10.29	3	Vertical	292	1.50	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.88426G	35.60	54.00	-18.40	10.29	3	Horizontal	191	1.50	-
2437MHz	Pass	PK	4.88288G	48.65	74.00	-25.35	10.29	3	Horizontal	191	1.50	-
2457MHz	Pass	AV	2.4586G	100.63	Inf	-Inf	33.68	3	Vertical	172	2.85	-
2457MHz	Pass	AV	2.484G	50.17	54.00	-3.83	33.67	3	Vertical	172	2.85	-
2457MHz	Pass	PK	2.4594G	110.23	Inf	-Inf	33.68	3	Vertical	172	2.85	-
2457MHz	Pass	PK	2.4848G	64.22	74.00	-9.78	33.67	3	Vertical	172	2.85	-
2457MHz	Pass	AV	2.4544G	105.03	Inf	-Inf	33.68	3	Horizontal	206	1.37	-
2457MHz	Pass	AV	2.4835G	53.74	54.00	-0.26	33.67	3	Horizontal	206	1.37	-
2457MHz	Pass	PK	2.4596G	114.52	Inf	-Inf	33.68	3	Horizontal	206	1.37	-
2457MHz	Pass	PK	2.4848G	70.06	74.00	-3.94	33.67	3	Horizontal	206	1.37	-
2462MHz	Pass	AV	2.4648G	96.28	Inf	-Inf	33.68	3	Vertical	155	1.01	-
2462MHz	Pass	AV	2.4835G	48.63	54.00	-5.37	33.67	3	Vertical	155	1.01	-
2462MHz	Pass	PK	2.4592G	106.34	Inf	-Inf	33.68	3	Vertical	155	1.01	-
2462MHz	Pass	PK	2.485G	61.01	74.00	-12.99	33.67	3	Vertical	155	1.01	-
2462MHz	Pass	AV	2.46G	102.68	Inf	-Inf	33.68	3	Horizontal	204	1.01	-
2462MHz	Pass	AV	2.4835G	53.65	54.00	-0.35	33.67	3	Horizontal	204	1.01	-
2462MHz	Pass	PK	2.459G	112.14	Inf	-Inf	33.68	3	Horizontal	204	1.01	-
2462MHz	Pass	PK	2.4848G	68.94	74.00	-5.06	33.67	3	Horizontal	204	1.01	-
2462MHz	Pass	AV	4.93894G	35.70	54.00	-18.30	10.28	3	Vertical	96	1.33	-
2462MHz	Pass	PK	4.92958G	48.30	74.00	-25.70	10.28	3	Vertical	96	1.33	-
2462MHz	Pass	AV	4.92598G	35.71	54.00	-18.29	10.28	3	Horizontal	219	1.34	-
2462MHz	Pass	PK	4.92958G	48.24	74.00	-25.76	10.28	3	Horizontal	219	1.34	-
2467MHz	Pass	AV	2.4642G	96.84	Inf	-Inf	33.68	3	Vertical	183	2.79	-
2467MHz	Pass	AV	2.4835G	53.90	54.00	-0.10	33.67	3	Vertical	183	2.79	-
2467MHz	Pass	PK	2.4652G	106.32	Inf	-Inf	33.67	3	Vertical	183	2.79	-
2467MHz	Pass	PK	2.484G	69.69	74.00	-4.31	33.67	3	Vertical	183	2.79	-
2467MHz	Pass	AV	2.464G	93.51	Inf	-Inf	33.68	3	Horizontal	14	1.49	-
2467MHz	Pass	AV	2.4835G	51.02	54.00	-2.98	33.67	3	Horizontal	14	1.49	-
2467MHz	Pass	PK	2.47G	102.61	Inf	-Inf	33.67	3	Horizontal	14	1.49	-
2467MHz	Pass	PK	2.4836G	64.51	74.00	-9.49	33.67	3	Horizontal	14	1.49	-
2467MHz	Pass	AV	4.94144G	35.64	54.00	-18.36	10.27	3	Vertical	35	2.19	-
2467MHz	Pass	PK	4.92008G	48.18	74.00	-25.82	10.29	3	Vertical	35	2.19	-
2467MHz	Pass	AV	4.94246G	35.57	54.00	-18.43	10.27	3	Horizontal	254	1.34	-
2467MHz	Pass	PK	4.92818G	48.24	74.00	-25.76	10.28	3	Horizontal	254	1.34	-
2472MHz	Pass	AV	2.4688G	76.56	Inf	-Inf	33.67	3	Vertical	151	1.01	-
2472MHz	Pass	AV	2.4835G	50.25	54.00	-3.75	33.67	3	Vertical	151	1.01	-
2472MHz	Pass	PK	2.4674G	85.99	Inf	-Inf	33.67	3	Vertical	151	1.01	-
2472MHz	Pass	PK	2.4838G	66.14	74.00	-7.86	33.67	3	Vertical	151	1.01	-
2472MHz	Pass	AV	2.4692G	81.14	Inf	-Inf	33.67	3	Horizontal	208	1.43	-
2472MHz	Pass	AV	2.4835G	53.77	54.00	-0.23	33.67	3	Horizontal	208	1.43	-
2472MHz	Pass	PK	2.4744G	91.04	Inf	-Inf	33.67	3	Horizontal	208	1.43	-
2472MHz	Pass	PK	2.4835G	71.95	74.00	-2.05	33.67	3	Horizontal	208	1.43	-
2472MHz	Pass	AV	4.95078G	35.54	54.00	-18.46	10.26	3	Vertical	183	1.46	-
2472MHz	Pass	PK	4.93464G	48.27	74.00	-25.73	10.28	3	Vertical	183	1.46	-
2472MHz	Pass	AV	4.93104G	35.73	54.00	-18.27	10.27	3	Horizontal	122	1.74	-
2472MHz	Pass	PK	4.93422G	48.34	74.00	-25.66	10.28	3	Horizontal	122	1.74	-
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.388G	48.97	54.00	-5.03	33.76	3	Vertical	182	3.00	-
2422MHz	Pass	AV	2.4112G	87.70	Inf	-Inf	33.71	3	Vertical	182	3.00	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	AV	2.4936G	46.92	54.00	-7.08	33.66	3	Vertical	182	3.00	-
2422MHz	Pass	PK	2.3884G	59.53	74.00	-14.47	33.76	3	Vertical	182	3.00	-
2422MHz	Pass	PK	2.4196G	96.85	Inf	-Inf	33.70	3	Vertical	182	3.00	-
2422MHz	Pass	PK	2.4835G	58.20	74.00	-15.80	33.67	3	Vertical	182	3.00	-
2422MHz	Pass	AV	2.39G	49.82	54.00	-4.18	33.75	3	Horizontal	202	1.10	-
2422MHz	Pass	AV	2.4108G	90.43	Inf	-Inf	33.71	3	Horizontal	202	1.10	-
2422MHz	Pass	AV	2.4984G	46.95	54.00	-7.05	33.65	3	Horizontal	202	1.10	-
2422MHz	Pass	PK	2.3896G	61.45	74.00	-12.55	33.75	3	Horizontal	202	1.10	-
2422MHz	Pass	PK	2.4112G	98.42	Inf	-Inf	33.71	3	Horizontal	202	1.10	-
2422MHz	Pass	PK	2.4904G	57.81	74.00	-16.19	33.66	3	Horizontal	202	1.10	-
2422MHz	Pass	AV	4.84952G	32.96	54.00	-21.04	1.75	3	Vertical	152	1.61	-
2422MHz	Pass	PK	4.84454G	44.30	74.00	-29.70	1.74	3	Vertical	152	1.61	-
2422MHz	Pass	AV	4.8491G	33.13	54.00	-20.87	1.75	3	Horizontal	201	2.04	-
2422MHz	Pass	PK	4.8341G	44.38	74.00	-29.62	1.73	3	Horizontal	201	2.04	-
2427MHz	Pass	AV	2.389G	47.43	54.00	-6.57	33.75	3	Vertical	185	2.95	-
2427MHz	Pass	AV	2.4218G	87.42	Inf	-Inf	33.70	3	Vertical	185	2.95	-
2427MHz	Pass	AV	2.4858G	47.06	54.00	-6.94	33.66	3	Vertical	185	2.95	-
2427MHz	Pass	PK	2.3802G	59.31	74.00	-14.69	33.79	3	Vertical	185	2.95	-
2427MHz	Pass	PK	2.419G	96.49	Inf	-Inf	33.70	3	Vertical	185	2.95	-
2427MHz	Pass	PK	2.4914G	59.27	74.00	-14.73	33.66	3	Vertical	185	2.95	-
2427MHz	Pass	AV	2.389G	48.11	54.00	-5.89	33.75	3	Horizontal	199	1.98	-
2427MHz	Pass	AV	2.4158G	90.46	Inf	-Inf	33.70	3	Horizontal	199	1.98	-
2427MHz	Pass	AV	2.4874G	46.98	54.00	-7.02	33.66	3	Horizontal	199	1.98	-
2427MHz	Pass	PK	2.3406G	59.38	74.00	-14.62	33.96	3	Horizontal	199	1.98	-
2427MHz	Pass	PK	2.417G	98.72	Inf	-Inf	33.70	3	Horizontal	199	1.98	-
2427MHz	Pass	PK	2.495G	58.69	74.00	-15.31	33.65	3	Horizontal	199	1.98	-
2437MHz	Pass	AV	2.3886G	46.91	54.00	-7.09	33.76	3	Vertical	67	2.97	-
2437MHz	Pass	AV	2.4262G	88.38	Inf	-Inf	33.69	3	Vertical	67	2.97	-
2437MHz	Pass	AV	2.4886G	46.93	54.00	-7.07	33.66	3	Vertical	67	2.97	-
2437MHz	Pass	PK	2.385G	58.10	74.00	-15.90	33.77	3	Vertical	67	2.97	-
2437MHz	Pass	PK	2.4246G	97.42	Inf	-Inf	33.70	3	Vertical	67	2.97	-
2437MHz	Pass	PK	2.4958G	58.82	74.00	-15.18	33.65	3	Vertical	67	2.97	-
2437MHz	Pass	AV	2.3894G	48.58	54.00	-5.42	33.75	3	Horizontal	198	1.03	-
2437MHz	Pass	AV	2.427G	96.13	Inf	-Inf	33.69	3	Horizontal	198	1.03	-
2437MHz	Pass	AV	2.4854G	47.55	54.00	-6.45	33.66	3	Horizontal	198	1.03	-
2437MHz	Pass	PK	2.3866G	59.49	74.00	-14.51	33.76	3	Horizontal	198	1.03	-
2437MHz	Pass	PK	2.4262G	105.43	Inf	-Inf	33.69	3	Horizontal	198	1.03	-
2437MHz	Pass	PK	2.4866G	59.41	74.00	-14.59	33.66	3	Horizontal	198	1.03	-
2437MHz	Pass	AV	4.88774G	32.91	54.00	-21.09	1.82	3	Vertical	204	2.19	-
2437MHz	Pass	PK	4.88588G	43.83	74.00	-30.17	1.82	3	Vertical	204	2.19	-
2437MHz	Pass	AV	4.8713G	33.43	54.00	-20.57	1.79	3	Horizontal	21	2.43	-
2437MHz	Pass	PK	4.87154G	44.61	74.00	-29.39	1.79	3	Horizontal	21	2.43	-
2447MHz	Pass	AV	2.3498G	46.50	54.00	-7.50	33.92	3	Vertical	158	2.16	-
2447MHz	Pass	AV	2.445G	87.95	Inf	-Inf	33.68	3	Vertical	158	2.16	-
2447MHz	Pass	AV	2.4835G	47.45	54.00	-6.55	33.67	3	Vertical	158	2.16	-
2447MHz	Pass	PK	2.3618G	58.21	74.00	-15.79	33.87	3	Vertical	158	2.16	-
2447MHz	Pass	PK	2.4374G	96.79	Inf	-Inf	33.69	3	Vertical	158	2.16	-
2447MHz	Pass	PK	2.4858G	59.01	74.00	-14.99	33.66	3	Vertical	158	2.16	-
2447MHz	Pass	AV	2.3898G	47.25	54.00	-6.75	33.75	3	Horizontal	198	1.49	-

Remark :

Page No. : F12 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	AV	2.4426G	94.03	Inf	-Inf	33.69	3	Horizontal	198	1.49	-
2447MHz	Pass	AV	2.4838G	50.09	54.00	-3.91	33.67	3	Horizontal	198	1.49	-
2447MHz	Pass	PK	2.3722G	58.94	74.00	-15.06	33.83	3	Horizontal	198	1.49	-
2447MHz	Pass	PK	2.4438G	102.70	Inf	-Inf	33.69	3	Horizontal	198	1.49	-
2447MHz	Pass	PK	2.485G	59.55	74.00	-14.45	33.67	3	Horizontal	198	1.49	-
2452MHz	Pass	AV	2.3816G	46.75	54.00	-7.25	33.78	3	Vertical	179	2.91	-
2452MHz	Pass	AV	2.4476G	89.70	Inf	-Inf	33.68	3	Vertical	179	2.91	-
2452MHz	Pass	AV	2.4844G	47.47	54.00	-6.53	33.67	3	Vertical	179	2.91	-
2452MHz	Pass	PK	2.3632G	58.56	74.00	-15.44	33.87	3	Vertical	179	2.91	-
2452MHz	Pass	PK	2.4504G	98.85	Inf	-Inf	33.68	3	Vertical	179	2.91	-
2452MHz	Pass	PK	2.4835G	59.08	74.00	-14.92	33.67	3	Vertical	179	2.91	-
2452MHz	Pass	AV	2.386G	46.82	54.00	-7.18	33.77	3	Horizontal	200	1.25	-
2452MHz	Pass	AV	2.4448G	91.85	Inf	-Inf	33.69	3	Horizontal	200	1.25	-
2452MHz	Pass	AV	2.4856G	48.28	54.00	-5.72	33.66	3	Horizontal	200	1.25	-
2452MHz	Pass	PK	2.36G	59.15	74.00	-14.85	33.88	3	Horizontal	200	1.25	-
2452MHz	Pass	PK	2.4408G	100.84	Inf	-Inf	33.69	3	Horizontal	200	1.25	-
2452MHz	Pass	PK	2.4868G	61.06	74.00	-12.94	33.66	3	Horizontal	200	1.25	-
2452MHz	Pass	AV	4.89812G	33.34	54.00	-20.66	1.84	3	Vertical	96	1.28	-
2452MHz	Pass	PK	4.90472G	44.65	74.00	-29.35	1.85	3	Vertical	96	1.28	-
2452MHz	Pass	AV	4.90178G	33.44	54.00	-20.56	1.84	3	Horizontal	160	1.01	-
2452MHz	Pass	PK	4.91612G	44.37	74.00	-29.63	1.88	3	Horizontal	160	1.01	-
2457MHz	Pass	AV	2.3722G	46.48	54.00	-7.52	33.83	3	Vertical	92	1.29	-
2457MHz	Pass	AV	2.4482G	76.63	Inf	-Inf	33.68	3	Vertical	92	1.29	-
2457MHz	Pass	AV	2.4842G	46.86	54.00	-7.14	33.67	3	Vertical	92	1.29	-
2457MHz	Pass	PK	2.3658G	58.39	74.00	-15.61	33.86	3	Vertical	92	1.29	-
2457MHz	Pass	PK	2.459G	86.19	Inf	-Inf	33.68	3	Vertical	92	1.29	-
2457MHz	Pass	PK	2.495G	58.26	74.00	-15.74	33.65	3	Vertical	92	1.29	-
2457MHz	Pass	AV	2.3658G	46.89	54.00	-7.11	33.86	3	Horizontal	198	1.42	-
2457MHz	Pass	AV	2.4466G	87.75	Inf	-Inf	33.68	3	Horizontal	198	1.42	-
2457MHz	Pass	AV	2.4835G	51.58	54.00	-2.42	33.67	3	Horizontal	198	1.42	-
2457MHz	Pass	PK	2.3646G	58.10	74.00	-15.90	33.86	3	Horizontal	198	1.42	-
2457MHz	Pass	PK	2.4462G	97.12	Inf	-Inf	33.68	3	Horizontal	198	1.42	-
2457MHz	Pass	PK	2.4835G	62.07	74.00	-11.93	33.67	3	Horizontal	198	1.42	-
2457MHz	Pass	AV	4.90464G	32.86	54.00	-21.14	1.85	3	Vertical	242	1.86	-
2457MHz	Pass	PK	4.9146G	44.71	74.00	-29.29	1.88	3	Vertical	242	1.86	-
2457MHz	Pass	AV	4.9119G	33.07	54.00	-20.93	1.87	3	Horizontal	165	1.47	-
2457MHz	Pass	PK	4.90134G	43.90	74.00	-30.10	1.84	3	Horizontal	165	1.47	-
2462MHz	Pass	AV	2.3832G	46.55	54.00	-7.45	33.78	3	Vertical	181	3.00	-
2462MHz	Pass	AV	2.4564G	76.36	Inf	-Inf	33.68	3	Vertical	181	3.00	-
2462MHz	Pass	AV	2.4835G	51.46	54.00	-2.54	33.67	3	Vertical	181	3.00	-
2462MHz	Pass	PK	2.3892G	57.43	74.00	-16.57	33.75	3	Vertical	181	3.00	-
2462MHz	Pass	PK	2.4544G	85.17	Inf	-Inf	33.68	3	Vertical	181	3.00	-
2462MHz	Pass	PK	2.4835G	61.51	74.00	-12.49	33.67	3	Vertical	181	3.00	-
2462MHz	Pass	AV	2.366G	46.92	54.00	-7.08	33.86	3	Horizontal	195	1.49	-
2462MHz	Pass	AV	2.4528G	78.47	Inf	-Inf	33.68	3	Horizontal	195	1.49	-
2462MHz	Pass	AV	2.4835G	53.82	54.00	-0.18	33.67	3	Horizontal	195	1.49	-
2462MHz	Pass	PK	2.3752G	58.00	74.00	-16.00	33.82	3	Horizontal	195	1.49	-
2462MHz	Pass	PK	2.4492G	87.28	Inf	-Inf	33.68	3	Horizontal	195	1.49	-
2462MHz	Pass	PK	2.4835G	64.34	74.00	-9.66	33.67	3	Horizontal	195	1.49	-

Remark :

Page No. : F13 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	4.92046G	30.90	54.00	-23.10	3.93	3	Vertical	31	1.21	-
2462MHz	Pass	PK	4.93072G	43.18	74.00	-30.82	3.96	3	Vertical	31	1.21	-
2462MHz	Pass	AV	4.93012G	31.01	54.00	-22.99	3.95	3	Horizontal	24	1.42	-
2462MHz	Pass	PK	4.91536G	43.03	74.00	-30.97	3.91	3	Horizontal	24	1.42	-
802.11n HT40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	49.81	54.00	-4.19	33.75	3	Vertical	46	2.98	-
2422MHz	Pass	AV	2.4156G	90.90	Inf	-Inf	33.70	3	Vertical	46	2.98	-
2422MHz	Pass	AV	2.4972G	47.50	54.00	-6.50	33.65	3	Vertical	46	2.98	-
2422MHz	Pass	PK	2.3892G	61.01	74.00	-12.99	33.75	3	Vertical	46	2.98	-
2422MHz	Pass	PK	2.4204G	99.19	Inf	-Inf	33.70	3	Vertical	46	2.98	-
2422MHz	Pass	PK	2.4928G	58.91	74.00	-15.09	33.66	3	Vertical	46	2.98	-
2422MHz	Pass	AV	2.3892G	53.91	54.00	-0.09	33.75	3	Horizontal	222	1.50	-
2422MHz	Pass	AV	2.4196G	92.94	Inf	-Inf	33.70	3	Horizontal	222	1.50	-
2422MHz	Pass	AV	2.49G	47.82	54.00	-6.18	33.66	3	Horizontal	222	1.50	-
2422MHz	Pass	PK	2.3896G	65.30	74.00	-8.70	33.75	3	Horizontal	222	1.50	-
2422MHz	Pass	PK	2.4192G	101.93	Inf	-Inf	33.70	3	Horizontal	222	1.50	-
2422MHz	Pass	PK	2.4835G	59.49	74.00	-14.51	33.67	3	Horizontal	222	1.50	-
2422MHz	Pass	AV	4.84568G	36.48	54.00	-17.52	10.25	3	Vertical	229	2.43	-
2422MHz	Pass	PK	4.83182G	48.74	74.00	-25.26	10.24	3	Vertical	229	2.43	-
2422MHz	Pass	AV	4.82972G	36.60	54.00	-17.40	10.24	3	Horizontal	201	1.37	-
2422MHz	Pass	PK	4.84802G	48.94	74.00	-25.06	10.26	3	Horizontal	201	1.37	-
2427MHz	Pass	AV	2.3446G	47.70	54.00	-6.30	33.94	3	Vertical	41	2.88	-
2427MHz	Pass	AV	2.4354G	89.84	Inf	-Inf	33.69	3	Vertical	41	2.88	-
2427MHz	Pass	AV	2.4878G	47.65	54.00	-6.35	33.66	3	Vertical	41	2.88	-
2427MHz	Pass	PK	2.3898G	59.26	74.00	-14.74	33.75	3	Vertical	41	2.88	-
2427MHz	Pass	PK	2.433G	98.57	Inf	-Inf	33.70	3	Vertical	41	2.88	-
2427MHz	Pass	PK	2.489G	58.73	74.00	-15.27	33.66	3	Vertical	41	2.88	-
2427MHz	Pass	AV	2.3894G	53.39	54.00	-0.61	33.75	3	Horizontal	208	1.50	-
2427MHz	Pass	AV	2.4246G	96.50	Inf	-Inf	33.70	3	Horizontal	208	1.50	-
2427MHz	Pass	AV	2.4926G	48.28	54.00	-5.72	33.66	3	Horizontal	208	1.50	-
2427MHz	Pass	PK	2.3898G	64.99	74.00	-9.01	33.75	3	Horizontal	208	1.50	-
2427MHz	Pass	PK	2.4198G	106.50	Inf	-Inf	33.70	3	Horizontal	208	1.50	-
2427MHz	Pass	PK	2.493G	60.15	74.00	-13.85	33.66	3	Horizontal	208	1.50	-
2437MHz	Pass	AV	2.3894G	49.73	54.00	-4.27	33.75	3	Vertical	79	2.93	-
2437MHz	Pass	AV	2.4258G	92.05	Inf	-Inf	33.69	3	Vertical	79	2.93	-
2437MHz	Pass	AV	2.4862G	49.26	54.00	-4.74	33.66	3	Vertical	79	2.93	-
2437MHz	Pass	PK	2.3854G	61.50	74.00	-12.50	33.77	3	Vertical	79	2.93	-
2437MHz	Pass	PK	2.4406G	102.94	Inf	-Inf	33.69	3	Vertical	79	2.93	-
2437MHz	Pass	PK	2.4842G	60.78	74.00	-13.22	33.67	3	Vertical	79	2.93	-
2437MHz	Pass	AV	2.3898G	53.53	54.00	-0.47	33.75	3	Horizontal	2	1.45	-
2437MHz	Pass	AV	2.4338G	96.82	Inf	-Inf	33.70	3	Horizontal	2	1.45	-
2437MHz	Pass	AV	2.4835G	49.93	54.00	-4.07	33.67	3	Horizontal	2	1.45	-
2437MHz	Pass	PK	2.389G	65.33	74.00	-8.67	33.75	3	Horizontal	2	1.45	-
2437MHz	Pass	PK	2.4406G	106.30	Inf	-Inf	33.69	3	Horizontal	2	1.45	-
2437MHz	Pass	PK	2.4838G	60.67	74.00	-13.33	33.67	3	Horizontal	2	1.45	-
2437MHz	Pass	AV	4.88444G	36.06	54.00	-17.94	10.29	3	Vertical	107	2.04	-
2437MHz	Pass	PK	4.85978G	48.38	74.00	-25.62	10.28	3	Vertical	107	2.04	-
2437MHz	Pass	AV	4.85924G	36.13	54.00	-17.87	10.27	3	Horizontal	11	1.70	-
2437MHz	Pass	PK	4.87496G	48.14	74.00	-25.86	10.29	3	Horizontal	11	1.70	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	AV	2.361G	47.32	54.00	-6.68	33.88	3	Vertical	338	2.92	-
2447MHz	Pass	AV	2.4406G	89.20	Inf	-Inf	33.69	3	Vertical	338	2.92	-
2447MHz	Pass	AV	2.487G	47.92	54.00	-6.08	33.66	3	Vertical	338	2.92	-
2447MHz	Pass	PK	2.3482G	59.10	74.00	-14.90	33.93	3	Vertical	338	2.92	-
2447MHz	Pass	PK	2.4398G	97.91	Inf	-Inf	33.69	3	Vertical	338	2.92	-
2447MHz	Pass	PK	2.4858G	59.72	74.00	-14.28	33.66	3	Vertical	338	2.92	-
2447MHz	Pass	AV	2.3882G	49.58	54.00	-4.42	33.76	3	Horizontal	195	2.86	-
2447MHz	Pass	AV	2.439G	98.74	Inf	-Inf	33.69	3	Horizontal	195	2.86	-
2447MHz	Pass	AV	2.4838G	53.55	54.00	-0.45	33.67	3	Horizontal	195	2.86	-
2447MHz	Pass	PK	2.3846G	61.80	74.00	-12.20	33.77	3	Horizontal	195	2.86	-
2447MHz	Pass	PK	2.4394G	107.29	Inf	-Inf	33.69	3	Horizontal	195	2.86	-
2447MHz	Pass	PK	2.4835G	64.89	74.00	-9.11	33.67	3	Horizontal	195	2.86	-
2452MHz	Pass	AV	2.3892G	47.03	54.00	-6.97	33.75	3	Vertical	51	2.62	-
2452MHz	Pass	AV	2.4612G	89.30	Inf	-Inf	33.68	3	Vertical	51	2.62	-
2452MHz	Pass	AV	2.484G	48.47	54.00	-5.53	33.67	3	Vertical	51	2.62	-
2452MHz	Pass	PK	2.3864G	58.66	74.00	-15.34	33.76	3	Vertical	51	2.62	-
2452MHz	Pass	PK	2.458G	98.52	Inf	-Inf	33.68	3	Vertical	51	2.62	-
2452MHz	Pass	PK	2.4835G	59.37	74.00	-14.63	33.67	3	Vertical	51	2.62	-
2452MHz	Pass	AV	2.388G	47.83	54.00	-6.17	33.76	3	Horizontal	170	1.50	-
2452MHz	Pass	AV	2.4452G	95.77	Inf	-Inf	33.68	3	Horizontal	170	1.50	-
2452MHz	Pass	AV	2.4835G	53.41	54.00	-0.59	33.67	3	Horizontal	170	1.50	-
2452MHz	Pass	PK	2.3544G	59.17	74.00	-14.83	33.90	3	Horizontal	170	1.50	-
2452MHz	Pass	PK	2.4448G	104.66	Inf	-Inf	33.69	3	Horizontal	170	1.50	-
2452MHz	Pass	PK	2.4912G	64.33	74.00	-9.67	33.66	3	Horizontal	170	1.50	-
2452MHz	Pass	AV	4.88906G	36.53	54.00	-17.47	10.30	3	Vertical	62	2.15	-
2452MHz	Pass	PK	4.91546G	48.73	74.00	-25.27	10.29	3	Vertical	62	2.15	-
2452MHz	Pass	AV	4.89686G	36.20	54.00	-17.80	10.30	3	Horizontal	279	1.43	-
2452MHz	Pass	PK	4.8968G	47.85	74.00	-26.15	10.30	3	Horizontal	279	1.43	-
2457MHz	Pass	AV	2.373G	47.30	54.00	-6.70	33.83	3	Vertical	60	2.18	-
2457MHz	Pass	AV	2.467G	80.41	Inf	-Inf	33.67	3	Vertical	60	2.18	-
2457MHz	Pass	AV	2.4838G	48.45	54.00	-5.55	33.67	3	Vertical	60	2.18	-
2457MHz	Pass	PK	2.3674G	59.17	74.00	-14.83	33.85	3	Vertical	60	2.18	-
2457MHz	Pass	PK	2.4626G	91.78	Inf	-Inf	33.68	3	Vertical	60	2.18	-
2457MHz	Pass	PK	2.4838G	58.93	74.00	-15.07	33.67	3	Vertical	60	2.18	-
2457MHz	Pass	AV	2.3666G	47.47	54.00	-6.53	33.85	3	Horizontal	205	1.50	-
2457MHz	Pass	AV	2.4642G	90.87	Inf	-Inf	33.68	3	Horizontal	205	1.50	-
2457MHz	Pass	AV	2.4835G	53.87	54.00	-0.13	33.67	3	Horizontal	205	1.50	-
2457MHz	Pass	PK	2.3794G	59.12	74.00	-14.88	33.79	3	Horizontal	205	1.50	-
2457MHz	Pass	PK	2.4458G	99.88	Inf	-Inf	33.68	3	Horizontal	205	1.50	-
2457MHz	Pass	PK	2.4835G	65.39	74.00	-8.61	33.67	3	Horizontal	205	1.50	-
2457MHz	Pass	AV	4.9008G	36.09	54.00	-17.91	10.31	3	Vertical	74	1.48	-
2457MHz	Pass	PK	4.92204G	48.48	74.00	-25.52	10.29	3	Vertical	74	1.48	-
2457MHz	Pass	AV	4.9233G	36.31	54.00	-17.69	10.29	3	Horizontal	253	2.19	-
2457MHz	Pass	PK	4.90146G	48.40	74.00	-25.60	10.31	3	Horizontal	253	2.19	-
2462MHz	Pass	AV	2.3676G	47.01	54.00	-6.99	33.85	3	Vertical	46	2.21	-
2462MHz	Pass	AV	2.4728G	69.58	Inf	-Inf	33.67	3	Vertical	46	2.21	-
2462MHz	Pass	AV	2.484G	49.63	54.00	-4.37	33.67	3	Vertical	46	2.21	-
2462MHz	Pass	PK	2.3636G	58.82	74.00	-15.18	33.87	3	Vertical	46	2.21	-
2462MHz	Pass	PK	2.4676G	80.00	Inf	-Inf	33.67	3	Vertical	46	2.21	-

Remark :

Page No. : F15 of F208

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.4835G	60.63	74.00	-13.37	33.67	3	Vertical	46	2.21	-
2462MHz	Pass	AV	2.3636G	47.09	54.00	-6.91	33.87	3	Horizontal	214	1.50	-
2462MHz	Pass	AV	2.466G	78.35	Inf	-Inf	33.67	3	Horizontal	214	1.50	-
2462MHz	Pass	AV	2.4835G	53.68	54.00	-0.32	33.67	3	Horizontal	214	1.50	-
2462MHz	Pass	PK	2.3768G	58.74	74.00	-15.26	33.81	3	Horizontal	214	1.50	-
2462MHz	Pass	PK	2.4648G	87.38	Inf	-Inf	33.68	3	Horizontal	214	1.50	-
2462MHz	Pass	PK	2.4835G	65.43	74.00	-8.57	33.67	3	Horizontal	214	1.50	-
2462MHz	Pass	AV	4.93084G	36.24	54.00	-17.76	10.27	3	Vertical	214	1.99	-
2462MHz	Pass	PK	4.9342G	47.90	74.00	-26.10	10.29	3	Vertical	214	1.99	-
2462MHz	Pass	AV	4.91884G	36.22	54.00	-17.78	10.29	3	Horizontal	215	1.17	-
2462MHz	Pass	PK	4.91074G	48.32	74.00	-25.68	10.30	3	Horizontal	215	1.17	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.81	54.00	-8.19	33.75	3	Vertical	95	1.11	-	12.06	27.64	6.11	-
AV	2.4148G	94.49	Inf	-Inf	33.71	3	Vertical	95	1.11	-	60.78	27.59	6.12	-
PK	2.3868G	58.61	74.00	-15.39	33.76	3	Vertical	95	1.11	-	24.85	27.65	6.11	-
PK	2.4112G	96.85	Inf	-Inf	33.71	3	Vertical	95	1.11	-	63.14	27.59	6.12	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	51.70	54.00	-2.30	33.75	3	Horizontal	202	1.00	-	17.95	27.64	6.11	-
AV	2.4138G	105.56	Inf	-Inf	33.71	3	Horizontal	202	1.00	-	71.85	27.59	6.12	-
PK	2.387G	60.85	74.00	-13.15	33.76	3	Horizontal	202	1.00	-	27.09	27.65	6.11	-
PK	2.4112G	109.25	Inf	-Inf	33.71	3	Horizontal	202	1.01	-	75.54	27.59	6.12	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	36.99	54.00	-17.01	5.73	3	Vertical	0	1.12	-	31.26	31.10	8.92	34.29
PK	4.82386G	52.28	74.00	-21.72	5.73	3	Vertical	0	1.12	-	46.55	31.10	8.92	34.29



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82405G	34.82	54.00	-19.18	5.73	3	Horizontal	275	3.00	-	29.09	31.10	8.92	34.29
PK	4.82398G	54.22	74.00	-19.78	5.73	3	Horizontal	275	3.00	-	48.49	31.10	8.92	34.29

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3794G	47.75	54.00	-6.25	33.79	3	Vertical	189	3.00	-	13.96	27.68	6.11	-
AV	2.4188G	100.69	Inf	-Inf	33.70	3	Vertical	189	3.00	-	66.99	27.58	6.12	-
PK	2.3866G	59.71	74.00	-14.29	33.76	3	Vertical	189	3.00	-	25.95	27.65	6.11	-
PK	2.4162G	103.60	Inf	-Inf	33.70	3	Vertical	189	3.00	-	69.90	27.58	6.12	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3794G	50.17	54.00	-3.83	33.79	3	Horizontal	201	1.00	-	16.38	27.68	6.11	-
AV	2.4152G	104.74	Inf	-Inf	33.70	3	Horizontal	201	1.00	-	71.04	27.58	6.12	-
PK	2.3728G	59.63	74.00	-14.37	33.83	3	Horizontal	201	1.00	-	25.80	27.71	6.12	-
PK	2.4162G	107.78	Inf	-Inf	33.70	3	Horizontal	201	1.00	-	74.08	27.58	6.12	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3802G	46.34	54.00	-7.66	33.79	3	Vertical	69	2.88	-	12.55	27.68	6.11	-
AV	2.4354G	101.18	Inf	-Inf	33.69	3	Vertical	69	2.88	-	67.49	27.56	6.13	-
AV	2.4914G	45.66	54.00	-8.34	33.66	3	Vertical	69	2.88	-	12.00	27.51	6.15	-
PK	2.389G	58.17	74.00	-15.83	33.75	3	Vertical	69	2.88	-	24.42	27.64	6.11	-
PK	2.4362G	103.72	Inf	-Inf	33.69	3	Vertical	69	2.88	-	70.03	27.56	6.13	-
PK	2.4846G	58.05	74.00	-15.95	33.67	3	Vertical	69	2.88	-	24.38	27.52	6.15	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3686G	48.97	54.00	-5.03	33.85	3	Horizontal	203	1.35	-	15.12	27.73	6.12	-
AV	2.4362G	107.54	Inf	-Inf	33.69	3	Horizontal	203	1.35	-	73.85	27.56	6.13	-
AV	2.4838G	47.76	54.00	-6.24	33.67	3	Horizontal	203	1.35	-	14.09	27.52	6.15	-
PK	2.3802G	60.61	74.00	-13.39	33.79	3	Horizontal	203	1.35	-	26.82	27.68	6.11	-
PK	2.4362G	111.86	Inf	-Inf	33.69	3	Horizontal	203	1.35	-	78.17	27.56	6.13	-
PK	2.4962G	59.52	74.00	-14.48	33.65	3	Horizontal	203	1.35	-	25.87	27.50	6.15	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87398G	41.12	54.00	-12.88	5.78	3	Vertical	3	1.50	-	35.34	31.10	8.96	34.28
PK	4.87392G	50.97	74.00	-23.03	5.78	3	Vertical	3	1.50	-	45.19	31.10	8.96	34.28



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87393G	42.15	54.00	-11.85	5.78	3	Horizontal	256	2.89	-	36.37	31.10	8.96	34.28
PK	4.87382G	55.22	74.00	-18.78	5.78	3	Horizontal	256	2.89	-	49.44	31.10	8.96	34.28

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	101.08	Inf	-Inf	33.68	3	Vertical	185	3.00	-	67.40	27.54	6.14	-
AV	2.4906G	45.98	54.00	-8.02	33.66	3	Vertical	185	3.00	-	12.32	27.51	6.15	-
PK	2.4562G	104.02	Inf	-Inf	33.68	3	Vertical	185	3.00	-	70.34	27.54	6.14	-
PK	2.4966G	59.03	74.00	-14.97	33.65	3	Vertical	185	3.00	-	25.38	27.50	6.15	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	104.06	Inf	-Inf	33.68	3	Horizontal	200	1.00	-	70.38	27.54	6.14	-
AV	2.4866G	47.14	54.00	-6.86	33.66	3	Horizontal	200	1.00	-	13.48	27.51	6.15	-
PK	2.4578G	106.55	Inf	-Inf	33.68	3	Horizontal	200	1.00	-	72.87	27.54	6.14	-
PK	2.4835G	59.29	74.00	-14.71	33.67	3	Horizontal	200	1.00	-	25.62	27.52	6.15	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	93.68	Inf	-Inf	33.68	3	Vertical	96	1.00	-	60.00	27.54	6.14	-
AV	2.4836G	45.61	54.00	-8.39	33.67	3	Vertical	96	1.00	-	11.94	27.52	6.15	-
PK	2.4612G	96.04	Inf	-Inf	33.68	3	Vertical	96	1.00	-	62.36	27.54	6.14	-
PK	2.494G	58.70	74.00	-15.30	33.66	3	Vertical	96	1.00	-	25.04	27.51	6.15	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	103.92	Inf	-Inf	33.68	3	Horizontal	201	1.19	-	70.24	27.54	6.14	-
AV	2.4835G	49.29	54.00	-4.71	33.67	3	Horizontal	201	1.19	-	15.62	27.52	6.15	-
PK	2.4612G	105.92	Inf	-Inf	33.68	3	Horizontal	201	1.19	-	72.24	27.54	6.14	-
PK	2.4856G	60.35	74.00	-13.65	33.66	3	Horizontal	201	1.19	-	26.69	27.51	6.15	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92399G	40.49	54.00	-13.51	5.98	3	Vertical	287	1.00	-	34.51	31.20	9.00	34.22
PK	4.92404G	49.85	74.00	-24.15	5.98	3	Vertical	287	1.00	-	43.87	31.20	9.00	34.22



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	38.39	54.00	-15.61	5.98	3	Horizontal	256	1.40	-	32.41	31.20	9.00	34.22
PK	4.92394G	50.85	74.00	-23.15	5.98	3	Horizontal	256	1.40	-	44.87	31.20	9.00	34.22

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	88.37	Inf	-Inf	33.67	3	Vertical	96	1.03	-	54.70	27.53	6.14	-
AV	2.4835G	45.47	54.00	-8.53	33.67	3	Vertical	96	1.03	-	11.80	27.52	6.15	-
PK	2.4662G	90.79	Inf	-Inf	33.67	3	Vertical	96	1.03	-	57.12	27.53	6.14	-
PK	2.4836G	58.40	74.00	-15.60	33.67	3	Vertical	96	1.03	-	24.73	27.52	6.15	-

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	99.04	Inf	-Inf	33.67	3	Horizontal	200	1.03	-	65.37	27.53	6.14	-
AV	2.4835G	50.42	54.00	-3.58	33.67	3	Horizontal	200	1.03	-	16.75	27.52	6.15	-
PK	2.4662G	101.52	Inf	-Inf	33.67	3	Horizontal	200	1.03	-	67.85	27.53	6.14	-
PK	2.4972G	58.64	74.00	-15.36	33.65	3	Horizontal	200	1.03	-	24.99	27.50	6.15	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

21/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93396G	35.60	54.00	-18.40	6.03	3	Vertical	235	1.14	-	29.57	31.24	9.00	34.21
PK	4.9341G	46.59	74.00	-27.41	6.03	3	Vertical	235	1.14	-	40.56	31.24	9.00	34.21

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

21/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93394G	37.02	54.00	-16.98	6.03	3	Horizontal	299	1.00	-	30.99	31.24	9.00	34.21
PK	4.93394G	46.99	74.00	-27.01	6.03	3	Horizontal	299	1.00	-	40.96	31.24	9.00	34.21

802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4702G	86.36	Inf	-Inf	33.67	3	Vertical	70	2.85	-	52.69	27.53	6.14	-
AV	2.4844G	45.51	54.00	-8.49	33.67	3	Vertical	70	2.85	-	11.84	27.52	6.15	-
PK	2.4692G	89.41	Inf	-Inf	33.67	3	Vertical	70	2.85	-	55.74	27.53	6.14	-
PK	2.4838G	58.35	74.00	-15.65	33.67	3	Vertical	70	2.85	-	24.68	27.52	6.15	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4732G	92.85	Inf	-Inf	33.67	3	Horizontal	200	1.48	-	59.18	27.53	6.14	-
AV	2.4848G	47.12	54.00	-6.88	33.67	3	Horizontal	200	1.48	-	13.45	27.52	6.15	-
PK	2.4712G	95.35	Inf	-Inf	33.67	3	Horizontal	200	1.48	-	61.68	27.53	6.14	-
PK	2.4888G	58.87	74.00	-15.13	33.66	3	Horizontal	200	1.48	-	25.21	27.51	6.15	-



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9446G	34.36	54.00	-19.64	6.10	3	Vertical	82	1.50	-	28.26	31.28	9.01	34.19
PK	4.94404G	46.59	74.00	-27.41	6.10	3	Vertical	82	1.50	-	40.49	31.28	9.01	34.19



802.11b\_Nss1,(1Mbps)\_1TX(Port1)

31/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.944G	34.30	54.00	-19.70	6.10	3	Horizontal	356	2.00	-	28.20	31.28	9.01	34.19
PK	4.94262G	45.77	74.00	-28.23	6.09	3	Horizontal	356	2.00	-	39.68	31.27	9.01	34.19

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.386G	47.38	54.00	-6.62	33.77	3	Vertical	36	1.50	-	13.61	27.66	6.11	-
AV	2.4146G	100.06	Inf	-Inf	33.71	3	Vertical	36	1.50	-	66.35	27.59	6.12	-
PK	2.376G	59.62	74.00	-14.38	33.82	3	Vertical	36	1.50	-	25.80	27.70	6.12	-
PK	2.4146G	102.74	Inf	-Inf	33.71	3	Vertical	36	1.50	-	69.03	27.59	6.12	-

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3858G	53.37	54.00	-0.63	33.77	3	Horizontal	208	2.84	-	19.60	27.66	6.11	-
AV	2.4112G	107.44	Inf	-Inf	33.71	3	Horizontal	208	2.84	-	73.73	27.59	6.12	-
PK	2.386G	63.39	74.00	-10.61	33.77	3	Horizontal	208	2.84	-	29.62	27.66	6.11	-
PK	2.411G	110.15	Inf	-Inf	33.71	3	Horizontal	208	2.84	-	76.44	27.59	6.12	-



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82398G	44.93	54.00	-9.07	10.24	3	Vertical	15	1.03	-	34.69	31.10	8.92	29.78
PK	4.82413G	52.26	74.00	-21.74	10.24	3	Vertical	15	1.03	-	42.02	31.10	8.92	29.78



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	44.18	54.00	-9.82	10.24	3	Horizontal	304	1.15	-	33.94	31.10	8.92	29.78
PK	4.82376G	58.20	74.00	-15.80	10.24	3	Horizontal	304	1.15	-	47.96	31.10	8.92	29.78

802.11b\_Nss1,(1Mbps)\_2TX

14/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.74	54.00	-6.26	33.75	3	Vertical	58	2.94	-	13.99	27.64	6.11	-
AV	2.4142G	100.59	Inf	-Inf	33.71	3	Vertical	58	2.94	-	66.88	27.59	6.12	-
PK	2.3832G	59.82	74.00	-14.18	33.78	3	Vertical	58	2.94	-	26.04	27.67	6.11	-
PK	2.4142G	103.61	Inf	-Inf	33.71	3	Vertical	58	2.94	-	69.90	27.59	6.12	-



802.11b\_Nss1,(1Mbps)\_2TX

14/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.43	54.00	-0.57	33.75	3	Horizontal	209	1.20	-	19.68	27.64	6.11	-
AV	2.4152G	108.84	Inf	-Inf	33.70	3	Horizontal	209	1.20	-	75.14	27.58	6.12	-
PK	2.39G	63.00	74.00	-11.00	33.75	3	Horizontal	209	1.20	-	29.25	27.64	6.11	-
PK	2.416G	111.79	Inf	-Inf	33.70	3	Horizontal	209	1.20	-	78.09	27.58	6.12	-

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	46.41	54.00	-7.59	33.76	3	Vertical	37	2.25	-	12.65	27.65	6.11	-
AV	2.4398G	103.25	Inf	-Inf	33.69	3	Vertical	37	2.25	-	69.56	27.56	6.13	-
AV	2.4838G	48.51	54.00	-5.49	33.67	3	Vertical	37	2.25	-	14.84	27.52	6.15	-
PK	2.3742G	60.71	74.00	-13.29	33.82	3	Vertical	37	2.25	-	26.89	27.70	6.12	-
PK	2.4398G	105.92	Inf	-Inf	33.69	3	Vertical	37	2.25	-	72.23	27.56	6.13	-
PK	2.4966G	60.02	74.00	-13.98	33.65	3	Vertical	37	2.25	-	26.37	27.50	6.15	-

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.383G	52.60	54.00	-1.40	33.78	3	Horizontal	210	1.01	-	18.82	27.67	6.11	-
AV	2.4354G	109.00	Inf	-Inf	33.69	3	Horizontal	210	1.01	-	75.31	27.56	6.13	-
AV	2.4842G	49.83	54.00	-4.17	33.67	3	Horizontal	210	1.01	-	16.16	27.52	6.15	-
PK	2.383G	61.29	74.00	-12.71	33.78	3	Horizontal	210	1.01	-	27.51	27.67	6.11	-
PK	2.4362G	111.13	Inf	-Inf	33.69	3	Horizontal	210	1.01	-	77.44	27.56	6.13	-
PK	2.497G	60.23	74.00	-13.77	33.65	3	Horizontal	210	1.01	-	26.58	27.50	6.15	-



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	45.74	54.00	-8.26	10.29	3	Vertical	14	1.00	-	35.45	31.10	8.96	29.77
PK	4.87391G	54.28	74.00	-19.72	10.29	3	Vertical	14	1.00	-	43.99	31.10	8.96	29.77



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87395G	43.86	54.00	-10.14	10.29	3	Horizontal	300	1.01	-	33.57	31.10	8.96	29.77
PK	4.87386G	60.18	74.00	-13.82	10.29	3	Horizontal	300	1.01	-	49.89	31.10	8.96	29.77

802.11b\_Nss1,(1Mbps)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	101.08	Inf	-Inf	33.68	3	Vertical	123	1.01	-	67.40	27.54	6.14	-
AV	2.4838G	47.06	54.00	-6.94	33.67	3	Vertical	123	1.01	-	13.39	27.52	6.15	-
PK	2.4596G	103.88	Inf	-Inf	33.68	3	Vertical	123	1.01	-	70.20	27.54	6.14	-
PK	2.494G	59.69	74.00	-14.31	33.66	3	Vertical	123	1.01	-	26.03	27.51	6.15	-

802.11b\_Nss1,(1Mbps)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	107.98	Inf	-Inf	33.68	3	Horizontal	205	1.02	-	74.30	27.54	6.14	-
AV	2.4836G	53.16	54.00	-0.84	33.67	3	Horizontal	205	1.02	-	19.49	27.52	6.15	-
PK	2.4562G	110.77	Inf	-Inf	33.68	3	Horizontal	205	1.02	-	77.09	27.54	6.14	-
PK	2.4836G	64.08	74.00	-9.92	33.67	3	Horizontal	205	1.02	-	30.41	27.52	6.15	-

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4582G	98.15	Inf	-Inf	33.68	3	Vertical	34	1.50	-	64.47	27.54	6.14	-
AV	2.4835G	47.39	54.00	-6.61	33.67	3	Vertical	34	1.50	-	13.72	27.52	6.15	-
PK	2.4574G	100.31	Inf	-Inf	33.68	3	Vertical	34	1.50	-	66.63	27.54	6.14	-
PK	2.497G	59.38	74.00	-14.62	33.65	3	Vertical	34	1.50	-	25.73	27.50	6.15	-



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	106.10	Inf	-Inf	33.68	3	Horizontal	206	1.02	-	72.42	27.54	6.14	-
AV	2.4878G	53.53	54.00	-0.47	33.66	3	Horizontal	206	1.02	-	19.87	27.51	6.15	-
PK	2.4592G	108.60	Inf	-Inf	33.68	3	Horizontal	206	1.02	-	74.92	27.54	6.14	-
PK	2.488G	62.54	74.00	-11.46	33.66	3	Horizontal	206	1.02	-	28.88	27.51	6.15	-

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	45.12	54.00	-8.88	10.29	3	Vertical	280	1.39	-	34.83	31.20	9.00	29.91
PK	4.92424G	55.45	74.00	-18.55	10.29	3	Vertical	280	1.39	-	45.16	31.20	9.00	29.91



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	43.60	54.00	-10.40	10.29	3	Horizontal	113	2.07	-	33.31	31.20	9.00	29.91
PK	4.92388G	53.64	74.00	-20.36	10.29	3	Horizontal	113	2.07	-	43.35	31.20	9.00	29.91

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	93.36	Inf	-Inf	33.68	3	Vertical	35	1.30	-	59.68	27.54	6.14	-
AV	2.4835G	48.47	54.00	-5.53	33.67	3	Vertical	35	1.30	-	14.80	27.52	6.15	-
PK	2.4642G	96.27	Inf	-Inf	33.68	3	Vertical	35	1.30	-	62.59	27.54	6.14	-
PK	2.4922G	60.05	74.00	-13.95	33.66	3	Vertical	35	1.30	-	26.39	27.51	6.15	-

802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	102.28	Inf	-Inf	33.67	3	Horizontal	203	1.50	-	68.61	27.53	6.14	-
AV	2.4835G	53.61	54.00	-0.39	33.67	3	Horizontal	203	1.50	-	19.94	27.52	6.15	-
PK	2.4662G	104.12	Inf	-Inf	33.67	3	Horizontal	203	1.50	-	70.45	27.53	6.14	-
PK	2.4835G	62.63	74.00	-11.37	33.67	3	Horizontal	203	1.50	-	28.96	27.52	6.15	-



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93395G	40.82	54.00	-13.18	10.28	3	Vertical	138	1.76	-	30.54	31.24	9.00	29.96
PK	4.9359G	53.90	74.00	-20.10	10.28	3	Vertical	138	1.76	-	43.62	31.24	9.01	29.97



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9319G	38.39	54.00	-15.61	10.28	3	Horizontal	114	1.36	-	28.11	31.23	9.00	29.95
PK	4.93422G	51.93	74.00	-22.07	10.28	3	Horizontal	114	1.36	-	41.65	31.24	9.01	29.97



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4682G	87.90	Inf	-Inf	33.67	3	Vertical	34	1.50	-	54.23	27.53	6.14	-
AV	2.4868G	47.26	54.00	-6.74	33.66	3	Vertical	34	1.50	-	13.60	27.51	6.15	-
PK	2.4692G	90.39	Inf	-Inf	33.67	3	Vertical	34	1.50	-	56.72	27.53	6.14	-
PK	2.496G	59.22	74.00	-14.78	33.65	3	Vertical	34	1.50	-	25.57	27.50	6.15	-



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4738G	95.89	Inf	-Inf	33.67	3	Horizontal	185	1.50	-	62.22	27.53	6.14	-
AV	2.4866G	53.58	54.00	-0.42	33.66	3	Horizontal	185	1.50	-	19.92	27.51	6.15	-
PK	2.4728G	98.23	Inf	-Inf	33.67	3	Horizontal	185	1.50	-	64.56	27.53	6.14	-
PK	2.487G	62.17	74.00	-11.83	33.66	3	Horizontal	185	1.50	-	28.51	27.51	6.15	-



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94511G	35.55	54.00	-18.45	10.26	3	Vertical	41	1.77	-	25.29	31.28	9.01	30.03
PK	4.94399G	49.06	74.00	-24.94	10.27	3	Vertical	41	1.77	-	38.79	31.28	9.01	30.02



802.11b\_Nss1,(1Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94159G	35.53	54.00	-18.47	10.27	3	Horizontal	329	1.07	-	25.26	31.27	9.01	30.01
PK	4.9451G	48.92	74.00	-25.08	10.26	3	Horizontal	329	1.07	-	38.66	31.28	9.01	30.03

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.45	54.00	-6.55	33.75	3	Vertical	190	2.94	-	13.70	27.64	6.11	-
AV	2.41G	95.23	Inf	-Inf	33.71	3	Vertical	190	2.94	-	61.52	27.59	6.12	-
PK	2.3724G	63.40	74.00	-10.60	33.83	3	Vertical	190	2.94	-	29.57	27.71	6.12	-
PK	2.4078G	105.15	Inf	-Inf	33.71	3	Vertical	190	2.94	-	71.44	27.59	6.12	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.52	54.00	-4.48	33.75	3	Horizontal	202	1.00	-	15.77	27.64	6.11	-
AV	2.4142G	100.18	Inf	-Inf	33.71	3	Horizontal	202	1.00	-	66.47	27.59	6.12	-
PK	2.3896G	64.54	74.00	-9.46	33.75	3	Horizontal	202	1.00	-	30.79	27.64	6.11	-
PK	2.4154G	109.53	Inf	-Inf	33.70	3	Horizontal	202	1.00	-	75.83	27.58	6.12	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8297G	32.24	54.00	-21.76	1.72	3	Vertical	58	1.23	-	30.52	31.23	5.33	34.84
PK	4.83078G	44.45	74.00	-29.55	1.73	3	Vertical	58	1.23	-	42.72	31.23	5.34	34.84

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82574G	32.35	54.00	-21.65	1.72	3	Horizontal	207	2.21	-	30.63	31.23	5.33	34.84
PK	4.81044G	44.09	74.00	-29.91	1.69	3	Horizontal	207	2.21	-	42.40	31.21	5.33	34.85

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3868G	46.74	54.00	-7.26	33.76	3	Vertical	187	2.97	-	12.98	27.65	6.11	-
AV	2.4188G	96.57	Inf	-Inf	33.70	3	Vertical	187	2.97	-	62.87	27.58	6.12	-
PK	2.3846G	59.11	74.00	-14.89	33.77	3	Vertical	187	2.97	-	25.34	27.66	6.11	-
PK	2.4132G	105.70	Inf	-Inf	33.71	3	Vertical	187	2.97	-	71.99	27.59	6.12	-



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.72	54.00	-6.28	33.75	3	Horizontal	201	1.00	-	13.97	27.64	6.11	-
AV	2.4142G	100.40	Inf	-Inf	33.71	3	Horizontal	201	1.00	-	66.69	27.59	6.12	-
PK	2.3894G	60.42	74.00	-13.58	33.75	3	Horizontal	201	1.00	-	26.67	27.64	6.11	-
PK	2.4204G	110.11	Inf	-Inf	33.70	3	Horizontal	201	1.00	-	76.41	27.58	6.12	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.361G	46.03	54.00	-7.97	33.88	3	Vertical	69	2.89	-	12.15	27.76	6.12	-
AV	2.435G	96.30	Inf	-Inf	33.70	3	Vertical	69	2.89	-	62.60	27.57	6.13	-
AV	2.4918G	46.09	54.00	-7.91	33.66	3	Vertical	69	2.89	-	12.43	27.51	6.15	-
PK	2.339G	58.48	74.00	-15.52	33.96	3	Vertical	69	2.89	-	24.52	27.84	6.12	-
PK	2.4346G	106.04	Inf	-Inf	33.70	3	Vertical	69	2.89	-	72.34	27.57	6.13	-
PK	2.4882G	58.06	74.00	-15.94	33.66	3	Vertical	69	2.89	-	24.40	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.06	54.00	-5.94	33.75	3	Horizontal	202	1.04	-	14.31	27.64	6.11	-
AV	2.4342G	102.09	Inf	-Inf	33.70	3	Horizontal	202	1.04	-	68.39	27.57	6.13	-
AV	2.4846G	46.87	54.00	-7.13	33.67	3	Horizontal	202	1.04	-	13.20	27.52	6.15	-
PK	2.3882G	60.64	74.00	-13.36	33.76	3	Horizontal	202	1.04	-	26.88	27.65	6.11	-
PK	2.4406G	111.50	Inf	-Inf	33.69	3	Horizontal	202	1.04	-	77.81	27.56	6.13	-
PK	2.4882G	58.81	74.00	-15.19	33.66	3	Horizontal	202	1.04	-	25.15	27.51	6.15	-



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8797G	32.26	54.00	-21.74	1.81	3	Vertical	314	2.02	-	30.45	31.28	5.36	34.83
PK	4.87796G	49.05	74.00	-24.95	1.81	3	Vertical	314	2.02	-	47.24	31.28	5.36	34.83

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88024G	32.33	54.00	-21.67	1.81	3	Horizontal	121	1.68	-	30.52	31.28	5.36	34.83
PK	4.87754G	49.89	74.00	-24.11	1.81	3	Horizontal	121	1.68	-	48.08	31.28	5.36	34.83

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4534G	97.33	Inf	-Inf	33.68	3	Vertical	187	2.87	-	63.65	27.55	6.13	-
AV	2.4856G	47.01	54.00	-6.99	33.66	3	Vertical	187	2.87	-	13.35	27.51	6.15	-
PK	2.4608G	106.55	Inf	-Inf	33.68	3	Vertical	187	2.87	-	72.87	27.54	6.14	-
PK	2.4866G	59.08	74.00	-14.92	33.66	3	Vertical	187	2.87	-	25.42	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	100.79	Inf	-Inf	33.68	3	Horizontal	203	1.50	-	67.11	27.54	6.14	-
AV	2.484G	48.52	54.00	-5.48	33.67	3	Horizontal	203	1.50	-	14.85	27.52	6.15	-
PK	2.4526G	110.26	Inf	-Inf	33.68	3	Horizontal	203	1.50	-	76.58	27.55	6.13	-
PK	2.4856G	62.25	74.00	-11.75	33.66	3	Horizontal	203	1.50	-	28.59	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4604G	88.29	Inf	-Inf	33.68	3	Vertical	95	1.00	-	54.61	27.54	6.14	-
AV	2.487G	47.65	54.00	-6.35	33.66	3	Vertical	95	1.00	-	13.99	27.51	6.15	-
PK	2.4584G	97.64	Inf	-Inf	33.68	3	Vertical	95	1.00	-	63.96	27.54	6.14	-
PK	2.4854G	58.35	74.00	-15.65	33.66	3	Vertical	95	1.00	-	24.69	27.51	6.15	-



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	98.76	Inf	-Inf	33.68	3	Horizontal	200	1.50	-	65.08	27.54	6.14	-
AV	2.484G	47.99	54.00	-6.01	33.67	3	Horizontal	200	1.50	-	14.32	27.52	6.15	-
PK	2.4574G	108.13	Inf	-Inf	33.68	3	Horizontal	200	1.50	-	74.45	27.54	6.14	-
PK	2.4858G	60.59	74.00	-13.41	33.66	3	Horizontal	200	1.50	-	26.93	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93672G	32.53	54.00	-21.47	1.94	3	Vertical	217	2.11	-	30.59	31.37	5.39	34.82
PK	4.91734G	47.71	74.00	-26.29	1.89	3	Vertical	217	2.11	-	45.82	31.33	5.38	34.82

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93432G	32.34	54.00	-21.66	1.94	3	Horizontal	40	2.31	-	30.40	31.37	5.39	34.82
PK	4.92748G	46.91	74.00	-27.09	1.91	3	Horizontal	40	2.31	-	45.00	31.35	5.38	34.82

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	82.73	Inf	-Inf	33.68	3	Vertical	97	1.00	-	49.05	27.54	6.14	-
AV	2.4835G	46.23	54.00	-7.77	33.67	3	Vertical	97	1.00	-	12.56	27.52	6.15	-
PK	2.4652G	92.57	Inf	-Inf	33.67	3	Vertical	97	1.00	-	58.90	27.53	6.14	-
PK	2.4856G	61.19	74.00	-12.81	33.66	3	Vertical	97	1.00	-	27.53	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	93.56	Inf	-Inf	33.68	3	Horizontal	200	1.50	-	59.88	27.54	6.14	-
AV	2.4836G	49.66	54.00	-4.34	33.67	3	Horizontal	200	1.50	-	15.99	27.52	6.15	-
PK	2.4644G	103.18	Inf	-Inf	33.68	3	Horizontal	200	1.50	-	69.50	27.54	6.14	-
PK	2.4835G	67.32	74.00	-6.68	33.67	3	Horizontal	200	1.50	-	33.65	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93766G	32.40	54.00	-21.60	1.95	3	Vertical	135	2.28	-	30.45	31.38	5.39	34.82
PK	4.94894G	44.52	74.00	-29.48	1.97	3	Vertical	135	2.28	-	42.55	31.40	5.39	34.82



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

20/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93814G	32.46	54.00	-21.54	1.95	3	Horizontal	280	1.07	-	30.51	31.38	5.39	34.82
PK	4.9412G	44.69	74.00	-29.31	1.95	3	Horizontal	280	1.07	-	42.74	31.38	5.39	34.82

802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	66.98	Inf	-Inf	33.67	3	Vertical	97	1.57	-	33.31	27.53	6.14	-
AV	2.4848G	46.27	54.00	-7.73	33.67	3	Vertical	97	1.57	-	12.60	27.52	6.15	-
PK	2.4756G	76.50	Inf	-Inf	33.66	3	Vertical	97	1.57	-	42.84	27.52	6.14	-
PK	2.4946G	58.83	74.00	-15.17	33.66	3	Vertical	97	1.57	-	25.17	27.51	6.15	-



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

31/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4752G	78.24	Inf	-Inf	33.66	3	Horizontal	203	1.46	-	44.58	27.52	6.14	-
AV	2.4835G	51.44	54.00	-2.56	33.67	3	Horizontal	203	1.46	-	17.77	27.52	6.15	-
PK	2.4752G	87.32	Inf	-Inf	33.66	3	Horizontal	203	1.46	-	53.66	27.52	6.14	-
PK	2.485G	69.34	74.00	-4.66	33.67	3	Horizontal	203	1.46	-	35.67	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

21/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95888G	30.13	54.00	-23.87	4.02	3	Vertical	270	1.41	-	26.11	31.63	6.83	34.44
PK	4.95462G	43.15	74.00	-30.85	4.01	3	Vertical	270	1.41	-	39.14	31.62	6.83	34.44



802.11g\_Nss1,(6Mbps)\_1TX(Port1)

21/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94616G	30.14	54.00	-23.86	3.98	3	Horizontal	276	2.33	-	26.16	31.60	6.83	34.45
PK	4.95006G	43.10	74.00	-30.90	4.00	3	Horizontal	276	2.33	-	39.10	31.61	6.83	34.44



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.61	54.00	-5.39	33.75	3	Vertical	34	2.01	-	14.86	27.64	6.11	-
AV	2.4144G	97.81	Inf	-Inf	33.71	3	Vertical	34	2.01	-	64.10	27.59	6.12	-
PK	2.39G	62.09	74.00	-11.91	33.75	3	Vertical	34	2.01	-	28.34	27.64	6.11	-
PK	2.4142G	106.50	Inf	-Inf	33.71	3	Vertical	34	2.01	-	72.79	27.59	6.12	-

802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.53	54.00	-0.47	33.75	3	Horizontal	205	1.26	-	19.78	27.64	6.11	-
AV	2.41G	103.07	Inf	-Inf	33.71	3	Horizontal	205	1.26	-	69.36	27.59	6.12	-
PK	2.3896G	69.32	74.00	-4.68	33.75	3	Horizontal	205	1.26	-	35.57	27.64	6.11	-
PK	2.4108G	112.54	Inf	-Inf	33.71	3	Horizontal	205	1.26	-	78.83	27.59	6.12	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82234G	36.09	54.00	-17.91	10.23	3	Vertical	101	2.24	-	25.86	31.10	8.91	29.78
PK	4.82282G	48.78	74.00	-25.22	10.24	3	Vertical	101	2.24	-	38.54	31.10	8.92	29.78



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82192G	36.16	54.00	-17.84	10.23	3	Horizontal	193	2.47	-	25.93	31.10	8.91	29.78
PK	4.82226G	49.68	74.00	-24.32	10.23	3	Horizontal	193	2.47	-	39.45	31.10	8.91	29.78

802.11g\_Nss1,(6Mbps)\_2TX

14/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.385G	47.07	54.00	-6.93	33.77	3	Vertical	33	1.07	-	13.30	27.66	6.11	-
AV	2.4196G	95.02	Inf	-Inf	33.70	3	Vertical	33	1.07	-	61.32	27.58	6.12	-
PK	2.3764G	59.92	74.00	-14.08	33.81	3	Vertical	33	1.07	-	26.11	27.69	6.12	-
PK	2.4184G	104.13	Inf	-Inf	33.70	3	Vertical	33	1.07	-	70.43	27.58	6.12	-



802.11g\_Nss1,(6Mbps)\_2TX

14/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.95	54.00	-0.05	33.75	3	Horizontal	202	1.86	-	20.20	27.64	6.11	-
AV	2.4154G	105.49	Inf	-Inf	33.70	3	Horizontal	202	1.86	-	71.79	27.58	6.12	-
PK	2.39G	70.32	74.00	-3.68	33.75	3	Horizontal	202	1.86	-	36.57	27.64	6.11	-
PK	2.4152G	114.96	Inf	-Inf	33.70	3	Horizontal	202	1.86	-	81.26	27.58	6.12	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.02	54.00	-6.98	33.75	3	Vertical	36	1.98	-	13.27	27.64	6.11	-
AV	2.4406G	100.73	Inf	-Inf	33.69	3	Vertical	36	1.98	-	67.04	27.56	6.13	-
AV	2.4874G	47.31	54.00	-6.69	33.66	3	Vertical	36	1.98	-	13.65	27.51	6.15	-
PK	2.3894G	59.13	74.00	-14.87	33.75	3	Vertical	36	1.98	-	25.38	27.64	6.11	-
PK	2.4402G	109.68	Inf	-Inf	33.69	3	Vertical	36	1.98	-	75.99	27.56	6.13	-
PK	2.4894G	59.65	74.00	-14.35	33.66	3	Vertical	36	1.98	-	25.99	27.51	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	50.07	54.00	-3.93	33.76	3	Horizontal	207	1.50	-	16.31	27.65	6.11	-
AV	2.4346G	105.16	Inf	-Inf	33.70	3	Horizontal	207	1.50	-	71.46	27.57	6.13	-
AV	2.4835G	49.00	54.00	-5.00	33.67	3	Horizontal	207	1.50	-	15.33	27.52	6.15	-
PK	2.3866G	62.16	74.00	-11.84	33.76	3	Horizontal	207	1.50	-	28.40	27.65	6.11	-
PK	2.4338G	114.04	Inf	-Inf	33.70	3	Horizontal	207	1.50	-	80.34	27.57	6.13	-
PK	2.4838G	61.61	74.00	-12.39	33.67	3	Horizontal	207	1.50	-	27.94	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85966G	35.76	54.00	-18.24	10.28	3	Vertical	75	1.25	-	25.48	31.10	8.95	29.77
PK	4.8653G	48.78	74.00	-25.22	10.28	3	Vertical	75	1.25	-	38.50	31.10	8.95	29.77

802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88546G	35.98	54.00	-18.02	10.30	3	Horizontal	179	1.03	-	25.68	31.10	8.97	29.77
PK	4.8644G	48.68	74.00	-25.32	10.28	3	Horizontal	179	1.03	-	38.40	31.10	8.95	29.77

802.11g\_Nss1,(6Mbps)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	100.02	Inf	-Inf	33.68	3	Vertical	55	2.89	-	66.34	27.55	6.13	-
AV	2.4868G	49.50	54.00	-4.50	33.66	3	Vertical	55	2.89	-	15.84	27.51	6.15	-
PK	2.454G	109.50	Inf	-Inf	33.68	3	Vertical	55	2.89	-	75.82	27.55	6.13	-
PK	2.4892G	64.31	74.00	-9.69	33.66	3	Vertical	55	2.89	-	30.65	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.456G	106.11	Inf	-Inf	33.68	3	Horizontal	206	1.02	-	72.43	27.54	6.14	-
AV	2.4835G	53.95	54.00	-0.05	33.67	3	Horizontal	206	1.02	-	20.28	27.52	6.15	-
PK	2.4536G	114.99	Inf	-Inf	33.68	3	Horizontal	206	1.02	-	81.31	27.55	6.13	-
PK	2.489G	68.44	74.00	-5.56	33.66	3	Horizontal	206	1.02	-	34.78	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	96.06	Inf	-Inf	33.68	3	Vertical	34	1.50	-	62.38	27.54	6.14	-
AV	2.4835G	48.11	54.00	-5.89	33.67	3	Vertical	34	1.50	-	14.44	27.52	6.15	-
PK	2.4584G	105.01	Inf	-Inf	33.68	3	Vertical	34	1.50	-	71.33	27.54	6.14	-
PK	2.488G	61.71	74.00	-12.29	33.66	3	Vertical	34	1.50	-	28.05	27.51	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	101.21	Inf	-Inf	33.68	3	Horizontal	206	1.50	-	67.53	27.54	6.14	-
AV	2.4835G	53.78	54.00	-0.22	33.67	3	Horizontal	206	1.50	-	20.11	27.52	6.15	-
PK	2.4652G	110.40	Inf	-Inf	33.67	3	Horizontal	206	1.50	-	76.73	27.53	6.14	-
PK	2.4836G	69.25	74.00	-4.75	33.67	3	Horizontal	206	1.50	-	35.58	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92169G	35.75	54.00	-18.25	10.29	3	Vertical	278	2.20	-	25.46	31.19	8.99	29.89
PK	4.92649G	48.69	74.00	-25.31	10.29	3	Vertical	278	2.20	-	38.40	31.21	9.00	29.92



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92467G	35.84	54.00	-18.16	10.29	3	Horizontal	124	1.13	-	25.55	31.20	9.00	29.91
PK	4.92314G	48.69	74.00	-25.31	10.29	3	Horizontal	124	1.13	-	38.40	31.19	9.00	29.90

802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	90.91	Inf	-Inf	33.68	3	Vertical	34	1.50	-	57.23	27.54	6.14	-
AV	2.4848G	47.15	54.00	-6.85	33.67	3	Vertical	34	1.50	-	13.48	27.52	6.15	-
PK	2.4634G	99.87	Inf	-Inf	33.68	3	Vertical	34	1.50	-	66.19	27.54	6.14	-
PK	2.4866G	59.44	74.00	-14.56	33.66	3	Vertical	34	1.50	-	25.78	27.51	6.15	-

802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	97.36	Inf	-Inf	33.68	3	Horizontal	201	1.00	-	63.68	27.54	6.14	-
AV	2.4835G	53.33	54.00	-0.67	33.67	3	Horizontal	201	1.00	-	19.66	27.52	6.15	-
PK	2.4632G	106.74	Inf	-Inf	33.68	3	Horizontal	201	1.00	-	73.06	27.54	6.14	-
PK	2.4835G	70.37	74.00	-3.63	33.67	3	Horizontal	201	1.00	-	36.70	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93556G	36.10	54.00	-17.90	10.28	3	Vertical	268	1.48	-	25.82	31.24	9.01	29.97
PK	4.93524G	49.19	74.00	-24.81	10.28	3	Vertical	268	1.48	-	38.91	31.24	9.01	29.97



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93193G	36.13	54.00	-17.87	10.28	3	Horizontal	143	2.36	-	25.85	31.23	9.00	29.95
PK	4.93593G	48.85	74.00	-25.15	10.28	3	Horizontal	143	2.36	-	38.57	31.24	9.01	29.97

802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4686G	73.68	Inf	-Inf	33.67	3	Vertical	35	1.50	-	40.01	27.53	6.14	-
AV	2.4835G	48.62	54.00	-5.38	33.67	3	Vertical	35	1.50	-	14.95	27.52	6.15	-
PK	2.4682G	83.08	Inf	-Inf	33.67	3	Vertical	35	1.50	-	49.41	27.53	6.14	-
PK	2.4842G	62.61	74.00	-11.39	33.67	3	Vertical	35	1.50	-	28.94	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4708G	80.59	Inf	-Inf	33.67	3	Horizontal	205	1.50	-	46.92	27.53	6.14	-
AV	2.4835G	53.16	54.00	-0.84	33.67	3	Horizontal	205	1.50	-	19.49	27.52	6.15	-
PK	2.47G	89.95	Inf	-Inf	33.67	3	Horizontal	205	1.50	-	56.28	27.53	6.14	-
PK	2.4836G	69.98	74.00	-4.02	33.67	3	Horizontal	205	1.50	-	36.31	27.52	6.15	-



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94157G	36.06	54.00	-17.94	10.27	3	Vertical	150	1.95	-	25.79	31.27	9.01	30.01
PK	4.943G	48.88	74.00	-25.12	10.26	3	Vertical	150	1.95	-	38.62	31.27	9.01	30.02



802.11g\_Nss1,(6Mbps)\_2TX

13/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94294G	36.10	54.00	-17.90	10.27	3	Horizontal	31	1.14	-	25.83	31.27	9.01	30.01
PK	4.94512G	48.67	74.00	-25.33	10.26	3	Horizontal	31	1.14	-	38.41	31.28	9.01	30.03

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.53	54.00	-7.47	33.75	3	Vertical	187	3.00	-	12.78	27.64	6.11	-
AV	2.4102G	92.66	Inf	-Inf	33.71	3	Vertical	187	3.00	-	58.95	27.59	6.12	-
PK	2.39G	61.97	74.00	-12.03	33.75	3	Vertical	187	3.00	-	28.22	27.64	6.11	-
PK	2.4088G	101.77	Inf	-Inf	33.71	3	Vertical	187	3.00	-	68.06	27.59	6.12	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.34	54.00	-5.66	33.75	3	Horizontal	203	1.50	-	14.59	27.64	6.11	-
AV	2.4078G	95.18	Inf	-Inf	33.71	3	Horizontal	203	1.50	-	61.47	27.59	6.12	-
PK	2.39G	60.53	74.00	-13.47	33.75	3	Horizontal	203	1.50	-	26.78	27.64	6.11	-
PK	2.4094G	105.14	Inf	-Inf	33.71	3	Horizontal	203	1.50	-	71.43	27.59	6.12	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82496G	32.38	54.00	-21.62	1.70	3	Vertical	262	1.84	-	30.68	31.22	5.33	34.85
PK	4.81206G	44.22	74.00	-29.78	1.69	3	Vertical	262	1.84	-	42.53	31.21	5.33	34.85



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82508G	34.57	54.00	-19.43	1.72	3	Horizontal	353	1.43	-	32.85	31.23	5.33	34.84
PK	4.81884G	48.48	74.00	-25.52	1.70	3	Horizontal	353	1.43	-	46.78	31.22	5.33	34.85

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.27	54.00	-6.73	33.75	3	Vertical	185	3.00	-	13.52	27.64	6.11	-
AV	2.419G	97.13	Inf	-Inf	33.70	3	Vertical	185	3.00	-	63.43	27.58	6.12	-
PK	2.381G	59.49	74.00	-14.51	33.79	3	Vertical	185	3.00	-	25.70	27.68	6.11	-
PK	2.4188G	106.99	Inf	-Inf	33.70	3	Vertical	185	3.00	-	73.29	27.58	6.12	-



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.69	54.00	-5.31	33.75	3	Horizontal	200	1.00	-	14.94	27.64	6.11	-
AV	2.415G	100.58	Inf	-Inf	33.71	3	Horizontal	200	1.00	-	66.87	27.59	6.12	-
PK	2.381G	60.92	74.00	-13.08	33.79	3	Horizontal	200	1.00	-	27.13	27.68	6.11	-
PK	2.4142G	110.44	Inf	-Inf	33.71	3	Horizontal	200	1.00	-	76.73	27.59	6.12	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	45.89	54.00	-8.11	33.76	3	Vertical	69	2.87	-	12.13	27.65	6.11	-
AV	2.4402G	95.99	Inf	-Inf	33.69	3	Vertical	69	2.87	-	62.30	27.56	6.13	-
AV	2.4862G	46.24	54.00	-7.76	33.66	3	Vertical	69	2.87	-	12.58	27.51	6.15	-
PK	2.3466G	58.15	74.00	-15.85	33.93	3	Vertical	69	2.87	-	24.22	27.81	6.12	-
PK	2.4414G	105.17	Inf	-Inf	33.69	3	Vertical	69	2.87	-	71.48	27.56	6.13	-
PK	2.489G	58.91	74.00	-15.09	33.66	3	Vertical	69	2.87	-	25.25	27.51	6.15	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.56	54.00	-5.44	33.75	3	Horizontal	201	1.50	-	14.81	27.64	6.11	-
AV	2.435G	102.43	Inf	-Inf	33.70	3	Horizontal	201	1.50	-	68.73	27.57	6.13	-
AV	2.4835G	47.31	54.00	-6.69	33.67	3	Horizontal	201	1.50	-	13.64	27.52	6.15	-
PK	2.3554G	60.75	74.00	-13.25	33.90	3	Horizontal	201	1.50	-	26.85	27.78	6.12	-
PK	2.4334G	111.58	Inf	-Inf	33.70	3	Horizontal	201	1.50	-	77.88	27.57	6.13	-
PK	2.4886G	59.91	74.00	-14.09	33.66	3	Horizontal	201	1.50	-	26.25	27.51	6.15	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87208G	32.32	54.00	-21.68	1.79	3	Vertical	143	1.20	-	30.53	31.27	5.36	34.84
PK	4.86008G	44.13	74.00	-29.87	1.77	3	Vertical	143	1.20	-	42.36	31.26	5.35	34.84



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87346G	32.40	54.00	-21.60	1.79	3	Horizontal	320	1.78	-	30.61	31.27	5.36	34.84
PK	4.86824G	48.29	74.00	-25.71	1.78	3	Horizontal	320	1.78	-	46.51	31.27	5.35	34.84

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4556G	96.93	Inf	-Inf	33.68	3	Vertical	186	2.87	-	63.25	27.54	6.14	-
AV	2.4856G	47.65	54.00	-6.35	33.66	3	Vertical	186	2.87	-	13.99	27.51	6.15	-
PK	2.4588G	106.27	Inf	-Inf	33.68	3	Vertical	186	2.87	-	72.59	27.54	6.14	-
PK	2.487G	59.60	74.00	-14.40	33.66	3	Vertical	186	2.87	-	25.94	27.51	6.15	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	100.60	Inf	-Inf	33.68	3	Horizontal	199	1.50	-	66.92	27.55	6.13	-
AV	2.484G	48.19	54.00	-5.81	33.67	3	Horizontal	199	1.50	-	14.52	27.52	6.15	-
PK	2.4538G	109.97	Inf	-Inf	33.68	3	Horizontal	199	1.50	-	76.29	27.55	6.13	-
PK	2.4858G	61.44	74.00	-12.56	33.66	3	Horizontal	199	1.50	-	27.78	27.51	6.15	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	86.70	Inf	-Inf	33.68	3	Vertical	96	1.23	-	53.02	27.54	6.14	-
AV	2.4892G	45.95	54.00	-8.05	33.66	3	Vertical	96	1.23	-	12.29	27.51	6.15	-
PK	2.459G	96.20	Inf	-Inf	33.68	3	Vertical	96	1.23	-	62.52	27.54	6.14	-
PK	2.4864G	58.75	74.00	-15.25	33.66	3	Vertical	96	1.23	-	25.09	27.51	6.15	-



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

31/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	95.14	Inf	-Inf	33.68	3	Horizontal	182	1.58	-	61.46	27.54	6.14	-
AV	2.4836G	47.78	54.00	-6.22	33.67	3	Horizontal	182	1.58	-	14.11	27.52	6.15	-
PK	2.4634G	104.44	Inf	-Inf	33.68	3	Horizontal	182	1.58	-	70.76	27.54	6.14	-
PK	2.4916G	59.65	74.00	-14.35	33.66	3	Horizontal	182	1.58	-	25.99	27.51	6.15	-



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92544G	32.56	54.00	-21.44	1.91	3	Vertical	155	1.63	-	30.65	31.35	5.38	34.82
PK	4.9189G	45.99	74.00	-28.01	1.90	3	Vertical	155	1.63	-	44.09	31.34	5.38	34.82

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.936G	32.26	54.00	-21.74	1.94	3	Horizontal	67	2.36	-	30.32	31.37	5.39	34.82
PK	4.91944G	45.30	74.00	-28.70	1.90	3	Horizontal	67	2.36	-	43.40	31.34	5.38	34.82

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	84.90	Inf	-Inf	33.68	3	Vertical	96	1.22	-	51.22	27.54	6.14	-
AV	2.4835G	46.56	54.00	-7.44	33.67	3	Vertical	96	1.22	-	12.89	27.52	6.15	-
PK	2.4642G	94.46	Inf	-Inf	33.68	3	Vertical	96	1.22	-	60.78	27.54	6.14	-
PK	2.4874G	57.90	74.00	-16.10	33.66	3	Vertical	96	1.22	-	24.24	27.51	6.15	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	94.75	Inf	-Inf	33.68	3	Horizontal	200	1.49	-	61.07	27.54	6.14	-
AV	2.4835G	51.46	54.00	-2.54	33.67	3	Horizontal	200	1.49	-	17.79	27.52	6.15	-
PK	2.4636G	103.69	Inf	-Inf	33.68	3	Horizontal	200	1.49	-	70.01	27.54	6.14	-
PK	2.4835G	66.52	74.00	-7.48	33.67	3	Horizontal	200	1.49	-	32.85	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

21/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94852G	29.91	54.00	-24.09	3.99	3	Vertical	142	1.57	-	25.92	31.61	6.83	34.45
PK	4.93226G	42.74	74.00	-31.26	3.96	3	Vertical	142	1.57	-	38.78	31.58	6.83	34.45



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

21/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93244G	30.16	54.00	-23.84	3.96	3	Horizontal	54	1.28	-	26.20	31.58	6.83	34.45
PK	4.93064G	43.46	74.00	-30.54	3.96	3	Horizontal	54	1.28	-	39.50	31.58	6.83	34.45



802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.475G	66.30	Inf	-Inf	33.66	3	Vertical	98	1.50	-	32.64	27.52	6.14	-
AV	2.4835G	46.76	54.00	-7.24	33.67	3	Vertical	98	1.50	-	13.09	27.52	6.15	-
PK	2.4702G	75.55	Inf	-Inf	33.67	3	Vertical	98	1.50	-	41.88	27.53	6.14	-
PK	2.4836G	60.17	74.00	-13.83	33.67	3	Vertical	98	1.50	-	26.50	27.52	6.15	-






802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4686G	78.19	Inf	-Inf	33.67	3	Horizontal	199	1.50	-	44.52	27.53	6.14	-
AV	2.4835G	51.23	54.00	-2.77	33.67	3	Horizontal	199	1.50	-	17.56	27.52	6.15	-
PK	2.4762G	87.15	Inf	-Inf	33.66	3	Horizontal	199	1.50	-	53.49	27.52	6.14	-
PK	2.4835G	69.90	74.00	-4.10	33.67	3	Horizontal	199	1.50	-	36.23	27.52	6.15	-

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

21/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94832G	30.22	54.00	-23.78	3.99	3	Vertical	316	1.85	-	26.23	31.61	6.83	34.45
PK	4.94772G	43.32	74.00	-30.68	3.99	3	Vertical	316	1.85	-	39.33	31.61	6.83	34.45

802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

21/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9428G	30.30	54.00	-23.70	3.98	3	Horizontal	209	2.14	-	26.32	31.60	6.83	34.45
PK	4.93512G	43.06	74.00	-30.94	3.96	3	Horizontal	209	2.14	-	39.10	31.58	6.83	34.45

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	49.23	54.00	-4.77	33.75	3	Vertical	132	2.99	-	15.48	27.64	6.11	-
AV	2.4162G	98.98	Inf	-Inf	33.70	3	Vertical	132	2.99	-	65.28	27.58	6.12	-
PK	2.3896G	63.07	74.00	-10.93	33.75	3	Vertical	132	2.99	-	29.32	27.64	6.11	-
PK	2.4146G	108.29	Inf	-Inf	33.71	3	Vertical	132	2.99	-	74.58	27.59	6.12	-

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.69	54.00	-0.31	33.75	3	Horizontal	202	1.01	-	19.94	27.64	6.11	-
AV	2.4078G	103.09	Inf	-Inf	33.71	3	Horizontal	202	1.01	-	69.38	27.59	6.12	-
PK	2.3894G	68.89	74.00	-5.11	33.75	3	Horizontal	202	1.01	-	35.14	27.64	6.11	-
PK	2.4162G	112.67	Inf	-Inf	33.70	3	Horizontal	202	1.01	-	78.97	27.58	6.12	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81176G	36.28	54.00	-17.72	10.23	3	Vertical	323	1.72	-	26.05	31.10	8.91	29.78
PK	4.82826G	48.53	74.00	-25.47	10.24	3	Vertical	323	1.72	-	38.29	31.10	8.92	29.78

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80918G	36.17	54.00	-17.83	10.22	3	Horizontal	183	2.04	-	25.95	31.10	8.90	29.78
PK	4.80972G	48.64	74.00	-25.36	10.22	3	Horizontal	183	2.04	-	38.42	31.10	8.90	29.78

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.98	54.00	-5.02	33.75	3	Vertical	76	2.99	-	15.23	27.64	6.11	-
AV	2.4138G	95.18	Inf	-Inf	33.71	3	Vertical	76	2.99	-	61.47	27.59	6.12	-
PK	2.388G	63.50	74.00	-10.50	33.76	3	Vertical	76	2.99	-	29.74	27.65	6.11	-
PK	2.4194G	106.28	Inf	-Inf	33.70	3	Vertical	76	2.99	-	72.58	27.58	6.12	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.23	54.00	-0.77	33.75	3	Horizontal	204	1.50	-	19.48	27.64	6.11	-
AV	2.4142G	104.26	Inf	-Inf	33.71	3	Horizontal	204	1.50	-	70.55	27.59	6.12	-
PK	2.3856G	68.80	74.00	-5.20	33.77	3	Horizontal	204	1.50	-	35.03	27.66	6.11	-
PK	2.4192G	114.33	Inf	-Inf	33.70	3	Horizontal	204	1.50	-	80.63	27.58	6.12	-

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	49.55	54.00	-4.45	33.76	3	Vertical	182	2.87	-	15.79	27.65	6.11	-
AV	2.4342G	103.68	Inf	-Inf	33.70	3	Vertical	182	2.87	-	69.98	27.57	6.13	-
AV	2.4846G	48.59	54.00	-5.41	33.67	3	Vertical	182	2.87	-	14.92	27.52	6.15	-
PK	2.381G	61.16	74.00	-12.84	33.79	3	Vertical	182	2.87	-	27.37	27.68	6.11	-
PK	2.4322G	112.58	Inf	-Inf	33.70	3	Vertical	182	2.87	-	78.88	27.57	6.13	-
PK	2.4835G	60.32	74.00	-13.68	33.67	3	Vertical	182	2.87	-	26.65	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.62	54.00	-1.38	33.75	3	Horizontal	204	1.51	-	18.87	27.64	6.11	-
AV	2.435G	107.34	Inf	-Inf	33.70	3	Horizontal	204	1.51	-	73.64	27.57	6.13	-
AV	2.4835G	51.03	54.00	-2.97	33.67	3	Horizontal	204	1.51	-	17.36	27.52	6.15	-
PK	2.3854G	64.23	74.00	-9.77	33.77	3	Horizontal	204	1.51	-	30.46	27.66	6.11	-
PK	2.4334G	116.62	Inf	-Inf	33.70	3	Horizontal	204	1.51	-	82.92	27.57	6.13	-
PK	2.4846G	63.00	74.00	-11.00	33.67	3	Horizontal	204	1.51	-	29.33	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8872G	35.80	54.00	-18.20	10.30	3	Vertical	292	1.50	-	25.50	31.10	8.97	29.77
PK	4.88174G	48.27	74.00	-25.73	10.29	3	Vertical	292	1.50	-	37.98	31.10	8.96	29.77



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88426G	35.60	54.00	-18.40	10.29	3	Horizontal	191	1.50	-	25.31	31.10	8.96	29.77
PK	4.88288G	48.65	74.00	-25.35	10.29	3	Horizontal	191	1.50	-	38.36	31.10	8.96	29.77



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	100.63	Inf	-Inf	33.68	3	Vertical	172	2.85	-	66.95	27.54	6.14	-
AV	2.484G	50.17	54.00	-3.83	33.67	3	Vertical	172	2.85	-	16.50	27.52	6.15	-
PK	2.4594G	110.23	Inf	-Inf	33.68	3	Vertical	172	2.85	-	76.55	27.54	6.14	-
PK	2.4848G	64.22	74.00	-9.78	33.67	3	Vertical	172	2.85	-	30.55	27.52	6.15	-

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	105.03	Inf	-Inf	33.68	3	Horizontal	206	1.37	-	71.35	27.55	6.13	-
AV	2.4835G	53.74	54.00	-0.26	33.67	3	Horizontal	206	1.37	-	20.07	27.52	6.15	-
PK	2.4596G	114.52	Inf	-Inf	33.68	3	Horizontal	206	1.37	-	80.84	27.54	6.14	-
PK	2.4848G	70.06	74.00	-3.94	33.67	3	Horizontal	206	1.37	-	36.39	27.52	6.15	-

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	96.28	Inf	-Inf	33.68	3	Vertical	155	1.01	-	62.60	27.54	6.14	-
AV	2.4835G	48.63	54.00	-5.37	33.67	3	Vertical	155	1.01	-	14.96	27.52	6.15	-
PK	2.4592G	106.34	Inf	-Inf	33.68	3	Vertical	155	1.01	-	72.66	27.54	6.14	-
PK	2.485G	61.01	74.00	-12.99	33.67	3	Vertical	155	1.01	-	27.34	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46G	102.68	Inf	-Inf	33.68	3	Horizontal	204	1.01	-	69.00	27.54	6.14	-
AV	2.4835G	53.65	54.00	-0.35	33.67	3	Horizontal	204	1.01	-	19.98	27.52	6.15	-
PK	2.459G	112.14	Inf	-Inf	33.68	3	Horizontal	204	1.01	-	78.46	27.54	6.14	-
PK	2.4848G	68.94	74.00	-5.06	33.67	3	Horizontal	204	1.01	-	35.27	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93894G	35.70	54.00	-18.30	10.28	3	Vertical	96	1.33	-	25.42	31.26	9.01	29.99
PK	4.92958G	48.30	74.00	-25.70	10.28	3	Vertical	96	1.33	-	38.02	31.22	9.00	29.94



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92598G	35.71	54.00	-18.29	10.28	3	Horizontal	219	1.34	-	25.43	31.20	9.00	29.92
PK	4.92598G	48.24	74.00	-25.76	10.28	3	Horizontal	219	1.34	-	37.96	31.22	9.00	29.94

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	96.84	Inf	-Inf	33.68	3	Vertical	183	2.79	-	63.16	27.54	6.14	-
AV	2.4835G	53.90	54.00	-0.10	33.67	3	Vertical	183	2.79	-	20.23	27.52	6.15	-
PK	2.4652G	106.32	Inf	-Inf	33.67	3	Vertical	183	2.79	-	72.65	27.53	6.14	-
PK	2.484G	69.69	74.00	-4.31	33.67	3	Vertical	183	2.79	-	36.02	27.52	6.15	-

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	93.51	Inf	-Inf	33.68	3	Horizontal	14	1.49	-	59.83	27.54	6.14	-
AV	2.4835G	51.02	54.00	-2.98	33.67	3	Horizontal	14	1.49	-	17.35	27.52	6.15	-
PK	2.47G	102.61	Inf	-Inf	33.67	3	Horizontal	14	1.49	-	68.94	27.53	6.14	-
PK	2.4836G	64.51	74.00	-9.49	33.67	3	Horizontal	14	1.49	-	30.84	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94144G	35.64	54.00	-18.36	10.27	3	Vertical	35	2.19	-	25.37	31.27	9.01	30.01
PK	4.92008G	48.18	74.00	-25.82	10.29	3	Vertical	35	2.19	-	37.89	31.18	8.99	29.88



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94246G	35.57	54.00	-18.43	10.27	3	Horizontal	254	1.34	-	25.30	31.27	9.01	30.01
PK	4.92818G	48.24	74.00	-25.76	10.28	3	Horizontal	254	1.34	-	37.96	31.21	9.00	29.93

802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4688G	76.56	Inf	-Inf	33.67	3	Vertical	151	1.01	-	42.89	27.53	6.14	-
AV	2.4835G	50.25	54.00	-3.75	33.67	3	Vertical	151	1.01	-	16.58	27.52	6.15	-
PK	2.4674G	85.99	Inf	-Inf	33.67	3	Vertical	151	1.01	-	52.32	27.53	6.14	-
PK	2.4838G	66.14	74.00	-7.86	33.67	3	Vertical	151	1.01	-	32.47	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	81.14	Inf	-Inf	33.67	3	Horizontal	208	1.43	-	47.47	27.53	6.14	-
AV	2.4835G	53.77	54.00	-0.23	33.67	3	Horizontal	208	1.43	-	20.10	27.52	6.15	-
PK	2.4744G	91.04	Inf	-Inf	33.67	3	Horizontal	208	1.43	-	57.37	27.53	6.14	-
PK	2.4835G	71.95	74.00	-2.05	33.67	3	Horizontal	208	1.43	-	38.28	27.52	6.15	-



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95078G	35.54	54.00	-18.46	10.26	3	Vertical	183	1.46	-	25.28	31.30	9.02	30.06
PK	4.93464G	48.27	74.00	-25.73	10.28	3	Vertical	183	1.46	-	37.99	31.24	9.01	29.97



802.11n HT20\_Nss1,(MCS0)\_2TX

14/07/2019

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93104G	35.73	54.00	-18.27	10.27	3	Horizontal	122	1.74	-	25.46	31.22	9.00	29.95
PK	4.93422G	48.34	74.00	-25.66	10.28	3	Horizontal	122	1.74	-	38.06	31.24	9.01	29.97

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	48.97	54.00	-5.03	33.76	3	Vertical	182	3.00	-	15.21	27.65	6.11	-
AV	2.4112G	87.70	Inf	-Inf	33.71	3	Vertical	182	3.00	-	53.99	27.59	6.12	-
AV	2.4936G	46.92	54.00	-7.08	33.66	3	Vertical	182	3.00	-	13.26	27.51	6.15	-
PK	2.3884G	59.53	74.00	-14.47	33.76	3	Vertical	182	3.00	-	25.77	27.65	6.11	-
PK	2.4196G	96.85	Inf	-Inf	33.70	3	Vertical	182	3.00	-	63.15	27.58	6.12	-
PK	2.4835G	58.20	74.00	-15.80	33.67	3	Vertical	182	3.00	-	24.53	27.52	6.15	-



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.82	54.00	-4.18	33.75	3	Horizontal	202	1.10	-	16.07	27.64	6.11	-
AV	2.4108G	90.43	Inf	-Inf	33.71	3	Horizontal	202	1.10	-	56.72	27.59	6.12	-
AV	2.4984G	46.95	54.00	-7.05	33.65	3	Horizontal	202	1.10	-	13.30	27.50	6.15	-
PK	2.3896G	61.45	74.00	-12.55	33.75	3	Horizontal	202	1.10	-	27.70	27.64	6.11	-
PK	2.4112G	98.42	Inf	-Inf	33.71	3	Horizontal	202	1.10	-	64.71	27.59	6.12	-
PK	2.4904G	57.81	74.00	-16.19	33.66	3	Horizontal	202	1.10	-	24.15	27.51	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84952G	32.96	54.00	-21.04	1.75	3	Vertical	152	1.61	-	31.21	31.25	5.34	34.84
PK	4.84454G	44.30	74.00	-29.70	1.74	3	Vertical	152	1.61	-	42.56	31.24	5.34	34.84



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8491G	33.13	54.00	-20.87	1.75	3	Horizontal	201	2.04	-	31.38	31.25	5.34	34.84
PK	4.8341G	44.38	74.00	-29.62	1.73	3	Horizontal	201	2.04	-	42.65	31.23	5.34	34.84

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2427MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.43	54.00	-6.57	33.75	3	Vertical	185	2.95	-	13.68	27.64	6.11	-
AV	2.4218G	87.42	Inf	-Inf	33.70	3	Vertical	185	2.95	-	53.72	27.58	6.12	-
AV	2.4858G	47.06	54.00	-6.94	33.66	3	Vertical	185	2.95	-	13.40	27.51	6.15	-
PK	2.3802G	59.31	74.00	-14.69	33.79	3	Vertical	185	2.95	-	25.52	27.68	6.11	-
PK	2.419G	96.49	Inf	-Inf	33.70	3	Vertical	185	2.95	-	62.79	27.58	6.12	-
PK	2.4914G	59.27	74.00	-14.73	33.66	3	Vertical	185	2.95	-	25.61	27.51	6.15	-



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2427MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.11	54.00	-5.89	33.75	3	Horizontal	199	1.98	-	14.36	27.64	6.11	-
AV	2.4158G	90.46	Inf	-Inf	33.70	3	Horizontal	199	1.98	-	56.76	27.58	6.12	-
AV	2.4874G	46.98	54.00	-7.02	33.66	3	Horizontal	199	1.98	-	13.32	27.51	6.15	-
PK	2.3406G	59.38	74.00	-14.62	33.96	3	Horizontal	199	1.98	-	25.42	27.84	6.12	-
PK	2.417G	98.72	Inf	-Inf	33.70	3	Horizontal	199	1.98	-	65.02	27.58	6.12	-
PK	2.495G	58.69	74.00	-15.31	33.65	3	Horizontal	199	1.98	-	25.04	27.50	6.15	-



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.91	54.00	-7.09	33.76	3	Vertical	67	2.97	-	13.15	27.65	6.11	-
AV	2.4262G	88.38	Inf	-Inf	33.69	3	Vertical	67	2.97	-	54.69	27.57	6.12	-
AV	2.4886G	46.93	54.00	-7.07	33.66	3	Vertical	67	2.97	-	13.27	27.51	6.15	-
PK	2.385G	58.10	74.00	-15.90	33.77	3	Vertical	67	2.97	-	24.33	27.66	6.11	-
PK	2.4246G	97.42	Inf	-Inf	33.70	3	Vertical	67	2.97	-	63.72	27.58	6.12	-
PK	2.4958G	58.82	74.00	-15.18	33.65	3	Vertical	67	2.97	-	25.17	27.50	6.15	-



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.58	54.00	-5.42	33.75	3	Horizontal	198	1.03	-	14.83	27.64	6.11	-
AV	2.427G	96.13	Inf	-Inf	33.69	3	Horizontal	198	1.03	-	62.44	27.57	6.12	-
AV	2.4854G	47.55	54.00	-6.45	33.66	3	Horizontal	198	1.03	-	13.89	27.51	6.15	-
PK	2.3866G	59.49	74.00	-14.51	33.76	3	Horizontal	198	1.03	-	25.73	27.65	6.11	-
PK	2.4262G	105.43	Inf	-Inf	33.69	3	Horizontal	198	1.03	-	71.74	27.57	6.12	-
PK	2.4866G	59.41	74.00	-14.59	33.66	3	Horizontal	198	1.03	-	25.75	27.51	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88774G	32.91	54.00	-21.09	1.82	3	Vertical	204	2.19	-	31.09	31.29	5.36	34.83
PK	4.88588G	43.83	74.00	-30.17	1.82	3	Vertical	204	2.19	-	42.01	31.29	5.36	34.83



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8713G	33.43	54.00	-20.57	1.79	3	Horizontal	21	2.43	-	31.64	31.27	5.36	34.84
PK	4.87154G	44.61	74.00	-29.39	1.79	3	Horizontal	21	2.43	-	42.82	31.27	5.36	34.84

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2447MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3498G	46.50	54.00	-7.50	33.92	3	Vertical	158	2.16	-	12.58	27.80	6.12	-
AV	2.445G	87.95	Inf	-Inf	33.68	3	Vertical	158	2.16	-	54.27	27.55	6.13	-
AV	2.4835G	47.45	54.00	-6.55	33.67	3	Vertical	158	2.16	-	13.78	27.52	6.15	-
PK	2.3618G	58.21	74.00	-15.79	33.87	3	Vertical	158	2.16	-	24.34	27.75	6.12	-
PK	2.4374G	96.79	Inf	-Inf	33.69	3	Vertical	158	2.16	-	63.10	27.56	6.13	-
PK	2.4858G	59.01	74.00	-14.99	33.66	3	Vertical	158	2.16	-	25.35	27.51	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2447MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.25	54.00	-6.75	33.75	3	Horizontal	198	1.49	-	13.50	27.64	6.11	-
AV	2.4426G	94.03	Inf	-Inf	33.69	3	Horizontal	198	1.49	-	60.34	27.56	6.13	-
AV	2.4838G	50.09	54.00	-3.91	33.67	3	Horizontal	198	1.49	-	16.42	27.52	6.15	-
PK	2.3722G	58.94	74.00	-15.06	33.83	3	Horizontal	198	1.49	-	25.11	27.71	6.12	-
PK	2.4438G	102.70	Inf	-Inf	33.69	3	Horizontal	198	1.49	-	69.01	27.56	6.13	-
PK	2.485G	59.55	74.00	-14.45	33.67	3	Horizontal	198	1.49	-	25.88	27.52	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3816G	46.75	54.00	-7.25	33.78	3	Vertical	179	2.91	-	12.97	27.67	6.11	-
AV	2.4476G	89.70	Inf	-Inf	33.68	3	Vertical	179	2.91	-	56.02	27.55	6.13	-
AV	2.4844G	47.47	54.00	-6.53	33.67	3	Vertical	179	2.91	-	13.80	27.52	6.15	-
PK	2.3632G	58.56	74.00	-15.44	33.87	3	Vertical	179	2.91	-	24.69	27.75	6.12	-
PK	2.4504G	98.85	Inf	-Inf	33.68	3	Vertical	179	2.91	-	65.17	27.55	6.13	-
PK	2.4835G	59.08	74.00	-14.92	33.67	3	Vertical	179	2.91	-	25.41	27.52	6.15	-






802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.386G	46.82	54.00	-7.18	33.77	3	Horizontal	200	1.25	-	13.05	27.66	6.11	-
AV	2.4448G	91.85	Inf	-Inf	33.69	3	Horizontal	200	1.25	-	58.16	27.56	6.13	-
AV	2.4856G	48.28	54.00	-5.72	33.66	3	Horizontal	200	1.25	-	14.62	27.51	6.15	-
PK	2.36G	59.15	74.00	-14.85	33.88	3	Horizontal	200	1.25	-	25.27	27.76	6.12	-
PK	2.4408G	100.84	Inf	-Inf	33.69	3	Horizontal	200	1.25	-	67.15	27.56	6.13	-
PK	2.4868G	61.06	74.00	-12.94	33.66	3	Horizontal	200	1.25	-	27.40	27.51	6.15	-



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89812G	33.34	54.00	-20.66	1.84	3	Vertical	96	1.28	-	31.50	31.30	5.37	34.83
PK	4.90472G	44.65	74.00	-29.35	1.85	3	Vertical	96	1.28	-	42.80	31.31	5.37	34.83

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90178G	33.44	54.00	-20.56	1.84	3	Horizontal	160	1.01	-	31.60	31.30	5.37	34.83
PK	4.91612G	44.37	74.00	-29.63	1.88	3	Horizontal	160	1.01	-	42.49	31.33	5.38	34.83



802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3722G	46.48	54.00	-7.52	33.83	3	Vertical	92	1.29	-	12.65	27.71	6.12	-
AV	2.4482G	76.63	Inf	-Inf	33.68	3	Vertical	92	1.29	-	42.95	27.55	6.13	-
AV	2.4842G	46.86	54.00	-7.14	33.67	3	Vertical	92	1.29	-	13.19	27.52	6.15	-
PK	2.3658G	58.39	74.00	-15.61	33.86	3	Vertical	92	1.29	-	24.53	27.74	6.12	-
PK	2.459G	86.19	Inf	-Inf	33.68	3	Vertical	92	1.29	-	52.51	27.54	6.14	-
PK	2.495G	58.26	74.00	-15.74	33.65	3	Vertical	92	1.29	-	24.61	27.50	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3658G	46.89	54.00	-7.11	33.86	3	Horizontal	198	1.42	-	13.03	27.74	6.12	-
AV	2.4466G	87.75	Inf	-Inf	33.68	3	Horizontal	198	1.42	-	54.07	27.55	6.13	-
AV	2.4835G	51.58	54.00	-2.42	33.67	3	Horizontal	198	1.42	-	17.91	27.52	6.15	-
PK	2.3646G	58.10	74.00	-15.90	33.86	3	Horizontal	198	1.42	-	24.24	27.74	6.12	-
PK	2.4462G	97.12	Inf	-Inf	33.68	3	Horizontal	198	1.42	-	63.44	27.55	6.13	-
PK	2.4835G	62.07	74.00	-11.93	33.67	3	Horizontal	198	1.42	-	28.40	27.52	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90464G	32.86	54.00	-21.14	1.85	3	Vertical	242	1.86	-	31.01	31.31	5.37	34.83
PK	4.9146G	44.71	74.00	-29.29	1.88	3	Vertical	242	1.86	-	42.83	31.33	5.38	34.83

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

20/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9119G	33.07	54.00	-20.93	1.87	3	Horizontal	165	1.47	-	31.20	31.32	5.38	34.83
PK	4.90134G	43.90	74.00	-30.10	1.84	3	Horizontal	165	1.47	-	42.06	31.30	5.37	34.83

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3832G	46.55	54.00	-7.45	33.78	3	Vertical	181	3.00	-	12.77	27.67	6.11	-
AV	2.4564G	76.36	Inf	-Inf	33.68	3	Vertical	181	3.00	-	42.68	27.54	6.14	-
AV	2.4835G	51.46	54.00	-2.54	33.67	3	Vertical	181	3.00	-	17.79	27.52	6.15	-
PK	2.3892G	57.43	74.00	-16.57	33.75	3	Vertical	181	3.00	-	23.68	27.64	6.11	-
PK	2.4544G	85.17	Inf	-Inf	33.68	3	Vertical	181	3.00	-	51.49	27.55	6.13	-
PK	2.4835G	61.51	74.00	-12.49	33.67	3	Vertical	181	3.00	-	27.84	27.52	6.15	-






802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

01/08/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.366G	46.92	54.00	-7.08	33.86	3	Horizontal	195	1.49	-	13.06	27.74	6.12	-
AV	2.4528G	78.47	Inf	-Inf	33.68	3	Horizontal	195	1.49	-	44.79	27.55	6.13	-
AV	2.4835G	53.82	54.00	-0.18	33.67	3	Horizontal	195	1.49	-	20.15	27.52	6.15	-
PK	2.3752G	58.00	74.00	-16.00	33.82	3	Horizontal	195	1.49	-	24.18	27.70	6.12	-
PK	2.4492G	87.28	Inf	-Inf	33.68	3	Horizontal	195	1.49	-	53.60	27.55	6.13	-
PK	2.4835G	64.34	74.00	-9.66	33.67	3	Horizontal	195	1.49	-	30.67	27.52	6.15	-

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

21/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92046G	30.90	54.00	-23.10	3.93	3	Vertical	31	1.21	-	26.97	31.56	6.82	34.45
PK	4.93072G	43.18	74.00	-30.82	3.96	3	Vertical	31	1.21	-	39.22	31.58	6.83	34.45

802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)

21/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93012G	31.01	54.00	-22.99	3.95	3	Horizontal	24	1.42	-	27.06	31.57	6.83	34.45
PK	4.91536G	43.03	74.00	-30.97	3.91	3	Horizontal	24	1.42	-	39.12	31.55	6.82	34.46

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.81	54.00	-4.19	33.75	3	Vertical	46	2.98	-	16.06	27.64	6.11	-
AV	2.4156G	90.90	Inf	-Inf	33.70	3	Vertical	46	2.98	-	57.20	27.58	6.12	-
AV	2.4972G	47.50	54.00	-6.50	33.65	3	Vertical	46	2.98	-	13.85	27.50	6.15	-
PK	2.3892G	61.01	74.00	-12.99	33.75	3	Vertical	46	2.98	-	27.26	27.64	6.11	-
PK	2.4204G	99.19	Inf	-Inf	33.70	3	Vertical	46	2.98	-	65.49	27.58	6.12	-
PK	2.4928G	58.91	74.00	-15.09	33.66	3	Vertical	46	2.98	-	25.25	27.51	6.15	-

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.91	54.00	-0.09	33.75	3	Horizontal	222	1.50	-	20.16	27.64	6.11	-
AV	2.4196G	92.94	Inf	-Inf	33.70	3	Horizontal	222	1.50	-	59.24	27.58	6.12	-
AV	2.49G	47.82	54.00	-6.18	33.66	3	Horizontal	222	1.50	-	14.16	27.51	6.15	-
PK	2.3896G	65.30	74.00	-8.70	33.75	3	Horizontal	222	1.50	-	31.55	27.64	6.11	-
PK	2.4192G	101.93	Inf	-Inf	33.70	3	Horizontal	222	1.50	-	68.23	27.58	6.12	-
PK	2.4835G	59.49	74.00	-14.51	33.67	3	Horizontal	222	1.50	-	25.82	27.52	6.15	-

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84568G	36.48	54.00	-17.52	10.25	3	Vertical	229	2.43	-	26.23	31.10	8.93	29.78
PK	4.83182G	48.74	74.00	-25.26	10.24	3	Vertical	229	2.43	-	38.50	31.10	8.92	29.78



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82972G	36.60	54.00	-17.40	10.24	3	Horizontal	201	1.37	-	26.36	31.10	8.92	29.78
PK	4.84802G	48.94	74.00	-25.06	10.26	3	Horizontal	201	1.37	-	38.68	31.10	8.94	29.78

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2427MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3446G	47.70	54.00	-6.30	33.94	3	Vertical	41	2.88	-	13.76	27.82	6.12	-
AV	2.4354G	89.84	Inf	-Inf	33.69	3	Vertical	41	2.88	-	56.15	27.56	6.13	-
AV	2.4878G	47.65	54.00	-6.35	33.66	3	Vertical	41	2.88	-	13.99	27.51	6.15	-
PK	2.3898G	59.26	74.00	-14.74	33.75	3	Vertical	41	2.88	-	25.51	27.64	6.11	-
PK	2.433G	98.57	Inf	-Inf	33.70	3	Vertical	41	2.88	-	64.87	27.57	6.13	-
PK	2.489G	58.73	74.00	-15.27	33.66	3	Vertical	41	2.88	-	25.07	27.51	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2427MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.39	54.00	-0.61	33.75	3	Horizontal	208	1.50	-	19.64	27.64	6.11	-
AV	2.4246G	96.50	Inf	-Inf	33.70	3	Horizontal	208	1.50	-	62.80	27.58	6.12	-
AV	2.4926G	48.28	54.00	-5.72	33.66	3	Horizontal	208	1.50	-	14.62	27.51	6.15	-
PK	2.3898G	64.99	74.00	-9.01	33.75	3	Horizontal	208	1.50	-	31.24	27.64	6.11	-
PK	2.4198G	106.50	Inf	-Inf	33.70	3	Horizontal	208	1.50	-	72.80	27.58	6.12	-
PK	2.493G	60.15	74.00	-13.85	33.66	3	Horizontal	208	1.50	-	26.49	27.51	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.73	54.00	-4.27	33.75	3	Vertical	79	2.93	-	15.98	27.64	6.11	-
AV	2.4258G	92.05	Inf	-Inf	33.69	3	Vertical	79	2.93	-	58.36	27.57	6.12	-
AV	2.4862G	49.26	54.00	-4.74	33.66	3	Vertical	79	2.93	-	15.60	27.51	6.15	-
PK	2.3854G	61.50	74.00	-12.50	33.77	3	Vertical	79	2.93	-	27.73	27.66	6.11	-
PK	2.4406G	102.94	Inf	-Inf	33.69	3	Vertical	79	2.93	-	69.25	27.56	6.13	-
PK	2.4842G	60.78	74.00	-13.22	33.67	3	Vertical	79	2.93	-	27.11	27.52	6.15	-

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.53	54.00	-0.47	33.75	3	Horizontal	2	1.45	-	19.78	27.64	6.11	-
AV	2.4338G	96.82	Inf	-Inf	33.70	3	Horizontal	2	1.45	-	63.12	27.57	6.13	-
AV	2.4835G	49.93	54.00	-4.07	33.67	3	Horizontal	2	1.45	-	16.26	27.52	6.15	-
PK	2.389G	65.33	74.00	-8.67	33.75	3	Horizontal	2	1.45	-	31.58	27.64	6.11	-
PK	2.4406G	106.30	Inf	-Inf	33.69	3	Horizontal	2	1.45	-	72.61	27.56	6.13	-
PK	2.4838G	60.67	74.00	-13.33	33.67	3	Horizontal	2	1.45	-	27.00	27.52	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88444G	36.06	54.00	-17.94	10.29	3	Vertical	107	2.04	-	25.77	31.10	8.96	29.77
PK	4.85978G	48.38	74.00	-25.62	10.28	3	Vertical	107	2.04	-	38.10	31.10	8.95	29.77



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85924G	36.13	54.00	-17.87	10.27	3	Horizontal	11	1.70	-	25.86	31.10	8.94	29.77
PK	4.87496G	48.14	74.00	-25.86	10.29	3	Horizontal	11	1.70	-	37.85	31.10	8.96	29.77

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2447MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.361G	47.32	54.00	-6.68	33.88	3	Vertical	338	2.92	-	13.44	27.76	6.12	-
AV	2.4406G	89.20	Inf	-Inf	33.69	3	Vertical	338	2.92	-	55.51	27.56	6.13	-
AV	2.487G	47.92	54.00	-6.08	33.66	3	Vertical	338	2.92	-	14.26	27.51	6.15	-
PK	2.3482G	59.10	74.00	-14.90	33.93	3	Vertical	338	2.92	-	25.17	27.81	6.12	-
PK	2.4398G	97.91	Inf	-Inf	33.69	3	Vertical	338	2.92	-	64.22	27.56	6.13	-
PK	2.4858G	59.72	74.00	-14.28	33.66	3	Vertical	338	2.92	-	26.06	27.51	6.15	-

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2447MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	49.58	54.00	-4.42	33.76	3	Horizontal	195	2.86	-	15.82	27.65	6.11	-
AV	2.439G	98.74	Inf	-Inf	33.69	3	Horizontal	195	2.86	-	65.05	27.56	6.13	-
AV	2.4838G	53.55	54.00	-0.45	33.67	3	Horizontal	195	2.86	-	19.88	27.52	6.15	-
PK	2.3846G	61.80	74.00	-12.20	33.77	3	Horizontal	195	2.86	-	28.03	27.66	6.11	-
PK	2.4394G	107.29	Inf	-Inf	33.69	3	Horizontal	195	2.86	-	73.60	27.56	6.13	-
PK	2.4835G	64.89	74.00	-9.11	33.67	3	Horizontal	195	2.86	-	31.22	27.52	6.15	-

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.03	54.00	-6.97	33.75	3	Vertical	51	2.62	-	13.28	27.64	6.11	-
AV	2.4612G	89.30	Inf	-Inf	33.68	3	Vertical	51	2.62	-	55.62	27.54	6.14	-
AV	2.484G	48.47	54.00	-5.53	33.67	3	Vertical	51	2.62	-	14.80	27.52	6.15	-
PK	2.3864G	58.66	74.00	-15.34	33.76	3	Vertical	51	2.62	-	24.90	27.65	6.11	-
PK	2.458G	98.52	Inf	-Inf	33.68	3	Vertical	51	2.62	-	64.84	27.54	6.14	-
PK	2.4835G	59.37	74.00	-14.63	33.67	3	Vertical	51	2.62	-	25.70	27.52	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	47.83	54.00	-6.17	33.76	3	Horizontal	170	1.50	-	14.07	27.65	6.11	-
AV	2.4452G	95.77	Inf	-Inf	33.68	3	Horizontal	170	1.50	-	62.09	27.55	6.13	-
AV	2.4835G	53.41	54.00	-0.59	33.67	3	Horizontal	170	1.50	-	19.74	27.52	6.15	-
PK	2.3544G	59.17	74.00	-14.83	33.90	3	Horizontal	170	1.50	-	25.27	27.78	6.12	-
PK	2.4448G	104.66	Inf	-Inf	33.69	3	Horizontal	170	1.50	-	70.97	27.56	6.13	-
PK	2.4912G	64.33	74.00	-9.67	33.66	3	Horizontal	170	1.50	-	30.67	27.51	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88906G	36.53	54.00	-17.47	10.30	3	Vertical	62	2.15	-	26.23	31.10	8.97	29.77
PK	4.91546G	48.73	74.00	-25.27	10.29	3	Vertical	62	2.15	-	38.44	31.16	8.99	29.86



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89686G	36.20	54.00	-17.80	10.30	3	Horizontal	279	1.43	-	25.90	31.10	8.97	29.77
PK	4.8968G	47.85	74.00	-26.15	10.30	3	Horizontal	279	1.43	-	37.55	31.10	8.97	29.77

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.373G	47.30	54.00	-6.70	33.83	3	Vertical	60	2.18	-	13.47	27.71	6.12	-
AV	2.467G	80.41	Inf	-Inf	33.67	3	Vertical	60	2.18	-	46.74	27.53	6.14	-
AV	2.4838G	48.45	54.00	-5.55	33.67	3	Vertical	60	2.18	-	14.78	27.52	6.15	-
PK	2.3674G	59.17	74.00	-14.83	33.85	3	Vertical	60	2.18	-	25.32	27.73	6.12	-
PK	2.4626G	91.78	Inf	-Inf	33.68	3	Vertical	60	2.18	-	58.10	27.54	6.14	-
PK	2.4838G	58.93	74.00	-15.07	33.67	3	Vertical	60	2.18	-	25.26	27.52	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3666G	47.47	54.00	-6.53	33.85	3	Horizontal	205	1.50	-	13.62	27.73	6.12	-
AV	2.4642G	90.87	Inf	-Inf	33.68	3	Horizontal	205	1.50	-	57.19	27.54	6.14	-
AV	2.4835G	53.87	54.00	-0.13	33.67	3	Horizontal	205	1.50	-	20.20	27.52	6.15	-
PK	2.3794G	59.12	74.00	-14.88	33.79	3	Horizontal	205	1.50	-	25.33	27.68	6.11	-
PK	2.4458G	99.88	Inf	-Inf	33.68	3	Horizontal	205	1.50	-	66.20	27.55	6.13	-
PK	2.4835G	65.39	74.00	-8.61	33.67	3	Horizontal	205	1.50	-	31.72	27.52	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9008G	36.09	54.00	-17.91	10.31	3	Vertical	74	1.48	-	25.78	31.10	8.98	29.77
PK	4.92204G	48.48	74.00	-25.52	10.29	3	Vertical	74	1.48	-	38.19	31.19	9.00	29.90



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9233G	36.31	54.00	-17.69	10.29	3	Horizontal	253	2.19	-	26.02	31.19	9.00	29.90
PK	4.90146G	48.40	74.00	-25.60	10.31	3	Horizontal	253	2.19	-	38.09	31.11	8.98	29.78

802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3676G	47.01	54.00	-6.99	33.85	3	Vertical	46	2.21	-	13.16	27.73	6.12	-
AV	2.4728G	69.58	Inf	-Inf	33.67	3	Vertical	46	2.21	-	35.91	27.53	6.14	-
AV	2.484G	49.63	54.00	-4.37	33.67	3	Vertical	46	2.21	-	15.96	27.52	6.15	-
PK	2.3636G	58.82	74.00	-15.18	33.87	3	Vertical	46	2.21	-	24.95	27.75	6.12	-
PK	2.4676G	80.00	Inf	-Inf	33.67	3	Vertical	46	2.21	-	46.33	27.53	6.14	-
PK	2.4835G	60.63	74.00	-13.37	33.67	3	Vertical	46	2.21	-	26.96	27.52	6.15	-






802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3636G	47.09	54.00	-6.91	33.87	3	Horizontal	214	1.50	-	13.22	27.75	6.12	-
AV	2.466G	78.35	Inf	-Inf	33.67	3	Horizontal	214	1.50	-	44.68	27.53	6.14	-
AV	2.4835G	53.68	54.00	-0.32	33.67	3	Horizontal	214	1.50	-	20.01	27.52	6.15	-
PK	2.3768G	58.74	74.00	-15.26	33.81	3	Horizontal	214	1.50	-	24.93	27.69	6.12	-
PK	2.4648G	87.38	Inf	-Inf	33.68	3	Horizontal	214	1.50	-	53.70	27.54	6.14	-
PK	2.4835G	65.43	74.00	-8.57	33.67	3	Horizontal	214	1.50	-	31.76	27.52	6.15	-



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93084G	36.24	54.00	-17.76	10.27	3	Vertical	214	1.99	-	25.97	31.22	9.00	29.95
PK	4.9342G	47.90	74.00	-26.10	10.29	3	Vertical	214	1.99	-	37.61	31.24	9.01	29.96



802.11n HT40\_Nss1,(MCS0)\_2TX

14/07/2019

2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91884G	36.22	54.00	-17.78	10.29	3	Horizontal	215	1.17	-	25.93	31.18	8.99	29.88
PK	4.91074G	48.32	74.00	-25.68	10.30	3	Horizontal	215	1.17	-	38.02	31.14	8.99	29.83