

Partial FCC Test Report

(PART 27)

Report No.: RF140313C20E-7

FCC ID: QYLEM7455T

Test Model: EM7455

Received Date: Oct. 03, 2018

Test Date: Nov. 09, 2018 ~ Nov. 13, 2018

Issued Date: Nov. 22, 2018

Applicant: Getac Technology Corporation.

Address: 5F., Building A, No. 209, Sec.1, Nangang Rd.,Nangang Dist., Taipei City
11568, Taiwan, R.O.C.

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist.,New Taipei City, Taiwan
(R.O.C)

Test Location : B2F., No.215, Sec. 3, Beixin Rd., Xindian Dist., New Taipei City 231,
Taiwan, R.O.C

**FCC Registration /
Designation Number:** 427177 / TW0011



This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification. The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any government agencies

Table of Contents

Release Control Record	3
1 Certificate of Conformity	4
2 Summary of Test Results	5
2.1 Measurement Uncertainty.....	7
2.2 Test Site and Instruments	8
3 General Information	9
3.1 General Description of EUT.....	9
3.2 Configuration of System under Test.....	11
3.2.1 Description of Support Units.....	11
3.3 Test Mode Applicability and Tested Channel Detail	12
3.4 EUT Operating Conditions	14
3.5 General Description of Applied Standards.....	14
4 Test Types and Results	15
4.1 Output Power Measurement.....	15
4.1.1 Limits of Output Power Measurement	15
4.1.2 Test Procedures.....	15
4.1.3 Test Setup.....	16
4.1.4 Test Results	17
4.2 Radiated Emission Measurement.....	27
4.2.1 Limits of Radiated Emission Measurement	27
4.2.2 Test Procedure	27
4.2.3 Deviation from Test Standard	27
4.2.4 Test Setup.....	28
4.2.5 Test Results	29
5 Pictures of Test Arrangements	79
Appendix – Information on the Testing Laboratories	80

Release Control Record

Issue No.	Description	Date Issued
RF140313C20E-7	Original Release	Nov. 22, 2018

1 Certificate of Conformity

Product: Wireless Module

Brand: Sierra wireless Inc.

Test Model: EM7455

Sample Status: Identical Prototype

Applicant: Getac Technology Corporation.

Test Date: Nov. 09, 2018 ~ Nov. 13, 2018

Standards: FCC Part 27, Subpart C,H, F, L

The above equipment has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's RF characteristics under the conditions specified in this report.

Prepared by :

Flora Huang

, **Date:**

Nov. 22, 2018

Flora Huang / Specialist

Approved by :

Dylan Chiou

, **Date:**

Nov. 22, 2018

Dylan Chiou / Project Engineer

2 Summary of Test Results

Applied Standard: FCC Part 27& Part 2 (WCDMA)			
FCC Clause	Test Item	Result	Remarks
2.1046 27.50(d)(4)	Equivalent Isotropic Radiated Power	Pass	Meet the requirement of limit.
2.1047	Modulation Characteristics	N/A	Refer to Note
2.1055 27.54	Frequency Stability	N/A	Refer to Note
2.1049 27.53(h)	Occupied Bandwidth	N/A	Refer to Note
27.50(d)(5)	Peak to Average Ratio	N/A	Refer to Note
27.53(h)	Band Edge Measurements	N/A	Refer to Note
2.1051 27.53(h)	Conducted Spurious Emissions	N/A	Refer to Note
2.1053 27.53(h)	Radiated Spurious Emissions	Pass	Meet the requirement of limit. Minimum passing margin is -31.42dB at 3465.20MHz.

Applied Standard: FCC Part 27& Part 2 (LTE 4)			
FCC Clause	Test Item	Result	Remarks
2.1046 27.50(d)(4)	Effective Radiated Power	Pass	Meet the requirement of limit.
2.1047	Modulation Characteristics	N/A	Refer to Note
2.1055 27.54	Frequency Stability	N/A	Refer to Note
2.1049 27.53(h)	Occupied Bandwidth	N/A	Refer to Note
27.50(d)(5)	Peak to Average Ratio	N/A	Refer to Note
27.53(h)	Band Edge Measurements	N/A	Refer to Note
2.1051 27.53(h)	Conducted Spurious Emissions	N/A	Refer to Note
2.1053 27.53(h)	Radiated Spurious Emissions	Pass	Meet the requirement of limit. Minimum passing margin is -27.32dB at 3490.00MHz.

Applied Standard: FCC Part 27& Part 2 (LTE 12)			
FCC Clause	Test Item	Result	Remarks
2.1046 27.50(c)(10)	Effective Radiated Power	Pass	Meet the requirement of limit.
2.1047	Modulation Characteristics	N/A	Refer to Note
2.1055 27.54	Frequency Stability	N/A	Refer to Note
2.1049	Occupied Bandwidth	N/A	Refer to Note
27.50(d)(5)	Peak to Average Ratio	N/A	Refer to Note
27.53(g)	Band Edge Measurements	N/A	Refer to Note
2.1051 27.53(g)	Conducted Spurious Emissions	N/A	Refer to Note
2.1053 27.53(g)	Radiated Spurious Emissions	Pass	Meet the requirement of limit. Minimum passing margin is -33.86 dB at 2112.00 MHz.

Applied Standard: FCC Part 27& Part 2 (LTE 13)			
FCC Clause	Test Item	Result	Remarks
2.1046 27.50(b)(10)	Effective Radiated Power	Pass	Meet the requirement of limit.
2.1047	Modulation Characteristics	N/A	Refer to Note
2.1055 27.54	Frequency Stability	N/A	Refer to Note
2.1049	Occupied Bandwidth	N/A	Refer to Note
27.50(d)(5)	Peak to Average Ratio	N/A	Refer to Note
27.53(c)(2)(4)	Band Edge Measurements	N/A	Refer to Note
2.1051 27.53(c)(2)	Conducted Spurious Emissions	N/A	Refer to Note
2.1053 27.53(c)(2)&(f)	Radiated Spurious Emissions	Pass	Meet the requirement of limit. Minimum passing margin is -14.04dB at 1564.00MHz.

Note:

This report is a partial report. Therefore, only test item of Effective Radiated Power/ Equivalent Isotropic Radiated Power and Radiated Spurious Emissions tests were performed for this report. Other testing data please refer to TTS report no.:B15W50341-FCC-RF_Rev1 for module (Brand: Sierra Wireless Inc. , Model:EM7455)

2.1 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

Measurement	Frequency	Expanded Uncertainty (k=2) (\pm)
Radiated Emissions up to 1 GHz	30MHz ~ 200MHz	2.0153 dB
	200MHz ~1000MHz	2.0224 dB
Radiated Emissions above 1 GHz	1GHz ~ 18GHz	1.0121 dB
	18GHz ~ 40GHz	1.1508 dB

2.2 Test Site and Instruments

Description & Manufacturer	Model No.	Serial No.	Date of Calibration	Due Date of Calibration
Test Receiver Agilent Technologies	N9038A	MY52260177	Aug. 20, 2018	Aug. 19, 2019
Spectrum Analyzer ROHDE & SCHWARZ	FSU43	101261	Jan. 11, 2018	Jan. 10, 2019
BILOG Antenna SCHWARZBECK	VULB9168	9168-616	Dec. 14, 2017	Dec. 13, 2018
HORN Antenna ETS-Lindgren	3117	00143293	Dec. 13, 2017	Dec. 12, 2018
Fixed Attenuator Mini-Circuits	MDCS18N-10	MDCS18N-10-01	Apr. 16, 2018	Apr. 15, 2019
Preamplifier Agilent	310N	187226	Jun. 19, 2018	Jun. 18, 2019
Preamplifier Agilent	83017A	MY39501357	Jun. 19, 2018	Jun. 18, 2019
RF signal cable ETS-LINDGREN	5D-FB	Cable-CH1-01(RFC -SMS-100-SMS-12 0+RFC-SMS-100-S MS-400)	Jun. 19, 2018	Jun. 18, 2019
RF signal cable ETS-LINDGREN	8D-FB	Cable-CH1-02(RFC -SMS-100-SMS-24)	Jun. 19, 2018	Jun. 18, 2019
Boresight Antenna Fixture	FBA-01	FBA-SIP01	NA	NA
Software BV ADT	E3 8.130425b	NA	NA	NA
Antenna Tower MF	NA	NA	NA	NA
Turn Table MF	NA	NA	NA	NA
Antenna Tower&Turn Table Controller MF	MF-7802	NA	NA	NA
Communications Tester-Wireless Agilent	8960 Series 10	MY53201073	Jun. 28, 2017	Jun. 27, 2019
Radio Communication Analyzer Anritsu	MT8821C	6261786083	Dec. 21, 2017	Dec. 20, 2018
Temperature & Humidity Chamber	GTH-120-40-CP-AR	MAA1306-019	Sep. 05, 2018	Sep. 04, 2019

- Note: 1. The calibration interval of the above test instruments is 12 / 24 months and the calibrations are traceable to NML/ROC and NIST/USA.
2. The test was performed in HsinTien Chamber 1.
3. The horn antenna and preamplifier (model: 83017A) are used only for the measurement of emission frequency above 1GHz if tested.
4. The IC Site Registration No. is 7450I-1.

3 General Information

3.1 General Description of EUT

Product	Wireless Module	
Brand	Sierra wireless Inc.	
Test Model	EM7455	
Status of EUT	Identical Prototype	
Power Supply Rating	3.3Vdc(Host equipment)	
Modulation Type	WCDMA	QPSK
	LTE	QPSK, 16QAM
Frequency Range	WCDMA	1712.4 ~1752.6MHz
	LTE Band 4 (Channel Bandwidth: 1.4MHz)	1710.7 ~1754.3MHz
	LTE Band 4 (Channel Bandwidth: 3MHz)	1711.5 ~1753.5MHz
	LTE Band 4 (Channel Bandwidth: 5MHz)	1712.5 ~1752.5MHz
	LTE Band 4 (Channel Bandwidth: 10MHz)	1715.0 ~1750.0MHz
	LTE Band 4 (Channel Bandwidth: 15MHz)	1717.5 ~1747.5MHz
	LTE Band 4 (Channel Bandwidth: 20MHz)	1720.0 ~1745.0MHz
	LTE Band 12 (Channel Bandwidth: 1.4MHz)	699.7 ~ 715.3MHz
	LTE Band 12 (Channel Bandwidth: 3MHz)	700.5 ~ 714.5MHz
	LTE Band 12 (Channel Bandwidth: 5MHz)	701.5 ~ 713.5MHz
	LTE Band 12 (Channel Bandwidth: 10MHz)	704.0 ~ 711.0MHz
	LTE Band 13 (Channel Bandwidth: 5MHz)	779.5 ~ 784.5MHz
	LTE Band 13 (Channel Bandwidth: 10MHz)	782.0MHz
Max. ERP Power	LTE Band 12 (Channel Bandwidth: 1.4MHz)	100.90mW
	LTE Band 12 (Channel Bandwidth: 3MHz)	101.84mW
	LTE Band 12 (Channel Bandwidth: 5MHz)	102.78mW
	LTE Band 12 (Channel Bandwidth: 10MHz)	103.68mW
	LTE Band 13 (Channel Bandwidth: 5MHz)	108.42mW
	LTE Band 13 (Channel Bandwidth: 10MHz)	109.32mW
Max. EIRP Power	WCDMA	445.14mW
	LTE Band 4 (Channel Bandwidth: 1.4MHz)	452.38mW
	LTE Band 4 (Channel Bandwidth: 3MHz)	456.56mW
	LTE Band 4 (Channel Bandwidth: 5MHz)	459.73mW
	LTE Band 4 (Channel Bandwidth: 10MHz)	463.98mW
	LTE Band 4 (Channel Bandwidth: 15MHz)	468.27mW
	LTE Band 4 (Channel Bandwidth: 20MHz)	472.61mW
Antenna Type	Refer to Note as below	
Accessory Device	Refer to Note as below	
Data Cable Supplied	Refer to Note as below	

Note:

- The EUT is authorized for used in specific End-product. Please refer to below for more details.

Product	Brand	Model
Tablet PC	Getac	T800

2. The antenna information is listed as below.

Antenna Type	Model	Antenna Gain			
		WCDMA IV	LTE Band 4	LTE Band 12	LTE Band 13
PIFA	Main: 422122800006 Aux.: 422122800007	Main: 4.04 Aux.: -0.53	Main: 4.04 Aux.: -0.53	Main: -0.41 Aux.: -3.23	Main: 0.18 Aux.: -0.95

3. The End-product contains following accessory devices.

Product	Brand	Model	Description
Adapter 1	CHICONY	A12-065N2A	I/P: 100-240Vac, 50-60Hz, 1.7A O/P: 19.0Vdc, 3.42A
Adapter 2	FSP GROUP INC.	FSP065-REB	I/P: 100-240Vac, 50-60Hz, 1.5A O/P: 19.0Vdc, 3.42A
Battery	Getac	BP2S2P2100S	7.4Vdc, 4200mAh, 32WAh
CPU	INTEL	Z8700	Speed:1.6GHz
LCD Panel	INNOLUX	HE080IA-06B	--
SSD	Hynix	H26M78103CCR	64GB
	Sandisk	SDIN8CE4-128G	128GB
OCD	FOXLINK	FO20FF-505H	Camera
		FO80AF-506H	Webcam
Digitizer	N/A	N/A	--
WWAN Module	Sierra	EM7455	--
GPS	GlobalSat	MT-5110C	--
WiFi& BT Module	Intel	7265NGW	--


4. The End-product contains 4 SKU. The configurations of all SKU are listed as below. Only SKU D was tested and presented in the report.

Part	Brand	Model	Specification	Configuration			
				SKU A	SKU B	SKU C	SKU D
GPS	GlobalSat	MT-5110C	GPS	V	V	V	V
CPU	N/A	Z8700	Speed:1.6GHz	V	V	V	V
SSD	Hynix	H26M78103CCR	64GB	V			V
	Sandisk	SDIN8CE4-128G	128GB		V	V	
OCD	FOXLINK	FO20FF-505H	Camera	V	V	V	V
		FO80AF-506H	Webcam	V	V	V	V
Option Bay	N/A	N/A	LAN	V			V
	N/A	N/A	Barcode Reader		V	V	
WWAN Module	Sierra	EM7355	--	V	V	V	
	Sierra	EM7455	--				V
WiFi& BT Module	Intel	7265NGW	--	V	V	V	V
Digitizer	Hanvon	TP-018S-H1S1-GT	--			V	


5. The above EUT information is declared by manufacturer and for more detailed features description, please refers to the manufacturer's specifications or user's manual.

3.2 Configuration of System under Test

<Radiated Emission Test>



<E.R.P./ E.I.R.P. Test>



3.2.1 Description of Support Units

The EUT has been tested as an independent unit together with other necessary accessories or support units.

3.3 Test Mode Applicability and Tested Channel Detail

Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, XYZ axis, and antenna ports

The worst case was found when positioned as the table below. Following channel(s) was (were) selected for the final test as listed below:

Band	ERP / EIRP	Radiated Emission
WCDMA	X-plane	Z-axis
LTE Band 4	X-plane	X-axis
LTE Band 12	Y-plane	Z-axis
LTE Band 13	X-plane	Z-axis

WCDMA

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Mode
-	EIRP	1312 to 1513	1312, 1413, 1513	WCDMA
-	Radiated Emission	1312 to 1513	1312, 1413, 1513	WCDMA

LTE Band 4

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	EIRP	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM	1 RB / 2 RB Offset
		19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM	1 RB / 7 RB Offset
		19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB / 12 RB Offset
		20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB / 0 RB Offset
		20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB / 37 RB Offset
		20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB / 0 RB Offset
-	Radiated Emission	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK	1 RB / 2 RB Offset
		19975 to 20375	19975, 20175, 20375	5MHz	QPSK	1 RB / 12 RB Offset
		20050 to 20300	20050, 20175, 20300	20MHz	QPSK	1 RB / 0 RB Offset

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.

LTE Band 12

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	ERP	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB / 0 RB Offset
		23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB / 0 RB Offset
		23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB / 0 RB Offset
		23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB / 0 RB Offset
-	Radiated Emission	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB / 0 RB Offset
		23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB / 0 RB Offset
		23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB / 0 RB Offset

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.

LTE Band 13

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	1 RB / 0 RB Offset
		23230	23230	10MHz	QPSK, 16QAM	1 RB / 0 RB Offset
-	Radiated Emission	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB / 0 RB Offset
		23230	23230	10MHz	QPSK	1 RB / 0 RB Offset

Note: This device was tested under all bandwidths, RB configurations and modulations. The worst case was found in QPSK modulation.

Test Condition:

Test Item	Environmental Conditions	Input Power	Tested By
ERP / EIRP	25deg. C, 60%RH	120Vac, 60Hz	Karl Lee
Radiated Emission	25deg. C, 60%RH	120Vac, 60Hz	Karl Lee

3.4 EUT Operating Conditions

The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency

3.5 General Description of Applied Standards

The EUT is a RF Product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

FCC 47 CFR Part 2

FCC 47 CFR Part 27

KDB 971168 D01 Power Meas License Digital Systems v03r01

ANSI/TIA/EIA-603-E 2016

ANSI 63.26-2015

Note: All test items have been performed and recorded as per the above standards.

4 Test Types and Results

4.1 Output Power Measurement

4.1.1 Limits of Output Power Measurement

Fixed, mobile, and portable (hand-held) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.

Portable stations (hand-held devices) operating in the 746-757 MHz, 776-788 MHz and 805-806 MHz band are limited to 3 watts ERP

Portable stations (hand-held device) operating in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

4.1.2 Test Procedures

EIRP / ERP Measurement:

- a. All measurements were done at low, middle and high operational frequency range. RBW and VBW is 5MHz for WCDMA and 10MHz for LTE mode.
- b. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8m (below or equal 1GHz) and/or 1.5 m (above 1GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The “Read Value” is the spectrum reading the maximum power value.
- c. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to “Read Value” of step b. Record the power level of S.G.
- d. $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, $E.R.P \text{ power} = E.I.R.P \text{ power} - 2.15\text{dB}$.


Conducted Power Measurement:

- a. The EUT was set up for the maximum power with WCDMA and LTE link data modulation and link up with simulator.
- b. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.


4.1.3 Test Setup

EIRP / ERP Measurement:

<Radiated Emission below or equal 1GHz>




<Radiated Emission above 1GHz>



For the actual test configuration, please refer to the attached file (Test Setup Photo).

Conducted Power Measurement:



4.1.4 Test Results

Conducted Output Power (dBm)

Band	WCDMA IV		
	1312	1413	1513
Channel	1712.4	1732.6	1752.6
Frequency (MHz)	1712.4	1732.6	1752.6
RMC 12.2K	22.81	22.76	22.72
HSDPA Subtest-1	21.27	21.22	21.18
HSDPA Subtest-2	21.01	20.96	20.92
HSDPA Subtest-3	20.43	20.38	20.34
HSDPA Subtest-4	20.40	20.35	20.31
DC-HSDPA Subtest-1	21.22	21.17	21.13
DC-HSDPA Subtest-2	20.96	20.91	20.87
DC-HSDPA Subtest-3	20.38	20.33	20.29
DC-HSDPA Subtest-4	20.35	20.30	20.26
HSUPA Subtest-1	21.38	21.33	21.29
HSUPA Subtest-2	19.62	19.57	19.53
HSUPA Subtest-3	20.38	20.33	20.29
HSUPA Subtest-4	19.65	19.60	19.56
HSUPA Subtest-5	21.75	21.70	21.66

LTE Band 4

BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
				20050	20175	20300						20025	20175	20325	
				Channel Frequency (MHz)	1720.0	1732.5						1745.0	Channel Frequency (MHz)	1717.5	
20M	QPSK	1	0	22.66	22.58	22.41	0	15M	QPSK	1	0	22.56	22.48	22.31	0
		1	50	22.62	22.54	22.37	0			1	37	22.58	22.52	22.29	0
		1	99	22.21	22.13	22.08	0			1	74	22.13	22.06	22.04	0
		50	0	21.59	21.51	21.34	1			36	0	21.54	21.43	21.29	1
		50	25	21.60	21.52	21.35	1			36	19	21.56	21.50	21.27	1
		50	50	21.53	21.45	21.28	1			36	39	21.44	21.37	21.25	1
	16QAM	100	0	21.63	21.55	21.38	1		75	0	21.59	21.46	21.31	1	
		1	0	21.66	21.56	21.41	1		16QAM	1	0	21.60	21.44	21.31	1
		1	50	21.52	21.52	21.28	1			1	37	21.54	21.42	21.27	1
		1	99	21.15	21.09	21.04	1			1	74	21.13	21.09	21.05	1
		50	0	20.52	20.51	20.26	2			36	0	20.54	20.34	20.16	2
		50	25	20.53	20.42	20.31	2			36	19	20.55	20.45	20.24	2
		50	50	20.46	20.39	20.28	2			36	39	20.53	20.34	20.12	2
		100	0	20.57	20.46	20.32	2			75	0	20.57	20.39	20.30	2

BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
				20000	20175	20350						19975	20175	20375	
				Channel Frequency (MHz)	1715.0	1732.5						1750.0	Channel Frequency (MHz)	1712.5	
10M	QPSK	1	0	22.51	22.41	22.36	0	5M	QPSK	1	0	22.53	22.46	22.22	0
		1	24	22.46	22.36	22.25	0			1	12	22.58	22.40	22.22	0
		1	49	22.10	22.07	22.06	0			1	24	22.10	22.06	22.02	0
		25	0	21.46	21.40	21.29	1			12	0	21.55	21.42	21.24	1
		25	12	21.39	21.30	21.20	1			12	6	21.53	21.35	21.18	1
		25	25	21.47	21.34	21.18	1			12	13	21.49	21.36	21.16	1
	16QAM	50	0	21.50	21.42	21.26	1		25	0	21.61	21.51	21.21	1	
		1	0	21.52	21.42	21.34	1		16QAM	1	0	21.46	21.39	21.18	1
		1	24	21.33	21.28	21.29	1			1	12	21.34	21.35	21.23	1
		1	49	21.04	21.03	21.01	1			1	24	21.07	21.03	21.04	1
		25	0	20.34	20.38	20.14	2			12	0	20.42	20.37	20.34	2
		25	12	20.38	20.37	20.22	2			12	6	20.42	20.37	20.13	2
		25	25	20.32	20.29	20.19	2			12	13	20.36	20.34	20.11	2
		50	0	20.53	20.30	20.16	2			25	0	20.53	20.40	20.12	2

BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
				19965	20175	20385						19957	20175	20393	
				Channel Frequency (MHz)	1711.5	1732.5						1753.5	Channel Frequency (MHz)	1710.7	
3M	QPSK	1	0	22.47	22.41	22.23	0	1.4M	QPSK	1	0	22.46	22.37	22.28	0
		1	7	22.55	22.43	22.28	0			1	2	22.46	22.42	22.27	0
		1	14	22.09	22.08	22.03	0			1	5	22.07	22.13	22.06	0
		8	0	21.51	21.41	21.26	1			3	0	22.54	22.40	22.14	0
		8	3	21.47	21.41	21.20	1			3	1	22.58	22.42	22.31	0
		8	7	21.40	21.35	21.05	1			3	3	22.38	22.23	22.17	0
	16QAM	15	0	21.42	21.37	21.19	1		6	0	21.51	21.41	21.26	1	
		1	0	21.55	21.45	21.24	1		16QAM	1	0	21.48	21.41	21.20	1
		1	7	21.46	21.31	21.21	1			1	2	21.46	21.47	21.19	1
		1	14	21.15	21.17	21.12	1			1	5	21.03	21.05	21.04	1
		8	0	20.45	20.40	20.19	2			3	0	21.35	21.30	21.30	1
		8	3	20.35	20.29	20.12	2			3	1	21.39	21.35	21.20	1
		8	7	20.31	20.37	20.06	2			3	3	21.42	21.19	21.01	1
		15	0	20.42	20.36	20.16	2			6	0	20.47	20.37	20.19	2

LTE Band 12															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
				23060	23095	23130						23035	23095	23155	
				Channel Frequency (MHz)	704.0	707.5						711.0	Channel Frequency (MHz)	701.5	
10M	QPSK	1	0	22.70	22.68	22.51	0	5M	QPSK	1	0	22.69	22.60	22.45	0
		1	24	22.65	22.63	22.46	0			1	12	22.59	22.61	22.39	0
		1	49	22.52	22.50	22.33	0			1	24	22.44	22.40	22.27	0
		25	0	21.56	21.54	21.37	1			12	0	21.51	21.48	21.34	1
		25	12	21.63	21.61	21.44	1			12	6	21.58	21.58	21.35	1
		25	25	21.45	21.43	21.26	1			12	13	21.36	21.36	21.19	1
	16QAM	50	0	21.56	21.54	21.37	1		25	0	21.53	21.49	21.32	1	
		1	0	21.68	21.58	21.47	1		16QAM	1	0	21.65	21.52	21.40	1
		1	24	21.63	21.60	21.46	1			1	12	21.48	21.56	21.36	1
		1	49	21.44	21.47	21.32	1			1	24	21.43	21.42	21.32	1
		25	0	20.53	20.45	20.28	2			12	0	20.43	20.37	20.32	2
		25	12	20.54	20.51	20.44	2			12	6	20.47	20.56	20.41	2
		25	25	20.38	20.38	20.20	2			12	13	20.35	20.34	20.24	2
		50	0	20.49	20.44	20.37	2			25	0	20.44	20.44	20.25	2

LTE Band 13															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
				23205	23095	23165						23017	23095	23173	
				Channel Frequency (MHz)	700.5	707.5						714.5	Channel Frequency (MHz)	699.7	
3M	QPSK	1	0	22.52	22.50	22.29	0	1.4M	QPSK	1	0	22.61	22.57	22.43	0
		1	7	22.45	22.50	22.31	0			1	2	22.47	22.56	22.44	0
		1	14	22.40	22.34	22.16	0			1	5	22.37	22.31	22.20	0
		8	0	21.54	21.41	21.35	1			3	0	22.48	22.52	22.22	0
		8	3	21.49	21.49	21.26	1			3	1	22.58	22.44	22.29	0
		8	7	21.43	21.36	21.18	1			3	3	22.37	22.33	22.21	0
	16QAM	15	0	21.40	21.40	21.34	1		6	0	21.55	21.32	21.25	1	
		1	0	21.53	21.39	21.38	1		16QAM	1	0	21.46	21.53	21.36	1
		1	7	21.35	21.52	21.25	1			1	2	21.51	21.33	21.42	1
		1	14	21.23	21.36	21.21	1			1	5	21.35	21.40	21.02	1
		8	0	20.40	20.42	20.13	2			3	0	21.36	21.37	21.25	1
		8	3	20.49	20.41	20.25	2			3	1	21.47	21.49	21.31	1
		8	7	20.29	20.35	20.10	2			3	3	21.22	21.16	21.07	1
		15	0	20.28	20.41	20.23	2			6	0	20.31	20.48	20.17	2

ERP Power (dBm)

LTE Band 12							
Channel Bandwidth: 1.4MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	ERP(dBm)	ERP(mW)	Polarization (H/V)
Y	23017	699.7	-10.53	32.719	20.04	100.90	H
	23095	707.5	-10.57	32.736	20.02	100.37	
	23173	715.3	-10.51	32.591	19.93	98.42	
	23017	699.7	-16.47	32.69	14.07	25.53	V
	23095	707.5	-16.66	32.81	14.00	25.12	
	23173	715.3	-16.68	32.74	13.91	24.60	
Channel Bandwidth: 1.4MHz / 16QAM							
Y	23017	699.7	-11.53	32.719	19.04	80.15	H
	23095	707.5	-11.58	32.736	19.01	79.54	
	23173	715.3	-11.51	32.591	18.93	78.18	
	23017	699.7	-17.48	32.69	13.06	20.23	V
	23095	707.5	-17.67	32.81	12.99	19.91	
	23173	715.3	-17.69	32.74	12.90	19.50	

Note: ERP (dBm) = Reading (dBm) + Correction Factor (dB) – 2.15

LTE Band 12							
Channel Bandwidth: 3MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	ERP(dBm)	ERP(mW)	Polarization (H/V)
Y	23025	700.5	-10.49	32.719	20.08	101.84	H
	23095	707.5	-10.54	32.736	20.05	101.06	
	23165	714.5	-10.48	32.591	19.96	99.11	
	23025	700.5	-16.44	32.69	14.10	25.70	V
	23095	707.5	-16.62	32.81	14.04	25.35	
	23165	714.5	-16.64	32.74	13.95	24.83	
Channel Bandwidth: 3MHz / 16QAM							
Y	23025	700.5	-11.50	32.719	19.07	80.70	H
	23095	707.5	-11.54	32.736	19.05	80.28	
	23165	714.5	-11.49	32.591	18.95	78.54	
	23025	700.5	-17.45	32.69	13.09	20.37	V
	23095	707.5	-17.63	32.81	13.03	20.09	
	23165	714.5	-17.65	32.74	12.94	19.68	

Note: ERP (dBm) = Reading (dBm) + Correction Factor (dB) – 2.15

LTE Band 12							
Channel Bandwidth: 5MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	ERP(dBm)	ERP(mW)	Polarization (H/V)
Y	23035	701.5	-10.45	32.719	20.12	102.78	H
	23095	707.5	-10.50	32.736	20.09	102.00	
	23155	713.5	-10.45	32.591	19.99	99.79	
	23035	701.5	-16.40	32.69	14.14	25.94	V
	23095	707.5	-16.58	32.81	14.08	25.59	
	23155	713.5	-16.60	32.74	13.99	25.06	
Channel Bandwidth: 5MHz / 16QAM							
Y	23035	701.5	-11.46	32.719	19.11	81.45	H
	23095	707.5	-11.51	32.736	19.08	80.84	
	23155	713.5	-11.46	32.591	18.98	79.09	
	23035	701.5	-17.41	32.69	13.13	20.56	V
	23095	707.5	-17.59	32.81	13.07	20.28	
	23155	713.5	-17.61	32.74	12.98	19.86	

Note: ERP (dBm) = Reading (dBm) + Correction Factor (dB) – 2.15

LTE Band 12							
Channel Bandwidth: 10MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	ERP(dBm)	ERP(mW)	Polarization (H/V)
Y	23060	704.0	-10.42	32.727	20.16	103.68	H
	23095	707.5	-10.46	32.739	20.13	103.01	
	23130	711.0	-10.55	32.728	20.03	100.65	
	23060	704.0	-16.42	32.75	14.18	26.18	V
	23095	707.5	-16.54	32.81	14.12	25.82	
	23130	711.0	-16.66	32.84	14.03	25.29	
Channel Bandwidth: 10MHz / 16QAM							
Y	23060	704.0	-11.43	32.727	19.15	82.17	H
	23095	707.5	-11.46	32.739	19.13	81.83	
	23130	711.0	-11.56	32.728	19.02	79.76	
	23060	704.0	-17.43	32.75	13.17	20.75	V
	23095	707.5	-17.55	32.81	13.11	20.46	
	23130	711.0	-17.67	32.84	13.02	20.04	

Note: ERP (dBm) = Reading (dBm) + Correction Factor (dB) – 2.15

LTE Band 13							
Channel Bandwidth: 5MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	ERP(dBm)	ERP(mW)	Polarization (H/V)
X	23205	779.5	-10.30	32.771	20.32	107.67	H
	23230	782.0	-10.24	32.741	20.35	108.42	
	23255	784.5	-10.43	32.854	20.27	106.51	
	23205	779.5	-17.04	32.5	13.31	21.43	V
	23230	782.0	-17.04	32.52	13.33	21.53	
	23255	784.5	-17.23	32.62	13.24	21.09	
Channel Bandwidth: 5MHz / 16QAM							
X	23205	779.5	-11.30	32.771	19.32	85.53	H
	23230	782.0	-11.25	32.741	19.34	85.92	
	23255	784.5	-11.44	32.854	19.26	84.41	
	23205	779.5	-18.05	32.5	12.30	16.98	V
	23230	782.0	-18.05	32.52	12.32	17.06	
	23255	784.5	-18.24	32.62	12.23	16.71	

Note: ERP (dBm) = Reading (dBm) + Correction Factor (dB) – 2.15

LTE Band 13							
Channel Bandwidth: 10MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	ERP(dBm)	ERP(mW)	Polarization (H/V)
X	23230	782.0	-10.20	32.737	20.39	109.32	H
	23230	782.0	-17.00	32.52	13.37	21.73	V
Channel Bandwidth: 10MHz / 16QAM							
X	23230	782.0	-11.21	32.737	19.38	86.64	H
	23230	782.0	-18.01	32.52	12.36	17.22	V

Note: ERP (dBm) = Reading (dBm) + Correction Factor (dB) – 2.15

EIRP Power (dBm)

WCDMA							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	1312	1712.4	-16.00	42.49	26.49	445.14	H
	1413	1732.6	-15.90	42.33	26.43	439.24	
	1513	1752.6	-15.70	42.10	26.40	436.52	
	1312	1712.4	-20.50	42.99	22.49	177.42	V
	1413	1732.6	-20.30	42.74	22.44	175.39	
	1513	1752.6	-19.80	42.21	22.41	174.18	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

LTE Band 4							
Channel Bandwidth: 1.4MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	19957	1710.7	-15.93	42.49	26.56	452.38	H
	20175	1732.5	-15.86	42.33	26.47	443.30	
	20393	1754.3	-15.67	42.10	26.43	439.54	
	19957	1710.7	-20.42	42.99	22.57	180.72	V
	20175	1732.5	-20.26	42.74	22.48	177.01	
	20393	1754.3	-19.75	42.21	22.46	176.20	
Channel Bandwidth: 1.4MHz / 16QAM							
X	19957	1710.7	-16.93	42.49	25.56	359.34	H
	20175	1732.5	-16.86	42.33	25.47	352.13	
	20393	1754.3	-16.68	42.10	25.42	348.34	
	19957	1710.7	-21.42	42.99	21.57	143.55	V
	20175	1732.5	-21.26	42.74	21.48	140.60	
	20393	1754.3	-20.76	42.21	21.45	139.64	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

LTE Band 4							
Channel Bandwidth: 3MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	19965	1711.5	-15.89	42.49	26.60	456.56	H
	20175	1732.5	-15.82	42.33	26.51	447.40	
	20385	1753.5	-15.64	42.10	26.46	442.59	
	19965	1711.5	-20.38	42.99	22.61	182.39	V
	20175	1732.5	-20.22	42.74	22.52	178.65	
	20385	1753.5	-18.72	42.21	23.49	223.36	
Channel Bandwidth: 3MHz / 16QAM							
X	19965	1711.5	-16.89	42.49	25.60	362.66	H
	20175	1732.5	-16.82	42.33	25.51	355.39	
	20385	1753.5	-16.65	42.10	25.45	350.75	
	19965	1711.5	-21.38	42.99	21.61	144.88	V
	20175	1732.5	-21.23	42.74	21.51	141.58	
	20385	1753.5	-19.74	42.21	22.47	176.60	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

LTE Band 4							
Channel Bandwidth: 5MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	19975	1712.5	-15.86	42.49	26.63	459.73	H
	20175	1732.5	-15.78	42.33	26.55	451.54	
	20375	1752.5	-15.61	42.10	26.49	445.66	
	19975	1712.5	-20.34	42.99	22.65	184.08	V
	20175	1732.5	-20.18	42.74	22.56	180.30	
	20375	1752.5	-19.68	42.21	22.53	179.06	
Channel Bandwidth: 5MHz / 16QAM							
X	19975	1712.5	-16.86	42.49	25.63	365.17	H
	20175	1732.5	-16.78	42.33	25.55	358.67	
	20375	1752.5	-16.62	42.10	25.48	353.18	
	19975	1712.5	-21.34	42.99	21.65	146.22	V
	20175	1732.5	-21.19	42.74	21.55	142.89	
	20375	1752.5	-20.69	42.21	21.52	141.91	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

LTE Band 4							
Channel Bandwidth: 10MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	20000	1715.0	-15.82	42.49	26.67	463.98	H
	20175	1732.5	-15.74	42.33	26.59	455.72	
	20350	1750.0	-15.57	42.10	26.53	449.78	
	20000	1715.0	-20.30	42.99	22.69	185.78	V
	20175	1732.5	-20.14	42.74	22.60	181.97	
	20350	1750.0	-19.65	42.21	22.56	180.30	
Channel Bandwidth: 10MHz / 16QAM							
X	20000	1715.0	-16.82	42.49	25.67	368.55	H
	20175	1732.5	-16.75	42.33	25.58	361.16	
	20350	1750.0	-16.57	42.10	25.53	357.27	
	20000	1715.0	-21.31	42.99	21.68	147.23	V
	20175	1732.5	-21.14	42.74	21.60	144.54	
	20350	1750.0	-20.65	42.21	21.56	143.22	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

LTE Band 4							
Channel Bandwidth: 15MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	20025	1717.5	-15.78	42.49	26.71	468.27	H
	20175	1732.5	-15.70	42.33	26.63	459.94	
	20325	1747.5	-15.53	42.10	26.57	453.94	
	20025	1717.5	-20.26	42.99	22.73	187.50	V
	20175	1732.5	-20.10	42.74	22.64	183.65	
	20325	1747.5	-19.61	42.21	22.60	181.97	
Channel Bandwidth: 15MHz / 16QAM							
X	20025	1717.5	-16.79	42.49	25.70	371.11	H
	20175	1732.5	-16.71	42.33	25.62	364.50	
	20325	1747.5	-16.53	42.10	25.57	360.58	
	20025	1717.5	-21.26	42.99	21.73	148.94	V
	20175	1732.5	-21.11	42.74	21.63	145.55	
	20325	1747.5	-20.61	42.21	21.60	144.54	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

LTE Band 4							
Channel Bandwidth: 20MHz / QPSK							
Plane	Channel	Frequency (MHz)	Reading (dBm)	Correction Factor(dB)	EIRP(dBm)	EIRP(mW)	Polarization (H/V)
X	20050	1720.0	-15.74	42.49	26.75	472.61	H
	20175	1732.5	-15.66	42.33	26.67	464.19	
	20300	1745.0	-15.49	42.10	26.61	458.14	
	20050	1720.0	-20.22	42.99	22.77	189.23	V
	20175	1732.5	-20.06	42.74	22.68	185.35	
	20300	1745.0	-19.58	42.21	22.63	183.23	
Channel Bandwidth: 20MHz / 16QAM							
X	20050	1720.0	-16.75	42.49	25.74	374.54	H
	20175	1732.5	-16.67	42.33	25.66	367.87	
	20300	1745.0	-16.50	42.10	25.60	363.08	
	20050	1720.0	-21.23	42.99	21.76	149.97	V
	20175	1732.5	-21.07	42.74	21.67	146.89	
	20300	1745.0	-20.58	42.21	21.63	145.55	

Note: EIRP (dBm) = Reading (dBm) + Correction Factor (dB)

4.2 Radiated Emission Measurement

4.2.1 Limits of Radiated Emission Measurement

- a. The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB. The limit of emission is equal to -13dBm.
- b. For operations in the 775-788 MHz, emissions in the band 1559-1610 MHz shall be limited to -70dBW/MHz. The limit of emissions is equal to -40 dBm.

4.2.2 Test Procedure

- a. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8m (below or equal 1GHz) and/or 1.5 m (above 1GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- b. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- c. $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$.
- d. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, $E.R.P \text{ power} = E.I.R.P \text{ power} - 2.15\text{dB}$.


Note: The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

4.2.3 Deviation from Test Standard


No deviation.

4.2.4 Test Setup

<Radiated Emission below or equal 1GHz>



<Radiated Emission above 1GHz>



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.2.5 Test Results

WCDMA:
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-10



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : Band IV_Link_CH1312
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3424.80	-44.48	-58.85	-13.00	-31.48	14.37	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-10



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : Band IV_Link_CH1312
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3424.80	-46.70	-61.07	-13.00	-33.70	14.37	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : Band IV_Link_CH1413
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	156.09	-76.35	-68.57	-13.00	-63.35	-7.78	Peak
2	225.21	-73.23	-67.38	-13.00	-60.23	-5.85	Peak
3	284.61	-69.21	-63.39	-13.00	-56.21	-5.82	Peak
4	345.50	-77.44	-72.01	-13.00	-64.44	-5.43	Peak
5	547.80	-74.27	-72.47	-13.00	-61.27	-1.80	Peak
6	791.40	-69.44	-70.88	-13.00	-56.44	1.44	Peak
7 pp	3465.20	-44.42	-58.76	-13.00	-31.42	14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8

Date: 2018-11-10



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : Band IV_Link_CH1413
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	146.91	-78.47	-70.59	-13.00	-65.47	-7.88	Peak
2	171.48	-77.50	-71.00	-13.00	-64.50	-6.50	Peak
3	241.95	-77.82	-72.21	-13.00	-64.82	-5.61	Peak
4	356.00	-75.96	-70.89	-13.00	-62.96	-5.07	Peak
5	694.80	-69.31	-68.96	-13.00	-56.31	-0.35	Peak
6	797.00	-69.25	-71.07	-13.00	-56.25	1.82	Peak
7 pp	3465.20	-48.50	-62.84	-13.00	-35.50	14.34	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : Band IV_Link_CH1513
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3505.20	-44.65	-58.93	-13.00	-31.65	14.28	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-10



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : Band IV_Link_CH1513
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3505.20	-46.04	-60.32	-13.00	-33.04	14.28	Peak

LTE Band 4
 Channel Bandwidth: 1.4MHz / QPSK
 Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH19957
 Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3421.40	-46.63	-61.00	-13.00	-33.63	14.37	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH19957
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3421.40	-42.84	-57.21	-13.00	-29.84	14.37	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH20175
 Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-48.54	-62.88	-13.00	-35.54	14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20175
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3465.00	-44.52	-58.86	-13.00	-31.52	14.34	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH20393
 Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3508.60	-46.69	-60.97	-13.00	-33.69	14.28	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20393
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3508.60	-43.41	-57.69	-13.00	-30.41	14.28	Peak

Channel Bandwidth: 5 MHz / QPSK
 Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH19975
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3425.00	-44.58	-58.95	-13.00	-31.58	14.37	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH19975
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3425.00	-43.36	-57.73	-13.00	-30.36	14.37	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH20175
 Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-47.99	-62.33	-13.00	-34.99	14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20175
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3465.00	-46.59	-60.93	-13.00	-33.59	14.34	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH20375
 Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3505.00	-44.64	-58.92	-13.00	-31.64	14.28	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20375
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3505.00	-41.08	-55.36	-13.00	-28.08	14.28	Peak


Channel Bandwidth: 20MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 chamber 1
Condition: PART 27(B4/B17) Horizontal
Remark : LTE_Band 4_Link_CH20050
Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-43.54	-57.89	-13.00	-30.54	14.35	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20050
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3440.00	-40.62	-54.97	-13.00	-27.62	14.35	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9

Date: 2018-11-12



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH20175
 Tested by: Karl Lee

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-47.83	-62.17	-13.00	-34.83	14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10

Date: 2018-11-12



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20175
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3465.00	-45.31	-59.65	-13.00	-32.31	14.34	Peak
2 pp	5197.50	-44.56	-64.68	-13.00	-31.56	20.12	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7

Date: 2018-11-13



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Horizontal
 Remark : LTE_Band 4_Link_CH20300
 Tested by: Karl Lee


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	170.67	-77.75	-71.15	-13.00	-64.75	-6.60	Peak
2	221.97	-72.52	-66.64	-13.00	-59.52	-5.88	Peak
3	288.66	-70.99	-65.13	-13.00	-57.99	-5.86	Peak
4	356.70	-74.17	-69.15	-13.00	-61.17	-5.02	Peak
5	651.40	-69.62	-69.48	-13.00	-56.62	-0.14	Peak
6	918.80	-67.59	-71.30	-13.00	-54.59	3.71	Peak
7 pp	3490.00	-43.27	-57.58	-13.00	-30.27	14.31	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8



Site : 966 chamber 1
 Condition: PART 27(B4/B17) Vertical
 Remark : LTE_Band 4_Link_CH20300
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	198.48	-77.79	-71.65	-13.00	-64.79	-6.14	Peak
2	251.40	-77.45	-71.93	-13.00	-64.45	-5.52	Peak
3	256.26	-78.45	-72.89	-13.00	-65.45	-5.56	Peak
4	393.10	-74.41	-71.31	-13.00	-61.41	-3.10	Peak
5	735.40	-73.47	-72.43	-13.00	-60.47	-1.04	Peak
6	875.40	-69.04	-71.24	-13.00	-56.04	2.20	Peak
7 pp	3490.00	-40.32	-54.63	-13.00	-27.32	14.31	Peak


LTE Band 12
 Channel Bandwidth: 1.4MHz / QPSK
 Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23017
 Tested by: Karl Lee

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	
MHz	dBm	dBm	dBm	dB	dB		
1	1399.40	-58.01	-64.11	-13.00	-45.01	6.10	Peak
2 pp	2099.10	-50.73	-61.66	-13.00	-37.73	10.93	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23017
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1399.40	-54.56	-60.66	-13.00	-41.56	6.10	Peak
2 pp	2099.10	-47.29	-58.22	-13.00	-34.29	10.93	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23095
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-57.38	-63.74	-13.00	-44.38	6.36	Peak
2 pp	2122.50	-52.68	-63.79	-13.00	-39.68	11.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23095
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-56.16	-62.52	-13.00	-43.16	6.36	Peak
2 pp	2122.50	-49.84	-60.95	-13.00	-36.84	11.11	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23173
 Tested by: Karl Lee


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1430.60	-57.79	-64.03	-13.00	-44.79	6.24	Peak



A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23173
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1430.60	-58.71	-64.95	-13.00	-45.71	6.24	Peak

Channel Bandwidth: 5 MHz / QPSK
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2018-11-09



Site : 966 chamber 1
Condition: PART 27(B12) Horizontal
Remark : LTE_Band 12_Link_CH23035
Tested by: Karl Lee


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1403.00	-57.56	-63.66	-13.00	-44.56	6.10	Peak
2	pp 2104.50	-52.82	-63.75	-13.00	-39.82	10.93	Peak



A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23035
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1403.00	-55.26	-61.36	-13.00	-42.26	6.10	Peak
2 pp	2104.50	-49.46	-60.39	-13.00	-36.46	10.93	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23095
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-56.68	-63.04	-13.00	-43.68	6.36	Peak
2 pp	2122.50	-52.84	-63.95	-13.00	-39.84	11.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23095
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-58.26	-64.62	-13.00	-45.26	6.36	Peak
2 pp	2122.50	-48.84	-59.95	-13.00	-35.84	11.11	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23155
 Tested by: Karl Lee


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1427.00	-58.34	-64.58	-13.00	-45.34	6.24	Peak
2	pp 2140.50	-52.80	-64.08	-13.00	-39.80	11.28	Peak



A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23155
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1427.00	-58.06	-64.30	-13.00	-45.06	6.24	Peak
2 pp	2140.50	-48.73	-60.01	-13.00	-35.73	11.28	Peak


Channel Bandwidth: 10MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 chamber 1
Condition: PART 27(B12) Horizontal
Remark : LTE_Band 12_Link_CH23060
Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	169.05	-78.04	-71.24	-13.00	-65.04	-6.80	Peak
2	212.25	-76.42	-70.41	-13.00	-63.42	-6.01	Peak
3	272.73	-71.03	-65.32	-13.00	-58.03	-5.71	Peak
4	420.40	-73.23	-70.04	-13.00	-60.23	-3.19	Peak
5	497.40	-77.29	-72.09	-13.00	-64.29	-5.20	Peak
6	618.50	-71.02	-71.24	-13.00	-58.02	0.22	Peak
7	1408.00	-58.22	-64.58	-13.00	-45.22	6.36	Peak
8 pp	2112.00	-52.07	-63.18	-13.00	-39.07	11.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23060
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	157.44	-77.79	-70.04	-13.00	-64.79	-7.75	Peak
2	219.54	-75.86	-69.94	-13.00	-62.86	-5.92	Peak
3	267.06	-73.69	-68.03	-13.00	-60.69	-5.66	Peak
4	402.90	-73.45	-70.65	-13.00	-60.45	-2.80	Peak
5	570.90	-72.70	-71.92	-13.00	-59.70	-0.78	Peak
6	626.20	-69.47	-69.60	-13.00	-56.47	0.13	Peak
7	1408.00	-52.56	-58.92	-13.00	-39.56	6.36	Peak
8 pp	2112.00	-46.86	-57.97	-13.00	-33.86	11.11	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23095
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-58.46	-64.82	-13.00	-45.46	6.36	Peak
2 pp	2122.50	-52.82	-63.93	-13.00	-39.82	11.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23095
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-57.29	-63.65	-13.00	-44.29	6.36	Peak
2 pp	2122.50	-48.40	-59.51	-13.00	-35.40	11.11	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 chamber 1
 Condition: PART 27(B12) Horizontal
 Remark : LTE_Band 12_Link_CH23130
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1422.00	-56.34	-62.70	-13.00	-43.34	6.36	Peak
2	pp 2133.00	-51.47	-62.75	-13.00	-38.47	11.28	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B12) Vertical
 Remark : LTE_Band 12_Link_CH23130
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1422.00	-57.23	-63.59	-13.00	-44.23	6.36	Peak
2 pp	2133.00	-47.46	-58.74	-13.00	-34.46	11.28	Peak

LTE Band 13
 Channel Bandwidth: 5MHz / QPSK
 Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Horizontal
 Remark : LTE_Band 13_Link_CH23205
 Tested by: Karl Lee


	Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor Remark
MHz	dBm	dBm	dBm	dB	dB
1 pp 1559.00	-54.91	-61.77	-40.00	-14.91	6.86 Peak



A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Vertical
 Remark : LTE_Band 13_Link_CH23205
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1559.00	-57.84	-64.70	-40.00	-17.84	6.86	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Horizontal
 Remark : LTE_Band 13_Link_CH23230
 Tested by: Karl Lee


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1564.00	-56.56	-63.42	-40.00	-16.56	6.86	Peak



A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Vertical
 Remark : LTE_Band 13_Link_CH23230
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1564.00	-58.93	-65.79	-40.00	-18.93	6.86	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 chamber 1
 Condition: PART 27(B13) Horizontal
 Remark : LTE_Band 13_Link_CH23255
 Tested by: Karl Lee


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1569.00	-54.49	-61.53	-40.00	-14.49	7.04	Peak



A D T

Data: 6

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Vertical
 Remark : LTE_Band 13_Link_CH23255
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1569.00	-57.51	-64.55	-40.00	-17.51	7.04	Peak

Channel Bandwidth: 10MHz / QPSK




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Horizontal
 Remark : LTE_Band 13_Link_CH23230
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	155.28	-76.49	-68.68	-13.00	-63.49	-7.81	Peak
2	213.60	-77.04	-71.04	-13.00	-64.04	-6.00	Peak
3	249.24	-77.63	-72.11	-13.00	-64.63	-5.52	Peak
4	368.60	-75.33	-70.93	-13.00	-62.33	-4.40	Peak
5	474.30	-75.46	-70.92	-13.00	-62.46	-4.54	Peak
6	612.20	-70.14	-70.43	-13.00	-57.14	0.29	Peak
7 pp	1564.00	-54.04	-60.90	-40.00	-14.04	6.86	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10

Date: 2018-11-09



Site : 966 chamber 1
 Condition: PART 27(B13) Vertical
 Remark : LTE_Band 13_Link_CH23230
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	160.41	-74.39	-66.72	-13.00	-61.39	-7.67	Peak
2	238.44	-76.14	-70.48	-13.00	-63.14	-5.66	Peak
3	267.87	-72.49	-66.82	-13.00	-59.49	-5.67	Peak
4	337.80	-77.50	-71.98	-13.00	-64.50	-5.52	Peak
5	606.60	-72.39	-72.75	-13.00	-59.39	0.36	Peak
6	682.20	-70.66	-70.37	-13.00	-57.66	-0.29	Peak
7 pp	1564.00	-56.35	-63.21	-40.00	-16.35	6.86	Peak

5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

Appendix – Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety

Tel: 886-3-3183232

Fax: 886-3-3270892

Email:service.adt@tw.bureauveritas.com

Web Site:www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---