


Appendix B. Radiated Emission


Below 1 GHz

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	Transmit mode		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	76.56	40.44	-11.39	29.06	40.00	-10.95	QP
2	194.90	49.73	-10.01	39.72	43.50	-3.78	QP
3	312.27	48.60	-5.67	42.93	46.00	-3.07	QP
4	719.67	36.80	1.69	38.49	46.00	-7.51	QP
5	953.44	32.07	5.73	37.80	46.00	-8.20	QP
6	999.03	37.37	6.56	43.93	54.00	-10.07	QP

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	Transmit mode		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	30.97	43.84	-8.98	34.86	40.00	-5.14	QP
2	157.07	42.12	-7.26	34.86	43.50	-8.64	QP
3	263.77	42.31	-7.74	34.57	46.00	-11.43	QP
4	531.49	37.05	-1.98	35.07	46.00	-10.93	QP
5	719.67	35.76	1.69	37.45	46.00	-8.55	QP
6	960.23	32.44	5.66	38.10	54.00	-15.90	QP

Harmonic


Above 1 GHz

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	44.97	-1.22	43.75	74.00	-30.25	PEAK
2	17865.00	42.99	3.70	46.69	74.00	-27.31	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	45.60	-1.22	44.38	74.00	-29.62	PEAK
2	17865.00	44.26	3.70	47.96	74.00	-26.04	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6175 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	44.97	0.71	45.67	74.00	-28.33	PEAK
2	18525.00	41.94	2.09	44.03	74.00	-29.97	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6175 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	44.11	0.71	44.82	74.00	-29.18	PEAK
2	18525.00	42.88	2.09	44.97	74.00	-29.03	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6415 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	44.95	0.48	45.43	88.20	-42.77	PEAK
2	19245.00	42.28	2.17	44.45	74.00	-29.55	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6415 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	46.01	0.48	46.50	88.20	-41.70	PEAK
2	19245.00	41.97	2.17	44.14	74.00	-29.86	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6435 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	44.24	0.98	45.23	88.20	-42.97	PEAK
2	19305.00	41.54	2.18	43.72	74.00	-30.28	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6435 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	44.84	0.98	45.82	88.20	-42.38	PEAK
2	19305.00	43.44	2.18	45.62	74.00	-28.38	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6475 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	44.18	1.33	45.51	88.20	-42.69	PEAK
2	19425.00	40.79	2.19	42.98	74.00	-31.02	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6475 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	44.26	1.33	45.58	88.20	-42.62	PEAK
2	19425.00	41.86	2.19	44.05	74.00	-29.95	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6515 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	44.13	1.14	45.27	88.20	-42.93	PEAK
2	19545.00	41.02	2.21	43.23	74.00	-30.77	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6515 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	44.75	1.14	45.89	88.20	-42.31	PEAK
2	19545.00	41.30	2.21	43.51	74.00	-30.49	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6535 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	44.40	0.77	45.17	88.20	-43.03	PEAK
2	19605.00	41.06	2.22	43.28	74.00	-30.72	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6535 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	44.62	0.77	45.39	88.20	-42.81	PEAK
2	19605.00	42.58	2.22	44.80	74.00	-29.20	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6695 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	43.40	0.70	44.09	74.00	-29.91	PEAK
2	20085.00	41.02	2.27	43.29	74.00	-30.71	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6695 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	44.88	0.70	45.57	74.00	-28.43	PEAK
2	20085.00	40.71	2.27	42.98	74.00	-31.02	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6855 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	44.01	2.00	46.01	88.20	-42.19	PEAK
2	20565.00	39.85	2.32	42.17	74.00	-31.83	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6855 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	44.96	2.00	46.96	88.20	-41.24	PEAK
2	20565.00	39.93	2.32	42.25	74.00	-31.75	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6875 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	44.36	1.92	46.28	88.20	-41.92	PEAK
2	20625.00	39.54	2.32	41.86	74.00	-32.14	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6875 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	44.95	1.92	46.87	88.20	-41.33	PEAK
2	20625.00	40.54	2.32	42.86	74.00	-31.14	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6895 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	44.50	1.88	46.38	88.20	-41.82	PEAK
2	20685.00	40.56	2.33	42.89	74.00	-31.11	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6895 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	45.21	1.88	47.09	88.20	-41.11	PEAK
2	20685.00	39.82	2.33	42.15	74.00	-31.85	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6995 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	44.74	1.21	45.95	88.20	-42.25	PEAK
2	20985.00	39.95	2.37	42.32	74.00	-31.68	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 6995 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	43.99	1.21	45.20	88.20	-43.00	PEAK
2	20985.00	39.34	2.37	41.71	74.00	-32.29	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	43.34	3.73	47.07	88.20	-41.13	PEAK
2	21345.00	39.34	2.41	41.75	74.00	-32.25	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	44.38	3.73	48.11	88.20	-40.09	PEAK
2	21345.00	39.50	2.41	41.91	74.00	-32.09	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	47.08	-1.22	45.86	74.00	-28.14	PEAK
2	17865.00	43.44	3.70	47.14	74.00	-26.86	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	45.81	-1.22	44.59	74.00	-29.41	PEAK
2	17865.00	44.90	3.70	48.60	74.00	-25.40	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6175 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	44.66	0.71	45.36	74.00	-28.64	PEAK
2	18525.00	42.64	2.09	44.73	74.00	-29.27	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6175 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	44.77	0.71	45.48	74.00	-28.52	PEAK
2	18525.00	42.04	2.09	44.13	74.00	-29.87	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6415 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	46.13	0.48	46.61	88.20	-41.59	PEAK
2	19245.00	42.36	2.17	44.53	74.00	-29.47	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6415 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	45.59	0.48	46.07	88.20	-42.13	PEAK
2	19245.00	42.25	2.17	44.42	74.00	-29.58	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6435 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	44.71	0.98	45.70	88.20	-42.50	PEAK
2	19305.00	42.76	2.18	44.94	74.00	-29.06	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6435 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	44.29	0.98	45.27	88.20	-42.93	PEAK
2	19305.00	42.08	2.18	44.26	74.00	-29.74	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6475 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	44.47	1.33	45.80	88.20	-42.40	PEAK
2	19425.00	41.82	2.19	44.01	74.00	-29.99	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6475 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	45.42	1.33	46.74	88.20	-41.46	PEAK
2	19425.00	41.87	2.19	44.06	74.00	-29.94	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6515 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	44.66	1.14	45.79	88.20	-42.41	PEAK
2	19545.00	41.18	2.21	43.39	74.00	-30.61	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6515 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	44.37	1.14	45.51	88.20	-42.69	PEAK
2	19545.00	41.96	2.21	44.17	74.00	-29.83	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6535 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	45.67	0.77	46.44	88.20	-41.76	PEAK
2	19605.00	41.29	2.22	43.51	74.00	-30.49	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6535 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	45.12	0.77	45.89	88.20	-42.31	PEAK
2	19605.00	41.81	2.22	44.03	74.00	-29.97	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6695 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	45.13	0.70	45.83	74.00	-28.17	PEAK
2	20085.00	41.88	2.27	44.15	74.00	-29.85	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6695 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	44.65	0.70	45.35	74.00	-28.65	PEAK
2	20085.00	41.42	2.27	43.69	74.00	-30.31	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6855 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	45.08	2.00	47.08	88.20	-41.12	PEAK
2	20565.00	40.21	2.32	42.53	74.00	-31.47	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6855 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	45.11	2.00	47.11	88.20	-41.09	PEAK
2	20565.00	40.87	2.32	43.19	74.00	-30.81	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6875 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	43.94	1.92	45.86	88.20	-42.34	PEAK
2	20625.00	39.52	2.32	41.84	74.00	-32.16	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6875 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	45.31	1.92	47.23	88.20	-40.97	PEAK
2	20625.00	40.04	2.32	42.36	74.00	-31.64	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6895 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	45.46	1.88	47.34	88.20	-40.86	PEAK
2	20685.00	39.47	2.33	41.80	74.00	-32.20	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6895 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	45.18	1.88	47.07	88.20	-41.13	PEAK
2	20685.00	39.89	2.33	42.22	74.00	-31.78	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6995 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	44.39	1.21	45.61	88.20	-42.59	PEAK
2	20985.00	40.02	2.37	42.39	74.00	-31.61	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 6995 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	44.64	1.21	45.85	88.20	-42.35	PEAK
2	20985.00	40.05	2.37	42.42	74.00	-31.58	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	44.51	3.73	48.25	88.20	-39.95	PEAK
2	21345.00	38.72	2.41	41.13	74.00	-32.87	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	43.82	3.73	47.55	88.20	-40.65	PEAK
2	21345.00	39.16	2.41	41.57	74.00	-32.43	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5965 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11930.00	45.04	-1.00	44.05	74.00	-29.95	PEAK
2	17895.00	41.93	3.80	45.73	74.00	-28.27	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5965 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11930.00	45.23	-1.00	44.23	74.00	-29.77	PEAK
2	17895.00	44.02	3.80	47.82	74.00	-26.18	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6165 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12330.00	44.11	0.31	44.42	74.00	-29.58	PEAK
2	18495.00	42.61	2.09	44.70	74.00	-29.30	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6165 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12330.00	44.04	0.31	44.36	74.00	-29.64	PEAK
2	18495.00	42.44	2.09	44.53	74.00	-29.47	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6405 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12810.00	45.37	0.10	45.48	88.20	-42.72	PEAK
2	19215.00	43.46	2.18	45.64	74.00	-28.36	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6405 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12810.00	45.58	0.10	45.68	88.20	-42.52	PEAK
2	19215.00	42.55	2.18	44.73	74.00	-29.27	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6445 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12890.00	44.67	1.16	45.83	88.20	-42.37	PEAK
2	19335.00	41.35	2.18	43.53	74.00	-30.47	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6445 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12890.00	45.64	1.16	46.80	88.20	-41.40	PEAK
2	19335.00	41.63	2.18	43.81	74.00	-30.19	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6485 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12970.00	44.43	1.37	45.81	88.20	-42.39	PEAK
2	19455.00	40.95	2.20	43.15	74.00	-30.85	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6485 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12970.00	44.45	1.37	45.82	88.20	-42.38	PEAK
2	19455.00	41.52	2.20	43.72	74.00	-30.28	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6525 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13050.00	44.79	0.93	45.73	88.20	-42.47	PEAK
2	19575.00	40.78	2.22	43.00	74.00	-31.00	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6525 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13050.00	44.75	0.93	45.68	88.20	-42.52	PEAK
2	19575.00	41.61	2.22	43.83	74.00	-30.17	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6565 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13130.00	43.45	0.39	43.84	88.20	-44.36	PEAK
2	19695.00	41.54	2.23	43.77	74.00	-30.23	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6565 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13130.00	44.01	0.39	44.40	88.20	-43.80	PEAK
2	19695.00	41.37	2.23	43.60	74.00	-30.40	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6685 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13370.00	43.75	0.72	44.47	74.00	-29.53	PEAK
2	20055.00	39.85	2.27	42.12	74.00	-31.88	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6685 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13370.00	44.06	0.72	44.79	74.00	-29.21	PEAK
2	20055.00	40.30	2.27	42.57	74.00	-31.43	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6845 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13690.00	44.08	1.81	45.89	88.20	-42.31	PEAK
2	20535.00	38.93	2.32	41.25	74.00	-32.75	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6845 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13690.00	44.42	1.81	46.22	88.20	-41.98	PEAK
2	20535.00	40.38	2.32	42.70	74.00	-31.30	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6925 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13850.00	44.59	1.72	46.31	88.20	-41.89	PEAK
2	20775.00	39.26	2.35	41.61	74.00	-32.39	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 6925 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13850.00	44.73	1.72	46.45	88.20	-41.75	PEAK
2	20775.00	39.54	2.35	41.89	74.00	-32.11	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7005 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14010.00	43.31	1.36	44.67	88.20	-43.53	PEAK
2	21015.00	39.19	2.38	41.57	74.00	-32.43	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7005 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14010.00	45.27	1.36	46.63	88.20	-41.57	PEAK
2	21015.00	39.44	2.38	41.82	74.00	-32.18	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7085 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14170.00	43.97	3.50	47.47	88.20	-40.73	PEAK
2	21255.00	40.45	2.40	42.85	74.00	-31.15	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7085 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14170.00	43.87	3.50	47.37	88.20	-40.83	PEAK
2	21255.00	39.09	2.40	41.49	74.00	-32.51	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5985 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11970.00	45.44	-0.89	44.55	74.00	-29.45	PEAK
2	17955.00	42.96	3.16	46.12	74.00	-27.88	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5985 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11970.00	45.39	-0.89	44.49	74.00	-29.51	PEAK
2	17955.00	42.58	3.16	45.74	74.00	-28.26	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6145 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12290.00	44.88	0.22	45.10	74.00	-28.90	PEAK
2	18435.00	42.69	2.08	44.77	74.00	-29.23	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6145 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12290.00	44.52	0.22	44.75	74.00	-29.25	PEAK
2	18435.00	42.92	2.08	45.00	74.00	-29.00	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6385 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12770.00	44.48	0.06	44.54	88.20	-43.66	PEAK
2	19155.00	42.73	2.16	44.89	74.00	-29.11	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6385 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12770.00	45.64	0.06	45.70	88.20	-42.50	PEAK
2	19155.00	42.33	2.16	44.49	74.00	-29.51	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6465 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12930.00	44.36	1.32	45.68	88.20	-42.52	PEAK
2	19395.00	42.32	2.20	44.52	74.00	-29.48	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6465 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12930.00	45.33	1.32	46.65	88.20	-41.55	PEAK
2	19395.00	41.82	2.20	44.02	74.00	-29.98	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6545 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13090.00	46.19	0.59	46.79	88.20	-41.41	PEAK
2	19635.00	40.75	2.22	42.97	74.00	-31.03	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6545 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13090.00	44.90	0.59	45.49	88.20	-42.71	PEAK
2	19635.00	41.22	2.22	43.44	74.00	-30.56	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6625 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13250.00	43.77	0.46	44.23	74.00	-29.77	PEAK
2	19875.00	40.32	2.26	42.58	74.00	-31.42	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6625 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13250.00	44.46	0.46	44.92	74.00	-29.08	PEAK
2	19875.00	40.20	2.26	42.46	74.00	-31.54	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6705 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13410.00	43.18	0.68	43.86	88.20	-44.34	PEAK
2	20115.00	40.37	2.28	42.65	74.00	-31.35	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6705 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13410.00	43.56	0.68	44.24	88.20	-43.96	PEAK
2	20115.00	40.55	2.28	42.83	74.00	-31.17	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6785 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13570.00	43.58	0.46	44.04	88.20	-44.16	PEAK
2	20355.00	40.11	2.30	42.41	74.00	-31.59	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6785 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13570.00	44.12	0.46	44.58	88.20	-43.62	PEAK
2	20355.00	40.26	2.30	42.56	74.00	-31.44	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6865 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13730.00	43.99	1.95	45.94	88.20	-42.26	PEAK
2	20595.00	39.05	2.32	41.37	74.00	-32.63	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6865 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13730.00	45.16	1.95	47.11	88.20	-41.09	PEAK
2	20595.00	39.57	2.32	41.89	74.00	-32.11	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6945 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13890.00	44.57	1.45	46.03	88.20	-42.17	PEAK
2	20835.00	39.13	2.35	41.48	74.00	-32.52	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 6945 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13890.00	44.70	1.45	46.16	88.20	-42.04	PEAK
2	20835.00	39.39	2.35	41.74	74.00	-32.26	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 7025 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14050.00	44.29	2.13	46.41	88.20	-41.79	PEAK
2	21075.00	39.36	2.38	41.74	74.00	-32.26	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 7025 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14050.00	44.71	2.13	46.83	88.20	-41.37	PEAK
2	21075.00	40.56	2.38	42.94	74.00	-31.06	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6025 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12050.00	43.93	-0.48	43.44	74.00	-30.56	PEAK
2	18075.00	41.65	2.05	43.70	74.00	-30.30	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6025 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12050.00	44.66	-0.48	44.18	74.00	-29.82	PEAK
2	18075.00	42.76	2.05	44.81	74.00	-29.19	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6185 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12370.00	45.96	0.48	46.43	74.00	-27.57	PEAK
2	18555.00	42.30	2.10	44.40	74.00	-29.60	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6185 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12370.00	46.11	0.48	46.59	74.00	-27.41	PEAK
2	18555.00	43.24	2.10	45.34	74.00	-28.66	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6345 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12690.00	44.47	-0.53	43.94	74.00	-30.06	PEAK
2	19035.00	42.53	2.15	44.68	74.00	-29.32	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6345 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12690.00	45.03	-0.53	44.50	74.00	-29.50	PEAK
2	19035.00	42.80	2.15	44.95	74.00	-29.05	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6505 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13010.00	45.00	1.33	46.33	88.20	-41.87	PEAK
2	19515.00	40.83	2.21	43.04	74.00	-30.96	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6505 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13010.00	45.58	1.33	46.92	88.20	-41.28	PEAK
2	19515.00	41.61	2.21	43.82	74.00	-30.18	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6665 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13330.00	43.32	0.90	44.21	74.00	-29.79	PEAK
2	19995.00	40.64	2.26	42.90	74.00	-31.10	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6665 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13330.00	44.12	0.90	45.01	74.00	-28.99	PEAK
2	19995.00	41.46	2.26	43.72	74.00	-30.28	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6825 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13650.00	45.76	1.22	46.98	88.20	-41.22	PEAK
2	20475.00	39.46	2.31	41.77	74.00	-32.23	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6825 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13650.00	45.04	1.22	46.26	88.20	-41.94	PEAK
2	20475.00	39.74	2.31	42.05	74.00	-31.95	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6985 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13970.00	44.24	1.36	45.60	88.20	-42.60	PEAK
2	20955.00	38.54	2.36	40.90	74.00	-33.10	PEAK

Test Site:	96604-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6985 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13970.00	45.21	1.36	46.57	88.20	-41.63	PEAK
2	20955.00	40.09	2.36	42.45	74.00	-31.55	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	Colocation		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	4310.00	45.17	-4.61	40.56	74.00	-33.44	PEAK
2	4845.00	46.12	-1.62	44.50	74.00	-29.50	PEAK
3	7670.00	46.22	-0.05	46.17	74.00	-27.83	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	Colocation		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	3830.00	46.81	-5.77	41.04	74.00	-32.96	PEAK
2	4810.00	45.15	-1.22	43.93	74.00	-30.07	PEAK
3	7495.00	46.56	-0.25	46.31	74.00	-27.69	PEAK

Band Edge


Peak

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5920.40	76.49	-2.82	73.67	88.20	-14.53	PEAK
2	5925.00	74.00	-2.89	71.11	88.20	-17.09	PEAK
3	5955.95	116.31	-3.28	113.03	88.20	24.83	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5919.20	79.87	-2.81	77.06	88.20	-11.14	PEAK
2	5924.60	80.16	-2.88	77.28	88.20	-10.92	PEAK
3	5925.00	77.40	-2.89	74.51	88.20	-13.69	PEAK
4	5954.30	118.76	-3.27	115.49	88.20	27.29	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	85.26	-0.26	85.00	88.20	-3.20	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7112.29	109.05	-0.13	108.92	88.20	20.72	PEAK
2	7125.00	84.22	-0.26	83.96	88.20	-4.24	PEAK
3	7125.29	85.12	-0.26	84.86	88.20	-3.34	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5919.20	74.76	-2.81	71.95	88.20	-16.25	PEAK
2	5925.00	71.42	-2.89	68.53	88.20	-19.67	PEAK
3	5948.90	116.35	-3.23	113.12	88.20	24.92	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.00	81.19	-2.87	78.32	88.20	-9.88	PEAK
2	5925.00	78.92	-2.89	76.03	88.20	-12.17	PEAK
3	5953.40	119.53	-3.26	116.27	88.20	28.07	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7112.03	95.55	-0.13	95.42	88.20	7.22	PEAK
2	7125.00	81.73	-0.26	81.47	88.20	-6.73	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7107.61	94.15	-0.09	94.06	88.20	5.86	PEAK
2	7125.00	74.61	-0.26	74.35	88.20	-13.85	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5965 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5921.30	59.95	-2.84	57.11	88.20	-31.09	PEAK
2	5925.00	56.22	-2.89	53.33	88.20	-34.87	PEAK
3	5969.30	103.43	-3.37	100.06	88.20	11.86	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5965 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5869.70	60.30	-2.39	57.91	88.20	-30.30	PEAK
2	5925.00	58.96	-2.89	56.07	88.20	-32.13	PEAK
3	5966.75	106.26	-3.35	102.91	88.20	14.71	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7085 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7073.32	104.74	-0.02	104.72	88.20	16.52	PEAK
2	7125.00	55.71	-0.26	55.45	88.20	-32.75	PEAK
3	7182.76	58.46	-0.50	57.96	88.20	-30.24	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7085 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7078.60	103.54	-0.02	103.52	88.20	15.32	PEAK
2	7125.00	54.49	-0.26	54.23	88.20	-33.97	PEAK
3	7128.36	59.06	-0.28	58.78	88.20	-29.42	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5985 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5919.19	60.45	-2.81	57.64	88.20	-30.56	PEAK
2	5925.00	56.63	-2.89	53.74	88.20	-34.46	PEAK
3	5969.11	101.79	-3.37	98.42	88.20	10.22	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5985 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5915.09	63.62	-2.74	60.88	88.20	-27.32	PEAK
2	5925.00	60.48	-2.89	57.59	88.20	-30.61	PEAK
3	5965.60	103.84	-3.34	100.50	88.20	12.30	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 7025 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7027.00	100.35	-0.13	100.22	88.20	12.02	PEAK
2	7125.00	54.86	-0.26	54.60	88.20	-33.60	PEAK
3	7195.53	59.02	-0.51	58.51	88.20	-29.69	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 7025 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7015.53	103.47	-0.18	103.29	88.20	15.09	PEAK
2	7125.00	54.91	-0.26	54.65	88.20	-33.55	PEAK
3	7181.35	58.25	-0.50	57.75	88.20	-30.45	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6025 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5922.06	62.07	-2.85	59.22	88.20	-28.98	PEAK
2	5925.00	56.54	-2.89	53.65	88.20	-34.55	PEAK
3	6021.46	97.97	-3.49	94.48	88.20	6.28	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6025 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5915.01	63.70	-2.74	60.96	88.20	-27.24	PEAK
2	5925.00	60.41	-2.89	57.52	88.20	-30.68	PEAK
3	5985.98	101.86	-3.47	98.39	88.20	10.19	PEAK

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6985 MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	6967.60	98.07	-0.49	97.58	88.20	9.38	PEAK
2	7125.00	55.20	-0.26	54.94	88.20	-33.26	PEAK
3	7208.75	59.00	-0.45	58.55	88.20	-29.66	PEAK


Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6985 MHz		
Polarization:	Vertical		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	6996.20	99.10	-0.28	98.82	88.20	10.62	PEAK
2	7125.00	56.39	-0.26	56.13	88.20	-32.07	PEAK
3	7142.13	58.86	-0.42	58.44	88.20	-29.76	PEAK


Average

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5922.20	60.58	-2.85	57.73	68.20	-10.47	AVG
2	5925.00	60.63	-2.89	57.74	68.20	-10.46	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.60	66.09	-2.88	63.21	68.20	-4.99	AVG
2	5925.00	65.51	-2.89	62.62	68.20	-5.58	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	65.39	-0.26	65.13	68.20	-3.07	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	59.51	-0.26	59.25	68.20	-8.95	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5919.35	62.78	-2.82	59.96	68.20	-8.24	AVG
2	5925.00	61.17	-2.89	58.28	68.20	-9.92	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.45	67.27	-2.88	64.39	68.20	-3.81	AVG
2	5925.00	67.18	-2.89	64.29	68.20	-3.91	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	66.45	-0.26	66.19	68.20	-2.01	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	66.45	-0.26	66.19	68.20	-2.01	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5965 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5920.10	48.18	-2.82	45.36	68.20	-22.84	AVG
2	5925.00	47.48	-2.89	44.59	68.20	-23.61	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5965 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5925.00	50.03	-2.89	47.14	68.20	-21.06	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7085 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	47.11	-0.26	46.85	68.20	-21.35	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 7085 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	47.13	-0.26	46.87	68.20	-21.33	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5985 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5918.99	49.80	-2.80	47.00	68.20	-21.20	AVG
2	5925.00	47.44	-2.89	44.55	68.20	-23.65	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5985 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5925.00	51.05	-2.89	48.16	68.20	-20.04	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 7025 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	46.98	-0.26	46.72	68.20	-21.49	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 7025 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	46.84	-0.26	46.58	68.20	-21.62	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6025 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5920.88	50.25	-2.84	47.41	68.20	-20.79	AVG
2	5925.00	48.30	-2.89	45.41	68.20	-22.79	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6025 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5925.00	52.25	-2.89	49.36	68.20	-18.84	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6985 MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	46.70	-0.26	46.44	68.20	-21.76	AVG
2	7131.40	47.31	-0.33	46.98	68.20	-21.22	AVG

Test Site:	96604 - WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 6985 MHz		
Polarization:	Vertical		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	47.30	-0.26	47.04	68.20	-21.16	AVG
2	7127.18	47.94	-0.28	47.66	68.20	-20.54	AVG